

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
11230	1,25-(OH)2 Vitamin D	SST Serum	RIA	너153마	CY705		149	9,920	9,920	158.79	10,880	10,880	▲
20000	1,5-Anhydroglucitol	SST Serum	Colorimetry	너273	CX273		187	12,450	12,450	173.93	11,910	11,910	▼
00540	11-Deoxy cortisol	SST Serum	RIA			국외			160,920			165,430	▲
00550	11-Deoxycorticosterone	SST Serum	RIA			국외			160,920			165,430	▲
00560	11-OHCS	SST Serum	형광법			국외			32,290			33,190	▲
60030	12종 흡인성Allergen	SST Serum	FEIA			국외			49,510			50,900	▲
11670	17a-OH Progesterone	Blood Paper	FIA	나347	C3470		154.55	10,290	10,290	152.06	10,420	10,420	▲
00590	17-KS	24hr Urine	Spectrophotometry	나324나(3)	C3247		131.05	8,730	8,730	122.42	8,390	8,390	▼
00400	17α-OH Pregnenolone	SST Serum	RIA	노207	CZ207	국외			128,730			132,330	▲
00400	17α-OH Pregnenolone	SST Serum	RIA	노207	CZ207	국외			128,730			132,330	▲
00400	17α-OH Pregnenolone	SST Serum	RIA	노207	CZ207	국외			128,730			132,330	▲
00410	17α-OH-Progesterone	SST Serum	RIA	나347주	C7347		150.12	10,000	10,000	147.75	10,120	10,120	▲
00411	17α-OH-Progesterone	EDTA Plasma	RIA	나347주	C7347		150.12	10,000	10,000	147.75	10,120	10,120	▲
00621	18-OH Corticosterone	SST Serum	LC/MS/MS			국외			297,160			305,480	▲
11830	2,5-Hexanedione	Random Urine	GC/NPD	나451나(3)	CY373290		281.02	18,720	18,720	251.42	17,220	17,220	▼
50000	2-5A합성효소활성	SST Serum	RIA			국외			79,110			81,330	▲
11250	25-OH Vitamin D	SST Serum	CLIA	너153마	CY155		90.15	6,000	6,000	84.7	5,800	5,800	▼
11252	25-OH Vitamin D(D2,D3)	Plain Serum	HPLC	너153	CY164~5006		0	58,740	58,740	0	60,480	60,480	▲
11251	25-OH Vitamin D3 (RIA)	SST Serum	RIA	너153마주2	CY705		149	9,920	9,920	158.79	10,880	10,880	▲
81350	3D-HDRA	Other		노480	CZ480				490,000			503,720	▲
00421	5-a-dihydrotestosterone	SST Serum	RIA			국외			113,020			116,180	▲
00825	5-HIAA 정량	24hr Urine	EIA	나322나(2)	C3223		226.68	15,100	15,100	234.43	16,060	16,060	▲
00826	5-HIAA 정량	Random Urine	EIA	나322나(2)	C3223		226.68	15,100	15,100	234.43	16,060	16,060	▲
00820	5-HIAA 정량(Plasma)	EDTA Plasma	HPLC			국외			43,320			44,530	▲
00810	5-HIAA 정성	Random Urine	Colorimetry	나322가	C3221		17.44	1,160	1,160	15.93	1,090	1,090	▼
01130	간세포종식인자(HGF)	SST Serum	ELISA			국외			160,920			165,430	▲
12920	갈락토스혈증	Blood Paper	비색법	너341가	CY411		18.42	1,230	1,230	16.31	1,120	1,120	▼
11538	광범위선천성대사이상 MS/MS	Blood Paper	Tandem MS	노338	CZ338				61,890			63,620	▲
27825	글리백내성유전자(Sequencin	EDTA Blood	Sequencing	노596	CZ817				272,320			279,940	▲
12891	단풍당뇨증(ECA)	Blood Paper	비색법	나443나1	CY441		27.23	1,810	1,810	24.93	1,710	1,710	▼
50492	백일해 검사 (NIH)	비인후/인후도찰물				NIH			0			0	
50490	백일해 항체	SST Serum	PA			국외			34,660			35,630	▲
80000	부인과적 세포검사	Cervix	Pap stain	나592	C5920		89.65	5,970	5,970	89.02	6,100	6,100	▲
70970	분변충란검사	Stool	검경법	나61다	B0613		21.4	1,430	1,430	21.83	1,500	1,500	▲
27590	선천성난청유전자(GJB2)	EDTA Blood	Sequencing	노595	CZ623				61,890			71,960	▲
27591	선천성난청유전자(GJB2)	Blood Paper	Sequencing	노595	CZ623				61,890			71,960	▲
80015	엑상자궁경부세포검사	Cervix		너541	CX541		368.46	24,540	24,540	368.48	25,240	25,240	▲
80700	엑상자궁경부세포검사	Cervix	Pap stain	너541	CX541		368.46	24,540	24,540	368.48	25,240	25,240	▲
80720	엑상자궁경부세포-Cytofast	Cervix	Pap stain	너541	CX541		368.46	24,540	24,540	368.48	25,240	25,240	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
70006	요일반검사 4종	Random Urine	Strip	나1	B0010		12.06	800	800	13.67	940	940	▲
70005	요일반검사 7종	Random Urine	Strip	나2	B0020		14.7	980	980	16.36	1,120	1,120	▲
70000	요일반검사10종	Random Urine	Strip	나3	B0030		24.21	1,610	1,610	28.27	1,940	1,940	▲
71010	요충란검사(Scotch tape)	Other	검경법	나62	B0620		16.42	1,090	1,090	16.73	1,150	1,150	▲
70015	요침사현미경검사	Random Urine	검경법	나4	B0041		11.21	750	750	11.31	770	770	▲
11220	전지질 중 지방산분획	SST Serum	GC			국외			186,210			191,420	▲
82018	조직 (≥13)	Tissue		나550가(5)	C5915		687.25	45,770	45,770	687.25	47,080	47,080	▲
82017	조직 (10-12)	Tissue		나550가(4)	C5914		589.09	39,230	39,230	589.09	40,350	40,350	▲
82014	조직 (1-3)	Tissue		나550가(1)	C5911		282.35	18,800	18,800	282.35	19,340	19,340	▲
82015	조직 (4-6)	Tissue		나550가(2)	C5912		380.51	25,340	25,340	380.51	26,060	26,060	▲
82016	조직 (7-9)	Tissue		나550가(3)	C5913		478.66	31,880	31,880	478.66	32,790	32,790	▲
82037	조직 악성(≤15)	Tissue		나550다(1)	C5500		783.64	52,190	52,190	783.64	53,680	53,680	▲
82035	조직 악성(≤20)	Tissue		나550다(1)	C5918		1072.19	71,410	71,410	1072.2	73,450	73,450	▲
82038	조직 악성(≥16)	Tissue		나550다(2)	C5504		1096.92	73,050	73,050	1096.9	75,140	75,140	▲
82036	조직 악성(≥21)	Tissue		나550다(2)	C5919		1602.34	106,720	106,720	1602.3	109,760	109,760	▲
82024	조직 절편(≤6)	Tissue		나550나(1)	C5916		445.87	29,690	29,690	445.87	30,540	30,540	▲
82211	조직 절편(≤6)+ 절편(≥7)	Tissue		나550	C5916+C5917		0	72,100	72,100	0	74,160	74,160	▲
82205	조직 절편(≤6)×2	Tissue		나550나(1)	C5916×2		445.87	59,380	59,380	445.87	61,080	61,080	▲
82025	조직 절편(≥7)	Tissue		나550나(2)	C5917		636.85	42,410	42,410	636.85	43,620	43,620	▲
82089	조직(≥13)+ Stain	Tissue		나550+나553	C5915+C5533		0	53,970	53,970	0	55,560	55,560	▲
82088	조직(10-12)+ Stain	Tissue		나550+나553	C5914+C5533		0	47,430	47,430	0	48,830	48,830	▲
82200	조직(1-3)+ 악성(≤20)	Tissue		나550	C5911+C5918		0	90,210	90,210	0	92,790	92,790	▲
82190	조직(1-3)+ 절편(≤6)	Tissue		나550	C5911+C5916		0	48,490	48,490	0	49,880	49,880	▲
82085	조직(1-3)+ Stain	Tissue		나550+C553	C5911+C5533		0	27,000	27,000	0	27,820	27,820	▲
82191	조직(1-3)×2	Tissue		나550가(1)	C5911×2		282.35	37,600	37,600	282.35	38,680	38,680	▲
82086	조직(4-6)+ Stain	Tissue		나550+나553	C5912+C5533		0	33,540	33,540	0	34,540	34,540	▲
82087	조직(7-9)+ Stain	Tissue		나550+나553	C5913+C5533		0	40,080	40,080	0	41,270	41,270	▲
80240	조직구축학적검사	Tissue		나550라(1)	C5505		1658.74	110,470	110,470	1658.7	113,620	113,620	▲
82050	조직구축학적검사	Tissue		나550라(1)	C5505		1658.74	110,470	110,470	1658.7	113,620	113,620	▲
80680	조직내호르몬수용체검사	Other		나559	C5590		473.77	31,550	31,550	429.88	29,450	29,450	▼
80670	조직전자현미경검사	Other		나555	C5550		1197.53	79,760	79,760	1114.4	76,340	76,340	▼
80020	체액세포병리검사	Sputum	Pap stain	나593가	C5930		96.93	6,460	6,460	92.75	6,350	6,350	▼
80021	체액세포병리검사(Cytospin)	Sputum	Pap stain	나593나	C5931		101.16	6,740	6,740	97.75	6,700	6,700	▼
82070	탈회(Decalcification)	Tissue		나550주1	C5509		49.3	3,280	3,280	46.91	3,210	3,210	▼
12881	페닐케톤뇨증(ECA)	Blood Paper	비색법	나443나1	C4411		27.24	1,810	1,810	24.93	1,710	1,710	▼
80673	편광현미경검사	Other		나558	C5580		56.04	3,730	3,730	52.55	3,600	3,600	▼
30231	혈액형 동정검사	복수검체	Tube	나206나	B2062006		230.57	15,360	15,360	243.24	16,660	16,660	▲
30261	혈액형 아형검사	복수검체	Tube	나201가외	B2000 외		0	19,190	19,190	0	19,670	19,670	▲
70700	혈기성 배양	Other		나405가	B4051		163.15	10,870	10,870	168.28	11,530	11,530	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
70705	혈기성 배양 및 Sensi(G)	Other		나405+나406	B4051+B4061		0	18,510	18,510	0	19,460	19,460	▲
12910	호모시스틴뇨증	Blood Paper	비색법	나443나1	CX342		27.23	1,810	1,810	24.93	1,710	1,710	▼
42305	호흡기바이러스 12종 PCR	Sputum	Multiplex-PCR	노598리	CZ981~4				156,720			161,110	▲
42306	호흡기바이러스 6종 PCR	Sputum	Multiplex-PCR	노598리	CZ981~4				136,670			140,500	▲
42252	호흡기바이러스 culture 2종	Other	Shell Vial Culture	나416	B4160006		560.25	74,620	74,620	574.26	78,680	78,680	▲
42253	호흡기바이러스 culture 3종	Other	Shell Vial Culture	나416	B4160006		560.25	111,930	111,930	574.26	118,020	118,020	▲
42254	호흡기바이러스 culture 4종	Other	Shell Vial Culture	나416	B4160006		560.25	149,240	149,240	574.26	157,360	157,360	▲
42255	호흡기바이러스 culture 5종	Other	Shell Vial Culture	나416	B4160006		560.25	186,550	186,550	574.26	196,700	196,700	▲
42256	호흡기바이러스 culture 6종	Other	Culture	나416	B4160006		560.25	223,860	223,860	574.26	236,040	236,040	▲
80030	흡인세포병리검사	Thyroid	Pap stain	나594-1	C5941		178.74	11,900	11,900	180.66	12,380	12,380	▲
10840	A/CCR	복수검체	계산법	나261+C375	B2611+C3750		0	7,940	7,940	0	7,900	7,900	▼
10020	A/G ratio	SST Serum	계산법	나220+C221	C2200+C2210		0	0	2,850	0	0	2,750	▼
10021	A/G ratio	Body Fluid	계산법	나220+C230	C2200+C2302		0	0	14,790	0	0	15,150	▲
30290	Ab Elution	EDTA Blood		나211	B2110006		55.95	3,730	3,730	50.37	3,450	3,450	▼
30230	Ab Identification Test	복수검체	Tube	나206나	B2062006외		0	26,180	26,180	0	28,210	28,210	▲
30220	Ab Screening test	SST Serum	Column	나206가	B2061006		99.48	6,630	6,630	103.62	7,100	7,100	▲
30253	ABO(Back)Typing	SST Serum	SLIDE	나201나	B2010		13.87	920	920	14.5	990	990	▲
30250	ABO(Front)Typing	EDTA Blood	SLIDE	나201가	B2000		13.87	920	920	14.72	1,010	1,010	▲
30251	ABO(Front)Typing	Capillary	SLIDE	나201가	B2000		13.87	920	920	14.72	1,010	1,010	▲
30252	ABO(Front)Typing	Cord Blood	SLIDE	나201가	B2000		13.87	920	920	14.72	1,010	1,010	▲
10190	ACE	SST Serum	Colorimetry	나273	B2731		250.42	16,680	16,680	223.09	15,280	15,280	▼
10191	ACE	Other	Colorimetry	나273	B2731		250.42	16,680	16,680	223.09	15,280	15,280	▼
65490	Acetaminophen	SST Serum	비색법	나450나(1)	C4503390		134.68	8,970	8,970	124.99	8,560	8,560	▼
65160	Acetazolamide	SST Serum	HPLC			국외			74,270			76,350	▲
12650	Acetone 정량	Random Urine	GC			국외			48,440			49,800	▲
12660	Acetone 정량	SST Serum	GC			국외			48,440			49,800	▲
25000	Acetylcholinesterase	Amniotic Fluid	Electrophoresis	노173	BZ173				185,670			190,870	▲
25310	Achondroplasia	Amniotic Fluid	PCR-RFLP	너562바	CY626006		466.42	62,120	62,120	478.85	65,600	65,600	▲
01140	Ach-r-Binding Ab	SST Serum	RIA	너450주	CX747		137.4	9,150	9,150	138.33	9,480	9,480	▲
30120	Acid phosphatase stain	Bone Marrow Slide	Stain	나118가	B1182006		83.61	5,570	5,570	83.27	5,700	5,700	▲
13177	Acid-α-glucosidase(pompe)	EDTA Blood	Fluorometry	노331	CZ331				71,070			73,060	▲
10200	ACP	SST Serum	Colorimetry	나260가	B2601		20.14	1,340	1,340	18.28	1,250	1,250	▼
10201	ACP	분비물	Colorimetry	나260가	B2601		20.14	1,340	1,340	18.28	1,250	1,250	▼
00015	ACTH (ECLIA)	EDTA Plasma	ECLIA	나359	C3590		193.42	12,880	12,880	190.03	13,020	13,020	▲
30960	Activated PTT	SC Plasma	Clot-based	나153	B1530		43.76	2,910	2,910	44.78	3,070	3,070	▲
26234	Acute Leukemia panel	Bone Marrow	Flow Cytometry	나512	C5120006		449.61	538,920	538,920	451.56	556,740	556,740	▲
10210	ADA	SST Serum	Colorimetry	나272	B2721		165.68	11,030	11,030	164.41	11,260	11,260	▲
10211	ADA	CSF	Colorimetry	나272	B2721		165.68	11,030	11,030	164.41	11,260	11,260	▲
10212	ADA	Body Fluid	Colorimetry	나272	B2721		165.68	11,030	11,030	164.41	11,260	11,260	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
28050	ADAMTS 13	SC Plasma				국외			376,720			387,270	▲
71240	Addis count	Random Urine	검경법	나6	B0060		27.13	1,810	1,810	27.06	1,850	1,850	▲
42815	Adenovirus Ag(DFA)	Other	DFA	나469	C4690516		203.16	13,530	13,530	203.37	13,930	13,930	▲
42105	Adenovirus culture	Other	Shell Vial Culture	나416	B4160006		560.25	37,310	37,310	574.26	39,340	39,340	▲
42106	Adenovirus culture(tissue)	Tissue	Culture	나416	B4160006		560.25	37,310	37,310	574.26	39,340	39,340	▲
42320	Adenovirus DNA	Sputum	Nested PCR	노598	CZ972				67,820			69,720	▲
40255	Adenovirus IgG	SST Serum	EIA	나468나(1)	C4682516		270.11	17,990	17,990	273.64	18,740	18,740	▲
40260	Adenovirus IgM	SST Serum	EIA	나468나(2)	C4683516		259.99	17,320	17,320	261	17,880	17,880	▲
40261	Adenovirus IgM	CSF	EIA	나468나(2)	C4683516		259.99	17,320	17,320	261	17,880	17,880	▲
42107	Adenovirus rapid culture	Other	Culture	나416	B4160006		560.25	37,310	37,310	574.26	39,340	39,340	▲
40000	Adenovirus(CF)	SST Serum	CF			국외			16,150			16,600	▲
40001	Adenovirus(CF)	CSF	CF			국외			16,150			16,600	▲
40010	Adenovirus,Type 1(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40011	Adenovirus,Type 1(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40110	Adenovirus,Type 11(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40111	Adenovirus,Type 11(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40190	Adenovirus,Type 19(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40191	Adenovirus,Type 19(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40020	Adenovirus,Type 2(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40021	Adenovirus,Type 2(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40210	Adenovirus,Type 21(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40211	Adenovirus,Type 21(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40030	Adenovirus,Type 3(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40031	Adenovirus,Type 3(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40370	Adenovirus,Type 37(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40371	Adenovirus,Type 37(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40040	Adenovirus,Type 4(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40041	Adenovirus,Type 4(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40050	Adenovirus,Type 5(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40051	Adenovirus,Type 5(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40060	Adenovirus,Type 6(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40061	Adenovirus,Type 6(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40070	Adenovirus,Type 7(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40071	Adenovirus,Type 7(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40080	Adenovirus,Type 8(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40081	Adenovirus,Type 8(NT)	CSF	Neutralization			국외			64,580			66,390	▲
00030	ADH	EDTA Plasma	RIA	나365주	C7365		122.68	8,170	8,170	108.83	7,450	7,450	▼
00035	ADH	Random Urine	RIA			국외			80,730			82,990	▲
00729	Adrenal 21-hydroxylase Ab	SST Serum				국외			179,480			184,510	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
25020	AFAFP	Amniotic Fluid		나421나	C4212		172.24	11,470	11,470	171.76	11,770	11,770	▲
25030	AFAFP	Amniotic Fluid		나421나	C4212		172.24	11,470	11,470	171.76	11,770	11,770	▲
25040	AFAFP	Amniotic Fluid		나421나	C4212		172.24	11,470	11,470	171.76	11,770	11,770	▲
70410	AFB Culture	Sputum	Culture	나405나(1)	B4054		192.4	12,810	12,810	192.4	13,180	13,180	▲
70420	AFB Culture	Sputum	Culture	나405나(1)	B4054		192.4	12,810	12,810	192.4	13,180	13,180	▲
70450	AFB Culture(액체+고체)결핵	Sputum	Culture	나405나	B4054+B4055		0	25,620	25,620	0	26,360	26,360	▲
70445	AFB Culture(액체+고체배지)	Sputum	Culture	나405나	B4054+B4055		0	25,620	25,620	0	26,360	26,360	▲
70605	AFB Identification	균주	LPA	너562너	CY636006		484.26	32,250	32,250	501.16	34,330	34,330	▲
70430	AFB Sensitivity	균주	절대농도법	나406다(2)	B4064		543.31	36,180	36,180	564.43	38,660	38,660	▲
70500	AFB Sensitivity (결핵협회)	균주	절대농도법	나406다(2)	B4064		543.31	36,180	36,180	564.43	38,660	38,660	▲
70512	AFB Sensitivity (INH)	Sputum	Hybridization	나595-1나2	CY752006		626.96	41,760	41,760	638.23	43,720	43,720	▲
70511	AFB Sensitivity (RFP)	Sputum	Hybridization	나595-1나1	CY751006		626.96	41,760	41,760	638.23	43,720	43,720	▲
70510	AFB Sensitivity (RFP,INH)	Sputum	Hybridization	나595-1나	CY751006외		0	83,520	83,520	0	87,440	87,440	▲
70515	AFB Sensitivity (Sequence)	Sputum	Sequencing	노598	CZ985~6				87,780			90,240	▲
70320	AFB Stain	Sputum		너304	BX304		73.12	4,870	4,870	75.33	5,160	5,160	▲
82090	AFB Stain	Tissue		나553다	C5533		123.07	8,200	8,200	123.77	8,480	8,480	▲
70400	AFB Stain & Culture	Sputum		너304+나405	BX304+B4054		0	17,680	17,680	0	18,340	18,340	▲
70330	AFB Stain(형광법)	Sputum	형광 염색법	너304	BX304		73.12	4,870	4,870	75.33	5,160	5,160	▲
01410	AFP (정성)	SST Serum	ICA	나421가	C4211		55.48	3,690	3,690	49.85	3,410	3,410	▼
01405	AFP (ECLIA)	SST Serum	CIA	나421나	C4212		172.24	11,470	11,470	171.76	11,770	11,770	▲
01406	AFP (ECLIA)	EDTA Plasma	CIA	나421나	C4212		172.24	11,470	11,470	171.76	11,770	11,770	▲
01407	AFP (ECLIA)	Body Fluid	CIA	나421나	C4212		172.24	11,470	11,470	171.76	11,770	11,770	▲
01415	AFP(CLIA)	SST Serum	CIA	나421나	C4212		172.24	11,470	11,470	171.76	11,770	11,770	▲
10000	Albumin	SST Serum	Colorimetry	나221	C2210		23.88	1,590	1,590	22.45	1,540	1,540	▼
10003	Albumin	CSF	TIA	나230나	C2302		203.09	13,530	13,530	203.5	13,940	13,940	▲
10004	Albumin	Body Fluid	Colorimetry	나230나	C2302		203.09	13,530	13,530	203.5	13,940	13,940	▲
82120	Alcian Blue(mucin) Stain	Tissue		나553다	C5533		123.07	8,200	8,200	123.77	8,480	8,480	▲
10220	Aldolase	SST Serum	Enzyme	나269	B2690		60.89	4,060	4,060	52.89	3,620	3,620	▼
00650	Aldosterone (RIA)	SST Serum	RIA	나358주	C7358		142.14	9,470	9,470	133.98	9,180	9,180	▼
00651	Aldosterone (RIA)	EDTA Plasma	RIA	나358주	C7358		142.14	9,470	9,470	133.98	9,180	9,180	▼
00655	Aldosterone (RIA)	24hr Urine	RIA	나358주	C7358		142.14	9,470	9,470	133.98	9,180	9,180	▼
10230	ALP	SST Serum	Enzyme	나260나	B2602		22.06	1,470	1,470	20.09	1,380	1,380	▼
10231	ALP	Body Fluid	Enzyme	나260나	B2602		22.06	1,470	1,470	20.09	1,380	1,380	▼
20560	ALP Isoenzyme	SST Serum	Electrophoresis	나305	B3050006		177.65	11,830	11,830	178.33	12,220	12,220	▲
00675	AMH	SST Serum	ELISA	노214	CZ214				53,820			55,330	▲
65170	Amikacin	SST Serum	면역형광	나450나(2)	C4504390		247.78	16,500	16,500	252.59	17,300	17,300	▲
13011	Amino Acid 분석	EDTA Plasma	LC/MS/MS	나443나(3)	C4433006외		0	114,560	114,560	0	119,970	119,970	▲
13012	Amino Acid 분석	Random Urine	LC/MS/MS	나443나(3)	C4433006외		0	114,560	114,560	0	119,970	119,970	▲
65500	Amiodarone	SST Serum	LC/MS/MS	나450나(4)	CX375116		570.54	38,000	38,000	577.54	39,560	39,560	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
65511	Amitriptyline	Plain Blood	LC/MS/MS	나450나(4)	CX375696		570.54	38,000	38,000	577.54	39,560	39,560	▲
25320	AML1/ETO (nested RT-PCR)	EDTA Blood	Nested RT-PCR	나597마	C5975006		1601.91	106,690	106,690	1631.2	111,730	111,730	▲
25321	AML1/ETO (nested RT-PCR)	Bone Marrow	Nested RT-PCR	나597마	C5975006		1601.91	106,690	106,690	1631.2	111,730	111,730	▲
25325	AML1/ETO (real-time PCR)	EDTA Blood	real time PCR	노596	CZ808				148,540			152,700	▲
25326	AML1/ETO (real-time PCR)	Bone Marrow	real time PCR	노596	CZ808				148,540			152,700	▲
10850	Ammonia (NH3)	EDTA Plasma	Enzyme	나387	C3870		64.58	4,300	4,300	62.85	4,310	4,310	▲
10240	Amylase	SST Serum	Enzyme	나261가	B2611		41.29	2,750	2,750	40.93	2,800	2,800	▲
10241	Amylase	Random Urine	Enzyme	나261가	B2611		41.29	2,750	2,750	40.93	2,800	2,800	▲
10242	Amylase	24hr Urine	Enzyme	나261가	B2611		41.29	2,750	2,750	40.93	2,800	2,800	▲
10243	Amylase	Body Fluid	Enzyme	나261가	B2611		41.29	2,750	2,750	40.93	2,800	2,800	▲
10250	Amylase clearance	복수검체	계산법	나261 외	B2611 외		0	0	7,940	0	0	7,900	▼
20570	Amylase Isoenzyme	SST Serum	Electrophoresis	나306	B3060006		144.53	9,630	9,630	136.74	9,370	9,370	▼
20571	Amylase Isoenzyme	Body Fluid	Electrophoresis	나306	B3060006		144.53	9,630	9,630	136.74	9,370	9,370	▼
10510	Amyloid A	SST Serum	Latex	노242	CZ242	국외			111,400			114,520	▲
10510	Amyloid A	SST Serum	Latex	노242	CZ242	국외			111,400			114,520	▲
10510	Amyloid A	SST Serum	Latex	노242	CZ242	국외			111,400			114,520	▲
51030	ANA (IFA)	SST Serum	IFA	나491나	C4912006		153.05	10,190	10,190	157.37	10,780	10,780	▲
51031	ANA (IFA)	Body Fluid	IFA	나491나	C4912006		153.05	10,190	10,190	157.37	10,780	10,780	▲
51040	ANA 정량	SST Serum	IFA	나491나주	C4913006		280.3	18,670	18,670	282.46	19,350	19,350	▲
51041	ANA 정량	Body Fluid	IFA	나491나주	C4913006		280.3	18,670	18,670	282.46	19,350	19,350	▲
51061	ANCA (MPO) 정량	SST Serum	ELISA	너447나	CY472006		216.9	14,450	14,450	212.38	14,550	14,550	▲
51062	ANCA (PR3) 정량	SST Serum	ELISA	너447가	CY471006		216.9	14,450	14,450	212.38	14,550	14,550	▲
51060	ANCA 정량	SST Serum	ELISA	너447주1	CY471~2006		0	28,900	28,900	0	29,100	29,100	▲
51050	ANCA 정성	SST Serum	ELISA	나499	C4991006		162.66	10,830	10,830	163.44	11,200	11,200	▲
00670	Androstenedione	SST Serum	IRMA	노196	CZ196				82,400			84,710	▲
00680	Androsterone	SST Serum	RIA	노197	CZ197	국외			174,530			179,420	▲
00680	Androsterone	SST Serum	RIA	노197	CZ197	국외			174,530			179,420	▲
00680	Androsterone	SST Serum	RIA	노197	CZ197	국외			174,530			179,420	▲
01170	Angiotensin I	EDTA Plasma	RIA			국외			74,270			76,350	▲
01180	Angiotensin II	EDTA Plasma	RIA			국외			74,270			76,350	▲
12930	Anion GAP	SST Serum	계산법	나379 외	C3791외		0	0	6,350	0	0	6,330	▼
51070	Anti Adrenal CortexAb	SST Serum	IFA			국외			241,370			248,130	▲
51100	Anti Cardiolipin IgA	SST Serum	ELISA	나503나(3)	C5034		255.56	17,020	17,020	262.41	17,980	17,980	▲
51080	Anti Cardiolipin IgG	SST Serum	ELISA	나503나(1)	C5032		255.56	17,020	17,020	262.41	17,980	17,980	▲
51090	Anti Cardiolipin IgM	SST Serum	ELISA	나503나(2)	C5033		255.56	17,020	17,020	262.41	17,980	17,980	▲
51110	Anti cardiolipinB2 gly 1 com	SST Serum	ELISA			국외			107,640			110,650	▲
51120	Anti CCP Ab	SST Serum	EIA	노432	CZ432				37,130			38,170	▲
51121	Anti CCP Ab	EDTA Plasma	EIA	노432	CZ432				37,130			38,170	▲
51130	Anti centromere Ab	SST Serum	IFA	너443사	CY449006		547.71	36,480	36,480	530.48	36,340	36,340	▼

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
51145	Anti centromere Ab(EIA)	SST Serum	EIA	너443사	CY449006		547.71	36,480	36,480	530.48	36,340	36,340	▼
52400	Anti collagen-Ⅱ Ab IgG	SST Serum	ELISA			국외			223,350			229,600	▲
50340	Anti Diphtheria Ab	SST Serum	EIA			국외			272,320			279,940	▲
50415	Anti DNase B Ab	SST Serum	Nephelometry			국외			159,430			163,890	▲
51150	Anti dsDNA Ab (CLIA)	SST Serum	CIA	나492나	C4922		252.56	16,820	16,820	254.88	17,460	17,460	▲
51151	Anti dsDNA Ab (CLIA)	Body Fluid	CIA	나492나	C4922		252.56	16,820	16,820	254.88	17,460	17,460	▲
51152	Anti dsDNA Ab (IRMA)	SST Serum	IRMA	나492나	C7492		236.52	15,750	15,750	234.83	16,090	16,090	▲
51160	Anti dsDNA IgG	SST Serum	EIA	나492나	C4922		252.56	16,820	16,820	254.88	17,460	17,460	▲
51170	Anti dsDNA IgM	SST Serum	EIA	나492나	C4922		252.56	16,820	16,820	254.88	17,460	17,460	▲
51171	Anti dsDNA IgM	EDTA Plasma	EIA	나492나	C4922		252.56	16,820	16,820	254.88	17,460	17,460	▲
70795	Anti fungal susceptibility	Other	MIC	나406나	B4062		178.35	11,880	11,880	181.87	12,460	12,460	▲
51220	Anti GAD Ab	SST Serum	RIA	너441주	CX744		572.74	38,140	38,140	498.79	34,170	34,170	▼
51221	Anti GAD Ab	CSF	RIA	너441주	CX744		572.74	38,140	38,140	498.79	34,170	34,170	▼
51230	Anti GBM Ab	SST Serum	ELISA	너451	CX451		125.21	8,340	8,340	125.99	8,630	8,630	▲
52050	Anti GD1b IgM	SST Serum	EIA	노425	CZ425				49,510			50,900	▲
52051	Anti GD1b IgM	CSF	EIA	노425	CZ425				49,510			50,900	▲
52052	Anti GD1b IgM	EDTA Plasma	EIA	노425	CZ425				49,510			50,900	▲
30300	Anti globulin Test	EDTA Blood		나204가주	B2047006		62.9	4,190	4,190	64.93	4,450	4,450	▲
52060	Anti GM1 IgG	SST Serum	EIA	노426	CZ261				49,510			50,900	▲
52061	Anti GM1 IgG	CSF	EIA	노426	CZ261				49,510			50,900	▲
52070	Anti GM1 IgM	SST Serum	EIA	노426	CZ262				49,510			50,900	▲
52071	Anti GM1 IgM	CSF	EIA	노426	CZ262				49,510			50,900	▲
52090	Anti GQ1b Ab	SST Serum	ELISA			국외			371,350			381,750	▲
51245	Anti growth hormone Ab	SST Serum				국외			158,760			163,210	▲
52340	Anti IA-2 Ab (ICA 512 Ab)	SST Serum	RIA			국외			126,230			129,760	▲
51270	Anti intrinsic factor Ab	SST Serum	EIA	너452	CX452		121.18	8,070	8,070	120.96	8,290	8,290	▲
51330	Anti Jo-1 Ab	SST Serum	Ouchterlony			국외			49,510			50,900	▲
51320	Anti Jo-1 Ab(MFIA)	SST Serum	MFIA	너443바	CY448006		570.41	37,990	37,990	558.84	38,280	38,280	▲
50360	Anti Legionella Ab (NIH)	SST Serum	IFA			NIH			0			0	
51360	Anti LKM Ab	SST Serum	IFA	너455	CX455		347.72	23,160	23,160	336.36	23,040	23,040	▼
51370	Anti lymphocyte Ab	SST Serum				국외			96,550			99,250	▲
50370	Anti M.tuberculosis Ab	SST Serum	ICA	나466가	C4661190		118.09	7,860	7,860	113.14	7,750	7,750	▼
52100	Anti MAG Ab	SST Serum	IFA	노427	CZ427				49,510			50,900	▲
52101	Anti MAG Ab	CSF	IFA	노427	CZ427				49,510			50,900	▲
01881	Anti Microsome (TPO) Ab	SST Serum	RIA	나495	C7495		223.51	14,890	14,890	230.25	15,770	15,770	▲
01885	Anti Microsome(TPO) Ab	SST Serum	CIA	나495나	C4952		218.3	14,540	14,540	223.74	15,330	15,330	▲
51380	Anti Mitochondrial Ab(IFA)	SST Serum	IFA	나496나	C4962		131.82	8,780	8,780	132.55	9,080	9,080	▲
51400	Anti mitochondrial M2 Ab	SST Serum	ELISA			국외			84,170			86,530	▲
52640	Anti neutrophil Ab	EDTA Blood	Flow Cytometry	나505	C5050		92.1	6,130	6,130	84.26	5,770	5,770	▼

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
51420	Anti Parietal cell Ab	SST Serum	IFA	나504	C5040		88.24	5,880	5,880	78.08	5,350	5,350	▼
51450	Anti Phospholipid IgG	SC Plasma	ELISA	나498나(1)	C4982006		269.8	17,970	17,970	274.51	18,800	18,800	▲
51451	Anti Phospholipid IgG	SST Serum	ELISA	나498나(1)	C4982006		269.8	17,970	17,970	274.51	18,800	18,800	▲
51460	Anti Phospholipid IgM	SC Plasma	ELISA	나498나(2)	C4983006		270.4	18,010	18,010	275.25	18,850	18,850	▲
51461	Anti Phospholipid IgM	SST Serum	ELISA	나498나(2)	C4983006		270.4	18,010	18,010	275.25	18,850	18,850	▲
51431	Anti PI Ab	SST Serum	EIA			국외			673,360			692,210	▲
51470	Anti Pituitary Ab	SST Serum	IFA			국외			148,540			152,700	▲
51480	Anti Platelet Ab	SST Serum	IFA	나501나	C5012006		246.92	16,440	16,440	251.6	17,230	17,230	▲
51481	Anti Platelet Ab	SST Serum		나502다	CX442006		309.33	20,600	20,600	319.53	21,890	21,890	▲
51500	Anti Reticulin Ab	SST Serum	IFA			국외			222,810			229,050	▲
51520	Anti RNP Ab	SST Serum	EIA	너443나	CY444006		401.82	26,760	26,760	400.52	27,440	27,440	▲
51521	Anti RNP Ab	EDTA Plasma	EIA	너443나	CY444006		401.82	26,760	26,760	400.52	27,440	27,440	▲
51530	Anti Scl-70 Ab	SST Serum	Ouchterlony			국외			48,440			49,800	▲
51535	Anti Scl-70 Ab(MFIA)	SST Serum	MFIA	너443마	CY447006		594.69	39,610	39,610	589.2	40,360	40,360	▲
51540	Anti Skeletal Muscle Ab	SST Serum	IFA			국외			215,270			221,300	▲
51550	Anti Sm Ab	SST Serum	EIA	너443가	CY443006		410.82	27,360	27,360	411.76	28,210	28,210	▲
51560	Anti Smooth Muscle Ab(IFA)	SST Serum	IFA	나497나	C4972		130.71	8,710	8,710	131.16	8,980	8,980	▲
51570	Anti sperm Ab	SST Serum	IBT	나735나	E7352		154.87	10,310	10,310	127.04	8,700	8,700	▼
51580	Anti SS-A/Ro Ab	SST Serum	EIA	너443다	CY445006		410.83	27,360	27,360	411.77	28,210	28,210	▲
51590	Anti SS-B/La Ab	SST Serum	EIA	너443라	CY446006		410.85	27,360	27,360	411.81	28,210	28,210	▲
51180	Anti ss-DNA IgG	SST Serum	ELISA			국외			42,620			43,810	▲
51190	Anti ss-DNA IgM	SST Serum	ELISA			국외			64,580			66,390	▲
50380	Anti Streptokinase Ab	SST Serum	PA			국외			9,690			9,960	▲
50395	Anti Tetanus Ab	SST Serum	ICA	나466나	C4661190		118.09	7,860	7,860	113.14	7,750	7,750	▼
50390	Anti Tetanus Ab	SST Serum	EIA			국외			247,560			254,490	▲
30870	Anti thrombin Ⅲ(%)	SC Plasma	Chromogenic assay	나158	B1580		111.5	7,430	7,430	111.8	7,660	7,660	▲
51620	Anti TS Ab	SST Serum	Bio-assay	노213	CZ213				74,270			76,350	▲
51630	Anti TSB Ab	SST Serum	RIA			국외			247,560			254,490	▲
31120	Anti Xa LMWH test(Heparin)	SC Plasma	Clot-based	나163-1나	B1634		180.33	12,010	12,010	186.95	12,810	12,810	▲
52030	Anti β2-GP1 IgG Ab	SST Serum	ELISA	나506가	C5061		255.56	17,020	17,020	262.41	17,980	17,980	▲
52035	Anti β2-GP1 IgM Ab	SST Serum	ELISA	나506가	C5062		255.56	17,020	17,020	262.41	17,980	17,980	▲
30850	Antiplasmin(α2-PI)	SC Plasma	Chromogenic assay			국외			40,370			41,500	▲
30860	Antithrombin Ⅲ	SC Plasma	TIA	나158	B1580		111.5	7,430	7,430	111.8	7,660	7,660	▲
31100	APCR	SC Plasma	Clot-based	너89	BX089		330.08	21,980	21,980	343.29	23,520	23,520	▲
10940	Apolipoprotein A I	SST Serum	TIA	나246가	C2461		102.32	6,810	6,810	102.63	7,030	7,030	▲
10950	Apolipoprotein AⅡ	SST Serum	TIA	나246가	C2461		102.32	6,810	6,810	102.63	7,030	7,030	▲
10960	Apolipoprotein B	SST Serum	TIA	나246나	C2462		105.27	7,010	7,010	106.5	7,300	7,300	▲
10970	Apolipoprotein CⅡ	SST Serum	TIA	나246다	C2463		107.67	7,170	7,170	109.49	7,500	7,500	▲
10980	Apolipoprotein CⅢ	SST Serum	TIA	나246다	C2463		107.67	7,170	7,170	109.49	7,500	7,500	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
10990	Apolipoprotein E	SST Serum	TIA	나246라	C2464		106.86	7,120	7,120	108.48	7,430	7,430	▲
25330	Apolipoprotein E Genotype	EDTA Blood	PCR	너572	CX572006		906.44	60,370	60,370	924.73	63,340	63,340	▲
65005	Aprindine	SST Serum	HPLC			국외			40,900			42,050	▲
65006	Aprindine	Hp Blood	HPLC			국외			40,900			42,050	▲
20430	Apt test	Stool	Colorimetry	나124	B1240		11.51	770	770	12	820	820	▲
20431	Apt test	Other	Colorimetry	나124	B1240		11.51	770	770	12	820	820	▲
10265	Arylsulfatase A	EDTA Blood	Enzyme	노327	CZ327				96,550			99,250	▲
50410	ASO 정량	SST Serum	TIA	나463나	C4633		106.53	7,090	7,090	107.52	7,370	7,370	▲
50400	ASO(Latex)	SST Serum	TIA	나463가	C4631		31.27	2,080	2,080	28.79	1,970	1,970	▼
50411	ASO(Titer)	Body Fluid	TIA	나463나	C4633		106.53	7,090	7,090	107.52	7,370	7,370	▲
50440	Aspergillus Ab	SST Serum	Immuno-diffusion			국외			123,790			127,260	▲
50445	Aspergillus Ab IgG	SST Serum	EIA	나467나	C4672236		192.85	12,840	12,840	190.48	13,050	13,050	▲
65520	Aspirin (Salicylic acid)	SST Serum	비색법	나450나(1)	C4503390		134.68	8,970	8,970	124.99	8,560	8,560	▼
27673	ATP기반 항암제 감수성 검사	Other		노481	CZ481				466,700			479,770	▲
11925	Auto hemolysis test	복수검체	Colorimetry	나114	B1140006		120.24	8,010	8,010	119.56	8,190	8,190	▲
29170	Avellino corneal dystrophy	Other	Sequencing	노595	CZ661				53,820			55,330	▲
27570	B cell confirm test	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	119,760	119,760	451.56	123,720	123,720	▲
10890	B/C ratio	SST Serum	계산법	나373+C375	C3730+C3750		0	0	2,750	0	0	2,620	▼
50460	Bacterial Ag	CSF	Latex	나408	B4080		85.21	28,350	28,350	79.57	27,250	27,250	▼
65180	Barbiturate	Random Urine	ICA	나450가(2)	C4502070		118.13	7,870	7,870	111.78	7,660	7,660	▼
52540	Bartonella Ab (NIH)	SST Serum	IFA			NIH			0			0	
01430	Basic fetoprotein(BFP)	SST Serum	EIA			국외			55,700			57,260	▲
01440	BCA225	SST Serum	EIA			국외			49,510			50,900	▲
25900	B-Cell Stain(CD20)(IHC)	Blood Smear Slide		나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
27566	bcr-abl (real-time PCR)	EDTA Blood	real time PCR	노596	CZ809				148,540			152,700	▲
27567	bcr-abl (real-time PCR)	Bone Marrow	real time PCR	노596	CZ809				148,540			152,700	▲
70030	Bence-Jones Protein 정성	Random Urine	Precipitation	나227가	C2271		14.75	980	980	13.33	910	910	▼
65190	Benzodiazepine	Random Urine	ICA	나450가(2)	C4502080		118.13	7,870	7,870	111.78	7,660	7,660	▼
11930	Bile Acid	SST Serum	Enzyme	너272	CX272		176.71	11,770	11,770	161.06	11,030	11,030	▼
11931	Bile Acid	Bile	Enzyme	너272	CX272		176.71	11,770	11,770	161.06	11,030	11,030	▼
11680	Biotinidase 정량	EDTA Plasma	Spectrophotometry	노333	CZ333				123,790			127,260	▲
50470	Blastomyces Ab	SST Serum	Immuno-diffusion			국외			274,200			281,880	▲
30010	Blood Cell Morphology	EDTA Blood	검경법	나110	B1100006		72.09	4,800	4,800	75.56	5,180	5,180	▲
70230	Blood Culture	Blood	Culture	나405가	B4051		163.15	10,870	10,870	168.28	11,530	11,530	▲
70235	Blood Culture & Sensi(G)	Other		나405+ 나406	B4051+B4061		0	18,510	18,510	0	19,460	19,460	▲
71020	Body Fluid Analysis	Body Fluid	Manual	나51	B0510		50.45	3,360	3,360	51.91	3,560	3,560	▲
71021	Body Fluid Analysis(Joint)	Joint Fluid	Manual	나51	B0510		50.45	3,360	3,360	51.91	3,560	3,560	▲
71060	Body Fluid Cell count	Body Fluid	Manual	나51	B0510		50.45	3,360	3,360	51.91	3,560	3,560	▲
11941	Bone ALP	SST Serum	CLIA	나398	C3980		108.23	7,210	7,210	91.46	6,270	6,270	▼

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
30135	Bone Marrow Consultant	Bone Marrow Slide		나111가주1	B1113		478.35	31,860	31,860	513.19	35,150	35,150	▲
30130	Bone Marrow Examination	Bone Marrow Slide	Manual	나111가주1	B1113		478.35	31,860	31,860	513.19	35,150	35,150	▲
29071	BRAF gene mutation	Block	Sequencing	노595	CZ684				80,000			82,240	▲
29073	BRAF gene mutation	Tissue	Sequencing	노595	CZ684				57,000			58,600	▲
29070	BRAF V600E gene mutation	Tissue	Sequencing	노595	CZ684				53,820			55,330	▲
25350	BRCA1	EDTA Blood	Sequencing	나599나(4)	CY713006		7282.19	484,990	484,990	7624.9	522,300	522,300	▲
25360	BRCA2	EDTA Blood	Sequencing	나599나(4)	CY714006		7282.19	484,990	484,990	7624.9	522,300	522,300	▲
65791	Brodifacoum	SST Serum	HPLC			국외			450,110			462,710	▲
65680	Bromide	SST Serum	ICA			국외			185,670			190,870	▲
50510	Brucella Ab (NIH)	SST Serum				NIH			0			0	
10860	BUN	SST Serum	Enzyme	나373	C3730		22.98	1,530	1,530	21.52	1,470	1,470	▼
10861	BUN	24hr Urine	Enzyme	나373	C3730		22.98	1,530	1,530	21.52	1,470	1,470	▼
10862	BUN	Random Urine	Enzyme	나373	C3730		22.98	1,530	1,530	21.52	1,470	1,470	▼
70727	C. difficile culture	Stool	Culture	너302가	BY021		176.14	11,730	11,730	181.51	12,430	12,430	▲
70725	C. difficile toxin A,B	Stool	ELFA	너302나	BY022		131.94	8,790	8,790	133.91	9,170	9,170	▲
20010	C1 inactivator	SST Serum	RID	노111	CZ111				55,700			57,260	▲
30880	C1 inactivator activity	SC Plasma	발색성합성기질법	노111	CZ111	국외			123,790			127,260	▲
30880	C1 inactivator activity	SC Plasma	발색성합성기질법	노111	CZ111	국외			123,790			127,260	▲
30880	C1 inactivator activity	SC Plasma	발색성합성기질법	노111	CZ111	국외			123,790			127,260	▲
20020	C1q	SST Serum	RID	나226사	C2267		106.72	7,110	7,110	108.31	7,420	7,420	▲
20030	C2	SST Serum	RID			국외			242,180			248,960	▲
20031	C2	EDTA Plasma	RID			국외			242,180			248,960	▲
20040	C3	SST Serum	TIA	나226가	C2261		106.61	7,100	7,100	108.17	7,410	7,410	▲
20050	C3a	EDTA Plasma	RIA			국외			216,240			222,290	▲
20070	C4	SST Serum	TIA	나226나	C2262		105.25	7,010	7,010	106.47	7,290	7,290	▲
20090	C5	SST Serum	RID			국외			242,180			248,960	▲
20110	C6	SST Serum	RID			국외			242,180			248,960	▲
20120	C7	SST Serum	RID			국외			242,180			248,960	▲
20150	C9	SST Serum	RID			국외			242,180			248,960	▲
01510	CA 54/61	SST Serum	ELISA			국외			74,270			76,350	▲
01520	CA 602	SST Serum	ELISA			국외			74,270			76,350	▲
01485	CA 72-4	SST Serum	RIA	나426주	C7426		268.6	17,890	17,890	264.9	18,150	18,150	▲
01482	CA 72-4 (ECLIA)	SST Serum	ECLIA	나426	C4260		280.83	18,700	18,700	280.19	19,190	19,190	▲
10076	Ca/Cr ratio(Urine)	Random Urine	계산법	나379마외	C3795외		0	0	2,350	0	0	2,240	▼
10090	Ca++	SST Serum	Electrode	나379바	C3796		79.7	5,310	5,310	81.11	5,560	5,560	▲
10091	Ca++	Hp Plasma	Electrode	나379바	C3796		79.7	5,310	5,310	81.11	5,560	5,560	▲
01495	CA125 (ECLIA)	SST Serum	ECLIA	나424	C4240		253.45	16,880	16,880	253.63	17,370	17,370	▲
01455	CA15-3 (ECLIA)	SST Serum	ECLIA	나433	C4330		251.81	16,770	16,770	251.58	17,230	17,230	▲
01465	CA19-9 (ECLIA)	SST Serum	ECLIA	나423	C4230		262.29	17,470	17,470	263.56	18,050	18,050	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
01466	CA19-9 (ECLIA)	Body Fluid	ECLIA	나423	C4230		262.29	17,470	17,470	263.56	18,050	18,050	▲
12692	Cadmium(Cd)	Trace EDTA Blood	ICP/MS	나452나(2)	C4523650		309.81	20,630	20,630	313.68	21,490	21,490	▲
12693	Cadmium(Cd)	24hr Urine	ICP/MS	나452나(2)	C4523650		309.81	20,630	20,630	313.68	21,490	21,490	▲
12695	Cadmium(Cd) (아산)	Hp Blood	AAS	나452나(2)	C4523650		309.81	20,630	20,630	313.68	21,490	21,490	▲
28080	CAG repeats of Androgen R	EDTA Blood	PCR Fragment analysis	너573마	CY539006		1150.44	76,620	76,620	1199.7	82,180	82,180	▲
01900	Calcitonin	SST Serum	RIA	나356주	C7356		165.18	11,000	11,000	153.33	10,500	10,500	▼
10070	Calcium (Ca)	SST Serum	Colorimetry	나379마	C3795		16.96	1,130	1,130	15.94	1,090	1,090	▼
10071	Calcium (Ca)	24hr Urine	Colorimetry	나379마	C3795		16.96	1,130	1,130	15.94	1,090	1,090	▼
10072	Calcium (Ca)	Random Urine	Colorimetry	나379마	C3795		16.96	1,130	1,130	15.94	1,090	1,090	▼
10077	Calcium excretion	복수검체	계산법	나379마외	C3795외		0	0	3,570	0	0	3,390	▼
01195	C-AMP	EDTA Plasma	RIA	노205	CZ205	국외			64,360			66,160	▲
01196	C-AMP	24hr Urine	RIA	노205	CZ205	국외			64,360			66,160	▲
01197	C-AMP	Random Urine	RIA			국외			64,360			66,160	▲
01195	C-AMP	EDTA Plasma	RIA	노205	CZ205	국외			64,360			66,160	▲
01196	C-AMP	24hr Urine	RIA	노205	CZ205	국외			64,360			66,160	▲
01195	C-AMP	EDTA Plasma	RIA	노205	CZ205	국외			64,360			66,160	▲
01196	C-AMP	24hr Urine	RIA	노205	CZ205	국외			64,360			66,160	▲
50520	Campylobacter jejuni Ab	SST Serum	ELISA			국외			269,090			276,620	▲
50530	Candida Ab	SST Serum	Immuno-diffusion			국외			226,030			232,360	▲
50540	Candida Ag	SST Serum	Latex			국외			38,750			39,840	▲
50541	Candida Ag	CSF	Latex			국외			38,750			39,840	▲
50542	Candida Ag 정성	SST Serum	Latex	나408	B4080		85.21	5,670	5,670	79.57	5,450	5,450	▼
42695	Candida species PCR	분비물	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
01800	CAR autoantibodies	SST Serum	Western blot			국외			618,910			636,240	▲
65210	Carbamazepine,Free	Plain Serum	EMIT			국외			195,580			201,060	▲
20440	Carboxy Hemoglobin	EDTA Blood	Oximeter	나382다	C3823		53.93	3,590	3,590	54.19	3,710	3,710	▲
11010	Cardiac Risk Factor	SST Serum	계산법	나241+C242	C2411+C2420		0	0	6,950	0	0	7,020	▲
11265	Carnitine(Vitamin BT)	SST Serum	LC/MS/MS	너154	CY544		317.04	42,220	42,220	296.45	40,620	40,620	▼
11260	Carnitine(Vitamin BT)	SST Serum	Enzyme			국외			107,640			110,650	▲
11270	Carotene	SST Serum	Spectrophotometry	나255	C2550		54.33	3,620	3,620	51.11	3,500	3,500	▼
02043	Catecholamine 2F	EDTA Plasma	HPLC/ECD	너228			0	43,700	43,700	0	45,560	45,560	▲
02045	Catecholamine 2F	24hr Urine	HPLC	너228			0	43,700	43,700	0	45,560	45,560	▲
02053	Catecholamine 3F	EDTA Plasma	HPLC/ECD	너228			0	65,550	65,550	0	68,340	68,340	▲
02056	Catecholamine 3F	24hr Urine	HPLC	너228			0	65,550	65,550	0	68,340	68,340	▲
26009	CD 103	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
26221	CD 14	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
26256	CD 16 + CD 56	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
26250	CD 16 + CD 56 (NK cell)	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
25990	CD 19 (B cell)	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
25995	CD 19 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
25910	CD 2	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
26000	CD 20	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
26005	CD 20	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
26008	CD 25	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
27460	CD 25	Bone Marrow		나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
25925	CD 3 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
25920	CD 3 (T3)	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
25921	CD 3 (T3)	Bone Marrow	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
26025	CD 34	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
26020	CD 34 (Stem cell)	EDTA Blood	Flow Cytometry	나514	C5140006		737.42	73,670	73,670	750.86	77,150	77,150	▲
25935	CD 4 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
25930	CD 4 (T4)	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
25931	CD 4 (T4)	Bone Marrow	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
26030	CD 45	EDTA Blood		나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
26225	CD 45	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
51853	CD 68	Other		나557	C5575006		463.89	30,900	30,900	460.81	31,570	31,570	▲
25965	CD 8 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
25960	CD 8 (T8)	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
25961	CD 8 (T8)	Bone Marrow	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
01535	CEA (ECLIA)	SST Serum	ECLIA	나422	C4220		230.54	15,350	15,350	230.59	15,800	15,800	▲
01536	CEA (ECLIA)	Body Fluid	ECLIA	나422	C4220		230.54	15,350	15,350	230.59	15,800	15,800	▲
80045	Cell block after Cyto Exam	Other		나594	C5940		133.42	8,890	8,890	121.73	8,340	8,340	▼
82150	Cell block after Cyto Exam	Other		나594	C5940		133.42	8,890	8,890	121.73	8,340	8,340	▼
27620	Cell culture (AF)	Amniotic Fluid	Culture	나498	CX498		472.91	31,500	31,500	499.57	34,220	34,220	▲
20160	Ceruloplasmin	SST Serum	TIA	나235	C2350		110.51	7,360	7,360	113.91	7,800	7,800	▲
20161	Ceruloplasmin	Hp Plasma	TIA	나235	C2350		110.51	7,360	7,360	113.91	7,800	7,800	▲
01200	C-GMP	EDTA Plasma	RIA			국외			64,580			66,390	▲
01205	C-GMP	24hr Urine	RIA			국외			64,580			66,390	▲
51640	CH50	SST Serum	Enzyme	나225	C2250		111.44	7,420	7,420	104.79	7,180	7,180	▼
50580	Chlamydia pneumonia IgA	SST Serum	ELISA			국외			49,510			50,900	▲
50560	Chlamydia pneumonia IgG	SST Serum	IFA	나474나(1)	C4742816		206.65	13,760	13,760	207.72	14,230	14,230	▲
50570	Chlamydia pneumonia IgM	SST Serum	IFA	나474나(2)	C4743816		205.15	13,660	13,660	205.84	14,100	14,100	▲
42340	Chlamydia pneumonia PCR	Other	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
50590	Chlamydia psittaci Ab(CF)	SST Serum	CF			국외			19,370			19,910	▲
50591	Chlamydia psittaci Ab(CF)	CSF	CF			국외			19,370			19,910	▲
50600	Chlamydia psittaci IgG	SST Serum	FA			국외			80,450			82,700	▲
50601	Chlamydia psittaci IgG	CSF	FA			국외			80,450			82,700	▲
50610	Chlamydia psittaci IgM	SST Serum	FA			국외			80,450			82,700	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
50611	Chlamydia psittaci IgM	CSF	FA			국외			80,450			82,700	▲
42345	Chlamydia psittaciPCR(NIH)	Sputum	PCR			NIH			0			0	
42240	Chlamydia trachomatis Ag	분비물	EIA	나475나	C4752816		300.61	20,020	20,020	308.29	21,120	21,120	▲
50630	Chlamydia trachomatis IgG	SST Serum	EIA	나474나(1)	C4742816		206.65	13,760	13,760	207.72	14,230	14,230	▲
50640	Chlamydia trachomatis IgM	SST Serum	EIA	나474나(2)	C4743816		205.15	13,660	13,660	205.84	14,100	14,100	▲
42330	Chlamydia trachomatis PCR	분비물	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
10100	Chloride(Cl)	SST Serum	ISE	나379다	C3793		16.05	1,070	1,070	14.68	1,010	1,010	▼
50842	Chloride(Cl)	24hr Urine	ISE	나379다	C3793		16.05	1,070	1,070	14.68	1,010	1,010	▼
10102	Chloride(Cl)	Random Urine	ISE	나379다	C3793		16.05	1,070	1,070	14.68	1,010	1,010	▼
65540	Chlorpromazine	SST Serum	GC			국외			290,610			298,750	▲
11060	Cholestanol	EDTA Plasma	GC/MS			국외			321,880			330,890	▲
11050	Cholesterol Ester 정량	SST Serum	계산법	나241나	C2412		18.86	1,260	1,260	16.94	1,160	1,160	▼
11051	Cholesterol Ester 정량	Body Fluid	계산법	나241나	C2412		18.86	1,260	1,260	16.94	1,160	1,160	▼
10280	Cholinesterase(Pseudo)	SST Serum	Colorimetry	나270	B2700		45.32	3,020	3,020	39.92	2,730	2,730	▼
10290	Cholinesterase(RBC activity)	EDTA Blood	Enzyme	나270	B2700		45.32	3,020	3,020	39.92	2,730	2,730	▼
02180	Cholyglycine	SST Serum	RIA			국외			37,680			38,740	▲
25102	Chromosome Analysis(BM)	Bone Marrow	Culture	나600-1	C6005006		1606.12	106,970	106,970	1658.7	113,620	113,620	▲
25104	Chromosome Analysis(CB)	Cord Blood	Culture	나600	C6001006		1210.58	80,620	80,620	1286.8	88,150	88,150	▲
25110	Chromosome analysis(Leukemia)	Hp Blood	Culture	나600-1	C6005006		1606.12	106,970	106,970	1658.7	113,620	113,620	▲
25100	Chromosome Analysis(PB)	Hp Blood	Culture	나600	C6001006		1210.58	80,620	80,620	1286.8	88,150	88,150	▲
25192	Chromosome(High Resolution	Bone Marrow	Culture	나600-2	C6006006		1590.33	105,920	105,920	1590.3	108,940	108,940	▲
25190	Chromosome(High Resolution)	Hp Blood	Culture	나600-2	C6006006		1590.33	105,920	105,920	1590.3	108,940	108,940	▲
26235	Chronic Leukemia panel	Bone Marrow	Flow Cytometry	나512	C5120006		449.61	538,920	538,920	451.56	556,740	556,740	▲
65020	Cisplatin (Total)	SST Serum	AAS			국외			64,580			66,390	▲
10520	Citrate	24hr Urine	Enzyme	너345가(2)	CY342		229.5	15,280	15,280	201.9	13,830	13,830	▼
10525	Citrate	SST Serum	UV	너345가(2)	CY342		229.5	15,280	15,280	201.9	13,830	13,830	▼
10316	CK-BB	SST Serum	Electrophoresis	나304	B3040006		165.79	11,040	11,040	163.72	11,210	11,210	▲
27671	C-kit analysis	Other		노595(31)	CZ625				142,900			146,900	▲
10310	CK-MB 정량	SST Serum	ECLIA	나264	B2640		151.7	10,100	10,100	153.12	10,490	10,490	▲
10315	CK-MM	SST Serum	Electrophoresis	나304	B3040006		165.79	11,040	11,040	163.72	11,210	11,210	▲
65221	Clonazepam	Plain Blood	LC/MS/MS	나450	CX375696		570.54	38,000	38,000	577.54	39,560	39,560	▲
65220	Clonazepam	SST Serum	HPLC			국외			74,270			76,350	▲
50845	Clonorchis IgG(S)	SST Serum	Micro-ELISA	나472나(1)	C4722616		270.18	17,990	17,990	269.38	18,450	18,450	▲
65770	Clozapine	SST Serum	LC/MS/MS	나450나(4)	CX375696		570.54	38,000	38,000	577.54	39,560	39,560	▲
25370	CML-major PCR	EDTA Blood	Nested RT-PCR	나597가	C5971006		1597.93	106,420	106,420	1626.2	111,390	111,390	▲
25371	CML-major PCR	Bone Marrow	Nested RT-PCR	나597가	C5971006		1597.93	106,420	106,420	1626.2	111,390	111,390	▲
25380	CML-minor PCR	EDTA Blood	Nested RT-PCR	나597나	C5972006		1601.91	106,690	106,690	1631.2	111,730	111,730	▲
25381	CML-minor PCR	Bone Marrow	Nested RT-PCR	나597나	C5972006		1601.91	106,690	106,690	1631.2	111,730	111,730	▲
42356	CMV 정량 (Real-time PCR)	EDTA Blood	real time PCR	노598마	CZ963				99,020			101,790	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
50670	CMV Antigenemia(북부)	EDTA Blood		나469	C4690426		203.16	13,530	13,530	203.37	13,930	13,930	▲
42135	CMV culture	Other	Shell Vial Culture	나416	B4160006		560.25	37,310	37,310	574.26	39,340	39,340	▲
42350	CMV DNA(PCR)	EDTA Blood	PCR	나595가	C5951006		417.78	27,820	27,820	426.21	29,200	29,200	▲
40305	CMV IgG	SST Serum	CIA	나468나(1)	C4682426		270.11	17,990	17,990	273.64	18,740	18,740	▲
40306	CMV IgG	CSF	CIA	나468나(1)	C4682426		270.11	17,990	17,990	273.64	18,740	18,740	▲
40315	CMV IgM	SST Serum	CIA	나468나(2)	C4683426		259.99	17,320	17,320	261	17,880	17,880	▲
40316	CMV IgM	CSF	CIA	나468나(2)	C4683426		259.99	17,320	17,320	261	17,880	17,880	▲
40270	CMV(CF)	SST Serum	CF			국외			16,150			16,600	▲
40271	CMV(CF)	CSF	CF			국외			16,150			16,600	▲
40272	CMV(CF)	Body Fluid	CF			국외			16,150			16,600	▲
10110	CO2,Total	SST Serum	Enzyme	나381나	C3812		45.02	3,000	3,000	45.04	3,090	3,090	▲
50525	Coccidioidomycosis Ab(NIH)	SST Serum	Immuno-diffusion			NIH			0			0	
50710	Cold Agglutinin	SST Serum	HA	나209	B2090006		59.1	3,940	3,940	53.63	3,670	3,670	▼
11955	Collagen Type IV	SST Serum	Latex			국외			49,240			50,620	▲
11960	Collagen Type IV.7S	SST Serum	RIA			국외			79,220			81,440	▲
30000	Complete Blood Count 8종	EDTA Blood	자동혈구계산법				0	4,150	4,150	0	4,300	4,300	▲
20506	Co-oximeter	EDTA Blood	Oximeter	나370	C3700		158.21	10,540	10,540	160.26	10,980	10,980	▲
12722	Copper(Cu)	Tissue	AAS	나452나(2)	C4527620		613.25	40,840	40,840	619.4	42,430	42,430	▲
12725	Copper(Cu)	Trace Serum	ICP/MS	나452나(2)	C4523620		309.81	20,630	20,630	313.68	21,490	21,490	▲
12726	Copper(Cu)	24hr Urine	ICP/MS	나452나(2)	C4523620		309.81	20,630	20,630	313.68	21,490	21,490	▲
11740	Coproporphyrin 정성	Random Urine	Fluorometry	나389가	C3891		10.45	700	700	9.88	680	680	▼
29171	Corneal dystrophy, TGFB1	Other	Sequencing	노595	CZ661				151,410			155,650	▲
10075	corrected Ca	SST Serum	계산법	나221 외	C2210 외		0	0	2,720	0	0	2,630	▼
00690	Corticosterone	SST Serum	RIA			국외			148,540			152,700	▲
00707	Cortisol (ECLIA)	SST Serum	CIA	나324나(4)	C3248		128.62	8,570	8,570	119.38	8,180	8,180	▼
00720	Cortisone	SST Serum	RIA			국외			167,110			171,790	▲
40500	Coxsackievirus A type 10(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40501	Coxsackievirus A type 10(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40560	Coxsackievirus A type 16(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40561	Coxsackievirus A type 16(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40420	Coxsackievirus A type 2(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40421	Coxsackievirus A type 2(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40430	Coxsackievirus A type 3(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40431	Coxsackievirus A type 3(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40440	Coxsackievirus A type 4(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40441	Coxsackievirus A type 4(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40450	Coxsackievirus A type 5(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40451	Coxsackievirus A type 5(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40460	Coxsackievirus A type 6(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
40461	Coxsackievirus A type 6(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40470	Coxsackievirus A type 7(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40471	Coxsackievirus A type 7(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40590	Coxsackievirus A type 9(CF)	SST Serum	CF			국외			16,150			16,600	▲
40591	Coxsackievirus A type 9(CF)	CSF	CF			국외			16,150			16,600	▲
40490	Coxsackievirus A type 9(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40491	Coxsackievirus A type 9(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40710	Coxsackievirus B type 1(CF)	SST Serum	CF			국외			16,150			16,600	▲
40711	Coxsackievirus B type 1(CF)	CSF	CF			국외			16,150			16,600	▲
40610	Coxsackievirus B type 1(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40611	Coxsackievirus B type 1(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40720	Coxsackievirus B type 2(CF)	SST Serum	CF			국외			16,150			16,600	▲
40721	Coxsackievirus B type 2(CF)	CSF	CF			국외			16,150			16,600	▲
40620	Coxsackievirus B type 2(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40621	Coxsackievirus B type 2(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40730	Coxsackievirus B type 3(CF)	SST Serum	CF			국외			16,150			16,600	▲
40731	Coxsackievirus B type 3(CF)	CSF	CF			국외			16,150			16,600	▲
40630	Coxsackievirus B type 3(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40631	Coxsackievirus B type 3(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40740	Coxsackievirus B type 4(CF)	SST Serum	CF			국외			16,150			16,600	▲
40741	Coxsackievirus B type 4(CF)	CSF	CF			국외			16,150			16,600	▲
40640	Coxsackievirus B type 4(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40641	Coxsackievirus B type 4(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40750	Coxsackievirus B type 5(CF)	SST Serum	CF			국외			16,150			16,600	▲
40751	Coxsackievirus B type 5(CF)	CSF	CF			국외			16,150			16,600	▲
40652	Coxsackievirus B type 5(NT)	Body Fluid	Neutralization			국외			64,580			66,390	▲
40650	Coxsackievirus B type 5(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40651	Coxsackievirus B type 5(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40760	Coxsackievirus B type 6(CF)	SST Serum	CF			국외			16,150			16,600	▲
40761	Coxsackievirus B type 6(CF)	CSF	CF			국외			16,150			16,600	▲
40660	Coxsackievirus B type 6(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40661	Coxsackievirus B type 6(NT)	CSF	Neutralization			국외			64,580			66,390	▲
42120	Coxsackievirus culture	Other	Culture	나416	B4160006		560.25	37,310	37,310	574.26	39,340	39,340	▲
00965	C-peptide (ECLIA)	SST Serum	ECLIA	나343	C3430		199.48	13,290	13,290	202.69	13,880	13,880	▲
00966	C-peptide (ECLIA)	24hr Urine	ECLIA	나343	C3430		199.48	13,290	13,290	202.69	13,880	13,880	▲
10300	CPK	SST Serum	Enzyme	나263	B2630		55.93	3,720	3,720	55.99	3,840	3,840	▲
10301	CPK	Body Fluid	Enzyme	나263	B2630		55.93	3,720	3,720	55.99	3,840	3,840	▲
20580	CPK Isoenzyme	SST Serum	Electrophoresis	나304	B3040006		165.79	11,040	11,040	163.72	11,210	11,210	▲
20581	CPK Isoenzyme	Body Fluid		나304	B3040006		165.79	11,040	11,040	163.72	11,210	11,210	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
10900	Crea.Clearance Test	복수검체	계산법	나376	C3760		47.86	3,190	3,190	44.35	3,040	3,040	▼
10870	Creatine	SST Serum	Colorimetry	나377	C3770		21.68	1,440	1,440	19.17	1,310	1,310	▼
10871	Creatine	24hr Urine	Colorimetry	나377	C3770		21.68	1,440	1,440	19.17	1,310	1,310	▼
10872	Creatine	Random Urine	Colorimetry	나377	C3770		21.68	1,440	1,440	19.17	1,310	1,310	▼
10880	Creatinine	SST Serum	Enzyme	나375	C3750		18.25	1,220	1,220	16.75	1,150	1,150	▼
10881	Creatinine	24hr Urine	Enzyme	나375	C3750		18.25	1,220	1,220	16.75	1,150	1,150	▼
10882	Creatinine	Random Urine	Enzyme	나375	C3750		18.25	1,220	1,220	16.75	1,150	1,150	▼
29200	Creutzfeldt-Jakob D(NIH)	복수검체	Western blot			NIH			0			0	
31091	Cross matching	복수검체	Column	나205	B2050		49.31	3,280	3,280	51.36	3,520	3,520	▲
31090	Cross matching SET	복수검체	Column				0	11,710	11,710	0	12,580	12,580	▲
50720	CRP	SST Serum	TIA	나224가	C2241		21.79	1,450	1,450	19.43	1,330	1,330	▼
50721	CRP	CSF	TIA	나224가	C2241		21.79	1,450	1,450	19.43	1,330	1,330	▼
50730	CRP정량(HS-CRP)	SST Serum	TIA	나224나	C2243		105.73	7,040	7,040	106.53	7,300	7,300	▲
50731	CRP정량(HS-CRP)	CSF	TIA	나224나	C2243		105.73	7,040	7,040	106.53	7,300	7,300	▲
20170	Cryoglobulin 정성	SST Serum	한냉침전법	나500가	C5001		31.26	2,080	2,080	31.27	2,140	2,140	▲
50740	Cryptococcus Ag	SST Serum	Latex	나408	B4080		85.21	5,670	5,670	79.57	5,450	5,450	▼
50741	Cryptococcus Ag	CSF	Latex	나408	B4080		85.21	5,670	5,670	79.57	5,450	5,450	▼
13010	CTx	SST Serum	ECLIA	나393-2	C3932		190.27	12,670	12,670	181.32	12,420	12,420	▼
70110	Culture	Other		나405가	B4051		163.15	10,870	10,870	168.28	11,530	11,530	▲
70155	Culture & Sensi(MIC)(G)	Other		나405+ 나406	B4051+B4062		0	22,750	22,750	0	23,990	23,990	▲
70120	Culture & Sensitivity	Other		나405가	B4051		163.15	10,870	10,870	168.28	11,530	11,530	▲
70125	Culture & Sensitivity(G)	Other		나405+ 나406	B4051+B4061		0	18,510	18,510	0	19,460	19,460	▲
70150	Culture & Sensitivity(MIC)	Other	MIC	나405가	B4051		163.15	10,870	10,870	168.28	11,530	11,530	▲
65700	Cyanide	EDTA Blood	Colorimetry			국외			180,720			185,780	▲
65550	Cyclosporin	EDTA Blood	RIA	나450나(2)	C7451150		215.72	14,370	14,370	212.51	14,560	14,560	▲
65551	Cyclosporin (LC-MS/MS)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696		570.54	38,000	38,000	577.54	39,560	39,560	▲
01545	CYFRA 21-1 (ECLIA)	SST Serum	ECLIA	노285	CZ285				37,130			38,170	▲
12980	Cystatin C	SST Serum	TIA	너131	CX131		106.91	7,120	7,120	112.18	7,680	7,680	▲
50842	Cysticercus IgG(S)	SST Serum	Micro-ELISA	나472나(1)	C4722616		270.18	17,990	17,990	269.38	18,450	18,450	▲
27675	DCC암억제유전자-LOH	Other	PCR Fragment analysis	노596가(8)	CZ803				52,500			53,970	▲
30680	D-dimer 정량	SC Plasma	TIA	나172나	B1723		166.65	11,100	11,100	176.33	12,080	12,080	▲
31060	D-dimer 정성	SC Plasma	TIA	나172가	B1721		43.21	2,880	2,880	40.93	2,800	2,800	▼
52350	Dengue virus IgG/IgM (NIH)	SST Serum	ICA			NIH			0			0	
12381	Deoxypyridinoline(DPD)	Random Urine	EIA	나393	C3930		191.36	12,740	12,740	182.85	12,530	12,530	▼
65561	Desipramine	Plain Blood	LC/MS/MS	나450나(4)	CX375696		570.54	38,000	38,000	577.54	39,560	39,560	▲
00730	DHEA	SST Serum	RIA	노199	CZ199				136,160			139,970	▲
00746	DHEA-S (ECLIA)	SST Serum	ECLIA	나364	C3640		254.48	16,950	16,950	259.09	17,750	17,750	▲
65230	Diazepam (HPLC)	SST Serum	HPLC			국외			80,730			82,990	▲
65235	Diazepam (LC-MS/MS)	SST Serum	LC/MS/MS	나450나(4)	CX375016		570.54	38,000	38,000	577.54	39,560	39,560	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
65792	Difenacoum	SST Serum	HPLC			국외			355,200			365,150	▲
30020	Differential Count	EDTA Blood	자동혈구계산법	나109가	B1091		25.43	1,690	1,690	25.35	1,740	1,740	▲
65041	Digitoxin	SST Serum	Immuno assay			국외			149,000			153,170	▲
65051	Digoxin (ECLIA)	SST Serum	CIA	나450나(2)	C4504090		247.78	16,500	16,500	252.59	17,300	17,300	▲
71290	Diphtheria culture (NIH)	Other	Culture			NIH			0			0	
10050	Direct Bilirubin	SST Serum	Colorimetry	나372나	C3721		18.8	1,250	1,250	17.55	1,200	1,200	▼
10051	Direct Bilirubin	Capillary	Colorimetry	나372나	C3721		18.8	1,250	1,250	17.55	1,200	1,200	▼
30320	Direct Coombs	EDTA Blood	Microcolumn	나204가주주	B2047006		62.9	4,190	4,190	64.93	4,450	4,450	▲
31080	Direct Coombs Anti 4종	EDTA Blood		나204가	B2047106외		0	16,760	16,760	0	17,800	17,800	▲
31070	Direct Coombs Anti C3d,IgG	EDTA Blood		나204가	B20471+406		0	8,380	8,380	0	8,900	8,900	▲
65060	Disopyramide	SST Serum	EIA			국외			61,890			63,620	▲
65061	Disopyramide	Hp Plasma	EIA			국외			61,890			63,620	▲
25390	DMD/BMD	EDTA Blood	Multiplex-PCR	노596	CZ811				198,050			203,600	▲
50715	Donath Landsteiner test	SST Serum		나210	B2100006		43.1	2,870	2,870	39.88	2,730	2,730	▼
00853	Dopamine	EDTA Plasma	HPLC/ECD	너228다	CY283006		328.04	21,850	21,850	332.51	22,780	22,780	▲
00855	Dopamine	24hr Urine	HPLC	너228다	CY283006		328.04	21,850	21,850	332.51	22,780	22,780	▲
27480	DRPLA	EDTA Blood	PCR-RFLP	너573다	CY533006		1150.44	76,620	76,620	1199.7	82,180	82,180	▲
26840	DRPLA gene mutation	EDTA Blood		너573다	CY533006		1150.44	76,620	76,620	1199.7	82,180	82,180	▲
65571	Drug profiling test	Random Urine	LC/MS/MS	나450가(4)	CX372690외		0	39,300	39,300	0	37,560	37,560	▼
30410	Du (Weak D) Test	EDTA Blood	Column	나202다	B2023		44.27	2,950	2,950	42.47	2,910	2,910	▼
30431	Duffy A 혈액형검사	EDTA Blood	Tube	나203	B2030006		73.81	4,920	4,920	70.22	4,810	4,810	▼
30432	Duffy B 혈액형검사	EDTA Blood	Tube	나203	B2030006		73.81	4,920	4,920	70.22	4,810	4,810	▼
01550	DUPAN-2	SST Serum	EIA	노286	CZ286	국외			61,890			63,620	▲
01550	DUPAN-2	SST Serum	EIA	노286	CZ286	국외			61,890			63,620	▲
01550	DUPAN-2	SST Serum	EIA	노286	CZ286	국외			61,890			63,620	▲
29060	DYT1 (Dystonia I, torsion)	EDTA Blood	PCR-RFLP	너562	CY635006		460.19	30,650	30,650	471.06	32,270	32,270	▲
70740	E.coli O157 PCR	Stool	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
50465	E.coli(Latex)	CSF	Latex	나408	B4080		85.21	5,670	5,670	79.57	5,450	5,450	▼
29350	E2A-PBX1 rearrangement	EDTA Blood	Nested RT-PCR	나597	C5974006		1601.91	106,690	106,690	1631.2	111,730	111,730	▲
42935	EBV 정량 (Real-time PCR)	EDTA Blood	real time PCR	노598	CZ965				99,020			101,790	▲
42875	EBV EA-DR IgG	SST Serum	EIA	나468나(1)	C4682446		270.11	17,990	17,990	273.64	18,740	18,740	▲
42876	EBV EA-DR IgG	CSF	EIA	나468나(1)	C4682446		270.11	17,990	17,990	273.64	18,740	18,740	▲
42895	EBV EA-DR IgM	SST Serum	EIA	나468나(2)	C4683446		259.99	17,320	17,320	261	17,880	17,880	▲
42896	EBV EA-DR IgM	CSF	EIA	나468나(2)	C4683446		259.99	17,320	17,320	261	17,880	17,880	▲
42900	EBV EBNA IgG	SST Serum	EIA	나468나(1)	C4682456		270.11	17,990	17,990	273.64	18,740	18,740	▲
42901	EBV EBNA IgG	EDTA Plasma	EIA	나468나(1)	C4682456		270.11	17,990	17,990	273.64	18,740	18,740	▲
42902	EBV EBNA IgG	CSF	EIA	나468나(1)	C4682456		270.11	17,990	17,990	273.64	18,740	18,740	▲
42910	EBV EBNA IgM	SST Serum	EIA	나468나(2)	C4683456		259.99	17,320	17,320	261	17,880	17,880	▲
42911	EBV EBNA IgM	EDTA Plasma	EIA	나468나(2)	C4683456		259.99	17,320	17,320	261	17,880	17,880	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
42912	EBV EBNA IgM	CSF	EIA	나468나(2)	C4683456		259.99	17,320	17,320	261	17,880	17,880	▲
42920	EBV PCR	EDTA Blood	Nested PCR	나595마	C5955006		386.27	25,730	25,730	386.82	26,500	26,500	▲
40835	EBV VCA IgG	SST Serum	EIA	나468나(1)	C4682436		270.11	17,990	17,990	273.64	18,740	18,740	▲
40836	EBV VCA IgG	CSF	EIA	나468나(1)	C4682436		270.11	17,990	17,990	273.64	18,740	18,740	▲
40845	EBV VCA IgM	SST Serum	EIA	나468나(2)	C4683436		259.99	17,320	17,320	261	17,880	17,880	▲
40846	EBV VCA IgM	CSF	EIA	나468나(2)	C4683436		259.99	17,320	17,320	261	17,880	17,880	▲
50750	EBV(in situ)	Other		너567다	CY673006		568.99	37,890	37,890	560.05	38,360	38,360	▲
50755	EBV(in situ)	Other	Insitu Hybridization	너567다	CY673006		568.99	37,890	37,890	560.05	38,360	38,360	▲
50760	EBV(in situ)	Other	Insitu Hybridization	너567다	CY673006		568.99	37,890	37,890	560.05	38,360	38,360	▲
42770	Echovirus Culture	Other	Culture	나416	B4160006		560.25	37,310	37,310	574.26	39,340	39,340	▲
41310	Echovirus Type 11(HI)	SST Serum	HI			국외			16,150			16,600	▲
41311	Echovirus Type 11(HI)	CSF	HI			국외			16,150			16,600	▲
41110	Echovirus Type 11(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
41111	Echovirus Type 11(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41320	Echovirus Type 12(HI)	SST Serum	HI			국외			16,150			16,600	▲
41321	Echovirus Type 12(HI)	CSF	HI			국외			16,150			16,600	▲
41120	Echovirus Type 12(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
41121	Echovirus Type 12(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41130	Echovirus Type 13(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
41131	Echovirus Type 13(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41160	Echovirus Type 16(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
41161	Echovirus Type 16(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41170	Echovirus Type 17(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
41171	Echovirus Type 17(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41180	Echovirus Type 18(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
41181	Echovirus Type 18(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41190	Echovirus Type 19(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
41191	Echovirus Type 19(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41210	Echovirus Type 21(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
41211	Echovirus Type 21(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41220	Echovirus Type 22(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
41221	Echovirus Type 22(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41240	Echovirus Type 24(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
41241	Echovirus Type 24(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41250	Echovirus Type 25(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
41251	Echovirus Type 25(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41030	Echovirus Type 3(HI)	SST Serum	HI			국외			16,150			16,600	▲
41031	Echovirus Type 3(HI)	CSF	HI			국외			16,150			16,600	▲
40930	Echovirus Type 3(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
40931	Echovirus Type 3(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41300	Echovirus Type 30(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
41301	Echovirus Type 30(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40940	Echovirus Type 4(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40941	Echovirus Type 4(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40950	Echovirus Type 5(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40951	Echovirus Type 5(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40960	Echovirus Type 6(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40961	Echovirus Type 6(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41070	Echovirus Type 7(HI)	SST Serum	HI			국외			16,150			16,600	▲
41071	Echovirus Type 7(HI)	CSF	HI			국외			16,150			16,600	▲
40970	Echovirus Type 7(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40971	Echovirus Type 7(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40990	Echovirus Type 9(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40991	Echovirus Type 9(NT)	CSF	Neutralization			국외			64,580			66,390	▲
40910	Echovirus,Type 1(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
40911	Echovirus,Type 1(NT)	CSF	Neutralization			국외			64,580			66,390	▲
01220	ECP	SST Serum	ELISA	노114	CZ114				99,020			101,790	▲
01221	ECP	Random Urine	ELISA	노114	CZ114				99,020			101,790	▲
01225	ECP (Unicap)	SST Serum	FEIA	노114	CZ114				99,020			101,790	▲
27663	EGFR gene mutation	Tissue	Sequencing	노595	CZ626				154,000			158,310	▲
27664	EGFR gene mutation	Tissue	Sequencing	노595	CZ626				260,000			267,280	▲
27670	EGFR유전자돌연변이염기서열	Other	Sequencing	노595	CZ626				120,000			123,360	▲
70980	Egg count, EPG	Stool	검경법	나68	B0680		30.46	2,030	2,030	29.1	1,990	1,990	▼
01560	Elastase 1	SST Serum	라텍스응집비탁법	노155	BZ155	국외			74,270			76,350	▲
01560	Elastase 1	SST Serum	라텍스응집비탁법	노155	BZ155	국외			74,270			76,350	▲
01560	Elastase 1	SST Serum	라텍스응집비탁법	노155	BZ155	국외			74,270			76,350	▲
52380	Endomysial IgA	SST Serum	IFA			국외			351,860			361,710	▲
50335	Entamoeba histolytica IgG	SST Serum	EIA	나472가	C4722626		270.18	17,990	17,990	269.38	18,450	18,450	▲
50336	Entamoeba histolytica IgG	Body Fluid	EIA	나472가	C4722626		270.18	17,990	17,990	269.38	18,450	18,450	▲
42140	Enterovirus Culture	Other	Culture	나416	B4160006		560.25	37,310	37,310	574.26	39,340	39,340	▲
42760	Enterovirus Culture 3종	Other	Culture	나416	B4160006		560.25	111,930	111,930	574.26	118,020	118,020	▲
42370	Enterovirus RNA(PCR)	CSF	real time PCR	나596나	C5962006		595.55	39,660	39,660	616.46	42,230	42,230	▲
71110	Enterovirus (NIH)	Other				NIH			0			0	
41000	Enterovirus Type 70(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
41001	Enterovirus Type 70(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41010	Enterovirus Type 71(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
41011	Enterovirus Type 71(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41012	Enterovirus Type 71(NT)	Body Fluid	Neutralization			국외			64,580			66,390	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
30030	Eosinophil Count	EDTA Blood	Manual	나107가	B1070		12.49	830	830	12.41	850	850	▲
30031	Eosinophil Count	Smear Slide	Manual	나107나	B1071		14.27	950	950	13.69	940	940	▼
12993	Epimerase	EDTA Blood	Enzyme	노337	CZ040				80,450			82,700	▲
00833	Epinephrine	EDTA Plasma	HPLC/ECD	너228가	CY281006		328.04	21,850	21,850	332.51	22,780	22,780	▲
00835	Epinephrine	24hr Urine	HPLC	너228가	CY281006		328.04	21,850	21,850	332.51	22,780	22,780	▲
01570	ER/PR Receptor	Tissue	Stain	나559	C5590		473.77	63,100	63,100	429.88	58,900	58,900	▼
01250	Erythropoietin(EPO)	SST Serum	CLIA	나357	C3570		256	17,050	17,050	241.49	16,540	16,540	▼
01251	Erythropoietin(EPO)	Hp Plasma	CLIA	나357	C3570		256	17,050	17,050	241.49	16,540	16,540	▼
30040	ESR	EDTA Blood	Manual	나103가	B1033		10.68	710	710	10.28	700	700	▼
00435	Estradiol (E2)	24hr Urine	RIA			국외			85,040			87,420	▲
00433	Estradiol (E2) (ECLIA)	SST Serum	ECLIA	나326	C3260		188.29	12,540	12,540	191.1	13,090	13,090	▲
00440	Estriol (E3)	SST Serum	RIA	나327주	C7327		212.59	14,160	14,160	211.2	14,470	14,470	▲
00445	Estriol (E3)	24hr Urine	RIA			국외			85,040			87,420	▲
00450	Estrogen	SST Serum	RIA	나325주	C7325		88.69	5,910	5,910	89.6	6,140	6,140	▲
00456	Estrogen	24hr Urine	RIA			국외			129,160			132,780	▲
01571	Estrogen Receptor(ER)	Tissue	Immunohistochemistry	나559	C5590		473.77	31,550	31,550	429.88	29,450	29,450	▼
65240	Ethosuximide	SST Serum	EIA			국외			80,730			82,990	▲
29480	EWS/WT1 rearrangement	Block	Nested RT-PCR	나597자	C5979006		1729.88	115,210	115,210	1791.1	122,690	122,690	▲
29100	EWS-FLI1/ERG rearrangement	Block	Nested RT-PCR	나597자	C5979006		1729.88	115,210	115,210	1791.1	122,690	122,690	▲
29105	EWS-FLT1	Block	RT-PCR	나596라	C5969006		644.86	42,950	42,950	678.1	46,450	46,450	▲
25402	Express study-18	Amniotic Fluid	FISH	노598	CZ967				216,300			222,360	▲
25401	Express study-18Chromosome	Amniotic Fluid	FISH	노598	CZ967				216,300			222,360	▲
25416	Express study-21	Amniotic Fluid	FISH	노598	CZ967				216,300			222,360	▲
25415	Express study-21Chromosome	Amniotic Fluid	FISH	노598	CZ967				216,300			222,360	▲
30655	Factor 5 Leiden(충남대)	EDTA Blood	Sequencing	너562파	CY633006		453.38	30,200	30,200	462.55	31,680	31,680	▲
30650	Factor 5 Leiden(FV:Q506)	EDTA Blood	PCR-RFLP	너562파	CY633006		453.38	30,200	30,200	462.55	31,680	31,680	▲
30480	Factor Ab VIII	SC Plasma	Clot-based	나178가	B1780006		208.52	13,890	13,890	209.53	14,350	14,350	▲
30490	Factor Ab IX	SC Plasma	Clot-based	나178나	B1781006		212.74	14,170	14,170	214.8	14,710	14,710	▲
30570	Factor Assay VII	SC Plasma	Clot-based	나169가(3)	B1693006		174.49	11,620	11,620	180.51	12,360	12,360	▲
30580	Factor Assay VIII	SC Plasma	Clot-based	나169가(4)	B1694006		178.87	11,910	11,910	186.59	12,780	12,780	▲
30590	Factor Assay IX	SC Plasma	Clot-based	나169가(5)	B1695006		177.39	11,810	11,810	184.73	12,650	12,650	▲
30520	Factor AssayII	SC Plasma	Clot-based	나169가(1)	B1691006		168.76	11,240	11,240	173.34	11,870	11,870	▲
30550	Factor AssayV	SC Plasma	Clot-based	나169가(2)	B1692006		167.09	11,130	11,130	171.22	11,730	11,730	▲
30600	Factor AssayX	SC Plasma	Clot-based	나169가(6)	B1696006		165	10,990	10,990	168.84	11,570	11,570	▲
30610	Factor AssayX I	SC Plasma	Clot-based	나169가(7)	B1697006		165.59	11,030	11,030	169.58	11,620	11,620	▲
30620	Factor AssayX II	SC Plasma	Clot-based	나169가(8)	B1698006		157.05	10,460	10,460	158.83	10,880	10,880	▲
30630	Factor AssayX III	SC Plasma	Urea 용해시험	나169가(9)	B1699006		165.59	11,030	11,030	169.62	11,620	11,620	▲
12940	Fat 정성 검사	Stool	Sudan III	나67	B0670		13.27	880	880	13.93	950	950	▲
11080	Fatty Acid 4 Fraction	Hp Plasma	GC			국외			94,720			97,370	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
30890	FDP	SC Plasma	TIA	나161나	B1613		138.83	9,250	9,250	140.82	9,650	9,650	▲
31110	FDP 정성	SC Plasma	TIA	나161가	B1611		51.57	3,430	3,430	51.38	3,520	3,520	▲
01585	Ferritin (ECLIA)	SST Serum	ECLIA	나252	C2520		172.81	11,510	11,510	177.83	12,180	12,180	▲
20450	Fetal hemoglobin	EDTA Blood	HPLC	나382라	C3824		66.14	4,400	4,400	66.78	4,570	4,570	▲
30640	Fibrinogen	SC Plasma	Clot-based	나160가	B1601		39.22	2,610	2,610	39.78	2,720	2,720	▲
70770	Filariae	Blood Smear Slide	Manual	나115	B1150006		46.68	3,110	3,110	47.83	3,280	3,280	▲
26585	FIP1L1/PDGFRα(PCR)	Bone Marrow	Nested PCR	나597자	C5979006		1729.88	115,210	115,210	1791.1	122,690	122,690	▲
27900	FISH_1q21/8p21	Hp Blood	FISH	노598	CZ967				259,940			267,220	▲
27910	FISH_5q31	Hp Blood	FISH	노598	CZ967				226,030			232,360	▲
27920	FISH_7q22/7q35	Hp Blood	FISH	노598	CZ967				259,940			267,220	▲
26480	FISH_CBFβ gene, 16q22	Hp Blood	FISH	노598	CZ967				259,940			267,220	▲
27950	FISH_CEP8	Hp Blood	FISH	노598	CZ967				259,940			267,220	▲
26530	FISH_D20S108 Locus, 20q12	Hp Blood	FISH	노598	CZ967				259,940			267,220	▲
26451	FISH_DigeorgeI,catch22	Hp Blood	FISH	노598	CZ967				259,940			267,220	▲
26560	FISH_IGH, 14q32.3	Hp Blood	FISH	노598	CZ967				226,030			232,360	▲
27990	FISH_IGH/FGFR3,t(4;14)	Hp Blood	FISH	노598	CZ967				259,940			267,220	▲
28000	FISH_IGH/MAF,t(14;16)	Hp Blood	FISH	노598	CZ967				259,940			267,220	▲
27630	FISH_MLL(11q23)	Hp Blood	FISH	노598	CZ967				259,940			267,220	▲
28010	FISH_p16	Hp Blood	FISH	노598	CZ967				259,940			267,220	▲
26581	FISH_PDGFRα	Bone Marrow	FISH	노598	CZ967				259,940			267,220	▲
26582	FISH_PDGFRβ	Bone Marrow	FISH	노598	CZ967				259,940			267,220	▲
25741	FISH_Prader willi/Angelman	Hp Blood	FISH	노598	CZ967				259,940			267,220	▲
28030	FISH_TEL/AML1 12;21	Hp Blood	FISH	노598	CZ967				226,030			232,360	▲
28020	FISH_TP53,17p13	Hp Blood	FISH	노598	CZ967				226,030			232,360	▲
26650	FISH_X/Y	Hp Blood	FISH	노598	CZ967				259,940			267,220	▲
65582	FK-506	EDTA Blood	CIA	나450나(2)	C4504390		247.78	16,500	16,500	252.59	17,300	17,300	▲
65580	FK-506 (LC/MS/MS)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696		570.54	38,000	38,000	577.54	39,560	39,560	▲
65581	FK-506 (LC-MS/MS)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696		570.54	38,000	38,000	577.54	39,560	39,560	▲
26245	FLT3 ITD/TKD	EDTA Blood	Sequencing	노595	CZ634+CZ635				74,270			76,350	▲
26245	FLT3 ITD/TKD	EDTA Blood	Sequencing	노595	CZ634+CZ635				74,270			76,350	▲
11286	Folate (ECLIA)	SST Serum	ECLIA	나254	C2540		221.94	14,780	14,780	222.95	15,270	15,270	▲
27272	Fragile X 정밀(혈액)검사	복수검체	Southern blot	나598	C5987006 외		0	140,150	140,150	0	146,340	146,340	▲
52650	Francisella Ab(NIH)	SST Serum	응집법			NIH			0			0	
71300	Francisella culture(NIH)	Other	Culture			NIH			0			0	
00765	Free Cortisol (CLIA)	24hr Urine	CIA	나324나(5)	C3249		126.54	8,430	8,430	116.78	8,000	8,000	▼
00766	Free Cortisol (CLIA)	Random Urine	CIA	나324나(5)	C3249		126.54	8,430	8,430	116.78	8,000	8,000	▼
11090	Free Fatty Acid(NEFA)	SST Serum	Enzyme	나245	C2450		38.53	2,570	2,570	34.32	2,350	2,350	▼
11091	Free Fatty Acid(NEFA)	Other	Enzyme	나245	C2450		38.53	2,570	2,570	34.32	2,350	2,350	▼
25891	Free Kappa light chain	SST Serum	비탁법	나237가(1)	C2371006		474.18	31,580	31,580	474.18	32,480	32,480	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
25896	Free Kappa light chain	Random Urine	비탁법	나237나(1)	C2381006		474.18	31,580	31,580	474.18	32,480	32,480	▲
25615	Free Lambda light chain	SST Serum	비탁법	나237가(2)	C2372006		474.18	31,580	31,580	474.18	32,480	32,480	▲
25616	Free Lambda light chain	Random Urine	비탁법	나237나(2)	C2382006		474.18	31,580	31,580	474.18	32,480	32,480	▲
01682	Free PSA (ECLIA)	SST Serum	ECLIA	너321	CX321		179.99	11,990	11,990	179.68	12,310	12,310	▲
01686	Free PSA/PSA ratio(ECLIA)	SST Serum	ECLIA	나428외	C4280+CX321		0	0	28,040	0	0	28,820	▲
00215	Free T3 (ECLIA)	SST Serum	ECLIA	나330	C3300		149.24	9,940	9,940	148.14	10,150	10,150	▲
00225	Free T4 (ECLIA)	SST Serum	ECLIA	나334	C3340		172.44	11,480	11,480	173.49	11,880	11,880	▲
00235	Free thyroxine index	SST Serum	계산법	나331+나333	C3310+C3330		0	20,870	20,870	0	21,400	21,400	▲
00170	Free α-Subunit	SST Serum	RIA	노203	CZ203				48,440			49,800	▲
29010	Friedreich's ataxia	EDTA Blood	Southern blot	너573마	CY539006 외		0	143,610	143,610	0	150,800	150,800	▲
29011	Friedreich's ataxia	EDTA Blood	Southern Hybridization	나598	C5980006		1005.93	66,990	66,990	1001.8	68,620	68,620	▲
20460	Fructosamine	SST Serum	Colorimetry	나397	C3970		99.83	6,650	6,650	87.52	6,000	6,000	▼
00092	FSH (ECLIA)	SST Serum	ECLIA	나350	C3500		160.84	10,710	10,710	159.41	10,920	10,920	▲
50960	FTA-ABS IgG	SST Serum	IFA	나462	C4620006		157.07	10,460	10,460	158.4	10,850	10,850	▲
50961	FTA-ABS IgG	CSF	IFA	나462	C4620006		157.07	10,460	10,460	158.4	10,850	10,850	▲
50975	FTA-ABS IgM	SST Serum	EIA	나462	C4620006		157.07	10,460	10,460	158.4	10,850	10,850	▲
50976	FTA-ABS IgM	CSF	EIA	나462	C4620006		157.07	10,460	10,460	158.4	10,850	10,850	▲
70780	Fungus Culture	Other		나405가	B4051		163.15	10,870	10,870	168.28	11,530	11,530	▲
70785	Fungus Culture & Sensi(G)	Other		나405+나406	B4051+B4061		0	18,510	18,510	0	19,460	19,460	▲
65800	Furosemide(Lasix)	Plain Serum	HPLC			국외			272,320			279,940	▲
12991	G-1-P Uridyltransferase	EDTA Blood	Enzyme	노337	CZ039				68,080			69,990	▲
29420	G6PC gene mutation	EDTA Blood	Sequencing	너562차	CY630006		469.8	125,160	125,160	483.08	132,360	132,360	▲
10530	G-6-PDH	EDTA Blood	Colorimetry	나274	B2741		95.85	6,380	6,380	88.42	6,060	6,060	▼
12992	Galactokinase	EDTA Blood	Enzyme	노337	CZ038				61,890			63,620	▲
12990	Galactose-1-Phosphate	EDTA Blood	Enzyme	노337	CZ041				68,080			69,990	▲
12996	Galactosemia 확진검사(4종)	EDTA Blood	Enzyme	노337	CZ038~041				278,500			286,300	▲
42715	Gardnerella vaginalis PCR	분비물	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
00980	Gastrin (RIA)	SST Serum	RIA	나345주	C7345		78.4	5,220	5,220	50.86	3,480	3,480	▼
00981	Gastrin (RIA)	EDTA Plasma	RIA	나345주	C7345		78.4	5,220	5,220	50.86	3,480	3,480	▼
02195	Gastrin 17	SST Serum	ELISA	나345	C3450		147.58	9,830	9,830	136.13	9,320	9,320	▼
02190	Gastro-Gastrin 17	SST Serum	ELISA	나345	C3450		147.58	9,830	9,830	136.13	9,320	9,320	▼
02200	Gastro-Panel(3종)	SST Serum	ELISA	나362외	C3620외		0	53,250	53,250	0	51,860	51,860	▼
02015	Gastro-Pepsinogen I	SST Serum	ELISA	나362	C3620		226.41	15,080	15,080	209.54	14,350	14,350	▼
02025	Gastro-Pepsinogen II	SST Serum	ELISA	나362	C3620		226.41	15,080	15,080	209.54	14,350	14,350	▼
71210	GBS Culture	Other	Culture	나405가	B4051		163.15	10,870	10,870	168.28	11,530	11,530	▲
71212	GBS Culture&Sensi(G)	Other	Culture	나405+나406	B4051+B4061		0	18,510	18,510	0	19,460	19,460	▲
12020	G-CSF	SST Serum	ELISA			국외			272,320			279,940	▲
29405	Gene rearrangement profile	Bone Marrow	RT-PCR	나597가	C5971006 외		0	533,180	533,180	0	558,310	558,310	▲
65260	Gentamicin	SST Serum	면역형광	나450나(2)	C4504120		247.78	16,500	16,500	252.59	17,300	17,300	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
10905	GFR (신사구체여과율)	SST Serum	계산법	나375	C3750		18.25	1,220	1,220	16.75	1,150	1,150	▼
00062	GH (CLIA)	SST Serum	CLIA	나342	C3420		180.26	12,010	12,010	178.72	12,240	12,240	▲
00065	GH(Urine)	Random Urine	EIA			국외			68,080			69,990	▲
80157	Giemsa(H.Pylori) Stain	Tissue		나553다	C5533		123.07	8,200	8,200	123.77	8,480	8,480	▲
82140	Giemsa(H.Pylori) Stain	Tissue		나553다	C5533		123.07	8,200	8,200	123.77	8,480	8,480	▲
52290	Gliadin IgG, IgA	SST Serum	ELISA			국외			385,120			395,900	▲
10010	Globulin	SST Serum	계산법	나220 외	C2200 외		0	0	2,850	0	0	2,750	▼
10011	Globulin	Body Fluid	계산법	나220+나230	C2200+C2302		0	0	14,790	0	0	15,150	▲
01000	Glucagon (RIA)	EDTA Plasma	RIA	나344주	C7344		83.34	5,550	5,550	57.07	3,910	3,910	▼
10540	Glucose	NaF Plasma	Enzyme	나371나	C3711		18.81	1,250	1,250	17.32	1,190	1,190	▼
10541	Glucose	SST Serum	Enzyme	나371나	C3711		18.81	1,250	1,250	17.32	1,190	1,190	▼
10542	Glucose	24hr Urine	Enzyme	나371나	C3711		18.81	1,250	1,250	17.32	1,190	1,190	▼
10543	Glucose	Body Fluid	Enzyme	나371나	C3711		18.81	1,250	1,250	17.32	1,190	1,190	▼
10550	Glucose tolerance test	NaF Plasma		나371나	C3711		18.81	5,000	5,000	17.32	1,190	4,760	▼
10720	Glycoalbumin	SST Serum	Enzyme	노241	CZ241				22,660			23,290	▲
01260	Glycocholic Acid	SST Serum	RIA			국외			27,990			28,770	▲
12030	GM-CSF	Media Supernatant	ELISA			국외			297,070			305,390	▲
10350	GOT(AST)	SST Serum	Enzyme	나257	B2570		24.52	1,630	1,630	23.58	1,620	1,620	▼
10351	GOT(AST)	Body Fluid	Enzyme	나257	B2570		24.52	1,630	1,630	23.58	1,620	1,620	▼
10340	GOT-m	SST Serum	Protease			국외			22,280			22,900	▲
10360	GPT(ALT)	SST Serum	Enzyme	나258	B2580		24.12	1,610	1,610	23.01	1,580	1,580	▼
10361	GPT(ALT)	Body Fluid	Enzyme	나258	B2580		24.12	1,610	1,610	23.01	1,580	1,580	▼
70090	Gram Stain	Other		나400가	B4101		20.51	1,370	1,370	20.76	1,420	1,420	▲
70100	Gram Stain	Smear Slide	Gram stain	나400가	B4101		20.51	1,370	1,370	20.76	1,420	1,420	▲
71160	Gram stain (cytospin)	Other		나400주	B4112		24.29	1,620	1,620	25	1,710	1,710	▲
28070	GSD1a Mutation Analysis	EDTA Blood	Sequencing	너562	CY630006		469.8	125,160	125,160	483.08	132,360	132,360	▲
10370	Guanase	SST Serum	Enzyme			국외			15,070			15,490	▲
50463	H. influenza	CSF	Latex	나408	B4080		85.21	5,670	5,670	79.57	5,450	5,450	▼
71070	H. pylori Ag	Stool	ELISA	나415다	B4157		273.75	18,230	18,230	280.84	19,240	19,240	▲
50771	H. pylori IgG (CLIA)	SST Serum	CLIA	나465	C4650		199.17	13,260	13,260	202.97	13,900	13,900	▲
50780	H. pylori IgM	SST Serum	ELISA	나465	C4650		199.17	13,260	13,260	202.97	13,900	13,900	▲
42380	H. pylori PCR	Tissue	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42735	Haemophilus ducreyi PCR	분비물	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
65071	Haloperidol (Haldol)	Plain Serum	LC/MS/MS	나450나(4)	CX375066		570.54	38,000	38,000	577.54	39,560	39,560	▲
12060	Ham's test	복수검체	Colorimetry	나120	B1200006		59.98	3,990	3,990	60.64	4,150	4,150	▲
41590	Hantaan Virus Ab	SST Serum		나468가	C4681470		134.97	8,990	8,990	120.29	8,240	8,240	▼
41666	Hantaan virus Ab 정량(IFA)	SST Serum	IFA	나468나(1)	C4682476		270.11	17,990	17,990	273.64	18,740	18,740	▲
41600	Hantaan Virus Ab Titer	SST Serum		나468가	C4681470		134.97	8,990	8,990	120.29	8,240	8,240	▼
41665	Hantaan virus IgG/IgM(NIH)	SST Serum	IFA			NIH			0			0	

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
27850	Hantaan Virus PCR	SST Serum	PCR	나597사	C5977006		1593.3	106,110	106,110	1620.4	111,000	111,000	▲
41661	HantaanVirus Ab Titer(IFA)	SST Serum	IFA	나468나(1)	C4682476		270.11	17,990	17,990	273.64	18,740	18,740	▲
20180	Haptoglobin	SST Serum	TIA	나234	C2340		118.71	7,910	7,910	120.77	8,270	8,270	▲
20181	Haptoglobin	EDTA Plasma	TIA	나234	C2340		118.71	7,910	7,910	120.77	8,270	8,270	▲
50015	HAV Ab	SST Serum	ECLIA	나486가	C4861		168.34	11,210	11,210	164.56	11,270	11,270	▲
50016	HAV IgG	SST Serum	CMIA	나486가	C4861		168.34	11,210	11,210	164.56	11,270	11,270	▲
50025	HAV IgM	SST Serum	ECLIA	나486나	C4862		245.54	16,350	16,350	238.23	16,320	16,320	▼
50055	HBc Ab IgM(ECLIA)	SST Serum	ECLIA	나484나	C4842		207.54	13,820	13,820	197.17	13,510	13,510	▼
50045	HBc Ab(ECLIA)	SST Serum	ECLIA	나484가	C4841		204.55	13,620	13,620	211.54	14,490	14,490	▲
50076	HBe Ab(ECLIA)	SST Serum	CIA	나483나	C4832		210.63	14,030	14,030	208.04	14,250	14,250	▲
50075	HBe Ag(ECLIA)	SST Serum	CIA	나482나	C4822		209.2	13,930	13,930	207.02	14,180	14,180	▲
01271	HBNP	EDTA Plasma	CMIA	나368	CZ204		605.25	40,310	40,310	605.25	41,460	41,460	▲
50116	HBs Ab(ECLIA)	SST Serum	CIA	나481나	C4812		150.84	10,050	10,050	148.74	10,190	10,190	▲
50091	HBs Ab(ICA)	SST Serum	ICA	나481가	C4811		43.07	2,870	2,870	39.9	2,730	2,730	▼
50115	HBs Ag(ECLIA)	SST Serum	CIA	나480나	C4802		138.51	9,220	9,220	138.37	9,480	9,480	▲
50090	HBs Ag(ICA)	SST Serum	ICA	나480가	C4801		37.75	2,510	2,510	35.73	2,450	2,450	▼
50140	HBV DNA (PCR)	SST Serum	PCR	나595라	C5954006		386.64	25,750	25,750	387.28	26,530	26,530	▲
50160	HBV DNA 정량 (b-DNA)	SST Serum	b DNA	나485다	C4853006		544.09	36,240	36,240	545.89	37,390	37,390	▲
52178	HBV DNA 정량(real-timePCR)	SST Serum	real time PCR	나485마	C4854006		894.88	59,600	59,600	894.88	61,300	61,300	▲
50180	HBV DNA Polymerase	SST Serum	RA			국외			91,490			94,050	▲
50204	HBV Drug mutation	SST Serum	Sequencing	나599-1가	C5993006		1666.46	110,990	110,990	1666.5	114,150	114,150	▲
01970	hCG (정성)	Random Urine	ICA	나26	B0260		25.89	1,720	1,720	26.28	1,800	1,800	▲
50230	HCV (RT-PCR+Hybrid.)	SST Serum	RT-PCR+Hybrid	나596-1가	C6081006		862.27	57,430	57,430	891.24	61,050	61,050	▲
50231	HCV (RT-PCR+Hybrid.)	Other	RT-PCR+Hybrid	나596-1가	C6081006		862.27	57,430	57,430	891.24	61,050	61,050	▲
50215	HCV Ab(EIA)	SST Serum	EIA	나487나	C4872		204.22	13,600	13,600	207.31	14,200	14,200	▲
50220	HCV Ab(RIBA III)	SST Serum		나487다	C4873006		556.05	37,030	37,030	559	38,290	38,290	▲
52365	HCV Genotype (PCR-RFMP)	SST Serum	RFMP	나596-2	C6092006		1704.75	113,540	113,540	1704.8	116,780	116,780	▲
52360	HCV Genotype (Sequencing)	SST Serum	Sequencing	나596-3	C6093006		1666.46	110,990	110,990	1666.5	114,150	114,150	▲
50241	HCV RNA 정량	SST Serum	real time PCR	나424다	C4424006		1127.2	75,070	75,070	1127.2	77,210	77,210	▲
11100	HDL-Cholesterol	SST Serum	Enzyme	나242	C2420		81.15	5,400	5,400	80.37	5,510	5,510	▲
20600	HDL-Cholesterol E.P	SST Serum	Electrophoresis	나302	B3020006		132.22	8,810	8,810	121.57	8,330	8,330	▼
50265	HDV Ab (IgG)	SST Serum	EIA	나421	CX421		185.97	12,390	12,390	166.37	11,400	11,400	▼
50270	HDV RT- PCR	SST Serum	Nested RT-PCR	나598	CZ959				90,130			92,650	▲
70810	Heinz body	EDTA Blood	검경법	나116	B1160006		34.09	2,270	2,270	35.66	2,440	2,440	▲
30004	Hematocrit(Hct)	EDTA Blood	자동혈구계산법	나102	B1020		10.82	720	720	10.94	750	750	▲
51855	hemavision 28종	Bone Marrow	PCR				0	550,220	550,220	0	580,230	580,230	▲
26440	Hemochromatosis, HFE gene	EDTA Blood	Sequencing	나562사	CY627006		460.26	61,300	61,300	471.16	64,540	64,540	▲
10731	Hemoglobin A1c	EDTA Blood	TIA	나382마	C3825		103.04	6,860	6,860	103.57	7,090	7,090	▲
20490	Hemoglobin E.P	EDTA Blood	Electrophoresis	나307	B3070006		100.27	6,680	6,680	103.13	7,060	7,060	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
30003	Hemoglobin(Hb)	EDTA Blood	자동혈구계산법	나101	B1010		16.9	1,130	1,130	16.96	1,160	1,160	▲
65590	Hemopexin	SST Serum	SRID			국외			49,510			50,900	▲
70040	Hemosiderin	Random Urine	검경법	나7	B0070		27.46	1,830	1,830	27.46	1,880	1,880	▲
30910	Hepaplastin	SC Plasma				국외			12,920			13,280	▲
30660	Heparin	SC Plasma	발색성합성기질법			국외			29,070			29,880	▲
50791	Heterophil Ab	SST Serum	Latex	나470가	C4701		81.41	5,420	5,420	81.03	5,550	5,550	▲
50280	HEV Ab IgG	SST Serum	EIA	너422가	CY431		136.32	9,080	9,080	126.4	8,660	8,660	▼
50290	HEV Ab IgM	SST Serum	EIA	너422나	CY432		136.32	9,080	9,080	126.4	8,660	8,660	▼
50300	HEV RT- PCR	SST Serum	Nested RT-PCR	나596라	C5969006		644.86	42,950	42,950	678.1	46,450	46,450	▲
50310	HGV RT-PCR	SST Serum	Nested RT-PCR	노598	CZ958				74,270			76,350	▲
42520	HHV type 6 DNA(PCR)	SST Serum	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42521	HHV type 6 DNA(PCR)	CSF	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
43580	HHV Type 6 IgG	SST Serum	IFA			국외			182,980			188,100	▲
42525	HHV-8 PCR	Block	PCR	나595바	CY561006		390.35	26,000	26,000	391.93	26,850	26,850	▲
42526	HHV-8 PCR	Block	PCR	나595바	CY561006		390.35	26,000	26,000	391.93	26,850	26,850	▲
12080	Hippuric acid	Random Urine	HPLC	나451나(3)	CY373030		281.02	18,720	18,720	251.42	17,220	17,220	▼
12085	Hippuric acid (아산)	Random Urine	HPLC	나451나(3)	CY373030		281.02	18,720	18,720	251.42	17,220	17,220	▼
65600	Histamine	EDTA Plasma	EIA			국외			108,260			111,290	▲
51670	Histone Ab	SST Serum	ELISA	너443아	CY450006		549.3	36,580	36,580	532.44	36,470	36,470	▼
50806	Histoplasma Ab Confirm	SST Serum	CF			국외			290,610			298,750	▲
50805	Histoplasma Ab Screen	SST Serum	ELISA			국외			201,870			207,520	▲
41341	HIV (보건환경연구원)	SST Serum	Western blot			NIH			0			0	
29540	HIV 약제내성검사	EDTA Blood	Sequencing	나599-1나	C5994006		2091.42	139,290	139,290	2091.4	143,260	143,260	▲
41345	HIV 약제내성검사 PCR (NIH)	EDTA Plasma	PCR			NIH			0			0	
41335	HIV Ab (CMIA)	SST Serum	CIA	나471나주	C4713		136.16	9,070	9,070	142.99	9,790	9,790	▲
41337	HIV Ab (Stem cell)	Stem cell	CIA	나471나	C4712		128.42	8,550	8,550	132.07	9,050	9,050	▲
42260	HIV Ag(AIDS Ag)	SST Serum	ELFA	너394	CX394		217.82	14,510	14,510	222.82	15,260	15,260	▲
42404	HIV RNA 정량	EDTA Plasma	real time PCR	너396	CY396006		2316.23	154,260	154,260	2317.8	158,770	158,770	▲
42391	HIV RT-PCR 정성	SST Serum	Nested RT-PCR	나597자	C5979006		1729.88	115,210	115,210	1791.1	122,690	122,690	▲
41340	HIV Western blot (NIH)	SST Serum	Western blot			NIH			0			0	
42410	HIV-I PCR 정성	EDTA Blood	Nested RT-PCR	나597자	C5979006		1729.88	115,210	115,210	1791.1	122,690	122,690	▲
41360	HIV-I(W.B)	SST Serum	Western blot			국외			290,610			298,750	▲
41370	HIV-II(W.B)	SST Serum	Western blot			국외			322,910			331,950	▲
25470	HLA A Typing (High)	EDTA Blood	PCR-SBT	나518다	CY916006		3806.45	253,510	253,510	3893.2	266,680	266,680	▲
26360	HLA A Typing (Low)	EDTA Blood	PCR-SSP	나518나	CY915006		2131.35	141,950	141,950	2084.1	142,760	142,760	▲
26361	HLA A Typing (Low)	Bone Marrow	PCR-SSP	나518나	CY915006		2131.35	141,950	141,950	2084.1	142,760	142,760	▲
25497	HLA A,B 조혈모이식1차	EDTA Blood	PCR-SBT	나518다	CY916006		3806.45	507,020	507,020	3893.2	533,360	533,360	▲
25499	HLA A,B,C,DR 조혈모 수여	EDTA Blood	PCR-SBT	나518다외	CY914006 외		0	989,270	989,270	0	1,044,320	1,044,320	▲
25480	HLA B Typing (High)	EDTA Blood	PCR-SBT	나518다	CY916006		3806.45	253,510	253,510	3893.2	266,680	266,680	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
26370	HLA B Typing (Low)	EDTA Blood	PCR-SSP	나518나	CY915006		2131.35	141,950	141,950	2084.1	142,760	142,760	▲
26371	HLA B Typing (Low)	Bone Marrow	PCR-SSP	나518나	CY915006		2131.35	141,950	141,950	2084.1	142,760	142,760	▲
25500	HLA B27-PCR	EDTA Blood	PCR	나524나	CY917006		758.98	50,550	50,550	807.73	55,330	55,330	▲
25510	HLA B51 typing	EDTA Blood	DNA Typing	노597	CZ909				49,510			50,900	▲
25490	HLA C Typing (High)	EDTA Blood	PCR-SBT	나518다	CY916006		3806.45	253,510	253,510	3893.2	266,680	266,680	▲
26380	HLA C Typing (Low)	EDTA Blood	PCR-SSP	나518나	CY915006		2131.35	141,950	141,950	2084.1	142,760	142,760	▲
26381	HLA C Typing (Low)	Bone Marrow	PCR-SSP	나518나	CY915006		2131.35	141,950	141,950	2084.1	142,760	142,760	▲
25498	HLA C,DR 조혈모이식2차	EDTA Blood	PCR-SBT	나518다외	CY914006 외		0	482,250	482,250	0	510,960	510,960	▲
26390	HLA DQ Typing (Low)	EDTA Blood	PCR-SSP	나523나(2)	CY911006		2079.25	138,480	138,480	2105.7	144,240	144,240	▲
26391	HLA DQ Typing (Low)	Bone Marrow	PCR-SSP	나523나(2)	CY911006		2079.25	138,480	138,480	2105.7	144,240	144,240	▲
25520	HLA DQA1 (Low)	EDTA Blood	PCR-SSP	나523나(2)	CY911006		2079.25	138,480	138,480	2105.7	144,240	144,240	▲
25521	HLA DQA1 Typing(High)	EDTA Blood	PCR-SBT	나523다(2)	CY912006		3376.41	224,870	224,870	3493.5	239,300	239,300	▲
25530	HLA DQB1 (Low)	EDTA Blood	PCR-SSP	나523나(2)	CY911006		2079.25	138,480	138,480	2105.7	144,240	144,240	▲
25535	HLA DQB1 Typing (High)	EDTA Blood	PCR-SBT	나523다(2)	CY912006		3376.41	224,870	224,870	3493.5	239,300	239,300	▲
25550	HLA DR Typing (Low)	EDTA Blood	PCR-SSP	나523나(1)	CY913006		2079.28	138,480	138,480	2105.7	144,240	144,240	▲
25560	HLA DR Typing(High)	EDTA Blood	PCR-SBT	나523다(1)	CY914006		3434.56	228,740	228,740	3566.2	244,280	244,280	▲
01055	HOMA of insulin resistance	복수검체	계산법	나341외	C3410외		0	0	13,080	0	0	13,500	▲
12090	Homocysteine	SST Serum	Enzyme	노133	CZ133				24,760			25,450	▲
12091	Homocysteine	EDTA Plasma	Enzyme	노133	CZ133				24,760			25,450	▲
01990	HPL(Human Placental Lactog	SST Serum	Latex	노193	CZ193	국외			68,080			69,990	▲
01990	HPL(Human Placental Lactog	SST Serum	Latex	노193	CZ193	국외			68,080			69,990	▲
01990	HPL(Human Placental Lactog	SST Serum	Latex	노193	CZ193	국외			68,080			69,990	▲
42430	HPV 16	분비물	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42480	HPV 16	분비물	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42440	HPV 18	분비물	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42490	HPV 18	분비물	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42450	HPV DNA Chip	분비물	DNA Chip	나595-2	C5959006		698.13	46,500	46,500	698.13	47,820	47,820	▲
42457	HPV DNA Chip(Tissue)	Tissue	DNA Chip	나595-2	C5959006		698.13	46,500	46,500	698.13	47,820	47,820	▲
42455	HPV genotyping(microarray)	분비물		나595-2	C5959006		698.13	46,500	46,500	698.13	47,820	47,820	▲
42420	HPV Screening	분비물	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42470	HPV Screening	분비물	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42425	HPV Screening (Tissue)	Tissue	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42460	HPV Screening (Type 16,18)	분비물		나595아	C5956006		409.2	54,500	54,500	415.49	28,460	56,920	▲
42495	HPV(Condyloma)	분비물	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42155	HSV culture	Other	Shell Vial Culture	나416	B4160006		560.25	37,310	37,310	574.26	39,340	39,340	▲
41380	HSV IgG	SST Serum	EIA	나468나(1)	C4682466		270.11	17,990	17,990	273.64	18,740	18,740	▲
41381	HSV IgG	CSF	EIA	나468나(1)	C4682466		270.11	17,990	17,990	273.64	18,740	18,740	▲
41390	HSV IgM	SST Serum	EIA	나468나(2)	C4683466		259.99	17,320	17,320	261	17,880	17,880	▲
41391	HSV IgM	CSF	EIA	나468나(2)	C4683466		259.99	17,320	17,320	261	17,880	17,880	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
43541	HSV Type 1 IgM	SST Serum	IFA			국외			45,210			46,480	▲
43540	HSV Type 1/2 IgM	SST Serum	IFA			국외			90,420			92,960	▲
41440	HSV Type 2 IgG	SST Serum	EIA	나468나(1)	C4682466		270.11	17,990	17,990	273.64	18,740	18,740	▲
41441	HSV Type 2 IgG	CSF	EIA	나468나(1)	C4682466		270.11	17,990	17,990	273.64	18,740	18,740	▲
43542	HSV Type 2 IgM	SST Serum	IFA			국외			45,210			46,480	▲
42500	HSV Type I(PCR)	EDTA Blood	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42510	HSV Type II(PCR)	EDTA Blood	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
41420	HSV Type I (NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
41421	HSV Type I (NT)	CSF	Neutralization			국외			64,580			66,390	▲
43080	HSV type I IgG	SST Serum	EIA	나468나(1)	C4682466		270.11	17,990	17,990	273.64	18,740	18,740	▲
43081	HSV type I IgG	CSF	EIA	나468나(1)	C4682466		270.11	17,990	17,990	273.64	18,740	18,740	▲
41430	HSV TypeII(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
41431	HSV TypeII(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41460	HTLV-1(W.B)	SST Serum	Western blot			국외			185,670			190,870	▲
41475	HTLV-I/II Ab (EIA)	SST Serum	EIA	나468나(1)	C4682596		270.11	17,990	17,990	273.64	18,740	18,740	▲
41476	HTLV-I/II Ab (EIA)	CSF	EIA	나468나(1)	C4682596		270.11	17,990	17,990	273.64	18,740	18,740	▲
41477	HTLV-I/II Ab (EIA)	EDTA Plasma	EIA	나468나(1)	C4682596		270.11	17,990	17,990	273.64	18,740	18,740	▲
01810	Hu autoantibodies	SST Serum	Western blot			국외			804,570			827,100	▲
01811	Hu autoantibodies	CSF	Western blot			국외			804,570			827,100	▲
25605	Huntington's disease	EDTA Blood	PCR Fragment analysis	너573가	CY531006		1150.44	76,620	76,620	1199.7	82,180	82,180	▲
00868	HVA 정량	CSF	GC/MSD	너225나	CY251006		343.48	22,880	22,880	351.79	24,100	24,100	▲
00861	HVA 정량 (Plasma)	EDTA Plasma	GC/MSD	너225나	CY251006		343.48	22,880	22,880	351.79	24,100	24,100	▲
00865	HVA 정량(HPLC)	24hr Urine	HPLC	너225나	CY251006		343.48	22,880	22,880	351.79	24,100	24,100	▲
00866	HVA 정량(HPLC)	Random Urine	HPLC	너225나	CY251006		343.48	22,880	22,880	351.79	24,100	24,100	▲
00860	HVA 정량(Plasma)	EDTA Plasma	HPLC			국외			43,320			44,530	▲
12105	Hyaluronic Acid	SST Serum	TIA	너345가(3)	CY343		229.5	15,280	15,280	201.9	13,830	13,830	▼
12120	Hydroxyproline Free	24hr Urine	HPLC	노244	CZ244				111,400			114,520	▲
12110	Hydroxyproline Total	24hr Urine	HPLC	노244	CZ244	국외			118,450			121,770	▲
12110	Hydroxyproline Total	24hr Urine	HPLC	노244	CZ244	국외			118,450			121,770	▲
12110	Hydroxyproline Total	24hr Urine	HPLC	노244	CZ244	국외			118,450			121,770	▲
13020	I.C Hyperbilirubinemias	24hr Urine	HPLC			국외			617,450			634,740	▲
20190	IAP	SST Serum	Nephelometry			국외			136,190			140,000	▲
12130	ICTP(type I collagen)	SST Serum	RIA			국외			80,450			82,700	▲
20200	IgA	SST Serum	TIA	나228나	C2282		137.53	9,160	9,160	139.93	9,590	9,590	▲
20201	IgA	EDTA Plasma	TIA	나228나	C2282		137.53	9,160	9,160	139.93	9,590	9,590	▲
20205	IgA (서울대)	SST Serum	Nephelometry	나228나	C2282		137.53	9,160	9,160	139.93	9,590	9,590	▲
20210	IgD	SST Serum	SRID	나228라	C2284		134.49	8,960	8,960	136.12	9,320	9,320	▲
60003	IgE (ECLIA)	SST Serum	ECLIA	나229	C2290		234.98	15,650	15,650	237.9	16,300	16,300	▲
62585	IgE MAST-식이성 42종	SST Serum	Immunoblot assay	나232	C2320006		1339.8	89,230	89,230	1344	92,060	92,060	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
62595	IgE MAST-흡입성 42종	SST Serum	Immunoblot assay	나232	C2320006		1339.8	89,230	89,230	1344	92,060	92,060	▲
62640	IgE_Clam:F207	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60380	IgE-A.Tenuis:M6	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62740	IgE-Abalone:F346	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60350	IgE-Acacia:T19	SST Serum	FEIA			국외			21,530			22,130	▲
60360	IgE-Acarus Siro:D70	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61180	IgE-Alder:T2	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60370	IgE-Almond:F20	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62860	IgE-Amoxycilloyl:C6	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62850	IgE-Ampicilloyl:C5	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
63210	IgE-Anchovy:RF313	SST Serum	FEIA			국외			21,530			22,130	▲
60390	IgE-Anisakis:P4	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60400	IgE-Apple:F49	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60410	IgE-Ascaris:P1	SST Serum	FEIA			국외			21,530			22,130	▲
60420	IgE-Asp.Fumigatus:M3	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60440	IgE-Avocado:F96	SST Serum	FEIA			국외			21,530			22,130	▲
60450	IgE-Bahia Grass:G17	SST Serum	FEIA			국외			21,530			22,130	▲
60460	IgE-Bamboo sprout:F51	SST Serum	FEIA			국외			21,530			22,130	▲
60480	IgE-Banana:F92	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60490	IgE-Barley:F6	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60500	IgE-Beech:T5	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60510	IgE-Beef:F27	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62460	IgE-Beer Yeast:F45	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60530	IgE-Bermuda Grass:G2	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60105	IgE-Birch:T3	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60560	IgE-Blue Mussel:F37	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
63000	IgE-Botrytis cinerea:M7	SST Serum	FEIA			국외			21,530			22,130	▲
61530	IgE-Box Elder:T1	SST Serum	FEIA			국외			21,530			22,130	▲
60570	IgE-Brazil Nut:F18	SST Serum	FEIA			국외			21,530			22,130	▲
62630	IgE-Broccoli:F260	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60590	IgE-Buckwheat:F11	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60640	IgE-C.pityrosporum:M70	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
63140	IgE-Cabbage:F216	SST Serum	FEIA			국외			21,530			22,130	▲
60620	IgE-Cacao:F93	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62870	IgE-Cafaclor:C7	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60630	IgE-Candida Albicans:M5	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60650	IgE-Carrot:F31	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60670	IgE-Casein:F78	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60685	IgE-Cat Epithelium:E1	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
60690	IgE-Celery:F85	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60700	IgE-Cheddar Cheese:F81	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60705	IgE-Chestnut:F299	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60710	IgE-Chicken meat:F83	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60720	IgE-Chiken Feathers:E85	SST Serum	FEIA			국외			21,530			22,130	▲
62900	IgE-Chymopapain:C209	SST Serum	FEIA			국외			21,530			22,130	▲
60750	IgE-Cl.Herbarum:M2	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60775	IgE-Cockroach:I6	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60790	IgE-Coconut:F36	SST Serum	FEIA			국외			21,530			22,130	▲
60800	IgE-Codfish:F3	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60820	IgE-Common Ragweed:W1	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60830	IgE-Common Reed:G7	SST Serum	FEIA			국외			21,530			22,130	▲
61500	IgE-Corn:F8	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60840	IgE-Cottonwood:T14	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60850	IgE-Cow Dander:E4	SST Serum	FEIA			국외			21,530			22,130	▲
60860	IgE-Crab:F23	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60905	IgE-D.Farinae:D2	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62930	IgE-D.microceras:D3	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60915	IgE-D.Pteronyssinus:D1	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60920	IgE-Dandelion:W8	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60935	IgE-Dog dander:E5	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60950	IgE-Duck Feathers:E86	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60980	IgE-Echinococcus:P2	SST Serum	FEIA			국외			21,530			22,130	▲
60995	IgE-Egg White:F1	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61005	IgE-Egg Yolk:F75	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62800	IgE-Egg:F245	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60160	IgE-Elm:T8	SST Serum	FEIA			국외			21,530			22,130	▲
61020	IgE-English Plantain:W9	SST Serum	FEIA			국외			21,530			22,130	▲
61040	IgE-Ethylene oxide:K78	SST Serum	FEIA			국외			21,530			22,130	▲
61050	IgE-Eucalyptus:T18	SST Serum	FEIA			국외			21,530			22,130	▲
62660	IgE-False ragweed:W4	SST Serum	FEIA			국외			21,530			22,130	▲
62730	IgE-Fire Ant:I70	SST Serum	FEIA			국외			21,530			22,130	▲
63051	IgE-Food Mix:Fx1	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
63052	IgE-Food Mix:Fx10	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
63050	IgE-Food Mix:Fx5	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
63053	IgE-Food Mix:Fx74	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62970	IgE-Formaldehyde:K80	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61610	IgE-Foxtail Millet:F56	SST Serum	FEIA			국외			21,530			22,130	▲
62700	IgE-Fusarium proliferat:M9	SST Serum	FEIA			국외			21,530			22,130	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
61200	IgE-G.Pig Epithelium:E6	SST Serum	FEIA			국외			21,530			22,130	▲
61100	IgE-Garlic:F47	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62890	IgE-Gelatin bovine:C74	SST Serum	FEIA			국외			21,530			22,130	▲
61090	IgE-Giant Ragweed:W3	SST Serum	FEIA			국외			21,530			22,130	▲
61110	IgE-Gluten:F79	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61130	IgE-Goat Epithelium:E80	SST Serum	FEIA			국외			21,530			22,130	▲
63120	IgE-Goat milk:RF300	SST Serum	FEIA			국외			21,530			22,130	▲
61150	IgE-Goldenrod:W12	SST Serum	FEIA			국외			21,530			22,130	▲
61160	IgE-Goose Feathers:E70	SST Serum	FEIA			국외			21,530			22,130	▲
61170	IgE-Grape fruit:F209	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62680	IgE-Grape:F259	SST Serum	FEIA			국외			21,530			22,130	▲
61210	IgE-H.halodes:M8	SST Serum	FEIA			국외			21,530			22,130	▲
61220	IgE-Hamster epithelium:E84	SST Serum	FEIA			국외			21,530			22,130	▲
61240	IgE-Hazel Nut:F17	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61230	IgE-Hazel:T4	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61250	IgE-Honey Bee Venom:I1	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61260	IgE-Horse Dander:E3	SST Serum	FEIA			국외			21,530			22,130	▲
60300	IgE-Horse mackerel:F60	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61270	IgE-House dust1:H1	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61280	IgE-House dust2:H2	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61310	IgE-Insulin Bovine:C71	SST Serum	FEIA			국외			21,530			22,130	▲
62880	IgE-Insulin human:C73	SST Serum	FEIA			국외			21,530			22,130	▲
61320	IgE-Insuline Porcine:C70	SST Serum	FEIA			국외			21,530			22,130	▲
61330	IgE-Isocyanate HDI:K77	SST Serum	FEIA			국외			21,530			22,130	▲
61340	IgE-Isocyanate MDI:K76	SST Serum	FEIA			국외			21,530			22,130	▲
61345	IgE-Isocyanate MDI:K76-RIA	SST Serum	IRMA	나231주2	C7231		199.38	13,280	13,280	204.59	14,010	14,010	▲
61350	IgE-Isocyanate TDI:K75	SST Serum	FEIA			국외			21,530			22,130	▲
61355	IgE-Isocyanate TDI:K75-RIA	SST Serum	IRMA	나231주2	C7231		199.38	13,280	13,280	204.59	14,010	14,010	▲
61470	IgE-Ispaghula:K72	SST Serum	FEIA			국외			21,530			22,130	▲
61360	IgE-Japanes cedar:T17	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61370	IgE-Japanese hop:W22	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62540	IgE-Japanese linden:T24	SST Serum	FEIA			국외			21,530			22,130	▲
60470	IgE-Japanese millet: F57	SST Serum	FEIA			국외			21,530			22,130	▲
61380	IgE-Johnson Grass:G10	SST Serum	FEIA			국외			21,530			22,130	▲
61390	IgE-June Kentucky blue:G8	SST Serum	FEIA			국외			21,530			22,130	▲
61415	IgE-Kiwi:F84	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61120	IgE-L.Destructor:D71	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61430	IgE-Lamb's Quarters:W10	SST Serum	FEIA			국외			21,530			22,130	▲
61440	IgE-Latex:K82	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
61445	IgE-Lemon:F208	SST Serum	FEIA			국외			21,530			22,130	▲
61460	IgE-Lobster:F80	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61490	IgE-Mackerel:F50	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61510	IgE-Malt:F90	SST Serum	FEIA			국외			21,530			22,130	▲
61520	IgE-Mango:F91	SST Serum	FEIA			국외			21,530			22,130	▲
61540	IgE-Marguerite:W7	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61550	IgE-Meadow Fescue:G4	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61560	IgE-Meadow Foxtail:G16	SST Serum	FEIA			국외			21,530			22,130	▲
61580	IgE-Melon:F87	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61630	IgE-Midge(성충):I7	SST Serum	FEIA			국외			21,530			22,130	▲
62790	IgE-Milk,boiled:F231	SST Serum	FEIA			국외			21,530			22,130	▲
61605	IgE-Milk:F2	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62750	IgE-Mix grass pollen:Gx2	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62820	IgE-Mix house dust:Hx2	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
63190	IgE-Mix Tree Pollen:Tx1	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62770	IgE-Mix tree pollen:Tx5	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
63200	IgE-Mix Weed Pollen:Wx1	SST Serum	FEIA			국외			86,110			88,520	▲
63180	IgE-Mixed epithelia:Ex1	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61625	IgE-Mold Cheese:F82	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62760	IgE-Mold mix:Mx1	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61640	IgE-Mosquito(숙):I71	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61650	IgE-Moth:I8	SST Serum	FEIA			국외			21,530			22,130	▲
61660	IgE-Mountain Juniper:T6	SST Serum	FEIA			국외			21,530			22,130	▲
61670	IgE-Mouse epithelium:E88	SST Serum	FEIA			국외			21,530			22,130	▲
62650	IgE-Mucor racemosus:M4	SST Serum	FEIA			국외			21,530			22,130	▲
61680	IgE-Mugwort:W6	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
63170	IgE-Mushroom:RF212	SST Serum	FEIA			국외			21,530			22,130	▲
61700	IgE-Mustard:F89	SST Serum	FEIA			국외			21,530			22,130	▲
61420	IgE-Mutton:F88	SST Serum	FEIA			국외			21,530			22,130	▲
61715	IgE-Nettle:W20	SST Serum	FEIA			국외			21,530			22,130	▲
61720	IgE-Oak:T7	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61740	IgE-Oat Pollen:G14	SST Serum	FEIA			국외			21,530			22,130	▲
61730	IgE-Oat:F7	SST Serum	FEIA			국외			21,530			22,130	▲
61750	IgE-Octopus:F59	SST Serum	FEIA			국외			21,530			22,130	▲
61760	IgE-Olive:T9	SST Serum	FEIA			국외			21,530			22,130	▲
63150	IgE-Omega-5 Gliadine:F416	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61770	IgE-Onion:F48	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61780	IgE-Orange:F33	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61790	IgE-Orchard Grass:G3	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
61795	IgE-Ovomucoid:F233	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62710	IgE-Oyster:F290	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61810	IgE-P.Wasp Venom:I4	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60890	IgE-Pacific Squid:F58	SST Serum	FEIA			국외			21,530			22,130	▲
61820	IgE-Parrot droppings:E77	SST Serum	FEIA			국외			21,530			22,130	▲
61830	IgE-Parrot feathers:E78	SST Serum	FEIA			국외			21,530			22,130	▲
61840	IgE-Parsley:F86	SST Serum	FEIA			국외			21,530			22,130	▲
61195	IgE-Pea:F12	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61850	IgE-Peach:F95	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61860	IgE-Peanut:F13	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61870	IgE-Pear:F94	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61880	IgE-Pecan nut:F201	SST Serum	FEIA			국외			21,530			22,130	▲
61890	IgE-Penicillium notatum:M1	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61900	IgE-Penicilloyl G:C1	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61910	IgE-Penicilloyl V:C2	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
63130	IgE-Phadiatop	SST Serum	FEIA	노113	CZ113				43,050			44,260	▲
63160	IgE-Phadiatop Infant	SST Serum	FEIA	노113	CZ113				43,050			44,260	▲
62010	IgE-Phthalic anhydride:K79	SST Serum	FEIA			국외			21,530			22,130	▲
61940	IgE-Pigeon Droppings:E7	SST Serum	FEIA			국외			21,530			22,130	▲
62670	IgE-Pine nuts:F253	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62620	IgE-Pineapple:F210	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61955	IgE-Pistachio:F203	SST Serum	FEIA			국외			21,530			22,130	▲
61960	IgE-Plaice:F254	SST Serum	FEIA			국외			21,530			22,130	▲
61965	IgE-Plum:F255	SST Serum	FEIA			국외			21,530			22,130	▲
61970	IgE-Pork:F26	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61980	IgE-Potato:F35	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62920	IgE-Protamine:RC207	SST Serum	FEIA			국외			21,530			22,130	▲
61990	IgE-Pumpkin:F225	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62000	IgE-Rabbit epithelium:E82	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60405	IgE-rAra h2:F423	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62780	IgE-Rat epithelium:E73	SST Serum	FEIA			국외			21,530			22,130	▲
60320	IgE-Rat epithelium:E87	SST Serum	FEIA			국외			21,530			22,130	▲
62020	IgE-Red top Grass:G9	SST Serum	FEIA			국외			21,530			22,130	▲
63010	IgE-Rhizo.nigricans:M11	SST Serum	FEIA			국외			21,530			22,130	▲
62050	IgE-Rice:F9	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
61920	IgE-Rye Grass:G5	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62080	IgE-Rye:F5	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62100	IgE-Sadine:F61	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62110	IgE-Salmon:F41	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
62135	IgE-Sesame Seed:F10	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62140	IgE-Sheep epithelium:E81	SST Serum	FEIA			국외			21,530			22,130	▲
62170	IgE-Sheep Sorrel:W18	SST Serum	FEIA			국외			21,530			22,130	▲
62150	IgE-Shrimp:F24	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62160	IgE-Silk:K74	SST Serum	FEIA			국외			21,530			22,130	▲
62185	IgE-Soybean:F14	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62190	IgE-Spinach:F214	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
63040	IgE-Squid:RF258	SST Serum	FEIA			국외			21,530			22,130	▲
63060	IgE-Stemphylium h.:M10	SST Serum	FEIA			국외			21,530			22,130	▲
62210	IgE-Strawberry:F44	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62230	IgE-Sweat Vernal:G1	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62240	IgE-Sweet potato:F54	SST Serum	FEIA			국외			21,530			22,130	▲
62250	IgE-Swine Epithelium:E83	SST Serum	FEIA			국외			21,530			22,130	▲
62260	IgE-Sycamore:T11	SST Serum	FEIA			국외			21,530			22,130	▲
62270	IgE-T.Putre Scentiae:D72	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62910	IgE-T.toxoid:RC208	SST Serum	FEIA			국외			21,530			22,130	▲
62280	IgE-Timothy Grass:G6	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62300	IgE-Tomato:F25	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62840	IgE-Tree mixture:Tx9	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62720	IgE-Trichophyton:M205	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62320	IgE-Tuna:F40	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62950	IgE-Turkey meat:F284	SST Serum	FEIA			국외			21,530			22,130	▲
62350	IgE-Walnut pollen:T10	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62810	IgE-Walnut:F256	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
63030	IgE-Weed Mix:Wx5	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62360	IgE-Western Ragweed:W2	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62380	IgE-Wheat Pollen:G15	SST Serum	FEIA			국외			21,530			22,130	▲
62370	IgE-Wheat:F4	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62390	IgE-White Ash:T15	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62410	IgE-White bean:F15	SST Serum	FEIA			국외			21,530			22,130	▲
62400	IgE-White faced hornet:I2	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
60960	IgE-White Pine:T16	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62430	IgE-Willow:T12	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62440	IgE-Wormwood:W5	SST Serum	FEIA			국외			21,530			22,130	▲
62830	IgE-Yellow hornet:I5	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62480	IgE-Yellow J.WaspVenom:I3	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62495	IgE-αLactalbumin:F76	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
62505	IgE-βLactoglobulin:F77	SST Serum	FEIA	나231	C2310		214.74	14,300	14,300	223.79	15,330	15,330	▲
01295	IGFBP-3 (CLIA)	SST Serum	CLIA	너231	CX231		265.33	17,670	17,670	245.38	16,810	16,810	▼

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
20220	IgG	SST Serum	TIA	나228가	C2281		137.11	9,130	9,130	139.4	9,550	9,550	▲
20221	IgG	CSF	TIA	나228가	C2281		137.11	9,130	9,130	139.4	9,550	9,550	▲
20226	IgG (서울대)	SST Serum	Nephelometry	나228가	C2281		137.11	9,130	9,130	139.4	9,550	9,550	▲
20225	IgG, Low Conc	CSF	TIA	나228가	C2281		137.11	9,130	9,130	139.4	9,550	9,550	▲
20230	IgG I Subclass	SST Serum	SRID	너181가	BY181		145.34	9,680	9,680	135.9	9,310	9,310	▼
20240	IgG II Subclass	SST Serum	SRID	너181나	BY182		145.34	9,680	9,680	135.9	9,310	9,310	▼
20250	IgG III Subclass	SST Serum	SRID	너181다	BY183		145.34	9,680	9,680	135.9	9,310	9,310	▼
20260	IgG IV Subclass	SST Serum	SRID	너181라	BY184		145.34	9,680	9,680	135.9	9,310	9,310	▼
63090	IgG-Broccoli:F260G	SST Serum	FEIA			국외			21,530			22,130	▲
63070	IgG-D. pteronys.:D1G	SST Serum	FEIA			국외			21,530			22,130	▲
63100	IgG-Grape:F259G	SST Serum	FEIA			국외			21,530			22,130	▲
63110	IgG-Tuna:F40G	SST Serum	FEIA			국외			21,530			22,130	▲
62940	IgG-Walnut:F256G	SST Serum	FEIA			국외			21,530			22,130	▲
25885	IgH gene rearrangement	Block	Nested PCR	너563바	CY056006		587.11	39,100	39,100	609.58	41,760	41,760	▲
20270	IgM	SST Serum	TIA	나228다	C2283		137.57	9,160	9,160	139.97	9,590	9,590	▲
20271	IgM	Hp Plasma	TIA	나228다	C2283		137.57	9,160	9,160	139.97	9,590	9,590	▲
20275	IgM (서울대)	SST Serum	Nephelometry	나228다	C2283		137.57	9,160	9,160	139.97	9,590	9,590	▲
65621	Imipramine	Plain Blood	LC/MS/MS	나450나(4)	CX375696		570.54	38,000	38,000	577.54	39,560	39,560	▲
51700	Immune Complex(c1q)	SST Serum	ELISA			국외			59,200			60,860	▲
51710	Immune Complex(RF)	SST Serum	EIA			국외			59,200			60,860	▲
20621	Immuno E.P (24h urine)	24hr Urine	Electrophoresis	나308나	B3083006		448.07	29,840	29,840	456.92	31,300	31,300	▲
20625	Immuno E.P (IgG,M,A,D,E)	SST Serum	Electrophoresis	나308가	B3081006		392.35	26,130	26,130	399.11	27,340	27,340	▲
20623	Immuno E.P (Random urine)	Random Urine	Electrophoresis	나308나	B3083006		448.07	29,840	29,840	456.92	31,300	31,300	▲
20620	Immuno E.P (Serum)	SST Serum	Electrophoresis	나308가	B3081006		392.35	26,130	26,130	399.11	27,340	27,340	▲
20626	Immuno E.P(IgG,M,A,D,E)(U)	Random Urine	Electrophoresis	나308가	B3081006		392.35	26,130	26,130	399.11	27,340	27,340	▲
20611	Immuno Fixation EP	Random Urine	Electrophoresis	나308나주	B3084006		599.93	39,960	39,960	615.6	42,170	42,170	▲
20610	Immuno Fixation EP (Serum)	SST Serum	Electrophoresis	나308가주	B3082006		530.84	35,350	35,350	544.86	37,320	37,320	▲
20731	Immunoglobulin E.P (24U)	24hr Urine	Electrophoresis	나308나	B3083006		448.07	29,840	29,840	456.92	31,300	31,300	▲
20730	Immunoglobulin E.P (Serum)	SST Serum	Electrophoresis	나308가	B3081006		392.35	26,130	26,130	399.11	27,340	27,340	▲
20733	Immunoglobulin E.P (U)	Random Urine	Electrophoresis	나308나	B3083006		448.07	29,840	29,840	456.92	31,300	31,300	▲
20228	Immunoglobulin G Index	SST Serum	계산법				0	0	33,380	0	0	34,580	▲
26565	Immunoglobulin heavy chain	Tissue	Nested PCR	나598다	C5983006		941.31	62,690	62,690	921.04	63,090	63,090	▲
80650	Immunohistochemistry	Smear Slide		나557	C5575006		463.89	30,900	30,900	460.81	31,570	31,570	▲
70820	India ink prep.	CSF		나401	B4010		27.19	1,810	1,810	25.28	1,730	1,730	▼
70821	India ink prep.	Other		나401	B4010		27.19	1,810	1,810	25.28	1,730	1,730	▼
10060	Indirect Bilirubin	SST Serum	계산법	나372	C3720+C3721		0	0	2,490	0	0	2,390	▼
10061	Indirect Bilirubin	Capillary	계산법	나372 외	C3720 외		0	0	2,490	0	0	2,390	▼
30330	Indirect Coombs	SST Serum	Microcolumn	나204나주주	B2048006		71.52	4,760	4,760	75.71	5,190	5,190	▲
12150	Indocyanine Green소실율	SST Serum	Colorimetry	나399나	C3992006		437.42	29,130	29,130	403.65	27,650	27,650	▼

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
12140	Indocyanine Green정체율	SST Serum	Colorimetry	나399가	C3991006		273	18,180	18,180	245.82	16,840	16,840	▼
42165	Influenza A Culture	Other	Shell Vial Culture	나416	B4160006		560.25	37,310	37,310	574.26	39,340	39,340	▲
42283	Influenza A&B PCR	비인후/인후도찰물	RT-PCR	노598러	CZ983				112,320			115,460	▲
42283	Influenza A&B PCR	비인후/인후도찰물	RT-PCR	노598러	CZ983				112,320			115,460	▲
42175	Influenza B Culture	Other	Shell Vial Culture	나416	B4160006		560.25	37,310	37,310	574.26	39,340	39,340	▲
42280	Influenza virus A & B Ag	Sputum	DFA	나469	C4690596		203.16	27,060	27,060	203.37	27,860	27,860	▲
42281	Influenza virus A Ag	Sputum	DFA	나469	C4690596		203.16	13,530	13,530	203.37	13,930	13,930	▲
42282	Influenza virus B Ag	Sputum	DFA	나469	C4690596		203.16	13,530	13,530	203.37	13,930	13,930	▲
41490	Influenza virus Type A(CF)	SST Serum	CF			국외			16,150			16,600	▲
41491	Influenza virus Type A(CF)	CSF	CF			국외			16,150			16,600	▲
41510	Influenza virus Type A(HI)	SST Serum	HI			국외			16,150			16,600	▲
41511	Influenza virus Type A(HI)	CSF	HI			국외			16,150			16,600	▲
41500	Influenza virus Type B(CF)	SST Serum	CF			국외			16,150			16,600	▲
41501	Influenza virus Type B(CF)	CSF	CF			국외			16,150			16,600	▲
41520	Influenza virus Type B(HI)	SST Serum	HI			국외			16,150			16,600	▲
41521	Influenza virus Type B(HI)	CSF	HI			국외			16,150			16,600	▲
01864	Inhibin-A	SST Serum	CLIA	나369	CZ211		350.82	23,360	23,360	350.82	24,030	24,030	▲
01025	Insulin (ECLIA)	SST Serum	ECLIA	나341	C3410		177.6	11,830	11,830	179.71	12,310	12,310	▲
01026	Insulin (ECLIA)	EDTA Plasma	ECLIA	나341	C3410		177.6	11,830	11,830	179.71	12,310	12,310	▲
01047	Insulin A/C	SST Serum	ECLIA	나341주	C7341		168.18	11,200	11,200	167.94	11,500	11,500	▲
01040	Insulin Ab(RIA)	SST Serum	RIA	너444주	CX745		143.86	9,580	9,580	123.67	8,470	8,470	▼
01048	Insulin P/C	SST Serum	ECLIA	나341주	C7341		168.18	11,200	11,200	167.94	11,500	11,500	▲
01050	Insulin Receptor Ab	SST Serum	RRA	노210	CZ210	국외			334,200			343,560	▲
01050	Insulin Receptor Ab	SST Serum	RRA	노210	CZ210	국외			334,200			343,560	▲
01050	Insulin Receptor Ab	SST Serum	RRA	노210	CZ210	국외			334,200			343,560	▲
01847	Integrated 1st_PAPP-A	SST Serum	RIA	노212	CZ212				29,280			30,100	▲
01848	Integrated 1st_PAPP-A,NT	SST Serum	RIA	노212	CZ212				29,280			30,100	▲
51770	Interleukin 1 R. antagonist	EDTA Plasma	ELISA			국외			309,450			318,110	▲
51860	Interleukin 10	SST Serum	ELISA			국외			309,450			318,110	▲
51760	Interleukin 1β	SST Serum	ELISA			국외			309,450			318,110	▲
51780	Interleukin 2	SST Serum	ELISA			국외			309,450			318,110	▲
51790	Interleukin 2 receptor,Solub	SST Serum	ELISA			국외			309,450			318,110	▲
51800	Interleukin 3	Media Supernatant	ELISA			국외			309,450			318,110	▲
51810	Interleukin 4	SST Serum	ELISA			국외			309,450			318,110	▲
51820	Interleukin 5	SST Serum	ELISA			국외			309,450			318,110	▲
51830	Interleukin 6	SST Serum	ELISA			국외			309,450			318,110	▲
51850	Interleukin 8	EDTA Plasma	ELISA			국외			309,450			318,110	▲
51851	Interleukin 8	Media Supernatant	ELISA			국외			309,450			318,110	▲
13150	Iodide	Random Urine		너234	CX234		61.89	4,120	4,120	57.01	3,910	3,910	▼

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
30140	Iron Stain	Bone Marrow Slide	Stain	나118다	B1185006		86.96	5,790	5,790	87.45	5,990	5,990	▲
12730	Iron (Fe)	SST Serum	Colorimetry	나249	C2490		34.94	2,330	2,330	32.95	2,260	2,260	▼
12732	Iron (Fe)(Tissue)	Tissue	AAS	나452	C4527990		613.25	40,840	40,840	619.4	42,430	42,430	▲
51880	Islet cell Ab	SST Serum	IFA	너446	CX446006		123.93	8,250	8,250	121.34	8,310	8,310	▲
30370	Isoagglutinin test	복수검체		나208	B2080006		106.48	7,090	7,090	99.47	6,810	6,810	▼
27775	JAK2 V617F mutation	EDTA Blood	Sequencing	노595	CZ647				122,540			125,970	▲
41560	JBE Virus (NIH)	SST Serum				NIH			0			0	
41561	JBE Virus (NIH)	CSF				NIH			0			0	
43500	JEV Ab (HI)(NIH)	SST Serum	HI			NIH			0			0	
41570	JEV Ab(CF)	SST Serum	CF			국외			16,150			16,600	▲
41571	JEV Ab(CF)	CSF	CF			국외			16,150			16,600	▲
41580	JEV Ab(HI)	SST Serum	HI			국외			16,150			16,600	▲
41581	JEV Ab(HI)	CSF	HI			국외			16,150			16,600	▲
42530	JEV RT-PCR	CSF	RT-PCR			국외			371,350			381,750	▲
42531	JEV RT-PCR	SST Serum	RT-PCR			국외			371,350			381,750	▲
71030	Joint fluid analysis	Joint Fluid		나51	B0510		50.45	3,360	3,360	51.91	3,560	3,560	▲
71031	Joint fluid analysis	Other		나51	B0510		50.45	3,360	3,360	51.91	3,560	3,560	▲
25893	Kappa light chain	Random Urine		나554자	C5548		269.27	17,930	17,930	249.95	17,120	17,120	▼
25894	Kappa light chain	SST Serum		나554자	C5548		269.27	17,930	17,930	249.95	17,120	17,120	▼
12200	Ketone body 3분획	EDTA Plasma	GC/MSD	너271	CX271006		179.61	11,960	11,960	158.71	10,870	10,870	▼
12201	Ketone body 3분획	Random Urine	GC/MSD	너271	CX271006		179.61	11,960	11,960	158.71	10,870	10,870	▼
12210	Ketone Body 3분획	SST Serum	GC/MSD	너271	CX271006		179.61	11,960	11,960	158.71	10,870	10,870	▼
12180	Ketone Body 3F (Arterial)	Arterial Serum	Enzyme			국외			22,610			23,240	▲
12190	Ketone Body 3F (Venous)	SST Serum	Enzyme			국외			19,370			19,910	▲
12170	Ketone body 정성	Random Urine	Colorimetry	나386	C3860		75.42	5,020	5,020	75.95	5,200	5,200	▲
12171	Ketone body 정성	SST Serum	Colorimetry	나386	C3860		75.42	5,020	5,020	75.95	5,200	5,200	▲
30441	Kidd A 혈액형검사	EDTA Blood	Tube	나203	B2030006		73.81	4,920	4,920	70.22	4,810	4,810	▼
30442	Kidd B 혈액형검사	EDTA Blood	Tube	나203	B2030006		73.81	4,920	4,920	70.22	4,810	4,810	▼
13060	KL-6	SST Serum	ECLIA			국외			36,600			37,620	▲
70830	KOH Mount	Other		나400아	B4107		75.96	5,060	5,060	75.96	5,200	5,200	▲
41650	Korea virus I	SST Serum					0	21,150	21,150	0	20,100	20,100	▼
41660	Korea VirusⅢ	SST Serum					0	53,370	53,370	0	54,950	54,950	▲
41663	Korea VirusⅢ,CSF	CSF					0	53,370	53,370	0	54,950	54,950	▲
27676	K-ras 전체돌연변이	Other	Sequencing	노595	CZ605				371,350			381,750	▲
27662	K-ras analysis	Tissue	Sequencing	노595(11)	CZ605				90,000			92,520	▲
27672	K-ras analysis	Other	Sequencing	노595(11)	CZ605				62,900			64,660	▲
27661	K-ras gene mutation	Tissue	Sequencing	노595(11)	CZ605				161,450			165,970	▲
51890	L.E. Cell	Plain Blood	Manual	나112	B1120006		55.53	3,700	3,700	54.96	3,760	3,760	▲
30930	LAC confirm	SC Plasma	Clot-based	나171나	B1712006		303.93	20,240	20,240	310.12	21,240	21,240	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
30935	LAC screen	SC Plasma	Clot-based	나171가	B1711		199.4	13,280	13,280	207.39	14,210	14,210	▲
10740	Lactic Acid	NaF Plasma	Enzyme	너345가(5)	CY345		229.5	15,280	15,280	201.9	13,830	13,830	▼
10741	Lactic Acid	CSF	Enzyme	너345가(5)	CY345		229.5	15,280	15,280	201.9	13,830	13,830	▼
10742	Lactic Acid	Other	Enzyme	너345가(5)	CY345		229.5	15,280	15,280	201.9	13,830	13,830	▼
25613	Lambda light chain	Random Urine		나554자	C5548		269.27	17,930	17,930	249.95	17,120	17,120	▼
25614	Lambda light chain	SST Serum		나554자	C5548		269.27	17,930	17,930	249.95	17,120	17,120	▼
65782	Lamotrigine	Plain Serum	HPLC	나450가(3)	CX374690		313.25	20,860	20,860	325.85	22,320	22,320	▲
10390	LAP	SST Serum	Enzyme	나267	B2670		44.3	2,950	2,950	40.76	2,790	2,790	▼
30380	LAP Score	Blood Smear Slide		나126	B1260006		87.29	5,810	5,810	87.86	6,020	6,020	▲
10400	L-CAT	SST Serum	Enzyme			국외			29,070			29,880	▲
10410	LDH	SST Serum	Enzyme	나259	B2590		33.47	2,230	2,230	30.05	2,060	2,060	▼
10411	LDH	Body Fluid	Enzyme	나259	B2590		33.47	2,230	2,230	30.05	2,060	2,060	▼
20640	LDH Isoenzyme	SST Serum	Electrophoresis	나303	B3030006		175.89	11,710	11,710	176.33	12,080	12,080	▲
20641	LDH Isoenzyme	Body Fluid	Electrophoresis	나303	B3030006		175.89	11,710	11,710	176.33	12,080	12,080	▲
11110	LDL-Cholesterol	SST Serum	Enzyme	나243	C2430		89.39	5,950	5,950	88.58	6,070	6,070	▲
00870	L-Dopa	EDTA Plasma	HPLC			국외			92,830			95,430	▲
12752	Lead(Pb)	Trace EDTA Blood	ICP/MS	나452나(2)	C4523630		309.81	20,630	20,630	313.68	21,490	21,490	▲
12753	Lead(Pb)	24hr Urine	ICP/MS	나452나(2)	C4523630		309.81	20,630	20,630	313.68	21,490	21,490	▲
71140	Legionella Ag	Random Urine	ICA	나531	C5310		100.26	6,680	6,680	100.26	6,870	6,870	▲
71120	Legionella culture (NIH)	Other	Culture			NIH			0			0	
43570	Legionella pneumophilaPCR	Sputum	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
41611	Leptospira Ab	SST Serum		나466가	C4661020		118.09	7,860	7,860	113.14	7,750	7,750	▼
41621	Leptospira Ab Titer	SST Serum		나466가	C4661020		118.09	7,860	7,860	113.14	7,750	7,750	▼
41615	Leptospira Ab(NIH)	SST Serum				NIH			0			0	
71200	Leptospira culture (NIH)	Random Urine	Culture			NIH			0			0	
41668	Leptospirosis(PHA)	SST Serum	PHA	나466가	C4661020		118.09	7,860	7,860	113.14	7,750	7,750	▼
26130	Leukemia marker study	EDTA Blood	IFA	나512+나513	C512~30006		0	553,730	553,730	0	571,380	571,380	▲
26131	Leukemia marker study	Bone Marrow	IFA	나512+나513	C512~30006		0	553,730	553,730	0	571,380	571,380	▲
26135	Leukemia marker study	Bone Marrow	Flow Cytometry	나511~3	C5111006외		0	508,070	508,070	0	524,010	524,010	▲
00106	LH (ECLIA)	SST Serum	ECLIA	나348	C3480		154.54	10,290	10,290	152.68	10,460	10,460	▲
25620	LHON 11778	EDTA Blood	PCR-RFLP	너562나	CY622006		460.19	30,650	30,650	471.06	32,270	32,270	▲
25630	LHON 14484	EDTA Blood	PCR-RFLP	너562나	CY622006		460.19	30,650	30,650	471.06	32,270	32,270	▲
26460	LHON 3460	EDTA Blood	PCR-RFLP	너562나	CY622006		460.19	30,650	30,650	471.06	32,270	32,270	▲
25645	LHON 3460,4171,11778,14484	EDTA Blood	PCR-RFLP	너562나	CY622006		460.19	122,600	122,600	471.06	129,080	129,080	▲
25635	LHON 4171	EDTA Blood	PCR-RFLP	너562나	CY622006		460.19	30,650	30,650	471.06	32,270	32,270	▲
25640	LHON3460,11778,14484,15257	EDTA Blood	PCR-RFLP	너562나	CY622006		460.19	122,600	122,600	471.06	129,080	129,080	▲
65085	Lidocaine	SST Serum	EIA			국외			80,730			82,990	▲
10425	Lipase	SST Serum	Colorimetry	나262	B2621		60.09	4,000	4,000	59.82	4,100	4,100	▲
10426	Lipase	Body Fluid	Colorimetry	나262	B2621		60.09	4,000	4,000	59.82	4,100	4,100	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
11116	Lipid profile	SST Serum	계산법	나241 외	C2411 외		0	10,100	10,100	0	9,870	9,870	▼
20650	Lipoprotein E.P	SST Serum	Electrophoresis	나301	B3010006		130.06	8,660	8,660	121.64	8,330	8,330	▼
20651	Lipoprotein E.P	Body Fluid	Electrophoresis	나301	B3010006		130.06	8,660	8,660	121.64	8,330	8,330	▼
20660	Lipoprotein lipase	Hp Plasma	ELISA	노151	BZ151	국외			80,450			82,700	▲
20660	Lipoprotein lipase	Hp Plasma	ELISA	노151	BZ151	국외			80,450			82,700	▲
20660	Lipoprotein lipase	Hp Plasma	ELISA	노151	BZ151	국외			80,450			82,700	▲
12860	Lipoprotein(a)	SST Serum	TIA	나248	C2480		160.82	10,710	10,710	161.26	11,050	11,050	▲
71170	Listeria culture	Other	Culture	나405가	B4051		163.15	10,870	10,870	168.28	11,530	11,530	▲
12765	Lithium(Li)	SST Serum	AAS	나452나(2)	C4523610		309.81	20,630	20,630	313.68	21,490	21,490	▲
50820	Lyme disease (NIH)	SST Serum				NIH			0			0	
50821	Lyme disease (NIH)	CSF				NIH			0			0	
26090	Lymphocyte subset 3종	EDTA Blood		나512	C5120006		449.61	89,820	89,820	451.56	92,790	92,790	▲
26091	Lymphocyte subset 3종	Bone Marrow		나512	C5120006		449.61	89,820	89,820	451.56	92,790	92,790	▲
26115	Lymphocyte subset 4종	EDTA Blood		나512	C5120006		449.61	119,760	119,760	451.56	123,720	123,720	▲
26100	Lymphocyte subset 4종	EDTA Blood		나512	C5120006		449.61	119,760	119,760	451.56	123,720	123,720	▲
26101	Lymphocyte subset 4종	Bone Marrow		나512	C5120006		449.61	119,760	119,760	451.56	123,720	123,720	▲
26110	Lymphocyte subset 4종	EDTA Blood		나512	C5120006		449.61	119,760	119,760	451.56	123,720	123,720	▲
10430	Lysozyme	SST Serum	비탁법			국외			32,190			33,090	▲
30451	M 혈액형검사	EDTA Blood	Tube	나203	B2030006		73.81	4,920	4,920	70.22	4,810	4,810	▼
71230	M.h & U.u 배양및약제감수성	Other	Culture	너301	BY301+3006		0	54,000	54,000	0	57,000	57,000	▲
52130	MAG autoantibodies	SST Serum	ELISA			국외			681,330			700,410	▲
10120	Magnesium (Mg)	SST Serum	Colorimetry	나379사	C3797		24.96	1,660	1,660	23.99	1,640	1,640	▼
10121	Magnesium (Mg)	24hr Urine	Colorimetry	나379사	C3797		24.96	1,660	1,660	23.99	1,640	1,640	▼
10122	Magnesium (Mg)	Random Urine	Colorimetry	나379사	C3797		24.96	1,660	1,660	23.99	1,640	1,640	▼
70840	Malaria	Blood Smear Slide	Manual	나115	B1150006		46.68	3,110	3,110	47.83	3,280	3,280	▲
42551	Malaria P. falciparum PCR	EDTA Blood	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42553	Malaria P. malariae PCR	EDTA Blood	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42554	Malaria P. ovale PCR	EDTA Blood	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42552	Malaria P. vivax PCR	EDTA Blood	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42540	Malaria PCR	EDTA Blood	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42545	Malaria PCR 2종	EDTA Blood	PCR	나595아	C5956006		409.2	54,500	54,500	415.49	56,920	56,920	▲
42555	Malaria PCR 4종	EDTA Blood	PCR	나595아	C5956006		409.2	109,000	109,000	415.49	113,840	113,840	▲
52500	Malaria(NIH)	EDTA Blood				NIH			0			0	
12220	Mandelic acid	Random Urine	HPLC	나451나(3)	CY373020		281.02	18,720	18,720	251.42	17,220	17,220	▼
12770	Mangane(Mn)	Trace EDTA Blood	AAS	나452나(2)	C4523660		309.81	20,630	20,630	313.68	21,490	21,490	▲
12771	Mangane(Mn)	24hr Urine	AAS	나452나(2)	C4523660		309.81	20,630	20,630	313.68	21,490	21,490	▲
12772	Mangane(Mn)	Random Urine	AAS	나452나(2)	C4523660		309.81	20,630	20,630	313.68	21,490	21,490	▲
82110	Massons Trichrome Stain	Tissue		나553나	C5532		123.07	8,200	8,200	123.77	8,480	8,480	▲
41680	Measles virus IgG(ELISA)	SST Serum	EIA	나468나(1)	C4682486		270.11	17,990	17,990	273.64	18,740	18,740	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
41681	Measles virus IgG(ELISA)	CSF	EIA	나468나(1)	C4682486		270.11	17,990	17,990	273.64	18,740	18,740	▲
41690	Measles virus IgM(ELISA)	SST Serum	EIA	나468나(2)	C4683486		259.99	17,320	17,320	261	17,880	17,880	▲
41691	Measles virus IgM(ELISA)	CSF	EIA	나468나(2)	C4683486		259.99	17,320	17,320	261	17,880	17,880	▲
42560	Measles virus RNA	CSF	RT-PCR			국외			309,990			318,670	▲
41720	Measles virus(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
41721	Measles virus(NT)	CSF	Neutralization			국외			64,580			66,390	▲
26730	MEN2(FMTC), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006		3875.61	258,120	258,120	4105.5	281,230	281,230	▲
26740	MEN2(MEN2A), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006		3875.61	258,120	258,120	4105.5	281,230	281,230	▲
26750	MEN2(MEN2B), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006		3875.61	258,120	258,120	4105.5	281,230	281,230	▲
12783	Mercury(Hg)	Other	AAS	나452	C4527640		613.25	40,840	40,840	619.4	42,430	42,430	▲
12784	Mercury(Hg)	Trace EDTA Blood	ICP/MS	나452나(2)	C4523640		309.81	20,630	20,630	313.68	21,490	21,490	▲
12785	Mercury(Hg)	24hr Urine	ICP/MS	나452나(2)	C4523640		309.81	20,630	20,630	313.68	21,490	21,490	▲
12786	Mercury(Hg)	Random Urine	ICP/MS	나452나(2)	C4523640		309.81	20,630	20,630	313.68	21,490	21,490	▲
20520	Met Hemoglobin	EDTA Blood	Oximeter	나382가	C3821		49.68	3,310	3,310	48.88	3,350	3,350	▲
00885	Metanephrine 2F(HPLC)	24hr Urine	HPLC	너228			0	43,700	43,700	0	45,560	45,560	▲
00886	Metanephrine(HPLC)	24hr Urine	HPLC	너228라	CY284006		328.04	21,850	21,850	332.51	22,780	22,780	▲
00892	Metanephrine,Total(HPLC)	24hr Urine	HPLC	너228라	CY284006		328.04	21,850	21,850	332.51	22,780	22,780	▲
10750	Methanol	Random Urine	GC			국외			159,840			164,320	▲
65640	Methotrexate(MTX)	SST Serum	면역형광	나450나(2)	C4504130		247.78	16,500	16,500	252.59	17,300	17,300	▲
12230	Methylhippuric acid	Random Urine	HPLC	나451나(3)	CY373040		281.02	18,720	18,720	251.42	17,220	17,220	▼
12235	Methylhippuric acid (아산)	Random Urine	HPLC	나451나(3)	CY373040		281.02	18,720	18,720	251.42	17,220	17,220	▼
10760	Methylmalonic Acid	Random Urine	GC/MSD	노340	CZ340				37,130			38,170	▲
10761	Methylmalonic Acid	24hr Urine	GC/MSD	노340	CZ340				37,130			38,170	▲
10001	Microalbumin	24hr Urine	TIA	나230나	C2302		203.09	13,530	13,530	203.5	13,940	13,940	▲
10002	Microalbumin	Random Urine	TIA	나230나	C2302		203.09	13,530	13,530	203.5	13,940	13,940	▲
20290	Microalbumin 정성	Random Urine	Strip	나230가	C2301		11.39	760	760	10.67	730	730	▼
20280	Microalbumin(RIA)	24hr Urine	RIA	나230나주	C7230		192.27	12,810	12,810	189.97	13,010	13,010	▲
20281	Microalbumin(RIA)	Random Urine	RIA	나230나주	C7230		192.27	12,810	12,810	189.97	13,010	13,010	▲
10005	Microalbumin/creatinine	Random Urine	TIA	나221 외	C2302+C3750		0	14,750	14,750	0	15,090	15,090	▲
51900	Mitochondrial DNA MELAS	EDTA Blood	PCR-RFLP	너562다	CY623006		460.66	92,040	92,040	471.65	96,930	96,930	▲
51910	Mitochondrial DNA MERRF	EDTA Blood	PCR-RFLP	너562라	CY624006		470.37	31,330	31,330	483.79	33,140	33,140	▲
30050	Mixing Test	SC Plasma	Clot-based	나177	B1770006		190.62	12,700	12,700	187.15	12,820	12,820	▲
26420	MLH1gene mutation analysis	EDTA Blood	Sequencing	나599나(2)	CY711006		7289.6	485,490	485,490	7634.1	522,940	522,940	▲
02090	MSAFP	SST Serum	RIA	나421나주	C7421		158.82	10,580	10,580	154.98	10,620	10,620	▲
01861	MS-AFP	SST Serum	RIA	나421나주	C7421		158.82	10,580	10,580	154.98	10,620	10,620	▲
26430	MSH2 gene mutation	EDTA Blood	Sequencing	나599나(2)	CY712006		7289.6	485,490	485,490	7634.1	522,940	522,940	▲
01862	MS-hCG	SST Serum	RIA	나352주	C7352		195.53	13,020	13,020	194.93	13,350	13,350	▲
27674	MSI Test	Block	PCR Fragment analysis	너574	CX574006		3013.24	200,680	200,680	3117.4	213,540	213,540	▲
27679	MSI(Microsatellite) test	Block		너574	CX574006		3013.24	200,680	200,680	3117.4	213,540	213,540	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
01863	MS-uE3	SST Serum	RIA	나327주	C7327		212.59	14,160	14,160	211.2	14,470	14,470	▲
42606	MTB & NTM PCR	Sputum	PCR+Hybridization	나595-1가	C6021006		654.51	43,590	43,590	672.67	46,080	46,080	▲
42601	MTB PCR (결핵협회)	Sputum	PCR	나595다	C5953006		402.46	26,800	26,800	407.06	27,880	27,880	▲
42611	MTB PCR (조직)	Tissue	Nested PCR	너563사	CY059006		575.61	38,340	38,340	595.22	40,770	40,770	▲
27265	MTHFR(C677T)	EDTA Blood	PCR-RFLP	너562아	CY628006		463.98	30,900	30,900	475.79	32,590	32,590	▲
27060	MTHFR(C677T) genotyping	EDTA Blood		너562아	CY628006		463.98	30,900	30,900	475.79	32,590	32,590	▲
71040	Mucin clot test	Joint Fluid	Manual	나54	B0540		11.41	760	760	11.58	790	790	▲
10795	Mucopolysaccharide 정성	Random Urine		나444가	C4441		24.85	1,660	1,660	22.62	1,550	1,550	▼
10780	Mucopolysaccharidosis 선별	Random Urine		나444나	C4442		62.85	4,190	4,190	59.36	4,070	4,070	▼
60040	Multi Allergens-Epidermals	SST Serum	FEIA			국외			37,680			38,740	▲
60050	Multi Allergens-Food child	SST Serum	FEIA			국외			37,680			38,740	▲
60070	Multi Allergens-Grasses	SST Serum	FEIA			국외			37,680			38,740	▲
60080	Multi Allergens-Molds	SST Serum	FEIA			국외			37,680			38,740	▲
60090	Multi Allergens-Weeds	SST Serum	FEIA			국외			37,680			38,740	▲
42180	Mumps Culture	Random Urine	Culture	나416	B4160006		560.25	37,310	37,310	574.26	39,340	39,340	▲
41730	Mumps virus IgG (ELISA)	SST Serum	EIA	나468나(1)	C4682506		270.11	17,990	17,990	273.64	18,740	18,740	▲
41731	Mumps virus IgG (ELISA)	CSF	EIA	나468나(1)	C4682506		270.11	17,990	17,990	273.64	18,740	18,740	▲
41740	Mumps virus IgM (ELISA)	SST Serum	EIA	나468나(2)	C4683506		259.99	17,320	17,320	261	17,880	17,880	▲
41741	Mumps virus IgM (ELISA)	CSF	EIA	나468나(2)	C4683506		259.99	17,320	17,320	261	17,880	17,880	▲
42590	Mumps virus RNA(RT-PCR)	CSF	RT-PCR	나596라	C5969006		644.86	42,950	42,950	678.1	46,450	46,450	▲
41750	Mumps virus(CF)	SST Serum	CF			국외			16,150			16,600	▲
41751	Mumps virus(CF)	CSF	CF			국외			16,150			16,600	▲
41760	Mumps virus(HI)	SST Serum	HI			국외			16,150			16,600	▲
41761	Mumps virus(HI)	CSF	HI			국외			16,150			16,600	▲
41770	Mumps virus(NT)	SST Serum	Neutralization			국외			16,150			16,600	▲
41771	Mumps virus(NT)	CSF	Neutralization			국외			16,150			16,600	▲
52631	MuSK Ab	SST Serum	RIA			국외			1,223,380			1,257,630	▲
50870	Mycoplasma Ab	SST Serum	PA	나474가	C4741820		64.49	4,300	4,300	59.99	4,110	4,110	▼
50871	Mycoplasma Ab	Body Fluid	PA	나474가	C4741820		64.49	4,300	4,300	59.99	4,110	4,110	▼
42620	Mycoplasma genitalium PCR	분비물	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
71190	Mycoplasma hominis culture	Other	Culture	너301가	BY301006		405.47	27,000	27,000	416.05	28,500	28,500	▲
42630	Mycoplasma hominis PCR	분비물	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
52300	Mycoplasma pneumoniae IgG	SST Serum	EIA	나474나(1)	C4742826		206.65	13,760	13,760	207.72	14,230	14,230	▲
52310	Mycoplasma pneumoniae IgM	SST Serum	EIA	나474나(2)	C4743826		205.15	13,660	13,660	205.84	14,100	14,100	▲
52311	Mycoplasma pneumoniae IgM	CSF	EIA	나474나(2)	C4743826		205.15	13,660	13,660	205.84	14,100	14,100	▲
42640	Mycoplasma pneumoniae PCR	Sputum	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
01325	Myelin basic protein	CSF	EIA	노428	CZ428	국외			247,560			254,490	▲
01325	Myelin basic protein	CSF	EIA	노428	CZ428	국외			247,560			254,490	▲
01325	Myelin basic protein	CSF	EIA	노428	CZ428	국외			247,560			254,490	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
01330	Myoglobin	SST Serum	CLIA	나384나	C3842		233.09	15,520	15,520	234.1	16,040	16,040	▲
01331	Myoglobin	Random Urine	CLIA	나384나	C3842		233.09	15,520	15,520	234.1	16,040	16,040	▲
01340	Myosin light chain 1	SST Serum	EIA			국외			66,730			68,600	▲
25680	Myotonic Muscular Dystrophy	복수검체	Southern blot	너573+나598	CY539006외		0	140,150	140,150	0	146,340	146,340	▲
30452	N 혈액형검사	EDTA Blood	Tube	나203	B2030006		73.81	4,920	4,920	70.22	4,810	4,810	▼
71082	N. gonor Culture&Sensi(G)	Other	Culture	나405+나406	B4051+B4061		0	18,510	18,510	0	19,460	19,460	▲
71080	N. gonorrhoeae Culture	Other	Culture	나405가	B4051		163.15	10,870	10,870	168.28	11,530	11,530	▲
42650	N. gonorrhoeae PCR	분비물	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
50464	N. meningitis	CSF	Latex	나408	B4080		85.21	5,670	5,670	79.57	5,450	5,450	▼
65090	N-Acethylprocainamide	SST Serum	EIA			국외			73,190			75,240	▲
65091	N-Acethylprocainamide	Hp Plasma	EIA			국외			73,190			75,240	▲
10450	NAG	24hr Urine	Colorimetry			국외			26,000			26,730	▲
10451	NAG	Random Urine	Colorimetry			국외			26,000			26,730	▲
01600	NCC-ST-439	SST Serum	EIA			국외			56,940			58,530	▲
11685	Neonatal Biotinidase	Blood Paper	FIA	노333	CZ333				24,760			25,450	▲
00240	Neonatal Free T4	Blood Paper	EIA	나334	C3340		172.44	11,480	11,480	173.49	11,880	11,880	▲
11705	Neonatal GALT	Blood Paper	FIA	노337	CZ039				24,760			25,450	▲
00250	Neonatal T4	Blood Paper	FIA	나333	C3330		164.15	10,930	10,930	164.03	11,240	11,240	▲
00260	Neonatal-TSH	Blood Paper	FIA	나336	C3360		220.13	14,660	14,660	225.02	15,410	15,410	▲
12250	Neopterin	SST Serum	HPLC	노288	CZ288	국외			173,300			178,150	▲
12251	Neopterin	Random Urine	HPLC	노288	CZ288	국외			173,300			178,150	▲
12250	Neopterin	SST Serum	HPLC	노288	CZ288	국외			173,300			178,150	▲
12251	Neopterin	Random Urine	HPLC	노288	CZ288	국외			173,300			178,150	▲
12250	Neopterin	SST Serum	HPLC	노288	CZ288	국외			173,300			178,150	▲
12251	Neopterin	Random Urine	HPLC	노288	CZ288	국외			173,300			178,150	▲
12255	Neopterin/Biopterin	Random Urine	HPLC	노288	CZ288				99,020			101,790	▲
30021	Neutrophil Seg	EDTA Blood	자동혈구계산법	나109가	B1091		25.43	1,690	1,690	25.35	1,740	1,740	▲
11300	Nicotinic acid(Niacin)	Hp Blood	Bioassay			국외			290,610			298,750	▲
65280	Nitrazepam	SST Serum	HPLC			국외			53,820			55,330	▲
12275	N-methyl formamide(아산)	Random Urine	GC/NPD	나451나(3)	CY373060		281.02	18,720	18,720	251.42	17,220	17,220	▼
12270	N-methyl formamide(NMF)	Random Urine	GC/MSD	나451나(3)	CY373060		281.02	18,720	18,720	251.42	17,220	17,220	▼
27540	NMP22	Random Urine	ELISA	너322다	CY323		301.48	20,080	20,080	305.35	20,920	20,920	▲
25790	N-myc	복수검체	PCR	나598아	C5988006		951.81	63,390	63,390	934.15	63,990	63,990	▲
30150	Nonspecific esterase stain	Bone Marrow Slide	Stain	나118바	B1188006		84.94	5,660	5,660	84.92	5,820	5,820	▲
30151	Nonspecific esterase stain	Blood Smear Slide	Stain	나118바	B1188006		84.94	5,660	5,660	84.92	5,820	5,820	▲
30152	Nonspecific esterase stain	Bone Marrow Slide	Stain	나118바	B1188006		84.94	5,660	5,660	84.92	5,820	5,820	▲
00843	Norepinephrine	EDTA Plasma	HPLC/ECD	너228나	CY282006		328.04	21,850	21,850	332.51	22,780	22,780	▲
00845	Norepinephrine	24hr Urine	HPLC	너228나	CY282006		328.04	21,850	21,850	332.51	22,780	22,780	▲
00887	Normetanephine(HPLC)	24hr Urine	HPLC	너228마	CY285006		328.04	21,850	21,850	332.51	22,780	22,780	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
65661	Nortriptyline	Plain Blood	LC/MS/MS	나450나(4)	CX375696		570.54	38,000	38,000	577.54	39,560	39,560	▲
01611	NSE	Body Fluid	RIA	나431	C7431		160.61	10,700	10,700	123.87	8,490	8,490	▼
01615	NSE (ECLIA)	SST Serum	ECLIA	나431	C4310		310.19	20,660	20,660	310.84	21,290	21,290	▲
70606	NTM Identification(성모)	균주	LPA	나595-1다	C6029006		696.95	46,420	46,420	725.71	49,710	49,710	▲
70501	NTM Sensitivity (결핵협회)	균주	Microdilution	나406다(2)	B4064		543.31	36,180	36,180	564.43	38,660	38,660	▲
01350	NT-pro BNP	SST Serum	ECLIA	나368-2	CZ208		608.98	40,560	40,560	608.98	41,720	41,720	▲
12280	NTx	Random Urine	ELISA	나393-1	C3931		189.78	12,640	12,640	180.54	12,370	12,370	▼
30180	Oil red stain	Bone Marrow Slide	Stain	나118아	B1189006		84.07	5,600	5,600	83.84	5,740	5,740	▲
20322	Oligoclonal band(강남성모)	복수검체	Electrophoresis	너182	BX182006		223.85	14,910	14,910	225.94	15,480	15,480	▲
20320	Oligoclonal IgG band	CSF	Electrophoresis	너182	BX182006		223.85	14,910	14,910	225.94	15,480	15,480	▲
29550	oligodendroglioma, 1p/19q	Block	PCR Fragment analysis	노 596	CZ836				250,000			257,000	▲
12290	Organic Acid	Random Urine	GC/MSD	너345다	CY348006		2683.7	178,730	178,730	2521.3	172,710	172,710	▼
12291	Organic Acid	EDTA Plasma	GC/MSD	너345다	CY348006		2683.7	178,730	178,730	2521.3	172,710	172,710	▼
12310	Orotic acid	24hr Urine	Spectrophotometry	너345가(6)	CY349		229.5	15,280	15,280	201.9	13,830	13,830	▼
12320	Osmolality	SST Serum	Osmometer	나380	C3800		54.08	3,600	3,600	54.5	3,730	3,730	▲
12321	Osmolality	24hr Urine	Osmometer	나380	C3800		54.08	3,600	3,600	54.5	3,730	3,730	▲
12322	Osmolality	Random Urine	Osmometer	나380	C3800		54.08	3,600	3,600	54.5	3,730	3,730	▲
12330	Osmotic fragility	복수검체	Colorimetry	나113	B1131006		89.98	5,990	5,990	91.22	6,250	6,250	▲
01925	Osteocalcin (ECLIA)	SST Serum	ECLIA	나363	C3630		177.22	11,800	11,800	179.25	12,280	12,280	▲
30470	Other blood typing	EDTA Blood	Tube	나203	B2030006		73.81	4,920	4,920	70.22	4,810	4,810	▼
10800	Oxalic acid	24hr Urine	Enzyme	노339	CZ339				44,560			45,810	▲
65460	Oxcarbazepine & Metabolite	SST Serum	HPLC	나450나(3)	CX374690		313.25	20,860	20,860	325.85	22,320	22,320	▲
00120	Oxytocin	전용용기 혈장	RIA	노201	CZ201	국외			99,020			101,790	▲
00120	Oxytocin	전용용기 혈장	RIA	노201	CZ201	국외			99,020			101,790	▲
00120	Oxytocin	전용용기 혈장	RIA	노201	CZ201	국외			99,020			101,790	▲
25840	p53 exon 4(LOH)	Tissue	PCR-RFLP	노596가	CZ804				99,020			101,790	▲
30690	PAI-1	SC Plasma	ELISA	너80나	BY802		179.54	11,960	11,960	181.7	12,450	12,450	▲
10245	Pancreatic Amylase	SST Serum	Enzyme	나261나	B2612		53.64	3,570	3,570	53.33	3,650	3,650	▲
10246	Pancreatic Amylase	Random Urine	Enzyme	나261나	B2612		53.64	3,570	3,570	53.33	3,650	3,650	▲
01630	PAP	SST Serum	CLIA	나429	C4290		159.45	10,620	10,620	140.11	9,600	9,600	▼
01631	PAP	분비물	CLIA	나429	C4290		159.45	10,620	10,620	140.11	9,600	9,600	▼
01841	PAPP-A	SST Serum	RIA	노212	CZ212				29,280			30,100	▲
01859	PAPP-A(서울대)	SST Serum	RIA	노212	CZ212				29,280			30,100	▲
50843	Paragonimus IgG(S)	SST Serum	Micro-ELISA	나472나(1)	C4722616		270.18	17,990	17,990	269.38	18,450	18,450	▲
42195	Parainfluenza culture	Other	Shell Vial Culture	나416	B4160006		560.25	37,310	37,310	574.26	39,340	39,340	▲
43560	Parainfluenza V. Ag(DFA)	Other	DFA	나469	C4690596		203.16	13,530	13,530	203.37	13,930	13,930	▲
41810	Parainfluenza V. Type 1(HI)	SST Serum	HI			국외			16,150			16,600	▲
41811	Parainfluenza V. Type 1(HI)	CSF	HI			국외			16,150			16,600	▲
41820	Parainfluenza V. Type 2(HI)	SST Serum	HI			국외			16,150			16,600	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
41821	Parainfluenza V. Type 2(HI)	CSF	HI			국외			16,150			16,600	▲
41830	Parainfluenza V. Type 3(HI)	SST Serum	HI			국외			16,150			16,600	▲
41831	Parainfluenza V. Type 3(HI)	CSF	HI			국외			16,150			16,600	▲
41840	Parainfluenza V. Type 4(HI)	SST Serum	HI			국외			16,150			16,600	▲
41841	Parainfluenza V. Type 4(HI)	CSF	HI			국외			16,150			16,600	▲
12345	Paraquat	Random Urine	HPLC	나450나(3)	CX374040		313.25	20,860	20,860	325.85	22,320	22,320	▲
12340	Paraquat (Gramoxone)	SST Serum	HPLC	나450나(3)	CX374040		313.25	20,860	20,860	325.85	22,320	22,320	▲
65623	Paroxetine	Plain Serum	LC/MS/MS	나450	CX375696		570.54	38,000	38,000	577.54	39,560	39,560	▲
42660	Parvo virus B19 DNA	SST Serum	PCR	나595나	C5952006		390.79	26,030	26,030	392.46	26,880	26,880	▲
41780	Parvo virus B19 IgG	SST Serum	EIA	나468나(1)	C4682596		270.11	17,990	17,990	273.64	18,740	18,740	▲
41781	Parvo virus B19 IgG	Body Fluid	EIA	나468나(1)	C4682596		270.11	17,990	17,990	273.64	18,740	18,740	▲
41790	Parvo virus B19 IgM	SST Serum	EIA	나468나(2)	C4683596		259.99	17,320	17,320	261	17,880	17,880	▲
41791	Parvo virus B19 IgM	Body Fluid	EIA	나468나(2)	C4683596		259.99	17,320	17,320	261	17,880	17,880	▲
30160	PAS Stain	Bone Marrow Slide	Stain	나118마	B1187006		86.13	5,740	5,740	86.41	5,920	5,920	▲
30161	PAS Stain	Blood Smear Slide	Stain	나118마	B1187006		86.13	5,740	5,740	86.41	5,920	5,920	▲
82100	PAS Stain	Tissue		나553다	C5533		123.07	8,200	8,200	123.77	8,480	8,480	▲
29470	PAX3/PAX7-FKHR 재배열	Block	Nested RT-PCR	나597자	C5979006		1729.88	115,210	115,210	1791.1	122,690	122,690	▲
12806	p-Cresol	Random Urine	GC/MS	나451나(3)	CY373290		281.02	18,720	18,720	251.42	17,220	17,220	▼
29072	PDGFRA	Tissue	Sequencing	노595	CZ708				120,000			123,360	▲
30080	PDW	EDTA Blood	자동혈구계산법	나123	B1230		5.79	390	390	5.8	400	400	▲
31085	PEG Coombs Anti IgG	EDTA Blood		나204나주	B2048106		71.52	4,760	4,760	75.71	5,190	5,190	▲
02036	Pepsinogen I/II	SST Serum	LTIA	나362	C3620×2		226.41	30,160	30,160	209.54	28,700	28,700	▼
26085	Perforin profile, FCM	EDTA Blood	Flow Cytometry	나512	C5120006*3		0	0	89,820	0	0	92,790	▲
30170	Peroxidase stain	Bone Marrow Slide	Stain	나118라	B1186006		83.48	5,560	5,560	83.11	5,690	5,690	▲
30171	Peroxidase stain	Blood Smear Slide	Stain	나118라	B1186006		83.48	5,560	5,560	83.11	5,690	5,690	▲
65290	Phenobarbital	SST Serum	면역형광	나450나(2)	C4504020		247.78	16,500	16,500	252.59	17,300	17,300	▲
65300	Phenytoin	SST Serum	면역형광	나450나(2)	C4504050		247.78	16,500	16,500	252.59	17,300	17,300	▲
10130	Phosphate(Pi)	SST Serum	Colorimetry	나379라	C3794		16.38	1,090	1,090	15.15	1,040	1,040	▼
10131	Phosphate(Pi)	24hr Urine	Colorimetry	나379라	C3794		16.38	1,090	1,090	15.15	1,040	1,040	▼
10132	Phosphate(Pi)	Random Urine	Colorimetry	나379라	C3794		16.38	1,090	1,090	15.15	1,040	1,040	▼
01070	Phospholipase A2	SST Serum	RIA			국외			115,170			118,390	▲
11160	Phospholipid	SST Serum	Enzyme	나244나	C2442		33.79	2,250	2,250	29.69	2,030	2,030	▼
11161	Phospholipid	Body Fluid	Enzyme	나244나	C2442		33.79	2,250	2,250	29.69	2,030	2,030	▼
11720	Phytanic acid	EDTA Plasma	GC/MSD	노332	CZ332				86,640			89,070	▲
30700	PIC TEST	SC Plasma				국외			43,050			44,260	▲
01640	PIVKA-2	SST Serum	EIA	너78	BX078		186.2	12,400	12,400	190.03	13,020	13,020	▲
01641	PIVKA-2	EDTA Plasma	EIA	너78	BX078		186.2	12,400	12,400	190.03	13,020	13,020	▲
20530	Plasma Hb	EDTA Plasma	Colorimetry	나383	C3830		50.02	3,330	3,330	50.45	3,460	3,460	▲
30710	Plasminogen	SC Plasma	Chromogenic assay	나188가	B1881		159.22	10,600	10,600	163.6	11,210	11,210	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
30005	Platelet	EDTA Blood	자동혈구계산법	나106	B1060		12.9	860	860	12.99	890	890	▲
51920	Platelet Associated Ab	EDTA Blood	IFA	나502나	C5022006		246.92	16,440	16,440	251.6	17,230	17,230	▲
25710	PML-RARa (nested RT-PCR)	EDTA Blood	Nested RT-PCR	나597다	C5973006		1601.91	106,690	106,690	1631.2	111,730	111,730	▲
25712	PML-RARa (nested RT-PCR)	Bone Marrow	Nested RT-PCR	나597다	C5973006		1601.91	106,690	106,690	1631.2	111,730	111,730	▲
25713	PML-RARa (real-time PCR)	EDTA Blood	real time PCR	노596	CZ807				148,540			152,700	▲
25714	PML-RARa (real-time PCR)	Bone Marrow	real time PCR	노596	CZ807				148,540			152,700	▲
42670	Pneumocystis jirovecii PCR	Sputum	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
26161	PNH test	EDTA Blood	Flow Cytometry	너42나	BY422006		440.69	117,400	117,400	443.38	121,480	121,480	▲
26165	PNH test	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	59,880	59,880	451.56	61,860	61,860	▲
41910	Poliovirus Type 1(CF)	SST Serum	CF			국외			16,150			16,600	▲
41911	Poliovirus Type 1(CF)	CSF	CF			국외			16,150			16,600	▲
42010	Poliovirus Type 1(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
42011	Poliovirus Type 1(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41920	Poliovirus Type 2(CF)	SST Serum	CF			국외			16,150			16,600	▲
41921	Poliovirus Type 2(CF)	CSF	CF			국외			16,150			16,600	▲
42020	Poliovirus Type 2(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
42021	Poliovirus Type 2(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41930	Poliovirus Type 3(CF)	SST Serum	CF			국외			16,150			16,600	▲
41931	Poliovirus Type 3(CF)	CSF	CF			국외			16,150			16,600	▲
42030	Poliovirus Type 3(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
42031	Poliovirus Type 3(NT)	CSF	Neutralization			국외			64,580			66,390	▲
42205	Polyomavirus culture	BAL fluid	Culture	나416	B4160006		560.25	37,310	37,310	574.26	39,340	39,340	▲
42688	Polyomavirus PCR QN (경대)	EDTA Blood		노598	CZ966				51,450			52,890	▲
42682	Polyomavirus(BK) PCR	Random Urine	Nested PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42685	Polyomavirus(BK) PCR QN	Random Urine	real time PCR	노598	CZ966				102,000			104,860	▲
42680	Polyomavirus(BK,JC) PCR	Random Urine	Nested PCR	나595아	C5956006외		0	54,500	54,500	0	56,920	56,920	▲
42683	Polyomavirus(JC) PCR	Random Urine	Nested PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
11760	Porphobilinogen 정성	Random Urine	Colorimetry	나389가	C3891		10.45	700	700	9.88	680	680	▼
25730	post-BMT	EDTA Blood	PCR	너571나(1)	CY575006		2723.42	181,380	181,380	2755.1	188,730	188,730	▲
25731	post-BMT	Bone Marrow	PCR	너571나(1)	CY575006		2723.42	181,380	181,380	2755.1	188,730	188,730	▲
25737	post-BMT	EDTA Blood		너571나(1)	CY575006		2723.42	181,380	181,380	2755.1	188,730	188,730	▲
10140	Potassium(K)	SST Serum	ISE	나379나	C3792		17.59	1,170	1,170	16.87	1,160	1,160	▼
10141	Potassium(K)	24hr Urine	ISE	나379나	C3792		17.59	1,170	1,170	16.87	1,160	1,160	▼
10142	Potassium(K)	Random Urine	ISE	나379나	C3792		17.59	1,170	1,170	16.87	1,160	1,160	▼
25690	PRA class I identification	SST Serum	Luminex	나522나	C5222006		1303.16	86,790	86,790	1308.1	89,610	89,610	▲
26265	PRA class I screening	SST Serum	Luminex	나522가	C5221006		743.64	49,530	49,530	752.81	51,570	51,570	▲
25695	PRA classII identification	SST Serum	Luminex	나522나	C5222006		1303.16	86,790	86,790	1308.1	89,610	89,610	▲
26266	PRA classII screening	SST Serum	Luminex	나522가	C5221006		743.64	49,530	49,530	752.81	51,570	51,570	▲
20330	Prealbumin	SST Serum	TIA	나221-1	C2215		147.64	9,830	9,830	150.79	10,330	10,330	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
25720	pre-BMT	복수검체	DNA Typing	너571가(1)	CY573006		3918.12	260,950	260,950	3962.9	271,460	271,460	▲
25725	pre-BMT	복수검체	DNA Typing	너571가(1)	CY573006		3918.12	260,950	260,950	3962.9	271,460	271,460	▲
25727	pre-BMT	복수검체	DNA Typing	너571가(1)	CY573006		3918.12	260,950	260,950	3962.9	271,460	271,460	▲
00480	Pregnanediol(Urine)	24hr Urine	GC/MS			국외			80,730			82,990	▲
00490	Pregnanetriol	24hr Urine	GC/MS	노194	CZ198	국외			113,020			116,180	▲
00490	Pregnanetriol	24hr Urine	GC/MS	노194	CZ198	국외			113,020			116,180	▲
00490	Pregnanetriol	24hr Urine	GC/MS	노194	CZ198	국외			113,020			116,180	▲
00500	Pregnenolone	SST Serum	RIA			국외			148,540			152,700	▲
65320	Primidone	SST Serum	HPLC	나450나(3)	CX374690		313.25	20,860	20,860	325.85	22,320	22,320	▲
65100	Procainamide	SST Serum	FPIA			국외			86,640			89,070	▲
12360	Procollagen Ⅲ peptide	SST Serum	RIA			국외			61,890			63,620	▲
00512	Progesterone (ECLIA)	SST Serum	ECLIA	나346	C3460		153.03	10,190	10,190	150.45	10,310	10,310	▲
01081	Proinsulin	SST Serum	RIA	노206	CZ206				30,140			30,980	▲
00133	Prolactin (ECLIA)	SST Serum	ECLIA	나351	C3510		167.09	11,130	11,130	166.15	11,380	11,380	▲
65110	Propranolol	SST Serum	HPLC			국외			91,490			94,050	▲
31021	Prostaglandin E2	24hr Urine	RIA			국외			618,910			636,240	▲
30730	Protein C Activity	SC Plasma	Chromogenic assay	나183가	B1831		198.83	13,240	13,240	207.74	14,230	14,230	▲
30740	Protein C Antigen	SC Plasma	ELISA	나183나	B1832		179.26	11,940	11,940	182.6	12,510	12,510	▲
20711	Protein E.P(24h urine)	24hr Urine	Electrophoresis	나300나	B3001006		138.33	9,210	9,210	142.26	9,740	9,740	▲
20713	Protein E.P(Random urine)	Random Urine	Electrophoresis	나300나	B3001006		138.33	9,210	9,210	142.26	9,740	9,740	▲
20710	Protein E.P(Serum)	SST Serum	Electrophoresis	나300가	B3000006		129.56	8,630	8,630	134.09	9,190	9,190	▲
30750	Protein S Activity	SC Plasma	Clot-based	나184가	B1841		193.49	12,890	12,890	201.16	13,780	13,780	▲
30760	Protein S Ag(free)	SC Plasma	ELISA	나184나	B1842		176.4	11,750	11,750	179.03	12,260	12,260	▲
30770	Protein S Ag(total)	SC Plasma	ELISA	나184나	B1842		176.4	11,750	11,750	179.03	12,260	12,260	▲
10035	Protein/creatinine ratio	Random Urine	계산법	나220 외	C2200 외		0	2,480	2,480	0	2,360	2,360	▼
27895	Prothrombin G20210A Mutati	EDTA Blood	PCR-RFLP	노597	CZ898				28,440			29,240	▲
30950	Prothrombin Time	SC Plasma	Clot-based	나154	B1540		27.16	1,810	1,810	27.73	1,900	1,900	▲
70860	Protozoa	Stool	검경법	나63	B0630		23.92	1,590	1,590	23.95	1,640	1,640	▲
01675	PSA (ECLIA)	SST Serum	ECLIA	나428	C4280		241.01	16,050	16,050	241.06	16,510	16,510	▲
01090	PSTI	SST Serum	RIA			국외			39,610			40,720	▲
01930	PTH	SST Serum	RIA	나340주	C7340		273.93	18,240	18,240	275.4	18,860	18,860	▲
01931	PTH	EDTA Plasma	RIA	나340주	C7340		273.93	18,240	18,240	275.4	18,860	18,860	▲
01940	PTH related peptide	전용용기 혈장	IRMA	노192	CZ192	국외			80,450			82,700	▲
01940	PTH related peptide	전용용기 혈장	IRMA	노192	CZ192	국외			80,450			82,700	▲
01940	PTH related peptide	전용용기 혈장	IRMA	노192	CZ192	국외			80,450			82,700	▲
01950	PTH-C	SST Serum	RIA			국외			32,290			33,190	▲
01967	PTH-Intact (ECLIA)	SST Serum	ECLIA	나340	C3400		289.09	19,250	19,250	294.34	20,160	20,160	▲
01968	PTH-Intact (ECLIA)	EDTA Plasma	ECLIA	나340	C3400		289.09	19,250	19,250	294.34	20,160	20,160	▲
10175	Pyrimidine 5-nucleotidase	EDTA Blood	Spectrophotometry	너185	BX185		176.16	11,730	11,730	155.56	10,660	10,660	▼

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
10810	Pyruvic Acid	제단백액	Enzyme	너345가(1)	CY341		229.5	15,280	15,280	201.9	13,830	13,830	▼
10811	Pyruvic Acid	CSF	Enzyme	너345가(1)	CY341		229.5	15,280	15,280	201.9	13,830	13,830	▼
50890	Q-fever (C. burnetti)(NIH)	SST Serum	IFA			NIH			0			0	
02060	Quad Test	SST Serum		나421 외	C7421외		0	61,120	61,120	0	62,470	62,470	▲
52390	QuantiferON-TB	전용용기	ELISA	나477	CZ393006		1162.62	77,430	77,430	1162.6	79,640	79,640	▲
65622	Quetiapine	Plain Serum	LC/MS/MS	나450	CX375696		570.54	38,000	38,000	577.54	39,560	39,560	▲
65135	Quinidine	SST Serum	FPIA			국외			75,340			77,450	▲
41637	R. (Rickettsia) 2 type Ab	SST Serum	IFA	나474나(1)	C4742836		206.65	27,520	27,520	207.72	28,460	28,460	▲
51930	R.A Factor	SST Serum	TIA	나490가	C4901		22.41	1,490	1,490	20.2	1,380	1,380	▼
51931	R.A Factor	Body Fluid	TIA	나490가	C4901		22.41	1,490	1,490	20.2	1,380	1,380	▼
51940	R.A Factor 정량	SST Serum	TIA	나490나	C4903		104.49	6,960	6,960	104.97	7,190	7,190	▲
51941	R.A Factor 정량	Body Fluid	TIA	나490나	C4903		104.49	6,960	6,960	104.97	7,190	7,190	▲
41630	R.tsutsugamushi	SST Serum		나474가	C4741830		64.49	4,300	4,300	59.99	4,110	4,110	▼
41636	R.tsutsugamushi Ab(NIH)	SST Serum	IFA			NIH			0			0	
41635	R.tsutsugamushi(IFA)	SST Serum	IFA	나474나(1)	C4742836		206.65	13,760	13,760	207.72	14,230	14,230	▲
51960	RA Factor IgA	SST Serum	EIA	노421	CZ421				24,760			25,450	▲
51950	RA Factor IgG	SST Serum	ELISA	노421	CZ421				24,760			25,450	▲
52510	Rabies virus(공수병) (NIH)	복수검체				NIH			0			0	
30002	RBC	EDTA Blood	자동혈구계산법	나104	B1040		10.84	720	720	10.97	750	750	▲
11290	RBC Folate	EDTA Blood	RIA	나254주	C7254		201.1	13,390	13,390	198.75	13,610	13,610	▲
30090	RDW	EDTA Blood	자동혈구계산법	나122	B1220		5.79	390	390	5.8	400	400	▲
01370	Renin Activity	EDTA Plasma	RIA	나360주	C7360		165.22	11,000	11,000	161.49	11,060	11,060	▲
41800	REO virus(CF)	SST Serum	CF			국외			16,150			16,600	▲
41801	REO virus(CF)	CSF	CF			국외			16,150			16,600	▲
42257	Respi.V.Ag Screening 5종	Other	IFA	나469	C4690536		203.16	13,530	13,530	203.37	13,930	13,930	▲
29270	RET gene mutation	EDTA Blood	Sequencing	나599나(3)	CY571006		3875.61	258,120	258,120	4105.5	281,230	281,230	▲
82180	Reticulin Stain	Tissue		나553가	C5531		123.07	8,200	8,200	123.77	8,480	8,480	▲
30111	Reticulocyte Count	EDTA Blood	Flow Cytometry	나108나	B1081		20.29	1,350	1,350	20.21	1,380	1,380	▲
11320	Retinol Binding Protein	SST Serum	라텍스응집비탁법			국외			96,870			99,580	▲
30420	Rh Ab Titer	SST Serum	Tube	나208	B2080006		106.48	7,090	7,090	99.47	6,810	6,810	▼
30390	Rh(D) Typing	EDTA Blood	SLIDE	나202가	B2021		13.17	880	880	13.82	950	950	▲
30391	Rh(D) Typing	Capillary	SLIDE	나202가	B2021		13.17	880	880	13.82	950	950	▲
30392	Rh(D) Typing	Cord Blood	SLIDE	나202가	B2021		13.17	880	880	13.82	950	950	▲
30400	Rh-Hr Subgroup	EDTA Blood	Tube	나202나	B2022006		104.83	6,980	6,980	98.1	6,720	6,720	▼
42210	Rhino Virus Culture	Other	Culture	나416	B4160006		560.25	37,310	37,310	574.26	39,340	39,340	▲
42215	Rhino virus PCR	Other	Nested RT-PCR	나596	C5969006		644.86	42,950	42,950	678.1	46,450	46,450	▲
01820	Ri autoantibodies	SST Serum	Western blot			국외			730,850			751,310	▲
01821	Ri autoantibodies	CSF	Western blot			국외			730,850			751,310	▲
51216	Ribosomal P protein IgG Ab	SST Serum	MFIA	너443자	CY451006		549.3	36,580	36,580	532.44	36,470	36,470	▼

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
41850	Rotavirus Ab (CF)	SST Serum	CF			국외			16,150			16,600	▲
41851	Rotavirus Ab (CF)	CSF	CF			국외			16,150			16,600	▲
42290	Rotavirus Ag	Stool	ELISA	나469	C4690526		203.16	13,530	13,530	203.37	13,930	13,930	▲
50935	RPR 정밀	SST Serum	TIA	나460-1	C4602		25.73	1,710	1,710	25.73	1,760	1,760	▲
41871	RS virus(NT)	CSF	Neutralization			국외			64,580			66,390	▲
41860	RSV Ab (CF)	SST Serum	CF			국외			16,150			16,600	▲
41861	RSV Ab (CF)	CSF	CF			국외			16,150			16,600	▲
41862	RSV Ab (CF)	Pleural Fluid	CF			국외			16,150			16,600	▲
41870	RSV Ab(NT)	SST Serum	Neutralization			국외			64,580			66,390	▲
42300	RSV Ag (DFA)	Other	DFA	나469	C4690536		203.16	13,530	13,530	203.37	13,930	13,930	▲
42225	RSV Culture	Other	Shell Vial Culture	나416	B4160006		560.25	37,310	37,310	574.26	39,340	39,340	▲
42820	RSV IgG(IFA)	SST Serum	IFA	나468나(1)	C4682536		270.11	17,990	17,990	273.64	18,740	18,740	▲
42830	RSV IgM(IFA)	SST Serum	IFA	나468나(2)	C4683536		259.99	17,320	17,320	261	17,880	17,880	▲
43520	Rubella IgG avidity	SST Serum	EIA	노395	CZ395				30,940			31,810	▲
41940	Rubella IgG(CLIA)	SST Serum	CIA	나468나(1)	C4682416		270.11	17,990	17,990	273.64	18,740	18,740	▲
41941	Rubella IgG(CLIA)	CSF	CIA	나468나(1)	C4682416		270.11	17,990	17,990	273.64	18,740	18,740	▲
41950	Rubella IgM(CLIA)	SST Serum	CIA	나468나(2)	C4683416		259.99	17,320	17,320	261	17,880	17,880	▲
41951	Rubella IgM(CLIA)	CSF	CIA	나468나(2)	C4683416		259.99	17,320	17,320	261	17,880	17,880	▲
42690	Rubella Virus RT-PCR	EDTA Blood	RT-PCR	나596라	C5969006		644.86	42,950	42,950	678.1	46,450	46,450	▲
30461	S 혈액형검사	EDTA Blood	Tube	나203	B2030006		73.81	4,920	4,920	70.22	4,810	4,810	▼
30462	s 혈액형검사	EDTA Blood	Tube	나203	B2030006		73.81	4,920	4,920	70.22	4,810	4,810	▼
52221	S.pneumoniae Ag test	CSF	Latex	나408	B4080		85.21	5,670	5,670	79.57	5,450	5,450	▼
71150	S.pneumoniae urinary Ag	Random Urine	ICA	노491	CZ398				20,020			20,580	▲
52165	Saccharomyces cerevisiaeAb	SST Serum	EIA	노434	CZ434외				123,790			127,260	▲
52165	Saccharomyces cerevisiaeAb	SST Serum	EIA	노434	CZ434외				123,790			127,260	▲
42700	Salmonella PCR	EDTA Blood	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42710	Salmonella PCR	CSF	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
26980	SBMA, AR gene	EDTA Blood	PCR	너573나	CY532006		1150.44	76,620	76,620	1199.7	82,180	82,180	▲
27000	SCA profile (1,2,3,6,7,8)	EDTA Blood	PCR	너573	CY535~40006		0	459,720	459,720	0	493,080	493,080	▲
01690	SCA-1	EDTA Blood		너573라	CY535006		1150.44	76,620	76,620	1199.7	82,180	82,180	▲
27015	SCA-17	EDTA Blood	PCR Fragment analysis	너573마	CY539006		1150.44	76,620	76,620	1199.7	82,180	82,180	▲
01700	SCA-2	EDTA Blood		너573라	CY536006		1150.44	76,620	76,620	1199.7	82,180	82,180	▲
01710	SCA-3	EDTA Blood		너573라	CY537006		1150.44	76,620	76,620	1199.7	82,180	82,180	▲
02070	SCA-6	EDTA Blood		너573라	CY538006		1150.44	76,620	76,620	1199.7	82,180	82,180	▲
02080	SCA-7	EDTA Blood		너573라	CY540006		1150.44	76,620	76,620	1199.7	82,180	82,180	▲
01720	SCC	SST Serum	RIA	나430주	C7430		315.55	21,020	21,020	310.79	21,290	21,290	▲
01721	SCC	Body Fluid	RIA	나430주	C7430		315.55	21,020	21,020	310.79	21,290	21,290	▲
11022	SD LDL Cholesterol	SST Serum	Electrophoresis	노134	CZ134				99,020			101,790	▲
20350	Selectivity Index	복수검체	계산법	나392	C3920		283.63	18,890	18,890	290.14	19,870	19,870	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
12810	Selenium	Trace EDTA Blood	AAS	나452나(2)	C4523990		309.81	20,630	20,630	313.68	21,490	21,490	▲
12811	Selenium	Random Urine	AAS	나452나(2)	C4523990		309.81	20,630	20,630	313.68	21,490	21,490	▲
12400	Semen Analysis	Semen	검경법	나730	E7300		56.22	3,740	3,740	50.3	3,450	3,450	▼
12410	Semen fructose	Semen	Spectrophotometry	너893	EX893		61.06	4,070	4,070	56.36	3,860	3,860	▼
00902	Serotonin	SST Serum	HPLC	나367	C3670		136.99	9,120	9,120	126.73	8,680	8,680	▼
00901	Serotonin	EDTA Plasma	HPLC			국외			53,820			55,330	▲
00903	Serotonin (PFP)	EDTA Plasma	HPLC	나367	C3670		136.99	9,120	9,120	126.73	8,680	8,680	▼
10841	Serum Amylase	SST Serum	Enzyme	나261가	B2611		41.29	2,750	2,750	40.93	2,800	2,800	▲
10843	Serum Creatinine	SST Serum	Colorimetry	나375	C3750		18.25	1,220	1,220	16.75	1,150	1,150	▼
30780	SFMC	SC Plasma	응집법			국외			121,630			125,040	▲
12425	SHBG (ECLIA)	SST Serum	ECLIA	노202	CZ202				49,510			50,900	▲
12421	SHBG (RIA)	SST Serum	RIA	노202	CZ202				49,510			50,900	▲
10820	Sialic acid	SST Serum	Enzyme			국외			12,920			13,280	▲
65720	Sirolimus(Rafamycin)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696		570.54	38,000	38,000	577.54	39,560	39,560	▲
01730	SLX	SST Serum	RIA			국외			68,080			69,990	▲
51985	SMA(SMN1 7&8, NAIP 4&5)	EDTA Blood	PCR-RFLP	너562마	CY625006		469.8	31,290	31,290	483.08	33,090	33,090	▲
51986	SMA(SMN1 7&8, NAIP 5&13)	EDTA Blood	PCR-RFLP	너562마	CY625006		469.8	31,290	31,290	483.08	33,090	33,090	▲
10150	Sodium(Na)	SST Serum	ISE	나379가	C3791		16.73	1,110	1,110	15.64	1,070	1,070	▼
10151	Sodium(Na)	24hr Urine	ISE	나379가	C3791		16.73	1,110	1,110	15.64	1,070	1,070	▼
10152	Sodium(Na)	Random Urine	ISE	나379가	C3791		16.73	1,110	1,110	15.64	1,070	1,070	▼
12430	soluble ELAM - 1	SST Serum	ELISA			국외			222,810			229,050	▲
12440	soluble ICAM - 1	SST Serum	ELISA			국외			222,810			229,050	▲
52620	Soluble IL-2 receptor	SST Serum	EIA			국외			309,450			318,110	▲
52460	Soluble Liver Ag Auto Ab	SST Serum	EIA			국외			344,430			354,070	▲
12450	soluble VCAM - 1	SST Serum	ELISA			국외			222,810			229,050	▲
00155	Somatomedin-C (CLIA)	SST Serum	CLIA	너230	CX230		223.84	14,910	14,910	199.07	13,640	13,640	▼
01740	Span-1	SST Serum	RIA			국외			53,820			55,330	▲
50844	Sparganum IgG(S)	SST Serum	Micro-ELISA	나472나(1)	C4722616		270.18	17,990	17,990	269.38	18,450	18,450	▲
82080	Special Stain	Tissue		나553다	C5533		123.07	8,200	8,200	123.77	8,480	8,480	▲
52530	SRP auto Ab	SST Serum				국외			207,740			213,560	▲
01750	STN	SST Serum	RIA			국외			64,360			66,160	▲
12460	Stone Analysis 정성	Stone	Colorimetry	나391	C3910006		81.27	5,410	5,410	79.95	5,480	5,480	▲
12465	Stone Analysis(physical)	Stone		너274	CX274006		418.14	27,850	27,850	409.88	28,080	28,080	▲
70870	Stool Microscopy	Stool	검경법	나67	B0670		13.27	880	880	13.93	950	950	▲
71250	Stool OB 정량	Stool	Colorimetry	나65-1	B0653		63.98	4,260	4,260	65.85	4,510	4,510	▲
70895	Stool pH	Stool		나69	B0690		7.72	510	510	7.53	520	520	▲
70890	Stool WBC	Stool	검경법	나67-1	B0675		9.93	660	660	9.75	670	670	▲
50462	Strep.Group B	CSF	Latex	나408	B4080		85.21	5,670	5,670	79.57	5,450	5,450	▼
50461	Strep.Pneumoniae	CSF	Latex	나408	B4080		85.21	5,670	5,670	79.57	5,450	5,450	▼

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
11730	Succinylacetone	Random Urine	GC/MSD	너345가(6)	CY349		229.5	15,280	15,280	201.9	13,830	13,830	▼
12870	Sucrose hemolysis	복수검체	Colorimetry	나121	B1210006		48.16	3,210	3,210	48.93	3,350	3,350	▲
30190	Sudan black B stain	Bone Marrow Slide	Stain	나118나	B1183006		84.11	5,600	5,600	83.89	5,750	5,750	▲
30191	Sudan black B stain	Blood Smear Slide	Stain	나118나	B1183006		84.11	5,600	5,600	83.89	5,750	5,750	▲
52140	Sulfatide autoantibodies	SST Serum	ELISA			국외			730,850			751,310	▲
20540	Sulf-Hemoglobin	EDTA Blood	Colorimetry	나382나	C3822		54.21	3,610	3,610	54.54	3,740	3,740	▲
29020	Surface Ig(Cytoplasmic Ig)	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
29021	Surface Ig-κ light chain	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
29022	Surface Ig-λ light chain	EDTA Blood	Flow Cytometry	나512	C5120006		449.61	29,940	29,940	451.56	30,930	30,930	▲
12470	Surfactant protein-A(SP-A)	SST Serum	EIA			국외			61,890			63,620	▲
13050	Surfactant protein-D(SP-D)	SST Serum	EIA			국외			64,580			66,390	▲
29001	SYT/SSX gene rearrangement	Block	Nested RT-PCR	나597자	C5979006		1729.88	115,210	115,210	1791.1	122,690	122,690	▲
29002	SYT/SSX gene rearrangement	Block	RT-PCR	나596다	CX564006		608.88	40,550	40,550	633.09	43,370	43,370	▲
00295	T3 (ECLIA)	SST Serum	ECLIA	나329	C3290		171.02	11,390	11,390	172.76	11,830	11,830	▲
00305	T3-Uptake (ECLIA)	SST Serum	ECLIA	나331	C3310		149.27	9,940	9,940	148.28	10,160	10,160	▲
00315	T4 (ECLIA)	SST Serum	ECLIA	나333	C3330		164.15	10,930	10,930	164.03	11,240	11,240	▲
30790	TAT	SC Plasma	EIA			국외			46,170			47,460	▲
00320	TBG (RIA)	SST Serum	RIA	나338주	C7338		187.11	12,460	12,460	174.88	11,980	11,980	▼
25875	T-cell Receptor rearrangem	Block	Southern Hybridization	나598바	C5986006		953.84	63,530	63,530	936.71	64,160	64,160	▲
25870	T-cell Receptor ychain	Block	PCR	나598바	C5986006		953.84	63,530	63,530	936.71	64,160	64,160	▲
65330	Teicoplanin	SST Serum	FPIA			국외			121,300			124,700	▲
26660	TEL/AML1 rearrangement	EDTA Blood	Nested RT-PCR	나597자	C5979006		1729.88	115,210	115,210	1791.1	122,690	122,690	▲
00523	Testosterone (ECLIA)	SST Serum	ECLIA	나353	C3530		175.15	11,660	11,660	172.2	11,800	11,800	▲
00530	Testosterone, Free	SST Serum	RIA	너232	CX232		173.36	11,550	11,550	169.62	11,620	11,620	▲
65140	Theophylline	SST Serum	면역형광	나450나(2)	C4504110		247.78	16,500	16,500	252.59	17,300	17,300	▲
30970	Thrombin Time	SC Plasma	Clot-based	나156	B1560		25.19	1,680	1,680	25.19	1,730	1,730	▲
30800	Thrombomodulin	SST Serum	EIA	너76	BX076		199.17	13,260	13,260	206.23	14,130	14,130	▲
30801	Thrombomodulin	EDTA Plasma	EIA	너76	BX076		199.17	13,260	13,260	206.23	14,130	14,130	▲
31040	Thromboxane B2	전용용기 혈장	RIA			국외			161,450			165,970	▲
01760	Thymidine Kinase	SST Serum				국외			92,830			95,430	▲
00355	Thyroglobulin (ECLIA)	SST Serum	ECLIA	나335	C3350		197.02	13,120	13,120	195.98	13,420	13,420	▲
00341	Thyroglobulin Ab	SST Serum	RIA	나494	C7494		196.66	13,100	13,100	186.35	12,760	12,760	▼
00345	Thyroglobulin Ab (ECLIA)	SST Serum	ECLIA	나494	C4940		183.14	12,200	12,200	169.45	11,610	11,610	▼
12830	TIBC	SST Serum	계산법	나250	C2500		39.03	2,600	2,600	37.32	2,560	2,560	▼
51990	TNF-α	SST Serum	ELISA			국외			308,920			317,570	▲
65340	Tobramycin	SST Serum	면역형광	나450나(2)	C4504390		247.78	16,500	16,500	252.59	17,300	17,300	▲
65711	Topiramate	Plain Serum	LC/MS/MS	나450나(4)	CX375696		570.54	38,000	38,000	577.54	39,560	39,560	▲
42750	TORCH Test	SST Serum					0	141,910	141,910	0	146,760	146,760	▲
10040	Total Bilirubin	SST Serum	Colorimetry	나372가	C3720		18.62	1,240	1,240	17.31	1,190	1,190	▼

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
10041	Total Bilirubin	Capillary	Colorimetry	나372가	C3720		18.62	1,240	1,240	17.31	1,190	1,190	▼
11020	Total Cholesterol	SST Serum	Enzyme	나241가	C2411		23.2	1,550	1,550	22.02	1,510	1,510	▼
11021	Total Cholesterol	Body Fluid	Enzyme	나241가	C2411		23.2	1,550	1,550	22.02	1,510	1,510	▼
02005	Total hCG(ECLIA)	SST Serum	ECLIA	나352	C3520		209.75	13,970	13,970	212.7	14,570	14,570	▲
60005	Total IgE (Unicap)	SST Serum	FEIA	나229	C2290		234.98	15,650	15,650	237.9	16,300	16,300	▲
11180	Total Lipid	SST Serum	Colorimetry	나244가	C2441		36.17	2,410	2,410	32.77	2,240	2,240	▼
11181	Total Lipid	Body Fluid	Colorimetry	나244가	C2441		36.17	2,410	2,410	32.77	2,240	2,240	▼
11780	Total Porphyrin 정성	Random Urine	Colorimetry	나389가	C3891		10.45	700	700	9.88	680	680	▼
10030	Total Protein	SST Serum	Colorimetry	나220	C2200		18.91	1,260	1,260	17.71	1,210	1,210	▼
10031	Total Protein	24hr Urine	TIA	나220	C2200		18.91	1,260	1,260	17.71	1,210	1,210	▼
10032	Total Protein	CSF	TIA	나220	C2200		18.91	1,260	1,260	17.71	1,210	1,210	▼
10033	Total Protein	Body Fluid	Colorimetry	나220	C2200		18.91	1,260	1,260	17.71	1,210	1,210	▼
10034	Total Protein	Random Urine	TIA	나220	C2200		18.91	1,260	1,260	17.71	1,210	1,210	▼
43510	Toxoplasma DNA PCR	Other	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
50903	Toxoplasma IgG	SST Serum	CIA	나472나(1)	C4722616		270.18	17,990	17,990	269.38	18,450	18,450	▲
50904	Toxoplasma IgG	CSF	CIA	나472나(1)	C4722616		270.18	17,990	17,990	269.38	18,450	18,450	▲
50913	Toxoplasma IgM	SST Serum	CIA	나472나(2)	C4723616		270.18	17,990	17,990	269.38	18,450	18,450	▲
50914	Toxoplasma IgM	CSF	CIA	나472나(2)	C4723616		270.18	17,990	17,990	269.38	18,450	18,450	▲
26770	TP53 gene, mutation	EDTA Blood	Sequencing	노595	CZ596				710,000			729,880	▲
01770	TPA	SST Serum	IRMA	나432주	C7432		309.37	20,600	20,600	305.03	20,890	20,890	▲
01772	TPA	Body Fluid	IRMA	나432주	C7432		309.37	20,600	20,600	305.03	20,890	20,890	▲
30810	t-PA	SC Plasma	ELISA	너83	BX083		183.63	12,230	12,230	186.82	12,800	12,800	▲
50955	TPLA 정밀	SST Serum	TIA	나461-1	C4612		123.74	8,240	8,240	123.74	8,480	8,480	▲
27471	TPMT gene mutation	EDTA Blood	Sequencing	노597	CZ904				177,600			182,570	▲
20360	Transferrin	SST Serum	TIA	나233	C2330		106.86	7,120	7,120	108.48	7,430	7,430	▲
20370	Transferrin saturation	SST Serum	계산법	나249+나250	C2490+C2500		0	0	4,930	0	0	4,820	▼
52370	Transglutaminase IgA	SST Serum	EIA			국외			377,800			388,380	▲
30185	TRAP stain	Blood Smear Slide	Stain	나1180아	B1189006		84.07	5,600	5,600	83.84	5,740	5,740	▲
30186	TRAP stain	Bone Marrow Slide	Stain	나1180아	B1189006		84.07	5,600	5,600	83.84	5,740	5,740	▲
42720	Treponema pallidum PCR	분비물	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
12540	Trichloride,Total	Random Urine	Colorimetry	나451나(1)	C4513460		158.38	10,550	10,550	154.6	10,590	10,590	▲
13040	Trichloroacetic acid	Random Urine	Colorimetry	나451나(1)	C4513590		158.38	10,550	10,550	154.6	10,590	10,590	▲
12560	Trichloroethanol	Random Urine	GC	나451나(3)	CY373290		281.02	18,720	18,720	251.42	17,220	17,220	▼
42655	Trichomonas vaginalis PCR	분비물	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
11190	Triglyceride	SST Serum	Enzyme	나244다	C2443		47.3	3,150	3,150	46.89	3,210	3,210	▲
11191	Triglyceride	Body Fluid	Enzyme	나244다	C2443		47.3	3,150	3,150	46.89	3,210	3,210	▲
65150	Trimethadione	SST Serum	GC			국외			173,300			178,150	▲
01870	Triple marker	SST Serum	RIA				0	37,760	37,760	0	38,440	38,440	▲
12591	Troponin I	SST Serum	ECLIA	나394나	C3942		166.51	11,090	11,090	164.34	11,260	11,260	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
12600	Troponin T	SST Serum	ECLIA	나394가	C3941		165.26	11,010	11,010	162.75	11,150	11,150	▲
01110	Trypsin (RIA)	SST Serum	RIA			국외			86,640			89,070	▲
01115	Tryptase	SST Serum	FEIA	노154	BZ154				83,100			83,100	
00365	TSH (ECLIA)	SST Serum	ECLIA	나336	C3360		220.13	14,660	14,660	225.02	15,410	15,410	▲
00385	TSH-R-Ab(ECLIA)	SST Serum	ECLIA	나339	C3390		229.01	15,250	15,250	230.21	15,770	15,770	▲
70900	Tzanck Smear	Other	검경법	나718	E7180		27.83	1,850	1,850	18.87	1,290	1,290	▼
70910	Tzanck Smear	Other		나718	E7180		27.83	1,850	1,850	18.87	1,290	1,290	▼
71180	U.urealyticum culture	Other	Culture	너301다	BY303006		405.47	27,000	27,000	416.05	28,500	28,500	▲
12840	UIBC	SST Serum	Colorimetry	나251	C2510		39.37	2,620	2,620	37.72	2,580	2,580	▼
42730	Ureaplasma urealyticum PCR	분비물	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
10930	Uric Acid	SST Serum	Enzyme	나378	C3780		19.07	1,270	1,270	17.89	1,230	1,230	▼
10931	Uric Acid	24hr Urine	Enzyme	나378	C3780		19.07	1,270	1,270	17.89	1,230	1,230	▼
10932	Uric Acid	Random Urine	Enzyme	나378	C3780		19.07	1,270	1,270	17.89	1,230	1,230	▼
02110	Urinary Bladder Cancer Ag	Random Urine	IRMA	너322가	CY321		301.48	20,080	20,080	305.35	20,920	20,920	▲
10160	Urinary Ca	복수검체	계산법	나379 외	C3795 외		0	0	3,570	0	0	3,390	▼
10842	Urine Amylase	24hr Urine	Enzyme	나261가	B2611		41.29	2,750	2,750	40.93	2,800	2,800	▲
10844	Urine Creatinine	24hr Urine	Colorimetry	나375	C3750		18.25	1,220	1,220	16.75	1,150	1,150	▼
70002	Urine Glucose	Random Urine	Strip	나1	B0010		12.06	800	800	13.67	940	940	▲
70001	Urine Protein	Random Urine	Strip	나1	B0010		12.06	800	800	13.67	940	940	▲
70050	Urine RBC morphology	Random Urine	검경법	너1	BX001006		29.5	1,960	1,960	30.16	2,070	2,070	▲
11805	Uroporphyrin 정량	24hr Urine	Colorimetry	나389나(1)	C3892		49.33	3,290	3,290	44.42	3,040	3,040	▼
11800	Uroporphyrin 정량	Random Urine	HPLC			국외			35,600			36,600	▲
11790	Uroporphyrin 정성	Random Urine	Fluorometry	나389가	C3891		10.45	700	700	9.88	680	680	▼
65350	Valproic Acid	SST Serum	면역형광	나450나(2)	C4504060		247.78	16,500	16,500	252.59	17,300	17,300	▲
65360	Valproic acid,Free	SST Serum	EIA			국외			61,360			63,080	▲
27430	van 유전자 (VRE)(NIH)	균주	Multiplex-PCR			NIH			0			0	
80608	Van Giesons Stain	Tissue		나553다	C5533		123.07	8,200	8,200	123.77	8,480	8,480	▲
65370	Vancomycin	SST Serum	면역형광	나450나(2)	C4504160		247.78	16,500	16,500	252.59	17,300	17,300	▲
42230	Varicella-Zoster Culture	Other	Shell Vial Culture	나416	B4160006		560.25	37,310	37,310	574.26	39,340	39,340	▲
42740	Varicella-Zoster DNA(PCR)	EDTA Blood	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
42050	Varicella-Zoster IgG(ELISA)	SST Serum	EIA	나468나(1)	C4682496		270.11	17,990	17,990	273.64	18,740	18,740	▲
42051	Varicella-Zoster IgG(ELISA)	CSF	EIA	나468나(1)	C4682496		270.11	17,990	17,990	273.64	18,740	18,740	▲
42060	Varicella-Zoster IgM(ELISA)	SST Serum	EIA	나468나(2)	C4683496		259.99	17,320	17,320	261	17,880	17,880	▲
42061	Varicella-Zoster IgM(ELISA)	CSF	EIA	나468나(2)	C4683496		259.99	17,320	17,320	261	17,880	17,880	▲
42090	Varicella-Zoster(CF)	SST Serum	CF			국외			16,150			16,600	▲
42091	Varicella-Zoster(CF)	CSF	CF			국외			16,150			16,600	▲
50926	VDRL 정량	CSF	SLIDE	나460주	C4601		33.3	2,220	2,220	33.05	2,260	2,260	▲
50925	VDRL정성	CSF	SLIDE	나460	C4600		18.11	1,210	1,210	18.35	1,260	1,260	▲
80609	Verhoeff Stain	Tissue		나553다	C5533		123.07	8,200	8,200	123.77	8,480	8,480	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
11205	Very long chain fatty acid	Hp Plasma	GC/MSD	나445	C4450		1124.06	74,860	74,860	1128.8	77,320	77,320	▲
11200	Very long chain fatty acid	Hp Plasma	GC/MSD			국외			269,090			276,620	▲
51000	Vi Ag	SST Serum	IFA	나466나	C4662066		203.63	13,560	13,560	203.95	13,970	13,970	▲
70930	Vibrio Culture	Stool		나405가	B4051		163.15	10,870	10,870	168.28	11,530	11,530	▲
70935	Vibrio Culture & Sensi(G)	Other		나405+나406	B4051+B4061		0	18,510	18,510	0	19,460	19,460	▲
01120	VIP	전용용기 혈장	RIA	노200	CZ200	국외			371,350			381,750	▲
01120	VIP	전용용기 혈장	RIA	노200	CZ200	국외			371,350			381,750	▲
01120	VIP	전용용기 혈장	RIA	노200	CZ200	국외			371,350			381,750	▲
11360	Vitamin B1	EDTA Blood	HPLC	너153	CY160006		441.06	29,370	29,370	441.49	30,240	30,240	▲
11396	Vitamin B12 (ECLIA)	SST Serum	ECLIA	나253나	C2532		238.41	15,880	15,880	245.4	16,810	16,810	▲
11400	Vitamin B12 Binding capacity	SST Serum	RIA			국외			258,320			265,550	▲
11370	Vitamin B2	EDTA Blood	HPLC/FLD	너153나주1	CY161006		441.06	29,370	29,370	441.49	30,240	30,240	▲
11386	Vitamin B6 (PLP)	EDTA Plasma	HPLC/FLD	너153다	CY162006		441.06	29,370	29,370	441.49	30,240	30,240	▲
11420	Vitamin E	SST Serum	HPLC	너153바	CY166006		441.06	29,370	29,370	441.49	30,240	30,240	▲
11430	Vitamin E Fraction	SST Serum	HPLC			국외			322,910			331,950	▲
11440	Vitamin K Fraction	SC Plasma	HPLC			국외			156,710			161,100	▲
00920	VMA 정량	24hr Urine	HPLC	나321나(2)	CX223006		335.52	22,350	22,350	341.86	23,420	23,420	▲
00925	VMA 정량	EDTA Plasma	HPLC			국외			35,520			36,510	▲
00910	VMA 정성	Random Urine	Colorimetry	나321가	C3211		13.68	910	910	12.41	850	850	▼
80607	Von Kossa Stain	Tissue		나553다	C5533		123.07	8,200	8,200	123.77	8,480	8,480	▲
30820	von Willebrand F.Activity	SC Plasma	ELISA	나187나	B1872		206.49	13,750	13,750	208.47	14,280	14,280	▲
30830	von-Willebrand's Antigen	SC Plasma	ELISA	나187가	B1871		175.55	11,690	11,690	174.26	11,940	11,940	▲
65820	Voriconazole	Plain Serum	LC/MS/MS	나450나(4)	CX375696		570.54	38,000	38,000	577.54	39,560	39,560	▲
30845	vWF multimer analysis	SC Plasma	Electrophoresis	너88	BX088006		484.97	32,300	32,300	481.94	33,010	33,010	▲
42231	VZV culture (조직)	Tissue	Culture	나416	B4160006		560.25	37,310	37,310	574.26	39,340	39,340	▲
65790	Warfarin	EDTA Plasma	LC/MS/MS	나450나(4)	CX375696		570.54	38,000	38,000	577.54	39,560	39,560	▲
30001	WBC	EDTA Blood	자동혈구계산법	나105	B1050		10.86	720	720	10.99	750	750	▲
52511	West nile virus (NIH)	SST Serum				NIH			0			0	
70960	Wet Smear	Other		나4주	B0042		9.48	630	630	9.14	630	630	▼
50980	Widal Test	SST Serum	응집법	나464	C4640		40.83	2,720	2,720	42.28	2,900	2,900	▲
50990	Widal test (Para A B)	SST Serum	응집법	나464	C4640		40.83	2,720	2,720	42.28	2,900	2,900	▲
25760	Y-Chromosome(SRY gene)	EDTA Blood	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
25761	Y-Chromosome(SRY gene)	Bone Marrow	PCR	나595아	C5956006		409.2	27,250	27,250	415.49	28,460	28,460	▲
50891	Yellow-fever(황열병)(NIH)	SST Serum	IFA			NIH			0			0	
51010	Yersinia Enterocolitica O3 Ab	SST Serum	PA	나466가	C4661030		118.09	7,860	7,860	113.14	7,750	7,750	▼
51011	Yersinia Enterocolitica O3 Ab	Amniotic Fluid	PA	나466가	C4661030		118.09	7,860	7,860	113.14	7,750	7,750	▼
51020	Yersinia Pseudotuberculosis	SST Serum	PA	나466가	C4661030		118.09	7,860	7,860	113.14	7,750	7,750	▼
51021	Yersinia Pseudotuberculosis	Amniotic Fluid	PA	나466가	C4661030		118.09	7,860	7,860	113.14	7,750	7,750	▼
01830	Yo autoantibodies	SST Serum	Western blot			국외			618,910			636,240	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	2011			2012			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
01831	Yo autoantibodies	CSF	Western blot			국외			618,910			636,240	▲
12855	Zinc(Zn)	Trace Serum	ICP/MS	나452나(2)	C4523670		309.81	20,630	20,630	313.68	21,490	21,490	▲
12856	Zinc(Zn)	24hr Urine	ICP/MS	나452나(2)	C4523670		309.81	20,630	20,630	313.68	21,490	21,490	▲
65380	Zonisamide	Plain Serum	HPLC	나450나(3)	CX374690		313.25	20,860	20,860	325.85	22,320	22,320	▲
01390	α- ANP	전용용기 혈장	CLIA	노195	CZ195	국외			92,830			95,430	▲
01390	α- ANP	전용용기 혈장	CLIA	노195	CZ195	국외			92,830			95,430	▲
01390	α- ANP	전용용기 혈장	CLIA	노195	CZ195	국외			92,830			95,430	▲
20380	α1-Acidglycoprotein	SST Serum	Nephelometry			국외			61,890			63,620	▲
20400	α1-Antitrypsin	SST Serum	TIA	나222	C2220		121.47	8,090	8,090	123.91	8,490	8,490	▲
20405	α1-Antitrypsin	Stool	Nephelometry	나222	C2220		121.47	8,090	8,090	123.91	8,490	8,490	▲
20406	α1-antitrypsin clearance	복수검체	Nephelometry	나222	C2220		121.47	16,180	16,180	123.91	16,980	16,980	▲
20410	α1-Microglobulin	SST Serum	Latex			국외			48,440			49,800	▲
20411	α1-Microglobulin	Random Urine	Latex			국외			48,440			49,800	▲
20420	α2-Macroglobulin	SST Serum	Nephelometry			국외			53,230			54,720	▲
13200	α-Galactosidase	EDTA Blood	Fluorometry	노329	CZ329				123,790			127,260	▲
01420	β2-Microglobulin	SST Serum	RIA	나223주	C7223		161.12	10,730	10,730	159.84	10,950	10,950	▲
01421	β2-Microglobulin	Random Urine	RIA	나223주	C7223		161.12	10,730	10,730	159.84	10,950	10,950	▲
20365	β2-transferrin	Other	Electrophoresis			국외			561,910			577,640	▲
11450	β-Carotene	SST Serum	HPLC			국외			204,240			209,960	▲
13180	β-Glucosidase(Gaucher's)	EDTA Blood	Enzyme	노324	CZ324				61,890			63,620	▲
02000	β-hCG (RIA)	SST Serum	RIA	나352주	C7352		195.53	13,020	13,020	194.93	13,350	13,350	▲
11210	β-Lipoprotein	SST Serum	Enzyme	나247	C2470		108.6	7,230	7,230	109.76	7,520	7,520	▲
25770	β-Thalassemia	EDTA Blood	Sequencing	나599	C5991~2006		0	192,300	192,300	0	198,930	198,930	▲
25771	β-Thalassemia	Bone Marrow	Sequencing	나599	C5991006외		0	192,300	192,300	0	198,930	198,930	▲
25772	β-Thalassemia	EDTA Blood	Sequencing	나599나(1)	C5992006		1992.19	132,680	132,680	1999.3	136,950	136,950	▲
30980	β-Thromboglobulin	전용용기 혈장	EIA			국외			58,660			60,300	▲
10500	γ- GTP	SST Serum	Enzyme	나271	B2710		43.42	2,890	2,890	42.95	2,940	2,940	▲
12630	γ-Aminobutylic acid(GABA)	Hp Plasma	HPLC			국외			94,720			97,370	▲
20720	γ-GTP isoenzyme	SST Serum	Electrophoresis			국외			29,710			30,540	▲
01790	γ-Sm	SST Serum	EIA			국외			86,640			89,070	▲
11820	δ-ALA	Random Urine	Colorimetry	나450나(1)	C4503390		134.68	8,970	8,970	124.99	8,560	8,560	▼
11821	δ-ALA	24hr Urine	Colorimetry	나450나(1)	C4503390		134.68	8,970	8,970	124.99	8,560	8,560	▼