

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
11230	1,25-(OH)2 Vitamin D	SST Serum	RIA	너153마	CY705	149	9,920	9,920	158.79	10,880	10,880	▲
20000	1,5-Anhydroglucitol	SST Serum	Colorimetry	너273	CX273	187	12,450	12,450	173.93	11,910	11,910	▼
11670	17a-OH Progesterone	Blood Paper	FIA	나347	C3470	154.55	10,290	10,290	152.06	10,420	10,420	▲
00590	17-KS	24hr Urine	Spectrophotometry	나324나(3)	C3247	131.05	8,730	8,730	122.42	8,390	8,390	▼
00410	17α-OH-Progesterone	SST Serum	RIA	나347주	C7347	150.12	10,000	10,000	147.75	10,120	10,120	▲
00411	17α-OH-Progesterone	EDTA Plasma	RIA	나347주	C7347	150.12	10,000	10,000	147.75	10,120	10,120	▲
11830	2,5-Hexanedione	Random Urine	GC/NPD	나451나(3)	CY373290	281.02	18,720	18,720	251.42	17,220	17,220	▼
11250	25-OH Vitamin D	SST Serum	CLIA	너153마	CY155	90.15	6,000	6,000	84.7	5,800	5,800	▼
11252	25-OH Vitamin D(D2,D3)	Plain Serum	HPLC	너153	CY164~5006	0	58,740	58,740	0	60,480	60,480	▲
11251	25-OH Vitamin D3 (RIA)	SST Serum	RIA	너153마주2	CY705	149	9,920	9,920	158.79	10,880	10,880	▲
00825	5-HIAA 정량	24hr Urine	EIA	나322나(2)	C3223	226.68	15,100	15,100	234.43	16,060	16,060	▲
00826	5-HIAA 정량	Random Urine	EIA	나322나(2)	C3223	226.68	15,100	15,100	234.43	16,060	16,060	▲
00810	5-HIAA 정성	Random Urine	Colorimetry	나322가	C3221	17.44	1,160	1,160	15.93	1,090	1,090	▼
12920	갈락토스혈증	Blood Paper	비색법	너341가	CY411	18.42	1,230	1,230	16.31	1,120	1,120	▼
12891	단풍당뇨증(ECA)	Blood Paper	비색법	나443나1	CY441	27.23	1,810	1,810	24.93	1,710	1,710	▼
80000	부인과적 세포검사	Cervix	Pap stain	나592	C5920	89.65	5,970	5,970	89.02	6,100	6,100	▲
70970	분변충란검사	Stool	검경법	나61다	B0613	21.4	1,430	1,430	21.83	1,500	1,500	▲
80015	액상자궁경부세포검사	Cervix		너541	CX541	368.46	24,540	24,540	368.48	25,240	25,240	▲
80700	액상자궁경부세포검사	Cervix	Pap stain	너541	CX541	368.46	24,540	24,540	368.48	25,240	25,240	▲
80720	액상자궁경부세포-Cytofast	Cervix	Pap stain	너541	CX541	368.46	24,540	24,540	368.48	25,240	25,240	▲
70006	요일반검사 4종	Random Urine	Strip	나1	B0010	12.06	800	800	13.67	940	940	▲
70005	요일반검사 7종	Random Urine	Strip	나2	B0020	14.7	980	980	16.36	1,120	1,120	▲
70000	요일반검사10종	Random Urine	Strip	나3	B0030	24.21	1,610	1,610	28.27	1,940	1,940	▲
71010	요충란검사(Scotch tape)	Other	검경법	나62	B0620	16.42	1,090	1,090	16.73	1,150	1,150	▲
70015	요침사현미경검사	Random Urine	검경법	나4	B0041	11.21	750	750	11.31	770	770	▲
82018	조직 (≥13)	Tissue		나550가(5)	C5915	687.25	45,770	45,770	687.25	47,080	47,080	▲
82017	조직 (10-12)	Tissue		나550가(4)	C5914	589.09	39,230	39,230	589.09	40,350	40,350	▲
82014	조직 (1-3)	Tissue		나550가(1)	C5911	282.35	18,800	18,800	282.35	19,340	19,340	▲
82015	조직 (4-6)	Tissue		나550가(2)	C5912	380.51	25,340	25,340	380.51	26,060	26,060	▲
82016	조직 (7-9)	Tissue		나550가(3)	C5913	478.66	31,880	31,880	478.66	32,790	32,790	▲
82037	조직 악성(≤15)	Tissue		나550다(1)	C5500	783.64	52,190	52,190	783.64	53,680	53,680	▲
82035	조직 악성(≤20)	Tissue		나550다(1)	C5918	1072.19	71,410	71,410	1072.19	73,450	73,450	▲
82038	조직 악성(≥16)	Tissue		나550다(2)	C5504	1096.92	73,050	73,050	1096.92	75,140	75,140	▲
82036	조직 악성(≥21)	Tissue		나550다(2)	C5919	1602.34	106,720	106,720	1602.34	109,760	109,760	▲
82024	조직 절편(≤6)	Tissue		나550나(1)	C5916	445.87	29,690	29,690	445.87	30,540	30,540	▲
82211	조직 절편(≤6)+ 절편(≥7)	Tissue		나550	C5916+C5917	0	72,100	72,100	0	74,160	74,160	▲
82205	조직 절편(≤6)×2	Tissue		나550나(1)	C5916×2	445.87	59,380	59,380	445.87	61,080	61,080	▲
82025	조직 절편(≥7)	Tissue		나550나(2)	C5917	636.85	42,410	42,410	636.85	43,620	43,620	▲
82089	조직(≥13)+ Stain	Tissue		나550+나553	C5915+C5533	0	53,970	53,970	0	55,560	55,560	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
82088	조직(10-12)+ Stain	Tissue		나550+나553	C5914+C5533	0	47,430	47,430	0	48,830	48,830	▲
82200	조직(1-3)+ 악성(≤20)	Tissue		나550	C5911+C5918	0	90,210	90,210	0	92,790	92,790	▲
82190	조직(1-3)+ 절편(≤6)	Tissue		나550	C5911+C5916	0	48,490	48,490	0	49,880	49,880	▲
82085	조직(1-3)+ Stain	Tissue		나550+C553	C5911+C5533	0	27,000	27,000	0	27,820	27,820	▲
82191	조직(1-3)×2	Tissue		나550가(1)	C5911×2	282.35	37,600	37,600	282.35	38,680	38,680	▲
82086	조직(4-6)+ Stain	Tissue		나550+나553	C5912+C5533	0	33,540	33,540	0	34,540	34,540	▲
82087	조직(7-9)+ Stain	Tissue		나550+나553	C5913+C5533	0	40,080	40,080	0	41,270	41,270	▲
80240	조직구축학적검사	Tissue		나550라(1)	C5505	1658.74	110,470	110,470	1658.74	113,620	113,620	▲
82050	조직구축학적검사	Tissue		나550라(1)	C5505	1658.74	110,470	110,470	1658.74	113,620	113,620	▲
80680	조직내호르몬수용체검사	Other		나559	C5590	473.77	31,550	31,550	429.88	29,450	29,450	▼
80670	조직전자현미경검사	Other		나555	C5550	1197.53	79,760	79,760	1114.39	76,340	76,340	▼
80020	체액세포병리검사	Sputum	Pap stain	나593가	C5930	96.93	6,460	6,460	92.75	6,350	6,350	▼
80021	체액세포병리검사(Cytospin)	Sputum	Pap stain	나593나	C5931	101.16	6,740	6,740	97.75	6,700	6,700	▼
82070	탈회(Decalcification)	Tissue		나550주1	C5509	49.3	3,280	3,280	46.91	3,210	3,210	▼
12881	페닐케톤뇨증(ECA)	Blood Paper	비색법	나443나1	C4411	27.24	1,810	1,810	24.93	1,710	1,710	▼
80673	편광현미경검사	Other		나558	C5580	56.04	3,730	3,730	52.55	3,600	3,600	▼
30231	혈액형 동정검사	복수검체	Tube	나206나	B2062006	230.57	15,360	15,360	243.24	16,660	16,660	▲
30261	혈액형 아형검사	복수검체	Tube	나201가외	B2000 외	0	19,190	19,190	0	19,670	19,670	▲
70700	협기성 배양	Other		나405가	B4051	163.15	10,870	10,870	168.28	11,530	11,530	▲
70705	협기성 배양 및 Sensi(G)	Other		나405+나406	B4051+B4061	0	18,510	18,510	0	19,460	19,460	▲
12910	호모시스틴뇨증	Blood Paper	비색법	나443나1	CX342	27.23	1,810	1,810	24.93	1,710	1,710	▼
42252	호흡기바이러스 culture 2종	Other	Shell Vial Culture	나416	B4160006	560.25	74,620	74,620	574.26	39,340	78,680	▲
42253	호흡기바이러스 culture 3종	Other	Shell Vial Culture	나416	B4160006	560.25	111,930	111,930	574.26	39,340	118,020	▲
42254	호흡기바이러스 culture 4종	Other	Shell Vial Culture	나416	B4160006	560.25	149,240	149,240	574.26	39,340	157,360	▲
42255	호흡기바이러스 culture 5종	Other	Shell Vial Culture	나416	B4160006	560.25	186,550	186,550	574.26	39,340	196,700	▲
42256	호흡기바이러스 culture 6종	Other	Culture	나416	B4160006	560.25	223,860	223,860	574.26	236,040	236,040	▲
80030	흡인세포병리검사	Thyroid	Pap stain	나594-1	C5941	178.74	11,900	11,900	180.66	12,380	12,380	▲
10840	A/CCR	복수검체	계산법	나261+C375	B2611+C3750	0	7,940	7,940	0	7,900	7,900	▼
10020	A/G ratio	SST Serum	계산법	나220+C221	C2200+C2210	0	0	2,850	0	0	2,750	▼
10021	A/G ratio	Body Fluid	계산법	나220+C230	C2200+C2302	0	0	14,790	0	0	15,150	▲
30290	Ab Elution	EDTA Blood		나211	B2110006	55.95	3,730	3,730	50.37	3,450	3,450	▼
30230	Ab Identification Test	복수검체	Tube	나206나	B2062006외	0	26,180	26,180	0	28,210	28,210	▲
30220	Ab Screening test	SST Serum	Column	나206가	B2061006	99.48	6,630	6,630	103.62	7,100	7,100	▲
30253	ABO(Back)Typing	SST Serum	SLIDE	나201나	B2010	13.87	920	920	14.5	990	990	▲
30250	ABO(Front)Typing	EDTA Blood	SLIDE	나201가	B2000	13.87	920	920	14.72	1,010	1,010	▲
30251	ABO(Front)Typing	Capillary	SLIDE	나201가	B2000	13.87	920	920	14.72	1,010	1,010	▲
30252	ABO(Front)Typing	Cord Blood	SLIDE	나201가	B2000	13.87	920	920	14.72	1,010	1,010	▲
10190	ACE	SST Serum	Colorimetry	나273	B2731	250.42	16,680	16,680	223.09	15,280	15,280	▼
10191	ACE	Other	Colorimetry	나273	B2731	250.42	16,680	16,680	223.09	15,280	15,280	▼

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
65490	Acetaminophen	SST Serum	비색법	나450나(1)	C4503390	134.68	8,970	8,970	124.99	8,560	8,560	▼
25310	Achondroplasia	Amniotic Fluid	PCR-RFLP	너562바	CY626006	466.42	62,120	62,120	478.85	65,600	65,600	▲
01140	Ach-r-Binding Ab	SST Serum	RIA	너450주	CX747	137.4	9,150	9,150	138.33	9,480	9,480	▲
30120	Acid phosphatase stain	Bone Marrow Slide	Stain	나118가	B1182006	83.61	5,570	5,570	83.27	5,700	5,700	▲
10200	ACP	SST Serum	Colorimetry	나260가	B2601	20.14	1,340	1,340	18.28	1,250	1,250	▼
10201	ACP	분비물	Colorimetry	나260가	B2601	20.14	1,340	1,340	18.28	1,250	1,250	▼
00015	ACTH (ECLIA)	EDTA Plasma	ECLIA	나359	C3590	193.42	12,880	12,880	190.03	13,020	13,020	▲
30960	Activated PTT	SC Plasma	Clot-based	나153	B1530	43.76	2,910	2,910	44.78	3,070	3,070	▲
26234	Acute Leukemia panel	Bone Marrow	Flow Cytometry	나512	C5120006	449.61	538,920	538,920	451.56	556,740	556,740	▲
10210	ADA	SST Serum	Colorimetry	나272	B2721	165.68	11,030	11,030	164.41	11,260	11,260	▲
10211	ADA	CSF	Colorimetry	나272	B2721	165.68	11,030	11,030	164.41	11,260	11,260	▲
10212	ADA	Body Fluid	Colorimetry	나272	B2721	165.68	11,030	11,030	164.41	11,260	11,260	▲
71240	Addis count	Random Urine	검경법	나6	B0060	27.13	1,810	1,810	27.06	1,850	1,850	▲
42815	Adenovirus Ag(DFA)	Other	DFA	나469	C4690516	203.16	13,530	13,530	203.37	13,930	13,930	▲
42105	Adenovirus culture	Other	Shell Vial Culture	나416	B4160006	560.25	37,310	37,310	574.26	39,340	39,340	▲
42106	Adenovirus culture(tissue)	Tissue	Culture	나416	B4160006	560.25	37,310	37,310	574.26	39,340	39,340	▲
40255	Adenovirus IgG	SST Serum	EIA	나468나(1)	C4682516	270.11	17,990	17,990	273.64	18,740	18,740	▲
40260	Adenovirus IgM	SST Serum	EIA	나468나(2)	C4683516	259.99	17,320	17,320	261	17,880	17,880	▲
40261	Adenovirus IgM	CSF	EIA	나468나(2)	C4683516	259.99	17,320	17,320	261	17,880	17,880	▲
42107	Adenovirus rapid culture	Other	Culture	나416	B4160006	560.25	37,310	37,310	574.26	39,340	39,340	▲
00030	ADH	EDTA Plasma	RIA	나365주	C7365	122.68	8,170	8,170	108.83	7,450	7,450	▼
25020	AFAFP	Amniotic Fluid		나421나	C4212	172.24	11,470	11,470	171.76	11,770	11,770	▲
25030	AFAFP	Amniotic Fluid		나421나	C4212	172.24	11,470	11,470	171.76	11,770	11,770	▲
25040	AFAFP	Amniotic Fluid		나421나	C4212	172.24	11,470	11,470	171.76	11,770	11,770	▲
70410	AFB Culture	Sputum	Culture	나405나(1)	B4054	192.4	12,810	12,810	192.4	13,180	13,180	▲
70420	AFB Culture	Sputum	Culture	나405나(1)	B4054	192.4	12,810	12,810	192.4	13,180	13,180	▲
70450	AFB Culture(액체+고체)결핵	Sputum	Culture	나405나	B4054+B4055	0	25,620	25,620	0	26,360	26,360	▲
70445	AFB Culture(액체+고체배지)	Sputum	Culture	나405나	B4054+B4055	0	25,620	25,620	0	26,360	26,360	▲
70605	AFB Identification	균주	LPA	너562너	CY636006	484.26	32,250	32,250	501.16	34,330	34,330	▲
70430	AFB Sensitivity	균주	절대농도법	나406다(2)	B4064	543.31	36,180	36,180	564.43	38,660	38,660	▲
70500	AFB Sensitivity (결핵협회)	균주	절대농도법	나406다(2)	B4064	543.31	36,180	36,180	564.43	38,660	38,660	▲
70512	AFB Sensitivity (INH)	Sputum	Hybridization	나595-1나2	CY752006	626.96	41,760	41,760	638.23	43,720	43,720	▲
70511	AFB Sensitivity (RFP)	Sputum	Hybridization	나595-1나1	CY751006	626.96	41,760	41,760	638.23	43,720	43,720	▲
70510	AFB Sensitivity (RFP,INH)	Sputum	Hybridization	나595-1나	CY751006외	0	83,520	83,520	0	87,440	87,440	▲
70320	AFB Stain	Sputum		너304	BX304	73.12	4,870	4,870	75.33	5,160	5,160	▲
82090	AFB Stain	Tissue		나553다	C5533	123.07	8,200	8,200	123.77	8,480	8,480	▲
70400	AFB Stain & Culture	Sputum		너304+나405	BX304+B4054	0	17,680	17,680	0	18,340	18,340	▲
70330	AFB Stain(형광법)	Sputum	형광 염색법	너304	BX304	73.12	4,870	4,870	75.33	5,160	5,160	▲
01410	AFP (정성)	SST Serum	ICA	나421가	C4211	55.48	3,690	3,690	49.85	3,410	3,410	▼

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
01405	AFP (ECLIA)	SST Serum	CIA	나421나	C4212	172.24	11,470	11,470	171.76	11,770	11,770	▲
01406	AFP (ECLIA)	EDTA Plasma	CIA	나421나	C4212	172.24	11,470	11,470	171.76	11,770	11,770	▲
01407	AFP (ECLIA)	Body Fluid	CIA	나421나	C4212	172.24	11,470	11,470	171.76	11,770	11,770	▲
01415	AFP (CLIA)	SST Serum	CIA	나421나	C4212	172.24	11,470	11,470	171.76	11,770	11,770	▲
10000	Albumin	SST Serum	Colorimetry	나221	C2210	23.88	1,590	1,590	22.45	1,540	1,540	▼
10003	Albumin	CSF	TIA	나230나	C2302	203.09	13,530	13,530	203.5	13,940	13,940	▲
10004	Albumin	Body Fluid	Colorimetry	나230나	C2302	203.09	13,530	13,530	203.5	13,940	13,940	▲
82120	Alcian Blue(mucin) Stain	Tissue		나553다	C5533	123.07	8,200	8,200	123.77	8,480	8,480	▲
10220	Aldolase	SST Serum	Enzyme	나269	B2690	60.89	4,060	4,060	52.89	3,620	3,620	▼
00650	Aldosterone (RIA)	SST Serum	RIA	나358주	C7358	142.14	9,470	9,470	133.98	9,180	9,180	▼
00651	Aldosterone (RIA)	EDTA Plasma	RIA	나358주	C7358	142.14	9,470	9,470	133.98	9,180	9,180	▼
00655	Aldosterone (RIA)	24hr Urine	RIA	나358주	C7358	142.14	9,470	9,470	133.98	9,180	9,180	▼
10230	ALP	SST Serum	Enzyme	나260나	B2602	22.06	1,470	1,470	20.09	1,380	1,380	▼
10231	ALP	Body Fluid	Enzyme	나260나	B2602	22.06	1,470	1,470	20.09	1,380	1,380	▼
20560	ALP Isoenzyme	SST Serum	Electrophoresis	나305	B3050006	177.65	11,830	11,830	178.33	12,220	12,220	▲
65170	Amikacin	SST Serum	면역형광	나450나(2)	C4504390	247.78	16,500	16,500	252.59	17,300	17,300	▲
13011	Amino Acid 분석	EDTA Plasma	LC/MS/MS	나443나(3)	C4433006외	0	114,560	114,560	0	119,970	119,970	▲
13012	Amino Acid 분석	Random Urine	LC/MS/MS	나443나(3)	C4433006외	0	114,560	114,560	0	119,970	119,970	▲
65500	Amiodarone	SST Serum	LC/MS/MS	나450나(4)	CX375116	570.54	38,000	38,000	577.54	39,560	39,560	▲
65511	Amitriptyline	Plain Blood	LC/MS/MS	나450나(4)	CX375696	570.54	38,000	38,000	577.54	39,560	39,560	▲
25320	AML1/ETO (nested RT-PCR)	EDTA Blood	Nested RT-PCR	나597마	C5975006	1601.91	106,690	106,690	1631.15	111,730	111,730	▲
25321	AML1/ETO (nested RT-PCR)	Bone Marrow	Nested RT-PCR	나597마	C5975006	1601.91	106,690	106,690	1631.15	111,730	111,730	▲
10850	Ammonia (NH3)	EDTA Plasma	Enzyme	나387	C3870	64.58	4,300	4,300	62.85	4,310	4,310	▲
10240	Amylase	SST Serum	Enzyme	나261가	B2611	41.29	2,750	2,750	40.93	2,800	2,800	▲
10241	Amylase	Random Urine	Enzyme	나261가	B2611	41.29	2,750	2,750	40.93	2,800	2,800	▲
10242	Amylase	24hr Urine	Enzyme	나261가	B2611	41.29	2,750	2,750	40.93	2,800	2,800	▲
10243	Amylase	Body Fluid	Enzyme	나261가	B2611	41.29	2,750	2,750	40.93	2,800	2,800	▲
10250	Amylase clearance	복수검체	계산법	나261 외	B2611 외	0	0	7,940	0	0	7,900	▼
20570	Amylase Isoenzyme	SST Serum	Electrophoresis	나306	B3060006	144.53	9,630	9,630	136.74	9,370	9,370	▼
20571	Amylase Isoenzyme	Body Fluid	Electrophoresis	나306	B3060006	144.53	9,630	9,630	136.74	9,370	9,370	▼
51030	ANA (IFA)	SST Serum	IFA	나491나	C4912006	153.05	10,190	10,190	157.37	10,780	10,780	▲
51031	ANA (IFA)	Body Fluid	IFA	나491나	C4912006	153.05	10,190	10,190	157.37	10,780	10,780	▲
51040	ANA 정량	SST Serum	IFA	나491나주	C4913006	280.3	18,670	18,670	282.46	19,350	19,350	▲
51041	ANA 정량	Body Fluid	IFA	나491나주	C4913006	280.3	18,670	18,670	282.46	19,350	19,350	▲
51061	ANCA (MPO) 정량	SST Serum	ELISA	너447나	CY472006	216.9	14,450	14,450	212.38	14,550	14,550	▲
51062	ANCA (PR3) 정량	SST Serum	ELISA	너447가	CY471006	216.9	14,450	14,450	212.38	14,550	14,550	▲
51060	ANCA 정량	SST Serum	ELISA	너447주1	CY471~2006	0	28,900	28,900	0	29,100	29,100	▲
51050	ANCA 정성	SST Serum	ELISA	나499	C4991006	162.66	10,830	10,830	163.44	11,200	11,200	▲
12930	Anion GAP	SST Serum	계산법	나379 외	C3791~3+C3812	0	0	6,350	0	0	6,330	▼

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
51100	Anti Cardiolipin IgA	SST Serum	ELISA	나503나(3)	C5034	255.56	17,020	17,020	262.41	17,980	17,980	▲
51080	Anti Cardiolipin IgG	SST Serum	ELISA	나503나(1)	C5032	255.56	17,020	17,020	262.41	17,980	17,980	▲
51090	Anti Cardiolipin IgM	SST Serum	ELISA	나503나(2)	C5033	255.56	17,020	17,020	262.41	17,980	17,980	▲
51130	Anti centromere Ab	SST Serum	IFA	너443사	CY449006	547.71	36,480	36,480	530.48	36,340	36,340	▼
51145	Anti centromere Ab(EIA)	SST Serum	EIA	너443사	CY449006	547.71	36,480	36,480	530.48	36,340	36,340	▼
51150	Anti dsDNA Ab (CLIA)	SST Serum	CIA	나492나	C4922	252.56	16,820	16,820	254.88	17,460	17,460	▲
51151	Anti dsDNA Ab (CLIA)	Body Fluid	CIA	나492나	C4922	252.56	16,820	16,820	254.88	17,460	17,460	▲
51152	Anti dsDNA Ab (IRMA)	SST Serum	IRMA	나492나	C7492	236.52	15,750	15,750	234.83	16,090	16,090	▲
51160	Anti dsDNA IgG	SST Serum	EIA	나492나	C4922	252.56	16,820	16,820	254.88	17,460	17,460	▲
51170	Anti dsDNA IgM	SST Serum	EIA	나492나	C4922	252.56	16,820	16,820	254.88	17,460	17,460	▲
51171	Anti dsDNA IgM	EDTA Plasma	EIA	나492나	C4922	252.56	16,820	16,820	254.88	17,460	17,460	▲
70795	Anti fungal susceptibility	Other	MIC	나406나	B4062	178.35	11,880	11,880	181.87	12,460	12,460	▲
51220	Anti GAD Ab	SST Serum	RIA	너441주	CX744	572.74	38,140	38,140	498.79	34,170	34,170	▼
51221	Anti GAD Ab	CSF	RIA	너441주	CX744	572.74	38,140	38,140	498.79	34,170	34,170	▼
51230	Anti GBM Ab	SST Serum	ELISA	너451	CX451	125.21	8,340	8,340	125.99	8,630	8,630	▲
30300	Anti globulin Test	EDTA Blood		나204가주	B2047006	62.9	4,190	4,190	64.93	4,450	4,450	▲
51270	Anti intrinsic factor Ab	SST Serum	EIA	너452	CX452	121.18	8,070	8,070	120.96	8,290	8,290	▲
51320	Anti Jo-1 Ab(MFIA)	SST Serum	MFIA	너443바	CY448006	570.41	37,990	37,990	558.84	38,280	38,280	▲
51360	Anti LKM Ab	SST Serum	IFA	너455	CX455	347.72	23,160	23,160	336.36	23,040	23,040	▼
50370	Anti M.tuberculosis Ab	SST Serum	ICA	나466가	C4661190	118.09	7,860	7,860	113.14	7,750	7,750	▼
01881	Anti Microsome (TPO) Ab	SST Serum	RIA	나495	C7495	223.51	14,890	14,890	230.25	15,770	15,770	▲
01885	Anti Microsome(TPO) Ab	SST Serum	CIA	나495나	C4952	218.3	14,540	14,540	223.74	15,330	15,330	▲
51380	Anti Mitochondrial Ab(IFA)	SST Serum	IFA	나496나	C4962	131.82	8,780	8,780	132.55	9,080	9,080	▲
52640	Anti neutrophil Ab	EDTA Blood	Flow Cytometry	나505	C5050	92.1	6,130	6,130	84.26	5,770	5,770	▼
51420	Anti Parietal cell Ab	SST Serum	IFA	나504	C5040	88.24	5,880	5,880	78.08	5,350	5,350	▼
51450	Anti Phospholipid IgG	SC Plasma	ELISA	나498나(1)	C4982006	269.8	17,970	17,970	274.51	18,800	18,800	▲
51451	Anti Phospholipid IgG	SST Serum	ELISA	나498나(1)	C4982006	269.8	17,970	17,970	274.51	18,800	18,800	▲
51460	Anti Phospholipid IgM	SC Plasma	ELISA	나498나(2)	C4983006	270.4	18,010	18,010	275.25	18,850	18,850	▲
51461	Anti Phospholipid IgM	SST Serum	ELISA	나498나(2)	C4983006	270.4	18,010	18,010	275.25	18,850	18,850	▲
51480	Anti Platelet Ab	SST Serum	IFA	나501나	C5012006	246.92	16,440	16,440	251.6	17,230	17,230	▲
51481	Anti Platelet Ab	SST Serum		나502다	CX442006	309.33	20,600	20,600	319.53	21,890	21,890	▲
51520	Anti RNP Ab	SST Serum	EIA	너443나	CY444006	401.82	26,760	26,760	400.52	27,440	27,440	▲
51521	Anti RNP Ab	EDTA Plasma	EIA	너443나	CY444006	401.82	26,760	26,760	400.52	27,440	27,440	▲
51535	Anti Scl-70 Ab(MFIA)	SST Serum	MFIA	너443마	CY447006	594.69	39,610	39,610	589.2	40,360	40,360	▲
51550	Anti Sm Ab	SST Serum	EIA	너443가	CY443006	410.82	27,360	27,360	411.76	28,210	28,210	▲
51560	Anti Smooth Muscle Ab(IFA)	SST Serum	IFA	나497나	C4972	130.71	8,710	8,710	131.16	8,980	8,980	▲
51570	Anti sperm Ab	SST Serum	IBT	나735나	E7352	154.87	10,310	10,310	127.04	8,700	8,700	▼
51580	Anti SS-A/Ro Ab	SST Serum	EIA	너443다	CY445006	410.83	27,360	27,360	411.77	28,210	28,210	▲
51590	Anti SS-B/La Ab	SST Serum	EIA	너443라	CY446006	410.85	27,360	27,360	411.81	28,210	28,210	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
50395	Anti Tetanus Ab	SST Serum	ICA	나466나	C4661190	118.09	7,860	7,860	113.14	7,750	7,750	▼
30870	Anti thrombin Ⅲ(%)	SC Plasma	Chromogenic assay	나158	B1580	111.5	7,430	7,430	111.8	7,660	7,660	▲
31120	Anti Xa LMWH test(Heparin)	SC Plasma	Clot-based	나163-1나	B1634	180.33	12,010	12,010	186.95	12,810	12,810	▲
52030	Anti β2-GP1 IgG Ab	SST Serum	ELISA	나506가	C5061	255.56	17,020	17,020	262.41	17,980	17,980	▲
52035	Anti β2-GP1 IgM Ab	SST Serum	ELISA	나506가	C5062	255.56	17,020	17,020	262.41	17,980	17,980	▲
30860	Antithrombin Ⅲ	SC Plasma	TIA	나158	B1580	111.5	7,430	7,430	111.8	7,660	7,660	▲
31100	APCR	SC Plasma	Clot-based	너89	BX089	330.08	21,980	21,980	343.29	23,520	23,520	▲
10940	Apolipoprotein A I	SST Serum	TIA	나246가	C2461	102.32	6,810	6,810	102.63	7,030	7,030	▲
10950	Apolipoprotein AⅡ	SST Serum	TIA	나246가	C2461	102.32	6,810	6,810	102.63	7,030	7,030	▲
10960	Apolipoprotein B	SST Serum	TIA	나246나	C2462	105.27	7,010	7,010	106.5	7,300	7,300	▲
10970	Apolipoprotein CⅡ	SST Serum	TIA	나246다	C2463	107.67	7,170	7,170	109.49	7,500	7,500	▲
10980	Apolipoprotein CⅢ	SST Serum	TIA	나246다	C2463	107.67	7,170	7,170	109.49	7,500	7,500	▲
10990	Apolipoprotein E	SST Serum	TIA	나246라	C2464	106.86	7,120	7,120	108.48	7,430	7,430	▲
25330	Apolipoprotein E Genotype	EDTA Blood	PCR	너572	CX572006	906.44	60,370	60,370	924.73	63,340	63,340	▲
20430	Apt test	Stool	Colorimetry	나124	B1240	11.51	770	770	12	820	820	▲
20431	Apt test	Other	Colorimetry	나124	B1240	11.51	770	770	12	820	820	▲
50410	ASO 정량	SST Serum	TIA	나463나	C4633	106.53	7,090	7,090	107.52	7,370	7,370	▲
50400	ASO(Latex)	SST Serum	TIA	나463가	C4631	31.27	2,080	2,080	28.79	1,970	1,970	▼
50411	ASO(Titer)	Body Fluid	TIA	나463나	C4633	106.53	7,090	7,090	107.52	7,370	7,370	▲
50445	Aspergillus Ab IgG	SST Serum	EIA	나467나	C4672236	192.85	12,840	12,840	190.48	13,050	13,050	▲
65520	Aspirin (Salicylic acid)	SST Serum	비색법	나450나(1)	C4503390	134.68	8,970	8,970	124.99	8,560	8,560	▼
11925	Auto hemolysis test	복수검체	Colorimetry	나114	B1140006	120.24	8,010	8,010	119.56	8,190	8,190	▲
27570	B cell confirm test	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	119,760	119,760	451.56	123,720	123,720	▲
10890	B/C ratio	SST Serum	계산법	나373+C375	C3730+C3750	0	0	2,750	0	0	2,620	▼
50460	Bacterial Ag	CSF	Latex	나408	B4080	85.21	28,350	28,350	79.57	5,450	27,250	▼
65180	Barbiturate	Random Urine	ICA	나450가(2)	C4502070	118.13	7,870	7,870	111.78	7,660	7,660	▼
25900	B-Cell Stain(CD20)(IHC)	Blood Smear Slide		나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
70030	Bence-Jones Protein 정성	Random Urine	Precipitation	나227가	C2271	14.75	980	980	13.33	910	910	▼
65190	Benzodiazepine	Random Urine	ICA	나450가(2)	C4502080	118.13	7,870	7,870	111.78	7,660	7,660	▼
11930	Bile Acid	SST Serum	Enzyme	너272	CX272	176.71	11,770	11,770	161.06	11,030	11,030	▼
11931	Bile Acid	Bile	Enzyme	너272	CX272	176.71	11,770	11,770	161.06	11,030	11,030	▼
30010	Blood Cell Morphology	EDTA Blood	검경법	나110	B1100006	72.09	4,800	4,800	75.56	5,180	5,180	▲
70230	Blood Culture	Blood	Culture	나405가	B4051	163.15	10,870	10,870	168.28	11,530	11,530	▲
70235	Blood Culture & Sensi(G)	Other		나405+나406	B4051+B4061	0	18,510	18,510	0	19,460	19,460	▲
71020	Body Fluid Analysis	Body Fluid	Manual	나51	B0510	50.45	3,360	3,360	51.91	3,560	3,560	▲
71021	Body Fluid Analysis(Joint)	Joint Fluid	Manual	나51	B0510	50.45	3,360	3,360	51.91	3,560	3,560	▲
71060	Body Fluid Cell count	Body Fluid	Manual	나51	B0510	50.45	3,360	3,360	51.91	3,560	3,560	▲
11941	Bone ALP	SST Serum	CLIA	나398	C3980	108.23	7,210	7,210	91.46	6,270	6,270	▼
30135	Bone Marrow Consultant	Bone Marrow Slide		나111가주1	B1113	478.35	31,860	31,860	513.19	35,150	35,150	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
30130	Bone Marrow Examination	Bone Marrow Slide	Manual	나111가주1	B1113	478.35	31,860	31,860	513.19	35,150	35,150	▲
25350	BRCA1	EDTA Blood	Sequencing	나599나(4)	CY713006	7282.19	484,990	484,990	7624.85	522,300	522,300	▲
25360	BRCA2	EDTA Blood	Sequencing	나599나(4)	CY714006	7282.19	484,990	484,990	7624.85	522,300	522,300	▲
10860	BUN	SST Serum	Enzyme	나373	C3730	22.98	1,530	1,530	21.52	1,470	1,470	▼
10861	BUN	24hr Urine	Enzyme	나373	C3730	22.98	1,530	1,530	21.52	1,470	1,470	▼
10862	BUN	Random Urine	Enzyme	나373	C3730	22.98	1,530	1,530	21.52	1,470	1,470	▼
70727	C. difficile culture	Stool	Culture	너302가	BY021	176.14	11,730	11,730	181.51	12,430	12,430	▲
70725	C. difficile toxin A,B	Stool	ELFA	너302나	BY022	131.94	8,790	8,790	133.91	9,170	9,170	▲
20020	C1q	SST Serum	RID	나226사	C2267	106.72	7,110	7,110	108.31	7,420	7,420	▲
20040	C3	SST Serum	TIA	나226가	C2261	106.61	7,100	7,100	108.17	7,410	7,410	▲
20070	C4	SST Serum	TIA	나226나	C2262	105.25	7,010	7,010	106.47	7,290	7,290	▲
01485	CA 72-4	SST Serum	RIA	나426주	C7426	268.6	17,890	17,890	264.9	18,150	18,150	▲
01482	CA 72-4 (ECLIA)	SST Serum	ECLIA	나426	C4260	280.83	18,700	18,700	280.19	19,190	19,190	▲
10076	Ca/Cr ratio(Urine)	Random Urine	계산법	나379마외	C3795외	0	0	2,350	0	0	2,240	▼
10090	Ca++	SST Serum	Electrode	나379바	C3796	79.7	5,310	5,310	81.11	5,560	5,560	▲
10091	Ca++	Hp Plasma	Electrode	나379바	C3796	79.7	5,310	5,310	81.11	5,560	5,560	▲
01495	CA125 (ECLIA)	SST Serum	ECLIA	나424	C4240	253.45	16,880	16,880	253.63	17,370	17,370	▲
01455	CA15-3 (ECLIA)	SST Serum	ECLIA	나433	C4330	251.81	16,770	16,770	251.58	17,230	17,230	▲
01465	CA19-9 (ECLIA)	SST Serum	ECLIA	나423	C4230	262.29	17,470	17,470	263.56	18,050	18,050	▲
01466	CA19-9 (ECLIA)	Body Fluid	ECLIA	나423	C4230	262.29	17,470	17,470	263.56	18,050	18,050	▲
12692	Cadmium(Cd)	Trace EDTA Blood	ICP/MS	나452나(2)	C4523650	309.81	20,630	20,630	313.68	21,490	21,490	▲
12693	Cadmium(Cd)	24hr Urine	ICP/MS	나452나(2)	C4523650	309.81	20,630	20,630	313.68	21,490	21,490	▲
12695	Cadmium(Cd) (아산)	Hp Blood	AAS	나452나(2)	C4523650	309.81	20,630	20,630	313.68	21,490	21,490	▲
28080	CAG repeats of Androgen R	EDTA Blood	PCR Fragment analysis	너573마	CY539006	1150.44	76,620	76,620	1199.67	82,180	82,180	▲
01900	Calcitonin	SST Serum	RIA	나356주	C7356	165.18	11,000	11,000	153.33	10,500	10,500	▼
10070	Calcium (Ca)	SST Serum	Colorimetry	나379마	C3795	16.96	1,130	1,130	15.94	1,090	1,090	▼
10071	Calcium (Ca)	24hr Urine	Colorimetry	나379마	C3795	16.96	1,130	1,130	15.94	1,090	1,090	▼
10072	Calcium (Ca)	Random Urine	Colorimetry	나379마	C3795	16.96	1,130	1,130	15.94	1,090	1,090	▼
10077	Calcium excretion	복수검체	계산법	나379마외	C3795외	0	0	3,570	0	0	3,390	▼
50542	Candida Ag 정성	SST Serum	Latex	나408	B4080	85.21	5,670	5,670	79.57	5,450	5,450	▼
42695	Candida species PCR	분비물	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
20440	Carboxy Hemoglobin	EDTA Blood	Oximeter	나382다	C3823	53.93	3,590	3,590	54.19	3,710	3,710	▲
11010	Cardiac Risk Factor	SST Serum	계산법	나241+C242	C2411+C2420	0	0	6,950	0	0	7,020	▲
11265	Carnitine(Vitamin BT)	SST Serum	LC/MS/MS	너154	CY544	317.04	42,220	42,220	296.45	40,620	40,620	▼
11270	Carotene	SST Serum	Spectrophotometry	나255	C2550	54.33	3,620	3,620	51.11	3,500	3,500	▼
02043	Catecholamine 2F	EDTA Plasma	HPLC/ECD	너228		0	43,700	43,700	0	45,560	45,560	▲
02045	Catecholamine 2F	24hr Urine	HPLC	너228		0	43,700	43,700	0	45,560	45,560	▲
02053	Catecholamine 3F	EDTA Plasma	HPLC/ECD	너228		0	65,550	65,550	0	68,340	68,340	▲
02056	Catecholamine 3F	24hr Urine	HPLC	너228		0	65,550	65,550	0	68,340	68,340	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
26009	CD 103	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
26221	CD 14	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
26256	CD 16 + CD 56	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
26250	CD 16 + CD 56 (NK cell)	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
25990	CD 19 (B cell)	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
25995	CD 19 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
25910	CD 2	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
26000	CD 20	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
26005	CD 20	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
26008	CD 25	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
27460	CD 25	Bone Marrow		나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
25925	CD 3 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
25920	CD 3 (T3)	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
25921	CD 3 (T3)	Bone Marrow	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
26025	CD 34	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
26020	CD 34 (Stem cell)	EDTA Blood	Flow Cytometry	나514	C5140006	737.42	73,670	73,670	750.86	77,150	77,150	▲
25935	CD 4 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
25930	CD 4 (T4)	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
25931	CD 4 (T4)	Bone Marrow	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
26030	CD 45	EDTA Blood		나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
26225	CD 45	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
51853	CD 68	Other		나557	C5575006	463.89	30,900	30,900	460.81	31,570	31,570	▲
25965	CD 8 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
25960	CD 8 (T8)	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
25961	CD 8 (T8)	Bone Marrow	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
01535	CEA (ECLIA)	SST Serum	ECLIA	나422	C4220	230.54	15,350	15,350	230.59	15,800	15,800	▲
01536	CEA (ECLIA)	Body Fluid	ECLIA	나422	C4220	230.54	15,350	15,350	230.59	15,800	15,800	▲
80045	Cell block after Cyto Exam	Other		나594	C5940	133.42	8,890	8,890	121.73	8,340	8,340	▼
82150	Cell block after Cyto Exam	Other		나594	C5940	133.42	8,890	8,890	121.73	8,340	8,340	▼
27620	Cell culture (AF)	Amniotic Fluid	Culture	나498	CX498	472.91	31,500	31,500	499.57	34,220	34,220	▲
20160	Ceruloplasmin	SST Serum	TIA	나235	C2350	110.51	7,360	7,360	113.91	7,800	7,800	▲
20161	Ceruloplasmin	Hp Plasma	TIA	나235	C2350	110.51	7,360	7,360	113.91	7,800	7,800	▲
51640	CH50	SST Serum	Enzyme	나225	C2250	111.44	7,420	7,420	104.79	7,180	7,180	▼
50560	Chlamydia pneumonia IgG	SST Serum	IFA	나474나(1)	C4742816	206.65	13,760	13,760	207.72	14,230	14,230	▲
50570	Chlamydia pneumonia IgM	SST Serum	IFA	나474나(2)	C4743816	205.15	13,660	13,660	205.84	14,100	14,100	▲
42340	Chlamydia pneumonia PCR	Other	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42240	Chlamydia trachomatis Ag	분비물	EIA	나475나	C4752816	300.61	20,020	20,020	308.29	21,120	21,120	▲
50630	Chlamydia trachomatis IgG	SST Serum	EIA	나474나(1)	C4742816	206.65	13,760	13,760	207.72	14,230	14,230	▲
50640	Chlamydia trachomatis IgM	SST Serum	EIA	나474나(2)	C4743816	205.15	13,660	13,660	205.84	14,100	14,100	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
42330	Chlamydia trachomatis PCR	분비물	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
10100	Chloride(Cl)	SST Serum	ISE	나379다	C3793	16.05	1,070	1,070	14.68	1,010	1,010	▼
10101	Chloride(Cl)	24hr Urine	ISE	나379다	C3793	16.05	1,070	1,070	14.68	1,010	1,010	▼
10102	Chloride(Cl)	Random Urine	ISE	나379다	C3793	16.05	1,070	1,070	14.68	1,010	1,010	▼
11050	Cholesterol Ester 정량	SST Serum	계산법	나241나	C2412	18.86	1,260	1,260	16.94	1,160	1,160	▼
11051	Cholesterol Ester 정량	Body Fluid	계산법	나241나	C2412	18.86	1,260	1,260	16.94	1,160	1,160	▼
10280	Cholinesterase(Pseudo)	SST Serum	Colorimetry	나270	B2700	45.32	3,020	3,020	39.92	2,730	2,730	▼
10290	Cholinesterase(RBC activity)	EDTA Blood	Enzyme	나270	B2700	45.32	3,020	3,020	39.92	2,730	2,730	▼
25102	Chromosome Analysis(BM)	Bone Marrow	Culture	나600-1	C6005006	1606.12	106,970	106,970	1658.71	113,620	113,620	▲
25104	Chromosome Analysis(CB)	Cord Blood	Culture	나600	C6001006	1210.58	80,620	80,620	1286.79	88,150	88,150	▲
25110	Chromosome analysis(Leukemia)	Hp Blood	Culture	나600-1	C6005006	1606.12	106,970	106,970	1658.71	113,620	113,620	▲
25100	Chromosome Analysis(PB)	Hp Blood	Culture	나600	C6001006	1210.58	80,620	80,620	1286.79	88,150	88,150	▲
25192	Chromosome(High Resolution	Bone Marrow	Culture	나600-2	C6006006	1590.33	105,920	105,920	1590.33	108,940	108,940	▲
25190	Chromosome(High Resolution)	Hp Blood	Culture	나600-2	C6006006	1590.33	105,920	105,920	1590.33	108,940	108,940	▲
26235	Chronic Leukemia panel	Bone Marrow	Flow Cytometry	나512	C5120006	449.61	538,920	538,920	451.56	556,740	556,740	▲
10520	Citrate	24hr Urine	Enzyme	너345가(2)	CY342	229.5	15,280	15,280	201.9	13,830	13,830	▼
10525	Citrate	SST Serum	UV	너345가(2)	CY342	229.5	15,280	15,280	201.9	13,830	13,830	▼
10316	CK-BB	SST Serum	Electrophoresis	나304	B3040006	165.79	11,040	11,040	163.72	11,210	11,210	▲
10310	CK-MB 정량	SST Serum	ECLIA	나264	B2640	151.7	10,100	10,100	153.12	10,490	10,490	▲
10315	CK-MM	SST Serum	Electrophoresis	나304	B3040006	165.79	11,040	11,040	163.72	11,210	11,210	▲
65221	Clonazepam	Plain Blood	LC/MS/MS	나450	CX375696	570.54	38,000	38,000	577.54	39,560	39,560	▲
50845	Clonorchis IgG(S)	SST Serum	Micro-ELISA	나472나(1)	C4722616	270.18	17,990	17,990	269.38	18,450	18,450	▲
65770	Clozapine	SST Serum	LC/MS/MS	나450나(4)	CX375696	570.54	38,000	38,000	577.54	39,560	39,560	▲
25370	CML-major PCR	EDTA Blood	Nested RT-PCR	나597가	C5971006	1597.93	106,420	106,420	1626.16	111,390	111,390	▲
25371	CML-major PCR	Bone Marrow	Nested RT-PCR	나597가	C5971006	1597.93	106,420	106,420	1626.16	111,390	111,390	▲
25380	CML-minor PCR	EDTA Blood	Nested RT-PCR	나597나	C5972006	1601.91	106,690	106,690	1631.15	111,730	111,730	▲
25381	CML-minor PCR	Bone Marrow	Nested RT-PCR	나597나	C5972006	1601.91	106,690	106,690	1631.15	111,730	111,730	▲
50670	CMV Antigenemia(복부)	EDTA Blood		나469	C4690426	203.16	13,530	13,530	203.37	13,930	13,930	▲
42135	CMV culture	Other	Shell Vial Culture	나416	B4160006	560.25	37,310	37,310	574.26	39,340	39,340	▲
42350	CMV DNA(PCR)	EDTA Blood	PCR	나595가	C5951006	417.78	27,820	27,820	426.21	29,200	29,200	▲
40305	CMV IgG	SST Serum	CIA	나468나(1)	C4682426	270.11	17,990	17,990	273.64	18,740	18,740	▲
40306	CMV IgG	CSF	CIA	나468나(1)	C4682426	270.11	17,990	17,990	273.64	18,740	18,740	▲
40315	CMV IgM	SST Serum	CIA	나468나(2)	C4683426	259.99	17,320	17,320	261	17,880	17,880	▲
40316	CMV IgM	CSF	CIA	나468나(2)	C4683426	259.99	17,320	17,320	261	17,880	17,880	▲
10110	CO2,Total	SST Serum	Enzyme	나381나	C3812	45.02	3,000	3,000	45.04	3,090	3,090	▲
50710	Cold Agglutinin	SST Serum	HA	나209	B2090006	59.1	3,940	3,940	53.63	3,670	3,670	▼
30000	Complete Blood Count 8종	EDTA Blood	자동혈구계산법			0	4,150	4,150	0	4,300	4,300	▲
20506	Co-oximeter	EDTA Blood	Oximeter	나370	C3700	158.21	10,540	10,540	160.26	10,980	10,980	▲
12722	Copper(Cu)	Tissue	AAS	나452나(2)	C4527620	613.25	40,840	40,840	619.4	42,430	42,430	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
12725	Copper(Cu)	Trace Serum	ICP/MS	나452나(2)	C4523620	309.81	20,630	20,630	313.68	21,490	21,490	▲
12726	Copper(Cu)	24hr Urine	ICP/MS	나452나(2)	C4523620	309.81	20,630	20,630	313.68	21,490	21,490	▲
11740	Coproporphyrin 정성	Random Urine	Fluorometry	나389가	C3891	10.45	700	700	9.88	680	680	▼
10075	corrected Ca	SST Serum	계산법	나221 외	C2210 외	0	0	2,720	0	0	2,630	▼
00707	Cortisol (ECLIA)	SST Serum	CIA	나324나(4)	C3248	128.62	8,570	8,570	119.38	8,180	8,180	▼
42120	Coxsackievirus culture	Other	Culture	나416	B4160006	560.25	37,310	37,310	574.26	39,340	39,340	▲
00965	C-peptide (ECLIA)	SST Serum	ECLIA	나343	C3430	199.48	13,290	13,290	202.69	13,880	13,880	▲
00966	C-peptide (ECLIA)	24hr Urine	ECLIA	나343	C3430	199.48	13,290	13,290	202.69	13,880	13,880	▲
10300	CPK	SST Serum	Enzyme	나263	B2630	55.93	3,720	3,720	55.99	3,840	3,840	▲
10301	CPK	Body Fluid	Enzyme	나263	B2630	55.93	3,720	3,720	55.99	3,840	3,840	▲
20580	CPK Isoenzyme	SST Serum	Electrophoresis	나304	B3040006	165.79	11,040	11,040	163.72	11,210	11,210	▲
20581	CPK Isoenzyme	Body Fluid		나304	B3040006	165.79	11,040	11,040	163.72	11,210	11,210	▲
10900	Crea.Clearance Test	복수검체	계산법	나376	C3760	47.86	3,190	3,190	44.35	3,040	3,040	▼
10870	Creatine	SST Serum	Colorimetry	나377	C3770	21.68	1,440	1,440	19.17	1,310	1,310	▼
10871	Creatine	24hr Urine	Colorimetry	나377	C3770	21.68	1,440	1,440	19.17	1,310	1,310	▼
10872	Creatine	Random Urine	Colorimetry	나377	C3770	21.68	1,440	1,440	19.17	1,310	1,310	▼
10880	Creatinine	SST Serum	Enzyme	나375	C3750	18.25	1,220	1,220	16.75	1,150	1,150	▼
10881	Creatinine	24hr Urine	Enzyme	나375	C3750	18.25	1,220	1,220	16.75	1,150	1,150	▼
10882	Creatinine	Random Urine	Enzyme	나375	C3750	18.25	1,220	1,220	16.75	1,150	1,150	▼
31091	Cross matching	복수검체	Column	나205	B2050	49.31	3,280	3,280	51.36	3,520	3,520	▲
31090	Cross matching SET	복수검체	Column			0	11,710	11,710	0	12,580	12,580	▲
50720	CRP	SST Serum	TIA	나224가	C2241	21.79	1,450	1,450	19.43	1,330	1,330	▼
50721	CRP	CSF	TIA	나224가	C2241	21.79	1,450	1,450	19.43	1,330	1,330	▼
50730	CRP정량(HS-CRP)	SST Serum	TIA	나224나	C2243	105.73	7,040	7,040	106.53	7,300	7,300	▲
50731	CRP정량(HS-CRP)	CSF	TIA	나224나	C2243	105.73	7,040	7,040	106.53	7,300	7,300	▲
20170	Cryoglobulin 정성	SST Serum	한냉침전법	나500가	C5001	31.26	2,080	2,080	31.27	2,140	2,140	▲
50740	Cryptococcus Ag	SST Serum	Latex	나408	B4080	85.21	5,670	5,670	79.57	5,450	5,450	▼
50741	Cryptococcus Ag	CSF	Latex	나408	B4080	85.21	5,670	5,670	79.57	5,450	5,450	▼
13010	CTx	SST Serum	ECLIA	나393-2	C3932	190.27	12,670	12,670	181.32	12,420	12,420	▼
70110	Culture	Other		나405가	B4051	163.15	10,870	10,870	168.28	11,530	11,530	▲
70155	Culture & Sensi(MIC)(G)	Other		나405+나406	B4051+B4062	0	22,750	22,750	0	23,990	23,990	▲
70120	Culture & Sensitivity	Other		나405가	B4051	163.15	10,870	10,870	168.28	11,530	11,530	▲
70125	Culture & Sensitivity(G)	Other		나405+나406	B4051+B4061	0	18,510	18,510	0	19,460	19,460	▲
70150	Culture & Sensitivity(MIC)	Other	MIC	나405가	B4051	163.15	10,870	10,870	168.28	11,530	11,530	▲
65550	Cyclosporin	EDTA Blood	RIA	나450나(2)	C7451150	215.72	14,370	14,370	212.51	14,560	14,560	▲
65551	Cyclosporin (LC-MS/MS)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696	570.54	38,000	38,000	577.54	39,560	39,560	▲
12980	Cystatin C	SST Serum	TIA	너131	CX131	106.91	7,120	7,120	112.18	7,680	7,680	▲
50842	Cysticercus IgG(S)	SST Serum	Micro-ELISA	나472나(1)	C4722616	270.18	17,990	17,990	269.38	18,450	18,450	▲
30680	D-dimer 정량	SC Plasma	TIA	나172나	B1723	166.65	11,100	11,100	176.33	12,080	12,080	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
31060	D-dimer 정성	SC Plasma	TIA	나172가	B1721	43.21	2,880	2,880	40.93	2,800	2,800	▼
12381	Deoxyypyridinoline(DPD)	Random Urine	EIA	나393	C3930	191.36	12,740	12,740	182.85	12,530	12,530	▼
65561	Desipramine	Plain Blood	LC/MS/MS	나450나(4)	CX375696	570.54	38,000	38,000	577.54	39,560	39,560	▲
00746	DHEA-S (ECLIA)	SST Serum	ECLIA	나364	C3640	254.48	16,950	16,950	259.09	17,750	17,750	▲
65235	Diazepam (LC-MS/MS)	SST Serum	LC/MS/MS	나450나(4)	CX375016	570.54	38,000	38,000	577.54	39,560	39,560	▲
30020	Differential Count	EDTA Blood	자동혈구계산법	나109가	B1091	25.43	1,690	1,690	25.35	1,740	1,740	▲
65051	Digoxin (ECLIA)	SST Serum	CIA	나450나(2)	C4504090	247.78	16,500	16,500	252.59	17,300	17,300	▲
10050	Direct Bilirubin	SST Serum	Colorimetry	나372나	C3721	18.8	1,250	1,250	17.55	1,200	1,200	▼
10051	Direct Bilirubin	Capillary	Colorimetry	나372나	C3721	18.8	1,250	1,250	17.55	1,200	1,200	▼
30320	Direct Coombs	EDTA Blood	Microcolumn	나204가주주	B2047006	62.9	4,190	4,190	64.93	4,450	4,450	▲
31080	Direct Coombs Anti 4종	EDTA Blood		나204가	B2047106~406	0	16,760	16,760	0	17,800	17,800	▲
31070	Direct Coombs Anti C3d,IgG	EDTA Blood		나204가	B20471+406	0	8,380	8,380	0	8,900	8,900	▲
50715	Donath Landsteiner test	SST Serum		나210	B2100006	43.1	2,870	2,870	39.88	2,730	2,730	▼
00853	Dopamine	EDTA Plasma	HPLC/ECD	너228다	CY283006	328.04	21,850	21,850	332.51	22,780	22,780	▲
00855	Dopamine	24hr Urine	HPLC	너228다	CY283006	328.04	21,850	21,850	332.51	22,780	22,780	▲
27480	DRPLA	EDTA Blood	PCR-RFLP	너573다	CY533006	1150.44	76,620	76,620	1199.67	82,180	82,180	▲
26840	DRPLA gene mutation	EDTA Blood		너573다	CY533006	1150.44	76,620	76,620	1199.67	82,180	82,180	▲
65571	Drug profiling test	Random Urine	LC/MS/MS	나450가(4)	CX372690외	0	39,300	39,300	0	37,560	37,560	▼
30410	Du (Weak D) Test	EDTA Blood	Column	나202다	B2023	44.27	2,950	2,950	42.47	2,910	2,910	▼
30431	Duffy A 혈액형검사	EDTA Blood	Tube	나203	B2030006	73.81	4,920	4,920	70.22	4,810	4,810	▼
30432	Duffy B 혈액형검사	EDTA Blood	Tube	나203	B2030006	73.81	4,920	4,920	70.22	4,810	4,810	▼
29060	DYT1 (Dystonia I, torsion)	EDTA Blood	PCR-RFLP	너562	CY635006	460.19	30,650	30,650	471.06	32,270	32,270	▲
70740	E.coli O157 PCR	Stool	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
50465	E.coli(Latex)	CSF	Latex	나408	B4080	85.21	5,670	5,670	79.57	5,450	5,450	▼
29350	E2A-PBX1 rearrangement	EDTA Blood	Nested RT-PCR	나597	C5974006	1601.91	106,690	106,690	1631.15	111,730	111,730	▲
42875	EBV EA-DR IgG	SST Serum	EIA	나468나(1)	C4682446	270.11	17,990	17,990	273.64	18,740	18,740	▲
42876	EBV EA-DR IgG	CSF	EIA	나468나(1)	C4682446	270.11	17,990	17,990	273.64	18,740	18,740	▲
42895	EBV EA-DR IgM	SST Serum	EIA	나468나(2)	C4683446	259.99	17,320	17,320	261	17,880	17,880	▲
42896	EBV EA-DR IgM	CSF	EIA	나468나(2)	C4683446	259.99	17,320	17,320	261	17,880	17,880	▲
42900	EBV EBNA IgG	SST Serum	EIA	나468나(1)	C4682456	270.11	17,990	17,990	273.64	18,740	18,740	▲
42901	EBV EBNA IgG	EDTA Plasma	EIA	나468나(1)	C4682456	270.11	17,990	17,990	273.64	18,740	18,740	▲
42902	EBV EBNA IgG	CSF	EIA	나468나(1)	C4682456	270.11	17,990	17,990	273.64	18,740	18,740	▲
42910	EBV EBNA IgM	SST Serum	EIA	나468나(2)	C4683456	259.99	17,320	17,320	261	17,880	17,880	▲
42911	EBV EBNA IgM	EDTA Plasma	EIA	나468나(2)	C4683456	259.99	17,320	17,320	261	17,880	17,880	▲
42912	EBV EBNA IgM	CSF	EIA	나468나(2)	C4683456	259.99	17,320	17,320	261	17,880	17,880	▲
42920	EBV PCR	EDTA Blood	Nested PCR	나595마	C5955006	386.27	25,730	25,730	386.82	26,500	26,500	▲
40835	EBV VCA IgG	SST Serum	EIA	나468나(1)	C4682436	270.11	17,990	17,990	273.64	18,740	18,740	▲
40836	EBV VCA IgG	CSF	EIA	나468나(1)	C4682436	270.11	17,990	17,990	273.64	18,740	18,740	▲
40845	EBV VCA IgM	SST Serum	EIA	나468나(2)	C4683436	259.99	17,320	17,320	261	17,880	17,880	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
40846	EBV VCA IgM	CSF	EIA	나468나(2)	C4683436	259.99	17,320	17,320	261	17,880	17,880	▲
50750	EBV(in situ)	Other		너567다	CY673006	568.99	37,890	37,890	560.05	38,360	38,360	▲
50755	EBV(in situ)	Other	Insitu Hybridization	너567다	CY673006	568.99	37,890	37,890	560.05	38,360	38,360	▲
50760	EBV(in situ)	Other	Insitu Hybridization	너567다	CY673006	568.99	37,890	37,890	560.05	38,360	38,360	▲
42770	Echovirus Culture	Other	Culture	나416	B4160006	560.25	37,310	37,310	574.26	39,340	39,340	▲
70980	Egg count, EPG	Stool	검경법	나68	B0680	30.46	2,030	2,030	29.1	1,990	1,990	▼
50335	Entamoeba histolytica IgG	SST Serum	EIA	나472가	C4722626	270.18	17,990	17,990	269.38	18,450	18,450	▲
50336	Entamoeba histolytica IgG	Body Fluid	EIA	나472가	C4722626	270.18	17,990	17,990	269.38	18,450	18,450	▲
42140	Entero Virus Culture	Other	Culture	나416	B4160006	560.25	37,310	37,310	574.26	39,340	39,340	▲
42760	Entero Virus Culture 3종	Other	Culture	나416	B4160006	560.25	111,930	111,930	574.26	39,340	118,020	▲
42370	Entero virus RNA(PCR)	CSF	real time PCR	나596나	C5962006	595.55	39,660	39,660	616.46	42,230	42,230	▲
30030	Eosinophil Count	EDTA Blood	Manual	나107가	B1070	12.49	830	830	12.41	850	850	▲
30031	Eosinophil Count	Smear Slide	Manual	나107나	B1071	14.27	950	950	13.69	940	940	▼
00833	Epinephrine	EDTA Plasma	HPLC/ECD	너228가	CY281006	328.04	21,850	21,850	332.51	22,780	22,780	▲
00835	Epinephrine	24hr Urine	HPLC	너228가	CY281006	328.04	21,850	21,850	332.51	22,780	22,780	▲
01570	ER/PR Receptor	Tissue	Stain	나559	C5590	473.77	63,100	63,100	429.88	58,900	58,900	▼
01250	Erythropoietin(EPO)	SST Serum	CLIA	나357	C3570	256	17,050	17,050	241.49	16,540	16,540	▼
01251	Erythropoietin(EPO)	Hp Plasma	CLIA	나357	C3570	256	17,050	17,050	241.49	16,540	16,540	▼
30040	ESR	EDTA Blood	Manual	나103가	B1033	10.68	710	710	10.28	700	700	▼
00433	Estradiol (E2) (ECLIA)	SST Serum	ECLIA	나326	C3260	188.29	12,540	12,540	191.1	13,090	13,090	▲
00440	Estriol (E3)	SST Serum	RIA	나327주	C7327	212.59	14,160	14,160	211.2	14,470	14,470	▲
00450	Estrogen	SST Serum	RIA	나325주	C7325	88.69	5,910	5,910	89.6	6,140	6,140	▲
01571	Estrogen Receptor(ER)	Tissue	Immunohistochemistry	나559	C5590	473.77	31,550	31,550	429.88	29,450	29,450	▼
29480	EWS/WT1 rearrangement	Block	Nested RT-PCR	나597자	C5979006	1729.88	115,210	115,210	1791.12	122,690	122,690	▲
29100	EWS-FLI1/ERG rearrangement	Block	Nested RT-PCR	나597자	C5979006	1729.88	115,210	115,210	1791.12	122,690	122,690	▲
29105	EWS-FLT1	Block	RT-PCR	나596라	C5969006	644.86	42,950	42,950	678.1	46,450	46,450	▲
30655	Factor 5 Leiden(충남대)	EDTA Blood	Sequencing	너562파	CY633006	453.38	30,200	30,200	462.55	31,680	31,680	▲
30650	Factor 5 Leiden(FV:Q506)	EDTA Blood	PCR-RFLP	너562파	CY633006	453.38	30,200	30,200	462.55	31,680	31,680	▲
30480	Factor Ab VIII	SC Plasma	Clot-based	나178가	B1780006	208.52	13,890	13,890	209.53	14,350	14,350	▲
30490	Factor Ab IX	SC Plasma	Clot-based	나178나	B1781006	212.74	14,170	14,170	214.8	14,710	14,710	▲
30570	Factor Assay VII	SC Plasma	Clot-based	나169가(3)	B1693006	174.49	11,620	11,620	180.51	12,360	12,360	▲
30580	Factor Assay VIII	SC Plasma	Clot-based	나169가(4)	B1694006	178.87	11,910	11,910	186.59	12,780	12,780	▲
30590	Factor Assay IX	SC Plasma	Clot-based	나169가(5)	B1695006	177.39	11,810	11,810	184.73	12,650	12,650	▲
30520	Factor Assay II	SC Plasma	Clot-based	나169가(1)	B1691006	168.76	11,240	11,240	173.34	11,870	11,870	▲
30550	Factor Assay V	SC Plasma	Clot-based	나169가(2)	B1692006	167.09	11,130	11,130	171.22	11,730	11,730	▲
30600	Factor Assay X	SC Plasma	Clot-based	나169가(6)	B1696006	165	10,990	10,990	168.84	11,570	11,570	▲
30610	Factor Assay X I	SC Plasma	Clot-based	나169가(7)	B1697006	165.59	11,030	11,030	169.58	11,620	11,620	▲
30620	Factor Assay X II	SC Plasma	Clot-based	나169가(8)	B1698006	157.05	10,460	10,460	158.83	10,880	10,880	▲
30630	Factor Assay X III	SC Plasma	Urea 용해시험	나169가(9)	B1699006	165.59	11,030	11,030	169.62	11,620	11,620	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
12940	Fat 정성 검사	Stool	Sudan III	나67	B0670	13.27	880	880	13.93	950	950	▲
30890	FDP	SC Plasma	TIA	나161나	B1613	138.83	9,250	9,250	140.82	9,650	9,650	▲
31110	FDP 정성	SC Plasma	TIA	나161가	B1611	51.57	3,430	3,430	51.38	3,520	3,520	▲
01585	Ferritin (ECLIA)	SST Serum	ECLIA	나252	C2520	172.81	11,510	11,510	177.83	12,180	12,180	▲
20450	Fetal hemoglobin	EDTA Blood	HPLC	나382라	C3824	66.14	4,400	4,400	66.78	4,570	4,570	▲
30640	Fibrinogen	SC Plasma	Clot-based	나160가	B1601	39.22	2,610	2,610	39.78	2,720	2,720	▲
70770	Filariae	Blood Smear Slide	Manual	나115	B1150006	46.68	3,110	3,110	47.83	3,280	3,280	▲
26585	FIP1L1/PDGFR(PCR)	Bone Marrow	Nested PCR	나597자	C5979006	1729.88	115,210	115,210	1791.12	122,690	122,690	▲
65582	FK-506	EDTA Blood	CIA	나450나(2)	C4504390	247.78	16,500	16,500	252.59	17,300	17,300	▲
65580	FK-506 (LC/MS/MS)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696	570.54	38,000	38,000	577.54	39,560	39,560	▲
65581	FK-506 (LC-MS/MS)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696	570.54	38,000	38,000	577.54	39,560	39,560	▲
11286	Folate (ECLIA)	SST Serum	ECLIA	나254	C2540	221.94	14,780	14,780	222.95	15,270	15,270	▲
27272	Fragile X 정밀(혈액)검사	복수검체	Southern blot	나598	C5987006 외	0	140,150	140,150	0	146,340	146,340	▲
00765	Free Cortisol (CLIA)	24hr Urine	CIA	나324나(5)	C3249	126.54	8,430	8,430	116.78	8,000	8,000	▼
00766	Free Cortisol (CLIA)	Random Urine	CIA	나324나(5)	C3249	126.54	8,430	8,430	116.78	8,000	8,000	▼
11090	Free Fatty Acid(NEFA)	SST Serum	Enzyme	나245	C2450	38.53	2,570	2,570	34.32	2,350	2,350	▼
11091	Free Fatty Acid(NEFA)	Other	Enzyme	나245	C2450	38.53	2,570	2,570	34.32	2,350	2,350	▼
25891	Free Kappa light chain	SST Serum	비탁법	나237가(1)	C2371006	474.18	31,580	31,580	474.18	32,480	32,480	▲
25896	Free Kappa light chain	Random Urine	비탁법	나237나(1)	C2381006	474.18	31,580	31,580	474.18	32,480	32,480	▲
25615	Free Lambda light chain	SST Serum	비탁법	나237가(2)	C2372006	474.18	31,580	31,580	474.18	32,480	32,480	▲
25616	Free Lambda light chain	Random Urine	비탁법	나237나(2)	C2382006	474.18	31,580	31,580	474.18	32,480	32,480	▲
01682	Free PSA (ECLIA)	SST Serum	ECLIA	너321	CX321	179.99	11,990	11,990	179.68	12,310	12,310	▲
01686	Free PSA/PSA ratio(ECLIA)	SST Serum	ECLIA	나428외	C4280+CX321	0	0	28,040	0	0	28,820	▲
00215	Free T3 (ECLIA)	SST Serum	ECLIA	나330	C3300	149.24	9,940	9,940	148.14	10,150	10,150	▲
00225	Free T4 (ECLIA)	SST Serum	ECLIA	나334	C3340	172.44	11,480	11,480	173.49	11,880	11,880	▲
00235	Free thyroxine index	SST Serum	계산법	나331+나333	C3310+C3330	0	20,870	20,870	0	21,400	21,400	▲
29010	Friedreich's ataxia	EDTA Blood	Southern blot	너573마	CY539006 외	0	143,610	143,610	0	150,800	150,800	▲
29011	Friedreich's ataxia	EDTA Blood	Southern Hybridization	나598	C5980006	1005.93	66,990	66,990	1001.8	68,620	68,620	▲
20460	Fructosamine	SST Serum	Colorimetry	나397	C3970	99.83	6,650	6,650	87.52	6,000	6,000	▼
00092	FSH (ECLIA)	SST Serum	ECLIA	나350	C3500	160.84	10,710	10,710	159.41	10,920	10,920	▲
50960	FTA-ABS IgG	SST Serum	IFA	나462	C4620006	157.07	10,460	10,460	158.4	10,850	10,850	▲
50961	FTA-ABS IgG	CSF	IFA	나462	C4620006	157.07	10,460	10,460	158.4	10,850	10,850	▲
50975	FTA-ABS IgM	SST Serum	EIA	나462	C4620006	157.07	10,460	10,460	158.4	10,850	10,850	▲
50976	FTA-ABS IgM	CSF	EIA	나462	C4620006	157.07	10,460	10,460	158.4	10,850	10,850	▲
70780	Fungus Culture	Other		나405가	B4051	163.15	10,870	10,870	168.28	11,530	11,530	▲
70785	Fungus Culture & Sensi(G)	Other		나405+나406	B4051+B4061	0	18,510	18,510	0	19,460	19,460	▲
29420	G6PC gene mutation	EDTA Blood	Sequencing	너562차	CY630006	469.8	125,160	125,160	483.08	132,360	132,360	▲
10530	G-6-PDH	EDTA Blood	Colorimetry	나274	B2741	95.85	6,380	6,380	88.42	6,060	6,060	▼
42715	Gardnerella vaginalis PCR	분비물	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
00980	Gastrin (RIA)	SST Serum	RIA	나345주	C7345	78.4	5,220	5,220	50.86	3,480	3,480	▼
00981	Gastrin (RIA)	EDTA Plasma	RIA	나345주	C7345	78.4	5,220	5,220	50.86	3,480	3,480	▼
02195	Gastrin 17	SST Serum	ELISA	나345	C3450	147.58	9,830	9,830	136.13	9,320	9,320	▼
02190	Gastro-Gastrin 17	SST Serum	ELISA	나345	C3450	147.58	9,830	9,830	136.13	9,320	9,320	▼
02200	Gastro-Panel(3종)	SST Serum	ELISA	나362외	C3620외	0	53,250	53,250	0	51,860	51,860	▼
02015	Gastro-Pepsinogen I	SST Serum	ELISA	나362	C3620	226.41	15,080	15,080	209.54	14,350	14,350	▼
02025	Gastro-Pepsinogen II	SST Serum	ELISA	나362	C3620	226.41	15,080	15,080	209.54	14,350	14,350	▼
71210	GBS Culture	Other	Culture	나405가	B4051	163.15	10,870	10,870	168.28	11,530	11,530	▲
71212	GBS Culture&Sensi(G)	Other	Culture	나405+나406	B4051+B4061	0	18,510	18,510	0	19,460	19,460	▲
29405	Gene rearrangement profile	Bone Marrow	RT-PCR	나597가	C5971006 외	0	533,180	533,180	0	558,310	558,310	▲
65260	Gentamicin	SST Serum	면역형광	나450나(2)	C4504120	247.78	16,500	16,500	252.59	17,300	17,300	▲
10905	GFR (신사구체여과율)	SST Serum	계산법	나375	C3750	18.25	1,220	1,220	16.75	1,150	1,150	▼
00062	GH (CLIA)	SST Serum	CLIA	나342	C3420	180.26	12,010	12,010	178.72	12,240	12,240	▲
80157	Giemsa(H.Pylori) Stain	Tissue		나553다	C5533	123.07	8,200	8,200	123.77	8,480	8,480	▲
82140	Giemsa(H.Pylori) Stain	Tissue		나553다	C5533	123.07	8,200	8,200	123.77	8,480	8,480	▲
10010	Globulin	SST Serum	계산법	나220 외	C2200 외	0	0	2,850	0	0	2,750	▼
10011	Globulin	Body Fluid	계산법	나220+나230	C2200+C2302	0	0	14,790	0	0	15,150	▲
01000	Glucagon (RIA)	EDTA Plasma	RIA	나344주	C7344	83.34	5,550	5,550	57.07	3,910	3,910	▼
10540	Glucose	NaF Plasma	Enzyme	나371나	C3711	18.81	1,250	1,250	17.32	1,190	1,190	▼
10541	Glucose	SST Serum	Enzyme	나371나	C3711	18.81	1,250	1,250	17.32	1,190	1,190	▼
10542	Glucose	24hr Urine	Enzyme	나371나	C3711	18.81	1,250	1,250	17.32	1,190	1,190	▼
10543	Glucose	Body Fluid	Enzyme	나371나	C3711	18.81	1,250	1,250	17.32	1,190	1,190	▼
10550	Glucose tolerance test	NaF Plasma		나371나	C3711	18.81	5,000	5,000	17.32	1,190	4,760	▼
10350	GOT(AST)	SST Serum	Enzyme	나257	B2570	24.52	1,630	1,630	23.58	1,620	1,620	▼
10351	GOT(AST)	Body Fluid	Enzyme	나257	B2570	24.52	1,630	1,630	23.58	1,620	1,620	▼
10360	GPT(ALT)	SST Serum	Enzyme	나258	B2580	24.12	1,610	1,610	23.01	1,580	1,580	▼
10361	GPT(ALT)	Body Fluid	Enzyme	나258	B2580	24.12	1,610	1,610	23.01	1,580	1,580	▼
70090	Gram Stain	Other		나400가	B4101	20.51	1,370	1,370	20.76	1,420	1,420	▲
70100	Gram Stain	Smear Slide	Gram stain	나400가	B4101	20.51	1,370	1,370	20.76	1,420	1,420	▲
71160	Gram stain (cytospin)	Other		나400주	B4112	24.29	1,620	1,620	25	1,710	1,710	▲
28070	GSD1a Mutation Analysis	EDTA Blood	Sequencing	나562	CY630006	469.8	125,160	125,160	483.08	132,360	132,360	▲
50463	H. influenza	CSF	Latex	나408	B4080	85.21	5,670	5,670	79.57	5,450	5,450	▼
71070	H. pylori Ag	Stool	ELISA	나415다	B4157	273.75	18,230	18,230	280.84	19,240	19,240	▲
50771	H. pylori IgG (CLIA)	SST Serum	CLIA	나465	C4650	199.17	13,260	13,260	202.97	13,900	13,900	▲
50780	H. pylori IgM	SST Serum	ELISA	나465	C4650	199.17	13,260	13,260	202.97	13,900	13,900	▲
42380	H. pylori PCR	Tissue	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42735	Haemophilus ducreyi PCR	분비물	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
65071	Haloperidol (Haldol)	Plain Serum	LC/MS/MS	나450나(4)	CX375066	570.54	38,000	38,000	577.54	39,560	39,560	▲
12060	Ham's test	복수검체	Colorimetry	나120	B1200006	59.98	3,990	3,990	60.64	4,150	4,150	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
41590	Hantaan Virus Ab	SST Serum		나468가	C4681470	134.97	8,990	8,990	120.29	8,240	8,240	▼
41666	Hantaan virus Ab 정량(IFA)	SST Serum	IFA	나468나(1)	C4682476	270.11	17,990	17,990	273.64	18,740	18,740	▲
41600	Hantaan Virus Ab Titer	SST Serum		나468가	C4681470	134.97	8,990	8,990	120.29	8,240	8,240	▼
27850	Hantaan Virus PCR	SST Serum	PCR	나597사	C5977006	1593.3	106,110	106,110	1620.39	111,000	111,000	▲
41661	HantaanVirus Ab Titer(IFA)	SST Serum	IFA	나468나(1)	C4682476	270.11	17,990	17,990	273.64	18,740	18,740	▲
20180	Haptoglobin	SST Serum	TIA	나234	C2340	118.71	7,910	7,910	120.77	8,270	8,270	▲
20181	Haptoglobin	EDTA Plasma	TIA	나234	C2340	118.71	7,910	7,910	120.77	8,270	8,270	▲
50015	HAV Ab	SST Serum	ECLIA	나486가	C4861	168.34	11,210	11,210	164.56	11,270	11,270	▲
50016	HAV IgG	SST Serum	CMIA	나486가	C4861	168.34	11,210	11,210	164.56	11,270	11,270	▲
50025	HAV IgM	SST Serum	ECLIA	나486나	C4862	245.54	16,350	16,350	238.23	16,320	16,320	▼
50055	HBc Ab IgM(ECLIA)	SST Serum	ECLIA	나484나	C4842	207.54	13,820	13,820	197.17	13,510	13,510	▼
50045	HBc Ab(ECLIA)	SST Serum	ECLIA	나484가	C4841	204.55	13,620	13,620	211.54	14,490	14,490	▲
50076	HBe Ab(ECLIA)	SST Serum	CIA	나483나	C4832	210.63	14,030	14,030	208.04	14,250	14,250	▲
50075	HBe Ag(ECLIA)	SST Serum	CIA	나482나	C4822	209.2	13,930	13,930	207.02	14,180	14,180	▲
01271	HBNP	EDTA Plasma	CMIA	나368	CZ204	605.25	40,310	40,310	605.25	41,460	41,460	▲
50116	HBs Ab(ECLIA)	SST Serum	CIA	나481나	C4812	150.84	10,050	10,050	148.74	10,190	10,190	▲
50091	HBs Ab(ICA)	SST Serum	ICA	나481가	C4811	43.07	2,870	2,870	39.9	2,730	2,730	▼
50115	HBs Ag(ECLIA)	SST Serum	CIA	나480나	C4802	138.51	9,220	9,220	138.37	9,480	9,480	▲
50090	HBs Ag(ICA)	SST Serum	ICA	나480가	C4801	37.75	2,510	2,510	35.73	2,450	2,450	▼
50140	HBV DNA (PCR)	SST Serum	PCR	나595라	C5954006	386.64	25,750	25,750	387.28	26,530	26,530	▲
50160	HBV DNA 정량 (b-DNA)	SST Serum	b DNA	나485다	C4853006	544.09	36,240	36,240	545.89	37,390	37,390	▲
52178	HBV DNA 정량(real-timePCR)	SST Serum	real time PCR	나485마	C4854006	894.88	59,600	59,600	894.88	61,300	61,300	▲
50204	HBV Drug mutation	SST Serum	Sequencing	나599-1가	C5993006	1666.46	110,990	110,990	1666.46	114,150	114,150	▲
01970	hCG (정성)	Random Urine	ICA	나26	B0260	25.89	1,720	1,720	26.28	1,800	1,800	▲
50230	HCV (RT-PCR+Hybrid.)	SST Serum	RT-PCR+Hybrid	나596-1가	C6081006	862.27	57,430	57,430	891.24	61,050	61,050	▲
50231	HCV (RT-PCR+Hybrid.)	Other	RT-PCR+Hybrid	나596-1가	C6081006	862.27	57,430	57,430	891.24	61,050	61,050	▲
50215	HCV Ab(EIA)	SST Serum	EIA	나487나	C4872	204.22	13,600	13,600	207.31	14,200	14,200	▲
50220	HCV Ab(RIBA III)	SST Serum		나487다	C4873006	556.05	37,030	37,030	559	38,290	38,290	▲
52365	HCV Genotype (PCR-RFMP)	SST Serum	RFMP	나596-2	C6092006	1704.75	113,540	113,540	1704.75	116,780	116,780	▲
52360	HCV Genotype (Sequencing)	SST Serum	Sequencing	나596-3	C6093006	1666.46	110,990	110,990	1666.46	114,150	114,150	▲
50241	HCV RNA 정량	SST Serum	real time PCR	나424다	C4424006	1127.2	75,070	75,070	1127.2	77,210	77,210	▲
11100	HDL-Cholesterol	SST Serum	Enzyme	나242	C2420	81.15	5,400	5,400	80.37	5,510	5,510	▲
20600	HDL-Cholesterol E.P	SST Serum	Electrophoresis	나302	B3020006	132.22	8,810	8,810	121.57	8,330	8,330	▼
50265	HDV Ab (IgG)	SST Serum	EIA	나421	CX421	185.97	12,390	12,390	166.37	11,400	11,400	▼
70810	Heinz body	EDTA Blood	검경법	나116	B1160006	34.09	2,270	2,270	35.66	2,440	2,440	▲
30004	Hematocrit(Hct)	EDTA Blood	자동혈구계산법	나102	B1020	10.82	720	720	10.94	750	750	▲
51855	hemavision 28종	Bone Marrow	PCR			0	550,220	550,220	0	580,230	580,230	▲
26440	Hemochromatosis, HFE gene	EDTA Blood	Sequencing	나562사	CY627006	460.26	61,300	61,300	471.16	64,540	64,540	▲
10731	Hemoglobin A1c	EDTA Blood	TIA	나382마	C3825	103.04	6,860	6,860	103.57	7,090	7,090	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
20490	Hemoglobin E.P	EDTA Blood	Electrophoresis	나307	B3070006	100.27	6,680	6,680	103.13	7,060	7,060	▲
30003	Hemoglobin(Hb)	EDTA Blood	자동혈구계산법	나101	B1010	16.9	1,130	1,130	16.96	1,160	1,160	▲
70040	Hemosiderin	Random Urine	검경법	나7	B0070	27.46	1,830	1,830	27.46	1,880	1,880	▲
50791	Heterophil Ab	SST Serum	Latex	나470가	C4701	81.41	5,420	5,420	81.03	5,550	5,550	▲
50280	HEV Ab IgG	SST Serum	EIA	너422가	CY431	136.32	9,080	9,080	126.4	8,660	8,660	▼
50290	HEV Ab IgM	SST Serum	EIA	너422나	CY432	136.32	9,080	9,080	126.4	8,660	8,660	▼
50300	HEV RT- PCR	SST Serum	Nested RT-PCR	나596라	C5969006	644.86	42,950	42,950	678.1	46,450	46,450	▲
42520	HHV type 6 DNA(PCR)	SST Serum	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42521	HHV type 6 DNA(PCR)	CSF	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42525	HHV-8 PCR	Block	PCR	나595바	CY561006	390.35	26,000	26,000	391.93	26,850	26,850	▲
42526	HHV-8 PCR	Block	PCR	나595바	CY561006	390.35	26,000	26,000	391.93	26,850	26,850	▲
12080	Hippuric acid	Random Urine	HPLC	나451나(3)	CY373030	281.02	18,720	18,720	251.42	17,220	17,220	▼
12085	Hippuric acid (아산)	Random Urine	HPLC	나451나(3)	CY373030	281.02	18,720	18,720	251.42	17,220	17,220	▼
51670	Histone Ab	SST Serum	ELISA	너4430아	CY450006	549.3	36,580	36,580	532.44	36,470	36,470	▼
29540	HIV 약제내성검사	EDTA Blood	Sequencing	나599-1나	C5994006	2091.42	139,290	139,290	2091.42	143,260	143,260	▲
41335	HIV Ab (CMIA)	SST Serum	CIA	나471나주	C4713	136.16	9,070	9,070	142.99	9,790	9,790	▲
41337	HIV Ab (Stem cell)	Stem cell	CIA	나471나	C4712	128.42	8,550	8,550	132.07	9,050	9,050	▲
42260	HIV Ag(AIDS Ag)	SST Serum	ELFA	너394	CX394	217.82	14,510	14,510	222.82	15,260	15,260	▲
42404	HIV RNA 정량	EDTA Plasma	real time PCR	너396	CY396006	2316.23	154,260	154,260	2317.76	158,770	158,770	▲
42391	HIV RT-PCR 정성	SST Serum	Nested RT-PCR	나597자	C5979006	1729.88	115,210	115,210	1791.12	122,690	122,690	▲
42410	HIV-I PCR 정성	EDTA Blood	Nested RT-PCR	나597자	C5979006	1729.88	115,210	115,210	1791.12	122,690	122,690	▲
25470	HLA A Typing (High)	EDTA Blood	PCR-SBT	나518다	CY916006	3806.45	253,510	253,510	3893.18	266,680	266,680	▲
26360	HLA A Typing (Low)	EDTA Blood	PCR-SSP	나518나	CY915006	2131.35	141,950	141,950	2084.13	142,760	142,760	▲
26361	HLA A Typing (Low)	Bone Marrow	PCR-SSP	나518나	CY915006	2131.35	141,950	141,950	2084.13	142,760	142,760	▲
25497	HLA A,B 조혈모이식1차	EDTA Blood	PCR-SBT	나518다	CY916006	3806.45	507,020	507,020	3893.18	533,360	533,360	▲
25499	HLA A,B,C,DR 조혈모 수여	EDTA Blood	PCR-SBT	나518다외	CY914006 외	0	989,270	989,270	0	1,044,320	1,044,320	▲
25480	HLA B Typing (High)	EDTA Blood	PCR-SBT	나518다	CY916006	3806.45	253,510	253,510	3893.18	266,680	266,680	▲
26370	HLA B Typing (Low)	EDTA Blood	PCR-SSP	나518나	CY915006	2131.35	141,950	141,950	2084.13	142,760	142,760	▲
26371	HLA B Typing (Low)	Bone Marrow	PCR-SSP	나518나	CY915006	2131.35	141,950	141,950	2084.13	142,760	142,760	▲
25500	HLA B27-PCR	EDTA Blood	PCR	나524나	CY917006	758.98	50,550	50,550	807.73	55,330	55,330	▲
25490	HLA C Typing (High)	EDTA Blood	PCR-SBT	나518다	CY916006	3806.45	253,510	253,510	3893.18	266,680	266,680	▲
26380	HLA C Typing (Low)	EDTA Blood	PCR-SSP	나518나	CY915006	2131.35	141,950	141,950	2084.13	142,760	142,760	▲
26381	HLA C Typing (Low)	Bone Marrow	PCR-SSP	나518나	CY915006	2131.35	141,950	141,950	2084.13	142,760	142,760	▲
25498	HLA C,DR 조혈모이식2차	EDTA Blood	PCR-SBT	나518다외	CY914006 외	0	482,250	482,250	0	510,960	510,960	▲
26390	HLA DQ Typing (Low)	EDTA Blood	PCR-SSP	나523나(2)	CY911006	2079.25	138,480	138,480	2105.72	144,240	144,240	▲
26391	HLA DQ Typing (Low)	Bone Marrow	PCR-SSP	나523나(2)	CY911006	2079.25	138,480	138,480	2105.72	144,240	144,240	▲
25520	HLA DQA1 (Low)	EDTA Blood	PCR-SSP	나523나(2)	CY911006	2079.25	138,480	138,480	2105.72	144,240	144,240	▲
25521	HLA DQA1 Typing(High)	EDTA Blood	PCR-SBT	나523다(2)	CY912006	3376.41	224,870	224,870	3493.47	239,300	239,300	▲
25530	HLA DQB1 (Low)	EDTA Blood	PCR-SSP	나523나(2)	CY911006	2079.25	138,480	138,480	2105.72	144,240	144,240	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
25535	HLA DQB1 Typing (High)	EDTA Blood	PCR-SBT	나523다(2)	CY912006	3376.41	224,870	224,870	3493.47	239,300	239,300	▲
25550	HLA DR Typing (Low)	EDTA Blood	PCR-SSP	나523나(1)	CY913006	2079.28	138,480	138,480	2105.74	144,240	144,240	▲
25560	HLA DR Typing(High)	EDTA Blood	PCR-SBT	나523다(1)	CY914006	3434.56	228,740	228,740	3566.18	244,280	244,280	▲
01055	HOMA of insulin resistance	복수검체	계산법	나341외	C3410외	0	0	13,080	0	0	13,500	▲
42430	HPV 16	분비물	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42480	HPV 16	분비물	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42440	HPV 18	분비물	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42490	HPV 18	분비물	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42450	HPV DNA Chip	분비물	DNA Chip	나595-2	C5959006	698.13	46,500	46,500	698.13	47,820	47,820	▲
42457	HPV DNA Chip(Tissue)	Tissue	DNA Chip	나595-2	C5959006	698.13	46,500	46,500	698.13	47,820	47,820	▲
42455	HPV genotyping(microarray)	분비물		나595-2	C5959006	698.13	46,500	46,500	698.13	47,820	47,820	▲
42420	HPV Screening	분비물	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42470	HPV Screening	분비물	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42425	HPV Screening (Tissue)	Tissue	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42460	HPV Screening (Type 16,18)	분비물		나595아	C5956006	409.2	54,500	54,500	415.49	28,460	56,920	▲
42495	HPV(Condyloma)	분비물	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42155	HSV culture	Other	Shell Vial Culture	나416	B4160006	560.25	37,310	37,310	574.26	39,340	39,340	▲
41380	HSV IgG	SST Serum	EIA	나468나(1)	C4682466	270.11	17,990	17,990	273.64	18,740	18,740	▲
41381	HSV IgG	CSF	EIA	나468나(1)	C4682466	270.11	17,990	17,990	273.64	18,740	18,740	▲
41390	HSV IgM	SST Serum	EIA	나468나(2)	C4683466	259.99	17,320	17,320	261	17,880	17,880	▲
41391	HSV IgM	CSF	EIA	나468나(2)	C4683466	259.99	17,320	17,320	261	17,880	17,880	▲
41440	HSV Type 2 IgG	SST Serum	EIA	나468나(1)	C4682466	270.11	17,990	17,990	273.64	18,740	18,740	▲
41441	HSV Type 2 IgG	CSF	EIA	나468나(1)	C4682466	270.11	17,990	17,990	273.64	18,740	18,740	▲
42500	HSV Type I(PCR)	EDTA Blood	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42510	HSV Type II(PCR)	EDTA Blood	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
43080	HSV type I IgG	SST Serum	EIA	나468나(1)	C4682466	270.11	17,990	17,990	273.64	18,740	18,740	▲
43081	HSV type I IgG	CSF	EIA	나468나(1)	C4682466	270.11	17,990	17,990	273.64	18,740	18,740	▲
41475	HTLV-I/II Ab (EIA)	SST Serum	EIA	나468나(1)	C4682596	270.11	17,990	17,990	273.64	18,740	18,740	▲
41476	HTLV-I/II Ab (EIA)	CSF	EIA	나468나(1)	C4682596	270.11	17,990	17,990	273.64	18,740	18,740	▲
41477	HTLV-I/II Ab (EIA)	EDTA Plasma	EIA	나468나(1)	C4682596	270.11	17,990	17,990	273.64	18,740	18,740	▲
25605	Huntington's disease	EDTA Blood	PCR Fragment analysis	너573가	CY531006	1150.44	76,620	76,620	1199.67	82,180	82,180	▲
00868	HVA 정량	CSF	GC/MSD	너225나	CY251006	343.48	22,880	22,880	351.79	24,100	24,100	▲
00861	HVA 정량 (Plasma)	EDTA Plasma	GC/MSD	너225나	CY251006	343.48	22,880	22,880	351.79	24,100	24,100	▲
00865	HVA 정량(HPLC)	24hr Urine	HPLC	너225나	CY251006	343.48	22,880	22,880	351.79	24,100	24,100	▲
00866	HVA 정량(HPLC)	Random Urine	HPLC	너225나	CY251006	343.48	22,880	22,880	351.79	24,100	24,100	▲
12105	Hyaluronic Acid	SST Serum	TIA	너345가(3)	CY343	229.5	15,280	15,280	201.9	13,830	13,830	▼
20200	IgA	SST Serum	TIA	나228나	C2282	137.53	9,160	9,160	139.93	9,590	9,590	▲
20201	IgA	EDTA Plasma	TIA	나228나	C2282	137.53	9,160	9,160	139.93	9,590	9,590	▲
20205	IgA (서울대)	SST Serum	Nephelometry	나228나	C2282	137.53	9,160	9,160	139.93	9,590	9,590	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
20210	IgD	SST Serum	SRID	나228라	C2284	134.49	8,960	8,960	136.12	9,320	9,320	▲
60003	IgE (ECLIA)	SST Serum	ECLIA	나229	C2290	234.98	15,650	15,650	237.9	16,300	16,300	▲
62585	IgE MAST-식이성 42종	SST Serum	Immunoblot assay	나232	C2320006	1339.8	89,230	89,230	1343.99	92,060	92,060	▲
62595	IgE MAST-흡입성 42종	SST Serum	Immunoblot assay	나232	C2320006	1339.8	89,230	89,230	1343.99	92,060	92,060	▲
62640	IgE_Clam:F207	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60380	IgE-A.Tenuis:M6	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62740	IgE-Abalone:F346	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60360	IgE-Acarus Siro:D70	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61180	IgE-Alder:T2	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60370	IgE-Almond:F20	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62860	IgE-Amoxycilloyl:C6	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62850	IgE-Ampicilloyl:C5	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60390	IgE-Anisakis:P4	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60400	IgE-Apple:F49	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60420	IgE-Asp.Fumigatus:M3	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60480	IgE-Banana:F92	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60490	IgE-Barley:F6	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60500	IgE-Beech:T5	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60510	IgE-Beef:F27	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62460	IgE-Beer Yeast:F45	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60530	IgE-Bermuda Grass:G2	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60105	IgE-Birch:T3	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60560	IgE-Blue Mussel:F37	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62630	IgE-Broccoli:F260	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60590	IgE-Buckwheat:F11	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60640	IgE-C.pityrosporum:M70	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60620	IgE-Cacao:F93	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62870	IgE-Cafaclor:C7	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60630	IgE-Candida Albicans:M5	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60650	IgE-Carrot:F31	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60670	IgE-Casein:F78	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60685	IgE-Cat Epithelium:E1	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60690	IgE-Celery:F85	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60700	IgE-Cheddar Cheese:F81	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60705	IgE-Chestnut:F299	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60710	IgE-Chicken meat:F83	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60750	IgE-CI.Herbarum:M2	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60775	IgE-Cockroach:I6	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60800	IgE-Codfish:F3	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
60820	IgE-Common Ragweed:W1	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61500	IgE-Corn:F8	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60840	IgE-Cottonwood:T14	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60860	IgE-Crab:F23	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60905	IgE-D.Farinae:D2	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62930	IgE-D.microceras:D3	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60915	IgE-D.Pteronyssinus:D1	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60920	IgE-Dandelion:W8	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60935	IgE-Dog dander:E5	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60950	IgE-Duck Feathers:E86	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60995	IgE-Egg White:F1	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61005	IgE-Egg Yolk:F75	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62800	IgE-Egg:F245	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
63051	IgE-Food Mix:Fx1	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
63052	IgE-Food Mix:Fx10	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
63050	IgE-Food Mix:Fx5	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
63053	IgE-Food Mix:Fx74	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62970	IgE-Formaldehyde:K80	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61100	IgE-Garlic:F47	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61110	IgE-Gluten:F79	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61170	IgE-Grape fruit:F209	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61240	IgE-Hazel Nut:F17	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61230	IgE-Hazel:T4	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61250	IgE-Honey Bee Venom:I1	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60300	IgE-Horse mackerel:F60	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61270	IgE-House dust1:H1	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61280	IgE-House dust2:H2	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61345	IgE-Isocyanate MDI:K76-RIA	SST Serum	IRMA	나231주2	C7231	199.38	13,280	13,280	204.59	14,010	14,010	▲
61355	IgE-Isocyanate TDI:K75-RIA	SST Serum	IRMA	나231주2	C7231	199.38	13,280	13,280	204.59	14,010	14,010	▲
61360	IgE-Japanes cedar:T17	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61370	IgE-Japanese hop:W22	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61415	IgE-Kiwi:F84	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61120	IgE-L.Destructor:D71	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61440	IgE-Latex:K82	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61460	IgE-Lobster:F80	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61490	IgE-Mackerel:F50	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61540	IgE-Marguerite:W7	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61550	IgE-Meadow Fescue:G4	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61580	IgE-Melon:F87	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
61605	IgE-Milk:F2	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62750	IgE-Mix grass pollen:Gx2	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62820	IgE-Mix house dust:Hx2	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
63190	IgE-Mix Tree Pollen:Tx1	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62770	IgE-Mix tree pollen:Tx5	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
63180	IgE-Mixed epithelia:Ex1	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61625	IgE-Mold Cheese:F82	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62760	IgE-Mold mix:Mx1	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61640	IgE-Mosquito(속):I71	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61680	IgE-Mugwort:W6	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61720	IgE-Oak:T7	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
63150	IgE-Omega-5 Gliadine:F416	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61770	IgE-Onion:F48	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61780	IgE-Orange:F33	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61790	IgE-Orchard Grass:G3	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61795	IgE-Ovomucoid:F233	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62710	IgE-Oyster:F290	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61810	IgE-P.Wasp Venom:I4	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61195	IgE-Pea:F12	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61850	IgE-Peach:F95	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61860	IgE-Peanut:F13	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61870	IgE-Pear:F94	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61890	IgE-Penicillium notatum:M1	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61900	IgE-Penicilloyl G:C1	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61910	IgE-Penicilloyl V:C2	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62670	IgE-Pine nuts:F253	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62620	IgE-Pineapple:F210	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61970	IgE-Pork:F26	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61980	IgE-Potato:F35	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61990	IgE-Pumpkin:F225	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62000	IgE-Rabbit epithelium:E82	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60405	IgE-rAra h2:F423	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62050	IgE-Rice:F9	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
61920	IgE-Rye Grass:G5	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62080	IgE-Rye:F5	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62100	IgE-Sadine:F61	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62110	IgE-Salmon:F41	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62135	IgE-Sesame Seed:F10	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62150	IgE-Shrimp:F24	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
62185	IgE-Soybean:F14	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62190	IgE-Spinach:F214	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62210	IgE-Strawberry:F44	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62230	IgE-Sweat Vernal:G1	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62270	IgE-T.Putre Scentiae:D72	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62280	IgE-Timothy Grass:G6	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62300	IgE-Tomato:F25	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62840	IgE-Tree mixture:Tx9	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62720	IgE-Trichophyton:M205	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62320	IgE-Tuna:F40	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62350	IgE-Walnut pollen:T10	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62810	IgE-Walnut:F256	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
63030	IgE-Weed Mix:Wx5	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62360	IgE-Western Ragweed:W2	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62370	IgE-Wheat:F4	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62390	IgE-White Ash:T15	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62400	IgE-White faced hornet:I2	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
60960	IgE-White Pine:T16	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62430	IgE-Willow:T12	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62830	IgE-Yellow hornet:I5	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62480	IgE-Yellow J.WaspVenom:I3	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62495	IgE-αLactalbumin:F76	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
62505	IgE-βLactoglobulin:F77	SST Serum	FEIA	나231	C2310	214.74	14,300	14,300	223.79	15,330	15,330	▲
01295	IGFBP-3 (CLIA)	SST Serum	CLIA	너231	CX231	265.33	17,670	17,670	245.38	16,810	16,810	▼
20220	IgG	SST Serum	TIA	나228가	C2281	137.11	9,130	9,130	139.4	9,550	9,550	▲
20221	IgG	CSF	TIA	나228가	C2281	137.11	9,130	9,130	139.4	9,550	9,550	▲
20226	IgG (서울대)	SST Serum	Nephelometry	나228가	C2281	137.11	9,130	9,130	139.4	9,550	9,550	▲
20225	IgG, Low Conc	CSF	TIA	나228가	C2281	137.11	9,130	9,130	139.4	9,550	9,550	▲
20230	IgG I Subclass	SST Serum	SRID	너181가	BY181	145.34	9,680	9,680	135.9	9,310	9,310	▼
20240	IgG IISubclass	SST Serum	SRID	너181나	BY182	145.34	9,680	9,680	135.9	9,310	9,310	▼
20250	IgG IIISubclass	SST Serum	SRID	너181다	BY183	145.34	9,680	9,680	135.9	9,310	9,310	▼
20260	IgG IVSubclass	SST Serum	SRID	너181라	BY184	145.34	9,680	9,680	135.9	9,310	9,310	▼
25885	IgH gene rearrangement	Block	Nested PCR	너563바	CY056006	587.11	39,100	39,100	609.58	41,760	41,760	▲
20270	IgM	SST Serum	TIA	나228다	C2283	137.57	9,160	9,160	139.97	9,590	9,590	▲
20271	IgM	Hp Plasma	TIA	나228다	C2283	137.57	9,160	9,160	139.97	9,590	9,590	▲
20275	IgM (서울대)	SST Serum	Nephelometry	나228다	C2283	137.57	9,160	9,160	139.97	9,590	9,590	▲
65621	Imipramine	Plain Blood	LC/MS/MS	나450나(4)	CX375696	570.54	38,000	38,000	577.54	39,560	39,560	▲
20621	Immuno E.P (24h urine)	24hr Urine	Electrophoresis	나308나	B3083006	448.07	29,840	29,840	456.92	31,300	31,300	▲
20625	Immuno E.P (IgG,M,A,D,E)	SST Serum	Electrophoresis	나308가	B3081006	392.35	26,130	26,130	399.11	27,340	27,340	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
20623	Immuno E.P (Random urine)	Random Urine	Electrophoresis	나308나	B3083006	448.07	29,840	29,840	456.92	31,300	31,300	▲
20620	Immuno E.P (Serum)	SST Serum	Electrophoresis	나308가	B3081006	392.35	26,130	26,130	399.11	27,340	27,340	▲
20626	Immuno E.P(IgG,M,A,D,E)(U)	Random Urine	Electrophoresis	나308가	B3081006	392.35	26,130	26,130	399.11	27,340	27,340	▲
20611	Immuno Fixation EP	Random Urine	Electrophoresis	나308나주	B3084006	599.93	39,960	39,960	615.6	42,170	42,170	▲
20610	Immuno Fixation EP (Serum)	SST Serum	Electrophoresis	나308가주	B3082006	530.84	35,350	35,350	544.86	37,320	37,320	▲
20731	Immunoglobulin E.P (24U)	24hr Urine	Electrophoresis	나308나	B3083006	448.07	29,840	29,840	456.92	31,300	31,300	▲
20730	Immunoglobulin E.P (Serum)	SST Serum	Electrophoresis	나308가	B3081006	392.35	26,130	26,130	399.11	27,340	27,340	▲
20733	Immunoglobulin E.P (U)	Random Urine	Electrophoresis	나308나	B3083006	448.07	29,840	29,840	456.92	31,300	31,300	▲
20228	Immunoglobulin G Index	SST Serum	계산법			0	0	33,380	0	0	34,580	▲
26565	Immunoglobulin heavy chain	Tissue	Nested PCR	나598다	C5983006	941.31	62,690	62,690	921.04	63,090	63,090	▲
80650	Immunohistochemistry	Smear Slide		나557	C5575006	463.89	30,900	30,900	460.81	31,570	31,570	▲
70820	India ink prep.	CSF		나401	B4010	27.19	1,810	1,810	25.28	1,730	1,730	▼
70821	India ink prep.	Other		나401	B4010	27.19	1,810	1,810	25.28	1,730	1,730	▼
10060	Indirect Bilirubin	SST Serum	계산법	나372	C3720+C3721	0	0	2,490	0	0	2,390	▼
10061	Indirect Bilirubin	Capillary	계산법	나372 외	C3720 외	0	0	2,490	0	0	2,390	▼
30330	Indirect Coombs	SST Serum	Microcolumn	나204나주주	B2048006	71.52	4,760	4,760	75.71	5,190	5,190	▲
12150	Indocyanine Green소실율	SST Serum	Colorimetry	나399나	C3992006	437.42	29,130	29,130	403.65	27,650	27,650	▼
12140	Indocyanine Green정체율	SST Serum	Colorimetry	나399가	C3991006	273	18,180	18,180	245.82	16,840	16,840	▼
42165	Influenza A Culture	Other	Shell Vial Culture	나416	B4160006	560.25	37,310	37,310	574.26	39,340	39,340	▲
42175	Influenza B Culture	Other	Shell Vial Culture	나416	B4160006	560.25	37,310	37,310	574.26	39,340	39,340	▲
42280	Influenza virus A & B Ag	Sputum	DFA	나469	C4690596	203.16	27,060	27,060	203.37	27,860	27,860	▲
42281	Influenza virus A Ag	Sputum	DFA	나469	C4690596	203.16	13,530	13,530	203.37	13,930	13,930	▲
42282	Influenza virus B Ag	Sputum	DFA	나469	C4690596	203.16	13,530	13,530	203.37	13,930	13,930	▲
01864	Inhibin-A	SST Serum	CLIA	나369	CZ211	350.82	23,360	23,360	350.82	24,030	24,030	▲
01025	Insulin (ECLIA)	SST Serum	ECLIA	나341	C3410	177.6	11,830	11,830	179.71	12,310	12,310	▲
01026	Insulin (ECLIA)	EDTA Plasma	ECLIA	나341	C3410	177.6	11,830	11,830	179.71	12,310	12,310	▲
01047	Insulin A/C	SST Serum	ECLIA	나341주	C7341	168.18	11,200	11,200	167.94	11,500	11,500	▲
01040	Insulin Ab(RIA)	SST Serum	RIA	나444주	CX745	143.86	9,580	9,580	123.67	8,470	8,470	▼
01048	Insulin P/C	SST Serum	ECLIA	나341주	C7341	168.18	11,200	11,200	167.94	11,500	11,500	▲
13150	Iodide	Random Urine		나234	CX234	61.89	4,120	4,120	57.01	3,910	3,910	▼
30140	Iron Stain	Bone Marrow Slide	Stain	나118다	B1185006	86.96	5,790	5,790	87.45	5,990	5,990	▲
12730	Iron (Fe)	SST Serum	Colorimetry	나249	C2490	34.94	2,330	2,330	32.95	2,260	2,260	▼
12732	Iron (Fe)(Tissue)	Tissue	AAS	나452	C4527990	613.25	40,840	40,840	619.4	42,430	42,430	▲
51880	Islet cell Ab	SST Serum	IFA	나446	CX446006	123.93	8,250	8,250	121.34	8,310	8,310	▲
30370	Isoagglutinin test	복수검체		나208	B2080006	106.48	7,090	7,090	99.47	6,810	6,810	▼
71030	Joint fluid analysis	Joint Fluid		나51	B0510	50.45	3,360	3,360	51.91	3,560	3,560	▲
71031	Joint fluid analysis	Other		나51	B0510	50.45	3,360	3,360	51.91	3,560	3,560	▲
25893	Kappa light chain	Random Urine		나554자	C5548	269.27	17,930	17,930	249.95	17,120	17,120	▼
25894	Kappa light chain	SST Serum		나554자	C5548	269.27	17,930	17,930	249.95	17,120	17,120	▼

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
12200	Ketone body 3분획	EDTA Plasma	GC/MSD	너271	CX271006	179.61	11,960	11,960	158.71	10,870	10,870	▼
12201	Ketone body 3분획	Random Urine	GC/MSD	너271	CX271006	179.61	11,960	11,960	158.71	10,870	10,870	▼
12210	Ketone Body 3분획	SST Serum	GC/MSD	너271	CX271006	179.61	11,960	11,960	158.71	10,870	10,870	▼
12170	Ketone body 정성	Random Urine	Colorimetry	나386	C3860	75.42	5,020	5,020	75.95	5,200	5,200	▲
12171	Ketone body 정성	SST Serum	Colorimetry	나386	C3860	75.42	5,020	5,020	75.95	5,200	5,200	▲
30441	Kidd A 혈액형검사	EDTA Blood	Tube	나203	B2030006	73.81	4,920	4,920	70.22	4,810	4,810	▼
30442	Kidd B 혈액형검사	EDTA Blood	Tube	나203	B2030006	73.81	4,920	4,920	70.22	4,810	4,810	▼
70830	KOH Mount	Other		나400아	B4107	75.96	5,060	5,060	75.96	5,200	5,200	▲
41650	Korea virus I	SST Serum				0	21,150	21,150	0	20,100	20,100	▼
41660	Korea VirusⅢ	SST Serum				0	53,370	53,370	0	54,950	54,950	▲
41663	Korea VirusⅢ,CSF	CSF				0	53,370	53,370	0	54,950	54,950	▲
51890	L.E. Cell	Plain Blood	Manual	나112	B1120006	55.53	3,700	3,700	54.96	3,760	3,760	▲
30930	LAC confirm	SC Plasma	Clot-based	나171나	B1712006	303.93	20,240	20,240	310.12	21,240	21,240	▲
30935	LAC screen	SC Plasma	Clot-based	나171가	B1711	199.4	13,280	13,280	207.39	14,210	14,210	▲
10740	Lactic Acid	NaF Plasma	Enzyme	너345가(5)	CY345	229.5	15,280	15,280	201.9	13,830	13,830	▼
10741	Lactic Acid	CSF	Enzyme	너345가(5)	CY345	229.5	15,280	15,280	201.9	13,830	13,830	▼
10742	Lactic Acid	Other	Enzyme	너345가(5)	CY345	229.5	15,280	15,280	201.9	13,830	13,830	▼
25613	Lambda light chain	Random Urine		나554자	C5548	269.27	17,930	17,930	249.95	17,120	17,120	▼
25614	Lambda light chain	SST Serum		나554자	C5548	269.27	17,930	17,930	249.95	17,120	17,120	▼
65782	Lamotrigine	Plain Serum	HPLC	나450가(3)	CX374690	313.25	20,860	20,860	325.85	22,320	22,320	▲
10390	LAP	SST Serum	Enzyme	나267	B2670	44.3	2,950	2,950	40.76	2,790	2,790	▼
30380	LAP Score	Blood Smear Slide		나126	B1260006	87.29	5,810	5,810	87.86	6,020	6,020	▲
10410	LDH	SST Serum	Enzyme	나259	B2590	33.47	2,230	2,230	30.05	2,060	2,060	▼
10411	LDH	Body Fluid	Enzyme	나259	B2590	33.47	2,230	2,230	30.05	2,060	2,060	▼
20640	LDH Isoenzyme	SST Serum	Electrophoresis	나303	B3030006	175.89	11,710	11,710	176.33	12,080	12,080	▲
20641	LDH Isoenzyme	Body Fluid	Electrophoresis	나303	B3030006	175.89	11,710	11,710	176.33	12,080	12,080	▲
11110	LDL-Cholesterol	SST Serum	Enzyme	나243	C2430	89.39	5,950	5,950	88.58	6,070	6,070	▲
12752	Lead(Pb)	Trace EDTA Blood	ICP/MS	나452나(2)	C4523630	309.81	20,630	20,630	313.68	21,490	21,490	▲
12753	Lead(Pb)	24hr Urine	ICP/MS	나452나(2)	C4523630	309.81	20,630	20,630	313.68	21,490	21,490	▲
71140	Legionella Ag	Random Urine	ICA	나531	C5310	100.26	6,680	6,680	100.26	6,870	6,870	▲
43570	Legionella pneumophilaPCR	Sputum	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
41611	Leptospira Ab	SST Serum		나466가	C4661020	118.09	7,860	7,860	113.14	7,750	7,750	▼
41621	Leptospira Ab Titer	SST Serum		나466가	C4661020	118.09	7,860	7,860	113.14	7,750	7,750	▼
41668	Leptospirosis(PHA)	SST Serum	PHA	나466가	C4661020	118.09	7,860	7,860	113.14	7,750	7,750	▼
26130	Leukemia marker study	EDTA Blood	IFA	나512+ 나513	C512~30006	0	553,730	553,730	0	571,380	571,380	▲
26131	Leukemia marker study	Bone Marrow	IFA	나512+ 나513	C512~30006	0	553,730	553,730	0	571,380	571,380	▲
26135	Leukemia marker study	Bone Marrow	Flow Cytometry	나511~3	C5111006외	0	508,070	508,070	0	524,010	524,010	▲
00106	LH (ECLIA)	SST Serum	ECLIA	나348	C3480	154.54	10,290	10,290	152.68	10,460	10,460	▲
25620	LHON 11778	EDTA Blood	PCR-RFLP	너562나	CY622006	460.19	30,650	30,650	471.06	32,270	32,270	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
25630	LHON 14484	EDTA Blood	PCR-RFLP	너562나	CY622006	460.19	30,650	30,650	471.06	32,270	32,270	▲
26460	LHON 3460	EDTA Blood	PCR-RFLP	너562나	CY622006	460.19	30,650	30,650	471.06	32,270	32,270	▲
25645	LHON 3460,4171,11778,14484	EDTA Blood	PCR-RFLP	너562나	CY622006	460.19	122,600	122,600	471.06	129,080	129,080	▲
25635	LHON 4171	EDTA Blood	PCR-RFLP	너562나	CY622006	460.19	30,650	30,650	471.06	32,270	32,270	▲
25640	LHON3460,11778,14484,15257	EDTA Blood	PCR-RFLP	너562나	CY622006	460.19	122,600	122,600	471.06	129,080	129,080	▲
10425	Lipase	SST Serum	Colorimetry	나262	B2621	60.09	4,000	4,000	59.82	4,100	4,100	▲
10426	Lipase	Body Fluid	Colorimetry	나262	B2621	60.09	4,000	4,000	59.82	4,100	4,100	▲
11116	Lipid profile	SST Serum	계산법	나241 외	C2411 외	0	10,100	10,100	0	9,870	9,870	▼
20650	Lipoprotein E.P	SST Serum	Electrophoresis	나301	B3010006	130.06	8,660	8,660	121.64	8,330	8,330	▼
20651	Lipoprotein E.P	Body Fluid	Electrophoresis	나301	B3010006	130.06	8,660	8,660	121.64	8,330	8,330	▼
12860	Lipoprotein(a)	SST Serum	TIA	나248	C2480	160.82	10,710	10,710	161.26	11,050	11,050	▲
71170	Listeria culture	Other	Culture	나405가	B4051	163.15	10,870	10,870	168.28	11,530	11,530	▲
12765	Lithium(Li)	SST Serum	AAS	나452나(2)	C4523610	309.81	20,630	20,630	313.68	21,490	21,490	▲
26090	Lymphocyte subset 3종	EDTA Blood		나512	C5120006	449.61	89,820	89,820	451.56	30,930	92,790	▲
26091	Lymphocyte subset 3종	Bone Marrow		나512	C5120006	449.61	89,820	89,820	451.56	30,930	92,790	▲
26115	Lymphocyte subset 4종	EDTA Blood		나512	C5120006	449.61	119,760	119,760	451.56	123,720	123,720	▲
26100	Lymphocyte subset 4종	EDTA Blood		나512	C5120006	449.61	119,760	119,760	451.56	30,930	123,720	▲
26101	Lymphocyte subset 4종	Bone Marrow		나512	C5120006	449.61	119,760	119,760	451.56	30,930	123,720	▲
26110	Lymphocyte subset 4종	EDTA Blood		나512	C5120006	449.61	119,760	119,760	451.56	30,930	123,720	▲
30451	M 혈액형검사	EDTA Blood	Tube	나203	B2030006	73.81	4,920	4,920	70.22	4,810	4,810	▼
71230	M.h & U.u 배양및약제감수성	Other	Culture	너301	BY301+3006	0	54,000	54,000	0	57,000	57,000	▲
10120	Magnesium (Mg)	SST Serum	Colorimetry	나379사	C3797	24.96	1,660	1,660	23.99	1,640	1,640	▼
10121	Magnesium (Mg)	24hr Urine	Colorimetry	나379사	C3797	24.96	1,660	1,660	23.99	1,640	1,640	▼
10122	Magnesium (Mg)	Random Urine	Colorimetry	나379사	C3797	24.96	1,660	1,660	23.99	1,640	1,640	▼
70840	Malaria	Blood Smear Slide	Manual	나115	B1150006	46.68	3,110	3,110	47.83	3,280	3,280	▲
42551	Malaria P. falciparum PCR	EDTA Blood	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42553	Malaria P. malariae PCR	EDTA Blood	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42554	Malaria P. ovale PCR	EDTA Blood	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42552	Malaria P. vivax PCR	EDTA Blood	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42540	Malaria PCR	EDTA Blood	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42545	Malaria PCR 2종	EDTA Blood	PCR	나595아	C5956006	409.2	54,500	54,500	415.49	28,460	56,920	▲
42555	Malaria PCR 4종	EDTA Blood	PCR	나595아	C5956006	409.2	109,000	109,000	415.49	28,460	113,840	▲
12220	Mandelic acid	Random Urine	HPLC	나451나(3)	CY373020	281.02	18,720	18,720	251.42	17,220	17,220	▼
12770	Mangane(Mn)	Trace EDTA Blood	AAS	나452나(2)	C4523660	309.81	20,630	20,630	313.68	21,490	21,490	▲
12771	Mangane(Mn)	24hr Urine	AAS	나452나(2)	C4523660	309.81	20,630	20,630	313.68	21,490	21,490	▲
12772	Mangane(Mn)	Random Urine	AAS	나452나(2)	C4523660	309.81	20,630	20,630	313.68	21,490	21,490	▲
82110	Massons Trichrome Stain	Tissue		나553나	C5532	123.07	8,200	8,200	123.77	8,480	8,480	▲
41680	Measles virus IgG(ELISA)	SST Serum	EIA	나468나(1)	C4682486	270.11	17,990	17,990	273.64	18,740	18,740	▲
41681	Measles virus IgG(ELISA)	CSF	EIA	나468나(1)	C4682486	270.11	17,990	17,990	273.64	18,740	18,740	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
41690	Measles virus IgM(ELISA)	SST Serum	EIA	나468나(2)	C4683486	259.99	17,320	17,320	261	17,880	17,880	▲
41691	Measles virus IgM(ELISA)	CSF	EIA	나468나(2)	C4683486	259.99	17,320	17,320	261	17,880	17,880	▲
26730	MEN2(FMTC), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006	3875.61	258,120	258,120	4105.53	281,230	281,230	▲
26740	MEN2(MEN2A), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006	3875.61	258,120	258,120	4105.53	281,230	281,230	▲
26750	MEN2(MEN2B), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006	3875.61	258,120	258,120	4105.53	281,230	281,230	▲
12783	Mercury(Hg)	Other	AAS	나452	C4527640	613.25	40,840	40,840	619.4	42,430	42,430	▲
12784	Mercury(Hg)	Trace EDTA Blood	ICP/MS	나452나(2)	C4523640	309.81	20,630	20,630	313.68	21,490	21,490	▲
12785	Mercury(Hg)	24hr Urine	ICP/MS	나452나(2)	C4523640	309.81	20,630	20,630	313.68	21,490	21,490	▲
12786	Mercury(Hg)	Random Urine	ICP/MS	나452나(2)	C4523640	309.81	20,630	20,630	313.68	21,490	21,490	▲
20520	Met Hemoglobin	EDTA Blood	Oximeter	나382가	C3821	49.68	3,310	3,310	48.88	3,350	3,350	▲
00885	Metanephrine 2F(HPLC)	24hr Urine	HPLC	너228		0	43,700	43,700	0	45,560	45,560	▲
00886	Metanephrine(HPLC)	24hr Urine	HPLC	너228라	CY284006	328.04	21,850	21,850	332.51	22,780	22,780	▲
00892	Metanephrine,Total(HPLC)	24hr Urine	HPLC	너228라	CY284006	328.04	21,850	21,850	332.51	22,780	22,780	▲
65640	Methotrexate(MTX)	SST Serum	면역형광	나450나(2)	C4504130	247.78	16,500	16,500	252.59	17,300	17,300	▲
12230	Methylhippuric acid	Random Urine	HPLC	나451나(3)	CY373040	281.02	18,720	18,720	251.42	17,220	17,220	▼
12235	Methylhippuric acid (아산)	Random Urine	HPLC	나451나(3)	CY373040	281.02	18,720	18,720	251.42	17,220	17,220	▼
10001	Microalbumin	24hr Urine	TIA	나230나	C2302	203.09	13,530	13,530	203.5	13,940	13,940	▲
10002	Microalbumin	Random Urine	TIA	나230나	C2302	203.09	13,530	13,530	203.5	13,940	13,940	▲
20290	Microalbumin 정성	Random Urine	Strip	나230가	C2301	11.39	760	760	10.67	730	730	▼
20280	Microalbumin(RIA)	24hr Urine	RIA	나230나주	C7230	192.27	12,810	12,810	189.97	13,010	13,010	▲
20281	Microalbumin(RIA)	Random Urine	RIA	나230나주	C7230	192.27	12,810	12,810	189.97	13,010	13,010	▲
10005	Microalbumin/creatinine	Random Urine	TIA	나221 외	C2302+C3750	0	14,750	14,750	0	15,090	15,090	▲
51900	Mitochondrial DNA MELAS	EDTA Blood	PCR-RFLP	너562다	CY623006	460.66	92,040	92,040	471.65	96,930	96,930	▲
51910	Mitochondrial DNA MERRF	EDTA Blood	PCR-RFLP	너562라	CY624006	470.37	31,330	31,330	483.79	33,140	33,140	▲
30050	Mixing Test	SC Plasma	Clot-based	나177	B1770006	190.62	12,700	12,700	187.15	12,820	12,820	▲
26420	MLH1gene mutation analysis	EDTA Blood	Sequencing	나599나(2)	CY711006	7289.6	485,490	485,490	7634.12	522,940	522,940	▲
02090	MSAFP	SST Serum	RIA	나421나주	C7421	158.82	10,580	10,580	154.98	10,620	10,620	▲
01861	MS-AFP	SST Serum	RIA	나421나주	C7421	158.82	10,580	10,580	154.98	10,620	10,620	▲
26430	MSH2 gene mutation	EDTA Blood	Sequencing	나599나(2)	CY712006	7289.6	485,490	485,490	7634.12	522,940	522,940	▲
01862	MS-hCG	SST Serum	RIA	나352주	C7352	195.53	13,020	13,020	194.93	13,350	13,350	▲
27674	MSI Test	Block	PCR Fragment analysis	너574	CX574006	3013.24	200,680	200,680	3117.41	213,540	213,540	▲
27679	MSI(Microsatellite) test	Block		너574	CX574006	3013.24	200,680	200,680	3117.41	213,540	213,540	▲
01863	MS-uE3	SST Serum	RIA	나327주	C7327	212.59	14,160	14,160	211.2	14,470	14,470	▲
42606	MTB & NTM PCR	Sputum	PCR+Hybridization	나595-1가	C6021006	654.51	43,590	43,590	672.67	46,080	46,080	▲
42601	MTB PCR (결핵협회)	Sputum	PCR	나595다	C5953006	402.46	26,800	26,800	407.06	27,880	27,880	▲
42611	MTB PCR (조직)	Tissue	Nested PCR	너563사	CY059006	575.61	38,340	38,340	595.22	40,770	40,770	▲
27265	MTHFR(C677T)	EDTA Blood	PCR-RFLP	너562아	CY628006	463.98	30,900	30,900	475.79	32,590	32,590	▲
27060	MTHFR(C677T) genotyping	EDTA Blood		너562아	CY628006	463.98	30,900	30,900	475.79	32,590	32,590	▲
71040	Mucin clot test	Joint Fluid	Manual	나54	B0540	11.41	760	760	11.58	790	790	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
10795	Mucopolysaccharide 정성	Random Urine		나444가	C4441	24.85	1,660	1,660	22.62	1,550	1,550	▼
10780	Mucopolysaccharidosis 선별	Random Urine		나444나	C4442	62.85	4,190	4,190	59.36	4,070	4,070	▼
42180	Mumps Culture	Random Urine	Culture	나416	B4160006	560.25	37,310	37,310	574.26	39,340	39,340	▲
41730	Mumps virus IgG (ELISA)	SST Serum	EIA	나468나(1)	C4682506	270.11	17,990	17,990	273.64	18,740	18,740	▲
41731	Mumps virus IgG (ELISA)	CSF	EIA	나468나(1)	C4682506	270.11	17,990	17,990	273.64	18,740	18,740	▲
41740	Mumps virus IgM (ELISA)	SST Serum	EIA	나468나(2)	C4683506	259.99	17,320	17,320	261	17,880	17,880	▲
41741	Mumps virus IgM (ELISA)	CSF	EIA	나468나(2)	C4683506	259.99	17,320	17,320	261	17,880	17,880	▲
42590	Mumps virus RNA(RT-PCR)	CSF	RT-PCR	나596라	C5969006	644.86	42,950	42,950	678.1	46,450	46,450	▲
50870	Mycoplasma Ab	SST Serum	PA	나474가	C4741820	64.49	4,300	4,300	59.99	4,110	4,110	▼
50871	Mycoplasma Ab	Body Fluid	PA	나474가	C4741820	64.49	4,300	4,300	59.99	4,110	4,110	▼
42620	Mycoplasma genitalium PCR	분비물	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
71190	Mycoplasma hominis culture	Other	Culture	너301가	BY301006	405.47	27,000	27,000	416.05	28,500	28,500	▲
42630	Mycoplasma hominis PCR	분비물	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
52300	Mycoplasma pneumoniae IgG	SST Serum	EIA	나474나(1)	C4742826	206.65	13,760	13,760	207.72	14,230	14,230	▲
52310	Mycoplasma pneumoniae IgM	SST Serum	EIA	나474나(2)	C4743826	205.15	13,660	13,660	205.84	14,100	14,100	▲
52311	Mycoplasma pneumoniae IgM	CSF	EIA	나474나(2)	C4743826	205.15	13,660	13,660	205.84	14,100	14,100	▲
42640	Mycoplasma pneumoniae PCR	Sputum	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
01330	Myoglobin	SST Serum	CLIA	나384나	C3842	233.09	15,520	15,520	234.1	16,040	16,040	▲
01331	Myoglobin	Random Urine	CLIA	나384나	C3842	233.09	15,520	15,520	234.1	16,040	16,040	▲
25681	Myotonic Muscular Dystroph	EDTA Blood	Southern blot	나598가	C5980006	1005.93	66,990	66,990	1001.8	68,620	68,620	▲
25680	Myotonic Muscular Dystrophy	복수검체	Southern blot	너573+나598	CY539006오	0	140,150	140,150	0	146,340	146,340	▲
30452	N 혈액형검사	EDTA Blood	Tube	나203	B2030006	73.81	4,920	4,920	70.22	4,810	4,810	▼
71082	N. gonor Culture&Sensi(G)	Other	Culture	나405+나406	B4051+B4061	0	18,510	18,510	0	19,460	19,460	▲
71080	N. gonorrhoeae Culture	Other	Culture	나405가	B4051	163.15	10,870	10,870	168.28	11,530	11,530	▲
42650	N. gonorrhoeae PCR	분비물	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
50464	N. meningitis	CSF	Latex	나408	B4080	85.21	5,670	5,670	79.57	5,450	5,450	▼
00240	Neonatal Free T4	Blood Paper	EIA	나334	C3340	172.44	11,480	11,480	173.49	11,880	11,880	▲
00250	Neonatal T4	Blood Paper	FIA	나333	C3330	164.15	10,930	10,930	164.03	11,240	11,240	▲
00260	Neonatal-TSH	Blood Paper	FIA	나336	C3360	220.13	14,660	14,660	225.02	15,410	15,410	▲
30021	Neutrophil Seg	EDTA Blood	자동혈구계산법	나109가	B1091	25.43	1,690	1,690	25.35	1,740	1,740	▲
12275	N-methyl formamide(아산)	Random Urine	GC/NPD	나451나(3)	CY373060	281.02	18,720	18,720	251.42	17,220	17,220	▼
12270	N-methyl formamide(NMF)	Random Urine	GC/MSD	나451나(3)	CY373060	281.02	18,720	18,720	251.42	17,220	17,220	▼
27540	NMP22	Random Urine	ELISA	너322다	CY323	301.48	20,080	20,080	305.35	20,920	20,920	▲
25790	N-myc	복수검체	PCR	나598아	C5988006	951.81	63,390	63,390	934.15	63,990	63,990	▲
30150	Nonspecific esterase stain	Bone Marrow Slide	Stain	나118바	B1188006	84.94	5,660	5,660	84.92	5,820	5,820	▲
30151	Nonspecific esterase stain	Blood Smear Slide	Stain	나118바	B1188006	84.94	5,660	5,660	84.92	5,820	5,820	▲
30152	Nonspecific esterase stain	Bone Marrow Slide	Stain	나118바	B1188006	84.94	5,660	5,660	84.92	5,820	5,820	▲
00843	Norepinephrine	EDTA Plasma	HPLC/ECD	너228나	CY282006	328.04	21,850	21,850	332.51	22,780	22,780	▲
00845	Norepinephrine	24hr Urine	HPLC	너228나	CY282006	328.04	21,850	21,850	332.51	22,780	22,780	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
00887	Normetanephrine(HPLC)	24hr Urine	HPLC	너228마	CY285006	328.04	21,850	21,850	332.51	22,780	22,780	▲
65661	Nortriptyline	Plain Blood	LC/MS/MS	나450나(4)	CX375696	570.54	38,000	38,000	577.54	39,560	39,560	▲
01611	NSE	Body Fluid	RIA	나431	C7431	160.61	10,700	10,700	123.87	8,490	8,490	▼
01615	NSE (ECLIA)	SST Serum	ECLIA	나431	C4310	310.19	20,660	20,660	310.84	21,290	21,290	▲
70606	NTM Identification(성모)	균주	LPA	나595-1다	C6029006	696.95	46,420	46,420	725.71	49,710	49,710	▲
70501	NTM Sensitivity (결핵협회)	균주	Microdilution	나406다(2)	B4064	543.31	36,180	36,180	564.43	38,660	38,660	▲
01350	NT-pro BNP	SST Serum	ECLIA	나368-2	CZ208	608.98	40,560	40,560	608.98	41,720	41,720	▲
12280	NTx	Random Urine	ELISA	나393-1	C3931	189.78	12,640	12,640	180.54	12,370	12,370	▼
30180	Oil red stain	Bone Marrow Slide	Stain	나118아	B1189006	84.07	5,600	5,600	83.84	5,740	5,740	▲
20322	Oligoclonal band(강남성모)	복수검체	Electrophoresis	너182	BX182006	223.85	14,910	14,910	225.94	15,480	15,480	▲
20320	Oligoclonal IgG band	CSF	Electrophoresis	너182	BX182006	223.85	14,910	14,910	225.94	15,480	15,480	▲
12290	Organic Acid	Random Urine	GC/MSD	너345다	CY348006	2683.7	178,730	178,730	2521.31	172,710	172,710	▼
12291	Organic Acid	EDTA Plasma	GC/MSD	너345다	CY348006	2683.7	178,730	178,730	2521.31	172,710	172,710	▼
12310	Orotic acid	24hr Urine	Spectrophotometry	너345가(6)	CY349	229.5	15,280	15,280	201.9	13,830	13,830	▼
12320	Osmolality	SST Serum	Osmometer	나380	C3800	54.08	3,600	3,600	54.5	3,730	3,730	▲
12321	Osmolality	24hr Urine	Osmometer	나380	C3800	54.08	3,600	3,600	54.5	3,730	3,730	▲
12322	Osmolality	Random Urine	Osmometer	나380	C3800	54.08	3,600	3,600	54.5	3,730	3,730	▲
12330	Osmotic fragility	복수검체	Colorimetry	나113	B1131006	89.98	5,990	5,990	91.22	6,250	6,250	▲
01925	Osteocalcin (ECLIA)	SST Serum	ECLIA	나363	C3630	177.22	11,800	11,800	179.25	12,280	12,280	▲
30470	Other blood typing	EDTA Blood	Tube	나203	B2030006	73.81	4,920	4,920	70.22	4,810	4,810	▼
65460	Oxcarbazepine & Metabolite	SST Serum	HPLC	나450나(3)	CX374690	313.25	20,860	20,860	325.85	22,320	22,320	▲
30690	PAI-1	SC Plasma	ELISA	너80나	BY802	179.54	11,960	11,960	181.7	12,450	12,450	▲
10245	Pancreatic Amylase	SST Serum	Enzyme	나261나	B2612	53.64	3,570	3,570	53.33	3,650	3,650	▲
10246	Pancreatic Amylase	Random Urine	Enzyme	나261나	B2612	53.64	3,570	3,570	53.33	3,650	3,650	▲
01630	PAP	SST Serum	CLIA	나429	C4290	159.45	10,620	10,620	140.11	9,600	9,600	▼
01631	PAP	분비물	CLIA	나429	C4290	159.45	10,620	10,620	140.11	9,600	9,600	▼
50843	Paragonimus IgG(S)	SST Serum	Micro-ELISA	나472나(1)	C4722616	270.18	17,990	17,990	269.38	18,450	18,450	▲
42195	Parainfluenza culture	Other	Shell Vial Culture	나416	B4160006	560.25	37,310	37,310	574.26	39,340	39,340	▲
43560	Parainfluenza V. Ag(DFA)	Other	DFA	나469	C4690596	203.16	13,530	13,530	203.37	13,930	13,930	▲
12345	Paraquat	Random Urine	HPLC	나450나(3)	CX374040	313.25	20,860	20,860	325.85	22,320	22,320	▲
12340	Paraquat (Gramoxone)	SST Serum	HPLC	나450나(3)	CX374040	313.25	20,860	20,860	325.85	22,320	22,320	▲
65623	Paroxetine	Plain Serum	LC/MS/MS	나450	CX375696	570.54	38,000	38,000	577.54	39,560	39,560	▲
42660	Parvo virus B19 DNA	SST Serum	PCR	나595나	C5952006	390.79	26,030	26,030	392.46	26,880	26,880	▲
41780	Parvo virus B19 IgG	SST Serum	EIA	나468나(1)	C4682596	270.11	17,990	17,990	273.64	18,740	18,740	▲
41781	Parvo virus B19 IgG	Body Fluid	EIA	나468나(1)	C4682596	270.11	17,990	17,990	273.64	18,740	18,740	▲
41790	Parvo virus B19 IgM	SST Serum	EIA	나468나(2)	C4683596	259.99	17,320	17,320	261	17,880	17,880	▲
41791	Parvo virus B19 IgM	Body Fluid	EIA	나468나(2)	C4683596	259.99	17,320	17,320	261	17,880	17,880	▲
30160	PAS Stain	Bone Marrow Slide	Stain	나118마	B1187006	86.13	5,740	5,740	86.41	5,920	5,920	▲
30161	PAS Stain	Blood Smear Slide	Stain	나118마	B1187006	86.13	5,740	5,740	86.41	5,920	5,920	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
82100	PAS Stain	Tissue		나553다	C5533	123.07	8,200	8,200	123.77	8,480	8,480	▲
29470	PAX3/PAX7-FKHR 재배열	Block	Nested RT-PCR	나597자	C5979006	1729.88	115,210	115,210	1791.12	122,690	122,690	▲
12806	p-Cresol	Random Urine	GC/MS	나451나(3)	CY373290	281.02	18,720	18,720	251.42	17,220	17,220	▼
30080	PDW	EDTA Blood	자동혈구계산법	나123	B1230	5.79	390	390	5.8	400	400	▲
31085	PEG Coombs Anti IgG	EDTA Blood		나204나주	B2048106	71.52	4,760	4,760	75.71	5,190	5,190	▲
02036	Pepsinogen I/II	SST Serum	LTIA	나362	C3620×2	226.41	30,160	30,160	209.54	28,700	28,700	▼
26085	Perforin profile, FCM	EDTA Blood	Flow Cytometry	나512	C5120006*3	0	0	89,820	0	0	92,790	▲
30170	Peroxidase stain	Bone Marrow Slide	Stain	나118라	B1186006	83.48	5,560	5,560	83.11	5,690	5,690	▲
30171	Peroxidase stain	Blood Smear Slide	Stain	나118라	B1186006	83.48	5,560	5,560	83.11	5,690	5,690	▲
65290	Phenobarbital	SST Serum	면역형광	나450나(2)	C4504020	247.78	16,500	16,500	252.59	17,300	17,300	▲
65300	Phenytoin	SST Serum	면역형광	나450나(2)	C4504050	247.78	16,500	16,500	252.59	17,300	17,300	▲
10130	Phosphate(Pi)	SST Serum	Colorimetry	나379라	C3794	16.38	1,090	1,090	15.15	1,040	1,040	▼
10131	Phosphate(Pi)	24hr Urine	Colorimetry	나379라	C3794	16.38	1,090	1,090	15.15	1,040	1,040	▼
10132	Phosphate(Pi)	Random Urine	Colorimetry	나379라	C3794	16.38	1,090	1,090	15.15	1,040	1,040	▼
11160	Phospholipid	SST Serum	Enzyme	나244나	C2442	33.79	2,250	2,250	29.69	2,030	2,030	▼
11161	Phospholipid	Body Fluid	Enzyme	나244나	C2442	33.79	2,250	2,250	29.69	2,030	2,030	▼
01640	PIVKA-2	SST Serum	EIA	너78	BX078	186.2	12,400	12,400	190.03	13,020	13,020	▲
01641	PIVKA-2	EDTA Plasma	EIA	너78	BX078	186.2	12,400	12,400	190.03	13,020	13,020	▲
20530	Plasma Hb	EDTA Plasma	Colorimetry	나383	C3830	50.02	3,330	3,330	50.45	3,460	3,460	▲
30710	Plasminogen	SC Plasma	Chromogenic assay	나188가	B1881	159.22	10,600	10,600	163.6	11,210	11,210	▲
30005	Platelet	EDTA Blood	자동혈구계산법	나106	B1060	12.9	860	860	12.99	890	890	▲
51920	Platelet Associated Ab	EDTA Blood	IFA	나502나	C5022006	246.92	16,440	16,440	251.6	17,230	17,230	▲
25710	PML-RARa (nested RT-PCR)	EDTA Blood	Nested RT-PCR	나597다	C5973006	1601.91	106,690	106,690	1631.15	111,730	111,730	▲
25712	PML-RARa (nested RT-PCR)	Bone Marrow	Nested RT-PCR	나597다	C5973006	1601.91	106,690	106,690	1631.15	111,730	111,730	▲
42670	Pneumocystis jirovecii PCR	Sputum	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
26161	PNH test	EDTA Blood	Flow Cytometry	너42나	BY422006	440.69	117,400	117,400	443.38	121,480	121,480	▲
26165	PNH test	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	59,880	59,880	451.56	61,860	61,860	▲
42205	Polyomavirus culture	BAL fluid	Culture	나416	B4160006	560.25	37,310	37,310	574.26	39,340	39,340	▲
42682	Polyomavirus(BK) PCR	Random Urine	Nested PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42680	Polyomavirus(BK,JC) PCR	Random Urine	Nested PCR	나595아	C5956006외	0	54,500	54,500	0	56,920	56,920	▲
42683	Polyomavirus(JC) PCR	Random Urine	Nested PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
11760	Porphobilinogen 정성	Random Urine	Colorimetry	나389가	C3891	10.45	700	700	9.88	680	680	▼
25730	post-BMT	EDTA Blood	PCR	너571나(1)	CY575006	2723.42	181,380	181,380	2755.12	188,730	188,730	▲
25731	post-BMT	Bone Marrow	PCR	너571나(1)	CY575006	2723.42	181,380	181,380	2755.12	188,730	188,730	▲
25737	post-BMT	EDTA Blood		너571나(1)	CY575006	2723.42	181,380	181,380	2755.12	188,730	188,730	▲
10140	Potassium(K)	SST Serum	ISE	나379나	C3792	17.59	1,170	1,170	16.87	1,160	1,160	▼
10141	Potassium(K)	24hr Urine	ISE	나379나	C3792	17.59	1,170	1,170	16.87	1,160	1,160	▼
10142	Potassium(K)	Random Urine	ISE	나379나	C3792	17.59	1,170	1,170	16.87	1,160	1,160	▼
25690	PRA class I identification	SST Serum	Luminex	나522나	C5222006	1303.16	86,790	86,790	1308.12	89,610	89,610	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
26265	PRA class I screening	SST Serum	Luminex	나522가	C5221006	743.64	49,530	49,530	752.81	51,570	51,570	▲
25695	PRA classII identification	SST Serum	Luminex	나522나	C5222006	1303.16	86,790	86,790	1308.12	89,610	89,610	▲
26266	PRA classII screening	SST Serum	Luminex	나522가	C5221006	743.64	49,530	49,530	752.81	51,570	51,570	▲
20330	Prealbumin	SST Serum	TIA	나221-1	C2215	147.64	9,830	9,830	150.79	10,330	10,330	▲
25720	pre-BMT	복수검체	DNA Typing	너571가(1)	CY573006	3918.12	260,950	260,950	3962.86	271,460	271,460	▲
25725	pre-BMT	복수검체	DNA Typing	너571가(1)	CY573006	3918.12	260,950	260,950	3962.86	271,460	271,460	▲
25727	pre-BMT	복수검체	DNA Typing	너571가(1)	CY573006	3918.12	260,950	260,950	3962.86	271,460	271,460	▲
65320	Primidone	SST Serum	HPLC	나450나(3)	CX374690	313.25	20,860	20,860	325.85	22,320	22,320	▲
00512	Progesterone (ECLIA)	SST Serum	ECLIA	나346	C3460	153.03	10,190	10,190	150.45	10,310	10,310	▲
00133	Prolactin (ECLIA)	SST Serum	ECLIA	나351	C3510	167.09	11,130	11,130	166.15	11,380	11,380	▲
30730	Protein C Activity	SC Plasma	Chromogenic assay	나183가	B1831	198.83	13,240	13,240	207.74	14,230	14,230	▲
30740	Protein C Antigen	SC Plasma	ELISA	나183나	B1832	179.26	11,940	11,940	182.6	12,510	12,510	▲
20711	Protein E.P(24h urine)	24hr Urine	Electrophoresis	나300나	B3001006	138.33	9,210	9,210	142.26	9,740	9,740	▲
20713	Protein E.P(Random urine)	Random Urine	Electrophoresis	나300나	B3001006	138.33	9,210	9,210	142.26	9,740	9,740	▲
20710	Protein E.P(Serum)	SST Serum	Electrophoresis	나300가	B3000006	129.56	8,630	8,630	134.09	9,190	9,190	▲
30750	Protein S Activity	SC Plasma	Clot-based	나184가	B1841	193.49	12,890	12,890	201.16	13,780	13,780	▲
30760	Protein S Ag(free)	SC Plasma	ELISA	나184나	B1842	176.4	11,750	11,750	179.03	12,260	12,260	▲
30770	Protein S Ag(total)	SC Plasma	ELISA	나184나	B1842	176.4	11,750	11,750	179.03	12,260	12,260	▲
10035	Protein/creatinine ratio	Random Urine	계산법	나220 외	C2200 외	0	2,480	2,480	0	2,360	2,360	▼
30950	Prothrombin Time	SC Plasma	Clot-based	나154	B1540	27.16	1,810	1,810	27.73	1,900	1,900	▲
70860	Protozoa	Stool	검경법	나63	B0630	23.92	1,590	1,590	23.95	1,640	1,640	▲
01675	PSA (ECLIA)	SST Serum	ECLIA	나428	C4280	241.01	16,050	16,050	241.06	16,510	16,510	▲
01930	PTH	SST Serum	RIA	나340주	C7340	273.93	18,240	18,240	275.4	18,860	18,860	▲
01931	PTH	EDTA Plasma	RIA	나340주	C7340	273.93	18,240	18,240	275.4	18,860	18,860	▲
01967	PTH-Intact (ECLIA)	SST Serum	ECLIA	나340	C3400	289.09	19,250	19,250	294.34	20,160	20,160	▲
01968	PTH-Intact (ECLIA)	EDTA Plasma	ECLIA	나340	C3400	289.09	19,250	19,250	294.34	20,160	20,160	▲
10175	Pyrimidine 5-nucleotidase	EDTA Blood	Spectrophotometry	너185	BX185	176.16	11,730	11,730	155.56	10,660	10,660	▼
10810	Pyruvic Acid	제단백액	Enzyme	너345가(1)	CY341	229.5	15,280	15,280	201.9	13,830	13,830	▼
10811	Pyruvic Acid	CSF	Enzyme	너345가(1)	CY341	229.5	15,280	15,280	201.9	13,830	13,830	▼
02060	Quad Test	SST Serum		나421 외	C7421외	0	61,120	61,120	0	62,470	62,470	▲
52390	QuantiferON-TB	전용용기	ELISA	나477	CZ393006	1162.62	77,430	77,430	1162.62	79,640	79,640	▲
65622	Quetiapine	Plain Serum	LC/MS/MS	나450	CX375696	570.54	38,000	38,000	577.54	39,560	39,560	▲
41637	R. (Rickettsia) 2 type Ab	SST Serum	IFA	나474나(1)	C4742836	206.65	27,520	27,520	207.72	28,460	28,460	▲
51930	R.A Factor	SST Serum	TIA	나490가	C4901	22.41	1,490	1,490	20.2	1,380	1,380	▼
51931	R.A Factor	Body Fluid	TIA	나490가	C4901	22.41	1,490	1,490	20.2	1,380	1,380	▼
51940	R.A Factor 정량	SST Serum	TIA	나490나	C4903	104.49	6,960	6,960	104.97	7,190	7,190	▲
51941	R.A Factor 정량	Body Fluid	TIA	나490나	C4903	104.49	6,960	6,960	104.97	7,190	7,190	▲
41630	R.tsutsugamushi	SST Serum		나474가	C4741830	64.49	4,300	4,300	59.99	4,110	4,110	▼
41635	R.tsutsugamushi(IFA)	SST Serum	IFA	나474나(1)	C4742836	206.65	13,760	13,760	207.72	14,230	14,230	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
30002	RBC	EDTA Blood	자동혈구계산법	나104	B1040	10.84	720	720	10.97	750	750	▲
11290	RBC Folate	EDTA Blood	RIA	나254주	C7254	201.1	13,390	13,390	198.75	13,610	13,610	▲
30090	RDW	EDTA Blood	자동혈구계산법	나122	B1220	5.79	390	390	5.8	400	400	▲
01370	Renin Activity	EDTA Plasma	RIA	나360주	C7360	165.22	11,000	11,000	161.49	11,060	11,060	▲
42257	Respi.V.Ag Screening 5종	Other	IFA	나469	C4690536	203.16	13,530	13,530	203.37	13,930	13,930	▲
29270	RET gene mutation	EDTA Blood	Sequencing	나599나(3)	CY571006	3875.61	258,120	258,120	4105.53	281,230	281,230	▲
82180	Reticulin Stain	Tissue		나553가	C5531	123.07	8,200	8,200	123.77	8,480	8,480	▲
30111	Reticulocyte Count	EDTA Blood	Flow Cytometry	나108나	B1081	20.29	1,350	1,350	20.21	1,380	1,380	▲
30420	Rh Ab Titer	SST Serum	Tube	나208	B2080006	106.48	7,090	7,090	99.47	6,810	6,810	▼
30390	Rh(D) Typing	EDTA Blood	SLIDE	나202가	B2021	13.17	880	880	13.82	950	950	▲
30391	Rh(D) Typing	Capillary	SLIDE	나202가	B2021	13.17	880	880	13.82	950	950	▲
30392	Rh(D) Typing	Cord Blood	SLIDE	나202가	B2021	13.17	880	880	13.82	950	950	▲
30400	Rh-Hr Subgroup	EDTA Blood	Tube	나202나	B2022006	104.83	6,980	6,980	98.1	6,720	6,720	▼
42210	Rhino Virus Culture	Other	Culture	나416	B4160006	560.25	37,310	37,310	574.26	39,340	39,340	▲
42215	Rhino virus PCR	Other	Nested RT-PCR	나596	C5969006	644.86	42,950	42,950	678.1	46,450	46,450	▲
51216	Ribosomal P protein IgG Ab	SST Serum	MFIA	너443자	CY451006	549.3	36,580	36,580	532.44	36,470	36,470	▼
42290	Rotavirus Ag	Stool	ELISA	나469	C4690526	203.16	13,530	13,530	203.37	13,930	13,930	▲
50935	RPR 정밀	SST Serum	TIA	나460-1	C4602	25.73	1,710	1,710	25.73	1,760	1,760	▲
42300	RSV Ag (DFA)	Other	DFA	나469	C4690536	203.16	13,530	13,530	203.37	13,930	13,930	▲
42225	RSV Culture	Other	Shell Vial Culture	나416	B4160006	560.25	37,310	37,310	574.26	39,340	39,340	▲
42820	RSV IgG(IFA)	SST Serum	IFA	나468나(1)	C4682536	270.11	17,990	17,990	273.64	18,740	18,740	▲
42830	RSV IgM(IFA)	SST Serum	IFA	나468나(2)	C4683536	259.99	17,320	17,320	261	17,880	17,880	▲
41940	Rubella IgG(CLIA)	SST Serum	CIA	나468나(1)	C4682416	270.11	17,990	17,990	273.64	18,740	18,740	▲
41941	Rubella IgG(CLIA)	CSF	CIA	나468나(1)	C4682416	270.11	17,990	17,990	273.64	18,740	18,740	▲
41950	Rubella IgM(CLIA)	SST Serum	CIA	나468나(2)	C4683416	259.99	17,320	17,320	261	17,880	17,880	▲
41951	Rubella IgM(CLIA)	CSF	CIA	나468나(2)	C4683416	259.99	17,320	17,320	261	17,880	17,880	▲
42690	Rubella Virus RT-PCR	EDTA Blood	RT-PCR	나596라	C5969006	644.86	42,950	42,950	678.1	46,450	46,450	▲
30461	S 혈액형검사	EDTA Blood	Tube	나203	B2030006	73.81	4,920	4,920	70.22	4,810	4,810	▼
30462	s 혈액형검사	EDTA Blood	Tube	나203	B2030006	73.81	4,920	4,920	70.22	4,810	4,810	▼
52221	S.pneumoniae Ag test	CSF	Latex	나408	B4080	85.21	5,670	5,670	79.57	5,450	5,450	▼
42700	Salmonella PCR	EDTA Blood	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42710	Salmonella PCR	CSF	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
26980	SBMA, AR gene	EDTA Blood	PCR	너573나	CY532006	1150.44	76,620	76,620	1199.67	82,180	82,180	▲
27000	SCA profile (1,2,3,6,7,8)	EDTA Blood	PCR	너573	CY535~40006	0	459,720	459,720	0	493,080	493,080	▲
01690	SCA-1	EDTA Blood		너573라	CY535006	1150.44	76,620	76,620	1199.67	82,180	82,180	▲
27015	SCA-17	EDTA Blood	PCR Fragment analysis	너573마	CY539006	1150.44	76,620	76,620	1199.67	82,180	82,180	▲
01700	SCA-2	EDTA Blood		너573라	CY536006	1150.44	76,620	76,620	1199.67	82,180	82,180	▲
01710	SCA-3	EDTA Blood		너573라	CY537006	1150.44	76,620	76,620	1199.67	82,180	82,180	▲
02070	SCA-6	EDTA Blood		너573라	CY538006	1150.44	76,620	76,620	1199.67	82,180	82,180	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
02080	SCA-7	EDTA Blood		녀573라	CY540006	1150.44	76,620	76,620	1199.67	82,180	82,180	▲
01720	SCC	SST Serum	RIA	나430주	C7430	315.55	21,020	21,020	310.79	21,290	21,290	▲
01721	SCC	Body Fluid	RIA	나430주	C7430	315.55	21,020	21,020	310.79	21,290	21,290	▲
20350	Selectivity Index	복수검체	계산법	나392	C3920	283.63	18,890	18,890	290.14	19,870	19,870	▲
12810	Selenium	Trace EDTA Blood	AAS	나452나(2)	C4523990	309.81	20,630	20,630	313.68	21,490	21,490	▲
12811	Selenium	Random Urine	AAS	나452나(2)	C4523990	309.81	20,630	20,630	313.68	21,490	21,490	▲
12400	Semen Analysis	Semen	검경법	나730	E7300	56.22	3,740	3,740	50.3	3,450	3,450	▼
12410	Semen fructose	Semen	Spectrophotometry	녀893	EX893	61.06	4,070	4,070	56.36	3,860	3,860	▼
00902	Serotonin	SST Serum	HPLC	나367	C3670	136.99	9,120	9,120	126.73	8,680	8,680	▼
00903	Serotonin (PFP)	EDTA Plasma	HPLC	나367	C3670	136.99	9,120	9,120	126.73	8,680	8,680	▼
10841	Serum Amylase	SST Serum	Enzyme	나261가	B2611	41.29	2,750	2,750	40.93	2,800	2,800	▲
10843	Serum Creatinine	SST Serum	Colorimetry	나375	C3750	18.25	1,220	1,220	16.75	1,150	1,150	▼
65720	Sirolimus(Rafamycin)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696	570.54	38,000	38,000	577.54	39,560	39,560	▲
51985	SMA(SMN1 7&8, NAIP 4&5)	EDTA Blood	PCR-RFLP	녀562마	CY625006	469.8	31,290	31,290	483.08	33,090	33,090	▲
51986	SMA(SMN1 7&8, NAIP 5&13)	EDTA Blood	PCR-RFLP	녀562마	CY625006	469.8	31,290	31,290	483.08	33,090	33,090	▲
10150	Sodium(Na)	SST Serum	ISE	나379가	C3791	16.73	1,110	1,110	15.64	1,070	1,070	▼
10151	Sodium(Na)	24hr Urine	ISE	나379가	C3791	16.73	1,110	1,110	15.64	1,070	1,070	▼
10152	Sodium(Na)	Random Urine	ISE	나379가	C3791	16.73	1,110	1,110	15.64	1,070	1,070	▼
00155	Somatomedin-C (CLIA)	SST Serum	CLIA	녀230	CX230	223.84	14,910	14,910	199.07	13,640	13,640	▼
50844	Sparganum IgG(S)	SST Serum	Micro-ELISA	나472나(1)	C4722616	270.18	17,990	17,990	269.38	18,450	18,450	▲
82080	Special Stain	Tissue		나553다	C5533	123.07	8,200	8,200	123.77	8,480	8,480	▲
12460	Stone Analysis 정성	Stone	Colorimetry	나391	C3910006	81.27	5,410	5,410	79.95	5,480	5,480	▲
12465	Stone Analysis(physical)	Stone		녀274	CX274006	418.14	27,850	27,850	409.88	28,080	28,080	▲
70870	Stool Microscopy	Stool	검경법	나67	B0670	13.27	880	880	13.93	950	950	▲
71250	Stool OB 정량	Stool	Colorimetry	나65-1	B0653	63.98	4,260	4,260	65.85	4,510	4,510	▲
70895	Stool pH	Stool		나69	B0690	7.72	510	510	7.53	520	520	▲
70890	Stool WBC	Stool	검경법	나67-1	B0675	9.93	660	660	9.75	670	670	▲
50462	Strep.Group B	CSF	Latex	나408	B4080	85.21	5,670	5,670	79.57	5,450	5,450	▼
50461	Strep.Pneumoniae	CSF	Latex	나408	B4080	85.21	5,670	5,670	79.57	5,450	5,450	▼
11730	Succinylacetone	Random Urine	GC/MSD	녀345가(6)	CY349	229.5	15,280	15,280	201.9	13,830	13,830	▼
12870	Sucrose hemolysis	복수검체	Colorimetry	나121	B1210006	48.16	3,210	3,210	48.93	3,350	3,350	▲
30190	Sudan black B stain	Bone Marrow Slide	Stain	나118나	B1183006	84.11	5,600	5,600	83.89	5,750	5,750	▲
30191	Sudan black B stain	Blood Smear Slide	Stain	나118나	B1183006	84.11	5,600	5,600	83.89	5,750	5,750	▲
20540	Sulf-Hemoglobin	EDTA Blood	Colorimetry	나382나	C3822	54.21	3,610	3,610	54.54	3,740	3,740	▲
29020	Surface Ig(Cytoplasmic Ig)	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
29021	Surface Ig-κ light chain	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
29022	Surface Ig-λ light chain	EDTA Blood	Flow Cytometry	나512	C5120006	449.61	29,940	29,940	451.56	30,930	30,930	▲
29001	SYT/SSX gene rearrangement	Block	Nested RT-PCR	나597자	C5979006	1729.88	115,210	115,210	1791.12	122,690	122,690	▲
29002	SYT/SSX gene rearrangement	Block	RT-PCR	나596다	CX564006	608.88	40,550	40,550	633.09	43,370	43,370	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
00295	T3 (ECLIA)	SST Serum	ECLIA	나329	C3290	171.02	11,390	11,390	172.76	11,830	11,830	▲
00305	T3-Uptake (ECLIA)	SST Serum	ECLIA	나331	C3310	149.27	9,940	9,940	148.28	10,160	10,160	▲
00315	T4 (ECLIA)	SST Serum	ECLIA	나333	C3330	164.15	10,930	10,930	164.03	11,240	11,240	▲
00320	TBG (RIA)	SST Serum	RIA	나338주	C7338	187.11	12,460	12,460	174.88	11,980	11,980	▼
25875	T-cell Receptor rearrangem	Block	Southern Hybridization	나598바	C5986006	953.84	63,530	63,530	936.71	64,160	64,160	▲
25870	T-cell Receptor ychain	Block	PCR	나598바	C5986006	953.84	63,530	63,530	936.71	64,160	64,160	▲
26660	TEL/AML1 rearrangement	EDTA Blood	Nested RT-PCR	나597자	C5979006	1729.88	115,210	115,210	1791.12	122,690	122,690	▲
00523	Testosterone (ECLIA)	SST Serum	ECLIA	나353	C3530	175.15	11,660	11,660	172.2	11,800	11,800	▲
00530	Testosterone, Free	SST Serum	RIA	너232	CX232	173.36	11,550	11,550	169.62	11,620	11,620	▲
65140	Theophylline	SST Serum	면역형광	나450나(2)	C4504110	247.78	16,500	16,500	252.59	17,300	17,300	▲
30970	Thrombin Time	SC Plasma	Clot-based	나156	B1560	25.19	1,680	1,680	25.19	1,730	1,730	▲
30800	Thrombomodulin	SST Serum	EIA	너76	BX076	199.17	13,260	13,260	206.23	14,130	14,130	▲
30801	Thrombomodulin	EDTA Plasma	EIA	너76	BX076	199.17	13,260	13,260	206.23	14,130	14,130	▲
00355	Thyroglobulin (ECLIA)	SST Serum	ECLIA	나335	C3350	197.02	13,120	13,120	195.98	13,420	13,420	▲
00341	Thyroglobulin Ab	SST Serum	RIA	나494	C7494	196.66	13,100	13,100	186.35	12,760	12,760	▼
00345	Thyroglobulin Ab (ECLIA)	SST Serum	ECLIA	나494	C4940	183.14	12,200	12,200	169.45	11,610	11,610	▼
12830	TIBC	SST Serum	계산법	나250	C2500	39.03	2,600	2,600	37.32	2,560	2,560	▼
65340	Tobramycin	SST Serum	면역형광	나450나(2)	C4504390	247.78	16,500	16,500	252.59	17,300	17,300	▲
65711	Topiramate	Plain Serum	LC/MS/MS	나450나(4)	CX375696	570.54	38,000	38,000	577.54	39,560	39,560	▲
42750	TORCH Test	SST Serum				0	141,910	141,910	0	146,760	146,760	▲
10040	Total Bilirubin	SST Serum	Colorimetry	나372가	C3720	18.62	1,240	1,240	17.31	1,190	1,190	▼
10041	Total Bilirubin	Capillary	Colorimetry	나372가	C3720	18.62	1,240	1,240	17.31	1,190	1,190	▼
11020	Total Cholesterol	SST Serum	Enzyme	나241가	C2411	23.2	1,550	1,550	22.02	1,510	1,510	▼
11021	Total Cholesterol	Body Fluid	Enzyme	나241가	C2411	23.2	1,550	1,550	22.02	1,510	1,510	▼
02005	Total hCG(ECLIA)	SST Serum	ECLIA	나352	C3520	209.75	13,970	13,970	212.7	14,570	14,570	▲
60005	Total IgE (Unicap)	SST Serum	FEIA	나229	C2290	234.98	15,650	15,650	237.9	16,300	16,300	▲
11180	Total Lipid	SST Serum	Colorimetry	나244가	C2441	36.17	2,410	2,410	32.77	2,240	2,240	▼
11181	Total Lipid	Body Fluid	Colorimetry	나244가	C2441	36.17	2,410	2,410	32.77	2,240	2,240	▼
11780	Total Porphyrin 정성	Random Urine	Colorimetry	나389가	C3891	10.45	700	700	9.88	680	680	▼
10030	Total Protein	SST Serum	Colorimetry	나220	C2200	18.91	1,260	1,260	17.71	1,210	1,210	▼
10031	Total Protein	24hr Urine	TIA	나220	C2200	18.91	1,260	1,260	17.71	1,210	1,210	▼
10032	Total Protein	CSF	TIA	나220	C2200	18.91	1,260	1,260	17.71	1,210	1,210	▼
10033	Total Protein	Body Fluid	Colorimetry	나220	C2200	18.91	1,260	1,260	17.71	1,210	1,210	▼
10034	Total Protein	Random Urine	TIA	나220	C2200	18.91	1,260	1,260	17.71	1,210	1,210	▼
43510	Toxoplasma DNA PCR	Other	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
50903	Toxoplasma IgG	SST Serum	CIA	나472나(1)	C4722616	270.18	17,990	17,990	269.38	18,450	18,450	▲
50904	Toxoplasma IgG	CSF	CIA	나472나(1)	C4722616	270.18	17,990	17,990	269.38	18,450	18,450	▲
50913	Toxoplasma IgM	SST Serum	CIA	나472나(2)	C4723616	270.18	17,990	17,990	269.38	18,450	18,450	▲
50914	Toxoplasma IgM	CSF	CIA	나472나(2)	C4723616	270.18	17,990	17,990	269.38	18,450	18,450	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
01770	TPA	SST Serum	IRMA	나432주	C7432	309.37	20,600	20,600	305.03	20,890	20,890	▲
01772	TPA	Body Fluid	IRMA	나432주	C7432	309.37	20,600	20,600	305.03	20,890	20,890	▲
30810	t-PA	SC Plasma	ELISA	너83	BX083	183.63	12,230	12,230	186.82	12,800	12,800	▲
50955	TPLA 정밀	SST Serum	TIA	나461-1	C4612	123.74	8,240	8,240	123.74	8,480	8,480	▲
20360	Transferrin	SST Serum	TIA	나233	C2330	106.86	7,120	7,120	108.48	7,430	7,430	▲
20370	Transferrin saturation	SST Serum	계산법	나249+나250	C2490+C2500	0	0	4,930	0	0	4,820	▼
30185	TRAP stain	Blood Smear Slide	Stain	나118아	B1189006	84.07	5,600	5,600	83.84	5,740	5,740	▲
30186	TRAP stain	Bone Marrow Slide	Stain	나118아	B1189006	84.07	5,600	5,600	83.84	5,740	5,740	▲
42720	Treponema pallidum PCR	분비물	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
12540	Trichloride,Total	Random Urine	Colorimetry	나451나(1)	C4513460	158.38	10,550	10,550	154.6	10,590	10,590	▲
13040	Trichloroacetic acid	Random Urine	Colorimetry	나451나(1)	C4513590	158.38	10,550	10,550	154.6	10,590	10,590	▲
12560	Trichloroethanol	Random Urine	GC	나451나(3)	CY373290	281.02	18,720	18,720	251.42	17,220	17,220	▼
42655	Trichomonas vaginalis PCR	분비물	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
11190	Triglyceride	SST Serum	Enzyme	나244다	C2443	47.3	3,150	3,150	46.89	3,210	3,210	▲
11191	Triglyceride	Body Fluid	Enzyme	나244다	C2443	47.3	3,150	3,150	46.89	3,210	3,210	▲
01870	Triple marker	SST Serum	RIA			0	37,760	37,760	0	38,440	38,440	▲
12591	Troponin I	SST Serum	ECLIA	나394나	C3942	166.51	11,090	11,090	164.34	11,260	11,260	▲
12600	Troponin T	SST Serum	ECLIA	나394가	C3941	165.26	11,010	11,010	162.75	11,150	11,150	▲
00365	TSH (ECLIA)	SST Serum	ECLIA	나336	C3360	220.13	14,660	14,660	225.02	15,410	15,410	▲
00385	TSH-R-Ab(ECLIA)	SST Serum	ECLIA	나339	C3390	229.01	15,250	15,250	230.21	15,770	15,770	▲
70900	Tzanck Smear	Other	검경법	나718	E7180	27.83	1,850	1,850	18.87	1,290	1,290	▼
70910	Tzanck Smear	Other		나718	E7180	27.83	1,850	1,850	18.87	1,290	1,290	▼
71180	U.urealyticum culture	Other	Culture	너301다	BY303006	405.47	27,000	27,000	416.05	28,500	28,500	▲
12840	UIBC	SST Serum	Colorimetry	나251	C2510	39.37	2,620	2,620	37.72	2,580	2,580	▼
42730	Ureaplasma urealyticum PCR	분비물	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
10930	Uric Acid	SST Serum	Enzyme	나378	C3780	19.07	1,270	1,270	17.89	1,230	1,230	▼
10931	Uric Acid	24hr Urine	Enzyme	나378	C3780	19.07	1,270	1,270	17.89	1,230	1,230	▼
10932	Uric Acid	Random Urine	Enzyme	나378	C3780	19.07	1,270	1,270	17.89	1,230	1,230	▼
02110	Urinary Bladder Cancer Ag	Random Urine	IRMA	너322가	CY321	301.48	20,080	20,080	305.35	20,920	20,920	▲
10160	Urinary Ca	복수검체	계산법	나379 외	C3795 외	0	0	3,570	0	0	3,390	▼
10842	Urine Amylase	24hr Urine	Enzyme	나261가	B2611	41.29	2,750	2,750	40.93	2,800	2,800	▲
10844	Urine Creatinine	24hr Urine	Colorimetry	나375	C3750	18.25	1,220	1,220	16.75	1,150	1,150	▼
70002	Urine Glucose	Random Urine	Strip	나1	B0010	12.06	800	800	13.67	940	940	▲
70001	Urine Protein	Random Urine	Strip	나1	B0010	12.06	800	800	13.67	940	940	▲
70050	Urine RBC morphology	Random Urine	검경법	너1	BX001006	29.5	1,960	1,960	30.16	2,070	2,070	▲
11805	Uroporphyrin 정량	24hr Urine	Colorimetry	나389나(1)	C3892	49.33	3,290	3,290	44.42	3,040	3,040	▼
11790	Uroporphyrin 정성	Random Urine	Fluorometry	나389가	C3891	10.45	700	700	9.88	680	680	▼
65350	Valproic Acid	SST Serum	면역형광	나450나(2)	C4504060	247.78	16,500	16,500	252.59	17,300	17,300	▲
80608	Van Giesons Stain	Tissue		나553다	C5533	123.07	8,200	8,200	123.77	8,480	8,480	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
65370	Vancomycin	SST Serum	면역형광	나450나(2)	C4504160	247.78	16,500	16,500	252.59	17,300	17,300	▲
42230	Varicella-Zoster Culture	Other	Shell Vial Culture	나416	B4160006	560.25	37,310	37,310	574.26	39,340	39,340	▲
42740	Varicella-Zoster DNA(PCR)	EDTA Blood	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
42050	Varicella-Zoster IgG(ELISA)	SST Serum	EIA	나468나(1)	C4682496	270.11	17,990	17,990	273.64	18,740	18,740	▲
42051	Varicella-Zoster IgG(ELISA)	CSF	EIA	나468나(1)	C4682496	270.11	17,990	17,990	273.64	18,740	18,740	▲
42060	Varicella-Zoster IgM(ELISA)	SST Serum	EIA	나468나(2)	C4683496	259.99	17,320	17,320	261	17,880	17,880	▲
42061	Varicella-Zoster IgM(ELISA)	CSF	EIA	나468나(2)	C4683496	259.99	17,320	17,320	261	17,880	17,880	▲
50926	VDRL 정량	CSF	SLIDE	나460주	C4601	33.3	2,220	2,220	33.05	2,260	2,260	▲
50925	VDRL정성	CSF	SLIDE	나460	C4600	18.11	1,210	1,210	18.35	1,260	1,260	▲
80609	Verhoeff Stain	Tissue		나553다	C5533	123.07	8,200	8,200	123.77	8,480	8,480	▲
11205	Very long chain fatty acid	Hp Plasma	GC/MSD	나445	C4450	1124.06	74,860	74,860	1128.77	77,320	77,320	▲
51000	Vi Ag	SST Serum	IFA	나466나	C4662066	203.63	13,560	13,560	203.95	13,970	13,970	▲
70930	Vibrio Culture	Stool		나405가	B4051	163.15	10,870	10,870	168.28	11,530	11,530	▲
70935	Vibrio Culture & Sensi(G)	Other		나405+나406	B4051+B4061	0	18,510	18,510	0	19,460	19,460	▲
11360	Vitamin B1	EDTA Blood	HPLC	너153	CY160006	441.06	29,370	29,370	441.49	30,240	30,240	▲
11396	Vitamin B12 (ECLIA)	SST Serum	ECLIA	나253나	C2532	238.41	15,880	15,880	245.4	16,810	16,810	▲
11370	Vitamin B2	EDTA Blood	HPLC/FLD	너153나주1	CY161006	441.06	29,370	29,370	441.49	30,240	30,240	▲
11386	Vitamin B6 (PLP)	EDTA Plasma	HPLC/FLD	너153다	CY162006	441.06	29,370	29,370	441.49	30,240	30,240	▲
11420	Vitamin E	SST Serum	HPLC	너153바	CY166006	441.06	29,370	29,370	441.49	30,240	30,240	▲
00920	VMA 정량	24hr Urine	HPLC	나321나(2)	CX223006	335.52	22,350	22,350	341.86	23,420	23,420	▲
00910	VMA 정성	Random Urine	Colorimetry	나321가	C3211	13.68	910	910	12.41	850	850	▼
80607	Von Kossa Stain	Tissue		나553다	C5533	123.07	8,200	8,200	123.77	8,480	8,480	▲
30820	von Willebrand F.Activity	SC Plasma	ELISA	나187나	B1872	206.49	13,750	13,750	208.47	14,280	14,280	▲
30830	von-Willebrand's Antigen	SC Plasma	ELISA	나187가	B1871	175.55	11,690	11,690	174.26	11,940	11,940	▲
65820	Voriconazole	Plain Serum	LC/MS/MS	나450나(4)	CX375696	570.54	38,000	38,000	577.54	39,560	39,560	▲
30845	vWF multimer analysis	SC Plasma	Electrophoresis	너88	BX088006	484.97	32,300	32,300	481.94	33,010	33,010	▲
42231	VZV culture (조직)	Tissue	Culture	나416	B4160006	560.25	37,310	37,310	574.26	39,340	39,340	▲
65790	Warfarin	EDTA Plasma	LC/MS/MS	나450나(4)	CX375696	570.54	38,000	38,000	577.54	39,560	39,560	▲
30001	WBC	EDTA Blood	자동혈구계산법	나105	B1050	10.86	720	720	10.99	750	750	▲
70960	Wet Smear	Other		나4주	B0042	9.48	630	630	9.14	630	630	▼
50980	Widal Test	SST Serum	응집법	나464	C4640	40.83	2,720	2,720	42.28	2,900	2,900	▲
50990	Widal test (Para A B)	SST Serum	응집법	나464	C4640	40.83	2,720	2,720	42.28	2,900	2,900	▲
25760	Y-Chromosome(SRY gene)	EDTA Blood	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
25761	Y-Chromosome(SRY gene)	Bone Marrow	PCR	나595아	C5956006	409.2	27,250	27,250	415.49	28,460	28,460	▲
51010	Yersinia Enterocolitica O3 Ab	SST Serum	PA	나466가	C4661030	118.09	7,860	7,860	113.14	7,750	7,750	▼
51011	Yersinia Enterocolitica O3 Ab	Amniotic Fluid	PA	나466가	C4661030	118.09	7,860	7,860	113.14	7,750	7,750	▼
51020	Yersinia Pseudotuberculosis	SST Serum	PA	나466가	C4661030	118.09	7,860	7,860	113.14	7,750	7,750	▼
51021	Yersinia Pseudotuberculosis	Amniotic Fluid	PA	나466가	C4661030	118.09	7,860	7,860	113.14	7,750	7,750	▼
12855	Zinc(Zn)	Trace Serum	ICP/MS	나452나(2)	C4523670	309.81	20,630	20,630	313.68	21,490	21,490	▲

삼광의료재단 2012년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	2011			2012			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
12856	Zinc(Zn)	24hr Urine	ICP/MS	나452나(2)	C4523670	309.81	20,630	20,630	313.68	21,490	21,490	▲
65380	Zonisamide	Plain Serum	HPLC	나450나(3)	CX374690	313.25	20,860	20,860	325.85	22,320	22,320	▲
20400	α1-Antitrypsin	SST Serum	TIA	나222	C2220	121.47	8,090	8,090	123.91	8,490	8,490	▲
20405	α1-Antitrypsin	Stool	Nephelometry	나222	C2220	121.47	8,090	8,090	123.91	8,490	8,490	▲
20406	α1-antitrypsin clearance	복수검체	Nephelometry	나222	C2220	121.47	16,180	16,180	123.91	16,980	16,980	▲
01420	β2-Microglobulin	SST Serum	RIA	나223주	C7223	161.12	10,730	10,730	159.84	10,950	10,950	▲
01421	β2-Microglobulin	Random Urine	RIA	나223주	C7223	161.12	10,730	10,730	159.84	10,950	10,950	▲
02000	β-hCG (RIA)	SST Serum	RIA	나352주	C7352	195.53	13,020	13,020	194.93	13,350	13,350	▲
11210	β-Lipoprotein	SST Serum	Enzyme	나247	C2470	108.6	7,230	7,230	109.76	7,520	7,520	▲
25770	β-Thalassemia	EDTA Blood	Sequencing	나599	C5991~2006	0	192,300	192,300	0	198,930	198,930	▲
25771	β-Thalassemia	Bone Marrow	Sequencing	나599	C5991006외	0	192,300	192,300	0	198,930	198,930	▲
25772	β-Thalassemia	EDTA Blood	Sequencing	나599나(1)	C5992006	1992.19	132,680	132,680	1999.33	136,950	136,950	▲
10500	γ- GTP	SST Serum	Enzyme	나271	B2710	43.42	2,890	2,890	42.95	2,940	2,940	▲
11820	δ-ALA	Random Urine	Colorimetry	나450나(1)	C4503390	134.68	8,970	8,970	124.99	8,560	8,560	▼
11821	δ-ALA	24hr Urine	Colorimetry	나450나(1)	C4503390	134.68	8,970	8,970	124.99	8,560	8,560	▼