

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
11230	1,25-(OH)2 Vitamin D	SST Serum	RIA	너153마	CY705		158.79	10,880	10,880	11,130	11,130
20000	1,5-Anhydroglucitol	SST Serum	Colorimetry	너273	CX273		173.93	11,910	11,910	12,190	12,190
11670	17a-OH Progesterone	Blood Paper	FIA	나347	C3470		152.06	10,420	10,420	10,660	10,660
00590	17-KS	24hr Urine	비색법	나324가	C3242		58.49	4,010	4,010	4,100	4,100
00610	17-OHCS	24hr Urine	비색법	나324가(2)	C3241		62.06	4,250	4,250	4,350	4,350
00410	17α-OH-Progesterone	SST Serum	RIA	나347주	C7347		147.75	10,120	10,120	10,360	10,360
00411	17α-OH-Progesterone	EDTA Plasma	RIA	나347주	C7347		147.75	10,120	10,120	10,360	10,360
11830	2,5-Hexanedione	Random Urine	GC/NPD	나451나(3)	CY373290		251.42	17,220	17,220	17,620	17,620
11250	25-OH Vitamin D	SST Serum	CLIA	너153마	CY155		84.7	5,800	5,800	5,940	5,940
11252	25-OH Vitamin D(D2,D3)	Plain Serum	HPLC	너153	CY164~5006		0	60,480	60,480	61,900	61,900
11251	25-OH Vitamin D3 (RIA)	SST Serum	RIA	너153마주2	CY705		158.79	10,880	10,880	11,130	11,130
00825	5-HIAA 정량	24hr Urine	EIA	나322나(2)	C3223		234.43	16,060	16,060	16,430	16,430
00826	5-HIAA 정량	Random Urine	EIA	나322나(2)	C3223		234.43	16,060	16,060	16,430	16,430
00810	5-HIAA 정성	Random Urine	Colorimetry	나322가	C3221		15.93	1,090	1,090	1,120	1,120
12920	갈락토스혈증	Blood Paper	비색법	너341가	CY411		16.31	1,120	1,120	1,140	1,140
12891	단풍당뇨증	Blood Paper	비색법	나443나1	CY441		24.93	1,710	1,710	1,750	1,750
80000	부인과적 세포검사	Cervix	Pap stain	나592	C5920		89.02	6,100	6,100	6,240	6,240
70970	분변충란검사	Stool	검경법	나61다	B0613		21.83	1,500	1,500	1,530	1,530
80662	수술시응급 동결절편(>7)	Tissue		나551다	C5513		800.25	54,820	54,820	56,100	56,100
80290	수술시응급 동결절편(1-2)	Tissue		나551가	C5511		380.41	26,060	26,060	26,670	26,670
80291	수술시응급 동결절편(1-2)(한병)	Tissue		나551가	C5511		380.41	26,060	26,060	26,670	26,670
80649	수술시응급 동결절편(3-6)	Tissue		나551나	C5512		559.62	38,330	38,330	39,230	39,230
80016	액상자궁경부세포검(한병리)	Cervix		너541	CX541		368.48	25,240	25,240	25,830	25,830
80015	액상자궁경부세포검사	Cervix		너541	CX541		368.48	25,240	25,240	25,830	25,830
80700	액상자궁경부세포검사	Cervix	Pap stain	너541	CX541		368.48	25,240	25,240	25,830	25,830
80018	액상자궁경부세포검사(KMK)	Cervix		너541	CX541		368.48	25,240	25,240	25,830	25,830
80720	액상자궁경부세포-C	Cervix	Pap stain	너541	CX541		368.48	25,240	25,240	25,830	25,830
80029	액상체액세포병리검사	Other		나593-1	CZ521		372.72	25,530	25,530	26,130	26,130
80028	액상흡인세포병리검사	Thyroid		나594-3	C5943		392.25	26,870	26,870	27,500	27,500
80760	액상흡인세포병리검사	Thyroid		나594-3	C5943		392.25	26,870	26,870	27,500	27,500
70006	요일반검사 4종	Random Urine	Strip	나1	B0010		13.67	940	940	960	960
70005	요일반검사 7종	Random Urine	Strip	나2	B0020		16.36	1,120	1,120	1,150	1,150
70000	요일반검사10종	Random Urine	Strip	나3	B0030		28.27	1,940	1,940	1,980	1,980
71010	요충란검사(Scotch tape)	Other	검경법	나62	B0620		16.73	1,150	1,150	1,170	1,170
70015	요침사현미경검사	Random Urine	검경법	나4	B0041		11.31	770	770	790	790
10690	임신성당뇨(100g)-120min	NaF Plasma	Enzyme	나371나	C3711		17.32	1,190	1,190	1,210	1,210
10700	임신성당뇨(100g)-180min	NaF Plasma	Enzyme	나371나	C3711		17.32	1,190	1,190	1,210	1,210
10680	임신성당뇨(100g)-60min	NaF Plasma	Enzyme	나371나	C3711		17.32	1,190	1,190	1,210	1,210

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
10670	임신성당뇨(100g)-Fasting	NaF Plasma	Enzyme	나371나	C3711		17.32	1,190	1,190	1,210	1,210
10660	임신성당뇨(50g)-60min	NaF Plasma	Enzyme	나371나	C3711		17.32	1,190	1,190	1,210	1,210
10707	임신성당뇨(75g)-120min	NaF Plasma	Enzyme	나371나	C3711		17.32	1,190	1,190	1,210	1,210
10706	임신성당뇨(75g)-60min	NaF Plasma	Enzyme	나371나	C3711		17.32	1,190	1,190	1,210	1,210
10705	임신성당뇨(75g)-Fasting	NaF Plasma	Enzyme	나371나	C3711		17.32	1,190	1,190	1,210	1,210
10640	임신성당뇨100g부하시험	NaF Plasma	Enzyme	나371나	C3711		17.32	4,760	4,760	4,840	4,840
10650	임신성당뇨50+100부하시험	NaF Plasma	Enzyme	나371나	C3711		17.32	5,950	5,950	6,050	6,050
80750	자궁경부암 검사(2종)	Cervix		너541+나595	CX541외		0	0	73,060	74,770	74,770
81316	전자현미경검사	Tissue		나555	C5550		1114.39	76,340	76,340	78,120	78,120
82018	조직 (≥13)	Tissue		나550가(5)	C5915		687.25	47,080	47,080	48,180	48,180
82017	조직 (10-12)	Tissue		나550가(4)	C5914		589.09	40,350	40,350	41,300	41,300
82014	조직 (1-3)	Tissue		나550가(1)	C5911		282.35	19,340	19,340	19,790	19,790
80082	조직 (1-3)결과판독(삼성)	Other		나550가	C5911009		56.47	3,870	3,870	3,960	3,960
82015	조직 (4-6)	Tissue		나550가(2)	C5912		380.51	26,060	26,060	26,670	26,670
80084	조직 (4-6)결과판독(삼성)	Other		나550가	C5912009		76.1	5,210	5,210	5,330	5,330
82016	조직 (7-9)	Tissue		나550가(3)	C5913		478.66	32,790	32,790	33,550	33,550
82037	조직 악성(≤15)	Tissue		나550다(1)	C5500		783.64	53,680	53,680	54,930	54,930
80083	조직 악성(≤15)결과판독	Other		나550다	C5500009		156.73	10,740	10,740	10,990	10,990
82035	조직 악성(≤20)	Tissue		나550다(1)	C5918		1072.19	73,450	73,450	75,160	75,160
82038	조직 악성(≥16)	Tissue		나550다(2)	C5504		1096.92	75,140	75,140	76,890	76,890
82036	조직 악성(≥21)	Tissue		나550다(2)	C5919		1602.34	109,760	109,760	112,320	112,320
82024	조직 절편(≤6)	Tissue		나550나(1)	C5916		445.87	30,540	30,540	31,260	31,260
82211	조직 절편(≤6)+ 절편(≥7)	Tissue		나550	C5916+C5917		0	74,160	74,160	75,900	75,900
82205	조직 절편(≤6)×2	Tissue		나550나(1)	C5916×2		445.87	61,080	61,080	62,520	62,520
82025	조직 절편(≥7)	Tissue		나550나(2)	C5917		636.85	43,620	43,620	44,640	44,640
82089	조직(≥13)+ Stain	Tissue		나550+나553	C5915+C5533		0	55,560	55,560	56,860	56,860
82088	조직(10-12)+ Stain	Tissue		나550+나553	C5914+C5533		0	48,830	48,830	49,980	49,980
82200	조직(1-3)+ 악성(≤20)	Tissue		나550	C5911+C5918		0	92,790	92,790	94,950	94,950
82190	조직(1-3)+ 절편(≤6)	Tissue		나550	C5911+C5916		0	49,880	49,880	51,050	51,050
82085	조직(1-3)+ Stain	Tissue		나550+C553	C5911+C5533		0	27,820	27,820	28,470	28,470
82191	조직(1-3)×2	Tissue		나550가(1)	C5911×2		282.35	38,680	38,680	39,580	39,580
82086	조직(4-6)+ Stain	Tissue		나550+나553	C5912+C5533		0	34,540	34,540	35,350	35,350
82087	조직(7-9)+ Stain	Tissue		나550+나553	C5913+C5533		0	41,270	41,270	42,230	42,230
80240	조직구축학적검사	Tissue		나550라(1)	C5505		1658.74	113,620	113,620	116,280	116,280
82050	조직구축학적검사	Tissue		나550라(1)	C5505		1658.74	113,620	113,620	116,280	116,280
80681	조직내호르몬수용체×2	Tissue		나559	C5590		429.88	58,900	58,900	60,260	60,260
80684	조직내호르몬수용체×2 T&C	Tissue		나559	C5590		429.88	58,900	58,900	60,260	60,260
80680	조직내호르몬수용체검사	Other		나559	C5590		429.88	29,450	29,450	30,130	30,130

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
80660	조직면역형광현미경검사	Other		나554가	C5541		249.95	17,120	17,120	17,520	17,520
80670	조직전자현미경검사	Other		나555	C5550		1114.39	76,340	76,340	78,120	78,120
80020	체액세포병리검사	Sputum	Pap stain	나593가	C5930		92.75	6,350	6,350	6,500	6,500
80025	체액세포병리검사	Other	Pap stain	나593가	C5930		92.75	6,350	6,350	6,500	6,500
80024	체액세포병리검사(한병리)	Other	Pap stain	나593가	C5930		92.75	6,350	6,350	6,500	6,500
80021	체액세포병리검사(Cytospin)	Sputum	Pap stain	나593나	C5931		97.75	6,700	6,700	6,850	6,850
80052	체액세포병리검사(Cytospin)	Other	Pap stain	나593나	C5931		97.75	6,700	6,700	6,850	6,850
80053	체액세포병리검사(KMK)	Other	Pap stain	나593가	C5930		92.75	6,350	6,350	6,500	6,500
80051	체액세포병리검사(T&C)	Other	Pap stain	나593가	C5930		92.75	6,350	6,350	6,500	6,500
80525	탈회(Decalcification)	Tissue		나550주1	C5509		46.91	3,210	3,210	3,290	3,290
82070	탈회(Decalcification)	Tissue		나550주1	C5509		46.91	3,210	3,210	3,290	3,290
12881	페닐케톤뇨증	Blood Paper	비색법	나443나1	C4411		24.93	1,710	1,710	1,750	1,750
80673	편광현미경검사	Other		나558	C5580		52.55	3,600	3,600	3,680	3,680
30231	혈액형 동정검사	복수검체	Tube	나206나	B2062006		243.24	16,660	16,660	17,050	17,050
30261	혈액형 아형검사	복수검체	Tube	나201가외	B2000 외		0	19,670	19,670	20,120	20,120
70700	혈기성 배양	Other		나405가	B4051		168.28	11,530	11,530	11,800	11,800
70705	혈기성 배양 및 Sensi(G)	Other		나405+나406	B4051+B4061		0	19,460	19,460	19,910	19,910
12910	호모시스틴뇨증	Blood Paper	비색법	나443나1	CX342		24.93	1,710	1,710	1,750	1,750
42252	호흡기바이러스 culture 2중	Other	Shell Vial Culture	나416	B4160006		574.26	78,680	78,680	80,520	80,520
42253	호흡기바이러스 culture 3중	Other	Shell Vial Culture	나416	B4160006		574.26	118,020	118,020	120,780	120,780
42254	호흡기바이러스 culture 4중	Other	Shell Vial Culture	나416	B4160006		574.26	157,360	157,360	161,040	161,040
42255	호흡기바이러스 culture 5중	Other	Shell Vial Culture	나416	B4160006		574.26	196,700	196,700	201,300	201,300
42256	호흡기바이러스 culture 6중	Other	Culture	나416	B4160006		574.26	236,040	236,040	241,560	241,560
80031	흡인세포 조직절편(오픈)	Other		나594-1	C5942		240.08	16,450	16,450	16,830	16,830
80033	흡인세포 조직절편(한병리)	Other		나594-1	C5942		240.08	16,450	16,450	16,830	16,830
80030	흡인세포병리검사	Thyroid	Pap stain	나594-1	C5941		180.66	12,380	12,380	12,660	12,660
80035	흡인세포병리검사	Other	Pap stain	나594-1	C5941		180.66	12,380	12,380	12,660	12,660
80038	흡인세포병리검사	Other	Pap stain	나594-1	C5941		180.66	12,380	12,380	12,660	12,660
80039	흡인세포병리검사 판독	Other		나594-1	C5941009		36.13	2,470	2,470	2,530	2,530
80032	흡인세포병리검사(오픈)	Other	Pap stain	나594-1	C5941		180.66	12,380	12,380	12,660	12,660
80034	흡인세포병리검사(한병리)	Other	Pap stain	나594-1	C5941		180.66	12,380	12,380	12,660	12,660
80184	흡인세포병리검사(CFC)	Other	Pap stain	나594-1	C5941		180.66	12,380	12,380	12,660	12,660
80036	흡인세포병리검사 조직절편	Other		나594-1	C5942		240.08	16,450	16,450	16,830	16,830
71100	흡충란검사 (Trematodes)	Stool	검경법	나64	B0641		51.04	3,500	3,500	3,580	3,580
10840	A/CCR	복수검체	계산법	나261+C375	B2611+C3750		0	7,900	7,900	8,080	8,080
10020	A/G ratio	SST Serum	계산법	나220+C221	C2200+C2210		0	0	2,750	0	2,810
10021	A/G ratio	Body Fluid	계산법	나220+C230	C2200+C2302		0	0	15,150	0	15,510
30290	Ab Elution	EDTA Blood		나211	B2110006		50.37	3,450	3,450	3,530	3,530

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
30230	<b>Ab Identification Test</b>	복수검체	Tube	나206나	B2062006외		0	28,210	28,210	<b>28,860</b>	<b>28,860</b>
30220	<b>Ab Screening test</b>	SST Serum	Microcolumn	나206가	B2061006		103.62	7,100	7,100	<b>7,260</b>	<b>7,260</b>
30253	<b>ABO(Back)Typing</b>	SST Serum	SLIDE	나201나	B2010		14.5	990	990	<b>1,020</b>	<b>1,020</b>
30250	<b>ABO(Front)Typing</b>	EDTA Blood	SLIDE	나201가	B2000		14.72	1,010	1,010	<b>1,030</b>	<b>1,030</b>
30251	<b>ABO(Front)Typing</b>	Capillary	SLIDE	나201가	B2000		14.72	1,010	1,010	<b>1,030</b>	<b>1,030</b>
30252	<b>ABO(Front)Typing</b>	Cord Blood	SLIDE	나201가	B2000		14.72	1,010	1,010	<b>1,030</b>	<b>1,030</b>
10190	<b>ACE</b>	SST Serum	Colorimetry	나273	B2731		223.09	15,280	15,280	<b>15,640</b>	<b>15,640</b>
10191	<b>ACE</b>	Other	Colorimetry	나273	B2731		223.09	15,280	15,280	<b>15,640</b>	<b>15,640</b>
65490	<b>Acetaminophen</b>	SST Serum	비색법	나450나(1)	C4503390		124.99	8,560	8,560	<b>8,760</b>	<b>8,760</b>
01140	<b>Ach-r-Binding Ab</b>	SST Serum	RIA	나450주	CX747		138.33	9,480	9,480	<b>9,700</b>	<b>9,700</b>
30120	<b>Acid phosphatase stain</b>	Bone Marrow Slide	Stain	나118가	B1182006		83.27	5,700	5,700	<b>5,840</b>	<b>5,840</b>
10200	<b>ACP</b>	SST Serum	Colorimetry	나260가	B2601		18.28	1,250	1,250	<b>1,280</b>	<b>1,280</b>
10201	<b>ACP</b>	분비물	Colorimetry	나260가	B2601		18.28	1,250	1,250	<b>1,280</b>	<b>1,280</b>
00015	<b>ACTH (ECLIA)</b>	EDTA Plasma	ECLIA	나359	C3590		190.03	13,020	13,020	<b>13,320</b>	<b>13,320</b>
80860	<b>ACTH (IHC)</b>	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	<b>32,300</b>	<b>32,300</b>
00041	<b>ACTH-10호</b>	EDTA Plasma	ECLIA	나359	C3590		190.03	13,020	13,020	<b>13,320</b>	<b>13,320</b>
00042	<b>ACTH-11호</b>	EDTA Plasma	ECLIA	나359	C3590		190.03	13,020	13,020	<b>13,320</b>	<b>13,320</b>
00043	<b>ACTH-12호</b>	EDTA Plasma	ECLIA	나359	C3590		190.03	13,020	13,020	<b>13,320</b>	<b>13,320</b>
00044	<b>ACTH-13호</b>	EDTA Plasma	ECLIA	나359	C3590		190.03	13,020	13,020	<b>13,320</b>	<b>13,320</b>
00045	<b>ACTH-14호</b>	EDTA Plasma	ECLIA	나359	C3590		190.03	13,020	13,020	<b>13,320</b>	<b>13,320</b>
00046	<b>ACTH-15호</b>	EDTA Plasma	ECLIA	나359	C3590		190.03	13,020	13,020	<b>13,320</b>	<b>13,320</b>
00021	<b>ACTH-1호</b>	EDTA Plasma	ECLIA	나359	C3590		190.03	13,020	13,020	<b>13,320</b>	<b>13,320</b>
00022	<b>ACTH-2호</b>	EDTA Plasma	ECLIA	나359	C3590		190.03	13,020	13,020	<b>13,320</b>	<b>13,320</b>
00023	<b>ACTH-3호</b>	EDTA Plasma	ECLIA	나359	C3590		190.03	13,020	13,020	<b>13,320</b>	<b>13,320</b>
00024	<b>ACTH-4호</b>	EDTA Plasma	ECLIA	나359	C3590		190.03	13,020	13,020	<b>13,320</b>	<b>13,320</b>
00025	<b>ACTH-5호</b>	EDTA Plasma	ECLIA	나359	C3590		190.03	13,020	13,020	<b>13,320</b>	<b>13,320</b>
00026	<b>ACTH-6호</b>	EDTA Plasma	ECLIA	나359	C3590		190.03	13,020	13,020	<b>13,320</b>	<b>13,320</b>
00027	<b>ACTH-7호</b>	EDTA Plasma	ECLIA	나359	C3590		190.03	13,020	13,020	<b>13,320</b>	<b>13,320</b>
00028	<b>ACTH-8호</b>	EDTA Plasma	ECLIA	나359	C3590		190.03	13,020	13,020	<b>13,320</b>	<b>13,320</b>
00029	<b>ACTH-9호</b>	EDTA Plasma	ECLIA	나359	C3590		190.03	13,020	13,020	<b>13,320</b>	<b>13,320</b>
81851	<b>Actin(IHC)(TCM)</b>	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	<b>32,300</b>	<b>32,300</b>
30960	<b>Activated PTT</b>	SC Plasma	Clot-based	나153	B1530		44.78	3,070	3,070	<b>3,140</b>	<b>3,140</b>
26234	<b>Acute Leukemia panel</b>	Bone Marrow	Flow Cytometry	나512	C5120006		451.56	556,740	556,740	<b>569,700</b>	<b>569,700</b>
10210	<b>ADA</b>	SST Serum	Colorimetry	나272	B2721		164.41	11,260	11,260	<b>11,530</b>	<b>11,530</b>
10212	<b>ADA</b>	Body Fluid	Colorimetry	나272	B2721		164.41	11,260	11,260	<b>11,530</b>	<b>11,530</b>
10211	<b>ADA(CSF)</b>	CSF	Colorimetry	나272	B2721		164.41	11,260	11,260	<b>11,530</b>	<b>11,530</b>
42815	<b>Adenovirus Ag(DFA)</b>	Sputum	DFA	나469	C4690516		203.37	13,930	13,930	<b>14,260</b>	<b>14,260</b>
42105	<b>Adenovirus culture</b>	Other	Shell Vial Culture	나416	B4160006		574.26	39,340	39,340	<b>40,260</b>	<b>40,260</b>

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
40255	Adenovirus IgG	SST Serum	EIA	나468나(1)	C4682516		273.64	18,740	18,740	19,180	19,180
40260	Adenovirus IgM	SST Serum	EIA	나468나(2)	C4683516		261	17,880	17,880	18,300	18,300
40261	Adenovirus IgM	CSF	EIA	나468나(2)	C4683516		261	17,880	17,880	18,300	18,300
42107	Adenovirus rapid culture	Other	Culture	나416	B4160006		574.26	39,340	39,340	40,260	40,260
00030	ADH	EDTA Plasma	RIA	나365주	C7365		108.83	7,450	7,450	7,630	7,630
25020	AFAFP	Amniotic Fluid		나421나	C4212		171.76	11,770	11,770	12,040	12,040
25040	AFAFP	Amniotic Fluid		나421나	C4212		171.76	11,770	11,770	12,040	12,040
70410	AFB Culture	Sputum	Culture	나405나(1)	B4054		192.4	13,180	13,180	13,490	13,490
70420	AFB Culture	Sputum	Culture	나405나(1)	B4054		192.4	13,180	13,180	13,490	13,490
70450	AFB Culture(액체+고체)결핵	Sputum	Culture	나405나	B4054+B4055		0	26,360	26,360	26,980	26,980
70445	AFB Culture(액체+고체배지)	Sputum	Culture	나405나	B4054+B4055		0	26,360	26,360	26,980	26,980
70605	AFB Identification	균주	PCR+Hybridization	나595-1다	C6029006		725.71	49,710	49,710	50,870	50,870
70430	AFB Sensitivity	균주	절대농도법	나406다(2)	B4064		564.43	38,660	38,660	39,570	39,570
70500	AFB Sensitivity (결핵협회)	균주	절대농도법	나406다(2)	B4064		564.43	38,660	38,660	39,570	39,570
70512	AFB Sensitivity (INH)	Sputum	Hybridization	나595-1나2	CY752006		638.23	43,720	43,720	44,740	44,740
70511	AFB Sensitivity (RFP)	Sputum	Hybridization	나595-1나1	CY751006		638.23	43,720	43,720	44,740	44,740
70510	AFB Sensitivity (RFP,INH)	Sputum	Hybridization	나595-1나	CY751006외		0	87,440	87,440	89,480	89,480
70320	AFB Stain	Sputum		너304	BX304		75.33	5,160	5,160	5,280	5,280
82090	AFB Stain	Tissue		나553다	C5533		123.77	8,480	8,480	8,680	8,680
70400	AFB Stain & Culture	Sputum		너304+나405	BX304+B4054		0	18,340	18,340	18,770	18,770
70330	AFB Stain(형광법)	Sputum	형광 염색법	너304	BX304		75.33	5,160	5,160	5,280	5,280
80606	AFB Stain(T&C)	Tissue		나553나	C5533		123.77	8,480	8,480	8,680	8,680
80602	AFB Stain(Tissue)	Tissue		나553다	C5533		123.77	8,480	8,480	8,680	8,680
01405	AFP	SST Serum	ECLIA	나421나	C4212		171.76	11,770	11,770	12,040	12,040
01406	AFP	EDTA Plasma	ECLIA	나421나	C4212		171.76	11,770	11,770	12,040	12,040
01407	AFP	Body Fluid	ECLIA	나421나	C4212		171.76	11,770	11,770	12,040	12,040
01415	AFP	SST Serum	CIA	나421나	C4212		171.76	11,770	11,770	12,040	12,040
81560	AFP (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
10000	Albumin	SST Serum	Colorimetry	나221	C2210		22.45	1,540	1,540	1,570	1,570
10004	Albumin	Body Fluid	Colorimetry	나221	C2210		22.45	1,540	1,540	1,570	1,570
10003	Albumin(CSF)	CSF	TIA	나230나	C2302		203.5	13,940	13,940	14,270	14,270
10220	Aldolase	SST Serum	Enzyme	나269	B2690		52.89	3,620	3,620	3,710	3,710
00650	Aldosterone (RIA)	SST Serum	RIA	나358주	C7358		133.98	9,180	9,180	9,390	9,390
00651	Aldosterone (RIA)	EDTA Plasma	RIA	나358주	C7358		133.98	9,180	9,180	9,390	9,390
00655	Aldosterone (RIA)	24hr Urine	RIA	나358주	C7358		133.98	9,180	9,180	9,390	9,390
00661	Aldosterone 1회	SST Serum	RIA	나358주	C7358		133.98	9,180	9,180	9,390	9,390
00662	Aldosterone 2회	SST Serum	RIA	나358주	C7358		133.98	9,180	9,180	9,390	9,390
00663	Aldosterone 3회	SST Serum	RIA	나358주	C7358		133.98	9,180	9,180	9,390	9,390



삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
00664	Aldosterone 4회	SST Serum	RIA	나358주	C7358		133.98	9,180	9,180	9,390	9,390
00665	Aldosterone 5회	SST Serum	RIA	나358주	C7358		133.98	9,180	9,180	9,390	9,390
00666	Aldosterone 6회	SST Serum	RIA	나358주	C7358		133.98	9,180	9,180	9,390	9,390
81705	ALK (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
10230	ALP	SST Serum	Enzyme	나260나	B2602		20.09	1,380	1,380	1,410	1,410
20560	ALP Isoenzyme	SST Serum	Electrophoresis	나305	B3050006		178.33	12,220	12,220	12,500	12,500
10231	ALP(Fluid)	Body Fluid	Enzyme	나260나	B2602		20.09	1,380	1,380	1,410	1,410
10360	ALT(GPT)	SST Serum	Enzyme	나258	B2580		23.01	1,580	1,580	1,610	1,610
10361	ALT(GPT)(Fluid)	Body Fluid	Enzyme	나258	B2580		23.01	1,580	1,580	1,610	1,610
81145	AMACR (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
65170	Amikacin	Plain Serum	면역형광법	나450나(2)	C4504390		252.59	17,300	17,300	17,710	17,710
13011	Amino Acid 분석	EDTA Plasma	LC/MS/MS	나443나(3)	C4433006외		0	119,970	119,970	122,770	122,770
13012	Amino Acid 분석	Random Urine	LC/MS/MS	나443나(3)	C4433006외		0	119,970	119,970	122,770	122,770
65500	Amiodarone	Plain Serum	LC/MS/MS	나450나(4)	CX375116		577.54	39,560	39,560	40,490	40,490
65511	Amitriptyline	Plain Serum	LC/MS/MS	나450나(4)	CX375696		577.54	39,560	39,560	40,490	40,490
25320	AML1/ETO (nested RT-PCR)	EDTA Blood	Nested RT-PCR	나597마	C5975006		1631.15	111,730	111,730	114,340	114,340
25321	AML1/ETO (nested RT-PCR)	Bone Marrow	Nested RT-PCR	나597마	C5975006		1631.15	111,730	111,730	114,340	114,340
10850	Ammonia (NH3)	EDTA Plasma	Enzyme	나387	C3870		62.85	4,310	4,310	4,410	4,410
10240	Amylase	SST Serum	Enzyme	나261가	B2611		40.93	2,800	2,800	2,870	2,870
10243	Amylase	Body Fluid	Enzyme	나261가	B2611		40.93	2,800	2,800	2,870	2,870
10250	Amylase clearance	복수검체	계산법	나261 외	B2611 외		0	0	7,900	0	8,080
20570	Amylase Isoenzyme	SST Serum	Electrophoresis	나306	B3060006		136.74	9,370	9,370	9,590	9,590
20571	Amylase Isoenzyme	Body Fluid	Electrophoresis	나306	B3060006		136.74	9,370	9,370	9,590	9,590
10242	Amylase(24hr U)	24hr Urine	Enzyme	나261가	B2611		40.93	2,800	2,800	2,870	2,870
10241	Amylase(RU)	Random Urine	Enzyme	나261가	B2611		40.93	2,800	2,800	2,870	2,870
81966	Amyloid A(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
51030	ANA (IFA)	SST Serum	IFA	나491나	C4912006		157.37	10,780	10,780	11,030	11,030
51031	ANA (IFA)	Body Fluid	IFA	나491나	C4912006		157.37	10,780	10,780	11,030	11,030
51040	ANA 정량	SST Serum	IFA	나491나주	C4913006		282.46	19,350	19,350	19,800	19,800
51041	ANA 정량	Body Fluid	IFA	나491나주	C4913006		282.46	19,350	19,350	19,800	19,800
51061	ANCA (MPO) 정량	SST Serum	EIA	나447나	CY472006		212.38	14,550	14,550	14,890	14,890
51062	ANCA (PR3) 정량	SST Serum	EIA	나447가	CY471006		212.38	14,550	14,550	14,890	14,890
51060	ANCA 정량	SST Serum	EIA	나447	CY471~2006		0	29,100	29,100	29,780	29,780
51063	ANCA 정량 3종(MPO,PR3,GBM)	SST Serum	EIA	나447가외	CY471006외		0	37,730	37,730	38,610	38,610
51050	ANCA 정성	SST Serum	EIA	나499	C4991006		163.44	11,200	11,200	11,460	11,460
12930	Anion GAP	SST Serum	계산법	나379+C381	C3791~3+C3812		0	0	6,330	0	6,470
51100	Anti Cardiolipin IgA	SST Serum	ELISA	나503나(3)	C5034		262.41	17,980	17,980	18,390	18,390
51080	Anti Cardiolipin IgG	SST Serum	ELISA	나503나(1)	C5032		262.41	17,980	17,980	18,390	18,390

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
51090	Anti Cardiolipin IgM	SST Serum	ELISA	나503나(2)	C5033		262.41	17,980	17,980	18,390	18,390
51130	Anti centromere Ab	SST Serum	IFA	너443사	CY449006		530.48	36,340	36,340	37,190	37,190
51145	Anti centromere Ab(EIA)	SST Serum	EIA	너443사	CY449006		530.48	36,340	36,340	37,190	37,190
51150	Anti dsDNA Ab	SST Serum	CIA	나492나	C4922		254.88	17,460	17,460	17,870	17,870
51151	Anti dsDNA Ab	Body Fluid	CIA	나492나	C4922		254.88	17,460	17,460	17,870	17,870
51152	Anti dsDNA Ab (IRMA)	SST Serum	IRMA	나492나	C7492		234.83	16,090	16,090	16,460	16,460
51160	Anti dsDNA IgG	SST Serum	EIA	나492나	C4922		254.88	17,460	17,460	17,870	17,870
51170	Anti dsDNA IgM	SST Serum	ELISA	나492나	C4922		254.88	17,460	17,460	17,870	17,870
51171	Anti dsDNA IgM	EDTA Plasma	ELISA	나492나	C4922		254.88	17,460	17,460	17,870	17,870
70795	Anti fungal susceptibility	Other	MIC	나406나	B4062		181.87	12,460	12,460	12,750	12,750
51220	Anti GAD Ab	SST Serum	RIA	너441주	CX744		498.79	34,170	34,170	34,970	34,970
51221	Anti GAD Ab	CSF	RIA	너441주	CX744		498.79	34,170	34,170	34,970	34,970
51230	Anti GBM Ab	SST Serum	EIA	너451	CX451		125.99	8,630	8,630	8,830	8,830
30300	Anti globulin Test	EDTA Blood		나204가주	B2047006		64.93	4,450	4,450	4,550	4,550
51270	Anti intrinsic factor Ab	SST Serum	EIA	너452	CX452		120.96	8,290	8,290	8,480	8,480
51320	Anti Jo-1 Ab	SST Serum	EIA	너443바	CY448006		558.84	38,280	38,280	39,170	39,170
51360	Anti LKM Ab	SST Serum	IFA	너455	CX455		336.36	23,040	23,040	23,580	23,580
50370	Anti M.tuberculosis Ab	SST Serum	ICA	나466가	C4661190		113.14	7,750	7,750	7,930	7,930
01881	Anti Microsome (TPO) Ab	SST Serum	RIA	나495	C7495		230.25	15,770	15,770	16,140	16,140
01885	Anti Microsome(TPO) Ab	SST Serum	CIA	나495나	C4952		223.74	15,330	15,330	15,680	15,680
51380	Anti Mitochondrial Ab(IFA)	SST Serum	IFA	나496나	C4962		132.55	9,080	9,080	9,290	9,290
52640	Anti neutrophil Ab	EDTA Blood	Flow Cytometry	나505	C5050		84.26	5,770	5,770	5,910	5,910
51420	Anti Parietal cell Ab	SST Serum	IFA	나504	C5040		78.08	5,350	5,350	5,470	5,470
51450	Anti Phospholipid IgG	SC Plasma	ELISA	나498나(1)	C4982006		274.51	18,800	18,800	19,240	19,240
51451	Anti Phospholipid IgG	SST Serum	ELISA	나498나(1)	C4982006		274.51	18,800	18,800	19,240	19,240
51460	Anti Phospholipid IgM	SC Plasma	ELISA	나498나(2)	C4983006		275.25	18,850	18,850	19,300	19,300
51461	Anti Phospholipid IgM	SST Serum	ELISA	나498나(2)	C4983006		275.25	18,850	18,850	19,300	19,300
51480	Anti Platelet Ab	SST Serum	IFA	나501나	C5012006		251.6	17,230	17,230	17,640	17,640
51481	Anti Platelet Ab	SST Serum		나502다	CX442006		319.53	21,890	21,890	22,400	22,400
51520	Anti RNP Ab	SST Serum	EIA	너443나	CY444006		400.52	27,440	27,440	28,080	28,080
51521	Anti RNP Ab	EDTA Plasma	EIA	너443나	CY444006		400.52	27,440	27,440	28,080	28,080
51535	Anti Scl-70 Ab	SST Serum	EIA	너443마	CY447006		589.2	40,360	40,360	41,300	41,300
51550	Anti Sm Ab	SST Serum	EIA	너443가	CY443006		411.76	28,210	28,210	28,860	28,860
51560	Anti Smooth Muscle Ab(IFA)	SST Serum	IFA	나497나	C4972		131.16	8,980	8,980	9,190	9,190
51580	Anti SS-A/Ro Ab	SST Serum	EIA	너443다	CY445006		411.77	28,210	28,210	28,870	28,870
51590	Anti SS-B/La Ab	SST Serum	EIA	너443라	CY446006		411.81	28,210	28,210	28,870	28,870
50395	Anti Tetanus Ab	SST Serum	ICA	나466나	C4661190		113.14	7,750	7,750	7,930	7,930
30870	Anti thrombin Ⅲ(%)	SC Plasma	Chromogenic assay	나158	B1580		111.8	7,660	7,660	7,840	7,840

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
31120	Anti Xa LMWH test(Heparin)	SC Plasma	Clot-based	나163-1나	B1634		186.95	12,810	12,810	13,110	13,110
52030	Anti β2-GPI IgG Ab	SST Serum	ELISA	나506가	C5061		262.41	17,980	17,980	18,390	18,390
52035	Anti β2-GPI IgM Ab	SST Serum	ELISA	나506가	C5062		262.41	17,980	17,980	18,390	18,390
30860	Antithrombin III	SC Plasma	TIA	나158	B1580		111.8	7,660	7,660	7,840	7,840
31100	APCR	SC Plasma	Clot-based	너89	BX089		343.29	23,520	23,520	24,060	24,060
10940	Apolipoprotein A I	SST Serum	TIA	나246가	C2461		102.63	7,030	7,030	7,190	7,190
10950	Apolipoprotein A II	SST Serum	TIA	나246가	C2461		102.63	7,030	7,030	7,190	7,190
10960	Apolipoprotein B	SST Serum	TIA	나246나	C2462		106.5	7,300	7,300	7,470	7,470
10970	Apolipoprotein C II	SST Serum	TIA	나246다	C2463		109.49	7,500	7,500	7,680	7,680
10980	Apolipoprotein C III	SST Serum	TIA	나246다	C2463		109.49	7,500	7,500	7,680	7,680
10990	Apolipoprotein E	SST Serum	TIA	나246라	C2464		108.48	7,430	7,430	7,600	7,600
25330	Apolipoprotein E Genotype	EDTA Blood	PCR	너572	CX572006		924.73	63,340	63,340	64,820	64,820
20430	Apt test	Stool	Colorimetry	나124	B1240		12	820	820	840	840
20431	Apt test	Other	Colorimetry	나124	B1240		12	820	820	840	840
12681	Arsenic(AS)	24hr Urine	AAS	나451나(3)	CY373290		251.42	17,220	17,220	17,620	17,620
12682	Arsenic(AS)	Random Urine	AAS	나451나(3)	CY373290		251.42	17,220	17,220	17,620	17,620
50410	ASO 정량	SST Serum	TIA	나463나	C4633		107.52	7,370	7,370	7,540	7,540
50400	ASO(Latex)	SST Serum	TIA	나463가	C4631		28.79	1,970	1,970	2,020	2,020
50411	ASO(Titer)(Fluid)	Body Fluid	TIA	나463나	C4633		107.52	7,370	7,370	7,540	7,540
50445	Aspergillus Ab IgG	SST Serum	EIA	나467나	C4672236		190.48	13,050	13,050	13,350	13,350
50455	Aspergillus Ag	SST Serum	EIA	나475나	C4752996		308.29	21,120	21,120	21,610	21,610
80070	Aspiration cell cyto&block	Other		나594-1	C5942		240.08	16,450	16,450	16,830	16,830
65520	Aspirin (Salicylic acid)	Plain Serum	비색법	나450나(1)	C4503390		124.99	8,560	8,560	8,760	8,760
10350	AST(GOT)	SST Serum	Enzyme	나257	B2570		23.58	1,620	1,620	1,650	1,650
10351	AST(GOT)(Fluid)	Body Fluid	Enzyme	나257	B2570		23.58	1,620	1,620	1,650	1,650
81179	ATPase 9.4 stain	Tissue	Stain	나556가	C5561		297.4	20,370	20,370	20,850	20,850
11925	Auto hemolysis test	복수검체	Colorimetry	나114	B1140006		119.56	8,190	8,190	8,380	8,380
27570	B cell confirm test	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	123,720	123,720	126,600	126,600
10890	B/C ratio	SST Serum	계산법	나373+C375	C3730+C3750		0	0	2,620	0	2,680
50460	Bacterial Ag	CSF	Latex	나408	B4080		79.57	27,250	27,250	27,900	27,900
65180	Barbiturate	Random Urine	ICA	나450가(2)	C4502070		111.78	7,660	7,660	7,840	7,840
25900	B-Cell Stain(CD20)(IHC)	Blood Smear Slide	Immunohistochemistry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
81070	BCL2 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81071	BCL2 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81080	BCL6 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81660	BCL-6 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81081	BCL6(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
70030	Bence-Jones Protein 형성	Random Urine	Precipitation	나227가	C2271		13.33	910	910	930	930



삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
65190	Benzodiazepine	Random Urine	ICA	나450가(2)	C4502080		111.78	7,660	7,660	7,840	7,840
11930	Bile Acid	SST Serum	Enzyme	너272	CX272		161.06	11,030	11,030	11,290	11,290
11931	Bile Acid	Bile	Enzyme	너272	CX272		161.06	11,030	11,030	11,290	11,290
80209	Biopsy (≥13)	Tissue		나550가(5)	C5915		687.25	47,080	47,080	48,180	48,180
80108	Biopsy (≥13) (오픈)	Tissue		나550가(5)	C5915		687.25	47,080	47,080	48,180	48,180
80174	Biopsy (≥13) CFC	Tissue		나550	C5915		687.25	47,080	47,080	48,180	48,180
80135	Biopsy (≥13) KMK	Tissue		나550가(5)	C5915		687.25	47,080	47,080	48,180	48,180
80325	Biopsy (≥13) T&C	Tissue		나550	C5915		687.25	47,080	47,080	48,180	48,180
80195	Biopsy (≥13) TCM	Tissue		나550가(5)	C5915		687.25	47,080	47,080	48,180	48,180
80584	Biopsy (≥13)판독	Tissue		나550가(5)	C5915009		137.45	9,420	9,420	9,640	9,640
80208	Biopsy (10-12)	Tissue		나550가(4)	C5914		589.09	40,350	40,350	41,300	41,300
80107	Biopsy (10-12) (오픈)	Tissue		나550가(4)	C5914		589.09	40,350	40,350	41,300	41,300
80173	Biopsy (10-12) CFC	Tissue		나550	C5914		589.09	40,350	40,350	41,300	41,300
80134	Biopsy (10-12) KMK	Tissue		나550가(4)	C5914		589.09	40,350	40,350	41,300	41,300
80324	Biopsy (10-12) T&C	Tissue		나550	C5914		589.09	40,350	40,350	41,300	41,300
80194	Biopsy (10-12) TCM	Tissue		나550가(4)	C5914		589.09	40,350	40,350	41,300	41,300
80583	Biopsy (10-12)판독	Tissue		나550가(4)	C5914009		117.82	8,070	8,070	8,260	8,260
80205	Biopsy (1-3)	Tissue		나550가(1)	C5911		282.35	19,340	19,340	19,790	19,790
80101	Biopsy (1-3) (오픈)	Tissue		나550가(1)	C5911		282.35	19,340	19,340	19,790	19,790
80190	Biopsy (1-3) 성모	Tissue		나550가(1)	C5911		282.35	19,340	19,340	19,790	19,790
80170	Biopsy (1-3) CFC	Tissue		나550	C5911		282.35	19,340	19,340	19,790	19,790
80131	Biopsy (1-3) KMK	Tissue		나550가(1)	C5911		282.35	19,340	19,340	19,790	19,790
80321	Biopsy (1-3) T&C	Tissue		나550	C5911		282.35	19,340	19,340	19,790	19,790
80191	Biopsy (1-3) TCM	Tissue		나550가(1)	C5911		282.35	19,340	19,340	19,790	19,790
80211	Biopsy (1-3)×2	Tissue		나550가(1)	C5911		282.35	38,680	38,680	39,580	39,580
80136	Biopsy (1-3)×2 KMK	Tissue		나550가(1)	C5911		282.35	38,680	38,680	39,580	39,580
80338	Biopsy (1-3)×2 T&C	Tissue		나550가(1)	C5911		282.35	38,680	38,680	39,580	39,580
80580	Biopsy (1-3)판독	Tissue		나550가(1)	C5911009		56.47	3,870	3,870	3,960	3,960
80206	Biopsy (4-6)	Tissue		나550가(2)	C5912		380.51	26,060	26,060	26,670	26,670
80103	Biopsy (4-6) (오픈)	Tissue		나550가(2)	C5912		380.51	26,060	26,060	26,670	26,670
80171	Biopsy (4-6) CFC	Tissue		나550	C5912		380.51	26,060	26,060	26,670	26,670
80132	Biopsy (4-6) KMK	Tissue		나550가(2)	C5912		380.51	26,060	26,060	26,670	26,670
80322	Biopsy (4-6) T&C	Tissue		나550	C5912		380.51	26,060	26,060	26,670	26,670
80192	Biopsy (4-6) TCM	Tissue		나550가(2)	C5912		380.51	26,060	26,060	26,670	26,670
80315	Biopsy (4-6)×2	Tissue		나550가(2)	C5912		380.51	52,120	52,120	53,340	53,340
80581	Biopsy (4-6)판독	Tissue		나550가(2)	C5912009		76.1	5,210	5,210	5,330	5,330
80207	Biopsy (7-9)	Tissue		나550가(3)	C5913		478.66	32,790	32,790	33,550	33,550
80104	Biopsy (7-9) (오픈)	Tissue		나550가(3)	C5913		478.66	32,790	32,790	33,550	33,550

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
80172	Biopsy (7-9) CFC	Tissue		나550	C5913		478.66	32,790	32,790	33,550	33,550
80133	Biopsy (7-9) KMK	Tissue		나550가(3)	C5913		478.66	32,790	32,790	33,550	33,550
80323	Biopsy (7-9) T&C	Tissue		나550	C5913		478.66	32,790	32,790	33,550	33,550
80193	Biopsy (7-9) TCM	Tissue		나550가(3)	C5913		478.66	32,790	32,790	33,550	33,550
80316	Biopsy (7-9)+절편(≤6)	Tissue		나550	C5913+C5916		0	63,330	63,330	64,810	64,810
80582	Biopsy (7-9)판독	Tissue		나550가(3)	C5913009		95.73	6,560	6,560	6,710	6,710
80231	Biopsy 악성(≤15)	Tissue		나550다(1)	C5500		783.64	53,680	53,680	54,930	54,930
80179	Biopsy 악성(≤15) CFC	Tissue		나550	C5500		783.64	53,680	53,680	54,930	54,930
80331	Biopsy 악성(≤15) T&C	Tissue		나550	C5500		783.64	53,680	53,680	54,930	54,930
80221	Biopsy 악성(≤20)	Tissue		나550다(1)	C5918		1072.19	73,450	73,450	75,160	75,160
80177	Biopsy 악성(≤20) CFC	Tissue		나550	C5918		1072.19	73,450	73,450	75,160	75,160
80328	Biopsy 악성(≤20) T&C	Tissue		나550	C5918		1072.19	73,450	73,450	75,160	75,160
80570	Biopsy 악성(≤20)+호르몬*2	Tissue		나550+나559	C5918+C5590		0	132,350	132,350	135,420	135,420
80339	Biopsy 악성(≤20)+호르몬*2 T&C	Tissue		나550+나559	C5918+C5590		0	132,350	132,350	135,420	135,420
80587	Biopsy 악성(≤20)판독	Tissue		나550	C5918009		214.44	14,690	14,690	15,030	15,030
80232	Biopsy 악성(≥16)	Tissue		나550다(2)	C5504		1096.92	75,140	75,140	76,890	76,890
80180	Biopsy 악성(≥16) CFC	Tissue		나550	C5504		1096.92	75,140	75,140	76,890	76,890
80332	Biopsy 악성(≥16) T&C	Tissue		나550	C5504		1096.92	75,140	75,140	76,890	76,890
80589	Biopsy 악성(≥16)판독	Tissue		나550다	C5504009		219.38	15,030	15,030	15,380	15,380
80222	Biopsy 악성(≥21)	Tissue		나550다(2)	C5919		1602.34	109,760	109,760	112,320	112,320
80178	Biopsy 악성(≥21) CFC	Tissue		나550	C5919		1602.34	109,760	109,760	112,320	112,320
80329	Biopsy 악성(≥21) T&C	Tissue		나550	C5919		1602.34	109,760	109,760	112,320	112,320
80571	Biopsy 악성(≥21)+호르몬*2	Tissue		나550+나559	C5919+C5590		0	168,660	168,660	172,580	172,580
80588	Biopsy 악성(≥21)판독	Tissue		나550다	C5919009		320.47	21,950	21,950	22,460	22,460
80213	Biopsy 절편(≤6)	Tissue		나550나(1)	C5916		445.87	30,540	30,540	31,260	31,260
80109	Biopsy 절편(≤6) (오픈)	Tissue		나550나(1)	C5916		445.87	30,540	30,540	31,260	31,260
80175	Biopsy 절편(≤6) CFC	Tissue		나550	C5916		445.87	30,540	30,540	31,260	31,260
80137	Biopsy 절편(≤6) KMK	Tissue		나550나(1)	C5916		445.87	30,540	30,540	31,260	31,260
80326	Biopsy 절편(≤6) T&C	Tissue		나550	C5916		445.87	30,540	30,540	31,260	31,260
80196	Biopsy 절편(≤6) TCM	Tissue		나550나(1)	C5916		445.87	30,540	30,540	31,260	31,260
80215	Biopsy 절편(≤6)×2	Tissue		나550나(1)	C5916		445.87	61,080	61,080	62,520	62,520
80585	Biopsy 절편(≤6)판독	Tissue		나550나(1)	C5916009		89.17	6,110	6,110	6,250	6,250
80214	Biopsy 절편(≥7)	Tissue		나550나(2)	C5917		636.85	43,620	43,620	44,640	44,640
80176	Biopsy 절편(≥7) CFC	Tissue		나550	C5917		636.85	43,620	43,620	44,640	44,640
80138	Biopsy 절편(≥7) KMK	Tissue		나550나(2)	C5917		636.85	43,620	43,620	44,640	44,640
80327	Biopsy 절편(≥7) T&C	Tissue		나550	C5917		636.85	43,620	43,620	44,640	44,640
80197	Biopsy 절편(≥7) TCM	Tissue		나550나(2)	C5917		636.85	43,620	43,620	44,640	44,640
80586	Biopsy 절편(≥7)판독	Tissue		나550나(2)	C5917009		127.37	8,720	8,720	8,930	8,930

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
80630	Biopsy(≥13)+Stain	Tissue		나550외	C5915+C5533		0	55,560	55,560	56,860	56,860
80337	Biopsy(≥13)+Stain T&C	Tissue		나550외	C5915+C5533		0	55,560	55,560	56,860	56,860
80629	Biopsy(10-12)+Stain	Tissue		나550외	C5914+C5533		0	48,830	48,830	49,980	49,980
80336	Biopsy(10-12)+Stain T&C	Tissue		나550외	C5914+C5533		0	48,830	48,830	49,980	49,980
80625	Biopsy(1-3)+조직호르몬×2	Tissue		나550+나559	C5911+C5590		0	78,240	78,240	80,050	80,050
80621	Biopsy(1-3)+Stain	Tissue		나550+나553	C5911+C5533		0	27,820	27,820	28,470	28,470
80333	Biopsy(1-3)+Stain T&C	Tissue		나550+나553	C5911+C5533		0	27,820	27,820	28,470	28,470
80622	Biopsy(1-3)+Stain*2	Tissue		나550+나553	C5911+C5533		0	36,300	36,300	37,150	37,150
80623	Biopsy(1-3)+Stain*3	Tissue		나550+나553	C5911+C5533		0	44,780	44,780	45,830	45,830
80624	Biopsy(1-3)+Stain*4	Tissue		나550+나553	C5911+C5533		0	53,260	53,260	54,510	54,510
80626	Biopsy(4-6)+Stain	Tissue		나550외	C5912+C5533		0	34,540	34,540	35,350	35,350
80334	Biopsy(4-6)+Stain T&C	Tissue		나550외	C5912+C5533		0	34,540	34,540	35,350	35,350
80628	Biopsy(7-9)+Stain	Tissue		나550외	C5913+C5533		0	41,270	41,270	42,230	42,230
80335	Biopsy(7-9)+Stain T&C	Tissue		나550외	C5913+C5533		0	41,270	41,270	42,230	42,230
80645	biopsy구축학적검사(1)	Tissue		나550라(1)	C5505		1658.74	113,620	113,620	116,280	116,280
80646	biopsy구축학적검사(2)	Tissue		나550라(2)	C5508		1128.59	77,310	77,310	79,110	79,110
80635	Biopsy절편(≤6)+호르몬×2	Tissue		나550+나559	C5916+C5590		0	89,440	89,440	91,520	91,520
80631	Biopsy절편(≤6)+Stain	Tissue		나550+나553	C5916+C5533		0	39,020	39,020	39,940	39,940
80632	Biopsy절편(≤6)+Stain×2	Tissue		나550+나553	C5916+C5533		0	47,500	47,500	48,620	48,620
80633	Biopsy절편(≤6)+Stain×3	Tissue		나550+나553	C5916+C5533		0	55,980	55,980	57,300	57,300
80634	Biopsy절편(≤6)+Stain×4	Tissue		나550+나553	C5916+C5533		0	64,460	64,460	65,980	65,980
80520	Biopsy탈회과정(S)	Tissue		나550	C5509외		0	22,550	22,550	23,080	23,080
30010	Blood Cell Morphology	EDTA Blood	검경법	나110	B1100006		75.56	5,180	5,180	5,300	5,300
70230	Blood Culture	Blood	Culture	나405가	B4051		168.28	11,530	11,530	11,800	11,800
70235	Blood Culture & Sensi(G)	Blood	Culture	나405+나406	B4051+B4061		0	19,460	19,460	19,910	19,910
71020	Body Fluid Analysis	Body Fluid	Manual	나51	B0510		51.91	3,560	3,560	3,640	3,640
71021	Body Fluid Analysis(Joint)	Joint Fluid	Manual	나51	B0510		51.91	3,560	3,560	3,640	3,640
71060	Body Fluid Cell count	Body Fluid	Manual	나51	B0510		51.91	3,560	3,560	3,640	3,640
11941	Bone ALP	SST Serum	CLIA	나398	C3980		91.46	6,270	6,270	6,410	6,410
30135	Bone Marrow Consultant	Bone Marrow Slide		나111가주1	B1113		513.19	35,150	35,150	35,970	35,970
30130	Bone Marrow Examination	Bone Marrow Slide	Manual	나111가주1	B1113		513.19	35,150	35,150	35,970	35,970
80550	Bone Section	Tissue		나552	C5520		346.62	23,740	23,740	24,300	24,300
80555	Bone Section(한병리)	Tissue		나552	C5520		346.62	23,740	23,740	24,300	24,300
80551	Bone Section(T&C)	Tissue		나552	C5520		346.62	23,740	23,740	24,300	24,300
25350	BRCA1	EDTA Blood	Sequencing	나599나(4)	CY713006		7624.85	522,300	522,300	534,500	534,500
25360	BRCA2	EDTA Blood	Sequencing	나599나(4)	CY714006		7624.85	522,300	522,300	534,500	534,500
81900	BRST-2(IHC) TCM	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
10860	BUN	SST Serum	Enzyme	나373	C3730		21.52	1,470	1,470	1,510	1,510

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
10862	BUN	Random Urine	Enzyme	나373	C3730		21.52	1,470	1,470	1,510	1,510
10861	BUN(24hr U)	24hr Urine	Enzyme	나373	C3730		21.52	1,470	1,470	1,510	1,510
70727	C. difficile culture	Stool	Culture	너302가	BY021		181.51	12,430	12,430	12,720	12,720
70725	C. difficile toxin A,B	Stool	ELFA	너302나	BY022		133.91	9,170	9,170	9,390	9,390
20020	C1q	SST Serum	RID	나226사	C2267		108.31	7,420	7,420	7,590	7,590
20040	C3	SST Serum	TIA	나226가	C2261		108.17	7,410	7,410	7,580	7,580
20070	C4	SST Serum	TIA	나226나	C2262		106.47	7,290	7,290	7,460	7,460
81156	C4d	Tissue		나554	C5548		249.95	17,120	17,120	17,520	17,520
81155	C4d(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
01482	CA 72-4 (ECLIA)	SST Serum	ECLIA	나426	C4260		280.19	19,190	19,190	19,640	19,640
10090	Ca++	SST Serum	Electrode	나379바	C3796		81.11	5,560	5,560	5,690	5,690
10091	Ca++	Hp Plasma	Electrode	나379바	C3796		81.11	5,560	5,560	5,690	5,690
01495	CA125 (ECLIA)	SST Serum	ECLIA	나424	C4240		253.63	17,370	17,370	17,780	17,780
01455	CA15-3 (ECLIA)	SST Serum	ECLIA	나433	C4330		251.58	17,230	17,230	17,640	17,640
01465	CA19-9 (ECLIA)	SST Serum	ECLIA	나423	C4230		263.56	18,050	18,050	18,480	18,480
01466	CA19-9 (ECLIA)	Body Fluid	ECLIA	나423	C4230		263.56	18,050	18,050	18,480	18,480
12692	Cadmium(Cd)	Trace EDTA Blood	ICP/MS	나452나(2)	C4523650		313.68	21,490	21,490	21,990	21,990
12693	Cadmium(Cd)	24hr Urine	ICP/MS	나452나(2)	C4523650		313.68	21,490	21,490	21,990	21,990
12694	Cadmium(Cd)	Random Urine	ICP/MS	나452나(2)	C4523650		313.68	21,490	21,490	21,990	21,990
12695	Cadmium(Cd) (아산)	Hp Blood	AAS	나452나(2)	C4523650		313.68	21,490	21,490	21,990	21,990
28080	CAG repeats of Androgen R	EDTA Blood	PCR Fragment analysis	너573마	CY539006		1199.67	82,180	82,180	84,100	84,100
01900	Calcitonin	SST Serum	RIA	나356주	C7356		153.33	10,500	10,500	10,750	10,750
81190	Calcitonin(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
01911	Calcitonin-1호	SST Serum	RIA	나356주	C7356		153.33	10,500	10,500	10,750	10,750
01912	Calcitonin-2호	SST Serum	RIA	나356주	C7356		153.33	10,500	10,500	10,750	10,750
01913	Calcitonin-3호	SST Serum	RIA	나356주	C7356		153.33	10,500	10,500	10,750	10,750
01914	Calcitonin-4호	SST Serum	RIA	나356주	C7356		153.33	10,500	10,500	10,750	10,750
01915	Calcitonin-5호	SST Serum	RIA	나356주	C7356		153.33	10,500	10,500	10,750	10,750
01916	Calcitonin-6호	SST Serum	RIA	나356주	C7356		153.33	10,500	10,500	10,750	10,750
01917	Calcitonin-7호	SST Serum	RIA	나356주	C7356		153.33	10,500	10,500	10,750	10,750
01918	Calcitonin-8호	SST Serum	RIA	나356주	C7356		153.33	10,500	10,500	10,750	10,750
10070	Calcium (Ca)	SST Serum	Colorimetry	나379마	C3795		15.94	1,090	1,090	1,120	1,120
10072	Calcium (Ca)	Random Urine	Colorimetry	나379마	C3795		15.94	1,090	1,090	1,120	1,120
10071	Calcium (Ca)(24hr U)	24hr Urine	Colorimetry	나379마	C3795		15.94	1,090	1,090	1,120	1,120
10077	Calcium excretion	복수검체	계산법	나379마외	C3795외		0	0	3,390	0	3,460
81837	Calretinin(IHC) TCM	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
71050	Campylobacter Culture	Stool	Culture	나405가	B4051		168.28	11,530	11,530	11,800	11,800
50542	Candida Ag 정성	SST Serum	Latex	나408	B4080		79.57	5,450	5,450	5,580	5,580

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
42695	Candida species PCR	분비물	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
65200	Carbamazepine	SST Serum	면역형광법	나450나(2)	C4504030		252.59	17,300	17,300	17,710	17,710
20440	Carboxy Hemoglobin	EDTA Blood	Oximeter	나382다	C3823		54.19	3,710	3,710	3,800	3,800
11010	Cardiac Risk Factor	SST Serum	계산법	나241+C242	C2411+C2420		0	0	7,020	0	7,170
11265	Carnitine(Vitamin BT)	SST Serum	LC/MS/MS	너154	CY544		296.45	20,310	20,310	20,780	20,780
11270	Carotene	SST Serum	Spectrophotometry	나255	C2550		51.11	3,500	3,500	3,580	3,580
02043	Catecholamine 2F	EDTA Plasma	HPLC/ECD	너228			0	45,560	45,560	46,620	46,620
02045	Catecholamine 2F	24hr Urine	HPLC	너228			0	45,560	45,560	46,620	46,620
02053	Catecholamine 3F	EDTA Plasma	HPLC/ECD	너228			0	68,340	68,340	69,930	69,930
02056	Catecholamine 3F	24hr Urine	HPLC	너228			0	68,340	68,340	69,930	69,930
26009	CD 103	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
26256	CD 16 + CD 56	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
26250	CD 16 + CD 56 (NK cell)	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
25990	CD 19 (B cell)	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
25995	CD 19 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
25910	CD 2	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
26000	CD 20	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
26005	CD 20	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
80850	CD 21 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
26008	CD 25	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
27460	CD 25	Bone Marrow	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
25925	CD 3 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
25924	CD 3 (EDTA Blood)	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
80840	CD 3 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80841	CD 3 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80843	CD 3 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
25920	CD 3 (T3)	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
25921	CD 3 (T3)	Bone Marrow	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
26025	CD 34	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
26020	CD 34 (Stem cell)	EDTA Blood	Flow Cytometry	나514	C5140006		750.86	77,150	77,150	78,960	78,960
25935	CD 4 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
25934	CD 4 (EDTA Blood)	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
25930	CD 4 (T4)	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
25931	CD 4 (T4)	Bone Marrow	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
26030	CD 45	EDTA Blood		나512	C5120006		451.56	30,930	30,930	31,650	31,650
80915	CD 5 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
51853	CD 68	Other		나557	C5575006		460.81	31,570	31,570	32,300	32,300
25965	CD 8 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650



삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
25963	CD 8 (EDTA Blood)	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
25960	CD 8 (T8)	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
25961	CD 8 (T8)	Bone Marrow	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
81030	CD10 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81680	CD10 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81838	CD10(IHC) TCM	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
26190	CD117 (IHC)	Block	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
26195	CD117(c-kit)(IHC)	Block	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81580	CD138 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81581	CD138(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80880	CD15 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80881	CD15 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81210	CD1a(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81211	CD1a(IHC) 성모	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80930	CD20 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81240	CD20(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81242	CD20(IHC)성모	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80931	CD21 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80920	CD25 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
25927	CD3(서울 성모)	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
80844	CD3(IHC)성모	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81185	CD30 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81186	CD30 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81180	CD31(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81181	CD31(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81130	CD34(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81132	CD34(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81100	CD35 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81105	CD35 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81670	CD4 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
25937	CD4(서울 성모)	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
81230	CD4(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81231	CD4(IHC)성모	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81250	CD45,LCA(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81265	CD45RB(IHC)성모	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80910	CD5 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81090	CD56 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81091	CD56 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
80950	CD68 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80890	CD79a (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81921	CD8(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81920	CD8(IHC)성모	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81730	CD99 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81415	CDX2 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81800	Cdx2 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81801	CDX2(IHC)성모	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
01535	CEA (ECLIA)	SST Serum	ECLIA	나422	C4220		230.59	15,800	15,800	16,160	16,160
01536	CEA (ECLIA)	Body Fluid	ECLIA	나422	C4220		230.59	15,800	15,800	16,160	16,160
81500	CEA (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81511	CEA (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80046	Cell block after (한병리)	Other		나594	C5940		121.73	8,340	8,340	8,530	8,530
80186	Cell block after (CFC)	Other		나594	C5940		121.73	8,340	8,340	8,530	8,530
80047	Cell block after (T&C)	Other		나594	C5940		121.73	8,340	8,340	8,530	8,530
80045	Cell block after Cyto Exam	Other		나594	C5940		121.73	8,340	8,340	8,530	8,530
82150	Cell block after Cyto Exam	Other		나594	C5940		121.73	8,340	8,340	8,530	8,530
27620	Cell culture (AF)	Amniotic Fluid	Culture	너498	CX498		499.57	34,220	34,220	35,020	35,020
80980	C-erb B2(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80982	C-erb B2(IHC)(성모)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
20160	Ceruloplasmin	SST Serum	TIA	나235	C2350		113.91	7,800	7,800	7,990	7,990
20161	Ceruloplasmin	Hp Plasma	TIA	나235	C2350		113.91	7,800	7,800	7,990	7,990
51640	CH50	SST Serum	Enzyme	나225	C2250		104.79	7,180	7,180	7,350	7,350
50560	Chlamydia pneumonia IgG	SST Serum	IFA	나474나(1)	C4742816		207.72	14,230	14,230	14,560	14,560
50570	Chlamydia pneumonia IgM	SST Serum	IFA	나474나(2)	C4743816		205.84	14,100	14,100	14,430	14,430
42340	Chlamydia pneumonia PCR	Other	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
42240	Chlamydia trachomatis Ag	분비물	EIA	나475나	C4752816		308.29	21,120	21,120	21,610	21,610
50630	Chlamydia trachomatis IgG	SST Serum	EIA	나474나(1)	C4742816		207.72	14,230	14,230	14,560	14,560
50640	Chlamydia trachomatis IgM	SST Serum	EIA	나474나(2)	C4743816		205.84	14,100	14,100	14,430	14,430
42330	Chlamydia trachomatis PCR	분비물	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
10100	Chloride(Cl)	SST Serum	ISE	나379다	C3793		14.68	1,010	1,010	1,030	1,030
10102	Chloride(Cl)	Random Urine	ISE	나379다	C3793		14.68	1,010	1,010	1,030	1,030
10101	Chloride(Cl)(24hr U)	24hr Urine	ISE	나379다	C3793		14.68	1,010	1,010	1,030	1,030
11050	Cholesterol Ester 정량	SST Serum	계산법	나241나	C2412		16.94	1,160	1,160	1,190	1,190
11051	Cholesterol Ester 정량	Body Fluid	계산법	나241나	C2412		16.94	1,160	1,160	1,190	1,190
10280	Cholinesterase(Pseudo)	SST Serum	Colorimetry	나270	B2700		39.92	2,730	2,730	2,800	2,800
10290	Cholinesterase(RBC activity)	EDTA Blood	Enzyme	나270	B2700		39.92	2,730	2,730	2,800	2,800
81410	Chromoglanin (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
81760	Chromoglanin (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81852	Chromogranin(IHC)(TCM)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
25125	Chromosome Analysis(광주)	Hp Blood	Culture	나600	C6001006		1286.79	88,150	88,150	90,200	90,200
25102	Chromosome Analysis(BM)	Bone Marrow	Culture	나600-1	C6005006		1658.71	113,620	113,620	116,280	116,280
25104	Chromosome Analysis(CB)	Cord Blood	Culture	나600	C6001006		1286.79	88,150	88,150	90,200	90,200
25100	Chromosome Analysis(PB)	Hp Blood	Culture	나600	C6001006		1286.79	88,150	88,150	90,200	90,200
25126	Chromosome test (아산)	Hp Blood	Culture	나600	C6001006		1286.79	88,150	88,150	90,200	90,200
25127	Chromosome test(Solid tumor)	Solid tumor	Culture	나600-1나	CX568006		3528.56	241,710	241,710	247,350	247,350
25190	Chromosome(High Resolution)	Hp Blood	Culture	나600-2	C6006006		1590.33	108,940	108,940	111,480	111,480
26235	Chronic Leukemia panel	Bone Marrow	Flow Cytometry	나512	C5120006		451.56	556,740	556,740	569,700	569,700
10520	Citrate	24hr Urine	Enzyme	나345가(2)	CY342		201.9	13,830	13,830	14,150	14,150
10525	Citrate	SST Serum	UV	나345가(2)	CY342		201.9	13,830	13,830	14,150	14,150
81060	CK (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81064	CK (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81720	CK (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81062	CK 20 (Cytokeratin20)(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81066	CK 5/6 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81061	CK 7 (Cytokeratin 7) (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81015	CK HMW(CK 1,5,10,14)(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
20580	CK Isoenzyme	SST Serum	Electrophoresis	나304	B3040006		163.72	11,210	11,210	11,480	11,480
20581	CK Isoenzyme	Body Fluid		나304	B3040006		163.72	11,210	11,210	11,480	11,480
81820	CK(A1/A3)(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
10300	CK(Creatine kinase)	SST Serum	Enzyme	나263	B2630		55.99	3,840	3,840	3,920	3,920
10301	CK(Creatine kinase)	Body Fluid	Enzyme	나263	B2630		55.99	3,840	3,840	3,920	3,920
81834	CK(IHC) TCM	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81065	CK7 (Cytokeratin7)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81890	CK-7(IHC) TCM	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
10316	CK-BB	SST Serum	Electrophoresis	나304	B3040006		163.72	11,210	11,210	11,480	11,480
81630	c-kit (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81849	C-kit(IHC)(TCM)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
10310	CK-MB 정량	SST Serum	ECLIA	나264	B2640		153.12	10,490	10,490	10,730	10,730
10315	CK-MM	SST Serum	Electrophoresis	나304	B3040006		163.72	11,210	11,210	11,480	11,480
65221	Clonazepam	Plain Serum	LC/MS/MS	나450	CX375696		577.54	39,560	39,560	40,490	40,490
50845	Clonorchis IgG(S)	SST Serum	ELISA	나472나(1)	C4722616		269.38	18,450	18,450	18,880	18,880
65770	Clozapine	Plain Serum	LC/MS/MS	나450나(4)	CX375696		577.54	39,560	39,560	40,490	40,490
25370	CML-major PCR	EDTA Blood	Nested RT-PCR	나597가	C5971006		1626.16	111,390	111,390	113,990	113,990
25371	CML-major PCR	Bone Marrow	Nested RT-PCR	나597가	C5971006		1626.16	111,390	111,390	113,990	113,990
25380	CML-minor PCR	EDTA Blood	Nested RT-PCR	나597나	C5972006		1631.15	111,730	111,730	114,340	114,340

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
25381	CML-minor PCR	Bone Marrow	Nested RT-PCR	나597나	C5972006		1631.15	111,730	111,730	114,340	114,340
81510	CMV (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
50670	CMV Antigenemia	EDTA Blood		나469	C4690426		203.37	13,930	13,930	14,260	14,260
42135	CMV culture	Other	Shell Vial Culture	나416	B4160006		574.26	39,340	39,340	40,260	40,260
42136	CMV culture(조직)	Tissue	Shell Vial Culture	나416	B4160006		574.26	39,340	39,340	40,260	40,260
42350	CMV DNA(PCR)	EDTA Blood	PCR	나595가	C5951006		426.21	29,200	29,200	29,880	29,880
40305	CMV IgG	SST Serum	CIA	나468나(1)	C4682426		273.64	18,740	18,740	19,180	19,180
40306	CMV IgG	CSF	CIA	나468나(1)	C4682426		273.64	18,740	18,740	19,180	19,180
40315	CMV IgM	SST Serum	CIA	나468나(2)	C4683426		261	17,880	17,880	18,300	18,300
40316	CMV IgM	CSF	CIA	나468나(2)	C4683426		261	17,880	17,880	18,300	18,300
81513	CMV(IHC) 성모	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
10110	CO2,Total	SST Serum	Enzyme	나381나	C3812		45.04	3,090	3,090	3,160	3,160
50710	Cold Agglutinin	SST Serum	HA	나209	B2090006		53.63	3,670	3,670	3,760	3,760
30000	Complete Blood Count 8종	EDTA Blood	자동혈구계산법				0	4,300	4,300	4,410	4,410
20506	Co-oximeter	EDTA Blood	Oximeter	나370	C3700		160.26	10,980	10,980	11,230	11,230
81177	Copper(염색만)	Tissue	Stain	나553다	C5533		123.77	8,480	8,480	8,680	8,680
12722	Copper(Cu)	Tissue	AAS	나452나(2)	C4527620		619.4	42,430	42,430	43,420	43,420
12725	Copper(Cu)	Trace Serum	ICP/MS	나452나(2)	C4523620		313.68	21,490	21,490	21,990	21,990
12726	Copper(Cu)	24hr Urine	ICP/MS	나452나(2)	C4523620		313.68	21,490	21,490	21,990	21,990
11750	Coproporphyrin 정량	24hr Urine	비색법	나389나(1)	C3892		44.42	3,040	3,040	3,110	3,110
11740	Coproporphyrin 정성	Random Urine	Fluorometry	나389가	C3891		9.88	680	680	690	690
10075	corrected Ca	SST Serum	계산법	나221 외	C2210 외		0	0	2,630	0	2,690
00707	Cortisol	SST Serum	CIA	나324나(4)	C3248		119.38	8,180	8,180	8,370	8,370
00751	Cortisol 1회 (RIA)	SST Serum	RIA	나324나(4)	C7322		110.33	7,560	7,560	7,730	7,730
00752	Cortisol 2회 (RIA)	SST Serum	RIA	나324나(4)	C7322		110.33	7,560	7,560	7,730	7,730
00753	Cortisol 3회 (RIA)	SST Serum	RIA	나324나(4)	C7322		110.33	7,560	7,560	7,730	7,730
00754	Cortisol 4회 (RIA)	SST Serum	RIA	나324나(4)	C7322		110.33	7,560	7,560	7,730	7,730
00722	Cortisol-11회	SST Serum	CIA	나324나(4)	C3248		119.38	8,180	8,180	8,370	8,370
00723	Cortisol-12회	SST Serum	CIA	나324나(4)	C3248		119.38	8,180	8,180	8,370	8,370
00724	Cortisol-13회	SST Serum	CIA	나324나(4)	C3248		119.38	8,180	8,180	8,370	8,370
00725	Cortisol-14회	SST Serum	CIA	나324나(4)	C3248		119.38	8,180	8,180	8,370	8,370
00726	Cortisol-15회	SST Serum	CIA	나324나(4)	C3248		119.38	8,180	8,180	8,370	8,370
00711	Cortisol-1회	SST Serum	CIA	나324나(4)	C3248		119.38	8,180	8,180	8,370	8,370
00712	Cortisol-2회	SST Serum	CIA	나324나(4)	C3248		119.38	8,180	8,180	8,370	8,370
00713	Cortisol-3회	SST Serum	CIA	나324나(4)	C3248		119.38	8,180	8,180	8,370	8,370
00714	Cortisol-4회	SST Serum	CIA	나324나(4)	C3248		119.38	8,180	8,180	8,370	8,370
00715	Cortisol-5회	SST Serum	CIA	나324나(4)	C3248		119.38	8,180	8,180	8,370	8,370
00716	Cortisol-6회	SST Serum	CIA	나324나(4)	C3248		119.38	8,180	8,180	8,370	8,370

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
00717	<b>Cortisol-7회</b>	SST Serum	CIA	나324나(4)	C3248		119.38	8,180	8,180	8,370	8,370
00718	<b>Cortisol-8회</b>	SST Serum	CIA	나324나(4)	C3248		119.38	8,180	8,180	8,370	8,370
00719	<b>Cortisol-9회</b>	SST Serum	CIA	나324나(4)	C3248		119.38	8,180	8,180	8,370	8,370
00721	<b>Cortisol-9회</b>	SST Serum	CIA	나324나(4)	C3248		119.38	8,180	8,180	8,370	8,370
81930	<b>COX-2(IHC)</b>	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
42121	<b>Coxsackievirus culture</b>	Other	Culture	나416	B4160006		574.26	39,340	39,340	40,260	40,260
00965	<b>C-peptide (ECLIA)</b>	SST Serum	ECLIA	나343	C3430		202.69	13,880	13,880	14,210	14,210
00966	<b>C-peptide (ECLIA)</b>	24hr Urine	ECLIA	나343	C3430		202.69	13,880	13,880	14,210	14,210
00983	<b>C-Peptide-10회</b>	SST Serum	ECLIA	나343	C3430		202.69	13,880	13,880	14,210	14,210
00984	<b>C-Peptide-11회</b>	SST Serum	ECLIA	나343	C3430		202.69	13,880	13,880	14,210	14,210
00985	<b>C-Peptide-12회</b>	SST Serum	ECLIA	나343	C3430		202.69	13,880	13,880	14,210	14,210
00986	<b>C-Peptide-13회</b>	SST Serum	ECLIA	나343	C3430		202.69	13,880	13,880	14,210	14,210
00987	<b>C-Peptide-14회</b>	SST Serum	ECLIA	나343	C3430		202.69	13,880	13,880	14,210	14,210
00988	<b>C-Peptide-15회</b>	SST Serum	ECLIA	나343	C3430		202.69	13,880	13,880	14,210	14,210
00971	<b>C-Peptide-1회</b>	SST Serum	ECLIA	나343	C3430		202.69	13,880	13,880	14,210	14,210
00972	<b>C-Peptide-2회</b>	SST Serum	ECLIA	나343	C3430		202.69	13,880	13,880	14,210	14,210
00973	<b>C-Peptide-3회</b>	SST Serum	ECLIA	나343	C3430		202.69	13,880	13,880	14,210	14,210
00974	<b>C-Peptide-4회</b>	SST Serum	ECLIA	나343	C3430		202.69	13,880	13,880	14,210	14,210
00975	<b>C-Peptide-5회</b>	SST Serum	ECLIA	나343	C3430		202.69	13,880	13,880	14,210	14,210
00976	<b>C-Peptide-6회</b>	SST Serum	ECLIA	나343	C3430		202.69	13,880	13,880	14,210	14,210
00977	<b>C-Peptide-7회</b>	SST Serum	ECLIA	나343	C3430		202.69	13,880	13,880	14,210	14,210
00978	<b>C-Peptide-8회</b>	SST Serum	ECLIA	나343	C3430		202.69	13,880	13,880	14,210	14,210
00979	<b>C-Peptide-9회</b>	SST Serum	ECLIA	나343	C3430		202.69	13,880	13,880	14,210	14,210
10900	<b>Crea.Clearance Test</b>	복수검체	계산법	나376	C3760		44.35	3,040	3,040	3,110	3,110
10870	<b>Creatine</b>	SST Serum	Colorimetry	나377	C3770		19.17	1,310	1,310	1,340	1,340
10871	<b>Creatine</b>	24hr Urine	Colorimetry	나377	C3770		19.17	1,310	1,310	1,340	1,340
10872	<b>Creatine</b>	Random Urine	Colorimetry	나377	C3770		19.17	1,310	1,310	1,340	1,340
10882	<b>Creatinine</b>	Random Urine	Enzyme	나375	C3750		16.75	1,150	1,150	1,170	1,170
10883	<b>Creatinine</b>	SST Serum	Enzyme	나375	C3750		16.75	1,150	1,150	1,170	1,170
10881	<b>Creatinine(24hr U)</b>	24hr Urine	Enzyme	나375	C3750		16.75	1,150	1,150	1,170	1,170
31091	<b>Cross matching</b>	복수검체	Column	나205	B2050		51.36	3,520	3,520	3,600	3,600
50720	<b>CRP</b>	SST Serum	TIA	나224가	C2241		19.43	1,330	1,330	1,360	1,360
50721	<b>CRP</b>	CSF	TIA	나224가	C2241		19.43	1,330	1,330	1,360	1,360
50732	<b>CRP정량(HS-CRP)</b>	SST Serum	TIA	나224나	C2243		106.53	7,300	7,300	7,470	7,470
50733	<b>CRP정량(HS-CRP)</b>	CSF	TIA	나224나	C2243		106.53	7,300	7,300	7,470	7,470
20170	<b>Cryoglobulin 정성</b>	SST Serum	한냉침전법	나500가	C5001		31.27	2,140	2,140	2,190	2,190
50740	<b>Cryptococcus Ag</b>	SST Serum	Latex	나408	B4080		79.57	5,450	5,450	5,580	5,580
50741	<b>Cryptococcus Ag</b>	CSF	Latex	나408	B4080		79.57	5,450	5,450	5,580	5,580



삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
13010	CTx	SST Serum	ECLIA	나393-2	C3932		181.32	12,420	12,420	12,710	12,710
70110	Culture	Other		나405가	B4051		168.28	11,530	11,530	11,800	11,800
70120	Culture & Sensitivity	Other		나405가	B4051		168.28	11,530	11,530	11,800	11,800
70125	Culture & Sensitivity(G)	Other		나405+나406	B4051+B4061		0	19,460	19,460	19,910	19,910
70150	Culture & Sensitivity(MIC)	Other	MIC	나405가	B4051		168.28	11,530	11,530	11,800	11,800
70155	Culture & Sensi(MIC)(G)	Other	MIC	나405+나406	B4051+B4062		0	23,990	23,990	24,550	24,550
80985	CXCL13 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81020	Cyclin D1 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
65550	Cyclosporin	EDTA Blood	RIA	나450나(2)	C7451150		212.51	14,560	14,560	14,900	14,900
65551	Cyclosporin (LC-MS/MS)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696		577.54	39,560	39,560	40,490	40,490
12980	Cystatin C	SST Serum	TIA	너131	CX131		112.18	7,680	7,680	7,860	7,860
50842	Cysticercus IgG(S)	SST Serum	ELISA	나472나(1)	C4722616		269.38	18,450	18,450	18,880	18,880
80055	Cytospin체액세포병리검사	Other	Pap stain	나593나	C5931		97.75	6,700	6,700	6,850	6,850
30680	D-dimer 정량	SC Plasma	TIA	나172나	B1723		176.33	12,080	12,080	12,360	12,360
31060	D-dimer 정성	SC Plasma	TIA	나172가	B1721		40.93	2,800	2,800	2,870	2,870
12381	Deoxyypyridinoline(DPD)	Random Urine	EIA	나393	C3930		182.85	12,530	12,530	12,820	12,820
65561	Desipramine	Plain Serum	LC/MS/MS	나450나(4)	CX375696		577.54	39,560	39,560	40,490	40,490
81270	Desmin(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81271	Desmin(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
00746	DHEA-S (ECLIA)	SST Serum	ECLIA	나364	C3640		259.09	17,750	17,750	18,160	18,160
29560	DHR	EDTA Blood	Flow Cytometry	너491가	CY901006		333.31	22,830	22,830	23,370	23,370
65235	Diazepam (LC-MS/MS)	Plain Serum	LC/MS/MS	나450나(4)	CX375016		577.54	39,560	39,560	40,490	40,490
30020	Differential Count	EDTA Blood	자동혈구계산법	나109가	B1091		25.35	1,740	1,740	1,780	1,780
65051	Digoxin	SST Serum	CIA	나450나(2)	C4504090		252.59	17,300	17,300	17,710	17,710
10050	Direct Bilirubin	SST Serum	Colorimetry	나372나	C3721		17.55	1,200	1,200	1,230	1,230
10051	Direct Bilirubin	Capillary	Colorimetry	나372나	C3721		17.55	1,200	1,200	1,230	1,230
30320	Direct Coombs	EDTA Blood	Microcolumn	나204가주주	B2047006		64.93	4,450	4,450	4,550	4,550
31080	Direct Coombs Anti 4종	EDTA Blood		나204가	B2047106~406		0	17,800	17,800	18,200	18,200
31070	Direct Coombs Anti C3d,IgG	EDTA Blood		나204가	B20471+406		0	8,900	8,900	9,100	9,100
81715	DOG1(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
50715	Donath Landsteiner test	SST Serum		나210	B2100006		39.88	2,730	2,730	2,800	2,800
27480	DRPLA	EDTA Blood	PCR-RFLP	너573다	CY533006		1199.67	82,180	82,180	84,100	84,100
26840	DRPLA gene mutation	EDTA Blood		너573다	CY533006		1199.67	82,180	82,180	84,100	84,100
65571	Drug profiling test	Random Urine	LC/MS/MS	나450가(4)	CX372690외		0	37,560	37,560	38,420	38,420
30410	Du (Weak D) Test	EDTA Blood	Microcolumn	나202다	B2023		42.47	2,910	2,910	2,980	2,980
30431	Duffy A 혈액형검사	EDTA Blood	Tube	나203	B2030006		70.22	4,810	4,810	4,920	4,920
30432	Duffy B 혈액형검사	EDTA Blood	Tube	나203	B2030006		70.22	4,810	4,810	4,920	4,920
29060	DYT1 (Dystonia I, torsion)	EDTA Blood	PCR-RFLP	너562	CY635006		471.06	32,270	32,270	33,020	33,020

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
71222	E.coli O157 Cul&Sensi(G)	Other		나405+나406	B4051+B4061		0	19,460	19,460	19,910	19,910
71220	E.coli O157 Culture	Other	Culture	나405가	B4051		168.28	11,530	11,530	11,800	11,800
70740	E.coli O157 PCR	Stool	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
29350	E2A-PBX1 rearrangement	EDTA Blood	Nested RT-PCR	나597	C5974006		1631.15	111,730	111,730	114,340	114,340
42875	EBV EA-DR IgG	SST Serum	EIA	나468나(1)	C4682446		273.64	18,740	18,740	19,180	19,180
42876	EBV EA-DR IgG	CSF	EIA	나468나(1)	C4682446		273.64	18,740	18,740	19,180	19,180
42895	EBV EA-DR IgM	SST Serum	EIA	나468나(2)	C4683446		261	17,880	17,880	18,300	18,300
42896	EBV EA-DR IgM	CSF	EIA	나468나(2)	C4683446		261	17,880	17,880	18,300	18,300
42900	EBV EBNA IgG	SST Serum	EIA	나468나(1)	C4682456		273.64	18,740	18,740	19,180	19,180
42901	EBV EBNA IgG	EDTA Plasma	EIA	나468나(1)	C4682456		273.64	18,740	18,740	19,180	19,180
42902	EBV EBNA IgG	CSF	EIA	나468나(1)	C4682456		273.64	18,740	18,740	19,180	19,180
42910	EBV EBNA IgM	SST Serum	EIA	나468나(2)	C4683456		261	17,880	17,880	18,300	18,300
42911	EBV EBNA IgM	EDTA Plasma	EIA	나468나(2)	C4683456		261	17,880	17,880	18,300	18,300
42912	EBV EBNA IgM	CSF	EIA	나468나(2)	C4683456		261	17,880	17,880	18,300	18,300
42920	EBV PCR	EDTA Blood	Nested PCR	나595마	C5955006		386.82	26,500	26,500	27,120	27,120
40835	EBV VCA IgG	SST Serum	EIA	나468나(1)	C4682436		273.64	18,740	18,740	19,180	19,180
40836	EBV VCA IgG	CSF	EIA	나468나(1)	C4682436		273.64	18,740	18,740	19,180	19,180
40845	EBV VCA IgM	SST Serum	EIA	나468나(2)	C4683436		261	17,880	17,880	18,300	18,300
40846	EBV VCA IgM	CSF	EIA	나468나(2)	C4683436		261	17,880	17,880	18,300	18,300
50750	EBV(in situ)	Other		너567다	CY673006		560.05	38,360	38,360	39,260	39,260
50755	EBV(in situ)	Other	Insitu Hybridization	너567다	CY673006		560.05	38,360	38,360	39,260	39,260
50760	EBV(in situ)	Other	Insitu Hybridization	너567다	CY673006		560.05	38,360	38,360	39,260	39,260
80820	E-Cadherin (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
42771	Echovirus Culture	Other	Culture	나416	B4160006		574.26	39,340	39,340	40,260	40,260
26596	EGFR(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
70980	Egg count, EPG	Stool	검경법	나68	B0680		29.1	1,990	1,990	2,040	2,040
81847	EMA(IHC)(TCM)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
50335	Entamoeba histolytica IgG	SST Serum	EIA	나472가	C4722626		269.38	18,450	18,450	18,880	18,880
50336	Entamoeba histolytica IgG	Body Fluid	EIA	나472가	C4722626		269.38	18,450	18,450	18,880	18,880
42140	Enterovirus Culture	Other	Culture	나416	B4160006		574.26	39,340	39,340	40,260	40,260
42141	Enterovirus culture(조직)	Tissue	Shell Vial Culture	나416	B4160006		574.26	39,340	39,340	40,260	40,260
42370	Enterovirus RNA(PCR)	CSF	real time PCR	나596나	C5962006		616.46	42,230	42,230	43,210	43,210
30030	Eosinophil Count	EDTA Blood	Manual	나107가	B1070		12.41	850	850	870	870
30031	Eosinophil Count	Smear Slide	Manual	나107나	B1071		13.69	940	940	960	960
81830	ER(IHC) TCM	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
01570	ER/PR Receptor	Tissue	Stain	나559	C5590		429.88	58,900	58,900	60,260	60,260
80960	ER/PR Receptor (지방)	Tissue		나559	C5590		429.88	58,900	58,900	60,260	60,260
01573	ER/PR Receptor(성모)	Tissue	Stain	나559	C5590		429.88	58,900	58,900	60,260	60,260

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
81520	ERCC1 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
01250	Erythropoietin(EPO)	SST Serum	CLIA	나357	C3570		241.49	16,540	16,540	16,930	16,930
01251	Erythropoietin(EPO)	Hp Plasma	CLIA	나357	C3570		241.49	16,540	16,540	16,930	16,930
30040	ESR	EDTA Blood	Manual	나103가	B1033		10.28	700	700	720	720
00433	Estradiol (E2) (ECLIA)	SST Serum	ECLIA	나326	C3260		191.1	13,090	13,090	13,400	13,400
00440	Estriol (E3)	SST Serum	RIA	나327주	C7327		211.2	14,470	14,470	14,810	14,810
00450	Estrogen	SST Serum	RIA	나325주	C7325		89.6	6,140	6,140	6,280	6,280
01571	Estrogen Receptor(ER)	Tissue	Immunohistochemistry	나559	C5590		429.88	29,450	29,450	30,130	30,130
01572	Estrogen Receptor(ER) (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
29100	EWS-FLI1/ERG rearrangement	Block	Nested RT-PCR	나597자	C5979006		1791.12	122,690	122,690	125,560	125,560
29105	EWS-FLT1	Block	RT-PCR	나596라	C5969006		678.1	46,450	46,450	47,530	47,530
81755	Factor 13a(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
30650	Factor 5 Leiden(FV:Q506)	EDTA Blood	PCR-RFLP	너562파	CY633006		462.55	31,680	31,680	32,420	32,420
30480	Factor Ab VIII	SC Plasma	Clot-based	나178가	B1780006		209.53	14,350	14,350	14,690	14,690
30490	Factor Ab IX	SC Plasma	Clot-based	나178나	B1781006		214.8	14,710	14,710	15,060	15,060
30570	Factor Assay VII	SC Plasma	Clot-based	나169가(3)	B1693006		180.51	12,360	12,360	12,650	12,650
30580	Factor Assay VIII	SC Plasma	Clot-based	나169가(4)	B1694006		186.59	12,780	12,780	13,080	13,080
30590	Factor Assay IX	SC Plasma	Clot-based	나169가(5)	B1695006		184.73	12,650	12,650	12,950	12,950
30520	Factor AssayII	SC Plasma	Clot-based	나169가(1)	B1691006		173.34	11,870	11,870	12,150	12,150
30550	Factor Assay V	SC Plasma	Clot-based	나169가(2)	B1692006		171.22	11,730	11,730	12,000	12,000
30600	Factor Assay X	SC Plasma	Clot-based	나169가(6)	B1696006		168.84	11,570	11,570	11,840	11,840
30610	Factor Assay X I	SC Plasma	Clot-based	나169가(7)	B1697006		169.58	11,620	11,620	11,890	11,890
30620	Factor Assay X II	SC Plasma	Clot-based	나169가(8)	B1698006		158.83	10,880	10,880	11,130	11,130
30630	Factor Assay X III	SC Plasma	Urea 용해시험	나169가(9)	B1699006		169.62	11,620	11,620	11,890	11,890
27810	Fanconi Anemia Study	복수검체		너569나외	CY692006외		0	217,660	217,660	222,730	222,730
12940	Fat 정성 검사	Stool	Sudan III	나67	B0670		13.93	950	950	980	980
30890	FDP	SC Plasma	TIA	나161나	B1613		140.82	9,650	9,650	9,870	9,870
31110	FDP 정성	SC Plasma	TIA	나161가	B1611		51.38	3,520	3,520	3,600	3,600
01585	Ferritin (ECLIA)	SST Serum	ECLIA	나252	C2520		177.83	12,180	12,180	12,470	12,470
20450	Fetal hemoglobin	EDTA Blood	HPLC	나382라	C3824		66.78	4,570	4,570	4,680	4,680
27556	FGFR1 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
30640	Fibrinogen	SC Plasma	Clot-based	나160가	B1601		39.78	2,720	2,720	2,790	2,790
70770	Filariae	Blood Smear Slide	Manual	나115	B1150006		47.83	3,280	3,280	3,350	3,350
26585	FIP1L1/PDGFRA(PCR)	Bone Marrow	Nested PCR	나597자	C5979006		1791.12	122,690	122,690	125,560	125,560
65582	FK-506	EDTA Blood	CIA	나450나(2)	C4504390		252.59	17,300	17,300	17,710	17,710
65580	FK-506 (LC/MS/MS)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696		577.54	39,560	39,560	40,490	40,490
65581	FK-506 (LC-MS/MS)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696		577.54	39,560	39,560	40,490	40,490
20752	FLC Panel (Random Urine)	Random Urine		나300외	B3001006외		0	74,700	74,700	76,450	76,450

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
20750	FLC Panel (Serum)	SST Serum		나300외	B3000006외		0	74,150	74,150	75,880	75,880
20751	FLC(RU)+PEP(24h U)	복수검체		나300외	B3001006외		0	74,700	74,700	76,450	76,450
11286	Folate (ECLIA)	SST Serum	ECLIA	나254	C2540		222.95	15,270	15,270	15,630	15,630
81935	FoxP-3(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
27272	Fragile X 정밀(혈액)검사	복수검체	Southern blot	나598+나573	C5987006+CY5390		0	146,340	146,340	149,760	149,760
27280	FragileX정밀(양수)+culture	Amniotic Fluid					0	326,900	326,900	334,540	334,540
00765	Free Cortisol	24hr Urine	CIA	나324나(5)	C3249		116.78	8,000	8,000	8,190	8,190
00766	Free Cortisol	Random Urine	CIA	나324나(5)	C3249		116.78	8,000	8,000	8,190	8,190
11090	Free Fatty Acid(NEFA)	SST Serum	Enzyme	나245	C2450		34.32	2,350	2,350	2,410	2,410
11091	Free Fatty Acid(NEFA)	Other	Enzyme	나245	C2450		34.32	2,350	2,350	2,410	2,410
25891	Free Kappa light chain	SST Serum	비탁법	나237가(1)	C2371006		474.18	32,480	32,480	33,240	33,240
25896	Free Kappa light chain(RU)	Random Urine	비탁법	나237나(1)	C2381006		474.18	32,480	32,480	33,240	33,240
25887	Free Kappa/Free Lambda light chain ratio	SST Serum	비탁법	나237가	C2371~2006		0	64,960	64,960	66,480	66,480
25888	Free Kappa/Free Lambda light chain ratio	Random Urine	비탁법	나237나	C2381~2006		0	64,960	64,960	66,480	66,480
25615	Free Lambda light chain	SST Serum	비탁법	나237가(2)	C2372006		474.18	32,480	32,480	33,240	33,240
25616	Free Lambda light chain(RU)	Random Urine	비탁법	나237나(2)	C2382006		474.18	32,480	32,480	33,240	33,240
01682	Free PSA (ECLIA)	SST Serum	ECLIA	나321	CX321		179.68	12,310	12,310	12,600	12,600
01686	Free PSA/PSA ratio(ECLIA)	SST Serum	ECLIA	나428외	C4280+CX321		0	0	28,820	29,500	29,500
00215	Free T3 (ECLIA)	SST Serum	ECLIA	나330	C3300		148.14	10,150	10,150	10,380	10,380
00225	Free T4 (ECLIA)	SST Serum	ECLIA	나334	C3340		173.49	11,880	11,880	12,160	12,160
00235	Free thyroxine index	SST Serum	계산법	나331+나333	C3310+C3330		0	21,400	21,400	21,890	21,890
29010	Friedreich's ataxia	EDTA Blood	Southern blot	나573마	CY539006 외		0	150,800	150,800	154,330	154,330
29011	Friedreich's ataxia	EDTA Blood	Southern Hybridization	나598	C5980006		1001.8	68,620	68,620	70,230	70,230
20460	Fructosamine	SST Serum	Colorimetry	나397	C3970		87.52	6,000	6,000	6,140	6,140
00092	FSH (ECLIA)	SST Serum	ECLIA	나350	C3500		159.41	10,920	10,920	11,170	11,170
00051	FSH-1회	SST Serum	ECLIA	나350	C3500		159.41	10,920	10,920	11,170	11,170
00052	FSH-2회	SST Serum	ECLIA	나350	C3500		159.41	10,920	10,920	11,170	11,170
00053	FSH-3회	SST Serum	ECLIA	나350	C3500		159.41	10,920	10,920	11,170	11,170
00054	FSH-4회	SST Serum	ECLIA	나350	C3500		159.41	10,920	10,920	11,170	11,170
00055	FSH-5회	SST Serum	ECLIA	나350	C3500		159.41	10,920	10,920	11,170	11,170
00056	FSH-6회	SST Serum	ECLIA	나350	C3500		159.41	10,920	10,920	11,170	11,170
00057	FSH-7회	SST Serum	ECLIA	나350	C3500		159.41	10,920	10,920	11,170	11,170
00058	FSH-8회	SST Serum	ECLIA	나350	C3500		159.41	10,920	10,920	11,170	11,170
50960	FTA-ABS IgG	SST Serum	IFA	나462	C4620006		158.4	10,850	10,850	11,100	11,100
50961	FTA-ABS IgG	CSF	IFA	나462	C4620006		158.4	10,850	10,850	11,100	11,100
50975	FTA-ABS IgM	SST Serum	EIA	나462	C4620006		158.4	10,850	10,850	11,100	11,100
50976	FTA-ABS IgM	CSF	EIA	나462	C4620006		158.4	10,850	10,850	11,100	11,100
70780	Fungus Culture	Other		나405가	B4051		168.28	11,530	11,530	11,800	11,800

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
70785	Fungus Culture & Sensi(G)	Other		나405+나406	B4051+B4061		0	19,460	19,460	19,910	19,910
29420	G6PC gene mutation	EDTA Blood	Sequencing	너562차	CY630006		483.08	132,360	132,360	135,440	135,440
10531	G-6-PDH	EDTA Blood	Spectrophotometry	나274	B2741		88.42	6,060	6,060	6,200	6,200
42715	Gardnerella vaginalis PCR	분비물	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
00980	Gastrin (RIA)	SST Serum	RIA	나345주	C7345		50.86	3,480	3,480	3,570	3,570
00981	Gastrin (RIA)	EDTA Plasma	RIA	나345주	C7345		50.86	3,480	3,480	3,570	3,570
02195	Gastrin 17	SST Serum	ELISA	나345	C3450		136.13	9,320	9,320	9,540	9,540
00991	Gastrin-1회	SST Serum	RIA	나345주	C7345		50.86	3,480	3,480	3,570	3,570
00992	Gastrin-2회	SST Serum	RIA	나345주	C7345		50.86	3,480	3,480	3,570	3,570
00993	Gastrin-3회	SST Serum	RIA	나345주	C7345		50.86	3,480	3,480	3,570	3,570
00994	Gastrin-4회	SST Serum	RIA	나345주	C7345		50.86	3,480	3,480	3,570	3,570
00995	Gastrin-5회	SST Serum	RIA	나345주	C7345		50.86	3,480	3,480	3,570	3,570
00996	Gastrin-6회	SST Serum	RIA	나345주	C7345		50.86	3,480	3,480	3,570	3,570
00997	Gastrin-7회	SST Serum	RIA	나345주	C7345		50.86	3,480	3,480	3,570	3,570
00998	Gastrin-8회	SST Serum	RIA	나345주	C7345		50.86	3,480	3,480	3,570	3,570
02190	Gastro-Gastrin 17	SST Serum	ELISA	나345	C3450		136.13	9,320	9,320	9,540	9,540
02200	Gastro-Panel(3종)	SST Serum	ELISA	나362외	C3620외		0	38,020	38,020	38,920	38,920
02015	Gastro-Pepsinogen I	SST Serum	ELISA	나362	C3620		209.54	14,350	14,350	14,690	14,690
02025	Gastro-Pepsinogen II	SST Serum	ELISA	나362	C3620		209.54	14,350	14,350	14,690	14,690
71210	GBS Culture	Other	Culture	나405가	B4051		168.28	11,530	11,530	11,800	11,800
71212	GBS Culture&Sensi(G)	Other		나405+나406	B4051+B4061		0	19,460	19,460	19,910	19,910
81780	GCDFP(BRST-2(IHC))	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
29405	Gene rearrangement profile	Bone Marrow	RT-PCR	나597가	C5971006 외		0	558,310	558,310	571,350	571,350
65260	Gentamicin	Plain Serum	면역형광법	나450나(2)	C4504120		252.59	17,300	17,300	17,710	17,710
10905	GFR (신사구체여과율)	SST Serum	계산법	나375	C3750		16.75	1,150	1,150	1,170	1,170
10904	GFR-Cystatin C	SST Serum	계산법	너131	CX131		112.18	7,680	7,680	7,860	7,860
00062	GH (CLIA)	SST Serum	CLIA	나342	C3420		178.72	12,240	12,240	12,530	12,530
00080	GH-10회	SST Serum	CLIA	나342	C3420		178.72	12,240	12,240	12,530	12,530
00081	GH-11회	SST Serum	CLIA	나342	C3420		178.72	12,240	12,240	12,530	12,530
00082	GH-12회	SST Serum	CLIA	나342	C3420		178.72	12,240	12,240	12,530	12,530
00083	GH-13회	SST Serum	CLIA	나342	C3420		178.72	12,240	12,240	12,530	12,530
00084	GH-14회	SST Serum	CLIA	나342	C3420		178.72	12,240	12,240	12,530	12,530
00085	GH-15회	SST Serum	CLIA	나342	C3420		178.72	12,240	12,240	12,530	12,530
00086	GH-16회	SST Serum	CLIA	나342	C3420		178.72	12,240	12,240	12,530	12,530
00071	GH-1회	SST Serum	CLIA	나342	C3420		178.72	12,240	12,240	12,530	12,530
00072	GH-2회	SST Serum	CLIA	나342	C3420		178.72	12,240	12,240	12,530	12,530
00073	GH-3회	SST Serum	CLIA	나342	C3420		178.72	12,240	12,240	12,530	12,530
00074	GH-4회	SST Serum	CLIA	나342	C3420		178.72	12,240	12,240	12,530	12,530



삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
00075	<b>GH-5회</b>	SST Serum	CLIA	나342	C3420		178.72	12,240	12,240	<b>12,530</b>	<b>12,530</b>
00076	<b>GH-6회</b>	SST Serum	CLIA	나342	C3420		178.72	12,240	12,240	<b>12,530</b>	<b>12,530</b>
00077	<b>GH-7회</b>	SST Serum	CLIA	나342	C3420		178.72	12,240	12,240	<b>12,530</b>	<b>12,530</b>
00078	<b>GH-8회</b>	SST Serum	CLIA	나342	C3420		178.72	12,240	12,240	<b>12,530</b>	<b>12,530</b>
00079	<b>GH-9회</b>	SST Serum	CLIA	나342	C3420		178.72	12,240	12,240	<b>12,530</b>	<b>12,530</b>
82140	<b>Giemsa(H.Pylori) Stain</b>	Tissue		나553다	C5533		123.77	8,480	8,480	<b>8,680</b>	<b>8,680</b>
10010	<b>Globulin</b>	SST Serum	계산법	나220 외	C2200 외		0	0	2,750	<b>0</b>	<b>2,810</b>
10011	<b>Globulin(Fluid)</b>	Body Fluid	계산법	나220+나230	C2200+C2302		0	0	15,150	<b>0</b>	<b>15,510</b>
01000	<b>Glucagon (RIA)</b>	EDTA Plasma	RIA	나344주	C7344		57.07	3,910	3,910	<b>4,000</b>	<b>4,000</b>
01011	<b>Glucagon-1회</b>	EDTA Plasma	RIA	나344주	C7344		57.07	3,910	3,910	<b>4,000</b>	<b>4,000</b>
01012	<b>Glucagon-2회</b>	EDTA Plasma	RIA	나344주	C7344		57.07	3,910	3,910	<b>4,000</b>	<b>4,000</b>
01013	<b>Glucagon-3회</b>	EDTA Plasma	RIA	나344주	C7344		57.07	3,910	3,910	<b>4,000</b>	<b>4,000</b>
01014	<b>Glucagon-4회</b>	EDTA Plasma	RIA	나344주	C7344		57.07	3,910	3,910	<b>4,000</b>	<b>4,000</b>
01015	<b>Glucagon-5회</b>	EDTA Plasma	RIA	나344주	C7344		57.07	3,910	3,910	<b>4,000</b>	<b>4,000</b>
01016	<b>Glucagon-6회</b>	EDTA Plasma	RIA	나344주	C7344		57.07	3,910	3,910	<b>4,000</b>	<b>4,000</b>
01017	<b>Glucagon-7회</b>	EDTA Plasma	RIA	나344주	C7344		57.07	3,910	3,910	<b>4,000</b>	<b>4,000</b>
01018	<b>Glucagon-8회</b>	EDTA Plasma	RIA	나344주	C7344		57.07	3,910	3,910	<b>4,000</b>	<b>4,000</b>
10540	<b>Glucose</b>	NaF Plasma	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10541	<b>Glucose</b>	SST Serum	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10543	<b>Glucose</b>	Body Fluid	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10550	<b>Glucose tolerance test</b>	NaF Plasma		나371나	C3711		17.32	4,760	4,760	<b>4,840</b>	<b>4,840</b>
10542	<b>Glucose(24hr Urine)</b>	24hr Urine	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10600	<b>Glucose-120 MIN</b>	NaF Plasma	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10601	<b>Glucose-120 MIN</b>	SST Serum	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10610	<b>Glucose-150 MIN</b>	NaF Plasma	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10611	<b>Glucose-150 MIN</b>	SST Serum	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10620	<b>Glucose-3 hr</b>	NaF Plasma	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10621	<b>Glucose-3 hr</b>	SST Serum	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10570	<b>Glucose-30 MIN</b>	NaF Plasma	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10571	<b>Glucose-30 MIN</b>	SST Serum	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10630	<b>Glucose-4 hr</b>	NaF Plasma	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10631	<b>Glucose-4 hr</b>	SST Serum	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10580	<b>Glucose-60 MIN</b>	NaF Plasma	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10581	<b>Glucose-60 MIN</b>	SST Serum	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10590	<b>Glucose-90 MIN</b>	NaF Plasma	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10591	<b>Glucose-90 MIN</b>	SST Serum	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10560	<b>Glucose-Fasting</b>	NaF Plasma	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>
10561	<b>Glucose-Fasting</b>	SST Serum	Enzyme	나371나	C3711		17.32	1,190	1,190	<b>1,210</b>	<b>1,210</b>

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
81970	GLUT-1(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81962	Glutamine Synthetase(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81961	Glypican-3(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80618	Gomori's trichrome stain	Tissue	Stain	나553다	C5533		123.77	8,480	8,480	8,680	8,680
70090	Gram Stain	Other		나400가	B4101		20.76	1,420	1,420	1,460	1,460
70100	Gram Stain	Smear Slide	Gram stain	나400가	B4101		20.76	1,420	1,420	1,460	1,460
71160	Gram stain (cytospin)	Other		나400주	B4112		25	1,710	1,710	1,750	1,750
81790	Granzyme B (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
28070	GSD1a Mutation Analysis	EDTA Blood	Sequencing	너562	CY630006		483.08	132,360	132,360	135,440	135,440
81172	H&E stain	Tissue		나550가(1)	C5911		282.35	19,340	19,340	19,790	19,790
81170	H&N stain 판독	Tissue	Immunohistochemistry	나550가(1)	C5911009		56.47	3,870	3,870	3,960	3,960
71070	H. pylori Ag	Stool	ELISA	나415다	B4157		280.84	19,240	19,240	19,690	19,690
50771	H. pylori IgG (CLIA)	SST Serum	CLIA	나465	C4650		202.97	13,900	13,900	14,230	14,230
50780	H. pylori IgM	SST Serum	ELISA	나465	C4650		202.97	13,900	13,900	14,230	14,230
42380	H. pylori PCR	Tissue	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
42735	Haemophilus ducreyi PCR	분비물	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
80514	Hale's colloidal iron stain(성	Tissue	Stain	나553다	C5533		123.77	8,480	8,480	8,680	8,680
65071	Haloperidol (Haldol)	Plain Serum	LC/MS/MS	나450나(4)	CX375066		577.54	39,560	39,560	40,490	40,490
12060	Ham's test	복수검체	Colorimetry	나120	B1200006		60.64	4,150	4,150	4,250	4,250
41590	Hantaan Virus Ab	SST Serum	ICA	나468가	C4681470		120.29	8,240	8,240	8,430	8,430
41666	Hantaan virus Ab 정량(IFA)	SST Serum	IFA	나468나(1)	C4682476		273.64	18,740	18,740	19,180	19,180
41600	Hantaan Virus Ab Titer	SST Serum	ICA	나468가	C4681470		120.29	8,240	8,240	8,430	8,430
27850	Hantaan Virus PCR	SST Serum	PCR	나597사	C5977006		1620.39	111,000	111,000	113,590	113,590
41661	HantaanVirus Ab Titer(IFA)	SST Serum	IFA	나468나(1)	C4682476		273.64	18,740	18,740	19,180	19,180
20180	Haptoglobin	SST Serum	TIA	나234	C2340		120.77	8,270	8,270	8,470	8,470
20181	Haptoglobin	EDTA Plasma	TIA	나234	C2340		120.77	8,270	8,270	8,470	8,470
50015	HAV Ab	SST Serum	ECLIA	나486가	C4861		164.56	11,270	11,270	11,540	11,540
50016	HAV IgG	SST Serum	CMIA	나486가	C4861		164.56	11,270	11,270	11,540	11,540
50025	HAV IgM	SST Serum	ECLIA	나486나	C4862		238.23	16,320	16,320	16,700	16,700
50055	HBc Ab IgM(ECLIA)	SST Serum	ECLIA	나484나	C4842		197.17	13,510	13,510	13,820	13,820
50045	HBc Ab(ECLIA)	SST Serum	ECLIA	나484가	C4841		211.54	14,490	14,490	14,830	14,830
50076	HBe Ab	SST Serum	CIA	나483나	C4832		208.04	14,250	14,250	14,580	14,580
50075	HBe Ag	SST Serum	CIA	나482나	C4822		207.02	14,180	14,180	14,510	14,510
81490	HBME-1 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
01271	HBNP	EDTA Plasma	CMIA	나368	CZ204		605.25	41,460	41,460	42,430	42,430
50116	HBs Ab	SST Serum	CIA	나481나	C4812		148.74	10,190	10,190	10,430	10,430
50091	HBs Ab(ICA)	SST Serum	ICA	나481가	C4811		39.9	2,730	2,730	2,800	2,800
50115	HBs Ag	SST Serum	CIA	나480나	C4802		138.37	9,480	9,480	9,700	9,700

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
50090	HBs Ag(ICA)	SST Serum	ICA	나480가	C4801		35.73	2,450	2,450	2,500	2,500
50140	HBV DNA (PCR)	SST Serum	PCR	나595라	C5954006		387.28	26,530	26,530	27,150	27,150
50141	HBV DNA (PCR)정성	SST Serum	PCR	나595라	C5954006		387.28	26,530	26,530	27,150	27,150
50160	HBV DNA 정량 (b-DNA)	SST Serum	b DNA	나485다	C4853006		545.89	37,390	37,390	38,270	38,270
52178	HBV DNA 정량(real-timePCR)	SST Serum	real time PCR	나485마	C4854006		894.88	61,300	61,300	62,730	62,730
50204	HBV Drug mutation	SST Serum	Sequencing	나599-1가	C5993006		1666.46	114,150	114,150	116,820	116,820
81940	HBVc(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81945	HBVs(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
01970	hCG (정성)	Random Urine	ICA	나26	B0260		26.28	1,800	1,800	1,840	1,840
81360	hCG (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
50230	HCV (RT-PCR+Hybrid.)	SST Serum	RT-PCR+Hybrid	나596-1가	C6081006		891.24	61,050	61,050	62,480	62,480
50231	HCV (RT-PCR+Hybrid.)	Other	RT-PCR+Hybrid	나596-1가	C6081006		891.24	61,050	61,050	62,480	62,480
50215	HCV Ab(EIA)	SST Serum	EIA	나487나	C4872		207.31	14,200	14,200	14,530	14,530
50220	HCV Ab(RIBA III)	SST Serum		나487다	C4873006		559	38,290	38,290	39,190	39,190
52365	HCV Genotype (PCR-RFMP)	SST Serum	RFMP	나596-2	C6092006		1704.75	116,780	116,780	119,500	119,500
52360	HCV Genotype (Sequencing)	SST Serum	Sequencing	나596-3	C6093006		1666.46	114,150	114,150	116,820	116,820
50241	HCV RNA 정량	SST Serum	real time PCR	나424다	C4424006		1127.2	77,210	77,210	79,020	79,020
11100	HDL-Cholesterol	SST Serum	Enzyme	나242	C2420		80.37	5,510	5,510	5,630	5,630
20600	HDL-Cholesterol E.P	SST Serum	Electrophoresis	나302	B3020006		121.57	8,330	8,330	8,520	8,520
50265	HDV Ab (IgG)	SST Serum	EIA	나421	CX421		166.37	11,400	11,400	11,660	11,660
70810	Heinz body	EDTA Blood	검경법	나116	B1160006		35.66	2,440	2,440	2,500	2,500
30004	Hematocrit(Hct)	EDTA Blood	자동혈구계산법	나102	B1020		10.94	750	750	770	770
51855	hemavision 28종	Bone Marrow	PCR				0	569,270	569,270	582,570	582,570
26441	Hemochromatosis(C282Y)	EDTA Blood	PCR-RFLP	나562사	CY627006		471.16	32,270	32,270	33,030	33,030
10731	Hemoglobin A1c	EDTA Blood	TIA	나382마	C3825		103.57	7,090	7,090	7,260	7,260
20490	Hemoglobin E.P	EDTA Blood	Electrophoresis	나307	B3070006		103.13	7,060	7,060	7,230	7,230
30003	Hemoglobin(Hb)	EDTA Blood	자동혈구계산법	나101	B1010		16.96	1,160	1,160	1,190	1,190
70040	Hemosiderin	Random Urine	검경법	나7	B0070		27.46	1,880	1,880	1,920	1,920
81420	Hepatocyte (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81480	Her2 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81850	Her2(IHC) TCM	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
50791	Heterophil Ab	SST Serum	Latex	나470가	C4701		81.03	5,550	5,550	5,680	5,680
50280	HEV Ab IgG	SST Serum	EIA	나422가	CY431		126.4	8,660	8,660	8,860	8,860
50290	HEV Ab IgM	SST Serum	EIA	나422나	CY432		126.4	8,660	8,660	8,860	8,860
50300	HEV RT- PCR	SST Serum	Nested RT-PCR	나596라	C5969006		678.1	46,450	46,450	47,530	47,530
42520	HHV type 6 DNA(PCR)	SST Serum	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
42521	HHV type 6 DNA(PCR)	CSF	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
42525	HHV-8 PCR	Block	PCR	나595바	CY561006		391.93	26,850	26,850	27,470	27,470

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
42526	HHV-8 PCR	Block	PCR	나595바	CY561006		391.93	26,850	26,850	27,470	27,470
81460	HHV-8(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
12080	Hippuric acid	Random Urine	HPLC	나451나(3)	CY373030		251.42	17,220	17,220	17,620	17,620
12085	Hippuric acid (아산)	Random Urine	HPLC	나451나(3)	CY373030		251.42	17,220	17,220	17,620	17,620
51670	Histone Ab	SST Serum	ELISA	너443아	CY450006		532.44	36,470	36,470	37,320	37,320
41335	HIV Ab	SST Serum	CIA	나471나주	C4713		142.99	9,790	9,790	10,020	10,020
41337	HIV Ab (Stem cell)	Stem cell	CIA	나471나주	C4713		142.99	9,790	9,790	10,020	10,020
42260	HIV Ag(AIDS Ag)	SST Serum	ELFA	너394	CX394		222.82	15,260	15,260	15,620	15,620
42404	HIV RNA 정량	EDTA Plasma	real time PCR	너396	CY396006		2317.76	158,770	158,770	162,470	162,470
29541	HIV-1 내성 유전자 검사	EDTA Plasma	Sequencing	나599-1	C5994006		2091.42	143,260	143,260	146,610	146,610
25470	HLA A Typing (High)	EDTA Blood	PCR-SBT	나518다	CY916006		3893.18	266,680	266,680	272,910	272,910
26360	HLA A Typing (Low)	EDTA Blood	PCR-SSP	나518나	CY915006		2084.13	142,760	142,760	146,100	146,100
26361	HLA A Typing (Low)	Bone Marrow	PCR-SSP	나518나	CY915006		2084.13	142,760	142,760	146,100	146,100
25497	HLA A,B 조혈모이식1차	EDTA Blood	PCR-SBT	나518다	CY916006		3893.18	533,360	533,360	545,820	545,820
25499	HLA A,B,C,DR 조혈모 수여	EDTA Blood	PCR-SBT	나518다외	CY914006 외		0	1,044,320	1,044,320	1,068,720	1,068,720
25480	HLA B Typing (High)	EDTA Blood	PCR-SBT	나518다	CY916006		3893.18	266,680	266,680	272,910	272,910
26370	HLA B Typing (Low)	EDTA Blood	PCR-SSP	나518나	CY915006		2084.13	142,760	142,760	146,100	146,100
26371	HLA B Typing (Low)	Bone Marrow	PCR-SSP	나518나	CY915006		2084.13	142,760	142,760	146,100	146,100
25500	HLA B27-PCR	EDTA Blood	PCR	나524나	CY917006		807.73	55,330	55,330	56,620	56,620
25490	HLA C Typing (High)	EDTA Blood	PCR-SBT	나518다	CY916006		3893.18	266,680	266,680	272,910	272,910
26380	HLA C Typing (Low)	EDTA Blood	PCR-SSP	나518나	CY915006		2084.13	142,760	142,760	146,100	146,100
26381	HLA C Typing (Low)	Bone Marrow	PCR-SSP	나518나	CY915006		2084.13	142,760	142,760	146,100	146,100
25498	HLA C,DR 조혈모이식2차	EDTA Blood	PCR-SBT	나518다외	CY914006 외		0	510,960	510,960	522,900	522,900
26390	HLA DQ Typing (Low)	EDTA Blood	PCR-SSP	나523나(2)	CY911006		2105.72	144,240	144,240	147,610	147,610
26391	HLA DQ Typing (Low)	Bone Marrow	PCR-SSP	나523나(2)	CY911006		2105.72	144,240	144,240	147,610	147,610
25520	HLA DQA1 (Low)	EDTA Blood	PCR-SSP	나523나(2)	CY911006		2105.72	144,240	144,240	147,610	147,610
25521	HLA DQA1 Typing(High)	EDTA Blood	PCR-SBT	나523다(2)	CY912006		3493.47	239,300	239,300	244,890	244,890
25530	HLA DQB1 (Low)	EDTA Blood	PCR-SSP	나523나(2)	CY911006		2105.72	144,240	144,240	147,610	147,610
25535	HLA DQB1 Typing (High)	EDTA Blood	PCR-SBT	나523다(2)	CY912006		3493.47	239,300	239,300	244,890	244,890
25550	HLA DR Typing (Low)	EDTA Blood	PCR-SSP	나523나(1)	CY913006		2105.74	144,240	144,240	147,610	147,610
25560	HLA DR Typing(High)	EDTA Blood	PCR-SBT	나523다(1)	CY914006		3566.18	244,280	244,280	249,990	249,990
81390	HMB45 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81842	HMB45(IHC)(TCM)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81610	hMLH1 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81615	hMSH2 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81845	HMWCK(IHC)(TCM)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
01055	HOMA of insulin resistance	복수검체	계산법	나341외	C3410외		0	0	13,500	0	13,810
80659	Hormone Receptor×2+IHC	Other		나559+ 나557	C5590+C5575006		0	90,470	90,470	92,560	92,560

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
80657	Hormone Receptor×2+IHC×2	Other		나559+나557	C5590+C5575006		0	122,040	122,040	124,860	124,860
80661	Hormone Receptor×2+IHC×3	Other		나559+나557	C5590+C5575006		0	153,610	153,610	157,160	157,160
81380	HPL (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
42430	HPV 16	분비물	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
42480	HPV 16	분비물	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
42440	HPV 18	분비물	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
42490	HPV 18	분비물	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
42450	HPV genotyping(DNA Microarray	분비물		나595-2	C5959006		698.13	47,820	47,820	48,940	48,940
42420	HPV Screening	분비물	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
42470	HPV Screening	분비물	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
42460	HPV Screening (Type 16,18)	분비물		나595아	C5956006		415.49	56,920	56,920	58,260	58,260
42495	HPV(Condyloma)	분비물	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
81880	HSA(IHC) TCM	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81963	HSP70(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
42155	HSV culture	Other	Shell Vial Culture	나416	B4160006		574.26	39,340	39,340	40,260	40,260
42156	HSV culture(조직)	Tissue	Shell Vial Culture	나416	B4160006		574.26	39,340	39,340	40,260	40,260
41380	HSV IgG	SST Serum	EIA	나468나(1)	C4682466		273.64	18,740	18,740	19,180	19,180
41381	HSV IgG	CSF	EIA	나468나(1)	C4682466		273.64	18,740	18,740	19,180	19,180
41390	HSV IgM	SST Serum	EIA	나468나(2)	C4683466		261	17,880	17,880	18,300	18,300
41391	HSV IgM	CSF	EIA	나468나(2)	C4683466		261	17,880	17,880	18,300	18,300
41440	HSV Type 2 IgG	SST Serum	EIA	나468나(1)	C4682466		273.64	18,740	18,740	19,180	19,180
41441	HSV Type 2 IgG	CSF	EIA	나468나(1)	C4682466		273.64	18,740	18,740	19,180	19,180
42500	HSV Type I(PCR)	EDTA Blood	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
42510	HSV Type II(PCR)	분비물	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
43080	HSV type I IgG	SST Serum	EIA	나468나(1)	C4682466		273.64	18,740	18,740	19,180	19,180
43081	HSV type I IgG	CSF	EIA	나468나(1)	C4682466		273.64	18,740	18,740	19,180	19,180
81512	HSV(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
41475	HTLV-I/II Ab (EIA)	SST Serum	EIA	나468나(1)	C4682596		273.64	18,740	18,740	19,180	19,180
41476	HTLV-I/II Ab (EIA)	CSF	EIA	나468나(1)	C4682596		273.64	18,740	18,740	19,180	19,180
41477	HTLV-I/II Ab (EIA)	EDTA Plasma	EIA	나468나(1)	C4682596		273.64	18,740	18,740	19,180	19,180
25605	Huntington's disease	EDTA Blood	PCR Fragment analysis	너573가	CY531006		1199.67	82,180	82,180	84,100	84,100
00868	HVA 정량	CSF	GC/MSD	너225나	CY251006		351.79	24,100	24,100	24,660	24,660
00861	HVA 정량 (Plasma)	EDTA Plasma	GC/MSD	너225나	CY251006		351.79	24,100	24,100	24,660	24,660
00865	HVA 정량(HPLC)	24hr Urine	HPLC	너225나	CY251006		351.79	24,100	24,100	24,660	24,660
00866	HVA 정량(HPLC)	Random Urine	HPLC	너225나	CY251006		351.79	24,100	24,100	24,660	24,660
12105	Hyaluronic Acid	SST Serum	TIA	너345가(3)	CY343		201.9	13,830	13,830	14,150	14,150
81910	IDH-1 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
20628	IFEP + PEP (24h urine)	24hr Urine	Electrophoresis				0	51,910	51,910	53,120	53,120



삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
20629	IFEP + PEP (Random Urine)	Random Urine	Electrophoresis				0	51,910	51,910	53,120	53,120
20627	IFEP + PEP (Serum)	SST Serum	Electrophoresis				0	46,510	46,510	47,590	47,590
20200	IgA	SST Serum	TIA	나228나	C2282		139.93	9,590	9,590	9,810	9,810
20201	IgA	EDTA Plasma	TIA	나228나	C2282		139.93	9,590	9,590	9,810	9,810
20205	IgA (서울대)	SST Serum	Nephelometry	나228나	C2282		139.93	9,590	9,590	9,810	9,810
81110	IgA (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81111	IgA (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
20210	IgD	SST Serum	SRID	나228라	C2284		136.12	9,320	9,320	9,540	9,540
60003	IgE (ECLIA)	SST Serum	ECLIA	나229	C2290		237.9	16,300	16,300	16,680	16,680
62585	IgE MAST-식이성 42종	SST Serum	Immunoblot assay	나232	C2320006		1343.99	92,060	92,060	94,210	94,210
62595	IgE MAST-흡입성 42종	SST Serum	Immunoblot assay	나232	C2320006		1343.99	92,060	92,060	94,210	94,210
62640	IgE_Clam:F207	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
63313	IgE-6종(계란,밀,땅콩 심화)	SST Serum	FEIA	나231	C2310		223.79	91,980	91,980	94,140	94,140
63331	IgE-6종(봄-여름 호흡기)	SST Serum	FEIA	나231	C2310		223.79	91,980	91,980	94,140	94,140
63320	IgE-6종(식품/환경알레르기)	SST Serum	FEIA	나231	C2310		223.79	91,980	91,980	94,140	94,140
63310	IgE-6종(식품알레르기1)	SST Serum	FEIA	나231	C2310		223.79	91,980	91,980	94,140	94,140
63311	IgE-6종(식품알레르기2)	SST Serum	FEIA	나231	C2310		223.79	91,980	91,980	94,140	94,140
63332	IgE-6종(여름-가을 호흡기)	SST Serum	FEIA	나231	C2310		223.79	91,980	91,980	94,140	94,140
63312	IgE-6종(우유,계란 심화)	SST Serum	FEIA	나231	C2310		223.79	91,980	91,980	94,140	94,140
63330	IgE-6종(통년성 호흡기)	SST Serum	FEIA	나231	C2310		223.79	91,980	91,980	94,140	94,140
63300	IgE-6종(환경알레르기1)	SST Serum	FEIA	나231	C2310		223.79	91,980	91,980	94,140	94,140
63301	IgE-6종(환경알레르기2)	SST Serum	FEIA	나231	C2310		223.79	91,980	91,980	94,140	94,140
60380	IgE-A.Tenuis:M6	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62740	IgE-Abalone:F346	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60360	IgE-Acarus Siro:D70	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61180	IgE-Alder:T2	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60370	IgE-Almond:F20	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62860	IgE-Amoxycilloyl:C6	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62850	IgE-Ampicilloyl:C5	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60390	IgE-Anisakis:P4	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60400	IgE-Apple:F49	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60420	IgE-Asp.Fumigatus:M3	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62460	IgE-Baker's Yeast:F45	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60480	IgE-Banana:F92	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60490	IgE-Barley:F6	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60500	IgE-Beech:T5	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60510	IgE-Beef:F27	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60530	IgE-Bermuda Grass:G2	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
60105	IgE-Birch:T3	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60560	IgE-Blue Mussel:F37	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62630	IgE-Broccoli:F260	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60590	IgE-Buckwheat:F11	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60640	IgE-C.pityrosporum:M70	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60620	IgE-Cacao:F93	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60630	IgE-Candida Albicans:M5	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60650	IgE-Carrot:F31	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60670	IgE-Casein:F78	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60685	IgE-Cat Epithelium:E1	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62870	IgE-Cefaclor:C7	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60690	IgE-Celery:F85	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60700	IgE-Cheddar Cheese:F81	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60705	IgE-Chestnut:F299	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60710	IgE-Chicken meat:F83	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60750	IgE-Cl.Herbarum:M2	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60775	IgE-Cockroach:I6	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60800	IgE-Codfish:F3	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60820	IgE-Common Ragweed:W1	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61500	IgE-Corn:F8	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60840	IgE-Cottonwood:T14	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60860	IgE-Crab:F23	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60905	IgE-D.Farinae:D2	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62930	IgE-D.microceras:D3	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60915	IgE-D.Pteronyssinus:D1	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60920	IgE-Dandelion:W8	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60935	IgE-Dog dander:E5	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60950	IgE-Duck Feathers:E86	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60995	IgE-Egg White:F1	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61005	IgE-Egg Yolk:F75	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62800	IgE-Egg:F245	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
63050	IgE-Food Mix:Fx5	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62970	IgE-Formaldehyde:K80	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61100	IgE-Garlic:F47	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61110	IgE-Gluten:F79	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61170	IgE-Grape fruit:F209	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61240	IgE-Hazel Nut:F17	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61230	IgE-Hazel:T4	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
61250	IgE-Honey Bee Venom:I1	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60300	IgE-Horse mackerel:F60	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61270	IgE-House dust1:H1	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61280	IgE-House dust2:H2	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61345	IgE-Isocyanate MDI:K76-RIA	SST Serum	IRMA	나231주2	C7231		204.59	14,010	14,010	14,340	14,340
61355	IgE-Isocyanate TDI:K75-RIA	SST Serum	IRMA	나231주2	C7231		204.59	14,010	14,010	14,340	14,340
61360	IgE-Japanes cedar:T17	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61370	IgE-Japanese hop:W22	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61415	IgE-Kiwi:F84	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61120	IgE-L.Destructor:D71	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61440	IgE-Latex:K82	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61460	IgE-Lobster:F80	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61490	IgE-Mackerel:F50	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61540	IgE-Marguerite:W7	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61550	IgE-Meadow Fescue:G4	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61580	IgE-Melon:F87	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61605	IgE-Milk:F2	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62750	IgE-Mix grass pollen:Gx2	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62820	IgE-Mix house dust:Hx2	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
63190	IgE-Mix Tree Pollen:Tx1	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62770	IgE-Mix tree pollen:Tx5	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
63180	IgE-Mixed epithelia:Ex1	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61625	IgE-Mold Cheese:F82	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62760	IgE-Mold mix:Mx1	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61640	IgE-Mosquito(속):I71	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61680	IgE-Mugwort:W6	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61720	IgE-Oak:T7	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
63150	IgE-Omega-5 Gliadine:F416	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61770	IgE-Onion:F48	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61780	IgE-Orange:F33	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61790	IgE-Orchard Grass:G3	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61795	IgE-Ovomuroid:F233	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62710	IgE-Oyster:F290	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61810	IgE-P.Wasp Venom:I4	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61195	IgE-Pea:F12	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61850	IgE-Peach:F95	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61860	IgE-Peanut:F13	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61870	IgE-Pear:F94	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
61890	IgE-Penicillium notatum:M1	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61900	IgE-Penicilloyl G:C1	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61910	IgE-Penicilloyl V:C2	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62670	IgE-Pine nuts:F253	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62620	IgE-Pineapple:F210	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61970	IgE-Pork:F26	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61980	IgE-Potato:F35	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61990	IgE-Pumpkin:F225	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62000	IgE-Rabbit epithelium:E82	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60405	IgE-rAra h2:F423	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62050	IgE-Rice:F9	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
61920	IgE-Rye Grass:G5	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62080	IgE-Rye:F5	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62100	IgE-Sadine:F61	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62110	IgE-Salmon:F41	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62135	IgE-Sesame Seed:F10	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62150	IgE-Shrimp:F24	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62185	IgE-Soybean:F14	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62190	IgE-Spinach:F214	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62210	IgE-Strawberry:F44	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
63230	IgE-sunflower seed:K84	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62230	IgE-Sweat Vernal:G1	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62270	IgE-T.Putre Scintiae:D72	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62280	IgE-Timothy Grass:G6	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62300	IgE-Tomato:F25	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62840	IgE-Tree mixture:Tx9	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62720	IgE-Trichophyton:M205	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62320	IgE-Tuna:F40	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62350	IgE-Walnut pollen:T10	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62810	IgE-Walnut:F256	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
63030	IgE-Weed Mix:Wx5	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62360	IgE-Western Ragweed:W2	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62370	IgE-Wheat:F4	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62390	IgE-White Ash:T15	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62400	IgE-White faced hornet:I2	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
60960	IgE-White Pine:T16	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62430	IgE-Willow:T12	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62830	IgE-Yellow hornet:I5	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
62480	IgE-Yellow J.WaspVenom:I3	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62495	IgE-αLactoalbumin:F76	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
62505	IgE-βLactoglobulin:F77	SST Serum	FEIA	나231	C2310		223.79	15,330	15,330	15,690	15,690
01295	IGFBP-3 (CLIA)	SST Serum	CLIA	너231	CX231		245.38	16,810	16,810	17,200	17,200
20220	IgG	SST Serum	TIA	나228가	C2281		139.4	9,550	9,550	9,770	9,770
20221	IgG	CSF	TIA	나228가	C2281		139.4	9,550	9,550	9,770	9,770
20226	IgG (서울대)	SST Serum	Nephelometry	나228가	C2281		139.4	9,550	9,550	9,770	9,770
80945	IgG (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80944	IgG(IHC)서울대	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
20225	IgG, Low Conc	CSF	TIA	나228가	C2281		139.4	9,550	9,550	9,770	9,770
20230	IgG I Subclass	SST Serum	SRID	너181가	BY181		135.9	9,310	9,310	9,530	9,530
20240	IgG IISubclass	SST Serum	SRID	너181나	BY182		135.9	9,310	9,310	9,530	9,530
20250	IgG IIISubclass	SST Serum	SRID	너181다	BY183		135.9	9,310	9,310	9,530	9,530
80946	IgG4 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80948	IgG4(IHC)서울대	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80947	IgG4(IHC)성모	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
20260	IgGIVSubclass	SST Serum	SRID	너181라	BY184		135.9	9,310	9,310	9,530	9,530
80511	IgG-Fibrinogen(성모)	Tissue		나554	C5541외		0	102,720	102,720	105,120	105,120
25885	IgH gene rearrangement	Block	Nested PCR	너563바	CY056006		609.58	41,760	41,760	42,730	42,730
20270	IgM	SST Serum	TIA	나228다	C2283		139.97	9,590	9,590	9,810	9,810
20271	IgM	Hp Plasma	TIA	나228다	C2283		139.97	9,590	9,590	9,810	9,810
20275	IgM (서울대)	SST Serum	Nephelometry	나228다	C2283		139.97	9,590	9,590	9,810	9,810
80940	IgM (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80941	IgM(IHC)성모	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80653	IHC	Other		나557	C5575006		460.81	31,570	31,570	32,300	32,300
80663	IHC	Other		나557	C5575		418.92	28,700	28,700	29,370	29,370
80182	IHC (CFC)	Tissue		나557	C5575006		460.81	31,570	31,570	32,300	32,300
80658	IHC×2	Other		나557	C5575006		460.81	63,140	63,140	64,600	64,600
80654	IHC×4	Other		나557	C5575006		460.81	126,280	126,280	129,200	129,200
80655	IHC×5	Other		나557	C5575006		460.81	157,850	157,850	161,500	161,500
80683	IHC×6	Other		나557	C5575006		460.81	189,420	189,420	193,800	193,800
80185	IHC×8 (CFC)	Tissue		나557	C5575006		460.81	252,560	252,560	258,400	258,400
65621	Imipramine	Plain Serum	LC/MS/MS	나450나(4)	CX375696		577.54	39,560	39,560	40,490	40,490
20621	Immuno E.P (24h urine)	24hr Urine	Electrophoresis	나308나	B3083006		456.92	31,300	31,300	32,030	32,030
20625	Immuno E.P (IgG,M,A,D,E)	SST Serum	Electrophoresis	나308가	B3081006		399.11	27,340	27,340	27,980	27,980
20623	Immuno E.P (Random urine)	Random Urine	Electrophoresis	나308나	B3083006		456.92	31,300	31,300	32,030	32,030
20620	Immuno E.P (Serum)	SST Serum	Electrophoresis	나308가	B3081006		399.11	27,340	27,340	27,980	27,980
20626	Immuno E.P(IgG,M,A,D,E)(U)	Random Urine	Electrophoresis	나308가	B3081006		399.11	27,340	27,340	27,980	27,980



삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
20611	Immuno Fixation EP	Random Urine	Electrophoresis	나308나주	B3084006		615.6	42,170	42,170	43,150	43,150
20610	Immuno Fixation EP (Serum)	SST Serum	Electrophoresis	나308가주	B3082006		544.86	37,320	37,320	38,190	38,190
20612	Immuno Fixation EP(24h urine)	24hr Urine	Electrophoresis	나308나주	B3084006		615.6	42,170	42,170	43,150	43,150
20228	Immunoglobulin G Index	복수검체	계산법				0	0	34,580	0	35,380
26565	Immunoglobulin heavy chain	Tissue	Nested PCR	너563바	CY056006		609.58	41,760	41,760	42,730	42,730
80650	Immunohistochemistry	Smear Slide		나557	C5575006		460.81	31,570	31,570	32,300	32,300
80651	Immunohistochemistry	Block		나557	C5575006		460.81	31,570	31,570	32,300	32,300
80652	Immunohistochemistry	Other		나557	C5575006		460.81	31,570	31,570	32,300	32,300
80656	Immunohistochemistry	Smear Slide		나557	C5575006		460.81	31,570	31,570	32,300	32,300
70820	India ink prep.	CSF		나401	B4010		25.28	1,730	1,730	1,770	1,770
70821	India ink prep.	Other		나401	B4010		25.28	1,730	1,730	1,770	1,770
10060	Indirect Bilirubin	SST Serum	계산법	나372	C3720+C3721		0	0	2,390	0	2,440
10061	Indirect Bilirubin	Capillary	계산법	나372 외	C3720 외		0	0	2,390	0	2,440
30330	Indirect Coombs	SST Serum	Microcolumn	나204나주주	B2048006		75.71	5,190	5,190	5,310	5,310
12150	Indocyanine Green소실율	SST Serum	Colorimetry	나399나	C3992006		403.65	27,650	27,650	28,300	28,300
12140	Indocyanine Green정체율	SST Serum	Colorimetry	나399가	C3991006		245.82	16,840	16,840	17,230	17,230
42165	Influenza A Culture	Other	Shell Vial Culture	나416	B4160006		574.26	39,340	39,340	40,260	40,260
42175	Influenza B Culture	Other	Shell Vial Culture	나416	B4160006		574.26	39,340	39,340	40,260	40,260
81750	Inhibin (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81836	Inhibin(IHC) TCM	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
01864	Inhibin-A	SST Serum	CLIA	나369	CZ211		350.82	24,030	24,030	24,590	24,590
81570	INI-1 (IHC)	Block	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81571	INI-1 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
01025	Insulin (ECLIA)	SST Serum	ECLIA	나341	C3410		179.71	12,310	12,310	12,600	12,600
01026	Insulin (ECLIA)	EDTA Plasma	ECLIA	나341	C3410		179.71	12,310	12,310	12,600	12,600
01047	Insulin A/C	SST Serum	ECLIA	나341주	C7341		167.94	11,500	11,500	11,770	11,770
81870	Insulin Ab(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
01040	Insulin Ab(RIA)	SST Serum	RIA	너444주	CX745		123.67	8,470	8,470	8,670	8,670
01048	Insulin P/C	SST Serum	ECLIA	나341주	C7341		167.94	11,500	11,500	11,770	11,770
01041	Insulin-10회	SST Serum	ECLIA	나341	C3410		179.71	12,310	12,310	12,600	12,600
01042	Insulin-11회	SST Serum	ECLIA	나341	C3410		179.71	12,310	12,310	12,600	12,600
01043	Insulin-12회	SST Serum	ECLIA	나341	C3410		179.71	12,310	12,310	12,600	12,600
01044	Insulin-13회	SST Serum	ECLIA	나341	C3410		179.71	12,310	12,310	12,600	12,600
01045	Insulin-14회	SST Serum	ECLIA	나341	C3410		179.71	12,310	12,310	12,600	12,600
01046	Insulin-15회	SST Serum	ECLIA	나341	C3410		179.71	12,310	12,310	12,600	12,600
01031	Insulin-1회	SST Serum	ECLIA	나341	C3410		179.71	12,310	12,310	12,600	12,600
01032	Insulin-2회	SST Serum	ECLIA	나341	C3410		179.71	12,310	12,310	12,600	12,600
01033	Insulin-3회	SST Serum	ECLIA	나341	C3410		179.71	12,310	12,310	12,600	12,600

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
01034	Insulin-4회	SST Serum	ECLIA	나341	C3410		179.71	12,310	12,310	12,600	12,600
01035	Insulin-5회	SST Serum	ECLIA	나341	C3410		179.71	12,310	12,310	12,600	12,600
01036	Insulin-6회	SST Serum	ECLIA	나341	C3410		179.71	12,310	12,310	12,600	12,600
01037	Insulin-7회	SST Serum	ECLIA	나341	C3410		179.71	12,310	12,310	12,600	12,600
01038	Insulin-8회	SST Serum	ECLIA	나341	C3410		179.71	12,310	12,310	12,600	12,600
01039	Insulin-9회	SST Serum	ECLIA	나341	C3410		179.71	12,310	12,310	12,600	12,600
02061	Integrated 2nd (Quad)	SST Serum		나421 외	C7421외		0	62,470	62,470	63,920	63,920
13150	Iodide	Random Urine		너234	CX234		57.01	3,910	3,910	4,000	4,000
30140	Iron Stain	Bone Marrow Slide	Stain	나118다	B1185006		87.45	5,990	5,990	6,130	6,130
12730	Iron (Fe)	SST Serum	Colorimetry	나249	C2490		32.95	2,260	2,260	2,310	2,310
12732	Iron (Fe)(Tissue)	Tissue	AAS	나452	C4527990		619.4	42,430	42,430	43,420	43,420
51880	Islet cell Ab	SST Serum	IFA	너446	CX446006		121.34	8,310	8,310	8,510	8,510
30370	Isoagglutinin test	복수검체		나208	B2080006		99.47	6,810	6,810	6,970	6,970
71030	Joint fluid analysis	Joint Fluid		나51	B0510		51.91	3,560	3,560	3,640	3,640
71031	Joint fluid analysis	Other		나51	B0510		51.91	3,560	3,560	3,640	3,640
25893	Kappa light chain	Random Urine		나554자	C5548		249.95	17,120	17,120	17,520	17,520
25894	Kappa light chain	SST Serum		나554자	C5548		249.95	17,120	17,120	17,520	17,520
81964	Kappa light chain (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
12200	Ketone body 3분획	EDTA Plasma	GC/MSD	너271	CX271006		158.71	10,870	10,870	11,130	11,130
12201	Ketone body 3분획	Random Urine	GC/MSD	너271	CX271006		158.71	10,870	10,870	11,130	11,130
12210	Ketone Body 3분획	SST Serum	GC/MSD	너271	CX271006		158.71	10,870	10,870	11,130	11,130
12170	Ketone body 정성	Random Urine	Colorimetry	나386	C3860		75.95	5,200	5,200	5,320	5,320
12171	Ketone body 정성	SST Serum	Colorimetry	나386	C3860		75.95	5,200	5,200	5,320	5,320
81340	Ki-1(CD30) (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81050	Ki-67 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81052	Ki-67 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81710	Ki-67 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81740	Ki-67 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
30441	Kidd A 혈액형검사	EDTA Blood	Tube	나203	B2030006		70.22	4,810	4,810	4,920	4,920
30442	Kidd B 혈액형검사	EDTA Blood	Tube	나203	B2030006		70.22	4,810	4,810	4,920	4,920
70830	KOH Mount	Other		나400아	B4107		75.96	5,200	5,200	5,320	5,320
41650	Korea virus I	SST Serum					0	20,100	20,100	20,570	20,570
41660	Korea VirusⅢ	SST Serum					0	54,950	54,950	56,230	56,230
41663	Korea VirusⅢ,CSF	CSF					0	54,950	54,950	56,230	56,230
51890	L.E. Cell	Plain Blood	Manual	나112	B1120006		54.96	3,760	3,760	3,850	3,850
30930	LAC confirm	SC Plasma	Clot-based	나171나	B1712006		310.12	21,240	21,240	21,740	21,740
30935	LAC screen	SC Plasma	Clot-based	나171가	B1711		207.39	14,210	14,210	14,540	14,540
10742	Lactic Acid	Other	Enzyme	너345가(5)	CY345		201.9	13,830	13,830	14,150	14,150

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
10741	Lactic Acid(CSF)	CSF	Enzyme	너345가(5)	CY345		201.9	13,830	13,830	14,150	14,150
10740	Lactic Acid(NaF P)	NaF Plasma	Enzyme	너345가(5)	CY345		201.9	13,830	13,830	14,150	14,150
25613	Lambda light chain	Random Urine	CLIA	나554자	C5548		249.95	17,120	17,120	17,520	17,520
25614	Lambda light chain	SST Serum	CLIA	나554자	C5548		249.95	17,120	17,120	17,520	17,520
81965	Lambda light chain (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
65782	Lamotrigine	Plain Serum	HPLC	나450나(3)	CX374690		325.85	22,320	22,320	22,840	22,840
10390	LAP	SST Serum	Enzyme	나267	B2670		40.76	2,790	2,790	2,860	2,860
30380	LAP Score	Blood Smear Slide		나126	B1260006		87.86	6,020	6,020	6,160	6,160
81640	LCA (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
10410	LDH	SST Serum	Enzyme	나259	B2590		30.05	2,060	2,060	2,110	2,110
10411	LDH	Body Fluid	Enzyme	나259	B2590		30.05	2,060	2,060	2,110	2,110
20640	LDH Isoenzyme	SST Serum	Electrophoresis	나303	B3030006		176.33	12,080	12,080	12,360	12,360
20641	LDH Isoenzyme	Body Fluid	Electrophoresis	나303	B3030006		176.33	12,080	12,080	12,360	12,360
11110	LDL-Cholesterol	SST Serum	Enzyme	나243	C2430		88.58	6,070	6,070	6,210	6,210
12752	Lead(Pb)	Trace EDTA Blood	ICP/MS	나452나(2)	C4523630		313.68	21,490	21,490	21,990	21,990
12753	Lead(Pb)	24hr Urine	ICP/MS	나452나(2)	C4523630		313.68	21,490	21,490	21,990	21,990
12754	Lead(Pb)	Random Urine	ICP/MS	나452나(2)	C4523630		313.68	21,490	21,490	21,990	21,990
71140	Legionella Ag	Random Urine	ICA	나531	C5310		100.26	6,870	6,870	7,030	7,030
43570	Legionella pneumophilaPCR	Sputum	PCR	나5950아	C5956006		415.49	28,460	28,460	29,130	29,130
41611	Leptospira Ab	SST Serum	ICA	나466가	C4661020		113.14	7,750	7,750	7,930	7,930
41621	Leptospira Ab Titer	SST Serum	ICA	나466가	C4661020		113.14	7,750	7,750	7,930	7,930
41668	Leptospirosis(PHA)	SST Serum	PHA	나466가	C4661020		113.14	7,750	7,750	7,930	7,930
26130	Leukemia marker study	EDTA Blood	IFA	나512+나513	C512~30006		0	571,380	571,380	584,680	584,680
26131	Leukemia marker study	Bone Marrow	IFA	나512+나513	C512~30006		0	571,380	571,380	584,680	584,680
26135	Leukemia marker study	Bone Marrow	Flow Cytometry	나511~3	C5111006외		0	524,010	524,010	536,210	536,210
00106	LH (ECLIA)	SST Serum	ECLIA	나348	C3480		152.68	10,460	10,460	10,700	10,700
00111	LH-1호	SST Serum	ECLIA	나348	C3480		152.68	10,460	10,460	10,700	10,700
00112	LH-2호	SST Serum	ECLIA	나348	C3480		152.68	10,460	10,460	10,700	10,700
00113	LH-3호	SST Serum	ECLIA	나348	C3480		152.68	10,460	10,460	10,700	10,700
00114	LH-4호	SST Serum	ECLIA	나348	C3480		152.68	10,460	10,460	10,700	10,700
00115	LH-5호	SST Serum	ECLIA	나348	C3480		152.68	10,460	10,460	10,700	10,700
00116	LH-6호	SST Serum	ECLIA	나348	C3480		152.68	10,460	10,460	10,700	10,700
00117	LH-7호	SST Serum	ECLIA	나348	C3480		152.68	10,460	10,460	10,700	10,700
00118	LH-8호	SST Serum	ECLIA	나348	C3480		152.68	10,460	10,460	10,700	10,700
25620	LHON 11778	EDTA Blood	PCR-RFLP	너562나	CY622006		471.06	32,270	32,270	33,020	33,020
25630	LHON 14484	EDTA Blood	PCR-RFLP	너562나	CY622006		471.06	32,270	32,270	33,020	33,020
26460	LHON 3460	EDTA Blood	PCR-RFLP	너562나	CY622006		471.06	32,270	32,270	33,020	33,020
25645	LHON 3460,4171,11778,14484	EDTA Blood	PCR-RFLP	너562나	CY622006		471.06	129,080	129,080	132,080	132,080

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
25635	LHON 4171	EDTA Blood	PCR-RFLP	너562나	CY622006		471.06	32,270	32,270	33,020	33,020
25640	LHON3460,11778,14484,15257	EDTA Blood	PCR-RFLP	너562나	CY622006		471.06	129,080	129,080	132,080	132,080
10425	Lipase	SST Serum	Colorimetry	나262	B2621		59.82	4,100	4,100	4,190	4,190
10426	Lipase(Fluid)	Body Fluid	Colorimetry	나262	B2621		59.82	4,100	4,100	4,190	4,190
11116	Lipid profile	SST Serum	계산법	나241 외	C2411 외		0	10,230	10,230	10,460	10,460
20650	Lipoprotein E.P	SST Serum	Electrophoresis	나301	B3010006		121.64	8,330	8,330	8,530	8,530
20651	Lipoprotein E.P	Body Fluid	Electrophoresis	나301	B3010006		121.64	8,330	8,330	8,530	8,530
12860	Lipoprotein(a)	SST Serum	TIA	나248	C2480		161.26	11,050	11,050	11,300	11,300
71170	Listeria culture	Other	Culture	나405가	B4051		168.28	11,530	11,530	11,800	11,800
12765	Lithium(Li)	SST Serum	AAS	나452나(2)	C4523610		313.68	21,490	21,490	21,990	21,990
80831	LMP(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
26090	Lymphocyte subset 3종	EDTA Blood		나512	C5120006		451.56	92,790	92,790	94,950	94,950
26091	Lymphocyte subset 3종	Bone Marrow		나512	C5120006		451.56	92,790	92,790	94,950	94,950
26100	Lymphocyte subset 4종	EDTA Blood		나512	C5120006		451.56	123,720	123,720	126,600	126,600
26101	Lymphocyte subset 4종	Bone Marrow		나512	C5120006		451.56	123,720	123,720	126,600	126,600
26110	Lymphocyte subset 4종	EDTA Blood		나512	C5120006		451.56	123,720	123,720	126,600	126,600
26115	Lymphocyte subset 4종	EDTA Blood		나512	C5120006		451.56	123,720	123,720	126,600	126,600
80932	Lysozyme(Immunostain)	Tissue		나557	C5575006		460.81	31,570	31,570	32,300	32,300
30451	M 혈액형검사	EDTA Blood	Tube	나203	B2030006		70.22	4,810	4,810	4,920	4,920
71230	M.h & U.u 배양및약제감수성	Other	Culture	너301	BY301+3006		0	57,000	57,000	58,340	58,340
10120	Magnesium (Mg)	SST Serum	Colorimetry	나379사	C3797		23.99	1,640	1,640	1,680	1,680
10122	Magnesium (Mg)	Random Urine	Colorimetry	나379사	C3797		23.99	1,640	1,640	1,680	1,680
10121	Magnesium (Mg)(24hr U)	24hr Urine	Colorimetry	나379사	C3797		23.99	1,640	1,640	1,680	1,680
70840	Malaria	Blood Smear Slide	Manual	나115	B1150006		47.83	3,280	3,280	3,350	3,350
42551	Malaria P. falciparum PCR	EDTA Blood	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
42553	Malaria P. malariae PCR	EDTA Blood	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
42554	Malaria P. ovale PCR	EDTA Blood	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
42552	Malaria P. vivax PCR	EDTA Blood	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
42540	Malaria PCR	EDTA Blood	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
42545	Malaria PCR 2종	EDTA Blood	PCR	나595아	C5956006		415.49	56,920	56,920	58,260	58,260
42555	Malaria PCR 4종	EDTA Blood	PCR	나595아	C5956006		415.49	113,840	113,840	116,520	116,520
12220	Mandelic acid	Random Urine	HPLC	나451나(3)	CY373020		251.42	17,220	17,220	17,620	17,620
12770	Mangane(Mn)	Trace EDTA Blood	AAS	나452나(2)	C4523660		313.68	21,490	21,490	21,990	21,990
12771	Mangane(Mn)	24hr Urine	AAS	나452나(2)	C4523660		313.68	21,490	21,490	21,990	21,990
12772	Mangane(Mn)	Random Urine	AAS	나452나(2)	C4523660		313.68	21,490	21,490	21,990	21,990
80599	Masson's Trichrome Stain(한병	Tissue		나553나	C5532		123.77	8,480	8,480	8,680	8,680
41680	Measles virus IgG	SST Serum	EIA	나468나(1)	C4682486		273.64	18,740	18,740	19,180	19,180
41681	Measles virus IgG	CSF	EIA	나468나(1)	C4682486		273.64	18,740	18,740	19,180	19,180

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
41690	Measles virus IgM	SST Serum	EIA	나468나(2)	C4683486		261	17,880	17,880	18,300	18,300
41691	Measles virus IgM	CSF	EIA	나468나(2)	C4683486		261	17,880	17,880	18,300	18,300
81540	Melan A (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81971	Melan-A(IHC)성모	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
29271	MEN2, RET sequencing	EDTA Blood	Sequencing	나599나(3)	CY571006		4105.53	281,230	281,230	287,800	287,800
12783	Mercury(Hg)	Other	AAS	나452	C4527640		619.4	42,430	42,430	43,420	43,420
12784	Mercury(Hg)	Trace EDTA Blood	ICP/MS	나452나(2)	C4523640		313.68	21,490	21,490	21,990	21,990
12785	Mercury(Hg)	24hr Urine	ICP/MS	나452나(2)	C4523640		313.68	21,490	21,490	21,990	21,990
12786	Mercury(Hg)	Random Urine	ICP/MS	나452나(2)	C4523640		313.68	21,490	21,490	21,990	21,990
20520	Met Hemoglobin	EDTA Blood	Oximeter	나382가	C3821		48.88	3,350	3,350	3,430	3,430
00885	Metanephrine 2F(HPLC)	24hr Urine	HPLC	너228			0	45,560	45,560	46,620	46,620
00886	Metanephrine(HPLC)	24hr Urine	HPLC	너228라	CY284006		332.51	22,780	22,780	23,310	23,310
00892	Metanephrine,Total(HPLC)	24hr Urine	HPLC	너228라	CY284006		332.51	22,780	22,780	23,310	23,310
00893	Metanephrines, Plasma	EDTA Plasma	LC/MS/MS	너228			0	45,560	45,560	46,620	46,620
65640	Methotrexate(MTX)	SST Serum	면역형광법	나450나(2)	C4504130		252.59	17,300	17,300	17,710	17,710
12230	Methylhippuric acid	Random Urine	HPLC	나451나(3)	CY373040		251.42	17,220	17,220	17,620	17,620
12235	Methylhippuric acid (아산)	Random Urine	HPLC	나451나(3)	CY373040		251.42	17,220	17,220	17,620	17,620
81831	MIB-1(IHC) TCM	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
10001	Microalbumin	24hr Urine	TIA	나230나	C2302		203.5	13,940	13,940	14,270	14,270
20290	Microalbumin 정성	Random Urine	Strip	나230가	C2301		10.67	730	730	750	750
10002	Microalbumin(ACR)	Random Urine	TIA	나230나	C2302		203.5	13,940	13,940	14,270	14,270
20280	Microalbumin(RIA)	24hr Urine	RIA	나230나주	C7230		189.97	13,010	13,010	13,320	13,320
20281	Microalbumin(RIA)(ACR)	Random Urine	RIA	나230나주	C7230		189.97	13,010	13,010	13,320	13,320
10005	Microalbumin/creatinine	Random Urine	TIA	나221 외	C2302+C3750		0	15,090	15,090	15,440	15,440
50855	Micro-ELISA Test(S)	SST Serum	ELISA	나472나(1)	C4722616		269.38	73,800	73,800	75,520	75,520
51900	Mitochondrial DNA MELAS	EDTA Blood	PCR-RFLP	너562다	CY623006		471.65	96,930	96,930	99,180	99,180
51910	Mitochondrial DNA MERRF	EDTA Blood	PCR-RFLP	너562라	CY624006		483.79	33,140	33,140	33,910	33,910
30050	Mixing Test	SC Plasma	Clot-based	나177	B1770006		187.15	12,820	12,820	13,120	13,120
26420	MLH1gene mutation analysis	EDTA Blood	Sequencing	나599나(2)	CY711006		7634.12	522,940	522,940	535,150	535,150
81848	MNF116(IHC)(TCM)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81967	MOC31(IHC) 성모	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81700	MPO(myeloperoxidase)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
02090	MSAFP	SST Serum	RIA	나421나주	C7421		154.98	10,620	10,620	10,860	10,860
26430	MSH2 gene mutation	EDTA Blood	Sequencing	나599나(2)	CY712006		7634.12	522,940	522,940	535,150	535,150
01865	MS-hCG(부산)	SST Serum	RIA	나352주	C7352		194.93	13,350	13,350	13,660	13,660
27674	MSI Test	Block	PCR Fragment analysis	너574	CX574006		3117.41	213,540	213,540	218,530	218,530
27679	MSI(Microsatellite) test	Block		너574	CX574006		3117.41	213,540	213,540	218,530	218,530
80513	M-T(Masson's Trichrome stain,	Tissue	Stain	나553나	C5532		123.77	8,480	8,480	8,680	8,680



삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
42606	MTB & NTM PCR	Sputum	PCR+Hybridization	나595-1가	C6021006		672.67	46,080	46,080	47,150	47,150
42601	MTB PCR (결핵협회)	Sputum	PCR	나595다	C5953006		407.06	27,880	27,880	28,530	28,530
42611	MTB PCR (조직)	Tissue	Nested PCR	너563사	CY059006		595.22	40,770	40,770	41,720	41,720
27265	MTHFR(C677T)	EDTA Blood	PCR-RFLP	너5620아	CY628006		475.79	32,590	32,590	33,350	33,350
27060	MTHFR(C677T) genotyping	EDTA Blood		너5620아	CY628006		475.79	32,590	32,590	33,350	33,350
81950	MUC2(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81951	MUC5(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81952	MUC6(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
71040	Mucin clot test	Joint Fluid	Manual	나54	B0540		11.58	790	790	810	810
10780	Mucopolysaccharidosis 선별	Random Urine		나444나	C4442		59.36	4,070	4,070	4,160	4,160
41730	Mumps virus IgG	SST Serum	EIA	나468나(1)	C4682506		273.64	18,740	18,740	19,180	19,180
41731	Mumps virus IgG	CSF	EIA	나468나(1)	C4682506		273.64	18,740	18,740	19,180	19,180
41740	Mumps virus IgM	SST Serum	EIA	나468나(2)	C4683506		261	17,880	17,880	18,300	18,300
41741	Mumps virus IgM	CSF	EIA	나468나(2)	C4683506		261	17,880	17,880	18,300	18,300
42590	Mumps virus RNA(RT-PCR)	CSF	RT-PCR	나596라	C5969006		678.1	46,450	46,450	47,530	47,530
65610	Mycophenolic acid	EDTA Blood	LC/MS/MS	나450나(4)	CX375696		577.54	39,560	39,560	40,490	40,490
50870	Mycoplasma Ab	SST Serum	PA	나474가	C4741820		59.99	4,110	4,110	4,210	4,210
50871	Mycoplasma Ab	Body Fluid	PA	나474가	C4741820		59.99	4,110	4,110	4,210	4,210
42620	Mycoplasma genitalium PCR	분비물	PCR	나5950아	C5956006		415.49	28,460	28,460	29,130	29,130
42630	Mycoplasma hominis PCR	분비물	PCR	나5950아	C5956006		415.49	28,460	28,460	29,130	29,130
52300	Mycoplasma pneumoniae IgG	SST Serum	EIA	나474나(1)	C4742826		207.72	14,230	14,230	14,560	14,560
52310	Mycoplasma pneumoniae IgM	SST Serum	EIA	나474나(2)	C4743826		205.84	14,100	14,100	14,430	14,430
52311	Mycoplasma pneumoniae IgM	CSF	EIA	나474나(2)	C4743826		205.84	14,100	14,100	14,430	14,430
42640	Mycoplasma pneumoniae PCR	Sputum	PCR	나5950아	C5956006		415.49	28,460	28,460	29,130	29,130
01330	Myoglobin	SST Serum	CLIA	나384나	C3842		234.1	16,040	16,040	16,410	16,410
01331	Myoglobin	Random Urine	CLIA	나384나	C3842		234.1	16,040	16,040	16,410	16,410
25680	Myotonic Muscular Dystrophy	복수검체	Southern blot	너573+나598	CY539006+C59870		0	146,340	146,340	149,760	149,760
25681	Myotonic Muscular Dystrophy	EDTA Blood	Southern blot	나598사	C5987006		936.71	64,160	64,160	65,660	65,660
30452	N 혈액형검사	EDTA Blood	Tube	나203	B2030006		70.22	4,810	4,810	4,920	4,920
71082	N. gonor Culture&Sensi(G)	Other		나405+나406	B4051+B4061		0	19,460	19,460	19,910	19,910
71080	N. gonorrhoeae Culture	Other	Culture	나405가	B4051		168.28	11,530	11,530	11,800	11,800
42650	N. gonorrhoeae PCR	분비물	PCR	나5950아	C5956006		415.49	28,460	28,460	29,130	29,130
81178	NADH stain	Tissue	Stain	나556다	C5563		297.4	20,370	20,370	20,850	20,850
00240	Neonatal Free T4	Blood Paper	EIA	나334	C3340		173.49	11,880	11,880	12,160	12,160
00250	Neonatal T4	Blood Paper	FIA	나333	C3330		164.03	11,240	11,240	11,500	11,500
00260	Neonatal-TSH	Blood Paper	FIA	나336	C3360		225.02	15,410	15,410	15,770	15,770
81575	NEU-N (IHC)	Block	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81576	NEU-N (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
81120	Neurofilament (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81810	Neurofilament (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
30021	Neutrophil Seg	EDTA Blood	자동혈구계산법	나109가	B1091		25.35	1,740	1,740	1,780	1,780
12275	N-methyl formamide(NMF)	Random Urine	GC/NPD	나451나(3)	CY373060		251.42	17,220	17,220	17,620	17,620
27540	NMP22	Random Urine	ELISA	너322다	CY323		305.35	20,920	20,920	21,410	21,410
25790	N-myc	복수검체	PCR	나598아	C5988006		934.15	63,990	63,990	65,480	65,480
30150	Nonspecific esterase stain	Bone Marrow Slide	Stain	나118바	B1188006		84.92	5,820	5,820	5,950	5,950
30151	Nonspecific esterase stain	Blood Smear Slide	Stain	나118바	B1188006		84.92	5,820	5,820	5,950	5,950
30152	Nonspecific esterase stain	Bone Marrow Slide	Stain	나118바	B1188006		84.92	5,820	5,820	5,950	5,950
00887	Normetanephine(HPLC)	24hr Urine	HPLC	너228마	CY285006		332.51	22,780	22,780	23,310	23,310
65661	Nortriptyline	Plain Serum	LC/MS/MS	나450나(4)	CX375696		577.54	39,560	39,560	40,490	40,490
01611	NSE	Body Fluid	RIA	나431	C7431		123.87	8,490	8,490	8,680	8,680
01615	NSE (ECLIA)	SST Serum	ECLIA	나431	C4310		310.84	21,290	21,290	21,790	21,790
81280	NSE(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81846	NSE(IHC)(TCM)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
70606	NTM Identification(성모)	균주	LPA	나595-1다	C6029006		725.71	49,710	49,710	50,870	50,870
70501	NTM Sensitivity (결핵협회)	균주	Microdilution	나406다(2)	B4064		564.43	38,660	38,660	39,570	39,570
01350	NT-pro BNP	SST Serum	ECLIA	나368-2	CZ208		608.98	41,720	41,720	42,690	42,690
12280	NTx	Random Urine	ELISA	나393-1	C3931		180.54	12,370	12,370	12,660	12,660
41635	O.tsutsumamushi(IFA)	SST Serum	IFA	나474나(1)	C4742836		207.72	14,230	14,230	14,560	14,560
30180	Oil red stain	Bone Marrow Slide	Stain	나118아	B1189006		83.84	5,740	5,740	5,880	5,880
20322	Oligoclonal band(강남성모)	복수검체	Electrophoresis	너182	BX182006		225.94	15,480	15,480	15,840	15,840
20320	Oligoclonal IgG band	CSF	Electrophoresis	너182	BX182006		225.94	15,480	15,480	15,840	15,840
12290	Organic Acid	Random Urine	GC/MSD	너345다	CY348006		2521.31	172,710	172,710	176,740	176,740
12291	Organic Acid	EDTA Plasma	GC/MSD	너345다	CY348006		2521.31	172,710	172,710	176,740	176,740
12310	Orotic acid	24hr Urine	Spectrophotometry	너345가(6)	CY349		201.9	13,830	13,830	14,150	14,150
12320	Osmolality	SST Serum	Osmometer	나380	C3800		54.5	3,730	3,730	3,820	3,820
12322	Osmolality	Random Urine	Osmometer	나380	C3800		54.5	3,730	3,730	3,820	3,820
12321	Osmolality(24hr U)	24hr Urine	Osmometer	나380	C3800		54.5	3,730	3,730	3,820	3,820
12335	Osmolality(S)-10회	SST Serum	Osmometer	나380	C3800		54.5	3,730	3,730	3,820	3,820
12336	Osmolality(S)-11회	SST Serum	Osmometer	나380	C3800		54.5	3,730	3,730	3,820	3,820
12337	Osmolality(S)-12회	SST Serum	Osmometer	나380	C3800		54.5	3,730	3,730	3,820	3,820
12338	Osmolality(S)-13회	SST Serum	Osmometer	나380	C3800		54.5	3,730	3,730	3,820	3,820
12339	Osmolality(S)-14회	SST Serum	Osmometer	나380	C3800		54.5	3,730	3,730	3,820	3,820
12325	Osmolality(S)-1회	SST Serum	Osmometer	나380	C3800		54.5	3,730	3,730	3,820	3,820
12326	Osmolality(S)-2회	SST Serum	Osmometer	나380	C3800		54.5	3,730	3,730	3,820	3,820
12327	Osmolality(S)-3회	SST Serum	Osmometer	나380	C3800		54.5	3,730	3,730	3,820	3,820
12328	Osmolality(S)-4회	SST Serum	Osmometer	나380	C3800		54.5	3,730	3,730	3,820	3,820

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
12329	Osmolality(S)-5회	SST Serum	Osmometer	나380	C3800		54.5	3,730	3,730	3,820	3,820
12331	Osmolality(S)-6회	SST Serum	Osmometer	나380	C3800		54.5	3,730	3,730	3,820	3,820
12332	Osmolality(S)-7회	SST Serum	Osmometer	나380	C3800		54.5	3,730	3,730	3,820	3,820
12333	Osmolality(S)-8회	SST Serum	Osmometer	나380	C3800		54.5	3,730	3,730	3,820	3,820
12334	Osmolality(S)-9회	SST Serum	Osmometer	나380	C3800		54.5	3,730	3,730	3,820	3,820
12330	Osmotic fragility	복수검체	Colorimetry	나113	B1131006		91.22	6,250	6,250	6,390	6,390
01925	Osteocalcin (ECLIA)	SST Serum	ECLIA	나363	C3630		179.25	12,280	12,280	12,570	12,570
30470	Other blood typing	EDTA Blood	Tube	나203	B2030006		70.22	4,810	4,810	4,920	4,920
81220	Other(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
65460	Oxcarbapazine & Metabolite	Plain Serum	HPLC	나450나(3)	CX374690		325.85	22,320	22,320	22,840	22,840
30473	P1 항원검사	EDTA Blood	Tube	나203	B2030006		70.22	4,810	4,810	4,920	4,920
81835	P16(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81832	P16(IHC) TCM	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81839	p16(IHC)성모	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81843	p504S(IHC)(TCM)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81600	p53 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81620	p63 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81621	P63 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81844	p63(IHC)(TCM)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
30690	PAI-1	SC Plasma	ELISA	너80나	BY802		181.7	12,450	12,450	12,740	12,740
80512	PAMS(Methenamine Siver stain,	Tissue	Stain	나553다	C5533		123.77	8,480	8,480	8,680	8,680
10245	Pancreatic Amylase	SST Serum	Enzyme	나261나	B2612		53.33	3,650	3,650	3,740	3,740
10246	Pancreatic Amylase(RU)	Random Urine	Enzyme	나261나	B2612		53.33	3,650	3,650	3,740	3,740
01630	PAP	SST Serum	CLIA	나429	C4290		140.11	9,600	9,600	9,820	9,820
01631	PAP	분비물	CLIA	나429	C4290		140.11	9,600	9,600	9,820	9,820
80005	Pap smear	Cervix	Pap stain	나592	C5920		89.02	6,100	6,100	6,240	6,240
80008	Pap smear	Cervix	Pap stain	나592	C5920		89.02	6,100	6,100	6,240	6,240
80009	Pap smear(한병리)	Cervix	Pap stain	나592	C5920		89.02	6,100	6,100	6,240	6,240
80006	Pap smear(A)	Cervix	Pap stain	나592	C5920		89.02	6,100	6,100	6,240	6,240
80003	Pap smear(KMK)	Cervix	Pap stain	나592	C5920		89.02	6,100	6,100	6,240	6,240
80007	Pap smear(T)	Cervix	Pap stain	나592	C5920		89.02	6,100	6,100	6,240	6,240
50843	Paragonimus IgG(S)	SST Serum	ELISA	나472나(1)	C4722616		269.38	18,450	18,450	18,880	18,880
42195	Parainfluenza culture	Other	Shell Vial Culture	나416	B4160006		574.26	39,340	39,340	40,260	40,260
12345	Paraquat	Random Urine	HPLC	나450나(3)	CX374040		325.85	22,320	22,320	22,840	22,840
12340	Paraquat (Gramoxone)	SST Serum	HPLC	나450나(3)	CX374040		325.85	22,320	22,320	22,840	22,840
65623	Paroxetine	Plain Serum	LC/MS/MS	나450	CX375696		577.54	39,560	39,560	40,490	40,490
42660	Parvo virus B19 DNA	SST Serum	PCR	나595나	C5952006		392.46	26,880	26,880	27,510	27,510
41780	Parvo virus B19 IgG	SST Serum	EIA	나468나(1)	C4682596		273.64	18,740	18,740	19,180	19,180

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
41781	Parvo virus B19 IgG	Body Fluid	EIA	나468나(1)	C4682596		273.64	18,740	18,740	19,180	19,180
41790	Parvo virus B19 IgM	SST Serum	EIA	나468나(2)	C4683596		261	17,880	17,880	18,300	18,300
41791	Parvo virus B19 IgM	Body Fluid	EIA	나468나(2)	C4683596		261	17,880	17,880	18,300	18,300
30160	PAS Stain	Bone Marrow Slide	Stain	나118마	B1187006		86.41	5,920	5,920	6,060	6,060
30161	PAS Stain	Blood Smear Slide	Stain	나118마	B1187006		86.41	5,920	5,920	6,060	6,060
82100	PAS Stain	Tissue		나553다	C5533		123.77	8,480	8,480	8,680	8,680
80619	PAS stain 성모	Tissue	Stain	나553다	C5533		123.77	8,480	8,480	8,680	8,680
80603	PAS Stain(한병리)	Tissue		나553다	C5533		123.77	8,480	8,480	8,680	8,680
81695	PAX5 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
12806	p-Cresol	Random Urine	GC/MS	나451나(3)	CY373290		251.42	17,220	17,220	17,620	17,620
81470	PD-1(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81440	PDGFR-α(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
30080	PDW	EDTA Blood	자동혈구계산법	나123	B1230		5.8	400	400	410	410
31085	PEG Coombs Anti IgG	EDTA Blood		나204나주	B2048106		75.71	5,190	5,190	5,310	5,310
02036	Pepsinogen I/II	SST Serum	LTIA	나362	C3620×2		209.54	28,700	28,700	29,380	29,380
26085	Perforin profile, FCM	EDTA Blood	Flow Cytometry	나512	C5120006*3		0	92,790	92,790	94,950	94,950
30170	Peroxidase stain	Bone Marrow Slide	Stain	나118라	B1186006		83.11	5,690	5,690	5,830	5,830
30171	Peroxidase stain	Blood Smear Slide	Stain	나118라	B1186006		83.11	5,690	5,690	5,830	5,830
65290	Phenobarbital	SST Serum	면역형광법	나450나(2)	C4504020		252.59	17,300	17,300	17,710	17,710
65300	Phenytoin	SST Serum	면역형광법	나450나(2)	C4504050		252.59	17,300	17,300	17,710	17,710
10130	Phosphate(Pi)	SST Serum	Colorimetry	나379라	C3794		15.15	1,040	1,040	1,060	1,060
10132	Phosphate(Pi)	Random Urine	Colorimetry	나379라	C3794		15.15	1,040	1,040	1,060	1,060
10131	Phosphate(Pi)(24hr U)	24hr Urine	Colorimetry	나379라	C3794		15.15	1,040	1,040	1,060	1,060
11160	Phospholipid	SST Serum	Enzyme	나244나	C2442		29.69	2,030	2,030	2,080	2,080
11161	Phospholipid(Fluid)	Body Fluid	Enzyme	나244나	C2442		29.69	2,030	2,030	2,080	2,080
01640	PIVKA-2	SST Serum	EIA	너78	BX078		190.03	13,020	13,020	13,320	13,320
81370	PLAP (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
20530	Plasma Hb	EDTA Plasma	Spectrophotometry	나383	C3830		50.45	3,460	3,460	3,540	3,540
30710	Plasminogen	SC Plasma	Chromogenic assay	나188가	B1881		163.6	11,210	11,210	11,470	11,470
30005	Platelet	EDTA Blood	자동혈구계산법	나106	B1060		12.99	890	890	910	910
51920	Platelet Associated Ab	EDTA Blood	IFA	나502나	C5022006		251.6	17,230	17,230	17,640	17,640
25710	PML-RARa (nested RT-PCR)	EDTA Blood	Nested RT-PCR	나597다	C5973006		1631.15	111,730	111,730	114,340	114,340
25712	PML-RARa (nested RT-PCR)	Bone Marrow	Nested RT-PCR	나597다	C5973006		1631.15	111,730	111,730	114,340	114,340
42670	Pneumocystis jirovecii PCR	Sputum	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
26161	PNH test	EDTA Blood	Flow Cytometry	너42나	BY422006		443.38	121,480	121,480	124,320	124,320
26165	PNH test	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	61,860	61,860	63,300	63,300
81960	Podoplanin(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
42682	Polyomavirus(BK) PCR	Random Urine	Nested PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
42680	Polyomavirus(BK,JC) PCR	Random Urine	Nested PCR	나595아	C5956006외		0	56,920	56,920	58,260	58,260
42683	Polyomavirus(JC) PCR	Random Urine	Nested PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
11770	Porphobilinogen 정량	Random Urine	비색법	나389나(1)	C3892		44.42	3,040	3,040	3,110	3,110
11771	Porphobilinogen 정량	24hr Urine	비색법	나389나(1)	C3892		44.42	3,040	3,040	3,110	3,110
25730	post-BMT	EDTA Blood	PCR	너571나(1)	CY575006		2755.12	188,730	188,730	193,130	193,130
25731	post-BMT	Bone Marrow	PCR	너571나(1)	CY575006		2755.12	188,730	188,730	193,130	193,130
25737	post-BMT	EDTA Blood		너571나(1)	CY575006		2755.12	188,730	188,730	193,130	193,130
10140	Potassium(K)	SST Serum	ISE	나379나	C3792		16.87	1,160	1,160	1,180	1,180
10142	Potassium(K)	Random Urine	ISE	나379나	C3792		16.87	1,160	1,160	1,180	1,180
10141	Potassium(K)(24hr U)	24hr Urine	ISE	나379나	C3792		16.87	1,160	1,160	1,180	1,180
81840	PR(IHC) TCM	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
25690	PRA class I identification	SST Serum	Luminex	나522나	C5222006		1308.12	89,610	89,610	91,700	91,700
26265	PRA class I screening	SST Serum	Luminex	나522가	C5221006		752.81	51,570	51,570	52,770	52,770
25695	PRA classII identification	SST Serum	Luminex	나522나	C5222006		1308.12	89,610	89,610	91,700	91,700
26266	PRA classII screening	SST Serum	Luminex	나522가	C5221006		752.81	51,570	51,570	52,770	52,770
20330	Prealbumin	SST Serum	TIA	나221-1	C2215		150.79	10,330	10,330	10,570	10,570
25720	pre-BMT	복수검체	DNA Typing	너571가(1)	CY573006		3962.86	271,460	271,460	277,800	277,800
25725	pre-BMT	복수검체	DNA Typing	너571가(1)	CY573006		3962.86	271,460	271,460	277,800	277,800
25727	pre-BMT	복수검체	DNA Typing	너571가(1)	CY573006		3962.86	271,460	271,460	277,800	277,800
65320	Primidone	Plain Serum	HPLC	나450나(3)	CX374690		325.85	22,320	22,320	22,840	22,840
00512	Progesterone (ECLIA)	SST Serum	ECLIA	나346	C3460		150.45	10,310	10,310	10,550	10,550
00133	Prolactin (ECLIA)	SST Serum	ECLIA	나351	C3510		166.15	11,380	11,380	11,650	11,650
81690	Prolactin (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
00141	Prolactin-1호	SST Serum	ECLIA	나351	C3510		166.15	11,380	11,380	11,650	11,650
00142	Prolactin-2호	SST Serum	ECLIA	나351	C3510		166.15	11,380	11,380	11,650	11,650
00143	Prolactin-3호	SST Serum	ECLIA	나351	C3510		166.15	11,380	11,380	11,650	11,650
00144	Prolactin-4호	SST Serum	ECLIA	나351	C3510		166.15	11,380	11,380	11,650	11,650
00145	Prolactin-5호	SST Serum	ECLIA	나351	C3510		166.15	11,380	11,380	11,650	11,650
00146	Prolactin-6호	SST Serum	ECLIA	나351	C3510		166.15	11,380	11,380	11,650	11,650
00147	Prolactin-7호	SST Serum	ECLIA	나351	C3510		166.15	11,380	11,380	11,650	11,650
00148	Prolactin-8호	SST Serum	ECLIA	나351	C3510		166.15	11,380	11,380	11,650	11,650
30730	Protein C Activity	SC Plasma	Chromogenic assay	나183가	B1831		207.74	14,230	14,230	14,560	14,560
30740	Protein C Antigen	SC Plasma	ELISA	나183나	B1832		182.6	12,510	12,510	12,800	12,800
20711	Protein E.P(24h urine)	24hr Urine	Electrophoresis	나300나	B3001006		142.26	9,740	9,740	9,970	9,970
20713	Protein E.P(Random urine)	Random Urine	Electrophoresis	나300나	B3001006		142.26	9,740	9,740	9,970	9,970
20710	Protein E.P(Serum)	SST Serum	Electrophoresis	나300가	B3000006		134.09	9,190	9,190	9,400	9,400
30750	Protein S Activity	SC Plasma	Clot-based	나184가	B1841		201.16	13,780	13,780	14,100	14,100
30760	Protein S Ag(free)	SC Plasma	ELISA	나184나	B1842		179.03	12,260	12,260	12,550	12,550



삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
30770	<b>Protein S Ag(total)</b>	SC Plasma	ELISA	나184나	B1842		179.03	12,260	12,260	<b>12,550</b>	<b>12,550</b>
10035	<b>Protein/creatinine ratio</b>	Random Urine	계산법	나220 외	C2200 외		0	2,360	2,360	<b>2,410</b>	<b>2,410</b>
30950	<b>Prothrombin Time</b>	SC Plasma	Clot-based	나154	B1540		27.73	1,900	1,900	<b>1,940</b>	<b>1,940</b>
70860	<b>Protozoa</b>	Stool	검경법	나63	B0630		23.95	1,640	1,640	<b>1,680</b>	<b>1,680</b>
70861	<b>Protozoa(amoeba)</b>	Stool		나66	B0660		33.44	2,290	2,290	<b>2,340</b>	<b>2,340</b>
01675	<b>PSA (ECLIA)</b>	SST Serum	ECLIA	나428	C4280		241.06	16,510	16,510	<b>16,900</b>	<b>16,900</b>
81000	<b>PSA (IHC)</b>	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	<b>32,300</b>	<b>32,300</b>
01930	<b>PTH</b>	SST Serum	RIA	나340주	C7340		275.4	18,860	18,860	<b>19,310</b>	<b>19,310</b>
01931	<b>PTH</b>	EDTA Plasma	RIA	나340주	C7340		275.4	18,860	18,860	<b>19,310</b>	<b>19,310</b>
81968	<b>PTH(IHC) 성모</b>	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	<b>32,300</b>	<b>32,300</b>
01967	<b>PTH-Intact (ECLIA)</b>	SST Serum	ECLIA	나340	C3400		294.34	20,160	20,160	<b>20,630</b>	<b>20,630</b>
01968	<b>PTH-Intact (ECLIA)</b>	EDTA Plasma	ECLIA	나340	C3400		294.34	20,160	20,160	<b>20,630</b>	<b>20,630</b>
10810	<b>Pyruvic Acid</b>	제단백액	Enzyme	나345가(1)	CY341		201.9	13,830	13,830	<b>14,150</b>	<b>14,150</b>
10811	<b>Pyruvic Acid</b>	CSF	Enzyme	나345가(1)	CY341		201.9	13,830	13,830	<b>14,150</b>	<b>14,150</b>
02060	<b>Quad Test</b>	SST Serum		나421 외	C7421외		0	62,470	62,470	<b>63,920</b>	<b>63,920</b>
52390	<b>QuantiFERON-TB</b>	전용용기	ELISA	나477	CZ393006		1162.62	79,640	79,640	<b>81,500</b>	<b>81,500</b>
65622	<b>Quetiapine</b>	Plain Serum	LC/MS/MS	나450	CX375696		577.54	39,560	39,560	<b>40,490</b>	<b>40,490</b>
41637	<b>R. (Rickettsia) 2 type Ab</b>	SST Serum	IFA	나474나(1)	C4742836		207.72	28,460	28,460	<b>29,120</b>	<b>29,120</b>
51930	<b>R.A Factor</b>	SST Serum	TIA	나490가	C4901		20.2	1,380	1,380	<b>1,420</b>	<b>1,420</b>
51931	<b>R.A Factor</b>	Body Fluid	TIA	나490가	C4901		20.2	1,380	1,380	<b>1,420</b>	<b>1,420</b>
51940	<b>R.A Factor 정량</b>	SST Serum	TIA	나490나	C4903		104.97	7,190	7,190	<b>7,360</b>	<b>7,360</b>
51941	<b>R.A Factor 정량</b>	Body Fluid	TIA	나490나	C4903		104.97	7,190	7,190	<b>7,360</b>	<b>7,360</b>
41630	<b>R.tsutsugamushi</b>	SST Serum	ICA	나474가	C4741830		59.99	4,110	4,110	<b>4,210</b>	<b>4,210</b>
30002	<b>RBC</b>	EDTA Blood	자동혈구계산법	나104	B1040		10.97	750	750	<b>770</b>	<b>770</b>
11290	<b>RBC Folate</b>	EDTA Blood	RIA	나254주	C7254		198.75	13,610	13,610	<b>13,930</b>	<b>13,930</b>
81975	<b>RCC(IHC)성모</b>	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	<b>32,300</b>	<b>32,300</b>
30090	<b>RDW</b>	EDTA Blood	자동혈구계산법	나122	B1220		5.8	400	400	<b>410</b>	<b>410</b>
01381	<b>Renin 1회</b>	EDTA Plasma	RIA	나360주	C7360		161.49	11,060	11,060	<b>11,320</b>	<b>11,320</b>
01382	<b>Renin 2회</b>	EDTA Plasma	RIA	나360주	C7360		161.49	11,060	11,060	<b>11,320</b>	<b>11,320</b>
01383	<b>Renin 3회</b>	EDTA Plasma	RIA	나360주	C7360		161.49	11,060	11,060	<b>11,320</b>	<b>11,320</b>
01384	<b>Renin 3회</b>	EDTA Plasma	RIA	나360주	C7360		161.49	11,060	11,060	<b>11,320</b>	<b>11,320</b>
01385	<b>Renin 5회</b>	EDTA Plasma	RIA	나360주	C7360		161.49	11,060	11,060	<b>11,320</b>	<b>11,320</b>
01386	<b>Renin 6회</b>	EDTA Plasma	RIA	나360주	C7360		161.49	11,060	11,060	<b>11,320</b>	<b>11,320</b>
01370	<b>Renin Activity</b>	EDTA Plasma	RIA	나360주	C7360		161.49	11,060	11,060	<b>11,320</b>	<b>11,320</b>
42257	<b>Respi.V.Ag Screening 5종</b>	Other	IFA	나469	C4690536		203.37	13,930	13,930	<b>14,260</b>	<b>14,260</b>
29270	<b>RET gene mutation</b>	EDTA Blood	Sequencing	나599나(3)	CY571006		4105.53	281,230	281,230	<b>287,800</b>	<b>287,800</b>
26730	<b>RET(MEN2A, MEN2B, FMTC) Mutati</b>	EDTA Blood	Sequencing	나599나(3)	CY571006		4105.53	281,230	281,230	<b>287,800</b>	<b>287,800</b>
80620	<b>Reticulin Stain(한병리)</b>	Tissue		나553가	C5531		123.77	8,480	8,480	<b>8,680</b>	<b>8,680</b>

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
30111	Reticulocyte Count	EDTA Blood	Flow Cytometry	나108나	B1081		20.21	1,380	1,380	1,420	1,420
30420	Rh Ab Titer	SST Serum	Tube	나208	B2080006		99.47	6,810	6,810	6,970	6,970
30390	Rh(D) Typing	EDTA Blood	SLIDE	나202가	B2021		13.82	950	950	970	970
30391	Rh(D) Typing	Capillary	SLIDE	나202가	B2021		13.82	950	950	970	970
30392	Rh(D) Typing	Cord Blood	SLIDE	나202가	B2021		13.82	950	950	970	970
30400	Rh-Hr Subgroup	EDTA Blood	Tube	나202나	B2022006		98.1	6,720	6,720	6,880	6,880
42210	Rhino Virus Culture	Other	Culture	나416	B4160006		574.26	39,340	39,340	40,260	40,260
51216	Ribosomal P protein IgG Ab	SST Serum	EIA	너443자	CY451006		532.44	36,470	36,470	37,320	37,320
42290	Rotavirus Ag	Stool	ELISA	나469	C4690526		203.37	13,930	13,930	14,260	14,260
50935	RPR 정밀	SST Serum	TIA	나460-1	C4602		25.73	1,760	1,760	1,800	1,800
42300	RSV Ag (DFA)	Sputum	DFA	나469	C4690536		203.37	13,930	13,930	14,260	14,260
42225	RSV Culture	Other	Shell Vial Culture	나416	B4160006		574.26	39,340	39,340	40,260	40,260
42820	RSV IgG(IFA)	SST Serum	IFA	나468나(1)	C4682536		273.64	18,740	18,740	19,180	19,180
42830	RSV IgM(IFA)	SST Serum	IFA	나468나(2)	C4683536		261	17,880	17,880	18,300	18,300
41940	Rubella IgG	SST Serum	CIA	나468나(1)	C4682416		273.64	18,740	18,740	19,180	19,180
41941	Rubella IgG	CSF	CIA	나468나(1)	C4682416		273.64	18,740	18,740	19,180	19,180
41950	Rubella IgM	SST Serum	CIA	나468나(2)	C4683416		261	17,880	17,880	18,300	18,300
41951	Rubella IgM	CSF	CIA	나468나(2)	C4683416		261	17,880	17,880	18,300	18,300
42690	Rubella Virus RT-PCR	EDTA Blood	RT-PCR	나596라	C5969006		678.1	46,450	46,450	47,530	47,530
30461	S 혈액형검사	EDTA Blood	Tube	나203	B2030006		70.22	4,810	4,810	4,920	4,920
30462	s 혈액형검사	EDTA Blood	Tube	나203	B2030006		70.22	4,810	4,810	4,920	4,920
52221	S.pneumoniae Ag test	CSF	Latex	나408	B4080		79.57	5,450	5,450	5,580	5,580
81150	S-100(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81152	S-100(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81841	S-100(IHC)(TCM)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
42700	Salmonella PCR	EDTA Blood	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
42710	Salmonella PCR	CSF	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
26980	SBMA, AR gene	EDTA Blood	PCR	너573나	CY532006		1199.67	82,180	82,180	84,100	84,100
27001	SCA panel (SCA 1,2,3,6,7)	EDTA Blood	PCR	너573	CY535,6,7,8,40006		0	410,900	410,900	420,500	420,500
27000	SCA profile (1,2,3,6,7,8,17)	EDTA Blood	PCR	너573	CY535~8,540006		0	0	601,080	588,700	588,700
01690	SCA-1	EDTA Blood		너573라	CY535006		1199.67	82,180	82,180	84,100	84,100
27015	SCA-17	EDTA Blood	PCR Fragment analysis	너573라	C6097006		1199.67	82,180	82,180	84,100	84,100
01700	SCA-2	EDTA Blood		너573라	CY536006		1199.67	82,180	82,180	84,100	84,100
01710	SCA-3	EDTA Blood		너573라	CY537006		1199.67	82,180	82,180	84,100	84,100
02070	SCA-6	EDTA Blood		너573라	CY538006		1199.67	82,180	82,180	84,100	84,100
02080	SCA-7	EDTA Blood		너573라	CY540006		1199.67	82,180	82,180	84,100	84,100
27010	SCA-8	EDTA Blood		너573라	C6098006		1199.67	0	108,000	84,100	84,100
01720	SCC	SST Serum	RIA	나430주	C7430		310.79	21,290	21,290	21,790	21,790

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
01721	SCC	Body Fluid	RIA	나430주	C7430		310.79	21,290	21,290	21,790	21,790
20350	Selectivity Index	복수검체	계산법	나392	C3920		290.14	19,870	19,870	20,340	20,340
12810	Selenium	Trace EDTA Blood	ICP/MS	나452나(2)	C4523990		313.68	21,490	21,490	21,990	21,990
12811	Selenium	Random Urine	ICP/MS	나452나(2)	C4523990		313.68	21,490	21,490	21,990	21,990
12400	Semen Analysis	Semen	검경법	나730	E7300		50.3	3,450	3,450	3,530	3,530
12410	Semen fructose	Semen	Spectrophotometry	너893	EX893		56.36	3,860	3,860	3,950	3,950
02062	Sequential 2nd (Quad)	Other		나421 외	C7421외		0	62,470	62,470	63,920	63,920
00902	Serotonin	SST Serum	HPLC	나367	C3670		126.73	8,680	8,680	8,880	8,880
00903	Serotonin (PFP)	EDTA Plasma	HPLC	나367	C3670		126.73	8,680	8,680	8,880	8,880
65720	Sirolimus(Rafamycin)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696		577.54	39,560	39,560	40,490	40,490
51206	SLE Profile	SST Serum	EIA	너443차	CY452006*2		532.44	0	72,940	74,640	74,640
81160	SMA(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81162	SMA(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81164	SMA(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
51985	SMA(SMN1 7&8, NAIP 4&5)	EDTA Blood	PCR-RFLP	너562마	CY625006		483.08	33,090	33,090	33,860	33,860
51986	SMA(SMN1 7&8, NAIP 5&13)	EDTA Blood	PCR-RFLP	너562마	CY625006		483.08	33,090	33,090	33,860	33,860
81551	SM-MHC(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
10150	Sodium(Na)	SST Serum	ISE	나379가	C3791		15.64	1,070	1,070	1,100	1,100
10152	Sodium(Na)	Random Urine	ISE	나379가	C3791		15.64	1,070	1,070	1,100	1,100
10151	Sodium(Na)(24hr U)	24hr Urine	ISE	나379가	C3791		15.64	1,070	1,070	1,100	1,100
00155	Somatomedin-C (CLIA)	SST Serum	CLIA	너230	CX230		199.07	13,640	13,640	13,950	13,950
50844	Sparganum IgG(S)	SST Serum	ELISA	나472나(1)	C4722616		269.38	18,450	18,450	18,880	18,880
80605	Special Stain	Tissue		나553다	C5533		123.77	8,480	8,480	8,680	8,680
82080	Special Stain	Tissue		나553다	C5533		123.77	8,480	8,480	8,680	8,680
80342	Special Stain T&C	Tissue		나553다	C5533		123.77	8,480	8,480	8,680	8,680
80600	Special Stain(서울대)	Tissue		나553다	C5533		123.77	8,480	8,480	8,680	8,680
80601	Special Stain(한병리)	Tissue		나553다	C5533		123.77	8,480	8,480	8,680	8,680
80181	Special Stain(CFC)	Tissue		나553	C5533		123.77	8,480	8,480	8,680	8,680
12460	Stone Analysis 정성	Stone	Colorimetry	나391	C3910006		79.95	5,480	5,480	5,600	5,600
12465	Stone Analysis(physical)	Stone		너274	CX274006		409.88	28,080	28,080	28,730	28,730
70870	Stool Microscopy	Stool	검경법	나67	B0670		13.93	950	950	980	980
71250	Stool OB 정량	Stool	Colorimetry	나65-1	B0653		65.85	4,510	4,510	4,620	4,620
70895	Stool pH	Stool		나69	B0690		7.53	520	520	530	530
70890	Stool WBC	Stool	검경법	나67-1	B0675		9.75	670	670	680	680
50461	Strep.Pneumoniae	CSF	Latex	나408	B4080		79.57	5,450	5,450	5,580	5,580
11730	Succinylacetone	Random Urine	GC/MSD	너345가(6)	CY349		201.9	13,830	13,830	14,150	14,150
12870	Sucrose hemolysis	복수검체	Colorimetry	나121	B1210006		48.93	3,350	3,350	3,430	3,430
30190	Sudan black B stain	Bone Marrow Slide	Stain	나118나	B1183006		83.89	5,750	5,750	5,880	5,880

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
30191	Sudan black B stain	Blood Smear Slide	Stain	나118나	B1183006		83.89	5,750	5,750	5,880	5,880
20540	Sulf-Hemoglobin	EDTA Blood	Colorimetry	나382나	C3822		54.54	3,740	3,740	3,820	3,820
29020	Surface Ig(Cytoplasmic Ig)	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
29021	Surface Ig-κ light chain	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
29022	Surface Ig-λ light chain	EDTA Blood	Flow Cytometry	나512	C5120006		451.56	30,930	30,930	31,650	31,650
81165	SV40	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81163	SV40 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81400	Synaptophysin (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81770	Synaptophysin (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81853	Synaptophysin(IHC)(TCM)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
29001	SYT/SSX gene rearrangement	Block	RT-PCR	나596다	CX564006		633.09	43,370	43,370	44,380	44,380
29002	SYT/SSX gene rearrangement	Block	RT-PCR	나596다	CX564006		633.09	43,370	43,370	44,380	44,380
00295	T3 (ECLIA)	SST Serum	ECLIA	나329	C3290		172.76	11,830	11,830	12,110	12,110
00305	T3-Uptake (ECLIA)	SST Serum	ECLIA	나331	C3310		148.28	10,160	10,160	10,390	10,390
00315	T4 (ECLIA)	SST Serum	ECLIA	나333	C3330		164.03	11,240	11,240	11,500	11,500
00320	TBG (RIA)	SST Serum	RIA	나338주	C7338		174.88	11,980	11,980	12,260	12,260
25875	T-cell Receptor rearrangem	Block	Southern Hybridization	나598바	C5986006		936.71	64,160	64,160	65,660	65,660
25876	TCR β gene rearrangement	Bone Marrow	PCR Fragment analysis	나598마	C5985006		938.74	64,300	64,300	65,810	65,810
25877	TCR γ gene rearrangement	Bone Marrow	PCR Fragment analysis	나598바	C5986006		936.71	64,160	64,160	65,660	65,660
25878	TCR δ gene rearrangement	Bone Marrow	PCR Fragment analysis	나598사	C5987006		936.71	64,160	64,160	65,660	65,660
81650	TdT (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81651	TdT(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
26660	TEL/AML1 rearrangement	EDTA Blood	Nested RT-PCR	나597자	C5979006		1791.12	122,690	122,690	125,560	125,560
00523	Testosterone (ECLIA)	SST Serum	ECLIA	나353	C3530		172.2	11,800	11,800	12,070	12,070
00530	Testosterone, Free	SST Serum	RIA	나232	CX232		169.62	11,620	11,620	11,890	11,890
81450	TFE3(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
65140	Theophylline	SST Serum	면역형광법	나450나(2)	C4504110		252.59	17,300	17,300	17,710	17,710
30970	Thrombin Time	SC Plasma	Clot-based	나156	B1560		25.19	1,730	1,730	1,770	1,770
00355	Thyroglobulin (ECLIA)	SST Serum	ECLIA	나335	C3350		195.98	13,420	13,420	13,740	13,740
00341	Thyroglobulin Ab	SST Serum	RIA	나494	C7494		186.35	12,760	12,760	13,060	13,060
00345	Thyroglobulin Ab (ECLIA)	SST Serum	ECLIA	나494	C4940		169.45	11,610	11,610	11,880	11,880
81200	Thyroglobulin(IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
81854	Thyroglobulin(IHC)(TCM)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
80986	TIA1 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	32,300	32,300
12830	TIBC	SST Serum	계산법	나250	C2500		37.32	2,560	2,560	2,620	2,620
65340	Tobramycin	Plain Serum	면역형광법	나450나(2)	C4504390		252.59	17,300	17,300	17,710	17,710
65711	Topiramate	Plain Serum	LC/MS/MS	나450나(4)	CX375696		577.54	39,560	39,560	40,490	40,490
42750	TORCH Test	SST Serum					0	146,760	146,760	150,200	150,200

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
10040	Total Bilirubin	SST Serum	Colorimetry	나372가	C3720		17.31	1,190	1,190	1,210	1,210
10041	Total Bilirubin	Capillary	Colorimetry	나372가	C3720		17.31	1,190	1,190	1,210	1,210
11020	Total Cholesterol	SST Serum	Enzyme	나241가	C2411		22.02	1,510	1,510	1,540	1,540
11021	Total Cholesterol	Body Fluid	Enzyme	나241가	C2411		22.02	1,510	1,510	1,540	1,540
02005	Total hCG(ECLIA)	SST Serum	ECLIA	나352	C3520		212.7	14,570	14,570	14,910	14,910
60005	Total IgE (Unicap)	SST Serum	FEIA	나229	C2290		237.9	16,300	16,300	16,680	16,680
11180	Total Lipid	SST Serum	Colorimetry	나244가	C2441		32.77	2,240	2,240	2,300	2,300
11181	Total Lipid	Body Fluid	Colorimetry	나244가	C2441		32.77	2,240	2,240	2,300	2,300
11780	Total Porphyrin 정성	Random Urine	Colorimetry	나389가	C3891		9.88	680	680	690	690
10030	Total Protein	SST Serum	Colorimetry	나220	C2200		17.71	1,210	1,210	1,240	1,240
10033	Total Protein	Body Fluid	Colorimetry	나220	C2200		17.71	1,210	1,210	1,240	1,240
10031	Total Protein(24hr U)	24hr Urine	TIA	나220	C2200		17.71	1,210	1,210	1,240	1,240
10032	Total Protein(CSF)	CSF	TIA	나220	C2200		17.71	1,210	1,210	1,240	1,240
10034	Total Protein(RU)	Random Urine	TIA	나220	C2200		17.71	1,210	1,210	1,240	1,240
43510	Toxoplasma DNA PCR	Other	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
50903	Toxoplasma IgG	SST Serum	CIA	나472나(1)	C4722616		269.38	18,450	18,450	18,880	18,880
50904	Toxoplasma IgG	CSF	CIA	나472나(1)	C4722616		269.38	18,450	18,450	18,880	18,880
50913	Toxoplasma IgM	SST Serum	CIA	나472나(2)	C4723616		269.38	18,450	18,450	18,880	18,880
50914	Toxoplasma IgM	CSF	CIA	나472나(2)	C4723616		269.38	18,450	18,450	18,880	18,880
01770	TPA	SST Serum	IRMA	나432주	C7432		305.03	20,890	20,890	21,380	21,380
01772	TPA	Body Fluid	IRMA	나432주	C7432		305.03	20,890	20,890	21,380	21,380
50955	TPLA 정밀	SST Serum	TIA	나461-1	C4612		123.74	8,480	8,480	8,670	8,670
20360	Transferrin	SST Serum	TIA	나233	C2330		108.48	7,430	7,430	7,600	7,600
20370	Transferrin saturation	SST Serum	계산법	나249+나250	C2490+C2500		0	0	4,820	0	4,930
30185	TRAP stain	Blood Smear Slide	Stain	나118아	B1189006		83.84	5,740	5,740	5,880	5,880
30186	TRAP stain	Bone Marrow Slide	Stain	나118아	B1189006		83.84	5,740	5,740	5,880	5,880
42720	Treponema pallidum PCR	분비물	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
13040	Trichloroacetic acid	Random Urine	Colorimetry	나451나(1)	C4513590		154.6	10,590	10,590	10,840	10,840
12560	Trichloroethanol	Random Urine	GC	나451나(3)	CY373290		251.42	17,220	17,220	17,620	17,620
42655	Trichomonas vaginalis PCR	분비물	PCR	나595아	C5956006		415.49	28,460	28,460	29,130	29,130
11190	Triglyceride	SST Serum	Enzyme	나244다	C2443		46.89	3,210	3,210	3,290	3,290
11191	Triglyceride	Body Fluid	Enzyme	나244다	C2443		46.89	3,210	3,210	3,290	3,290
01870	Triple marker	SST Serum	RIA				0	38,440	38,440	39,330	39,330
01875	Triple marker(대한가족협회)	SST Serum	CLIA				0	41,920	41,920	42,890	42,890
12591	Troponin I	SST Serum	ECLIA	나394나	C3942		164.34	11,260	11,260	11,520	11,520
12600	Troponin T	SST Serum	ECLIA	나394가	C3941		162.75	11,150	11,150	11,410	11,410
00365	TSH (ECLIA)	SST Serum	ECLIA	나336	C3360		225.02	15,410	15,410	15,770	15,770
00371	TSH-1회	SST Serum	ECLIA	나336	C3360		225.02	15,410	15,410	15,770	15,770



삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
00372	<b>TSH-2회</b>	SST Serum	ECLIA	나336	C3360		225.02	15,410	15,410	<b>15,770</b>	<b>15,770</b>
00373	<b>TSH-3회</b>	SST Serum	ECLIA	나336	C3360		225.02	15,410	15,410	<b>15,770</b>	<b>15,770</b>
00374	<b>TSH-4회</b>	SST Serum	ECLIA	나336	C3360		225.02	15,410	15,410	<b>15,770</b>	<b>15,770</b>
00375	<b>TSH-5회</b>	SST Serum	ECLIA	나336	C3360		225.02	15,410	15,410	<b>15,770</b>	<b>15,770</b>
00376	<b>TSH-6회</b>	SST Serum	ECLIA	나336	C3360		225.02	15,410	15,410	<b>15,770</b>	<b>15,770</b>
00377	<b>TSH-7회</b>	SST Serum	ECLIA	나336	C3360		225.02	15,410	15,410	<b>15,770</b>	<b>15,770</b>
00378	<b>TSH-8회</b>	SST Serum	ECLIA	나336	C3360		225.02	15,410	15,410	<b>15,770</b>	<b>15,770</b>
00385	<b>TSH-R-Ab(ECLIA)</b>	SST Serum	ECLIA	나339	C3390		230.21	15,770	15,770	<b>16,140</b>	<b>16,140</b>
00382	<b>TSH-R-Ab(RIA)</b>	SST Serum	RIA	나339주	C7339		211.84	14,510	14,510	<b>14,850</b>	<b>14,850</b>
81430	<b>TTF1 (IHC)</b>	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	<b>32,300</b>	<b>32,300</b>
70900	<b>Tzanck Smear</b>	Other	검경법	나718	E7180		18.87	1,290	1,290	<b>1,320</b>	<b>1,320</b>
70910	<b>Tzanck Smear</b>	Other		나718	E7180		18.87	1,290	1,290	<b>1,320</b>	<b>1,320</b>
12840	<b>UIBC</b>	SST Serum	Colorimetry	나251	C2510		37.72	2,580	2,580	<b>2,640</b>	<b>2,640</b>
42730	<b>Ureaplasma urealyticum PCR</b>	분비물	PCR	나595아	C5956006		415.49	28,460	28,460	<b>29,130</b>	<b>29,130</b>
10930	<b>Uric Acid</b>	SST Serum	Enzyme	나378	C3780		17.89	1,230	1,230	<b>1,250</b>	<b>1,250</b>
10932	<b>Uric Acid</b>	Random Urine	Enzyme	나378	C3780		17.89	1,230	1,230	<b>1,250</b>	<b>1,250</b>
10931	<b>Uric Acid(24hr U)</b>	24hr Urine	Enzyme	나378	C3780		17.89	1,230	1,230	<b>1,250</b>	<b>1,250</b>
02110	<b>Urinary Bladder Cancer Ag</b>	Random Urine	IRMA	너322가	CY321		305.35	20,920	20,920	<b>21,410</b>	<b>21,410</b>
10160	<b>Urinary Ca</b>	복수검체	계산법	나379 외	C3795 외		0	0	3,390	<b>0</b>	<b>3,460</b>
70002	<b>Urine Glucose</b>	Random Urine	Strip	나1	B0010		13.67	940	940	<b>960</b>	<b>960</b>
70001	<b>Urine Protein</b>	Random Urine	Strip	나1	B0010		13.67	940	940	<b>960</b>	<b>960</b>
70050	<b>Urine RBC morphology</b>	Random Urine	검경법	너1	BX001006		30.16	2,070	2,070	<b>2,110</b>	<b>2,110</b>
11805	<b>Uroporphyrin 정량</b>	24hr Urine	Colorimetry	나389나(1)	C3892		44.42	3,040	3,040	<b>3,110</b>	<b>3,110</b>
11790	<b>Uroporphyrin 정성</b>	Random Urine	Fluorometry	나389가	C3891		9.88	680	680	<b>690</b>	<b>690</b>
65350	<b>Valproic Acid</b>	SST Serum	면역형광법	나450나(2)	C4504060		252.59	17,300	17,300	<b>17,710</b>	<b>17,710</b>
80608	<b>Van Giesons Stain</b>	Tissue		나553다	C5533		123.77	8,480	8,480	<b>8,680</b>	<b>8,680</b>
65370	<b>Vancomycin</b>	SST Serum	면역형광법	나450나(2)	C4504160		252.59	17,300	17,300	<b>17,710</b>	<b>17,710</b>
42230	<b>Varicella-Zoster Culture</b>	Other	Shell Vial Culture	나416	B4160006		574.26	39,340	39,340	<b>40,260</b>	<b>40,260</b>
42740	<b>Varicella-Zoster DNA(PCR)</b>	EDTA Blood	PCR	나595아	C5956006		415.49	28,460	28,460	<b>29,130</b>	<b>29,130</b>
42050	<b>Varicella-Zoster IgG</b>	SST Serum	EIA	나468나(1)	C4682496		273.64	18,740	18,740	<b>19,180</b>	<b>19,180</b>
42051	<b>Varicella-Zoster IgG</b>	CSF	EIA	나468나(1)	C4682496		273.64	18,740	18,740	<b>19,180</b>	<b>19,180</b>
42060	<b>Varicella-Zoster IgM</b>	SST Serum	EIA	나468나(2)	C4683496		261	17,880	17,880	<b>18,300</b>	<b>18,300</b>
42061	<b>Varicella-Zoster IgM</b>	CSF	EIA	나468나(2)	C4683496		261	17,880	17,880	<b>18,300</b>	<b>18,300</b>
50926	<b>VDRL 정량</b>	CSF	SLIDE	나460주	C4601		33.05	2,260	2,260	<b>2,320</b>	<b>2,320</b>
50925	<b>VDRL정성</b>	CSF	SLIDE	나460	C4600		18.35	1,260	1,260	<b>1,290</b>	<b>1,290</b>
80609	<b>Verhoeff Stain</b>	Tissue		나553다	C5533		123.77	8,480	8,480	<b>8,680</b>	<b>8,680</b>
11205	<b>Very long chain fatty acid</b>	Hp Plasma	GC/MSD	나445	C4450		1128.77	77,320	77,320	<b>79,130</b>	<b>79,130</b>
51000	<b>Vi Ag</b>	SST Serum	IFA	나466나	C4662066		203.95	13,970	13,970	<b>14,300</b>	<b>14,300</b>

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
70930	<b>Vibrio Culture</b>	Stool		나405가	B4051		168.28	11,530	11,530	<b>11,800</b>	<b>11,800</b>
70935	<b>Vibrio Culture &amp; Sensi(G)</b>	Stool		나405+나406	B4051+B4061		0	19,460	19,460	<b>19,910</b>	<b>19,910</b>
81290	<b>Vimentin(IHC)</b>	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	<b>32,300</b>	<b>32,300</b>
81833	<b>Vimentin(IHC) TCM</b>	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	<b>32,300</b>	<b>32,300</b>
11360	<b>Vitamin B1</b>	EDTA Blood	HPLC	너153	CY160006		441.49	30,240	30,240	<b>30,950</b>	<b>30,950</b>
11396	<b>Vitamin B12 (ECLIA)</b>	SST Serum	ECLIA	나253나	C2532		245.4	16,810	16,810	<b>17,200</b>	<b>17,200</b>
11370	<b>Vitamin B2</b>	EDTA Blood	HPLC/FLD	너153나주1	CY161006		441.49	30,240	30,240	<b>30,950</b>	<b>30,950</b>
11386	<b>Vitamin B6 (PLP)</b>	EDTA Plasma	HPLC/FLD	너153다	CY162006		441.49	30,240	30,240	<b>30,950</b>	<b>30,950</b>
11420	<b>Vitamin E</b>	SST Serum	HPLC	너153바	CY166006		441.49	30,240	30,240	<b>30,950</b>	<b>30,950</b>
00920	<b>VMA 정량</b>	24hr Urine	HPLC	나321나(2)	CX223006		341.86	23,420	23,420	<b>23,960</b>	<b>23,960</b>
00910	<b>VMA 정성</b>	Random Urine	Colorimetry	나321가	C3211		12.41	850	850	<b>870</b>	<b>870</b>
80607	<b>Von Kossa Stain</b>	Tissue		나553다	C5533		123.77	8,480	8,480	<b>8,680</b>	<b>8,680</b>
30820	<b>von Willebrand F.Activity</b>	SC Plasma	ELISA	나187나	B1872		208.47	14,280	14,280	<b>14,610</b>	<b>14,610</b>
30830	<b>von-Willebrand's Antigen</b>	SC Plasma	ELISA	나187가	B1871		174.26	11,940	11,940	<b>12,220</b>	<b>12,220</b>
65820	<b>Voriconazole</b>	Plain Serum	LC/MS/MS	나450나(4)	CX375696		577.54	39,560	39,560	<b>40,490</b>	<b>40,490</b>
30845	<b>vWF multimer analysis</b>	SC Plasma	Electrophoresis	너88	BX088006		481.94	33,010	33,010	<b>33,780</b>	<b>33,780</b>
42231	<b>VZV culture (조직)</b>	Tissue	Shell Vial Culture	나416	B4160006		574.26	39,340	39,340	<b>40,260</b>	<b>40,260</b>
65790	<b>Warfarin</b>	EDTA Plasma	LC/MS/MS	나450나(4)	CX375696		577.54	39,560	39,560	<b>40,490</b>	<b>40,490</b>
30001	<b>WBC</b>	EDTA Blood	자동혈구계산법	나105	B1050		10.99	750	750	<b>770</b>	<b>770</b>
70960	<b>Wet Smear</b>	Other		나4주	B0042		9.14	630	630	<b>640</b>	<b>640</b>
50980	<b>Widal Test</b>	SST Serum	응집법	나464	C4640		42.28	2,900	2,900	<b>2,960</b>	<b>2,960</b>
50990	<b>Widal test (Para A B)</b>	SST Serum	응집법	나464	C4640		42.28	2,900	2,900	<b>2,960</b>	<b>2,960</b>
81969	<b>WT1(IHC) 성모</b>	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	<b>32,300</b>	<b>32,300</b>
25760	<b>Y-Chromosome(SRY gene)</b>	EDTA Blood	PCR	나595아	C5956006		415.49	28,460	28,460	<b>29,130</b>	<b>29,130</b>
25761	<b>Y-Chromosome(SRY gene)</b>	Bone Marrow	PCR	나595아	C5956006		415.49	28,460	28,460	<b>29,130</b>	<b>29,130</b>
71090	<b>Yersinia Culture</b>	Stool	Culture	나405가	B4051		168.28	11,530	11,530	<b>11,800</b>	<b>11,800</b>
71092	<b>Yersinia Culture&amp;Sensi(G)</b>	Stool		나405+나406	B4051+B4061		0	19,460	19,460	<b>19,910</b>	<b>19,910</b>
12855	<b>Zinc(Zn)</b>	Trace Serum	ICP/MS	나452나(2)	C4523670		313.68	21,490	21,490	<b>21,990</b>	<b>21,990</b>
12856	<b>Zinc(Zn)</b>	24hr Urine	ICP/MS	나452나(2)	C4523670		313.68	21,490	21,490	<b>21,990</b>	<b>21,990</b>
65380	<b>Zonisamide</b>	Plain Serum	HPLC	나450나(3)	CX374690		325.85	22,320	22,320	<b>22,840</b>	<b>22,840</b>
20400	<b>α1-Antitrypsin</b>	SST Serum	TIA	나222	C2220		123.91	8,490	8,490	<b>8,690</b>	<b>8,690</b>
20405	<b>α1-Antitrypsin</b>	Stool	Nephelometry	나222	C2220		123.91	8,490	8,490	<b>8,690</b>	<b>8,690</b>
20406	<b>α1-antitrypsin clearance</b>	복수검체	Nephelometry	나222	C2220		123.91	16,980	16,980	<b>17,380</b>	<b>17,380</b>
01420	<b>β2-Microglobulin</b>	SST Serum	RIA	나223주	C7223		159.84	10,950	10,950	<b>11,200</b>	<b>11,200</b>
01421	<b>β2-Microglobulin</b>	Random Urine	RIA	나223주	C7223		159.84	10,950	10,950	<b>11,200</b>	<b>11,200</b>
81530	<b>β-catenin(IHC)</b>	Tissue	Immunohistochemistry	나557	C5575006		460.81	31,570	31,570	<b>32,300</b>	<b>32,300</b>
11210	<b>β-Lipoprotein</b>	SST Serum	Enzyme	나247	C2470		109.76	7,520	7,520	<b>7,690</b>	<b>7,690</b>
25770	<b>β-Thalassemia</b>	EDTA Blood	Sequencing	나599	C5991~2006		0	198,930	198,930	<b>203,580</b>	<b>203,580</b>

삼광의료재단 2013년 수가안내

검사코드	검사명	검체명	검사방법	분류코드	보험기호	비고	점수	2012		2013	
								보험가	의뢰가	보험가	의뢰가
25771	β-Thalassemia	Bone Marrow	Sequencing	나599	C5991006외		0	198,930	198,930	203,580	203,580
25772	β-Thalassemia	EDTA Blood	Sequencing	나599나(1)	C5992006		1999.33	136,950	136,950	140,150	140,150
10500	γ- GTP	SST Serum	Enzyme	나271	B2710		42.95	2,940	2,940	3,010	3,010
11820	δ-ALA	Random Urine	Colorimetry	나450나(1)	C4503390		124.99	8,560	8,560	8,760	8,760