

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-------------------------|--------------|-------------|----------|------------|----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 11230 | 1,25-(OH)2 Vitamin D | SST Serum | RIA | 너153마 | CY705 | | 158.79 | 11,130 | 11,130 | 11,460 | 11,460 |
| 20000 | 1,5-Anhydroglucitol | SST Serum | Colorimetry | 너273 | CX273 | | 173.93 | 12,190 | 12,190 | 12,560 | 12,560 |
| 00540 | 11-Deoxy cortisol | SST Serum | RIA | | | 국외 | 0 | 0 | 169,000 | 0 | 174,100 |
| 00550 | 11-Deoxycorticosterone | SST Serum | RIA | | | 국외 | 0 | 0 | 169,000 | 0 | 174,100 |
| 00560 | 11-OHCS | SST Serum | 형광법 | | | 국외 | 0 | 0 | 34,000 | 0 | 35,000 |
| 60030 | 12종 흡인성Allergen | SST Serum | FEIA | | | 국외 | 0 | 0 | 52,000 | 0 | 53,600 |
| 11670 | 17a-OH Progesterone | Blood Paper | FIA | 나347 | C3470 | | 152.06 | 10,660 | 10,660 | 10,980 | 10,980 |
| 00590 | 17-KS | 24hr Urine | 비색법 | 나324가 | C3242 | | 58.49 | 4,100 | 4,100 | 4,220 | 4,220 |
| 00610 | 17-OHCS | 24hr Urine | 비색법 | 나324가(2) | C3241 | | 62.06 | 4,350 | 4,350 | 4,480 | 4,480 |
| 00400 | 17α-OH Pregnenolone | SST Serum | RIA | 노207 | CZ207 | 국외 | 0 | 0 | 136,000 | 0 | 140,100 |
| 00410 | 17α-OH-Progesterone | SST Serum | RIA | 나347주 | C7347 | | 147.75 | 10,360 | 10,360 | 10,670 | 10,670 |
| 00411 | 17α-OH-Progesterone | EDTA Plasma | RIA | 나347주 | C7347 | | 147.75 | 10,360 | 10,360 | 10,670 | 10,670 |
| 00621 | 18-OH Corticosterone | SST Serum | LC/MS/MS | | | 국외 | 0 | 0 | 313,000 | 0 | 322,400 |
| 11830 | 2,5-Hexanedione | Random Urine | GC/NPD | 나451나(3) | CY373290 | | 251.42 | 17,620 | 17,620 | 18,150 | 18,150 |
| 50000 | 2-5A합성효소활성 | SST Serum | RIA | | | 국외 | 0 | 0 | 83,000 | 0 | 85,500 |
| 11250 | 25-OH Vitamin D | SST Serum | CMIA | 너153마 | CY155 | | 84.7 | 5,940 | 5,940 | 6,120 | 6,120 |
| 11252 | 25-OH Vitamin D(D2,D3) | Plain Serum | LC/MS/MS | 너153 | CY164~5006 | | 0 | 61,900 | 61,900 | 63,760 | 63,760 |
| 11251 | 25-OH Vitamin D3 (RIA) | SST Serum | RIA | 너153마주2 | CY705 | | 158.79 | 11,130 | 11,130 | 11,460 | 11,460 |
| 00421 | 5-a-dihydrotestosterone | SST Serum | RIA | | | 국외 | 0 | 0 | 130,000 | 0 | 133,900 |
| 00825 | 5-HIAA 정량 | 24hr Urine | EIA | 나322나(2) | C3223 | | 234.43 | 16,430 | 16,430 | 16,930 | 16,930 |
| 00826 | 5-HIAA 정량 | Random Urine | EIA | 나322나(2) | C3223 | | 234.43 | 16,430 | 16,430 | 16,930 | 16,930 |
| 00820 | 5-HIAA 정량(Plasma) | EDTA Plasma | HPLC | | | 국외 | 0 | 0 | 46,000 | 0 | 47,400 |
| 00810 | 5-HIAA 정성 | Random Urine | Colorimetry | 나322가 | C3221 | | 15.93 | 1,120 | 1,120 | 1,150 | 1,150 |
| 01130 | 간세포종식인자(HGF) | SST Serum | ELISA | | | 국외 | 0 | 0 | 169,000 | 0 | 174,100 |
| 12920 | 갈락토스혈증 | Blood Paper | 비색법 | 너341가 | CY411 | | 16.31 | 1,140 | 1,140 | 1,180 | 1,180 |
| 11538 | 광범위선천성대사이상 MS/MS | Blood Paper | Tandem MS | 노338 | CZ338 | | 0 | 0 | 65,000 | 0 | 67,000 |
| 13070 | 광범위선천성대사이상검사Ⅰ | Blood Paper | | | | | 0 | 0 | 65,000 | 0 | 67,000 |
| 13030 | 광범위선천성대사이상검사Ⅱ | Blood Paper | | | | | 0 | 0 | 76,500 | 0 | 78,840 |
| 13031 | 광범위선천성대사이상검사Ⅲ | Blood Paper | | | | | 0 | 0 | 77,160 | 0 | 79,530 |
| 11545 | 광범위선천성대사이상검사Ⅳ | Blood Paper | | | | | 0 | 0 | 76,500 | 0 | 78,840 |
| 27825 | 글리벡배성유전자(Sequencing) | EDTA Blood | Sequencing | 노596 | CZ817 | | 0 | 0 | 287,000 | 0 | 295,600 |
| 52581 | 기생충 항체 5종(1) CSF | CSF | ELISA | | | | 0 | 0 | 20,000 | 0 | 23,000 |
| 52580 | 기생충 항체 6종(1) CSF | CSF | ELISA | | | | 0 | 0 | 26,000 | 0 | 29,000 |
| 52595 | 기생충 항체 검사 10종 | SST Serum | ELISA | | | | 0 | 0 | 50,000 | 0 | 53,000 |
| 52596 | 기생충 항체 검사 10종(1) | SST Serum | ELISA | | | | 0 | 0 | 59,000 | 0 | 62,000 |
| 52560 | 기생충 항체 검사 5종 (1) | SST Serum | ELISA | | | | 0 | 0 | 20,000 | 0 | 23,000 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|------------------|--------------|---------------|--------|-------|-----|-------|-------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 52561 | 기생충 항체 검사 5종 (2) | SST Serum | ELISA | | | | 0 | 0 | 20,000 | 0 | 23,000 |
| 52563 | 기생충 항체 검사 5종 (4) | SST Serum | ELISA | | | | 0 | 0 | 20,000 | 0 | 23,000 |
| 52564 | 기생충 항체 검사 5종 (5) | SST Serum | ELISA | | | | 0 | 0 | 20,000 | 0 | 23,000 |
| 52565 | 기생충 항체 검사 5종 (6) | SST Serum | ELISA | | | | 0 | 0 | 29,000 | 0 | 32,000 |
| 52573 | 기생충 항체 검사 5종 (7) | SST Serum | ELISA | | | | 0 | 0 | 20,000 | 0 | 23,000 |
| 52566 | 기생충 항체 검사 6종 (1) | SST Serum | ELISA | | | | 0 | 0 | 26,000 | 0 | 29,000 |
| 52567 | 기생충 항체 검사 6종 (2) | SST Serum | ELISA | | | | 0 | 0 | 26,000 | 0 | 29,000 |
| 52568 | 기생충 항체 검사 6종 (3) | SST Serum | ELISA | | | | 0 | 0 | 26,000 | 0 | 29,000 |
| 52569 | 기생충 항체 검사 6종 (4) | SST Serum | ELISA | | | | 0 | 0 | 26,000 | 0 | 29,000 |
| 52572 | 기생충 항체 검사 6종 (5) | SST Serum | ELISA | | | | 0 | 0 | 26,000 | 0 | 29,000 |
| 52570 | 기생충 항체 검사 7종 (1) | SST Serum | ELISA | | | | 0 | 0 | 32,000 | 0 | 35,000 |
| 52582 | 기생충 항체 검사 7종 (1) | Body Fluid | ELISA | | | | 0 | 0 | 32,000 | 0 | 35,000 |
| 52571 | 기생충 항체 검사 7종 (2) | SST Serum | ELISA | | | | 0 | 0 | 32,000 | 0 | 35,000 |
| 52574 | 기생충 항체 검사 7종 (3) | SST Serum | ELISA | | | | 0 | 0 | 32,000 | 0 | 35,000 |
| 52575 | 기생충 항체 검사 7종 (4) | SST Serum | ELISA | | | | 0 | 0 | 32,000 | 0 | 35,000 |
| 52576 | 기생충 항체 검사 8종 (1) | SST Serum | ELISA | | | | 0 | 0 | 38,000 | 0 | 41,000 |
| 52577 | 기생충 항체 검사 8종 (2) | SST Serum | ELISA | | | | 0 | 0 | 38,000 | 0 | 41,000 |
| 52590 | 기생충 항체 검사 9종(1) | SST Serum | ELISA | | | | 0 | 0 | 44,000 | 0 | 47,000 |
| 70990 | 기생충성충 | Other | 검경법 | | | | 0 | 0 | 10,000 | 0 | 10,000 |
| 12891 | 단풍당뇨증 | Blood Paper | 비색법 | 나443나1 | CY441 | | 24.93 | 1,750 | 1,750 | 1,800 | 1,800 |
| 65250 | 마약선별검사 4종 | Random Urine | | | | | 0 | 0 | 34,000 | 35,200 | 35,200 |
| 12640 | 모발분석(병원급) | 모발 | ICP/MS | | | | 0 | 0 | 70,000 | 0 | 72,000 |
| 12641 | 모발분석(의원급) | 모발 | ICP/MS | | | | 0 | 0 | 70,000 | 0 | 72,000 |
| 42570 | 바이러스성 설사 4종 | Stool | Sequencing | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 50492 | 백일해 검사 | 비인후/인후도찰물 | | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 50493 | 백일해 항체 | SST Serum | EIA | | | 국외 | 0 | 0 | 60,000 | 0 | 61,800 |
| 80000 | 부인과적 세포검사 | Cervix | Pap stain | 나592 | C5920 | | 89.02 | 6,240 | 6,240 | 6,430 | 6,430 |
| 80043 | 부인과적 세포검사(포유) | Cervix | Pap stain | 나592 | C5920 | | 89.02 | 6,240 | 6,240 | 6,430 | 6,430 |
| 70970 | 분변충란검사 | Stool | 검경법 | 나61다 | B0613 | | 21.83 | 1,530 | 1,530 | 1,580 | 1,580 |
| 27590 | 선천성난청유전자(GJB2) | EDTA Blood | Sequencing | 노595 | CZ623 | | 0 | 0 | 74,000 | 0 | 74,000 |
| 27591 | 선천성난청유전자(GJB2) | Blood Paper | Sequencing | 노595 | CZ623 | | 0 | 0 | 74,000 | 0 | 74,000 |
| 11502 | 선천성대사이상 6종 | Blood Paper | | | | | 0 | 0 | 0 | 0 | 0 |
| 11503 | 선천성대사이상 6종(대구) | Blood Paper | | | | | 0 | 0 | 33,660 | 0 | 34,670 |
| 11511 | 선천성대사이상 7종 | Blood Paper | | | | | 0 | 0 | 12,160 | 0 | 12,530 |
| 11512 | 선천성대사이상 7종 | Blood Paper | | | | | 0 | 0 | 11,500 | 0 | 11,840 |
| 42585 | 세균성뇌수막염검사 PCR 5종 | CSF | Multiplex-PCR | | | | 0 | 0 | 120,000 | 0 | 120,000 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------|--------------|----------------|-----------|--------|----|---------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 80662 | 수술시용급 동결절편(>7) | Tissue | | 나551다 | C5513 | | 800.25 | 56,100 | 56,100 | 57,780 | 57,780 |
| 80290 | 수술시용급 동결절편(1-2) | Tissue | | 나551가 | C5511 | | 380.41 | 26,670 | 26,670 | 27,470 | 27,470 |
| 80291 | 수술시용급 동결절편(1-2)(한병) | Tissue | | 나551가 | C5511 | | 380.41 | 26,670 | 26,670 | 27,470 | 27,470 |
| 80649 | 수술시용급 동결절편(3-6) | Tissue | | 나551나 | C5512 | | 559.62 | 39,230 | 39,230 | 40,400 | 40,400 |
| 52110 | 신경,근질환자가항체5 | SST Serum | | | | | 0 | 0 | 260,000 | 0 | 268,000 |
| 52111 | 신경,근질환자가항체5 | CSF | | | | | 0 | 0 | 260,000 | 0 | 268,000 |
| 80016 | 액상자궁경부세포검(한병리) | Cervix | | 너541 | CX541 | | 368.48 | 25,830 | 25,830 | 26,600 | 26,600 |
| 80015 | 액상자궁경부세포검사 | Cervix | | 너541 | CX541 | | 368.48 | 25,830 | 25,830 | 26,600 | 26,600 |
| 80700 | 액상자궁경부세포검사 | Cervix | | 너541 | CX541 | | 368.48 | 25,830 | 25,830 | 26,600 | 26,600 |
| 80017 | 액상자궁경부세포검사(CFC)(E-Pr | Cervix | | 너541 | CX541 | | 368.48 | 25,240 | 25,240 | 26,600 | 26,600 |
| 80018 | 액상자궁경부세포검사(KMK) | Cervix | | 너541 | CX541 | | 368.48 | 25,830 | 25,830 | 26,600 | 26,600 |
| 80720 | 액상자궁경부세포-C | Cervix | Pap stain | 너541 | CX541 | | 368.48 | 25,830 | 25,830 | 26,600 | 26,600 |
| 80029 | 액상체액세포검사 | Other | | 나593-1 | CZ521 | | 372.72 | 26,130 | 26,130 | 26,910 | 26,910 |
| 80057 | 액상체액세포병리검사(T&C) | Other | | 나593-1 | CZ521 | | 372.72 | 26,130 | 26,130 | 26,910 | 26,910 |
| 80028 | 액상흡인세포검사 | Thyroid | | 나594-3 | C5943 | | 392.25 | 27,500 | 27,500 | 28,320 | 28,320 |
| 80761 | 액상흡인세포검사(갑상선) | Thyroid | | 나594-3 | C5943 | | 392.25 | 27,500 | 27,500 | 28,320 | 28,320 |
| 80142 | 액상흡인세포검사(KMK) | Thyroid | | 나594-3 | C5943 | | 392.25 | 27,500 | 27,500 | 28,320 | 28,320 |
| 80056 | 액상흡인세포병리검사(T&C) | Thyroid | | 나594-3 | C5943 | | 392.25 | 27,500 | 27,500 | 28,320 | 28,320 |
| 70006 | 요일반검사 4종 | Random Urine | Strip | 나1 | B0010 | | 13.67 | 960 | 960 | 990 | 990 |
| 70005 | 요일반검사 7종 | Random Urine | Strip | 나2 | B0020 | | 16.36 | 1,150 | 1,150 | 1,180 | 1,180 |
| 70000 | 요일반검사10종 | Random Urine | Strip | 나3 | B0030 | | 28.27 | 1,980 | 1,980 | 2,040 | 2,040 |
| 71010 | 요층란검사(Scotch tape) | Other | 검경법 | 나62 | B0620 | | 16.73 | 1,170 | 1,170 | 1,210 | 1,210 |
| 70015 | 요침사검사 | Random Urine | Flow Cytometry | 나4-1가 | B0043 | | 16.74 | 1,170 | 1,170 | 1,210 | 1,210 |
| 25367 | 유방암 유전자 가족검사 | EDTA Blood | Sequencing | | | | 0 | 0 | 100,000 | 0 | 100,000 |
| 10690 | 임신성당뇨(100g)-120min | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10700 | 임신성당뇨(100g)-180min | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10680 | 임신성당뇨(100g)-60min | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10670 | 임신성당뇨(100g)-Fasting | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10660 | 임신성당뇨(50g)-60min | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10707 | 임신성당뇨(75g)-120min | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10706 | 임신성당뇨(75g)-60min | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10705 | 임신성당뇨(75g)-Fasting | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10640 | 임신성당뇨100g부하시험 | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 4,840 | 4,840 | 5,000 | 5,000 |
| 10650 | 임신성당뇨50+100부하시험 | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 6,050 | 6,050 | 6,250 | 6,250 |
| 80750 | 자궁경부암 검사(2종) | Cervix | | 너541+나593 | CX541외 | | 0 | 74,770 | 74,770 | 77,000 | 77,000 |
| 81316 | 전자현미경검사 | Tissue | | 나555 | C5550 | | 1114.39 | 78,120 | 78,120 | 80,460 | 80,460 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------|-----------|------|-----------|-------------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 11220 | 전지질 중 지방산분획 | SST Serum | GC | | | 국외 | 0 | 0 | 196,000 | 0 | 201,900 |
| 82018 | 조직 (≥13) | Tissue | | 나550가(5) | C5915 | | 687.25 | 48,180 | 48,180 | 49,620 | 49,620 |
| 82017 | 조직 (10-12) | Tissue | | 나550가(4) | C5914 | | 589.09 | 41,300 | 41,300 | 42,530 | 42,530 |
| 82014 | 조직 (1-3) | Tissue | | 나550가(1) | C5911 | | 282.35 | 19,790 | 19,790 | 20,390 | 20,390 |
| 80082 | 조직 (1-3)결과판독(삼성) | Other | | 나550가 | C5911009 | | 56.47 | 3,960 | 3,960 | 4,080 | 4,080 |
| 82015 | 조직 (4-6) | Tissue | | 나550가(2) | C5912 | | 380.51 | 26,670 | 26,670 | 27,470 | 27,470 |
| 80084 | 조직 (4-6)결과판독(삼성) | Other | | 나550가 | C5912009 | | 76.1 | 5,330 | 5,330 | 5,490 | 5,490 |
| 82016 | 조직 (7-9) | Tissue | | 나550가(3) | C5913 | | 478.66 | 33,550 | 33,550 | 34,560 | 34,560 |
| 82037 | 조직 악성(≤15) | Tissue | | 나550다(1) | C5500 | | 783.64 | 54,930 | 54,930 | 56,580 | 56,580 |
| 80083 | 조직 악성(≤15)결과판독 | Other | | 나550다 | C5500009 | | 156.73 | 10,990 | 10,990 | 11,320 | 11,320 |
| 82035 | 조직 악성(≤20) | Tissue | | 나550다(1) | C5918 | | 1072.19 | 75,160 | 75,160 | 77,410 | 77,410 |
| 82038 | 조직 악성(≥16) | Tissue | | 나550다(2) | C5504 | | 1096.92 | 76,890 | 76,890 | 79,200 | 79,200 |
| 82036 | 조직 악성(≥21) | Tissue | | 나550다(2) | C5919 | | 1602.34 | 112,320 | 112,320 | 115,690 | 115,690 |
| 82024 | 조직 절편(≤6) | Tissue | | 나550나(1) | C5916 | | 445.87 | 31,260 | 31,260 | 32,190 | 32,190 |
| 82211 | 조직 절편(≤6)+ 절편(≥7) | Tissue | | 나550 | C5916+C5917 | | 0 | 75,900 | 75,900 | 78,170 | 78,170 |
| 82205 | 조직 절편(≤6)×2 | Tissue | | 나550나(1) | C5916×2 | | 445.87 | 62,520 | 62,520 | 64,380 | 64,380 |
| 82025 | 조직 절편(≥7) | Tissue | | 나550나(2) | C5917 | | 636.85 | 44,640 | 44,640 | 45,980 | 45,980 |
| 82160 | 조직 Block 대여 | Tissue | | | | | 0 | 0 | 34,500 | 0 | 34,500 |
| 82165 | 조직 Block 제작 | Other | | | | | 0 | 0 | 11,500 | 0 | 11,500 |
| 82136 | 조직 Slide 결과판독 | Tissue | | | | | 0 | 0 | 13,020 | 0 | 13,020 |
| 82130 | 조직 Slide 원본 대여 | Tissue | | | | | 0 | 0 | 34,500 | 0 | 34,500 |
| 82137 | 조직 slide제작(Recut)≤2장 | Tissue | | | | | 0 | 0 | 5,000 | 0 | 5,000 |
| 82138 | 조직 slide제작(Recut)≥3장 | Tissue | | | | | 0 | 0 | 10,000 | 0 | 10,000 |
| 82089 | 조직(≥13)+ Stain | Tissue | | 나550+나550 | C5915+C5533 | | 0 | 56,860 | 56,860 | 58,560 | 58,560 |
| 82088 | 조직(10-12)+ Stain | Tissue | | 나550+나550 | C5914+C5533 | | 0 | 49,980 | 49,980 | 51,470 | 51,470 |
| 82200 | 조직(1-3)+ 악성(≤20) | Tissue | | 나550 | C5911+C5918 | | 0 | 94,950 | 94,950 | 97,800 | 97,800 |
| 82190 | 조직(1-3)+ 절편(≤6) | Tissue | | 나550 | C5911+C5916 | | 0 | 51,050 | 51,050 | 52,580 | 52,580 |
| 82085 | 조직(1-3)+ Stain | Tissue | | 나550+나550 | C5911+C5533 | | 0 | 28,470 | 28,470 | 29,330 | 29,330 |
| 80199 | 조직(1-3)+ Stain TCM | Tissue | | 나550+나550 | C5911+C5533 | | 0 | 28,470 | 28,470 | 29,330 | 29,330 |
| 82191 | 조직(1-3)×2 | Tissue | | 나550가(1) | C5911×2 | | 282.35 | 39,580 | 39,580 | 40,780 | 40,780 |
| 82086 | 조직(4-6)+ Stain | Tissue | | 나550+나550 | C5912+C5533 | | 0 | 35,350 | 35,350 | 36,410 | 36,410 |
| 82087 | 조직(7-9)+ Stain | Tissue | | 나550+나550 | C5913+C5533 | | 0 | 42,230 | 42,230 | 43,500 | 43,500 |
| 80240 | 조직구축학적검사 | Tissue | | 나550라(1) | C5505 | | 1658.74 | 116,280 | 116,280 | 119,760 | 119,760 |
| 82050 | 조직구축학적검사 | Tissue | | 나550라(1) | C5505 | | 1658.74 | 116,280 | 116,280 | 119,760 | 119,760 |
| 80681 | 조직내호르몬수용체×2 | Tissue | | 나559 | C5590 | | 429.88 | 60,260 | 60,260 | 62,080 | 62,080 |
| 80684 | 조직내호르몬수용체×2 T&C | Tissue | | 나559 | C5590 | | 429.88 | 60,260 | 60,260 | 62,080 | 62,080 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-------------------------|-------------|------------------------------|-----------|-------------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 80680 | 조직내호르몬수용체검사 | Other | | 나559 | C5590 | | 429.88 | 30,130 | 30,130 | 31,040 | 31,040 |
| 80660 | 조직면역형광현미경검사 | Other | | 나554가 | C5541 | | 249.95 | 17,520 | 17,520 | 18,050 | 18,050 |
| 80670 | 조직전자현미경검사 | Other | | 나555 | C5550 | | 1114.39 | 78,120 | 78,120 | 80,460 | 80,460 |
| 80671 | 조직전자현미경검사 사본 | Other | | | | | 0 | 0 | 6,600 | 0 | 6,600 |
| 80068 | 조직Slide 대여 | Other | | | | | 0 | 0 | 5,000 | 0 | 5,000 |
| 80020 | 체액세포병리검사 | Sputum | Pap stain | 나593가 | C5930 | | 92.75 | 6,500 | 6,500 | 6,700 | 6,700 |
| 80025 | 체액세포병리검사 | Other | Pap stain | 나593가 | C5930 | | 92.75 | 6,500 | 6,500 | 6,700 | 6,700 |
| 80042 | 체액세포병리검사(포유) | Sputum | Pap stain | 나593가 | C5930 | | 92.75 | 6,500 | 6,500 | 6,700 | 6,700 |
| 80024 | 체액세포병리검사(한병리) | Other | Pap stain | 나593가 | C5930 | | 92.75 | 6,500 | 6,500 | 6,700 | 6,700 |
| 80021 | 체액세포병리검사(Cytospin) | Sputum | Pap stain | 나593나 | C5931 | | 97.75 | 6,850 | 6,850 | 7,060 | 7,060 |
| 80052 | 체액세포병리검사(Cytospin)(T&C) | Other | Pap stain | 나593나 | C5931 | | 97.75 | 6,850 | 6,850 | 7,060 | 7,060 |
| 80053 | 체액세포병리검사(KMK) | Other | Pap stain | 나593가 | C5930 | | 92.75 | 6,500 | 6,500 | 6,700 | 6,700 |
| 80051 | 체액세포병리검사(T&C) | Other | Pap stain | 나593가 | C5930 | | 92.75 | 6,500 | 6,500 | 6,700 | 6,700 |
| 80061 | 추가Slide | Other | | | | | 0 | 0 | 5,000 | 0 | 5,000 |
| 25701 | 친자확인 검사대상자1인추가 | EDTA Blood | | | | | 0 | 0 | 231,000 | 0 | 237,900 |
| 25700 | 친자확인(부or모+자)24시간 | EDTA Blood | PCR | | | | 0 | 0 | 463,000 | 0 | 476,900 |
| 80525 | 탈회(Decalcification) | Tissue | | 나550주1 | C5509 | | 46.91 | 3,290 | 3,290 | 3,390 | 3,390 |
| 82070 | 탈회(Decalcification) | Tissue | | 나550주1 | C5509 | | 46.91 | 3,290 | 3,290 | 3,390 | 3,390 |
| 70755 | 투석용수 미생물배양검사 | Water | Culture | | | | 0 | 0 | 13,000 | 0 | 13,400 |
| 12645 | 투석용수 미세물질24종검사 | Water | ICP/MS | | | | 0 | 0 | 283,000 | 0 | 291,500 |
| 70762 | 투석용수 Endotoxin | Water | Kinetic turbidimetric method | | | | 0 | 0 | 46,000 | 0 | 47,400 |
| 12881 | 페닐케톤뇨증 | Blood Paper | 비색법 | 나443나1 | C4411 | | 24.93 | 1,750 | 1,750 | 1,800 | 1,800 |
| 80673 | 편광현미경검사 | Other | | 나558 | C5580 | | 52.55 | 3,680 | 3,680 | 3,790 | 3,790 |
| 30231 | 혈액형 동정검사 | 복수검체 | Tube | 나206나 | B2062006 | | 243.24 | 17,050 | 17,050 | 17,560 | 17,560 |
| 30261 | 혈액형 아형검사 | 복수검체 | Tube | 나201가외 | B2000 외 | | 0 | 20,120 | 20,120 | 20,730 | 20,730 |
| 70700 | 혈기성 배양 | Other | | 나405가 | B4051 | | 168.28 | 11,800 | 11,800 | 12,150 | 12,150 |
| 70705 | 혈기성 배양 및 Sensi(G) | Other | | 나405+나406 | B4051+B4061 | | 0 | 19,910 | 19,910 | 20,510 | 20,510 |
| 12910 | 호모시스틴뇨증 | Blood Paper | 비색법 | 나443나1 | CX342 | | 24.93 | 1,750 | 1,750 | 1,800 | 1,800 |
| 42308 | 호흡기바이러스 14종 PCR | 비인후/인후도찰물 | real time PCR | 노598 | CZ994~7 | | 0 | 0 | 165,000 | 0 | 125,000 |
| 42306 | 호흡기바이러스 6종 PCR | 비인후/인후도찰물 | Multiplex-PCR | 노598러 | CZ981~4 | | 0 | 0 | 144,000 | 0 | 115,000 |
| 42252 | 호흡기바이러스 culture 2종 | Other | Shell Vial Culture | 나416 | B4160006 | | 574.26 | 80,520 | 80,520 | 82,920 | 82,920 |
| 42253 | 호흡기바이러스 culture 3종 | Other | Shell Vial Culture | 나416 | B4160006 | | 574.26 | 120,780 | 120,780 | 124,380 | 124,380 |
| 42254 | 호흡기바이러스 culture 4종 | Other | Shell Vial Culture | 나416 | B4160006 | | 574.26 | 161,040 | 161,040 | 165,840 | 165,840 |
| 42255 | 호흡기바이러스 culture 5종 | Other | Shell Vial Culture | 나416 | B4160006 | | 574.26 | 201,300 | 201,300 | 207,300 | 207,300 |
| 42256 | 호흡기바이러스 culture 6종 | Other | Culture | 나416 | B4160006 | | 574.26 | 241,560 | 241,560 | 248,760 | 248,760 |
| 80031 | 흡인세포 조직절편(오픈) | Other | | 나594-1 | C5942 | | 240.08 | 16,830 | 16,830 | 17,330 | 17,330 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|-------------------|-----------------|-----------|-------------|----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 80033 | 흡인세포_조직절편(한병리) | Other | | 나594-1 | C5942 | | 240.08 | 16,830 | 16,830 | 17,330 | 17,330 |
| 80165 | 흡인세포_조직절편(CFC) | Other | | 나594-1 | C5942 | | 240.08 | 16,830 | 16,830 | 17,330 | 17,330 |
| 80139 | 흡인세포병리 KMK | Other | Pap stain | 나594-1 | C5941 | | 180.66 | 12,660 | 12,660 | 13,040 | 13,040 |
| 80030 | 흡인세포병리검사 | Thyroid | Pap stain | 나594-1 | C5941 | | 180.66 | 12,660 | 12,660 | 13,040 | 13,040 |
| 80035 | 흡인세포병리검사 | Other | Pap stain | 나594-1 | C5941 | | 180.66 | 12,660 | 12,660 | 13,040 | 13,040 |
| 80039 | 흡인세포병리검사 판독 | Other | | 나594-1 | C5941009 | | 36.13 | 2,530 | 2,530 | 2,610 | 2,610 |
| 80032 | 흡인세포병리검사(오픈) | Other | Pap stain | 나594-1 | C5941 | | 180.66 | 12,660 | 12,660 | 13,040 | 13,040 |
| 80041 | 흡인세포병리검사(포유) | Other | Pap stain | 나594-1 | C5941 | | 180.66 | 12,660 | 12,660 | 13,040 | 13,040 |
| 80034 | 흡인세포병리검사(한병리) | Other | Pap stain | 나594-1 | C5941 | | 180.66 | 12,660 | 12,660 | 13,040 | 13,040 |
| 80184 | 흡인세포병리검사(CFC) | Other | Pap stain | 나594-1 | C5941 | | 180.66 | 12,660 | 12,660 | 13,040 | 13,040 |
| 80038 | 흡인세포병리검사(T&C) | Other | Pap stain | 나594-1 | C5941 | | 180.66 | 12,660 | 12,660 | 13,040 | 13,040 |
| 80036 | 흡인세포병리검사_조직절편 | Other | | 나594-1 | C5942 | | 240.08 | 16,830 | 16,830 | 17,330 | 17,330 |
| 71100 | 흡충란검사 (Trematodes) | Stool | 검경법 | 나64 | B0641 | | 51.04 | 3,580 | 3,580 | 3,690 | 3,690 |
| 10840 | A/CCR | 복수검체 | 계산법 | 나261+C375 | B2611+C3750 | | 0 | 8,080 | 8,080 | 8,340 | 8,340 |
| 10020 | A/G ratio | SST Serum | 계산법 | 나220+나221 | C2200+C2210 | | 0 | 0 | 2,810 | 0 | 2,900 |
| 10021 | A/G ratio (Fluid) | Body Fluid | 계산법 | 나220+나221 | C2200+C2210 | | 0 | 0 | 2,810 | 0 | 2,900 |
| 30290 | Ab Elution | EDTA Blood | | 나211 | B2110006 | | 50.37 | 3,530 | 3,530 | 3,640 | 3,640 |
| 30230 | Ab Identification Test | 복수검체 | Tube | 나206나 | B2062006외 | | 0 | 28,860 | 28,860 | 29,730 | 29,730 |
| 30220 | Ab Screening test | SST Serum | Microcolumn | 나206가 | B2061006 | | 103.62 | 7,260 | 7,260 | 7,480 | 7,480 |
| 30253 | ABO(Back)Typing | SST Serum | SLIDE | 나201나 | B2010 | | 14.5 | 1,020 | 1,020 | 1,050 | 1,050 |
| 30250 | ABO(Front)Typing | EDTA Blood | SLIDE | 나201가 | B2000 | | 14.72 | 1,030 | 1,030 | 1,060 | 1,060 |
| 30251 | ABO(Front)Typing | Capillary | SLIDE | 나201가 | B2000 | | 14.72 | 1,030 | 1,030 | 1,060 | 1,060 |
| 30252 | ABO(Front)Typing | Cord Blood | SLIDE | 나201가 | B2000 | | 14.72 | 1,030 | 1,030 | 1,060 | 1,060 |
| 10190 | ACE | SST Serum | Colorimetry | 나273 | B2731 | | 223.09 | 15,640 | 15,640 | 16,110 | 16,110 |
| 10191 | ACE | Other | Colorimetry | 나273 | B2731 | | 223.09 | 15,640 | 15,640 | 16,110 | 16,110 |
| 65490 | Acetaminophen | SST Serum | 비색법 | 나450나(1) | C4503390 | | 124.99 | 8,760 | 8,760 | 9,020 | 9,020 |
| 65160 | Acetazolamide | SST Serum | HPLC | | | 국외 | 0 | 0 | 78,000 | 0 | 80,300 |
| 12650 | Acetone 정량 | Random Urine | GC | | | 국외 | 0 | 0 | 51,000 | 0 | 52,500 |
| 12660 | Acetone 정량 | SST Serum | GC | | | 국외 | 0 | 0 | 51,000 | 0 | 52,500 |
| 25000 | Acetylcholinesterase | Amniotic Fluid | Electrophoresis | 노173 | BZ173 | | 0 | 0 | 195,000 | 0 | 200,900 |
| 25060 | AChE+Chromosome | Amniotic Fluid | | | | | 0 | 0 | 664,000 | 0 | 684,000 |
| 25310 | Achondroplasia | Amniotic Fluid | PCR-RFLP | 너562바 | CY626006 | | 478.85 | 67,140 | 67,140 | 69,140 | 69,140 |
| 25315 | Achondroplasia familystudy | EDTA Blood | Sequencing | | | | 0 | 0 | 33,000 | 0 | 34,000 |
| 01140 | Ach-r-Binding Ab | SST Serum | RIA | 너450주 | CX747 | | 138.33 | 9,700 | 9,700 | 9,990 | 9,990 |
| 01150 | Ach-r-Blocking Ab | SST Serum | RIA | | | | 0 | 0 | 126,000 | 0 | 129,800 |
| 30120 | Acid phosphatase stain | Bone Marrow Slide | Stain | 나118가 | B1182006 | | 83.27 | 5,840 | 5,840 | 6,010 | 6,010 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|------------------------------------|-------------|----------------------|----------|----------|----|--------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 13177 | Acid- α -glucosidase(pompe) | EDTA Blood | Fluorometry | 노331 | CZ331 | | 0 | 0 | 75,000 | 0 | 77,300 |
| 10200 | ACP | SST Serum | Colorimetry | 나260가 | B2601 | | 18.28 | 1,280 | 1,280 | 1,320 | 1,320 |
| 10201 | ACP | 분비물 | Colorimetry | 나260가 | B2601 | | 18.28 | 1,280 | 1,280 | 1,320 | 1,320 |
| 00015 | ACTH (ECLIA) | EDTA Plasma | ECLIA | 나359 | C3590 | | 190.03 | 13,320 | 13,320 | 13,720 | 13,720 |
| 80860 | ACTH (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 00041 | ACTH-10회 | EDTA Plasma | ECLIA | 나359 | C3590 | | 190.03 | 13,320 | 13,320 | 13,720 | 13,720 |
| 00042 | ACTH-11회 | EDTA Plasma | ECLIA | 나359 | C3590 | | 190.03 | 13,320 | 13,320 | 13,720 | 13,720 |
| 00043 | ACTH-12회 | EDTA Plasma | ECLIA | 나359 | C3590 | | 190.03 | 13,320 | 13,320 | 13,720 | 13,720 |
| 00044 | ACTH-13회 | EDTA Plasma | ECLIA | 나359 | C3590 | | 190.03 | 13,320 | 13,320 | 13,720 | 13,720 |
| 00045 | ACTH-14회 | EDTA Plasma | ECLIA | 나359 | C3590 | | 190.03 | 13,320 | 13,320 | 13,720 | 13,720 |
| 00046 | ACTH-15회 | EDTA Plasma | ECLIA | 나359 | C3590 | | 190.03 | 13,320 | 13,320 | 13,720 | 13,720 |
| 00021 | ACTH-1회 | EDTA Plasma | ECLIA | 나359 | C3590 | | 190.03 | 13,320 | 13,320 | 13,720 | 13,720 |
| 00022 | ACTH-2회 | EDTA Plasma | ECLIA | 나359 | C3590 | | 190.03 | 13,320 | 13,320 | 13,720 | 13,720 |
| 00023 | ACTH-3회 | EDTA Plasma | ECLIA | 나359 | C3590 | | 190.03 | 13,320 | 13,320 | 13,720 | 13,720 |
| 00024 | ACTH-4회 | EDTA Plasma | ECLIA | 나359 | C3590 | | 190.03 | 13,320 | 13,320 | 13,720 | 13,720 |
| 00025 | ACTH-5회 | EDTA Plasma | ECLIA | 나359 | C3590 | | 190.03 | 13,320 | 13,320 | 13,720 | 13,720 |
| 00026 | ACTH-6회 | EDTA Plasma | ECLIA | 나359 | C3590 | | 190.03 | 13,320 | 13,320 | 13,720 | 13,720 |
| 00027 | ACTH-7회 | EDTA Plasma | ECLIA | 나359 | C3590 | | 190.03 | 13,320 | 13,320 | 13,720 | 13,720 |
| 00028 | ACTH-8회 | EDTA Plasma | ECLIA | 나359 | C3590 | | 190.03 | 13,320 | 13,320 | 13,720 | 13,720 |
| 00029 | ACTH-9회 | EDTA Plasma | ECLIA | 나359 | C3590 | | 190.03 | 13,320 | 13,320 | 13,720 | 13,720 |
| 81851 | Actin(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 30960 | Activated PTT | SC Plasma | Clot-based | 나153 | B1530 | | 44.78 | 3,140 | 3,140 | 3,230 | 3,230 |
| 26234 | Acute Leukemia panel | Bone Marrow | Flow Cytometry | 나512 | C5120006 | | 451.56 | 569,700 | 569,700 | 586,800 | 586,800 |
| 10210 | ADA | SST Serum | Colorimetry | 나272 | B2721 | | 164.41 | 11,530 | 11,530 | 11,870 | 11,870 |
| 10212 | ADA | Body Fluid | Colorimetry | 나272 | B2721 | | 164.41 | 11,530 | 11,530 | 11,870 | 11,870 |
| 10211 | ADA(CSF) | CSF | Colorimetry | 나272 | B2721 | | 164.41 | 11,530 | 11,530 | 11,870 | 11,870 |
| 28051 | ADAMTS 13 | 복수검체 | Western blot | | | | 0 | 0 | 100,000 | 0 | 100,000 |
| 42815 | Adenovirus Ag(DFA) | Sputum | DFA | 나469 | C4690516 | | 203.37 | 14,260 | 14,260 | 14,680 | 14,680 |
| 42105 | Adenovirus culture | Other | Shell Vial Culture | 나416 | B4160006 | | 574.26 | 40,260 | 40,260 | 41,460 | 41,460 |
| 42320 | Adenovirus DNA | Sputum | real time PCR | 노598 | CZ994 | | 0 | 0 | 71,000 | 0 | 73,100 |
| 40255 | Adenovirus IgG | SST Serum | EIA | 나468나(1) | C4682516 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 40260 | Adenovirus IgM | SST Serum | EIA | 나468나(2) | C4683516 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 40261 | Adenovirus IgM | CSF | EIA | 나468나(2) | C4683516 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 42107 | Adenovirus rapid culture | Other | Culture | 나416 | B4160006 | | 574.26 | 40,260 | 40,260 | 41,460 | 41,460 |
| 40000 | Adenovirus(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40001 | Adenovirus(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-----------------------------|----------------|----------------------|----------|----------|----|--------|--------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 40010 | Adenovirus,Type 1(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40011 | Adenovirus,Type 1(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40110 | Adenovirus,Type 11(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40111 | Adenovirus,Type 11(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40190 | Adenovirus,Type 19(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40191 | Adenovirus,Type 19(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40020 | Adenovirus,Type 2(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40021 | Adenovirus,Type 2(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40210 | Adenovirus,Type 21(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40211 | Adenovirus,Type 21(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40030 | Adenovirus,Type 3(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40031 | Adenovirus,Type 3(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40370 | Adenovirus,Type 37(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40371 | Adenovirus,Type 37(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40040 | Adenovirus,Type 4(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40041 | Adenovirus,Type 4(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40050 | Adenovirus,Type 5(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40051 | Adenovirus,Type 5(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40060 | Adenovirus,Type 6(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40061 | Adenovirus,Type 6(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40070 | Adenovirus,Type 7(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40071 | Adenovirus,Type 7(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40080 | Adenovirus,Type 8(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40081 | Adenovirus,Type 8(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 00030 | ADH | EDTA Plasma | RIA | 나365주 | C7365 | | 108.83 | 7,630 | 7,630 | 7,860 | 7,860 |
| 00729 | Adrenal 21-hydroxylase Ab | SST Serum | | | | 국외 | 0 | 0 | 189,000 | 0 | 194,700 |
| 81883 | AE1(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81884 | AE2(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 25020 | AFAFP | Amniotic Fluid | | 나421나 | C4212 | | 171.76 | 12,040 | 12,040 | 12,400 | 12,400 |
| 25030 | AFAFP | Amniotic Fluid | | 나421나 | C4212 | | 171.76 | 12,040 | 12,040 | 12,400 | 12,400 |
| 25040 | AFAFP | Amniotic Fluid | | 나421나 | C4212 | | 171.76 | 12,040 | 12,040 | 12,400 | 12,400 |
| 25050 | AFAFP+AChE | Amniotic Fluid | | | | | 0 | 0 | 207,040 | 213,300 | 213,300 |
| 25070 | AFAFP+Chromosome | Amniotic Fluid | | | | | 0 | 0 | 481,040 | 0 | 495,500 |
| 25090 | AFAFP+High Resol.Chromosome | Amniotic Fluid | | | | | 0 | 0 | 481,040 | 0 | 495,500 |
| 70410 | AFB Culture | Sputum | Culture | 나405나(1) | B4054 | | 192.4 | 13,490 | 13,490 | 13,890 | 13,890 |
| 70420 | AFB Culture | Sputum | Culture | 나405나(1) | B4054 | | 192.4 | 13,490 | 13,490 | 13,890 | 13,890 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|--------------|----------------------|------------|-------------|----|--------|--------|--------|--------|--------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 70450 | AFB Culture(액체+고체)결핵 | Sputum | Culture | 나405나 | B4054+B4055 | | 0 | 31,440 | 31,440 | 32,380 | 32,380 |
| 70445 | AFB Culture(액체+고체배지) | Sputum | Culture | 나405나 | B4054+B4055 | | 0 | 31,440 | 31,440 | 32,380 | 32,380 |
| 70605 | AFB Identification | 균주 | PCR+Hybridization | 나595-1다 | C6029006 | | 725.71 | 50,870 | 50,870 | 52,400 | 52,400 |
| 70430 | AFB Sensitivity | 균주 | 절대농도법 | 나406다(2) | B4064 | | 564.43 | 39,570 | 39,570 | 40,750 | 40,750 |
| 70500 | AFB Sensitivity (결핵협회) | 균주 | 절대농도법 | 나406다(2) | B4064 | | 564.43 | 39,570 | 39,570 | 40,750 | 40,750 |
| 70512 | AFB Sensitivity (INH) | Sputum | Hybridization | 나595-1나2 | CY752006 | | 638.23 | 44,740 | 44,740 | 46,080 | 46,080 |
| 70511 | AFB Sensitivity (RFP) | Sputum | Hybridization | 나595-1나1 | CY751006 | | 638.23 | 44,740 | 44,740 | 46,080 | 46,080 |
| 70510 | AFB Sensitivity (RFP,INH) | Sputum | Hybridization | 나595-1나 | CY751006외 | | 0 | 89,480 | 89,480 | 92,160 | 92,160 |
| 70516 | AFB Sensitivity (Sequence) | Sputum | Sequencing | 노598 | CZ985~6 | | 0 | 0 | 92,000 | 0 | 94,800 |
| 70320 | AFB Stain | Sputum | | 너304 | BX304 | | 75.33 | 5,280 | 5,280 | 5,440 | 5,440 |
| 82090 | AFB Stain | Tissue | | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 70400 | AFB Stain & Culture | Sputum | | 너304+ 나405 | BX304+B4054 | | 0 | 18,770 | 18,770 | 19,330 | 19,330 |
| 70330 | AFB Stain(형광법) | Sputum | 형광 염색법 | 너304 | BX304 | | 75.33 | 5,280 | 5,280 | 5,440 | 5,440 |
| 80188 | AFB Stain(CFC) | Tissue | | 나553나 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 80606 | AFB Stain(T&C) | Tissue | | 나553나 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 80602 | AFB Stain(Tissue) | Tissue | | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 01405 | AFP | SST Serum | ECLIA | 나421나 | C4212 | | 171.76 | 12,040 | 12,040 | 12,400 | 12,400 |
| 01406 | AFP | EDTA Plasma | ECLIA | 나421나 | C4212 | | 171.76 | 12,040 | 12,040 | 12,400 | 12,400 |
| 01407 | AFP | Body Fluid | ECLIA | 나421나 | C4212 | | 171.76 | 12,040 | 12,040 | 12,400 | 12,400 |
| 01415 | AFP | SST Serum | CIA | 나421나 | C4212 | | 171.76 | 12,040 | 12,040 | 12,400 | 12,400 |
| 81560 | AFP (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81978 | AFP(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 10000 | Albumin | SST Serum | Colorimetry | 나221 | C2210 | | 22.45 | 1,570 | 1,570 | 1,620 | 1,620 |
| 10004 | Albumin | Body Fluid | Colorimetry | 나221 | C2210 | | 22.45 | 1,570 | 1,570 | 1,620 | 1,620 |
| 10003 | Albumin(CSF) | CSF | TIA | 나230나 | C2302 | | 203.5 | 14,270 | 14,270 | 14,690 | 14,690 |
| 11890 | Alcohol | SST Serum | Enzyme | | | | 0 | 0 | 9,500 | 0 | 9,800 |
| 11891 | Alcohol | EDTA Plasma | Enzyme | | | | 0 | 0 | 9,500 | 0 | 9,800 |
| 11892 | Alcohol(RU) | Random Urine | Enzyme | | | | 0 | 0 | 9,500 | 0 | 9,800 |
| 10220 | Aldolase | SST Serum | Enzyme | 나269 | B2690 | | 52.89 | 3,710 | 3,710 | 3,820 | 3,820 |
| 00650 | Aldosterone (RIA) | SST Serum | RIA | 나358주 | C7358 | | 133.98 | 9,390 | 9,390 | 9,670 | 9,670 |
| 00651 | Aldosterone (RIA) | EDTA Plasma | RIA | 나358주 | C7358 | | 133.98 | 9,390 | 9,390 | 9,670 | 9,670 |
| 00655 | Aldosterone (RIA) | 24hr Urine | RIA | 나358주 | C7358 | | 133.98 | 9,390 | 9,390 | 9,670 | 9,670 |
| 00661 | Aldosterone 1회 | SST Serum | RIA | 나358주 | C7358 | | 133.98 | 9,390 | 9,390 | 9,670 | 9,670 |
| 00662 | Aldosterone 2회 | SST Serum | RIA | 나358주 | C7358 | | 133.98 | 9,390 | 9,390 | 9,670 | 9,670 |
| 00663 | Aldosterone 3회 | SST Serum | RIA | 나358주 | C7358 | | 133.98 | 9,390 | 9,390 | 9,670 | 9,670 |
| 00664 | Aldosterone 4회 | SST Serum | RIA | 나358주 | C7358 | | 133.98 | 9,390 | 9,390 | 9,670 | 9,670 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|--------------------------|--------------|----------------------|----------|-----------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 00665 | Aldosterone 5회 | SST Serum | RIA | 나358주 | C7358 | | 133.98 | 9,390 | 9,390 | 9,670 | 9,670 |
| 00666 | Aldosterone 6회 | SST Serum | RIA | 나358주 | C7358 | | 133.98 | 9,390 | 9,390 | 9,670 | 9,670 |
| 81705 | ALK (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 28045 | ALK rearrangement | Tissue | FISH | 노598 | CZ967 | | 0 | 0 | 480,000 | 0 | 545,000 |
| 10230 | ALP | SST Serum | Enzyme | 나260나 | B2602 | | 20.09 | 1,410 | 1,410 | 1,450 | 1,450 |
| 20560 | ALP Isoenzyme | SST Serum | Electrophoresis | 나305 | B3050006 | | 178.33 | 12,500 | 12,500 | 12,880 | 12,880 |
| 10231 | ALP(Fluid) | Body Fluid | Enzyme | 나260나 | B2602 | | 20.09 | 1,410 | 1,410 | 1,450 | 1,450 |
| 10360 | ALT(GPT) | SST Serum | Enzyme | 나258 | B2580 | | 23.01 | 1,610 | 1,610 | 1,660 | 1,660 |
| 10361 | ALT(GPT)(Fluid) | Body Fluid | Enzyme | 나258 | B2580 | | 23.01 | 1,610 | 1,610 | 1,660 | 1,660 |
| 12670 | Aluminium(Al) | Trace Serum | AAS | | | | 0 | 0 | 22,000 | 0 | 22,700 |
| 12671 | Aluminium(Al) | 24hr Urine | AAS | | | | 0 | 0 | 22,000 | 0 | 22,700 |
| 81145 | AMACR (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81146 | AMACR(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 00675 | AMH | SST Serum | ELISA | 노214 | CZ214 | | 0 | 0 | 57,000 | 0 | 58,700 |
| 65170 | Amikacin | Plain Serum | 면역형광법 | 나450나(2) | C4504390 | | 252.59 | 17,710 | 17,710 | 18,240 | 18,240 |
| 13011 | Amino Acid 분석 | EDTA Plasma | LC/MS/MS | 나443나(3) | C4433006외 | | 0 | 122,770 | 122,770 | 126,460 | 126,460 |
| 13012 | Amino Acid 분석 | Random Urine | LC/MS/MS | 나443나(3) | C4433006외 | | 0 | 122,770 | 122,770 | 126,460 | 126,460 |
| 65500 | Amiodarone | Plain Serum | LC/MS/MS | 나450나(4) | CX375116 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 65511 | Amitriptyline | Plain Serum | LC/MS/MS | 나450나(4) | CX375696 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 25320 | AML1/ETO (nested RT-PCR) | EDTA Blood | Nested RT-PCR | 나597마 | C5975006 | | 1631.15 | 114,340 | 114,340 | 117,770 | 117,770 |
| 25321 | AML1/ETO (nested RT-PCR) | Bone Marrow | Nested RT-PCR | 나597마 | C5975006 | | 1631.15 | 114,340 | 114,340 | 117,770 | 117,770 |
| 25325 | AML1/ETO (real-time PCR) | EDTA Blood | real time PCR | 노596 | CZ808 | | 0 | 0 | 156,000 | 0 | 160,700 |
| 25326 | AML1/ETO (real-time PCR) | Bone Marrow | real time PCR | 노596 | CZ808 | | 0 | 0 | 156,000 | 0 | 160,700 |
| 27080 | AML1/ETO(FISH) | Bone Marrow | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |
| 10850 | Ammonia (NH3) | EDTA Plasma | Enzyme | 나387 | C3870 | | 62.85 | 4,410 | 4,410 | 4,540 | 4,540 |
| 65390 | Amphetamine | Random Urine | | | | | 0 | 0 | 8,500 | 0 | 8,800 |
| 10240 | Amylase | SST Serum | Enzyme | 나261가 | B2611 | | 40.93 | 2,870 | 2,870 | 2,960 | 2,960 |
| 10243 | Amylase | Body Fluid | Enzyme | 나261가 | B2611 | | 40.93 | 2,870 | 2,870 | 2,960 | 2,960 |
| 10250 | Amylase clearance | 복수검체 | 계산법 | 나261 외 | B2611 외 | | 0 | 0 | 8,080 | 0 | 8,340 |
| 20570 | Amylase Isoenzyme | SST Serum | Electrophoresis | 나306 | B3060006 | | 136.74 | 9,590 | 9,590 | 9,870 | 9,870 |
| 20571 | Amylase Isoenzyme | Body Fluid | Electrophoresis | 나306 | B3060006 | | 136.74 | 9,590 | 9,590 | 9,870 | 9,870 |
| 10242 | Amylase(24hr U) | 24hr Urine | Enzyme | 나261가 | B2611 | | 40.93 | 2,870 | 2,870 | 2,960 | 2,960 |
| 10241 | Amylase(RU) | Random Urine | Enzyme | 나261가 | B2611 | | 40.93 | 2,870 | 2,870 | 2,960 | 2,960 |
| 10510 | Amyloid A | SST Serum | Latex | 노242 | CZ242 | 국외 | 0 | 0 | 117,000 | 0 | 120,500 |
| 81966 | Amyloid A(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81974 | Amyloid A(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|------------------------------|-------------|--------------|-----------|---------------|----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 51030 | ANA (IFA) | SST Serum | IFA | 나491나 | C4912006 | | 157.37 | 11,030 | 11,030 | 11,360 | 11,360 |
| 51031 | ANA (IFA) | Body Fluid | IFA | 나491나 | C4912006 | | 157.37 | 11,030 | 11,030 | 11,360 | 11,360 |
| 51040 | ANA 정량 | SST Serum | IFA | 나491나주 | C4913006 | | 282.46 | 19,800 | 19,800 | 20,390 | 20,390 |
| 51041 | ANA 정량 | Body Fluid | IFA | 나491나주 | C4913006 | | 282.46 | 19,800 | 19,800 | 20,390 | 20,390 |
| 51061 | ANCA (MPO) 정량 | SST Serum | EIA | 너447나 | CY472006 | | 212.38 | 14,890 | 14,890 | 15,330 | 15,330 |
| 51062 | ANCA (PR3) 정량 | SST Serum | EIA | 너447가 | CY471006 | | 212.38 | 14,890 | 14,890 | 15,330 | 15,330 |
| 51060 | ANCA 정량 | SST Serum | EIA | 너447 | CY471~2006 | | 0 | 29,780 | 29,780 | 30,660 | 30,660 |
| 51063 | ANCA 정량 3종(MPO,PR3,GBM) | SST Serum | EIA | 너447가외 | CY471006외 | | 0 | 38,610 | 38,610 | 39,760 | 39,760 |
| 51050 | ANCA 정성 | SST Serum | EIA | 나499 | C4991006 | | 163.44 | 11,460 | 11,460 | 11,800 | 11,800 |
| 51065 | ANCA(정량) | SST Serum | IFA | 나499 | C4992006 | | 329.57 | 23,100 | 23,100 | 23,790 | 23,790 |
| 00670 | Androstenedione | SST Serum | IRMA | 노196 | CZ196 | | 0 | 0 | 87,000 | 0 | 89,600 |
| 00680 | Androsterone | SST Serum | RIA | 노197 | CZ197 | 국외 | 0 | 0 | 184,000 | 0 | 189,500 |
| 01170 | Angiotensin I | EDTA Plasma | RIA | | | 국외 | 0 | 0 | 78,000 | 0 | 80,300 |
| 01180 | AngiotensinII | EDTA Plasma | RIA | | | 국외 | 0 | 0 | 78,000 | 0 | 80,300 |
| 12930 | Anion GAP | SST Serum | 계산법 | 나379+C381 | C3791~3+C3812 | | 0 | 0 | 6,470 | 0 | 6,660 |
| 51070 | Anti Adrenal CortexAb | SST Serum | IFA | | | 국외 | 0 | 0 | 254,000 | 0 | 261,600 |
| 51100 | Anti Cardiolipin IgA | SST Serum | ELISA | 나503나(3) | C5034 | | 262.41 | 18,390 | 18,390 | 18,950 | 18,950 |
| 51080 | Anti Cardiolipin IgG | SST Serum | ELISA | 나503나(1) | C5032 | | 262.41 | 18,390 | 18,390 | 18,950 | 18,950 |
| 51090 | Anti Cardiolipin IgM | SST Serum | ELISA | 나503나(2) | C5033 | | 262.41 | 18,390 | 18,390 | 18,950 | 18,950 |
| 51110 | Anti cardiolipinB2 gly 1 com | SST Serum | ELISA | | | 국외 | 0 | 0 | 113,000 | 0 | 116,400 |
| 51121 | Anti CCP Ab | EDTA Plasma | EIA | 노432 | CZ432 | | 0 | 0 | 39,000 | 0 | 40,200 |
| 51122 | Anti CCP Ab | SST Serum | EIA | 노432 | CZ432 | | 0 | 0 | 39,000 | 0 | 40,200 |
| 51145 | Anti centromere Ab(EIA) | SST Serum | EIA | 너443사 | CY449006 | | 530.48 | 37,190 | 37,190 | 38,300 | 38,300 |
| 52400 | Anti collagen-II Ab IgG | SST Serum | ELISA | | | 국외 | 0 | 0 | 235,000 | 0 | 242,100 |
| 50340 | Anti Diphtheria Ab | SST Serum | EIA | | | 국외 | 0 | 0 | 287,000 | 0 | 295,600 |
| 50415 | Anti DNase B Ab | SST Serum | Nephelometry | | | 국외 | 0 | 0 | 168,000 | 0 | 173,000 |
| 51152 | Anti dsDNA Ab (IRMA) | SST Serum | IRMA | 나492나 | C7492 | | 234.83 | 16,460 | 16,460 | 16,950 | 16,950 |
| 51160 | Anti dsDNA IgG | SST Serum | EIA | 나492나 | C4922 | | 254.88 | 17,870 | 17,870 | 18,400 | 18,400 |
| 51170 | Anti dsDNA IgM | SST Serum | ELISA | 나492나 | C4922 | | 254.88 | 17,870 | 17,870 | 18,400 | 18,400 |
| 51171 | Anti dsDNA IgM | EDTA Plasma | ELISA | 나492나 | C4922 | | 254.88 | 17,870 | 17,870 | 18,400 | 18,400 |
| 70795 | Anti fungal susceptibility | Other | MIC | 나406나 | B4062 | | 181.87 | 12,750 | 12,750 | 13,130 | 13,130 |
| 51220 | Anti GAD Ab | SST Serum | RIA | 너441주 | CX744 | | 498.79 | 34,970 | 34,970 | 36,010 | 36,010 |
| 51221 | Anti GAD Ab | CSF | RIA | 너441주 | CX744 | | 498.79 | 34,970 | 34,970 | 36,010 | 36,010 |
| 51230 | Anti GBM Ab | SST Serum | EIA | 너451 | CX451 | | 125.99 | 8,830 | 8,830 | 9,100 | 9,100 |
| 52040 | Anti GD1b IgG | SST Serum | EIA | | | | 0 | 0 | 52,000 | 0 | 53,600 |
| 52041 | Anti GD1b IgG | CSF | EIA | | | | 0 | 0 | 52,000 | 0 | 53,600 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|------------------------------|-------------|----------------|----------|----------|-----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 52042 | Anti GD1b IgG | EDTA Plasma | EIA | | | | 0 | 0 | 52,000 | 0 | 53,600 |
| 52050 | Anti GD1b IgM | SST Serum | EIA | 노425 | CZ425 | | 0 | 0 | 52,000 | 0 | 53,600 |
| 52051 | Anti GD1b IgM | CSF | EIA | 노425 | CZ425 | | 0 | 0 | 52,000 | 0 | 53,600 |
| 52052 | Anti GD1b IgM | EDTA Plasma | EIA | 노425 | CZ425 | | 0 | 0 | 52,000 | 0 | 53,600 |
| 30300 | Anti globulin Test | EDTA Blood | | 나204가주 | B2047006 | | 64.93 | 4,550 | 4,550 | 4,690 | 4,690 |
| 52060 | Anti GM1 IgG | SST Serum | EIA | 노426 | CZ261 | | 0 | 0 | 52,000 | 0 | 53,600 |
| 52061 | Anti GM1 IgG | CSF | EIA | 노426 | CZ261 | | 0 | 0 | 52,000 | 0 | 53,600 |
| 52070 | Anti GM1 IgM | SST Serum | EIA | 노426 | CZ262 | | 0 | 0 | 52,000 | 0 | 53,600 |
| 52071 | Anti GM1 IgM | CSF | EIA | 노426 | CZ262 | | 0 | 0 | 52,000 | 0 | 53,600 |
| 52090 | Anti GQ1b IgG | SST Serum | ELISA | | | 국외 | 0 | 0 | 391,000 | 0 | 402,700 |
| 52095 | Anti GQ1b IgG | SST Serum | EIA | | | | 0 | 0 | 52,000 | 0 | 53,600 |
| 52096 | Anti GQ1b IgG | CSF | EIA | | | | 0 | 0 | 52,000 | 0 | 53,600 |
| 52097 | Anti GQ1b IgM | SST Serum | EIA | | | | 0 | 0 | 52,000 | 0 | 53,600 |
| 52098 | Anti GQ1b IgM | CSF | EIA | | | | 0 | 0 | 52,000 | 0 | 53,600 |
| 31005 | Anti heparin(PF4) Ab | Plain Serum | ELISA | | | 국외 | 0 | 0 | 649,000 | 0 | 668,500 |
| 52340 | Anti IA-2 Ab (ICA 512 Ab) | SST Serum | RIA | | | 국외 | 0 | 0 | 133,000 | 0 | 137,000 |
| 51270 | Anti intrinsic factor Ab | SST Serum | EIA | 너452 | CX452 | | 120.96 | 8,480 | 8,480 | 8,730 | 8,730 |
| 51320 | Anti Jo-1 Ab | SST Serum | EIA | 너443바 | CY448006 | | 558.84 | 39,170 | 39,170 | 40,350 | 40,350 |
| 51330 | Anti Jo-1 Ab | SST Serum | Ouchterlony | | | 국외 | 0 | 0 | 52,000 | 0 | 53,600 |
| 50360 | Anti Legionella Ab (NIH) | SST Serum | IFA | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 51360 | Anti LKM Ab | SST Serum | IFA | 너455 | CX455 | | 336.36 | 23,580 | 23,580 | 24,290 | 24,290 |
| 50370 | Anti M.tuberculosis Ab | SST Serum | | 나466가 | C4661190 | | 113.14 | 7,930 | 7,930 | 8,170 | 8,170 |
| 52100 | Anti MAG Ab | SST Serum | IFA | 노427 | CZ427 | | 0 | 0 | 52,000 | 0 | 53,600 |
| 52101 | Anti MAG Ab | CSF | IFA | 노427 | CZ427 | | 0 | 0 | 52,000 | 0 | 53,600 |
| 01882 | Anti Microsome (TPO) Ab(RIA) | SST Serum | RIA | 나495나주 | C7495 | | 230.25 | 16,140 | 16,140 | 16,620 | 16,620 |
| 01885 | Anti Microsome(TPO) Ab | SST Serum | CIA | 나495나 | C4952 | | 223.74 | 15,680 | 15,680 | 16,150 | 16,150 |
| 51380 | Anti Mitochondrial Ab(IFA) | SST Serum | IFA | 나496나 | C4962 | | 132.55 | 9,290 | 9,290 | 9,570 | 9,570 |
| 51400 | Anti mitochondrial M2 Ab | SST Serum | CLIA | | | 국외 | 0 | 0 | 89,000 | 0 | 91,700 |
| 52640 | Anti neutrophil Ab | EDTA Blood | Flow Cytometry | 나505 | C5050 | | 84.26 | 5,910 | 5,910 | 6,080 | 6,080 |
| 51420 | Anti Parietal cell Ab | SST Serum | IFA | 나504 | C5040 | | 78.08 | 5,470 | 5,470 | 5,640 | 5,640 |
| 52610 | Anti PE Ab | SST Serum | EIA | | | | 0 | 0 | 808,000 | 0 | 832,200 |
| 51450 | Anti Phospholipid IgG | SC Plasma | ELISA | 나498나(1) | C4982006 | | 274.51 | 19,240 | 19,240 | 19,820 | 19,820 |
| 51451 | Anti Phospholipid IgG | SST Serum | ELISA | 나498나(1) | C4982006 | | 274.51 | 19,240 | 19,240 | 19,820 | 19,820 |
| 51460 | Anti Phospholipid IgM | SC Plasma | ELISA | 나498나(2) | C4983006 | | 275.25 | 19,300 | 19,300 | 19,870 | 19,870 |
| 51461 | Anti Phospholipid IgM | SST Serum | ELISA | 나498나(2) | C4983006 | | 275.25 | 19,300 | 19,300 | 19,870 | 19,870 |
| 51431 | Anti PI Ab | SST Serum | EIA | | | 국외 | 0 | 0 | 709,000 | 0 | 730,300 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|-------------|-------------------|---------|----------|----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 51470 | Anti Pituitary Ab | SST Serum | IFA | | | 국외 | 0 | 0 | 156,000 | 0 | 160,700 |
| 51480 | Anti Platelet Ab | SST Serum | IFA | 나501나 | C5012006 | | 251.6 | 17,640 | 17,640 | 18,170 | 18,170 |
| 51481 | Anti Platelet Ab | SST Serum | | 나502다 | CX442006 | | 319.53 | 22,400 | 22,400 | 23,070 | 23,070 |
| 51500 | Anti Reticulin Ab | SST Serum | IFA | | | 국외 | 0 | 0 | 235,000 | 0 | 242,100 |
| 51520 | Anti RNP Ab | SST Serum | EIA | 너443나 | CY444006 | | 400.52 | 28,080 | 28,080 | 28,920 | 28,920 |
| 51521 | Anti RNP Ab | EDTA Plasma | EIA | 너443나 | CY444006 | | 400.52 | 28,080 | 28,080 | 28,920 | 28,920 |
| 51530 | Anti Scl-70 Ab | SST Serum | Ouchterlony | | | 국외 | 0 | 0 | 51,000 | 0 | 52,500 |
| 51535 | Anti Scl-70 Ab | SST Serum | EIA | 너443마 | CY447006 | | 589.2 | 41,300 | 41,300 | 42,540 | 42,540 |
| 51540 | Anti Skeletal Muscle Ab | SST Serum | IFA | | | 국외 | 0 | 0 | 227,000 | 0 | 233,800 |
| 51550 | Anti Sm Ab | SST Serum | EIA | 너443가 | CY443006 | | 411.76 | 28,860 | 28,860 | 29,730 | 29,730 |
| 51560 | Anti Smooth Muscle Ab(IFA) | SST Serum | IFA | 나497나 | C4972 | | 131.16 | 9,190 | 9,190 | 9,470 | 9,470 |
| 51565 | Anti Smooth Muscle Ab정량 | SST Serum | IFA | | | | 0 | 0 | 28,000 | 0 | 28,000 |
| 51580 | Anti SS-A/Ro Ab | SST Serum | EIA | 너443다 | CY445006 | | 411.77 | 28,870 | 28,870 | 29,730 | 29,730 |
| 51590 | Anti SS-B/La Ab | SST Serum | EIA | 너443라 | CY446006 | | 411.81 | 28,870 | 28,870 | 29,730 | 29,730 |
| 51180 | Anti ss-DNA IgG | SST Serum | ELISA | | | 국외 | 0 | 0 | 45,000 | 0 | 46,400 |
| 51190 | Anti ss-DNA IgM | SST Serum | ELISA | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 50380 | Anti Streptokinase Ab | SST Serum | PA | | | 국외 | 0 | 0 | 20,000 | 0 | 20,600 |
| 50390 | Anti Tetanus Ab | SST Serum | EIA | | | 국외 | 0 | 0 | 261,000 | 0 | 268,800 |
| 30870 | Anti thrombin Ⅲ(%) | SC Plasma | Chromogenic assay | 나158 | B1580 | | 111.8 | 7,840 | 7,840 | 8,070 | 8,070 |
| 51620 | Anti TS Ab | SST Serum | Bio-assay | 노213 | CZ213 | | 0 | 0 | 78,000 | 0 | 80,300 |
| 51630 | Anti TSB Ab | SST Serum | RIA | | | 국외 | 0 | 0 | 261,000 | 0 | 268,800 |
| 31120 | Anti Xa LMWH test(Heparin) | SC Plasma | Clot-based | 나163-1나 | B1634 | | 186.95 | 13,110 | 13,110 | 13,500 | 13,500 |
| 52030 | Anti β2-GPI IgG Ab | SST Serum | ELISA | 나506가 | C5061 | | 262.41 | 18,390 | 18,390 | 18,950 | 18,950 |
| 52035 | Anti β2-GPI IgM Ab | SST Serum | ELISA | 나506가 | C5062 | | 262.41 | 18,390 | 18,390 | 18,950 | 18,950 |
| 30850 | Antiplasmin(α2-PI) | SC Plasma | Chromogenic assay | | | 국외 | 0 | 0 | 42,000 | 0 | 43,300 |
| 31100 | APCR | SC Plasma | Clot-based | 너89 | BX089 | | 343.29 | 24,060 | 24,060 | 24,790 | 24,790 |
| 10940 | Apolipoprotein A I | SST Serum | TIA | 나246가 | C2461 | | 102.63 | 7,190 | 7,190 | 7,410 | 7,410 |
| 10950 | Apolipoprotein AⅡ | SST Serum | TIA | 나246가 | C2461 | | 102.63 | 7,190 | 7,190 | 7,410 | 7,410 |
| 10960 | Apolipoprotein B | SST Serum | TIA | 나246나 | C2462 | | 106.5 | 7,470 | 7,470 | 7,690 | 7,690 |
| 10970 | Apolipoprotein CⅡ | SST Serum | TIA | 나246다 | C2463 | | 109.49 | 7,680 | 7,680 | 7,910 | 7,910 |
| 10980 | Apolipoprotein CⅢ | SST Serum | TIA | 나246다 | C2463 | | 109.49 | 7,680 | 7,680 | 7,910 | 7,910 |
| 10990 | Apolipoprotein E | SST Serum | TIA | 나246라 | C2464 | | 108.48 | 7,600 | 7,600 | 7,830 | 7,830 |
| 25330 | Apolipoprotein E Genotype | EDTA Blood | PCR | 너572 | CX572006 | | 924.73 | 64,820 | 64,820 | 66,770 | 66,770 |
| 65005 | Aprindine | SST Serum | HPLC | | | 국외 | 0 | 0 | 43,000 | 0 | 44,300 |
| 65006 | Aprindine | Hp Blood | HPLC | | | 국외 | 0 | 0 | 43,000 | 0 | 44,300 |
| 20430 | Apt test | Stool | Colorimetry | 나124 | B1240 | | 12 | 840 | 840 | 870 | 870 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-----------------------------|-------------------|----------------------|-----------|-------------|----|--------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 20431 | Apt test | Other | Colorimetry | 나124 | B1240 | | 12 | 840 | 840 | 870 | 870 |
| 12681 | Arsenic(AS) | 24hr Urine | AAS | 나451나(3) | CY373290 | | 251.42 | 17,620 | 17,620 | 18,150 | 18,150 |
| 12682 | Arsenic(AS) | Random Urine | AAS | 나451나(3) | CY373290 | | 251.42 | 17,620 | 17,620 | 18,150 | 18,150 |
| 10265 | Arylsulfatase A | EDTA Blood | Enzyme | 노327 | CZ327 | | 0 | 0 | 102,000 | 0 | 105,100 |
| 50410 | ASO 정량 | SST Serum | TIA | 나463나 | C4633 | | 107.52 | 7,540 | 7,540 | 7,760 | 7,760 |
| 50400 | ASO(Latex) | SST Serum | TIA | 나463가 | C4631 | | 28.79 | 2,020 | 2,020 | 2,080 | 2,080 |
| 50411 | ASO(Titer)(Fluid) | Body Fluid | TIA | 나463나 | C4633 | | 107.52 | 7,540 | 7,540 | 7,760 | 7,760 |
| 50440 | Aspergillus Ab | SST Serum | Immuno-diffusion | | | 국외 | 0 | 0 | 130,000 | 0 | 133,900 |
| 50445 | Aspergillus Ab IgG | SST Serum | EIA | 나467나 | C4672236 | | 190.48 | 13,350 | 13,350 | 13,750 | 13,750 |
| 50455 | Aspergillus Ag | SST Serum | EIA | 나475나 | C4752996 | | 308.29 | 21,610 | 21,610 | 22,260 | 22,260 |
| 50456 | Aspergillus Ag(BAL) | Bronchial Washing | EIA | | | | 0 | 0 | 21,000 | 0 | 22,260 |
| 80070 | Aspiration cell cyto&block | Other | | 나594-1 | C5942 | | 240.08 | 16,830 | 16,830 | 17,330 | 17,330 |
| 65520 | Aspirin (Salicylic acid) | Plain Serum | 비색법 | 나450나(1) | C4503390 | | 124.99 | 8,760 | 8,760 | 9,020 | 9,020 |
| 65760 | Aspirin Resistance Assay | Blood | | 노71-1 | BZ071 | | 0 | 0 | 78,500 | 0 | 79,000 |
| 10350 | AST(GOT) | SST Serum | Enzyme | 나257 | B2570 | | 23.58 | 1,650 | 1,650 | 1,700 | 1,700 |
| 10351 | AST(GOT)(Fluid) | Body Fluid | Enzyme | 나257 | B2570 | | 23.58 | 1,650 | 1,650 | 1,700 | 1,700 |
| 81179 | ATPase 9.4 stain | Tissue | Stain | 나556가 | C5561 | | 297.4 | 20,850 | 20,850 | 21,470 | 21,470 |
| 11925 | Auto hemolysis test | 복수검체 | Colorimetry | 나114 | B1140006 | | 119.56 | 8,380 | 8,380 | 8,630 | 8,630 |
| 29170 | Avellino corneal dystrophy | Other | Sequencing | 노595 | CZ661 | | 0 | 0 | 57,000 | 0 | 58,700 |
| 27570 | B cell confirm test | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 126,600 | 126,600 | 130,400 | 130,400 |
| 10890 | B/C ratio | SST Serum | 계산법 | 나373+C375 | C3730+C3750 | | 0 | 0 | 2,680 | 0 | 2,760 |
| 65180 | Barbiturate | Random Urine | | 나450가(2) | C4502070 | | 111.78 | 7,840 | 7,840 | 8,070 | 8,070 |
| 01430 | Basic fetoprotein(BFP) | SST Serum | EIA | | | 국외 | 0 | 0 | 59,000 | 0 | 60,800 |
| 01440 | BCA225 | SST Serum | EIA | | | 국외 | 0 | 0 | 52,000 | 0 | 53,600 |
| 25900 | B-Cell Stain(CD20)(IHC) | Blood Smear Slide | Immunohistochemistry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 81070 | BCL2 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81071 | BCL2 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81857 | Bcl-2 (IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81080 | BCL6 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81660 | BCL-6 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81858 | Bcl-6 (IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81081 | BCL6(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 27563 | BCR/ABL gene, rearrangement | EDTA Blood | Nested RT-PCR | 나597가외 | C5971006외 | | 0 | 228,330 | 228,330 | 235,180 | 235,180 |
| 26151 | BCR/ABL1(FISH) | Bone Marrow | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |
| 27566 | bcr-abl (real-time PCR) | EDTA Blood | real time PCR | 노596 | CZ809 | | 0 | 0 | 156,000 | 0 | 160,700 |
| 27567 | bcr-abl (real-time PCR) | Bone Marrow | real time PCR | 노596 | CZ809 | | 0 | 0 | 156,000 | 0 | 160,700 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|---------------------|--------------|---------------|----------|----------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 25370 | BCR-ABL major PCR | EDTA Blood | Nested RT-PCR | 나597가 | C5971006 | | 1626.16 | 113,990 | 113,990 | 117,410 | 117,410 |
| 25371 | BCR-ABL major PCR | Bone Marrow | Nested RT-PCR | 나597가 | C5971006 | | 1626.16 | 113,990 | 113,990 | 117,410 | 117,410 |
| 25380 | BCR-ABL minor PCR | EDTA Blood | Nested RT-PCR | 나597나 | C5972006 | | 1631.15 | 114,340 | 114,340 | 117,770 | 117,770 |
| 25381 | BCR-ABL minor PCR | Bone Marrow | Nested RT-PCR | 나597나 | C5972006 | | 1631.15 | 114,340 | 114,340 | 117,770 | 117,770 |
| 65190 | Benzodiazepine | Random Urine | | 나450가(2) | C4502080 | | 111.78 | 7,840 | 7,840 | 8,070 | 8,070 |
| 11930 | Bile Acid | SST Serum | Enzyme | 너272 | CX272 | | 161.06 | 11,290 | 11,290 | 11,630 | 11,630 |
| 11931 | Bile Acid | Bile | Enzyme | 너272 | CX272 | | 161.06 | 11,290 | 11,290 | 11,630 | 11,630 |
| 80209 | Biopsy (≥13) | Tissue | | 나550가(5) | C5915 | | 687.25 | 48,180 | 48,180 | 49,620 | 49,620 |
| 80108 | Biopsy (≥13) (오픈) | Tissue | | 나550가(5) | C5915 | | 687.25 | 48,180 | 48,180 | 49,620 | 49,620 |
| 80174 | Biopsy (≥13) CFC | Tissue | | 나550 | C5915 | | 687.25 | 48,180 | 48,180 | 49,620 | 49,620 |
| 80135 | Biopsy (≥13) KMK | Tissue | | 나550가(5) | C5915 | | 687.25 | 48,180 | 48,180 | 49,620 | 49,620 |
| 80325 | Biopsy (≥13) T&C | Tissue | | 나550 | C5915 | | 687.25 | 48,180 | 48,180 | 49,620 | 49,620 |
| 80195 | Biopsy (≥13) TCM | Tissue | | 나550가(5) | C5915 | | 687.25 | 48,180 | 48,180 | 49,620 | 49,620 |
| 80584 | Biopsy (≥13)판독 | Tissue | | 나550가(5) | C5915009 | | 137.45 | 9,640 | 9,640 | 9,920 | 9,920 |
| 80208 | Biopsy (10-12) | Tissue | | 나550가(4) | C5914 | | 589.09 | 41,300 | 41,300 | 42,530 | 42,530 |
| 80107 | Biopsy (10-12) (오픈) | Tissue | | 나550가(4) | C5914 | | 589.09 | 41,300 | 41,300 | 42,530 | 42,530 |
| 80173 | Biopsy (10-12) CFC | Tissue | | 나550 | C5914 | | 589.09 | 41,300 | 41,300 | 42,530 | 42,530 |
| 80134 | Biopsy (10-12) KMK | Tissue | | 나550가(4) | C5914 | | 589.09 | 41,300 | 41,300 | 42,530 | 42,530 |
| 80324 | Biopsy (10-12) T&C | Tissue | | 나550 | C5914 | | 589.09 | 41,300 | 41,300 | 42,530 | 42,530 |
| 80194 | Biopsy (10-12) TCM | Tissue | | 나550가(4) | C5914 | | 589.09 | 41,300 | 41,300 | 42,530 | 42,530 |
| 80583 | Biopsy (10-12)판독 | Tissue | | 나550가(4) | C5914009 | | 117.82 | 8,260 | 8,260 | 8,510 | 8,510 |
| 80205 | Biopsy (1-3) | Tissue | | 나550가(1) | C5911 | | 282.35 | 19,790 | 19,790 | 20,390 | 20,390 |
| 80101 | Biopsy (1-3) (오픈) | Tissue | | 나550가(1) | C5911 | | 282.35 | 19,790 | 19,790 | 20,390 | 20,390 |
| 80190 | Biopsy (1-3) 성모 | Tissue | | 나550가(1) | C5911 | | 282.35 | 19,790 | 19,790 | 20,390 | 20,390 |
| 80170 | Biopsy (1-3) CFC | Tissue | | 나550 | C5911 | | 282.35 | 19,790 | 19,790 | 20,390 | 20,390 |
| 80131 | Biopsy (1-3) KMK | Tissue | | 나550가(1) | C5911 | | 282.35 | 19,790 | 19,790 | 20,390 | 20,390 |
| 80321 | Biopsy (1-3) T&C | Tissue | | 나550 | C5911 | | 282.35 | 19,790 | 19,790 | 20,390 | 20,390 |
| 80191 | Biopsy (1-3) TCM | Tissue | | 나550가(1) | C5911 | | 282.35 | 19,790 | 19,790 | 20,390 | 20,390 |
| 80245 | Biopsy (1-3) x2 TCM | Tissue | | 나550가(1) | C5911 | | 282.35 | 39,580 | 39,580 | 40,780 | 40,780 |
| 80211 | Biopsy (1-3)×2 | Tissue | | 나550가(1) | C5911 | | 282.35 | 39,580 | 39,580 | 40,780 | 40,780 |
| 80136 | Biopsy (1-3)×2 KMK | Tissue | | 나550가(1) | C5911 | | 282.35 | 39,580 | 39,580 | 40,780 | 40,780 |
| 80338 | Biopsy (1-3)×2 T&C | Tissue | | 나550가(1) | C5911 | | 282.35 | 39,580 | 39,580 | 40,780 | 40,780 |
| 80580 | Biopsy (1-3)판독 | Tissue | | 나550가(1) | C5911009 | | 56.47 | 3,960 | 3,960 | 4,080 | 4,080 |
| 80206 | Biopsy (4-6) | Tissue | | 나550가(2) | C5912 | | 380.51 | 26,670 | 26,670 | 27,470 | 27,470 |
| 80103 | Biopsy (4-6) (오픈) | Tissue | | 나550가(2) | C5912 | | 380.51 | 26,670 | 26,670 | 27,470 | 27,470 |
| 80171 | Biopsy (4-6) CFC | Tissue | | 나550 | C5912 | | 380.51 | 26,670 | 26,670 | 27,470 | 27,470 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|--------------------------|--------|------|-----------|-------------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 80132 | Biopsy (4-6) KMK | Tissue | | 나550가(2) | C5912 | | 380.51 | 26,670 | 26,670 | 27,470 | 27,470 |
| 80322 | Biopsy (4-6) T&C | Tissue | | 나550 | C5912 | | 380.51 | 26,670 | 26,670 | 27,470 | 27,470 |
| 80192 | Biopsy (4-6) TCM | Tissue | | 나550가(2) | C5912 | | 380.51 | 26,670 | 26,670 | 27,470 | 27,470 |
| 80341 | Biopsy (4-6) x2 T&C | Tissue | | 나550 | C5912 | | 380.51 | 53,340 | 53,340 | 54,940 | 54,940 |
| 80315 | Biopsy (4-6)×2 | Tissue | | 나550가(2) | C5912 | | 380.51 | 53,340 | 53,340 | 54,940 | 54,940 |
| 80581 | Biopsy (4-6)판독 | Tissue | | 나550가(2) | C5912009 | | 76.1 | 5,330 | 5,330 | 5,490 | 5,490 |
| 80207 | Biopsy (7-9) | Tissue | | 나550가(3) | C5913 | | 478.66 | 33,550 | 33,550 | 34,560 | 34,560 |
| 80104 | Biopsy (7-9) (오픈) | Tissue | | 나550가(3) | C5913 | | 478.66 | 33,550 | 33,550 | 34,560 | 34,560 |
| 80172 | Biopsy (7-9) CFC | Tissue | | 나550 | C5913 | | 478.66 | 33,550 | 33,550 | 34,560 | 34,560 |
| 80133 | Biopsy (7-9) KMK | Tissue | | 나550가(3) | C5913 | | 478.66 | 33,550 | 33,550 | 34,560 | 34,560 |
| 80323 | Biopsy (7-9) T&C | Tissue | | 나550 | C5913 | | 478.66 | 33,550 | 33,550 | 34,560 | 34,560 |
| 80193 | Biopsy (7-9) TCM | Tissue | | 나550가(3) | C5913 | | 478.66 | 33,550 | 33,550 | 34,560 | 34,560 |
| 80316 | Biopsy (7-9)+절편(≤6) | Tissue | | 나550 | C5913+C5916 | | 0 | 64,810 | 64,810 | 66,750 | 66,750 |
| 80582 | Biopsy (7-9)판독 | Tissue | | 나550가(3) | C5913009 | | 95.73 | 6,710 | 6,710 | 6,910 | 6,910 |
| 80231 | Biopsy 악성(≤15) | Tissue | | 나550다(1) | C5500 | | 783.64 | 54,930 | 54,930 | 56,580 | 56,580 |
| 80179 | Biopsy 악성(≤15) CFC | Tissue | | 나550 | C5500 | | 783.64 | 54,930 | 54,930 | 56,580 | 56,580 |
| 80331 | Biopsy 악성(≤15) T&C | Tissue | | 나550 | C5500 | | 783.64 | 54,930 | 54,930 | 56,580 | 56,580 |
| 80221 | Biopsy 악성(≤20) | Tissue | | 나550다(1) | C5918 | | 1072.19 | 75,160 | 75,160 | 77,410 | 77,410 |
| 80177 | Biopsy 악성(≤20) CFC | Tissue | | 나550 | C5918 | | 1072.19 | 75,160 | 75,160 | 77,410 | 77,410 |
| 80328 | Biopsy 악성(≤20) T&C | Tissue | | 나550 | C5918 | | 1072.19 | 75,160 | 75,160 | 77,410 | 77,410 |
| 80570 | Biopsy 악성(≤20)+호르몬*2 | Tissue | | 나550+나550 | C5918+C5590 | | 0 | 135,420 | 135,420 | 139,490 | 139,490 |
| 80339 | Biopsy 악성(≤20)+호르몬*2 T&C | Tissue | | 나550+나550 | C5918+C5590 | | 0 | 135,420 | 135,420 | 139,490 | 139,490 |
| 80587 | Biopsy 악성(≤20)판독 | Tissue | | 나550 | C5918009 | | 214.44 | 15,030 | 15,030 | 15,480 | 15,480 |
| 80232 | Biopsy 악성(≥16) | Tissue | | 나550다(2) | C5504 | | 1096.92 | 76,890 | 76,890 | 79,200 | 79,200 |
| 80180 | Biopsy 악성(≥16) CFC | Tissue | | 나550 | C5504 | | 1096.92 | 76,890 | 76,890 | 79,200 | 79,200 |
| 80332 | Biopsy 악성(≥16) T&C | Tissue | | 나550 | C5504 | | 1096.92 | 76,890 | 76,890 | 79,200 | 79,200 |
| 80589 | Biopsy 악성(≥16)판독 | Tissue | | 나550다 | C5504009 | | 219.38 | 15,380 | 15,380 | 15,840 | 15,840 |
| 80222 | Biopsy 악성(≥21) | Tissue | | 나550다(2) | C5919 | | 1602.34 | 112,320 | 112,320 | 115,690 | 115,690 |
| 80178 | Biopsy 악성(≥21) CFC | Tissue | | 나550 | C5919 | | 1602.34 | 112,320 | 112,320 | 115,690 | 115,690 |
| 80329 | Biopsy 악성(≥21) T&C | Tissue | | 나550 | C5919 | | 1602.34 | 112,320 | 112,320 | 115,690 | 115,690 |
| 80571 | Biopsy 악성(≥21)+호르몬*2 | Tissue | | 나550+나550 | C5919+C5590 | | 0 | 172,580 | 172,580 | 177,770 | 177,770 |
| 80588 | Biopsy 악성(≥21)판독 | Tissue | | 나550다 | C5919009 | | 320.47 | 22,460 | 22,460 | 23,140 | 23,140 |
| 80213 | Biopsy 절편(≤6) | Tissue | | 나550나(1) | C5916 | | 445.87 | 31,260 | 31,260 | 32,190 | 32,190 |
| 80109 | Biopsy 절편(≤6) (오픈) | Tissue | | 나550나(1) | C5916 | | 445.87 | 31,260 | 31,260 | 32,190 | 32,190 |
| 80175 | Biopsy 절편(≤6) CFC | Tissue | | 나550 | C5916 | | 445.87 | 31,260 | 31,260 | 32,190 | 32,190 |
| 80137 | Biopsy 절편(≤6) KMK | Tissue | | 나550나(1) | C5916 | | 445.87 | 31,260 | 31,260 | 32,190 | 32,190 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-------------------------|--------|------|-----------|-------------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 80326 | Biopsy 절편(≤6) T&C | Tissue | | 나550 | C5916 | | 445.87 | 31,260 | 31,260 | 32,190 | 32,190 |
| 80196 | Biopsy 절편(≤6) TCM | Tissue | | 나550나(1) | C5916 | | 445.87 | 31,260 | 31,260 | 32,190 | 32,190 |
| 80168 | Biopsy 절편(≤6) x2 CFC | Tissue | | 나550나(1) | C5916 | | 445.87 | 62,520 | 62,520 | 64,380 | 64,380 |
| 80351 | Biopsy 절편(≤6) x2 T&C | Tissue | | 나550나(1) | C5916 | | 445.87 | 62,520 | 62,520 | 64,380 | 64,380 |
| 80198 | Biopsy 절편(≤6) x2 TCM | Tissue | | 나550나(1) | C5916 | | 445.87 | 62,520 | 62,520 | 64,380 | 64,380 |
| 80215 | Biopsy 절편(≤6)×2 | Tissue | | 나550나(1) | C5916 | | 445.87 | 62,520 | 62,520 | 64,380 | 64,380 |
| 80585 | Biopsy 절편(≤6)판독 | Tissue | | 나550나(1) | C5916009 | | 89.17 | 6,250 | 6,250 | 6,440 | 6,440 |
| 80214 | Biopsy 절편(≥7) | Tissue | | 나550나(2) | C5917 | | 636.85 | 44,640 | 44,640 | 45,980 | 45,980 |
| 80176 | Biopsy 절편(≥7) CFC | Tissue | | 나550 | C5917 | | 636.85 | 44,640 | 44,640 | 45,980 | 45,980 |
| 80138 | Biopsy 절편(≥7) KMK | Tissue | | 나550나(2) | C5917 | | 636.85 | 44,640 | 44,640 | 45,980 | 45,980 |
| 80327 | Biopsy 절편(≥7) T&C | Tissue | | 나550 | C5917 | | 636.85 | 44,640 | 44,640 | 45,980 | 45,980 |
| 80197 | Biopsy 절편(≥7) TCM | Tissue | | 나550나(2) | C5917 | | 636.85 | 44,640 | 44,640 | 45,980 | 45,980 |
| 80586 | Biopsy 절편(≥7)판독 | Tissue | | 나550나(2) | C5917009 | | 127.37 | 8,930 | 8,930 | 9,200 | 9,200 |
| 80630 | Biopsy(≥13)+Stain | Tissue | | 나550외 | C5915+C5533 | | 0 | 56,860 | 56,860 | 58,560 | 58,560 |
| 80337 | Biopsy(≥13)+Stain T&C | Tissue | | 나550외 | C5915+C5533 | | 0 | 56,860 | 56,860 | 58,560 | 58,560 |
| 80629 | Biopsy(10-12)+Stain | Tissue | | 나550외 | C5914+C5533 | | 0 | 49,980 | 49,980 | 51,470 | 51,470 |
| 80336 | Biopsy(10-12)+Stain T&C | Tissue | | 나550외 | C5914+C5533 | | 0 | 49,980 | 49,980 | 51,470 | 51,470 |
| 80625 | Biopsy(1-3)+조직호르몬×2 | Tissue | | 나550+나550 | C5911+C5590 | | 0 | 80,050 | 80,050 | 82,470 | 82,470 |
| 80621 | Biopsy(1-3)+Stain | Tissue | | 나550+나550 | C5911+C5533 | | 0 | 28,470 | 28,470 | 29,330 | 29,330 |
| 80333 | Biopsy(1-3)+Stain T&C | Tissue | | 나550+나550 | C5911+C5533 | | 0 | 28,470 | 28,470 | 29,330 | 29,330 |
| 80622 | Biopsy(1-3)+Stain*2 | Tissue | | 나550+나550 | C5911+C5533 | | 0 | 37,150 | 37,150 | 38,270 | 38,270 |
| 80623 | Biopsy(1-3)+Stain*3 | Tissue | | 나550+나550 | C5911+C5533 | | 0 | 45,830 | 45,830 | 47,210 | 47,210 |
| 80624 | Biopsy(1-3)+Stain*4 | Tissue | | 나550+나550 | C5911+C5533 | | 0 | 54,510 | 54,510 | 56,150 | 56,150 |
| 80626 | Biopsy(4-6)+Stain | Tissue | | 나550외 | C5912+C5533 | | 0 | 35,350 | 35,350 | 36,410 | 36,410 |
| 80334 | Biopsy(4-6)+Stain T&C | Tissue | | 나550외 | C5912+C5533 | | 0 | 35,350 | 35,350 | 36,410 | 36,410 |
| 80628 | Biopsy(7-9)+Stain | Tissue | | 나550외 | C5913+C5533 | | 0 | 42,230 | 42,230 | 43,500 | 43,500 |
| 80335 | Biopsy(7-9)+Stain T&C | Tissue | | 나550외 | C5913+C5533 | | 0 | 42,230 | 42,230 | 43,500 | 43,500 |
| 80645 | biopsy구축학적검사(1) | Tissue | | 나550라(1) | C5505 | | 1658.74 | 116,280 | 116,280 | 119,760 | 119,760 |
| 80646 | biopsy구축학적검사(2) | Tissue | | 나550라(2) | C5508 | | 1128.59 | 79,110 | 79,110 | 81,480 | 81,480 |
| 80349 | biopsy구축학적검사(3) T&C | Tissue | | 나550라(2) | C5508 | | 1128.59 | 79,110 | 79,110 | 81,480 | 81,480 |
| 80635 | Biopsy절편(≤6)+호르몬×2 | Tissue | | 나550+나550 | C5916+C5590 | | 0 | 91,520 | 91,520 | 94,270 | 94,270 |
| 80631 | Biopsy절편(≤6)+Stain | Tissue | | 나550+나550 | C5916+C5533 | | 0 | 39,940 | 39,940 | 41,130 | 41,130 |
| 80632 | Biopsy절편(≤6)+Stain×2 | Tissue | | 나550+나550 | C5916+C5533 | | 0 | 48,620 | 48,620 | 50,070 | 50,070 |
| 80633 | Biopsy절편(≤6)+Stain×3 | Tissue | | 나550+나550 | C5916+C5533 | | 0 | 57,300 | 57,300 | 59,010 | 59,010 |
| 80634 | Biopsy절편(≤6)+Stain×4 | Tissue | | 나550+나550 | C5916+C5533 | | 0 | 65,980 | 65,980 | 67,950 | 67,950 |
| 80520 | Biopsy탈회과정(S) | Tissue | | 나550 | C5509외 | | 0 | 23,080 | 23,080 | 23,780 | 23,780 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-------------------------------|-------------------|----------------------|-----------|-------------|-----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 11680 | Biotinidase 정량 | EDTA Plasma | Spectrophotometry | 노333 | CZ333 | | 0 | 0 | 130,000 | 0 | 85,000 |
| 50470 | Blastomyces Ab | SST Serum | Immuno-diffusion | | | 국외 | 0 | 0 | 289,000 | 0 | 297,700 |
| 30010 | Blood Cell Morphology | EDTA Blood | 검경법 | 나110 | B1100006 | | 75.56 | 5,300 | 5,300 | 5,460 | 5,460 |
| 70241 | Blood Culture & S(MIC)(G) | Blood | MIC | 나405+나406 | B4051+B4062 | | 0 | 24,550 | 24,550 | 25,280 | 25,280 |
| 70230 | Blood Culture & Sensi(Disk) | Blood | Culture | 나405가 | B4051 | | 168.28 | 11,800 | 11,800 | 12,150 | 12,150 |
| 70235 | Blood Culture & Sensi(G) | Other | | 나405+나406 | B4051+B4061 | | 0 | 19,910 | 19,910 | 20,510 | 20,510 |
| 70245 | Blood Culture & Sensi(MIC) | Blood | Culture | 나405가 | B4051 | | 168.28 | 11,800 | 11,800 | 12,150 | 12,150 |
| 71020 | Body Fluid Analysis | Body Fluid | Manual | 나51 | B0510 | | 51.91 | 3,640 | 3,640 | 3,750 | 3,750 |
| 71021 | Body Fluid Analysis(Joint) | Joint Fluid | Manual | 나51 | B0510 | | 51.91 | 3,640 | 3,640 | 3,750 | 3,750 |
| 71060 | Body Fluid Cell count | Body Fluid | Manual | 나51 | B0510 | | 51.91 | 3,640 | 3,640 | 3,750 | 3,750 |
| 11941 | Bone ALP | SST Serum | CLIA | 나398 | C3980 | | 91.46 | 6,410 | 6,410 | 6,600 | 6,600 |
| 30135 | Bone Marrow Consultant | Bone Marrow Slide | | 나111가주1 | B1113 | | 513.19 | 35,970 | 35,970 | 37,050 | 37,050 |
| 30130 | Bone Marrow Examination | Bone Marrow Slide | Manual | 나111가주1 | B1113 | | 513.19 | 35,970 | 35,970 | 37,050 | 37,050 |
| 80550 | Bone Section | Tissue | | 나552 | C5520 | | 346.62 | 24,300 | 24,300 | 25,030 | 25,030 |
| 80555 | Bone Section(한병리) | Tissue | | 나552 | C5520 | | 346.62 | 24,300 | 24,300 | 25,030 | 25,030 |
| 80552 | Bone Section(CFC) | Tissue | | 나552 | C5520 | | 346.62 | 24,300 | 24,300 | 25,030 | 25,030 |
| 80551 | Bone Section(T&C) | Tissue | | 나552 | C5520 | | 346.62 | 24,300 | 24,300 | 25,030 | 25,030 |
| 29077 | BRAF gene mutation | Tissue | | 노596가(40) | CZ857 | | 0 | 0 | 110,000 | 0 | 113,000 |
| 29065 | BRAF V600E mutation | Thyroid | real time PCR | 노596 | CZ854 | | 0 | 0 | 87,000 | 0 | 90,000 |
| 29067 | BRAF V600E mutation(melanoma) | Tissue | real time PCR | | | | 0 | 0 | 87,000 | 0 | 90,000 |
| 25368 | BRCA family test | EDTA Blood | Sequencing | | | | 0 | 0 | 91,000 | 0 | 93,700 |
| 25350 | BRCA1 | EDTA Blood | Sequencing | 나599나(4) | CY713006 | | 7624.85 | 534,500 | 534,500 | 550,510 | 550,510 |
| 25351 | BRCA1 (서울대) | EDTA Blood | Sequencing | 나599나(4) | CY713006 | | 7624.85 | 534,500 | 534,500 | 550,510 | 550,510 |
| 25360 | BRCA2 | EDTA Blood | Sequencing | 나599나(4) | CY714006 | | 7624.85 | 534,500 | 534,500 | 550,510 | 550,510 |
| 25361 | BRCA2 (서울대) | EDTA Blood | Sequencing | 나599나(4) | CY714006 | | 7624.85 | 534,500 | 534,500 | 550,510 | 550,510 |
| 65791 | Brodifacoum | Plain Serum | HPLC | | | 국외 | 0 | 0 | 474,000 | 0 | 488,200 |
| 65680 | Bromide | Plain Serum | | | | 국외 | 0 | 0 | 195,000 | 0 | 200,900 |
| 81900 | BRST-2(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 50510 | Brucella Ab (NIH) | SST Serum | | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 10860 | BUN | SST Serum | Enzyme | 나373 | C3730 | | 21.52 | 1,510 | 1,510 | 1,550 | 1,550 |
| 10862 | BUN | Random Urine | Enzyme | 나373 | C3730 | | 21.52 | 1,510 | 1,510 | 1,550 | 1,550 |
| 10861 | BUN(24hr U) | 24hr Urine | Enzyme | 나373 | C3730 | | 21.52 | 1,510 | 1,510 | 1,550 | 1,550 |
| 70727 | C. difficile culture | Stool | Culture | 너302가 | BY021 | | 181.51 | 12,720 | 12,720 | 13,110 | 13,110 |
| 70724 | C. difficile toxin A,B | Stool | EIA | 너302나 | BY022 | | 133.91 | 9,390 | 9,390 | 9,670 | 9,670 |
| 20010 | C1 inactivator | SST Serum | RID | 노111 | CZ111 | | 0 | 0 | 59,000 | 0 | 60,800 |
| 30880 | C1 inactivator activity | SC Plasma | 발색성합성기질법 | 노111 | CZ111 | 국외 | 0 | 0 | 130,000 | 0 | 133,900 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|---------------------------|------------------|-----------------------|----------|----------|----|---------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 20020 | C1q | SST Serum | RID | 나226사 | C2267 | | 108.31 | 7,590 | 7,590 | 7,820 | 7,820 |
| 20030 | C2 | SST Serum | RID | | | 국외 | 0 | 0 | 255,000 | 0 | 262,700 |
| 20031 | C2 | EDTA Plasma | RID | | | 국외 | 0 | 0 | 255,000 | 0 | 262,700 |
| 20040 | C3 | SST Serum | TIA | 나226가 | C2261 | | 108.17 | 7,580 | 7,580 | 7,810 | 7,810 |
| 20050 | C3a | EDTA Plasma | RIA | | | 국외 | 0 | 0 | 228,000 | 0 | 234,800 |
| 20070 | C4 | SST Serum | TIA | 나226나 | C2262 | | 106.47 | 7,460 | 7,460 | 7,690 | 7,690 |
| 81156 | C4d | Tissue | | 나554 | C5548 | | 249.95 | 17,520 | 17,520 | 18,050 | 18,050 |
| 81155 | C4d(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81157 | C4d(IHC) 성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 20090 | C5 | SST Serum | RID | | | 국외 | 0 | 0 | 255,000 | 0 | 262,700 |
| 20110 | C6 | SST Serum | RID | | | 국외 | 0 | 0 | 255,000 | 0 | 262,700 |
| 20120 | C7 | SST Serum | RID | | | 국외 | 0 | 0 | 255,000 | 0 | 262,700 |
| 20150 | C9 | SST Serum | RID | | | 국외 | 0 | 0 | 255,000 | 0 | 262,700 |
| 01510 | CA 54/61 | SST Serum | ELISA | | | 국외 | 0 | 0 | 78,000 | 0 | 80,300 |
| 01520 | CA 602 | SST Serum | ELISA | | | 국외 | 0 | 0 | 78,000 | 0 | 80,300 |
| 01482 | CA 72-4 (ECLIA) | SST Serum | ECLIA | 나426 | C4260 | | 280.19 | 19,640 | 19,640 | 20,230 | 20,230 |
| 10090 | Ca++ | SST Serum | Electrode | 나379바 | C3796 | | 81.11 | 5,690 | 5,690 | 5,860 | 5,860 |
| 10091 | Ca++ | Hp Plasma | Electrode | 나379바 | C3796 | | 81.11 | 5,690 | 5,690 | 5,860 | 5,860 |
| 01495 | CA125 (ECLIA) | SST Serum | ECLIA | 나424 | C4240 | | 253.63 | 17,780 | 17,780 | 18,310 | 18,310 |
| 01455 | CA15-3 (ECLIA) | SST Serum | ECLIA | 나433 | C4330 | | 251.58 | 17,640 | 17,640 | 18,160 | 18,160 |
| 01465 | CA19-9 (ECLIA) | SST Serum | ECLIA | 나423 | C4230 | | 263.56 | 18,480 | 18,480 | 19,030 | 19,030 |
| 01466 | CA19-9 (ECLIA) | Body Fluid | ECLIA | 나423 | C4230 | | 263.56 | 18,480 | 18,480 | 19,030 | 19,030 |
| 01462 | CA19-9 (RIA) | SST Serum | RIA | 나423주 | C7423 | | 247.27 | 17,330 | 17,330 | 17,850 | 17,850 |
| 12692 | Cadmium(Cd) | Trace EDTA Blood | ICP/MS | 나452나(2) | C4523650 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 12693 | Cadmium(Cd) | 24hr Urine | ICP/MS | 나452나(2) | C4523650 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 12694 | Cadmium(Cd) | Random Urine | ICP/MS | 나452나(2) | C4523650 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 12695 | Cadmium(Cd) (아산) | Hp Blood | AAS | 나452나(2) | C4523650 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 28080 | CAG repeats of Androgen R | EDTA Blood | PCR Fragment analysis | 너573마 | CY539006 | | 1199.67 | 84,100 | 84,100 | 86,620 | 86,620 |
| 01900 | Calcitonin | SST Serum | RIA | 나356주 | C7356 | | 153.33 | 10,750 | 10,750 | 11,070 | 11,070 |
| 81190 | Calcitonin(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 01911 | Calcitonin-1회 | SST Serum | RIA | 나356주 | C7356 | | 153.33 | 10,750 | 10,750 | 11,070 | 11,070 |
| 01912 | Calcitonin-2회 | SST Serum | RIA | 나356주 | C7356 | | 153.33 | 10,750 | 10,750 | 11,070 | 11,070 |
| 01913 | Calcitonin-3회 | SST Serum | RIA | 나356주 | C7356 | | 153.33 | 10,750 | 10,750 | 11,070 | 11,070 |
| 01914 | Calcitonin-4회 | SST Serum | RIA | 나356주 | C7356 | | 153.33 | 10,750 | 10,750 | 11,070 | 11,070 |
| 01915 | Calcitonin-5회 | SST Serum | RIA | 나356주 | C7356 | | 153.33 | 10,750 | 10,750 | 11,070 | 11,070 |
| 01916 | Calcitonin-6회 | SST Serum | RIA | 나356주 | C7356 | | 153.33 | 10,750 | 10,750 | 11,070 | 11,070 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-------------------------|--------------|----------------------|-----------|-------------|----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 01917 | Calcitonin-7회 | SST Serum | RIA | 나356주 | C7356 | | 153.33 | 10,750 | 10,750 | 11,070 | 11,070 |
| 01918 | Calcitonin-8회 | SST Serum | RIA | 나356주 | C7356 | | 153.33 | 10,750 | 10,750 | 11,070 | 11,070 |
| 10070 | Calcium (Ca) | SST Serum | Colorimetry | 나379마 | C3795 | | 15.94 | 1,120 | 1,120 | 1,150 | 1,150 |
| 10072 | Calcium (Ca) | Random Urine | Colorimetry | 나379마 | C3795 | | 15.94 | 1,120 | 1,120 | 1,150 | 1,150 |
| 10071 | Calcium (Ca)(24hr U) | 24hr Urine | Colorimetry | 나379마 | C3795 | | 15.94 | 1,120 | 1,120 | 1,150 | 1,150 |
| 10077 | Calcium excretion | 복수검체 | 계산법 | 나379마외 | C3795외 | | 0 | 0 | 3,460 | 0 | 3,570 |
| 81837 | Calretinin(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 01195 | C-AMP | EDTA Plasma | RIA | 노205 | CZ205 | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 01196 | C-AMP | 24hr Urine | RIA | 노205 | CZ205 | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 01197 | C-AMP | Random Urine | RIA | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 71050 | Campylobacter Culture | Stool | Culture | 나405가 | B4051 | | 168.28 | 11,800 | 11,800 | 12,150 | 12,150 |
| 50520 | Campylobacter jejuni Ab | SST Serum | ELISA | | | 국외 | 0 | 0 | 283,000 | 0 | 291,500 |
| 50530 | Candida Ab | SST Serum | Immuno-diffusion | | | 국외 | 0 | 0 | 238,000 | 0 | 245,100 |
| 50540 | Candida Ag | SST Serum | Latex | | | 국외 | 0 | 0 | 41,000 | 0 | 42,200 |
| 50541 | Candida Ag | CSF | Latex | | | 국외 | 0 | 0 | 41,000 | 0 | 42,200 |
| 50542 | Candida Ag 정성 | SST Serum | Latex | 나408 | B4080 | | 79.57 | 5,580 | 5,580 | 5,740 | 5,740 |
| 42695 | Candida species PCR | 분비물 | PCR | 나5950아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 65400 | Cannabinoids 정성 | Random Urine | | | | | 0 | 0 | 8,500 | 0 | 8,800 |
| 01800 | CAR autoantibodies | SST Serum | Western blot | | | 국외 | 0 | 0 | 652,000 | 0 | 671,600 |
| 65200 | Carbamazepine | SST Serum | 면역형광법 | 나450나(2) | C4504030 | | 252.59 | 17,710 | 17,710 | 18,240 | 18,240 |
| 65210 | Carbamazepine,Free | Plain Serum | | | | 국외 | 0 | 0 | 206,000 | 0 | 212,200 |
| 20440 | Carboxy Hemoglobin | EDTA Blood | Oximeter | 나382다 | C3823 | | 54.19 | 3,800 | 3,800 | 3,910 | 3,910 |
| 11010 | Cardiac Risk Factor | SST Serum | 계산법 | 나241+C242 | C2411+C2420 | | 0 | 0 | 7,170 | 0 | 7,390 |
| 11260 | Carnitine(Vitamin BT) | SST Serum | Enzyme | | | 국외 | 0 | 0 | 113,000 | 0 | 116,400 |
| 11265 | Carnitine(Vitamin BT) | SST Serum | LC/MS/MS | 너154 | CY544 | | 296.45 | 20,780 | 20,780 | 21,400 | 21,400 |
| 11270 | Carotene | SST Serum | Colorimetry | 나255 | C2550 | | 51.11 | 3,580 | 3,580 | 3,690 | 3,690 |
| 02043 | Catecholamine 2F | EDTA Plasma | HPLC/ECD | 너228 | | | 0 | 46,620 | 46,620 | 48,020 | 48,020 |
| 02045 | Catecholamine 2F | 24hr Urine | HPLC | 너228 | | | 0 | 46,620 | 46,620 | 48,020 | 48,020 |
| 02053 | Catecholamine 3F | EDTA Plasma | HPLC/ECD | 너228 | | | 0 | 69,930 | 69,930 | 72,030 | 72,030 |
| 02056 | Catecholamine 3F | 24hr Urine | HPLC | 너228 | | | 0 | 69,930 | 69,930 | 72,030 | 72,030 |
| 26009 | CD 103 | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 26250 | CD 16 + CD 56 (NK cell) | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 26251 | CD 16 + CD 56 (NK cell) | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 25990 | CD 19 (B cell) | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 26000 | CD 20 | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 26005 | CD 20 | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|---------------------|-------------|----------------------|------|----------|----|--------|--------|--------|--------|--------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 80850 | CD 21 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80851 | CD 21(IHC)(CFC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 26008 | CD 25 | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 27460 | CD 25 | Bone Marrow | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 80840 | CD 3 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80841 | CD 3 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80843 | CD 3 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 25920 | CD 3 (T3) | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 25921 | CD 3 (T3) | Bone Marrow | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 26025 | CD 34 | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 26020 | CD 34 (Stem cell) | EDTA Blood | Flow Cytometry | 나514 | C5140006 | | 750.86 | 78,960 | 78,960 | 81,315 | 81,315 |
| 25933 | CD 4 (T helper) | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 25930 | CD 4 (T4) | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 25931 | CD 4 (T4) | Bone Marrow | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 26030 | CD 45 | EDTA Blood | | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 80915 | CD 5 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 51853 | CD 68 | Other | | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 25964 | CD 8 (T suppressor) | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 25960 | CD 8 (T8) | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 25961 | CD 8 (T8) | Bone Marrow | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 81030 | CD10 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81680 | CD10 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81838 | CD10(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 26190 | CD117 (IHC) | Block | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 26195 | CD117(c-kit)(IHC) | Block | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81580 | CD138 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81581 | CD138(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80880 | CD15 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80881 | CD15 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81210 | CD1a(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81158 | CD1a(IHC) 서울성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81211 | CD1a(IHC) 성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80930 | CD20 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81856 | CD20 (IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81240 | CD20(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80929 | CD20(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-----------------|-----------|----------------------|------|----------|----|--------|--------|--------|--------|--------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 81242 | CD20(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80931 | CD21 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81869 | CD21(IHC)TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80920 | CD25 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81855 | CD3 (IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80844 | CD3(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81185 | CD30 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81186 | CD30 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81864 | CD30(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81180 | CD31(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81181 | CD31(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81861 | CD34 (IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81130 | CD34(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81132 | CD34(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81129 | CD34(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81100 | CD35 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81105 | CD35 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81670 | CD4 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81230 | CD4(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81231 | CD4(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81250 | CD45,LCA(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81265 | CD45RB(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80910 | CD5 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81868 | CD5(IHC)TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81090 | CD56 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81091 | CD56 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81873 | CD56(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80950 | CD68 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80890 | CD79a (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81921 | CD8(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81920 | CD8(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81730 | CD99 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81735 | CDK4(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 20741 | CDT | SST Serum | Nephelometry | 노112 | CZ112 | | 0 | 0 | 43,000 | 0 | 44,300 |
| 81415 | CDX2 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81800 | Cdx2 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|-------------|----------------------|----------|----------|-----|--------|--------|--------|--------|--------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 81801 | CDX2(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 01535 | CEA (ECLIA) | SST Serum | ECLIA | 나422 | C4220 | | 230.59 | 16,160 | 16,160 | 16,650 | 16,650 |
| 01536 | CEA (ECLIA) | Body Fluid | ECLIA | 나422 | C4220 | | 230.59 | 16,160 | 16,160 | 16,650 | 16,650 |
| 81500 | CEA (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81511 | CEA (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 82155 | Cell Block 제작 | Other | | | | | 0 | 0 | 11,500 | 0 | 11,500 |
| 80046 | Cell block after (한병리) | Other | | 나594 | C5940 | | 121.73 | 8,530 | 8,530 | 8,790 | 8,790 |
| 80186 | Cell block after (CFC) | Other | | 나594 | C5940 | | 121.73 | 8,530 | 8,530 | 8,790 | 8,790 |
| 80047 | Cell block after (T&C) | Other | | 나594 | C5940 | | 121.73 | 8,530 | 8,530 | 8,790 | 8,790 |
| 80762 | Cell block after 액상흡인세포 | Thyroid | | 나594-3주2 | C5944 | | 455.9 | 31,960 | 31,960 | 32,920 | 32,920 |
| 82150 | Cell block after 체액세포병리 | Other | | 나594 | C5940 | | 121.73 | 8,530 | 8,530 | 8,790 | 8,790 |
| 80049 | Cell block after 흡인세포병리 | Thyroid | | 나594-1주2 | C5942 | | 240.08 | 16,830 | 16,830 | 17,330 | 17,330 |
| 80045 | Cell block after Cyto Exam | Other | | 나594 | C5940 | | 121.73 | 8,530 | 8,530 | 8,790 | 8,790 |
| 80980 | C-erb B2(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80982 | C-erb B2(IHC)(성모) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 20160 | Ceruloplasmin | SST Serum | TIA | 나235 | C2350 | | 113.91 | 7,990 | 7,990 | 8,220 | 8,220 |
| 20161 | Ceruloplasmin | Hp Plasma | TIA | 나235 | C2350 | | 113.91 | 7,990 | 7,990 | 8,220 | 8,220 |
| 01200 | C-GMP | EDTA Plasma | RIA | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 01205 | C-GMP | 24hr Urine | RIA | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 51640 | CH50 | SST Serum | Enzyme | 나225 | C2250 | | 104.79 | 7,350 | 7,350 | 7,570 | 7,570 |
| 71270 | Chlamydia culture | Other | Culture | | | | 0 | 0 | 3,000 | 0 | 3,000 |
| 42340 | Chlamydia pneumonia PCR | Other | PCR | 나5950아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 50580 | Chlamydia pneumoniae IgA | SST Serum | ELISA | | | 국외 | 0 | 0 | 52,000 | 0 | 53,600 |
| 50560 | Chlamydia pneumoniae IgG | SST Serum | IFA | 나474나(1) | C4742816 | | 207.72 | 14,560 | 14,560 | 15,000 | 15,000 |
| 50570 | Chlamydia pneumoniae IgM | SST Serum | IFA | 나474나(2) | C4743816 | | 205.84 | 14,430 | 14,430 | 14,860 | 14,860 |
| 50590 | Chlamydia psittaci Ab(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 20,000 | 0 | 20,600 |
| 50591 | Chlamydia psittaci Ab(CF) | CSF | CF | | | 국외 | 0 | 0 | 20,000 | 0 | 20,600 |
| 50600 | Chlamydia psittaci IgG | SST Serum | FA | | | 국외 | 0 | 0 | 85,000 | 0 | 87,600 |
| 50601 | Chlamydia psittaci IgG | CSF | FA | | | 국외 | 0 | 0 | 85,000 | 0 | 87,600 |
| 50610 | Chlamydia psittaci IgM | SST Serum | FA | | | 국외 | 0 | 0 | 85,000 | 0 | 87,600 |
| 50611 | Chlamydia psittaci IgM | CSF | FA | | | 국외 | 0 | 0 | 85,000 | 0 | 87,600 |
| 42345 | Chlamydia psittaciPCR(NIH) | Sputum | PCR | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 50650 | Chlamydia trachomatis IgA | SST Serum | EIA | | | | 0 | 0 | 26,000 | 0 | 26,800 |
| 50630 | Chlamydia trachomatis IgG | SST Serum | EIA | 나474나(1) | C4742816 | | 207.72 | 14,560 | 14,560 | 15,000 | 15,000 |
| 50640 | Chlamydia trachomatis IgM | SST Serum | EIA | 나474나(2) | C4743816 | | 205.84 | 14,430 | 14,430 | 14,860 | 14,860 |
| 42330 | Chlamydia trachomatis PCR | 분비물 | PCR | 나5950아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|------------------------------|------------------|----------------------|---------|----------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 10100 | Chloride(Cl) | SST Serum | ISE | 나379다 | C3793 | | 14.68 | 1,030 | 1,030 | 1,060 | 1,060 |
| 10102 | Chloride(Cl) | Random Urine | ISE | 나379다 | C3793 | | 14.68 | 1,030 | 1,030 | 1,060 | 1,060 |
| 10101 | Chloride(Cl)(24hr U) | 24hr Urine | ISE | 나379다 | C3793 | | 14.68 | 1,030 | 1,030 | 1,060 | 1,060 |
| 65540 | Chlorpromazine | SST Serum | GC | | | 국외 | 0 | 0 | 306,000 | 0 | 315,200 |
| 11060 | Cholesterol | EDTA Plasma | GC/MS | | | 국외 | 0 | 0 | 339,000 | 0 | 349,200 |
| 11050 | Cholesterol Ester 정량 | SST Serum | 계산법 | 나241나 | C2412 | | 16.94 | 1,190 | 1,190 | 1,220 | 1,220 |
| 11051 | Cholesterol Ester 정량 | Body Fluid | 계산법 | 나241나 | C2412 | | 16.94 | 1,190 | 1,190 | 1,220 | 1,220 |
| 10280 | Cholinesterase(Pseudo) | SST Serum | Colorimetry | 나270 | B2700 | | 39.92 | 2,800 | 2,800 | 2,880 | 2,880 |
| 10290 | Cholinesterase(RBC activity) | EDTA Blood | Enzyme | 나270 | B2700 | | 39.92 | 2,800 | 2,800 | 2,880 | 2,880 |
| 02180 | Cholyglycine | SST Serum | RIA | | | 국외 | 0 | 0 | 40,000 | 0 | 41,200 |
| 12700 | Chromium(Cr) | Trace EDTA Blood | AAS | | | | 0 | 0 | 22,000 | 0 | 22,700 |
| 12701 | Chromium(Cr) | 24hr Urine | AAS | | | | 0 | 0 | 22,000 | 0 | 22,700 |
| 12702 | Chromium(Cr) | Random Urine | AAS | | | | 0 | 0 | 22,000 | 0 | 22,700 |
| 81410 | Chromoglanin (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81760 | Chromoglanin (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81956 | Chromoglanin(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81852 | Chromogranin(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 25103 | Chromosome Analysis | Other | Culture | | | | 0 | 0 | 469,000 | 0 | 483,100 |
| 25125 | Chromosome Analysis(광주) | Hp Blood | Culture | 나600 | C6001006 | | 1286.79 | 90,200 | 90,200 | 92,910 | 92,910 |
| 25101 | Chromosome Analysis(AF) | Amniotic Fluid | Culture | | | | 0 | 0 | 469,000 | 0 | 483,100 |
| 25102 | Chromosome Analysis(BM) | Bone Marrow | Culture | 나600-1 | C6005006 | | 1658.71 | 116,280 | 116,280 | 119,760 | 119,760 |
| 25129 | Chromosome Analysis(BM) | Bone Marrow | Culture | 나600-1 | C6005006 | | 1658.71 | 116,280 | 116,280 | 119,760 | 119,760 |
| 25104 | Chromosome Analysis(CB) | Cord Blood | Culture | 나600 | C6001006 | | 1286.79 | 90,200 | 90,200 | 92,910 | 92,910 |
| 25100 | Chromosome Analysis(PB) | Hp Blood | Culture | 나600 | C6001006 | | 1286.79 | 90,200 | 90,200 | 92,910 | 92,910 |
| 25105 | Chromosome Analysis(Stem) | Stem cell | Culture | | | | 0 | 0 | 236,000 | 0 | 245,000 |
| 25126 | Chromosome test (아산) | Hp Blood | Culture | 나600 | C6001006 | | 1286.79 | 90,200 | 90,200 | 92,910 | 92,910 |
| 25122 | Chromosome Test(BM) | Bone Marrow | | 나600-1 | C6005006 | | 1658.71 | 116,280 | 116,280 | 119,760 | 119,760 |
| 25124 | Chromosome Test(CB) | Hp Blood | | 나600 | C6001006 | | 1286.79 | 90,200 | 90,200 | 92,910 | 92,910 |
| 25150 | Chromosome Test(leukemiaB) | Hp Blood | | 나600-1 | C6005006 | | 1658.71 | 116,280 | 116,280 | 119,760 | 119,760 |
| 25120 | Chromosome Test(PB) | Hp Blood | | 나600 | C6001006 | | 1286.79 | 90,200 | 90,200 | 92,910 | 92,910 |
| 25127 | Chromosome test(Solid tumor) | Solid tumor | Culture | 나600-1나 | CX568006 | | 3528.56 | 247,350 | 247,350 | 254,760 | 254,760 |
| 25176 | Chromosome(Direct) | Chorion | | | | | 0 | 0 | 108,000 | 0 | 111,200 |
| 25175 | Chromosome(Direct+Long) | Chorion | Culture | | | | 0 | 0 | 572,610 | 0 | 589,800 |
| 25190 | Chromosome(High Resolution) | Hp Blood | Culture | 나600-2 | C6006006 | | 1590.33 | 111,480 | 111,480 | 114,820 | 114,820 |
| 25191 | Chromosome(High Resolution) | Amniotic Fluid | Culture | | | | 0 | 0 | 469,000 | 0 | 483,100 |
| 25165 | Chromosome(Long Term) | Chorion | Culture | | | | 0 | 0 | 469,000 | 0 | 483,100 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|--------------|----------------------|----------|----------|----|--------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 26235 | Chronic Leukemia panel | Bone Marrow | Flow Cytometry | 나512 | C5120006 | | 451.56 | 569,700 | 569,700 | 586,800 | 586,800 |
| 65010 | Cisplatin (Free) | SST Serum | AAS | | | | 0 | 0 | 170,000 | 0 | 175,100 |
| 65020 | Cisplatin (Total) | SST Serum | AAS | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 65030 | Cisplatin (Urine) | Random Urine | AAS | | | | 0 | 0 | 68,000 | 0 | 70,000 |
| 10520 | Citrate | 24hr Urine | Enzyme | 너345가(2) | CY342 | | 201.9 | 14,150 | 14,150 | 14,580 | 14,580 |
| 10525 | Citrate | SST Serum | UV | 너345가(2) | CY342 | | 201.9 | 14,150 | 14,150 | 14,580 | 14,580 |
| 81060 | CK (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81064 | CK (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81720 | CK (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81062 | CK 20 (Cytokeratin20)(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81066 | CK 5/6 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81061 | CK 7 (Cytokeratin 7) (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81015 | CK HMW(CK 1,5,10,14)(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 20580 | CK Isoenzyme | SST Serum | Electrophoresis | 나304 | B3040006 | | 163.72 | 11,480 | 11,480 | 11,820 | 11,820 |
| 20581 | CK Isoenzyme | Body Fluid | | 나304 | B3040006 | | 163.72 | 11,480 | 11,480 | 11,820 | 11,820 |
| 81820 | CK(A1/A3)(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 10300 | CK(Creatine kinase) | SST Serum | Enzyme | 나263 | B2630 | | 55.99 | 3,920 | 3,920 | 4,040 | 4,040 |
| 10301 | CK(Creatine kinase) | Body Fluid | Enzyme | 나263 | B2630 | | 55.99 | 3,920 | 3,920 | 4,040 | 4,040 |
| 81834 | CK(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81067 | CK20(Cytokeratin20)(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81859 | CK20(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81865 | CK5(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81867 | CK5/6(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81866 | CK6(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81065 | CK7 (Cytokeratin7)(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81890 | CK-7(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 10316 | CK-BB | SST Serum | Electrophoresis | 나304 | B3040006 | | 163.72 | 11,480 | 11,480 | 11,820 | 11,820 |
| 81630 | c-kit (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 29256 | c-kit mutation | EDTA Blood | Sequencing | 노595(31) | CZ625 | | 0 | 0 | 217,000 | 0 | 223,500 |
| 81849 | C-kit(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 10310 | CK-MB 정량 | SST Serum | ECLIA | 나264 | B2640 | | 153.12 | 10,730 | 10,730 | 11,060 | 11,060 |
| 10315 | CK-MM | SST Serum | Electrophoresis | 나304 | B3040006 | | 163.72 | 11,480 | 11,480 | 11,820 | 11,820 |
| 65220 | Clonazepam | SST Serum | HPLC | | | 국외 | 0 | 0 | 78,000 | 0 | 80,300 |
| 65221 | Clonazepam | Plain Serum | LC/MS/MS | 나450 | CX375696 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 50849 | Clonorchis IgG(BF) | Body Fluid | ELISA | | | | 0 | 0 | 18,880 | 0 | 19,450 |
| 50845 | Clonorchis IgG(S) | SST Serum | ELISA | 나472나(1) | C4722616 | | 269.38 | 18,880 | 18,880 | 19,450 | 19,450 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|--------------|----------------------|----------|----------|-----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 65770 | Clozapine | Plain Serum | LC/MS/MS | 나450나(4) | CX375696 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 81333 | c-MET(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81510 | CMV (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 42356 | CMV 정량 (Real-time PCR) | EDTA Blood | real time PCR | 노598마 | CZ963 | | 0 | 0 | 104,000 | 0 | 107,100 |
| 50670 | CMV Antigenemia | EDTA Blood | | 나469 | C4690426 | | 203.37 | 14,260 | 14,260 | 14,680 | 14,680 |
| 42135 | CMV culture | Other | Shell Vial Culture | 나416 | B4160006 | | 574.26 | 40,260 | 40,260 | 41,460 | 41,460 |
| 42136 | CMV culture(조직) | Tissue | Shell Vial Culture | 나416 | B4160006 | | 574.26 | 40,260 | 40,260 | 41,460 | 41,460 |
| 42350 | CMV DNA(PCR) | EDTA Blood | PCR | 나595가 | C5951006 | | 426.21 | 29,880 | 29,880 | 30,770 | 30,770 |
| 40305 | CMV IgG | SST Serum | CIA | 나468나(1) | C4682426 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 40306 | CMV IgG | CSF | CIA | 나468나(1) | C4682426 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 40315 | CMV IgM | SST Serum | CIA | 나468나(2) | C4683426 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 40316 | CMV IgM | CSF | CIA | 나468나(2) | C4683426 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 42359 | CMV in situ hybridization | Tissue | Insitu Hybridization | 너567나 | CY672006 | | 560.05 | 39,260 | 39,260 | 40,440 | 40,440 |
| 40270 | CMV(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40271 | CMV(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40272 | CMV(CF) | Body Fluid | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 81513 | CMV(IHC) 성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81872 | CMV(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 10110 | CO2>Total | SST Serum | Enzyme | 나381나 | C3812 | | 45.04 | 3,160 | 3,160 | 3,250 | 3,250 |
| 12712 | Cobalt(Co) | 24hr Urine | AAS | | | | 0 | 0 | 22,000 | 0 | 22,700 |
| 12713 | Cobalt(Co) | Hp Blood | AAS | | | | 0 | 0 | 22,000 | 0 | 22,700 |
| 65410 | Cocaine 정성 | Random Urine | | | | | 0 | 0 | 8,500 | 0 | 8,800 |
| 50525 | Coccidioidomycosis Ab(NIH) | SST Serum | Immuno-diffusion | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 50710 | Cold Agglutinin | SST Serum | HA | 나209 | B2090006 | | 53.63 | 3,760 | 3,760 | 3,870 | 3,870 |
| 11955 | Collagen Type IV | SST Serum | Latex | | | 국외 | 0 | 0 | 52,000 | 0 | 53,600 |
| 11960 | Collagen Type IV.7S | SST Serum | RIA | | | 국외 | 0 | 0 | 83,000 | 0 | 85,500 |
| 30000 | Complete Blood Count 8종 | EDTA Blood | 자동혈구계산법 | | | | 0 | 4,410 | 4,410 | 4,530 | 4,530 |
| 20506 | Co-oximeter | EDTA Blood | Oximeter | 나370 | C3700 | | 160.26 | 11,230 | 11,230 | 11,570 | 11,570 |
| 81177 | Copper(염색만) | Tissue | Stain | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 12722 | Copper(Cu) | Tissue | AAS | 나452나(2) | C4527620 | | 619.4 | 43,420 | 43,420 | 44,720 | 44,720 |
| 12725 | Copper(Cu) | Trace Serum | ICP/MS | 나452나(2) | C4523620 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 12726 | Copper(Cu) | 24hr Urine | ICP/MS | 나452나(2) | C4523620 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 11750 | Coproporphyrin 정량 | 24hr Urine | 비색법 | 나389나(1) | C3892 | | 44.42 | 3,110 | 3,110 | 3,210 | 3,210 |
| 11740 | Coproporphyrin 정성 | Random Urine | Fluorometry | 나389가 | C3891 | | 9.88 | 690 | 690 | 710 | 710 |
| 29171 | Corneal dystrophy, TGFBI | Other | Sequencing | 노595 | CZ661 | | 0 | 0 | 159,000 | 0 | 159,000 |
| 10075 | corrected Ca | SST Serum | 계산법 | 나221 외 | C2210 외 | | 0 | 0 | 2,690 | 0 | 2,770 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|------------------------------|--------------|----------------------|----------|----------|----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 00690 | Corticosterone | SST Serum | RIA | | | 국외 | 0 | 0 | 156,000 | 0 | 160,700 |
| 00707 | Cortisol | SST Serum | CIA | 나324나(4) | C3248 | | 119.38 | 8,370 | 8,370 | 8,620 | 8,620 |
| 00721 | Cortisol-10회 | SST Serum | CIA | 나324나(4) | C3248 | | 119.38 | 8,370 | 8,370 | 8,620 | 8,620 |
| 00722 | Cortisol-11회 | SST Serum | CIA | 나324나(4) | C3248 | | 119.38 | 8,370 | 8,370 | 8,620 | 8,620 |
| 00723 | Cortisol-12회 | SST Serum | CIA | 나324나(4) | C3248 | | 119.38 | 8,370 | 8,370 | 8,620 | 8,620 |
| 00724 | Cortisol-13회 | SST Serum | CIA | 나324나(4) | C3248 | | 119.38 | 8,370 | 8,370 | 8,620 | 8,620 |
| 00725 | Cortisol-14회 | SST Serum | CIA | 나324나(4) | C3248 | | 119.38 | 8,370 | 8,370 | 8,620 | 8,620 |
| 00726 | Cortisol-15회 | SST Serum | CIA | 나324나(4) | C3248 | | 119.38 | 8,370 | 8,370 | 8,620 | 8,620 |
| 00711 | Cortisol-1회 | SST Serum | CIA | 나324나(4) | C3248 | | 119.38 | 8,370 | 8,370 | 8,620 | 8,620 |
| 00712 | Cortisol-2회 | SST Serum | CIA | 나324나(4) | C3248 | | 119.38 | 8,370 | 8,370 | 8,620 | 8,620 |
| 00713 | Cortisol-3회 | SST Serum | CIA | 나324나(4) | C3248 | | 119.38 | 8,370 | 8,370 | 8,620 | 8,620 |
| 00714 | Cortisol-4회 | SST Serum | CIA | 나324나(4) | C3248 | | 119.38 | 8,370 | 8,370 | 8,620 | 8,620 |
| 00715 | Cortisol-5회 | SST Serum | CIA | 나324나(4) | C3248 | | 119.38 | 8,370 | 8,370 | 8,620 | 8,620 |
| 00716 | Cortisol-6회 | SST Serum | CIA | 나324나(4) | C3248 | | 119.38 | 8,370 | 8,370 | 8,620 | 8,620 |
| 00717 | Cortisol-7회 | SST Serum | CIA | 나324나(4) | C3248 | | 119.38 | 8,370 | 8,370 | 8,620 | 8,620 |
| 00718 | Cortisol-8회 | SST Serum | CIA | 나324나(4) | C3248 | | 119.38 | 8,370 | 8,370 | 8,620 | 8,620 |
| 00719 | Cortisol-9회 | SST Serum | CIA | 나324나(4) | C3248 | | 119.38 | 8,370 | 8,370 | 8,620 | 8,620 |
| 00720 | Cortisone | SST Serum | RIA | | | 국외 | 0 | 0 | 176,000 | 0 | 181,300 |
| 11970 | Cotinine 정성 | Random Urine | | | | | 0 | 0 | 26,000 | 0 | 26,000 |
| 81930 | COX-2(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 40500 | Coxsackievirus A type 10(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40501 | Coxsackievirus A type 10(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40560 | Coxsackievirus A type 16(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40561 | Coxsackievirus A type 16(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40420 | Coxsackievirus A type 2(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40421 | Coxsackievirus A type 2(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40430 | Coxsackievirus A type 3(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40431 | Coxsackievirus A type 3(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40440 | Coxsackievirus A type 4(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40441 | Coxsackievirus A type 4(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40450 | Coxsackievirus A type 5(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40451 | Coxsackievirus A type 5(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40460 | Coxsackievirus A type 6(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40461 | Coxsackievirus A type 6(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40470 | Coxsackievirus A type 7(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40471 | Coxsackievirus A type 7(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-----------------------------|------------|----------------|------|----------|----|--------|--------|--------|--------|--------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 40590 | Coxsackievirus A type 9(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40591 | Coxsackievirus A type 9(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40490 | Coxsackievirus A type 9(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40491 | Coxsackievirus A type 9(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40710 | Coxsackievirus B type 1(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40711 | Coxsackievirus B type 1(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40610 | Coxsackievirus B type 1(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40611 | Coxsackievirus B type 1(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40720 | Coxsackievirus B type 2(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40721 | Coxsackievirus B type 2(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40620 | Coxsackievirus B type 2(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40621 | Coxsackievirus B type 2(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40730 | Coxsackievirus B type 3(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40731 | Coxsackievirus B type 3(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40630 | Coxsackievirus B type 3(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40631 | Coxsackievirus B type 3(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40740 | Coxsackievirus B type 4(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40741 | Coxsackievirus B type 4(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40640 | Coxsackievirus B type 4(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40641 | Coxsackievirus B type 4(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40750 | Coxsackievirus B type 5(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40751 | Coxsackievirus B type 5(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40652 | Coxsackievirus B type 5(NT) | Body Fluid | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40650 | Coxsackievirus B type 5(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40651 | Coxsackievirus B type 5(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40760 | Coxsackievirus B type 6(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40761 | Coxsackievirus B type 6(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40660 | Coxsackievirus B type 6(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40661 | Coxsackievirus B type 6(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 42121 | Coxsackievirus culture | Other | Culture | 나416 | B4160006 | | 574.26 | 40,260 | 40,260 | 41,460 | 41,460 |
| 00965 | C-peptide | SST Serum | CMIA | 나343 | C3430 | | 202.69 | 14,210 | 14,210 | 14,630 | 14,630 |
| 00966 | C-peptide | 24hr Urine | CMIA | 나343 | C3430 | | 202.69 | 14,210 | 14,210 | 14,630 | 14,630 |
| 00983 | C-Peptide-10회 | SST Serum | CMIA | 나343 | C3430 | | 202.69 | 14,210 | 14,210 | 14,630 | 14,630 |
| 00984 | C-Peptide-11회 | SST Serum | CMIA | 나343 | C3430 | | 202.69 | 14,210 | 14,210 | 14,630 | 14,630 |
| 00985 | C-Peptide-12회 | SST Serum | CMIA | 나343 | C3430 | | 202.69 | 14,210 | 14,210 | 14,630 | 14,630 |
| 00986 | C-Peptide-13회 | SST Serum | CMIA | 나343 | C3430 | | 202.69 | 14,210 | 14,210 | 14,630 | 14,630 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|--------------|----------------------|----------|-------------|-----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 00987 | C-Peptide-14회 | SST Serum | CMIA | 나343 | C3430 | | 202.69 | 14,210 | 14,210 | 14,630 | 14,630 |
| 00988 | C-Peptide-15회 | SST Serum | CMIA | 나343 | C3430 | | 202.69 | 14,210 | 14,210 | 14,630 | 14,630 |
| 00971 | C-Peptide-1회 | SST Serum | CMIA | 나343 | C3430 | | 202.69 | 14,210 | 14,210 | 14,630 | 14,630 |
| 00972 | C-Peptide-2회 | SST Serum | CMIA | 나343 | C3430 | | 202.69 | 14,210 | 14,210 | 14,630 | 14,630 |
| 00973 | C-Peptide-3회 | SST Serum | CMIA | 나343 | C3430 | | 202.69 | 14,210 | 14,210 | 14,630 | 14,630 |
| 00974 | C-Peptide-4회 | SST Serum | CMIA | 나343 | C3430 | | 202.69 | 14,210 | 14,210 | 14,630 | 14,630 |
| 00975 | C-Peptide-5회 | SST Serum | CMIA | 나343 | C3430 | | 202.69 | 14,210 | 14,210 | 14,630 | 14,630 |
| 00976 | C-Peptide-6회 | SST Serum | CMIA | 나343 | C3430 | | 202.69 | 14,210 | 14,210 | 14,630 | 14,630 |
| 00977 | C-Peptide-7회 | SST Serum | CMIA | 나343 | C3430 | | 202.69 | 14,210 | 14,210 | 14,630 | 14,630 |
| 00978 | C-Peptide-8회 | SST Serum | CMIA | 나343 | C3430 | | 202.69 | 14,210 | 14,210 | 14,630 | 14,630 |
| 00979 | C-Peptide-9회 | SST Serum | CMIA | 나343 | C3430 | | 202.69 | 14,210 | 14,210 | 14,630 | 14,630 |
| 27431 | CRE(NDM-1 CRE)(NIH) | 균주 | PCR | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 10900 | Crea.Clearance Test | 복수검체 | 계산법 | 나376 | C3760 | | 44.35 | 3,110 | 3,110 | 3,200 | 3,200 |
| 10870 | Creatine | SST Serum | Colorimetry | | | 국외 | 0 | 0 | 3,240 | 0 | 3,300 |
| 10871 | Creatine | 24hr Urine | Colorimetry | | | 국외 | 0 | 0 | 3,240 | 0 | 3,300 |
| 10872 | Creatine | Random Urine | Colorimetry | | | 국외 | 0 | 0 | 3,240 | 0 | 3,300 |
| 10882 | Creatinine | Random Urine | Enzyme | 나375 | C3750 | | 16.75 | 1,170 | 1,170 | 1,210 | 1,210 |
| 10883 | Creatinine | SST Serum | Enzyme | 나375 | C3750 | | 16.75 | 1,170 | 1,170 | 1,210 | 1,210 |
| 10881 | Creatinine(24hr U) | 24hr Urine | Enzyme | 나375 | C3750 | | 16.75 | 1,170 | 1,170 | 1,210 | 1,210 |
| 29200 | Creutzfeldt-Jakob D(NIH) | 복수검체 | Western blot | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 50720 | CRP | SST Serum | TIA | 나224가 | C2241 | | 19.43 | 1,360 | 1,360 | 1,400 | 1,400 |
| 50721 | CRP | CSF | TIA | 나224가 | C2241 | | 19.43 | 1,360 | 1,360 | 1,400 | 1,400 |
| 50732 | CRP정량(HS-CRP) | SST Serum | TIA | 나224나 | C2243 | | 106.53 | 7,470 | 7,470 | 7,690 | 7,690 |
| 50733 | CRP정량(HS-CRP) | CSF | TIA | 나224나 | C2243 | | 106.53 | 7,470 | 7,470 | 7,690 | 7,690 |
| 20170 | Cryoglobulin 정성 | SST Serum | 한냉침전법 | 나500가 | C5001 | | 31.27 | 2,190 | 2,190 | 2,260 | 2,260 |
| 50740 | Cryptococcus Ag | SST Serum | Latex | 나408 | B4080 | | 79.57 | 5,580 | 5,580 | 5,740 | 5,740 |
| 50741 | Cryptococcus Ag | CSF | Latex | 나408 | B4080 | | 79.57 | 5,580 | 5,580 | 5,740 | 5,740 |
| 13010 | CTx | SST Serum | ECLIA | 나393-2 | C3932 | | 181.32 | 12,710 | 12,710 | 13,090 | 13,090 |
| 70110 | Culture | Other | | 나405가 | B4051 | | 168.28 | 11,800 | 11,800 | 12,150 | 12,150 |
| 70155 | Culture & Sensi(MIC)(G) | Other | | 나405+나40 | B4051+B4062 | | 0 | 24,550 | 24,550 | 25,280 | 25,280 |
| 70120 | Culture & Sensitivity | Other | | 나405가 | B4051 | | 168.28 | 11,800 | 11,800 | 12,150 | 12,150 |
| 70125 | Culture & Sensitivity(G) | Other | | 나405+나40 | B4051+B4061 | | 0 | 19,910 | 19,910 | 20,510 | 20,510 |
| 70150 | Culture & Sensitivity(MIC) | Other | MIC | 나405가 | B4051 | | 168.28 | 11,800 | 11,800 | 12,150 | 12,150 |
| 80985 | CXCL13 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 65700 | Cyanide | EDTA Blood | Colorimetry | | | 국외 | 0 | 0 | 190,000 | 0 | 195,700 |
| 81020 | Cyclin D1 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|--------------------------------|--------------|----------------------|----------|-------------|-----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 65550 | Cyclosporin | EDTA Blood | RIA | 나450나(2) | C7451150 | | 212.51 | 14,900 | 14,900 | 15,340 | 15,340 |
| 65551 | Cyclosporin (LC-MS/MS) | EDTA Blood | LC/MS/MS | 나450나(4) | CX375696 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 01545 | CYFRA 21-1 | SST Serum | EIA | 노285 | CZ285 | | 0 | 0 | 39,000 | 0 | 40,200 |
| 27735 | CYP2C19 Genotyping | EDTA Blood | real time PCR | 노597(4) | CZ900 | | 0 | 0 | 90,000 | 0 | 93,000 |
| 27790 | CYP2C19 major polymorphism | EDTA Blood | Sequencing | 노597 | CZ900 | | 0 | 0 | 78,000 | 0 | 80,300 |
| 27510 | CYP2C9 major polymorphism | EDTA Blood | Sequencing | 노597 | CZ905 | | 0 | 0 | 80,000 | 0 | 82,400 |
| 27517 | CYP2C9,VKORC1 major polymorphi | EDTA Blood | Sequencing | 노597 | CZ905,CZ906 | | 0 | 0 | 105,000 | 0 | 108,200 |
| 12980 | Cystatin C | SST Serum | TIA | 너131 | CX131 | | 112.18 | 7,860 | 7,860 | 8,100 | 8,100 |
| 50846 | Cysticercus IgG(BF) | Body Fluid | ELISA | | | | 0 | 0 | 18,880 | 0 | 19,450 |
| 50851 | Cysticercus IgG(CSF) | CSF | ELISA | | | | 0 | 0 | 18,880 | 0 | 19,450 |
| 50842 | Cysticercus IgG(S) | SST Serum | ELISA | 나472나(1) | C4722616 | | 269.38 | 18,880 | 18,880 | 19,450 | 19,450 |
| 80055 | Cytospin체액세포병리검사 | Other | Pap stain | 나593나 | C5931 | | 97.75 | 6,850 | 6,850 | 7,060 | 7,060 |
| 80855 | D2-40 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 30680 | D-dimer 정량 | SC Plasma | TIA | 나172나 | B1723 | | 176.33 | 12,360 | 12,360 | 12,730 | 12,730 |
| 31060 | D-dimer 정성 | SC Plasma | TIA | 나172가 | B1721 | | 40.93 | 2,870 | 2,870 | 2,960 | 2,960 |
| 52350 | Dengue virus IgG/IgM (NIH) | SST Serum | | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 12381 | Deoxyypyridinoline(DPD) | Random Urine | EIA | 나393 | C3930 | | 182.85 | 12,820 | 12,820 | 13,200 | 13,200 |
| 65561 | Desipramine | Plain Serum | LC/MS/MS | 나450나(4) | CX375696 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 81270 | Desmin(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81271 | Desmin(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81272 | Desmin(IHC) CFC | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 00730 | DHEA | SST Serum | RIA | 노199 | CZ199 | | 0 | 0 | 143,000 | 0 | 147,300 |
| 00746 | DHEA-S (ECLIA) | SST Serum | ECLIA | 나364 | C3640 | | 259.09 | 18,160 | 18,160 | 18,710 | 18,710 |
| 29560 | DHR | EDTA Blood | Flow Cytometry | 너491가 | CY901006 | | 333.31 | 23,370 | 23,370 | 24,060 | 24,060 |
| 42575 | Diarrhea bacteria PCR | Stool | PCR | 나595아 | C5956006 | | 415.49 | 58,260 | 58,260 | 60,000 | 60,000 |
| 65230 | Diazepam (HPLC) | SST Serum | HPLC | | | 국외 | 0 | 0 | 85,000 | 0 | 87,600 |
| 65235 | Diazepam (LC-MS/MS) | Plain Serum | LC/MS/MS | 나450나(4) | CX375016 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 65792 | Difenacoum | Plain Serum | HPLC | | | 국외 | 0 | 0 | 374,000 | 0 | 385,200 |
| 30020 | Differential Count | EDTA Blood | 자동혈구계산법 | 나109가 | B1091 | | 25.35 | 1,780 | 1,780 | 1,830 | 1,830 |
| 65041 | Digitoxin | Plain Serum | Immuno assay | | | 국외 | 0 | 0 | 157,000 | 0 | 161,700 |
| 65051 | Digoxin | SST Serum | CIA | 나450나(2) | C4504090 | | 252.59 | 17,710 | 17,710 | 18,240 | 18,240 |
| 71290 | Diphtheria culture (NIH) | Other | Culture | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 10050 | Direct Bilirubin | SST Serum | Colorimetry | 나372나 | C3721 | | 17.55 | 1,230 | 1,230 | 1,270 | 1,270 |
| 10051 | Direct Bilirubin | Capillary | Colorimetry | 나372나 | C3721 | | 17.55 | 1,230 | 1,230 | 1,270 | 1,270 |
| 30320 | Direct Coombs | EDTA Blood | Microcolumn | 나204가주주 | B2047006 | | 64.93 | 4,550 | 4,550 | 4,690 | 4,690 |
| 31070 | Direct Coombs Anti C3d,IgG | EDTA Blood | | 나204가 | B20471+406 | | 0 | 9,100 | 9,100 | 9,380 | 9,380 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|--------------|-----------------------|-----------|-------------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 65060 | Disopyramide | SST Serum | EIA | | | 국외 | 0 | 0 | 65,000 | 0 | 67,000 |
| 65061 | Disopyramide | Hp Plasma | EIA | | | 국외 | 0 | 0 | 65,000 | 0 | 67,000 |
| 25390 | DMD/BMD | EDTA Blood | Multiplex-PCR | 노596 | CZ811 | | 0 | 0 | 208,000 | 0 | 214,200 |
| 81715 | DOG1(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 50715 | Donath Landsteiner test | SST Serum | | 나210 | B2100006 | | 39.88 | 2,800 | 2,800 | 2,880 | 2,880 |
| 27480 | DRPLA | EDTA Blood | PCR Fragment analysis | 너573다 | CY533006 | | 1199.67 | 84,100 | 84,100 | 86,620 | 86,620 |
| 26840 | DRPLA gene mutation | EDTA Blood | | 너573다 | CY533006 | | 1199.67 | 84,100 | 84,100 | 86,620 | 86,620 |
| 65571 | Drug profiling test | Random Urine | LC/MS/MS | 나450가(4) | CX372690외 | | 0 | 38,420 | 38,420 | 39,580 | 39,580 |
| 30410 | Du (Weak D) Test | EDTA Blood | Microcolumn | 나202다 | B2023 | | 42.47 | 2,980 | 2,980 | 3,070 | 3,070 |
| 30431 | Duffy A 혈액형검사 | EDTA Blood | Tube | 나203 | B2030006 | | 70.22 | 4,920 | 4,920 | 5,070 | 5,070 |
| 30432 | Duffy B 혈액형검사 | EDTA Blood | Tube | 나203 | B2030006 | | 70.22 | 4,920 | 4,920 | 5,070 | 5,070 |
| 01550 | DUPAN-2 | SST Serum | EIA | 노286 | CZ286 | 국외 | 0 | 0 | 65,000 | 0 | 67,000 |
| 29060 | DYT1 (Dystonia I, torsion) | EDTA Blood | PCR-RFLP | 너562 | CY635006 | | 471.06 | 33,020 | 33,020 | 34,010 | 34,010 |
| 71222 | E.coli O157 Cul&Sensi(G) | Other | Culture | 나405+나406 | B4051+B4061 | | 0 | 19,910 | 19,910 | 20,510 | 20,510 |
| 71220 | E.coli O157 Culture | Other | Culture | 나405가 | B4051 | | 168.28 | 11,800 | 11,800 | 12,150 | 12,150 |
| 29350 | E2A-PBX1 rearrangement | EDTA Blood | Nested RT-PCR | 나597 | C5974006 | | 1631.15 | 114,340 | 114,340 | 117,770 | 117,770 |
| 42935 | EBV 정량 (Real-time PCR) | EDTA Blood | real time PCR | 노598 | CZ965 | | 0 | 0 | 104,000 | 0 | 107,100 |
| 42875 | EBV EA-DR IgG | SST Serum | EIA | 나468나(1) | C4682446 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 42876 | EBV EA-DR IgG | CSF | EIA | 나468나(1) | C4682446 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 42895 | EBV EA-DR IgM | SST Serum | EIA | 나468나(2) | C4683446 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 42896 | EBV EA-DR IgM | CSF | EIA | 나468나(2) | C4683446 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 42900 | EBV EBNA IgG | SST Serum | EIA | 나468나(1) | C4682456 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 42901 | EBV EBNA IgG | EDTA Plasma | EIA | 나468나(1) | C4682456 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 42902 | EBV EBNA IgG | CSF | EIA | 나468나(1) | C4682456 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 42910 | EBV EBNA IgM | SST Serum | EIA | 나468나(2) | C4683456 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 42911 | EBV EBNA IgM | EDTA Plasma | EIA | 나468나(2) | C4683456 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 42912 | EBV EBNA IgM | CSF | EIA | 나468나(2) | C4683456 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 42920 | EBV PCR | EDTA Blood | Nested PCR | 나595마 | C5955006 | | 386.82 | 27,120 | 27,120 | 27,930 | 27,930 |
| 40835 | EBV VCA IgG | SST Serum | EIA | 나468나(1) | C4682436 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 40836 | EBV VCA IgG | CSF | EIA | 나468나(1) | C4682436 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 40845 | EBV VCA IgM | SST Serum | EIA | 나468나(2) | C4683436 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 40846 | EBV VCA IgM | CSF | EIA | 나468나(2) | C4683436 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 81973 | EBV(IHC) 성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81881 | EBV(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 50755 | EBV(in situ) | Other | Insitu Hybridization | 너567다 | CY673006 | | 560.05 | 39,260 | 39,260 | 40,440 | 40,440 |
| 50760 | EBV(in situ) | Other | Insitu Hybridization | 너567다 | CY673006 | | 560.05 | 39,260 | 39,260 | 40,440 | 40,440 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-----------------------|-----------|----------------------|-------|----------|----|--------|--------|--------|--------|--------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 81875 | EBV(in situ) TCM | Tissue | Insitu Hybridization | 너567다 | CY673006 | | 560.05 | 39,260 | 39,260 | 40,440 | 40,440 |
| 80820 | E-Cadherin (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 42771 | Echovirus Culture | Other | Culture | 나416 | B4160006 | | 574.26 | 40,260 | 40,260 | 41,460 | 41,460 |
| 41310 | Echovirus Type 11(HI) | SST Serum | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41311 | Echovirus Type 11(HI) | CSF | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41110 | Echovirus Type 11(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41111 | Echovirus Type 11(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41320 | Echovirus Type 12(HI) | SST Serum | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41321 | Echovirus Type 12(HI) | CSF | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41120 | Echovirus Type 12(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41121 | Echovirus Type 12(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41130 | Echovirus Type 13(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41131 | Echovirus Type 13(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41160 | Echovirus Type 16(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41161 | Echovirus Type 16(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41170 | Echovirus Type 17(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41171 | Echovirus Type 17(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41180 | Echovirus Type 18(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41181 | Echovirus Type 18(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41190 | Echovirus Type 19(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41191 | Echovirus Type 19(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41210 | Echovirus Type 21(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41211 | Echovirus Type 21(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41220 | Echovirus Type 22(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41221 | Echovirus Type 22(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41240 | Echovirus Type 24(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41241 | Echovirus Type 24(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41250 | Echovirus Type 25(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41251 | Echovirus Type 25(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41030 | Echovirus Type 3(HI) | SST Serum | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41031 | Echovirus Type 3(HI) | CSF | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40930 | Echovirus Type 3(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40931 | Echovirus Type 3(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41300 | Echovirus Type 30(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41301 | Echovirus Type 30(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40940 | Echovirus Type 4(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|--------------------------------|------------|----------------------|-----------|----------|-----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 40941 | Echovirus Type 4(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40950 | Echovirus Type 5(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40951 | Echovirus Type 5(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40960 | Echovirus Type 6(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40961 | Echovirus Type 6(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41070 | Echovirus Type 7(HI) | SST Serum | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41071 | Echovirus Type 7(HI) | CSF | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 40970 | Echovirus Type 7(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40971 | Echovirus Type 7(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40990 | Echovirus Type 9(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40991 | Echovirus Type 9(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40910 | Echovirus,Type 1(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 40911 | Echovirus,Type 1(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 29460 | ECM1 gene | EDTA Blood | Sequencing | | | | 0 | 0 | 837,000 | 0 | 862,100 |
| 01220 | ECP | SST Serum | CLIA | 노114 | CZ114 | | 0 | 0 | 104,000 | 0 | 107,100 |
| 01226 | ECP (Eosinophol Cationic Prote | SST Serum | FEIA | 노114 | CZ114 | | 0 | 0 | 104,000 | 0 | 107,100 |
| 27664 | EGFR gene mutation | Tissue | Sequencing | 노595 | CZ626 | | 0 | 0 | 261,000 | 0 | 268,800 |
| 26596 | EGFR(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 27658 | EGFR유전자돌연변이(여의도성모) | Tissue | | 노596가(38) | CZ855 | | 0 | 0 | 220,000 | 0 | 225,000 |
| 70980 | Egg count, EPG | Stool | 검경법 | 나68 | B0680 | | 29.1 | 2,040 | 2,040 | 2,100 | 2,100 |
| 70740 | EHEC PCR | Stool | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 01560 | Elastase 1 | SST Serum | 라텍스응집비탁법 | 노155 | BZ155 | 국외 | 0 | 0 | 78,000 | 0 | 80,300 |
| 81847 | EMA(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 52380 | Endomysial IgA | SST Serum | IFA | | | 국외 | 0 | 0 | 370,000 | 0 | 381,100 |
| 50335 | Entamoeba histolytica IgG | SST Serum | EIA | 나472가 | C4722626 | | 269.38 | 18,880 | 18,880 | 19,450 | 19,450 |
| 50336 | Entamoeba histolytica IgG | Body Fluid | EIA | 나472가 | C4722626 | | 269.38 | 18,880 | 18,880 | 19,450 | 19,450 |
| 42140 | Entero Virus Culture | Other | Culture | 나416 | B4160006 | | 574.26 | 40,260 | 40,260 | 41,460 | 41,460 |
| 42141 | Entero virus culture(조직) | Tissue | Shell Vial Culture | 나416 | B4160006 | | 574.26 | 40,260 | 40,260 | 41,460 | 41,460 |
| 42370 | Entero virus RNA(PCR) | CSF | real time PCR | 나596나 | C5962006 | | 616.46 | 43,210 | 43,210 | 44,510 | 44,510 |
| 71110 | Enterovirus (NIH) | Other | | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 41000 | Enterovirus Type 70(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41001 | Enterovirus Type 70(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41010 | Enterovirus Type 71(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41011 | Enterovirus Type 71(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41012 | Enterovirus Type 71(NT) | Body Fluid | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 30030 | Eosinophil Count | EDTA Blood | Manual | 나1077가 | B1070 | | 12.41 | 870 | 870 | 900 | 900 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-----------------------------|----------------|----------------------|----------|----------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 30031 | Eosinophil Count | Smear Slide | Manual | 나107나 | B1071 | | 13.69 | 960 | 960 | 990 | 990 |
| 12993 | Epimerase | EDTA Blood | Enzyme | 노337 | CZ040 | | 0 | 0 | 85,000 | 0 | 87,600 |
| 81830 | ER(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 01570 | ER/PR Receptor | Tissue | Stain | 나559 | C5590 | | 429.88 | 60,260 | 60,260 | 62,080 | 62,080 |
| 80960 | ER/PR Receptor (지방) | Tissue | | 나559 | C5590 | | 429.88 | 60,260 | 60,260 | 62,080 | 62,080 |
| 01573 | ER/PR Receptor(성모) | Tissue | Stain | 나559 | C5590 | | 429.88 | 60,260 | 60,260 | 62,080 | 62,080 |
| 81520 | ERCC1 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 27355 | ERCC1,RRM1 gene expression | Tissue | real time PCR | | | | 0 | 0 | 275,000 | 0 | 275,000 |
| 01250 | Erythropoietin(EPO) | SST Serum | CLIA | 나357 | C3570 | | 241.49 | 16,930 | 16,930 | 17,440 | 17,440 |
| 01251 | Erythropoietin(EPO) | Hp Plasma | CLIA | 나357 | C3570 | | 241.49 | 16,930 | 16,930 | 17,440 | 17,440 |
| 30040 | ESR | EDTA Blood | Photometric-kinetic | 나103나 | B1034 | | 13.21 | 930 | 930 | 950 | 950 |
| 00435 | Estradiol (E2) | 24hr Urine | RIA | | | 국외 | 0 | 0 | 90,000 | 0 | 92,700 |
| 00433 | Estradiol (E2) (ECLIA) | SST Serum | ECLIA | 나326 | C3260 | | 191.1 | 13,400 | 13,400 | 13,800 | 13,800 |
| 00445 | Estriol (E3) | 24hr Urine | RIA | | | 국외 | 0 | 0 | 90,000 | 0 | 92,700 |
| 00450 | Estrogen | SST Serum | RIA | 나325주 | C7325 | | 89.6 | 6,280 | 6,280 | 6,470 | 6,470 |
| 00456 | Estrogen | 24hr Urine | RIA | | | 국외 | 0 | 0 | 136,000 | 0 | 140,100 |
| 01571 | Estrogen Receptor(ER) | Tissue | Immunohistochemistry | 나559 | C5590 | | 429.88 | 30,130 | 30,130 | 31,040 | 31,040 |
| 01572 | Estrogen Receptor(ER) (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 00475 | Estrone(E1) | SST Serum | RIA | | | | 0 | 0 | 98,000 | 0 | 100,900 |
| 65240 | Ethosuximide | SST Serum | EIA | | | 국외 | 0 | 0 | 85,000 | 0 | 87,600 |
| 65725 | Everolimus | EDTA Blood | LC/MS/MS | 나450나(4) | CX375696 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 29100 | EWS-FLI1/ERG rearrangement | Block | Nested RT-PCR | 나597자 | C5979006 | | 1791.12 | 125,560 | 125,560 | 129,320 | 129,320 |
| 29105 | EWS-FLT1 | Block | RT-PCR | 나596라 | C5969006 | | 678.1 | 47,530 | 47,530 | 48,960 | 48,960 |
| 27863 | Express QF-PCR 21&culture | Amniotic Fluid | | | | | 0 | 0 | 573,000 | 0 | 590,200 |
| 27862 | Express QF-PCR 3중&culture | Amniotic Fluid | | | | | 0 | 0 | 652,000 | 0 | 671,600 |
| 27860 | Express QF-PCR 5중&culture | Amniotic Fluid | | | | | 0 | 0 | 730,000 | 0 | 751,900 |
| 26335 | Express study(13)& Culture | Amniotic Fluid | FISH | | | | 0 | 0 | 573,000 | 0 | 590,200 |
| 26351 | Express study(18)& Culture | Amniotic Fluid | FISH | | | | 0 | 0 | 573,000 | 0 | 590,200 |
| 26280 | Express study(21)& Culture | Amniotic Fluid | FISH | | | | 0 | 0 | 573,000 | 0 | 590,200 |
| 25422 | Express study-13 | Amniotic Fluid | FISH | 노598자 | CZ967 | | 0 | 0 | 228,000 | 0 | 234,800 |
| 25402 | Express study-18 | Amniotic Fluid | FISH | 노598 | CZ967 | | 0 | 0 | 228,000 | 0 | 234,800 |
| 25416 | Express study-21 | Amniotic Fluid | FISH | 노598 | CZ967 | | 0 | 0 | 228,000 | 0 | 234,800 |
| 27681 | Express(13/18/21) & Culture | Amniotic Fluid | FISH | | | | 0 | 0 | 800,000 | 0 | 824,000 |
| 27680 | Express(18/21) & Culture | Amniotic Fluid | FISH | | | | 0 | 0 | 678,000 | 0 | 698,300 |
| 81755 | Factor 13a(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 30650 | Factor 5 Leiden(FV:Q506) | EDTA Blood | PCR-RFLP | 너562파 | CY633006 | | 462.55 | 32,420 | 32,420 | 33,400 | 33,400 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|---------------------------|-------------------|----------------------|----------|-----------|-----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 30480 | Factor Ab VIII | SC Plasma | Clot-based | 나178가 | B1780006 | | 209.53 | 14,690 | 14,690 | 15,130 | 15,130 |
| 30490 | Factor Ab IX | SC Plasma | Clot-based | 나178나 | B1781006 | | 214.8 | 15,060 | 15,060 | 15,510 | 15,510 |
| 30570 | Factor Assay VII | SC Plasma | Clot-based | 나169가(3) | B1693006 | | 180.51 | 12,650 | 12,650 | 13,030 | 13,030 |
| 30580 | Factor Assay VIII | SC Plasma | Clot-based | 나169가(4) | B1694006 | | 186.59 | 13,080 | 13,080 | 13,470 | 13,470 |
| 30590 | Factor Assay IX | SC Plasma | Clot-based | 나169가(5) | B1695006 | | 184.73 | 12,950 | 12,950 | 13,340 | 13,340 |
| 30520 | Factor AssayII | SC Plasma | Clot-based | 나169가(1) | B1691006 | | 173.34 | 12,150 | 12,150 | 12,520 | 12,520 |
| 30550 | Factor AssayV | SC Plasma | Clot-based | 나169가(2) | B1692006 | | 171.22 | 12,000 | 12,000 | 12,360 | 12,360 |
| 30600 | Factor AssayX | SC Plasma | Clot-based | 나169가(6) | B1696006 | | 168.84 | 11,840 | 11,840 | 12,190 | 12,190 |
| 30610 | Factor AssayX I | SC Plasma | Clot-based | 나169가(7) | B1697006 | | 169.58 | 11,890 | 11,890 | 12,240 | 12,240 |
| 30620 | Factor AssayX II | SC Plasma | Clot-based | 나169가(8) | B1698006 | | 158.83 | 11,130 | 11,130 | 11,470 | 11,470 |
| 30630 | Factor AssayX III | SC Plasma | Urea 용해시험 | 나169가(9) | B1699006 | | 169.62 | 11,890 | 11,890 | 12,250 | 12,250 |
| 81862 | Factor13a (IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 27810 | Fanconi Anemia Study | 복수검체 | | 너569나외 | CY692006외 | | 0 | 244,010 | 244,010 | 251,320 | 251,320 |
| 27811 | Fanconi Anemia Study(성모) | Hp Blood | | 너569나 | CY692006 | | 1890.64 | 132,530 | 132,530 | 136,500 | 136,500 |
| 12940 | Fat 정성 검사 | Stool | Sudan III | 나67 | B0670 | | 13.93 | 980 | 980 | 1,010 | 1,010 |
| 11082 | Fatty Acid Fraction | Hp Plasma | GC | | | 국외 | 0 | 0 | 100,000 | 0 | 103,000 |
| 30890 | FDP | SC Plasma | TIA | 나161나 | B1613 | | 140.82 | 9,870 | 9,870 | 10,170 | 10,170 |
| 31110 | FDP 정성 | SC Plasma | TIA | 나161가 | B1611 | | 51.38 | 3,600 | 3,600 | 3,710 | 3,710 |
| 01585 | Ferritin (ECLIA) | SST Serum | ECLIA | 나252 | C2520 | | 177.83 | 12,470 | 12,470 | 12,840 | 12,840 |
| 20450 | Fetal hemoglobin | EDTA Blood | HPLC | 나382라 | C3824 | | 66.78 | 4,680 | 4,680 | 4,820 | 4,820 |
| 13220 | FGF23 | EDTA Plasma | Enzyme | | | | 0 | 0 | 356,000 | 0 | 366,700 |
| 27556 | FGFR1 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 30640 | Fibrinogen | SC Plasma | Clot-based | 나160가 | B1601 | | 39.78 | 2,790 | 2,790 | 2,870 | 2,870 |
| 70770 | Filariae | Blood Smear Slide | Manual | 나115 | B1150006 | | 47.83 | 3,350 | 3,350 | 3,450 | 3,450 |
| 70775 | Filariasis(사상충)(NIH) | EDTA Blood | | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 01840 | First double Marker | SST Serum | | | | | 0 | 0 | 44,660 | 0 | 45,070 |
| 01850 | First double Marker NT | SST Serum | | | | | 0 | 0 | 44,660 | 0 | 45,070 |
| 27749 | FISH_1p/19q deletion(성모) | Tissue | FISH | 노598 | CZ967 | | 0 | 0 | 456,000 | 0 | 465,000 |
| 27900 | FISH_1q21/8p21 | Hp Blood | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |
| 27910 | FISH_5q31 | Hp Blood | FISH | 노598 | CZ967 | | 0 | 0 | 238,000 | 0 | 245,100 |
| 27920 | FISH_7q22/7q35 | Hp Blood | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |
| 28044 | FISH_ALK t(2;5) | Tissue | FISH | 노598자 | CZ967 | | 0 | 0 | 272,000 | 0 | 278,000 |
| 26480 | FISH_CFBF gene, 16q22 | Hp Blood | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |
| 27950 | FISH_CEP8 | Hp Blood | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |
| 26530 | FISH_D20S108 Locus, 20q12 | Hp Blood | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |
| 26451 | FISH_DigeorgeI,catch22 | Hp Blood | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|--------------------------------|----------------|-----------------------|----------|-----------------|-----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 26180 | FISH_Her2/neu | Other | FISH | 나590 | C5967006 | | 2734.92 | 191,720 | 191,720 | 197,460 | 197,460 |
| 26560 | FISH_IGH, 14q32.3 | Hp Blood | FISH | 노598 | CZ967 | | 0 | 0 | 238,000 | 0 | 245,100 |
| 27990 | FISH_IGH/FGFR3,t(4;14) | Hp Blood | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |
| 28000 | FISH_IGH/MAF,t(14;16) | Hp Blood | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |
| 27630 | FISH_MLL(11q23) | Hp Blood | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |
| 28010 | FISH_p16 | Hp Blood | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |
| 25741 | FISH_Prader willi/Angelman | Hp Blood | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |
| 28030 | FISH_TEL/AML1 12;21 | Hp Blood | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |
| 28020 | FISH_TP53,17p13 | Hp Blood | FISH | 노598 | CZ967 | | 0 | 0 | 238,000 | 0 | 245,100 |
| 26290 | FISH_William's syndrome | Amniotic Fluid | FISH | 노598 | CZ967 | | 0 | 0 | 231,460 | 0 | 231,460 |
| 26650 | FISH_X/Y | Hp Blood | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |
| 65582 | FK-506 | EDTA Blood | CIA | 나450나(2) | C4504390 | | 252.59 | 17,710 | 17,710 | 18,240 | 18,240 |
| 65580 | FK-506 (LC/MS/MS) | EDTA Blood | LC/MS/MS | 나450나(4) | CX375696 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 65581 | FK-506 (LC-MS/MS) | EDTA Blood | LC/MS/MS | 나450나(4) | CX375696 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 20752 | FLC Panel (Random Urine) | Random Urine | | 나300외 | B3001006외 | | 0 | 76,450 | 76,450 | 78,750 | 78,750 |
| 20750 | FLC Panel (Serum) | SST Serum | | 나300외 | B3000006외 | | 0 | 75,880 | 75,880 | 78,160 | 78,160 |
| 20751 | FLC(RU)+PEP(24h U) | 복수검체 | | 나300외 | B3001006외 | | 0 | 76,450 | 76,450 | 78,750 | 78,750 |
| 26245 | FLT3 ITD/TKD | EDTA Blood | Sequencing | 노595 | CZ634+CZ635 | | 0 | 0 | 78,000 | 0 | 80,300 |
| 11286 | Folate (ECLIA) | SST Serum | ECLIA | 나254 | C2540 | | 222.95 | 15,630 | 15,630 | 16,100 | 16,100 |
| 81935 | FoxP-3(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 25450 | Fragile X | EDTA Blood | PCR Fragment analysis | | | | 0 | 0 | 81,000 | 0 | 83,400 |
| 27272 | Fragile X 정밀(혈액)검사 | EDTA Blood | Southern blot | 나598+너57 | C5987006+CY5390 | | 0 | 149,760 | 149,760 | 154,250 | 154,250 |
| 52650 | Francisella Ab(NIH) | SST Serum | 응집법 | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 71300 | Francisella culture(NIH) | Other | Culture | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 11040 | Free cholesterol | SST Serum | Enzyme | | | | 0 | 0 | 4,000 | 0 | 4,100 |
| 00765 | Free Cortisol | 24hr Urine | CIA | 나324나(5) | C3249 | | 116.78 | 8,190 | 8,190 | 8,430 | 8,430 |
| 00766 | Free Cortisol | Random Urine | CIA | 나324나(5) | C3249 | | 116.78 | 8,190 | 8,190 | 8,430 | 8,430 |
| 11090 | Free Fatty Acid(NEFA) | SST Serum | Enzyme | 나245 | C2450 | | 34.32 | 2,410 | 2,410 | 2,480 | 2,480 |
| 11091 | Free Fatty Acid(NEFA) | Other | Enzyme | 나245 | C2450 | | 34.32 | 2,410 | 2,410 | 2,480 | 2,480 |
| 25891 | Free Kappa light chain | SST Serum | 비탁법 | 나237가(1) | C2371006 | | 474.18 | 33,240 | 33,240 | 34,240 | 34,240 |
| 25896 | Free Kappa light chain(RU) | Random Urine | 비탁법 | 나237나(1) | C2381006 | | 474.18 | 33,240 | 33,240 | 34,240 | 34,240 |
| 25883 | Free Kappa/Free Lambda light c | SST Serum | 비탁법 | 나237가 | C2371~2006 | | 0 | 66,480 | 66,480 | 68,480 | 68,480 |
| 25884 | Free Kappa/Free Lambda light c | Random Urine | 비탁법 | 나237나 | C2381~2006 | | 0 | 66,480 | 66,480 | 68,480 | 68,480 |
| 25615 | Free Lambda light chain | SST Serum | 비탁법 | 나237가(2) | C2372006 | | 474.18 | 33,240 | 33,240 | 34,240 | 34,240 |
| 25616 | Free Lambda light chain(RU) | Random Urine | 비탁법 | 나237나(2) | C2382006 | | 474.18 | 33,240 | 33,240 | 34,240 | 34,240 |
| 01682 | Free PSA (ECLIA) | SST Serum | ECLIA | 너321 | CX321 | | 179.68 | 12,600 | 12,600 | 12,970 | 12,970 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|---------------------------|-------------|------------------------|-----------|-------------|----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 01686 | Free PSA/PSA ratio(ECLIA) | SST Serum | ECLIA | 나428외 | C4280+CX321 | | 0 | 29,500 | 29,500 | 30,370 | 30,370 |
| 00215 | Free T3 (ECLIA) | SST Serum | ECLIA | 나330 | C3300 | | 148.14 | 10,380 | 10,380 | 10,700 | 10,700 |
| 00225 | Free T4 (ECLIA) | SST Serum | ECLIA | 나334 | C3340 | | 173.49 | 12,160 | 12,160 | 12,530 | 12,530 |
| 00235 | Free thyroxine index | SST Serum | 계산법 | 나331+나333 | C3310+C3330 | | 0 | 21,890 | 21,890 | 22,550 | 22,550 |
| 00170 | Free α-Subunit | SST Serum | RIA | 노203 | CZ203 | | 0 | 0 | 51,000 | 0 | 52,500 |
| 29011 | Friedreich's ataxia | EDTA Blood | Southern Hybridization | 나598 | C5980006 | | 1001.8 | 70,230 | 70,230 | 72,330 | 72,330 |
| 20460 | Fructosamine | SST Serum | Colorimetry | 나397 | C3970 | | 87.52 | 6,140 | 6,140 | 6,320 | 6,320 |
| 00092 | FSH (ECLIA) | SST Serum | ECLIA | 나350 | C3500 | | 159.41 | 11,170 | 11,170 | 11,510 | 11,510 |
| 00051 | FSH-1회 | SST Serum | ECLIA | 나350 | C3500 | | 159.41 | 11,170 | 11,170 | 11,510 | 11,510 |
| 00052 | FSH-2회 | SST Serum | ECLIA | 나350 | C3500 | | 159.41 | 11,170 | 11,170 | 11,510 | 11,510 |
| 00053 | FSH-3회 | SST Serum | ECLIA | 나350 | C3500 | | 159.41 | 11,170 | 11,170 | 11,510 | 11,510 |
| 00054 | FSH-4회 | SST Serum | ECLIA | 나350 | C3500 | | 159.41 | 11,170 | 11,170 | 11,510 | 11,510 |
| 00055 | FSH-5회 | SST Serum | ECLIA | 나350 | C3500 | | 159.41 | 11,170 | 11,170 | 11,510 | 11,510 |
| 00056 | FSH-6회 | SST Serum | ECLIA | 나350 | C3500 | | 159.41 | 11,170 | 11,170 | 11,510 | 11,510 |
| 00057 | FSH-7회 | SST Serum | ECLIA | 나350 | C3500 | | 159.41 | 11,170 | 11,170 | 11,510 | 11,510 |
| 00058 | FSH-8회 | SST Serum | ECLIA | 나350 | C3500 | | 159.41 | 11,170 | 11,170 | 11,510 | 11,510 |
| 50960 | FTA-ABS IgG | SST Serum | IFA | 나462 | C4620006 | | 158.4 | 11,100 | 11,100 | 11,440 | 11,440 |
| 50961 | FTA-ABS IgG | CSF | IFA | 나462 | C4620006 | | 158.4 | 11,100 | 11,100 | 11,440 | 11,440 |
| 50975 | FTA-ABS IgM | SST Serum | EIA | 나462 | C4620006 | | 158.4 | 11,100 | 11,100 | 11,440 | 11,440 |
| 50976 | FTA-ABS IgM | CSF | EIA | 나462 | C4620006 | | 158.4 | 11,100 | 11,100 | 11,440 | 11,440 |
| 70780 | Fungus Culture | Other | | 나405가 | B4051 | | 168.28 | 11,800 | 11,800 | 12,150 | 12,150 |
| 65800 | Furosemide(Lasix) | Plain Serum | HPLC | | | 국외 | 0 | 0 | 287,000 | 0 | 295,600 |
| 12991 | G-1-P Uridyltransferase | EDTA Blood | Enzyme | 노337 | CZ039 | | 0 | 0 | 72,000 | 0 | 74,200 |
| 10531 | G-6-PDH | EDTA Blood | 비색법 | 나274 | B2741 | | 88.42 | 6,200 | 6,200 | 6,380 | 6,380 |
| 12992 | Galactokinase | EDTA Blood | Enzyme | 노337 | CZ038 | | 0 | 0 | 65,000 | 0 | 67,000 |
| 12990 | Galactose-1-Phosphate | EDTA Blood | Enzyme | 노337 | CZ041 | | 0 | 0 | 72,000 | 0 | 74,200 |
| 11700 | Galactose정밀검사 | Blood Paper | | 노337 | CZ041외 | | 0 | 0 | 50,000 | 0 | 50,000 |
| 12998 | Galactosemia 확진검사(3종) | EDTA Blood | Enzyme | 노337 | CZ039~041 | | 0 | 0 | 229,000 | 0 | 236,000 |
| 12999 | Galactosemia 확진검사(4종) | EDTA Blood | Enzyme | 노337 | CZ038~041 | | 0 | 0 | 294,000 | 0 | 303,000 |
| 42715 | Gardnerella vaginalis PCR | 분비물 | PCR | 나5950아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 00980 | Gastrin (RIA) | SST Serum | RIA | 나345주 | C7345 | | 50.86 | 3,570 | 3,570 | 3,670 | 3,670 |
| 00981 | Gastrin (RIA) | EDTA Plasma | RIA | 나345주 | C7345 | | 50.86 | 3,570 | 3,570 | 3,670 | 3,670 |
| 00991 | Gastrin-1회 | SST Serum | RIA | 나345주 | C7345 | | 50.86 | 3,570 | 3,570 | 3,670 | 3,670 |
| 00992 | Gastrin-2회 | SST Serum | RIA | 나345주 | C7345 | | 50.86 | 3,570 | 3,570 | 3,670 | 3,670 |
| 00993 | Gastrin-3회 | SST Serum | RIA | 나345주 | C7345 | | 50.86 | 3,570 | 3,570 | 3,670 | 3,670 |
| 00994 | Gastrin-4회 | SST Serum | RIA | 나345주 | C7345 | | 50.86 | 3,570 | 3,570 | 3,670 | 3,670 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|-------------|----------------------|-----------|-------------|----|--------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 00995 | Gastrin-5회 | SST Serum | RIA | 나345주 | C7345 | | 50.86 | 3,570 | 3,570 | 3,670 | 3,670 |
| 00996 | Gastrin-6회 | SST Serum | RIA | 나345주 | C7345 | | 50.86 | 3,570 | 3,570 | 3,670 | 3,670 |
| 00997 | Gastrin-7회 | SST Serum | RIA | 나345주 | C7345 | | 50.86 | 3,570 | 3,570 | 3,670 | 3,670 |
| 00998 | Gastrin-8회 | SST Serum | RIA | 나345주 | C7345 | | 50.86 | 3,570 | 3,570 | 3,670 | 3,670 |
| 02190 | Gastro-Gastrin 17 | SST Serum | ELISA | 나345 | C3450 | | 136.13 | 9,540 | 9,540 | 9,830 | 9,830 |
| 02200 | Gastro-Panel(3종) | SST Serum | ELISA | 나362외 | C3620외 | | 0 | 38,920 | 38,920 | 40,090 | 40,090 |
| 02015 | Gastro-Pepsinogen I | SST Serum | ELISA | 나362 | C3620 | | 209.54 | 14,690 | 14,690 | 15,130 | 15,130 |
| 02025 | Gastro-Pepsinogen II | SST Serum | ELISA | 나362 | C3620 | | 209.54 | 14,690 | 14,690 | 15,130 | 15,130 |
| 71210 | GBS Culture | Other | Culture | 나405가 | B4051 | | 168.28 | 11,800 | 11,800 | 12,150 | 12,150 |
| 71212 | GBS Culture&Sensi(G) | Other | Culture | 나405+나406 | B4051+B4061 | | 0 | 19,910 | 19,910 | 20,510 | 20,510 |
| 81780 | GCDFP(BRST-2(IHC)) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 12020 | G-CSF | SST Serum | ELISA | | | 국외 | 0 | 0 | 287,000 | 0 | 295,600 |
| 29405 | Gene rearrangement profile | Bone Marrow | RT-PCR | 나597가 | C5971006 외 | | 0 | 571,350 | 571,350 | 588,490 | 588,490 |
| 65260 | Gentamicin | Plain Serum | 면역형광법 | 나450나(2) | C4504120 | | 252.59 | 17,710 | 17,710 | 18,240 | 18,240 |
| 10905 | GFR (신사구체여과율) | SST Serum | 계산법 | 나375 | C3750 | | 16.75 | 1,170 | 1,170 | 1,210 | 1,210 |
| 10904 | GFR-Cystatin C | SST Serum | 계산법 | 너131 | CX131 | | 112.18 | 7,860 | 7,860 | 8,100 | 8,100 |
| 00062 | GH (CLIA) | SST Serum | CLIA | 나342 | C3420 | | 178.72 | 12,530 | 12,530 | 12,900 | 12,900 |
| 00080 | GH-10회 | SST Serum | CLIA | 나342 | C3420 | | 178.72 | 12,530 | 12,530 | 12,900 | 12,900 |
| 00081 | GH-11회 | SST Serum | CLIA | 나342 | C3420 | | 178.72 | 12,530 | 12,530 | 12,900 | 12,900 |
| 00082 | GH-12회 | SST Serum | CLIA | 나342 | C3420 | | 178.72 | 12,530 | 12,530 | 12,900 | 12,900 |
| 00083 | GH-13회 | SST Serum | CLIA | 나342 | C3420 | | 178.72 | 12,530 | 12,530 | 12,900 | 12,900 |
| 00084 | GH-14회 | SST Serum | CLIA | 나342 | C3420 | | 178.72 | 12,530 | 12,530 | 12,900 | 12,900 |
| 00085 | GH-15회 | SST Serum | CLIA | 나342 | C3420 | | 178.72 | 12,530 | 12,530 | 12,900 | 12,900 |
| 00086 | GH-16회 | SST Serum | CLIA | 나342 | C3420 | | 178.72 | 12,530 | 12,530 | 12,900 | 12,900 |
| 00071 | GH-1회 | SST Serum | CLIA | 나342 | C3420 | | 178.72 | 12,530 | 12,530 | 12,900 | 12,900 |
| 00072 | GH-2회 | SST Serum | CLIA | 나342 | C3420 | | 178.72 | 12,530 | 12,530 | 12,900 | 12,900 |
| 00073 | GH-3회 | SST Serum | CLIA | 나342 | C3420 | | 178.72 | 12,530 | 12,530 | 12,900 | 12,900 |
| 00074 | GH-4회 | SST Serum | CLIA | 나342 | C3420 | | 178.72 | 12,530 | 12,530 | 12,900 | 12,900 |
| 00075 | GH-5회 | SST Serum | CLIA | 나342 | C3420 | | 178.72 | 12,530 | 12,530 | 12,900 | 12,900 |
| 00076 | GH-6회 | SST Serum | CLIA | 나342 | C3420 | | 178.72 | 12,530 | 12,530 | 12,900 | 12,900 |
| 00077 | GH-7회 | SST Serum | CLIA | 나342 | C3420 | | 178.72 | 12,530 | 12,530 | 12,900 | 12,900 |
| 00078 | GH-8회 | SST Serum | CLIA | 나342 | C3420 | | 178.72 | 12,530 | 12,530 | 12,900 | 12,900 |
| 00079 | GH-9회 | SST Serum | CLIA | 나342 | C3420 | | 178.72 | 12,530 | 12,530 | 12,900 | 12,900 |
| 82140 | Giemsa(H.Pylori) Stain | Tissue | | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 52290 | Gliadin IgG, IgA | SST Serum | ELISA | | | 국외 | 0 | 0 | 405,000 | 0 | 417,200 |
| 10010 | Globulin | SST Serum | 계산법 | 나220 외 | C2200 외 | | 0 | 0 | 2,810 | 0 | 2,900 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|---------------------------|-------------|----------------------|----------|-------------|----|--------|--------|--------|--------|--------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 10011 | Globulin(Fluid) | Body Fluid | 계산법 | 나220+나23 | C2200+C2302 | | 0 | 0 | 15,510 | 0 | 15,970 |
| 01000 | Glucagon (RIA) | EDTA Plasma | RIA | 나344주 | C7344 | | 57.07 | 4,000 | 4,000 | 4,120 | 4,120 |
| 01011 | Glucagon-1회 | EDTA Plasma | RIA | 나344주 | C7344 | | 57.07 | 4,000 | 4,000 | 4,120 | 4,120 |
| 01012 | Glucagon-2회 | EDTA Plasma | RIA | 나344주 | C7344 | | 57.07 | 4,000 | 4,000 | 4,120 | 4,120 |
| 01013 | Glucagon-3회 | EDTA Plasma | RIA | 나344주 | C7344 | | 57.07 | 4,000 | 4,000 | 4,120 | 4,120 |
| 01014 | Glucagon-4회 | EDTA Plasma | RIA | 나344주 | C7344 | | 57.07 | 4,000 | 4,000 | 4,120 | 4,120 |
| 01015 | Glucagon-5회 | EDTA Plasma | RIA | 나344주 | C7344 | | 57.07 | 4,000 | 4,000 | 4,120 | 4,120 |
| 01016 | Glucagon-6회 | EDTA Plasma | RIA | 나344주 | C7344 | | 57.07 | 4,000 | 4,000 | 4,120 | 4,120 |
| 01017 | Glucagon-7회 | EDTA Plasma | RIA | 나344주 | C7344 | | 57.07 | 4,000 | 4,000 | 4,120 | 4,120 |
| 01018 | Glucagon-8회 | EDTA Plasma | RIA | 나344주 | C7344 | | 57.07 | 4,000 | 4,000 | 4,120 | 4,120 |
| 10540 | Glucose | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10541 | Glucose | SST Serum | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10543 | Glucose | Body Fluid | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10550 | Glucose tolerance test | NaF Plasma | | 나371나 | C3711 | | 17.32 | 4,840 | 4,840 | 5,000 | 5,000 |
| 10542 | Glucose(24hr Urine) | 24hr Urine | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10600 | Glucose-120 MIN | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10601 | Glucose-120 MIN | SST Serum | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10610 | Glucose-150 MIN | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10611 | Glucose-150 MIN | SST Serum | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10620 | Glucose-3 hr | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10621 | Glucose-3 hr | SST Serum | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10570 | Glucose-30 MIN | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10571 | Glucose-30 MIN | SST Serum | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10630 | Glucose-4 hr | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10631 | Glucose-4 hr | SST Serum | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10580 | Glucose-60 MIN | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10581 | Glucose-60 MIN | SST Serum | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10590 | Glucose-90 MIN | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10591 | Glucose-90 MIN | SST Serum | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10560 | Glucose-Fasting | NaF Plasma | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10561 | Glucose-Fasting | SST Serum | Enzyme | 나371나 | C3711 | | 17.32 | 1,210 | 1,210 | 1,250 | 1,250 |
| 81970 | GLUT-1(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81962 | Glutamine Synthetase(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 10720 | Glycoalbumin | SST Serum | Enzyme | 노241 | CZ241 | | 0 | 0 | 24,000 | 0 | 24,700 |
| 01260 | Glycocholic Acid | SST Serum | RIA | | | 국외 | 0 | 0 | 29,000 | 0 | 29,900 |
| 13175 | Glycogen 정량 | EDTA Blood | Spectrophotometry | | | | 0 | 0 | 59,000 | 0 | 60,800 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|-------------------|----------------------|----------|----------|-----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 81961 | Glypican-3(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 12030 | GM-CSF | Media Supernatant | ELISA | | | 국외 | 0 | 0 | 313,000 | 0 | 322,400 |
| 12032 | GM-CSF | SST Serum | EIA | | | 국외 | 0 | 0 | 313,000 | 0 | 322,400 |
| 12033 | GM-CSF | Bronchial Washing | EIA | | | | 0 | 0 | 313,000 | 0 | 322,400 |
| 80618 | Gomori's trichrome stain | Tissue | Stain | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 10340 | GOT-m | SST Serum | Protease | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 70090 | Gram Stain | Other | | 나400가 | B4101 | | 20.76 | 1,460 | 1,460 | 1,500 | 1,500 |
| 70100 | Gram Stain | Smear Slide | Gram stain | 나400가 | B4101 | | 20.76 | 1,460 | 1,460 | 1,500 | 1,500 |
| 71160 | Gram stain (cytospin) | Other | | 나400주 | B4112 | | 25 | 1,750 | 1,750 | 1,810 | 1,810 |
| 81790 | Granzyme B (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 51245 | Growth hormone Ab | SST Serum | | | | 국외 | 0 | 0 | 200,000 | 0 | 206,000 |
| 10370 | Guanase | SST Serum | Enzyme | | | 국외 | 0 | 0 | 16,000 | 0 | 16,500 |
| 81172 | H&E stain | Tissue | | 나550가(1) | C5911 | | 282.35 | 19,790 | 19,790 | 20,390 | 20,390 |
| 81176 | H&E stain- Block | Tissue | | | | | 0 | 0 | 10,620 | 0 | 10,900 |
| 81175 | H&E stain- Gross | Tissue | | | | | 0 | 0 | 19,910 | 0 | 20,500 |
| 81173 | H&E Stain(염색만) | Tissue | | | | | 0 | 0 | 3,980 | 0 | 4,100 |
| 81170 | H&N stain 판독 | Tissue | Immunohistochemistry | 나550가(1) | C5911009 | | 56.47 | 3,960 | 3,960 | 4,080 | 4,080 |
| 71070 | H. pylori Ag | Stool | ELISA | 나415다 | B4157 | | 280.84 | 19,690 | 19,690 | 20,280 | 20,280 |
| 50771 | H. pylori IgG (CLIA) | SST Serum | CLIA | 나465 | C4650 | | 202.97 | 14,230 | 14,230 | 14,650 | 14,650 |
| 42380 | H. pylori PCR | Tissue | PCR | 나5950아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 50780 | H.pylori IgM | SST Serum | ELISA | 나465 | C4650 | | 202.97 | 14,230 | 14,230 | 14,650 | 14,650 |
| 42735 | Haemophilus ducreyi PCR | 분비물 | PCR | 나5950아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 65071 | Haloperidol (Haldol) | Plain Serum | LC/MS/MS | 나450나(4) | CX375066 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 12060 | Ham's test | 복수검체 | Colorimetry | 나120 | B1200006 | | 60.64 | 4,250 | 4,250 | 4,380 | 4,380 |
| 41590 | Hantaan Virus Ab | SST Serum | | 나468가 | C4681470 | | 120.29 | 8,430 | 8,430 | 8,680 | 8,680 |
| 41666 | Hantaan virus Ab 정량(IFA) | SST Serum | IFA | 나468나(1) | C4682476 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 41600 | Hantaan Virus Ab Titer | SST Serum | | 나468가 | C4681470 | | 120.29 | 8,430 | 8,430 | 8,680 | 8,680 |
| 41665 | Hantaan virus IgG/IgM(NIH) | SST Serum | IFA | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 27851 | Hantaan Virus PCR | SST Serum | Nested RT-PCR | 나597사 | C5977006 | | 1620.39 | 113,590 | 113,590 | 116,990 | 116,990 |
| 41661 | HantaanVirus Ab Titer(IFA) | SST Serum | IFA | 나468나(1) | C4682476 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 20180 | Haptoglobin | SST Serum | TIA | 나234 | C2340 | | 120.77 | 8,470 | 8,470 | 8,720 | 8,720 |
| 20181 | Haptoglobin | EDTA Plasma | TIA | 나234 | C2340 | | 120.77 | 8,470 | 8,470 | 8,720 | 8,720 |
| 50016 | HAV IgG | SST Serum | CMIA | 나486가 | C4861 | | 164.56 | 11,540 | 11,540 | 11,880 | 11,880 |
| 50025 | HAV IgM | SST Serum | CMIA | 나486나 | C4862 | | 238.23 | 16,700 | 16,700 | 17,200 | 17,200 |
| 50045 | HBc Ab | SST Serum | CMIA | 나484가 | C4841 | | 211.54 | 14,830 | 14,830 | 15,270 | 15,270 |
| 50055 | HBc Ab IgM | SST Serum | CMIA | 나484나 | C4842 | | 197.17 | 13,820 | 13,820 | 14,240 | 14,240 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|---------------------------|--------------|----------------------|---------|----------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 50076 | HBe Ab | SST Serum | CIA | 나483나 | C4832 | | 208.04 | 14,580 | 14,580 | 15,020 | 15,020 |
| 50075 | HBe Ag | SST Serum | CIA | 나482나 | C4822 | | 207.02 | 14,510 | 14,510 | 14,950 | 14,950 |
| 81490 | HBME-1 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 01271 | HBNP | EDTA Plasma | CMIA | 나368 | CZ204 | | 605.25 | 42,430 | 42,430 | 43,700 | 43,700 |
| 50116 | HBs Ab | SST Serum | CIA | 나481나 | C4812 | | 148.74 | 10,430 | 10,430 | 10,740 | 10,740 |
| 50115 | HBs Ag | SST Serum | CIA | 나480나 | C4802 | | 138.37 | 9,700 | 9,700 | 9,990 | 9,990 |
| 50140 | HBV DNA (PCR) | SST Serum | PCR | 나595라 | C5954006 | | 387.28 | 27,150 | 27,150 | 27,960 | 27,960 |
| 50141 | HBV DNA (PCR)정성 | SST Serum | PCR | 나595라 | C5954006 | | 387.28 | 27,150 | 27,150 | 27,960 | 27,960 |
| 52178 | HBV DNA 정량(real-timePCR) | SST Serum | real time PCR | 나485마 | C4854006 | | 894.88 | 62,730 | 62,730 | 64,610 | 64,610 |
| 50204 | HBV Drug mutation | SST Serum | Sequencing | 나599-1가 | C5993006 | | 1666.46 | 116,820 | 116,820 | 120,320 | 120,320 |
| 50190 | HBV Pre core | SST Serum | PCR-RFLP | | | | 0 | 0 | 72,000 | 0 | 74,200 |
| 50195 | HBV Pre core(RFMP) | SST Serum | RFMP | | | | 0 | 0 | 72,000 | 0 | 74,200 |
| 81940 | HBVc(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81945 | HBVs(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 01970 | hCG (정성) | Random Urine | | 나26 | B0260 | | 26.28 | 1,840 | 1,840 | 1,900 | 1,900 |
| 81360 | hCG (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 50230 | HCV (RT-PCR+Hybrid.) | SST Serum | RT-PCR+Hybrid | 나596-1가 | C6081006 | | 891.24 | 62,480 | 62,480 | 64,350 | 64,350 |
| 50231 | HCV (RT-PCR+Hybrid.) | Other | RT-PCR+Hybrid | 나596-1가 | C6081006 | | 891.24 | 62,480 | 62,480 | 64,350 | 64,350 |
| 50215 | HCV Ab(EIA) | SST Serum | EIA | 나487나 | C4872 | | 207.31 | 14,530 | 14,530 | 14,970 | 14,970 |
| 50220 | HCV Ab(RIBA III) | SST Serum | | 나487다 | C4873006 | | 559 | 39,190 | 39,190 | 40,360 | 40,360 |
| 52365 | HCV Genotype (PCR-RFMP) | SST Serum | RFMP | 나596-2 | C6092006 | | 1704.75 | 119,500 | 119,500 | 123,080 | 123,080 |
| 52360 | HCV Genotype (Sequencing) | SST Serum | Sequencing | 나596-3 | C6093006 | | 1666.46 | 116,820 | 116,820 | 120,320 | 120,320 |
| 50241 | HCV RNA 정량 | SST Serum | real time PCR | 나424다 | C4424006 | | 1127.2 | 79,020 | 79,020 | 81,380 | 81,380 |
| 11100 | HDL-Cholesterol | SST Serum | Enzyme | 나242 | C2420 | | 80.37 | 5,630 | 5,630 | 5,800 | 5,800 |
| 50265 | HDV Ab (IgG) | SST Serum | EIA | 나421 | CX421 | | 166.37 | 11,660 | 11,660 | 12,010 | 12,010 |
| 50271 | HDV RT- PCR | SST Serum | Nested RT-PCR | 나598 | CZ959 | | 0 | 0 | 98,000 | 0 | 100,900 |
| 70810 | Heinz body | EDTA Blood | 검경법 | 나116 | B1160006 | | 35.66 | 2,500 | 2,500 | 2,570 | 2,570 |
| 30004 | Hematocrit(Hct) | EDTA Blood | 자동혈구계산법 | 나102 | B1020 | | 10.94 | 770 | 770 | 790 | 790 |
| 51855 | hemavision 28종 | Bone Marrow | Nested RT-PCR | | | | 0 | 582,570 | 582,570 | 600,040 | 600,040 |
| 26441 | Hemochromatosis(C282Y) | EDTA Blood | PCR-RFLP | 나562사 | CY627006 | | 471.16 | 33,030 | 33,030 | 34,020 | 34,020 |
| 10731 | Hemoglobin A1c | EDTA Blood | TIA | 나382마 | C3825 | | 103.57 | 7,260 | 7,260 | 7,480 | 7,480 |
| 20490 | Hemoglobin E.P | EDTA Blood | Electrophoresis | 나307 | B3070006 | | 103.13 | 7,230 | 7,230 | 7,450 | 7,450 |
| 30003 | Hemoglobin(Hb) | EDTA Blood | 자동혈구계산법 | 나101 | B1010 | | 16.96 | 1,190 | 1,190 | 1,220 | 1,220 |
| 65590 | Hemopexin | Plain Serum | SRID | | | 국외 | 0 | 0 | 52,000 | 0 | 53,600 |
| 70040 | Hemosiderin | Random Urine | 검경법 | 나7 | B0070 | | 27.46 | 1,920 | 1,920 | 1,980 | 1,980 |
| 30910 | Hepaplastin | SC Plasma | | | | 국외 | 0 | 0 | 14,000 | 0 | 14,400 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|------------------------|--------------|----------------------|----------|----------|-----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 30660 | Heparin | SC Plasma | 발색성합성기질법 | | | 국외 | 0 | 0 | 31,000 | 0 | 31,900 |
| 81420 | Hepatocyte (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81480 | Her2 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80345 | Her2(IHC) T&C | Tissue | Immunohistochemistry | 나557 | C5575 | | 418.92 | 29,370 | 29,370 | 30,250 | 30,250 |
| 81850 | Her2(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 65420 | Heroin | Random Urine | | | | | 0 | 0 | 8,500 | 0 | 8,800 |
| 50791 | Heterophil Ab | SST Serum | Latex | 나470가 | C4701 | | 81.03 | 5,680 | 5,680 | 5,850 | 5,850 |
| 50280 | HEV Ab IgG | SST Serum | EIA | 너422가 | CY431 | | 126.4 | 8,860 | 8,860 | 9,130 | 9,130 |
| 50290 | HEV Ab IgM | SST Serum | EIA | 너422나 | CY432 | | 126.4 | 8,860 | 8,860 | 9,130 | 9,130 |
| 50301 | HEV RT- PCR | SST Serum | Nested RT-PCR | 나596라 | C5969006 | | 678.1 | 47,530 | 47,530 | 48,960 | 48,960 |
| 12997 | HGPRT enzyme test | EDTA Blood | Enzyme | | | | 0 | 0 | 130,000 | 0 | 133,900 |
| 50310 | HGV RT-PCR | SST Serum | Nested RT-PCR | 노598 | CZ958 | | 0 | 0 | 78,000 | 0 | 80,300 |
| 42520 | HHV type 6 DNA(PCR) | SST Serum | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 42521 | HHV type 6 DNA(PCR) | CSF | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 43580 | HHV Type 6 IgG | SST Serum | IFA | | | 국외 | 0 | 0 | 193,000 | 0 | 198,800 |
| 42525 | HHV-8 PCR | Block | PCR | 나595바 | CY561006 | | 391.93 | 27,470 | 27,470 | 28,300 | 28,300 |
| 42526 | HHV-8 PCR | Block | PCR | 나595바 | CY561006 | | 391.93 | 27,470 | 27,470 | 28,300 | 28,300 |
| 42527 | HHV-8 PCR(성모) | Tissue | PCR | 나595바 | CY561006 | | 391.93 | 27,470 | 27,470 | 28,300 | 28,300 |
| 81460 | HHV-8(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 12080 | Hippuric acid | Random Urine | HPLC | 나451나(3) | CY373030 | | 251.42 | 17,620 | 17,620 | 18,150 | 18,150 |
| 12085 | Hippuric acid (아산) | Random Urine | HPLC | 나451나(3) | CY373030 | | 251.42 | 17,620 | 17,620 | 18,150 | 18,150 |
| 65600 | Histamine | EDTA Plasma | EIA | | | 국외 | 0 | 0 | 114,000 | 0 | 117,400 |
| 51670 | Histone Ab | SST Serum | ELISA | 너4430아 | CY450006 | | 532.44 | 37,320 | 37,320 | 38,440 | 38,440 |
| 50806 | Histoplasma Ab Confirm | SST Serum | CF | | | 국외 | 0 | 0 | 306,000 | 0 | 315,200 |
| 50805 | Histoplasma Ab Screen | SST Serum | ELISA | | | 국외 | 0 | 0 | 213,000 | 0 | 219,400 |
| 41341 | HIV (보건환경연구원) | SST Serum | Western blot | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 41345 | HIV 약제내성검사 PCR (NIH) | EDTA Plasma | PCR | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 41335 | HIV Ab | SST Serum | CIA | 나471나주 | C4713 | | 142.99 | 10,020 | 10,020 | 10,320 | 10,320 |
| 41337 | HIV Ab (Stem cell) | Stem cell | CIA | 나471나주 | C4713 | | 142.99 | 10,020 | 10,020 | 10,320 | 10,320 |
| 42404 | HIV RNA 정량 | EDTA Plasma | real time PCR | 너396 | CY396006 | | 2317.76 | 162,470 | 162,470 | 167,340 | 167,340 |
| 41340 | HIV Western blot (NIH) | SST Serum | Western blot | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 29541 | HIV-1 내성 유전자 검사 | EDTA Plasma | Sequencing | 나599-1 | C5994006 | | 2091.42 | 146,610 | 146,610 | 151,000 | 151,000 |
| 42410 | HIV-I PCR 정성 | EDTA Blood | Nested RT-PCR | | | | 0 | 0 | 121,000 | 0 | 124,600 |
| 41360 | HIV-I(W.B) | SST Serum | Western blot | | | 국외 | 0 | 0 | 306,000 | 0 | 315,200 |
| 41370 | HIV-II(W.B) | SST Serum | Western blot | | | 국외 | 0 | 0 | 340,000 | 0 | 350,200 |
| 25470 | HLA A Typing (High) | EDTA Blood | PCR-SBT | 나518다 | CY916006 | | 3893.18 | 272,910 | 272,910 | 281,090 | 281,090 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-------------------------------|--------------|----------------------|----------|----------------|----|---------|-----------|-----------|-----------|-----------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 26360 | HLA A Typing (Low) | EDTA Blood | PCR-SSP | 나518나 | CY915006 | | 2084.13 | 146,100 | 146,100 | 150,470 | 150,470 |
| 26361 | HLA A Typing (Low) | Bone Marrow | PCR-SSP | 나518나 | CY915006 | | 2084.13 | 146,100 | 146,100 | 150,470 | 150,470 |
| 25497 | HLA A,B 조혈모이식1차 | EDTA Blood | PCR-SBT | 나518다 | CY916006 | | 3893.18 | 545,820 | 545,820 | 562,180 | 562,180 |
| 25499 | HLA A,B,C,DR 조혈모 수여 | EDTA Blood | PCR-SBT | 나518다외 | CY914006 외 | | 0 | 1,068,720 | 1,068,720 | 1,100,750 | 1,100,750 |
| 25480 | HLA B Typing (High) | EDTA Blood | PCR-SBT | 나518다 | CY916006 | | 3893.18 | 272,910 | 272,910 | 281,090 | 281,090 |
| 26370 | HLA B Typing (Low) | EDTA Blood | PCR-SSP | 나518나 | CY915006 | | 2084.13 | 146,100 | 146,100 | 150,470 | 150,470 |
| 26371 | HLA B Typing (Low) | Bone Marrow | PCR-SSP | 나518나 | CY915006 | | 2084.13 | 146,100 | 146,100 | 150,470 | 150,470 |
| 25500 | HLA B27-PCR | EDTA Blood | PCR | 나524나 | CY917006 | | 807.73 | 56,620 | 56,620 | 58,320 | 58,320 |
| 25510 | HLA B51 typing | EDTA Blood | DNA Typing | 노597 | CZ909 | | 0 | 0 | 52,000 | 0 | 53,600 |
| 25490 | HLA C Typing (High) | EDTA Blood | PCR-SBT | 나518다 | CY916006 | | 3893.18 | 272,910 | 272,910 | 281,090 | 281,090 |
| 26380 | HLA C Typing (Low) | EDTA Blood | PCR-SSP | 나518나 | CY915006 | | 2084.13 | 146,100 | 146,100 | 150,470 | 150,470 |
| 26381 | HLA C Typing (Low) | Bone Marrow | PCR-SSP | 나518나 | CY915006 | | 2084.13 | 146,100 | 146,100 | 150,470 | 150,470 |
| 25498 | HLA C,DR 조혈모이식2차 | EDTA Blood | PCR-SBT | 나518다외 | CY914006 외 | | 0 | 522,900 | 522,900 | 538,570 | 538,570 |
| 26390 | HLA DQ Typing (Low) | EDTA Blood | PCR-SSP | 나523나(2) | CY911006 | | 2105.72 | 147,610 | 147,610 | 152,030 | 152,030 |
| 26391 | HLA DQ Typing (Low) | Bone Marrow | PCR-SSP | 나523나(2) | CY911006 | | 2105.72 | 147,610 | 147,610 | 152,030 | 152,030 |
| 25530 | HLA DQB1 (Low) | EDTA Blood | PCR-SSP | 나523나(2) | CY911006 | | 2105.72 | 147,610 | 147,610 | 152,030 | 152,030 |
| 25535 | HLA DQB1 Typing (High) | EDTA Blood | PCR-SBT | 나523다(2) | CY912006 | | 3493.47 | 244,890 | 244,890 | 252,230 | 252,230 |
| 25550 | HLA DR Typing (Low) | EDTA Blood | PCR-SSP | 나523나(1) | CY913006 | | 2105.74 | 147,610 | 147,610 | 152,030 | 152,030 |
| 25560 | HLA DR Typing(High) | EDTA Blood | PCR-SBT | 나523다(1) | CY914006 | | 3566.18 | 249,990 | 249,990 | 257,480 | 257,480 |
| 81390 | HMB45 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81842 | HMB45(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81610 | hMLH1 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81615 | hMSH2 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81845 | HMWCK(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 01055 | HOMA of insulin resistance | 복수검체 | 계산법 | 나341외 | C3410외 | | 0 | 0 | 13,810 | 0 | 14,230 |
| 12090 | Homocysteine | SST Serum | Enzyme | 노133 | CZ133 | | 0 | 0 | 26,000 | 0 | 26,800 |
| 12091 | Homocysteine | EDTA Plasma | Enzyme | 노133 | CZ133 | | 0 | 0 | 26,000 | 0 | 26,800 |
| 12095 | Homocysteine(HPLC) | Random Urine | HPLC | 노133 | CZ133 | | 0 | 0 | 91,000 | 0 | 93,700 |
| 01590 | Homogentistic acid | Random Urine | GC/MSD | | | | 0 | 0 | 104,000 | 0 | 107,100 |
| 80659 | Hormone Receptor×2+IHC | Other | | 나559+나55 | C5590+C5575006 | | 0 | 92,560 | 92,560 | 95,350 | 95,350 |
| 80657 | Hormone Receptor×2+IHC×2 | Other | | 나559+나55 | C5590+C5575006 | | 0 | 124,860 | 124,860 | 128,620 | 128,620 |
| 80661 | Hormone Receptor×2+IHC×3 | Other | | 나559+나55 | C5590+C5575006 | | 0 | 157,160 | 157,160 | 161,890 | 161,890 |
| 81380 | HPL (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 01990 | HPL(Human Placental Lactogen) | SST Serum | Latex | 노193 | CZ193 | 국외 | 0 | 0 | 72,000 | 0 | 74,200 |
| 42430 | HPV 16 | 분비물 | PCR | 나5950아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 42480 | HPV 16 | 분비물 | PCR | 나5950아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-------------------------------|-------------|----------------------|----------|----------|----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 42440 | HPV 18 | 분비물 | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 42490 | HPV 18 | 분비물 | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 42450 | HPV genotyping(DNA Microarray | 분비물 | | 나595-2 | C5959006 | | 698.13 | 48,940 | 48,940 | 50,400 | 50,400 |
| 42420 | HPV Screening | 분비물 | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 42470 | HPV Screening | 분비물 | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 42425 | HPV Screening (Tissue) | Tissue | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 42460 | HPV Screening (Type 16,18) | 분비물 | | 나595아 | C5956006 | | 415.49 | 58,260 | 58,260 | 60,000 | 60,000 |
| 42495 | HPV(Condyloma) | 분비물 | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 81880 | HSA(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 26170 | HSALP | SST Serum | Enzyme | | | | 0 | 0 | 7,000 | 0 | 7,200 |
| 81963 | HSP70(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 42155 | HSV culture | Other | Shell Vial Culture | 나416 | B4160006 | | 574.26 | 40,260 | 40,260 | 41,460 | 41,460 |
| 42156 | HSV culture(조직) | Tissue | Shell Vial Culture | 나416 | B4160006 | | 574.26 | 40,260 | 40,260 | 41,460 | 41,460 |
| 42841 | HSV DNA PCR, type 1&2 | Tissue | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 41380 | HSV IgG | SST Serum | EIA | 나468나(1) | C4682466 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 41381 | HSV IgG | CSF | EIA | 나468나(1) | C4682466 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 41390 | HSV IgM | SST Serum | EIA | 나468나(2) | C4683466 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 41391 | HSV IgM | CSF | EIA | 나468나(2) | C4683466 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 43080 | HSV type 1 IgG | SST Serum | EIA | 나468나(1) | C4682466 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 43081 | HSV type 1 IgG | CSF | EIA | 나468나(1) | C4682466 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 43541 | HSV Type 1 IgM | SST Serum | IFA | | | 국외 | 0 | 0 | 48,000 | 0 | 49,400 |
| 43540 | HSV Type 1/2 IgM | SST Serum | IFA | | | 국외 | 0 | 0 | 96,000 | 0 | 98,800 |
| 41440 | HSV Type 2 IgG | SST Serum | EIA | 나468나(1) | C4682466 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 41441 | HSV Type 2 IgG | CSF | EIA | 나468나(1) | C4682466 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 43542 | HSV Type 2 IgM | SST Serum | IFA | | | 국외 | 0 | 0 | 48,000 | 0 | 49,400 |
| 42500 | HSV Type I(PCR) | EDTA Blood | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 42510 | HSV Type II(PCR) | 분비물 | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 41420 | HSV Type I (NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41421 | HSV Type I (NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41430 | HSV TypeII(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41431 | HSV TypeII(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 81512 | HSV(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 41460 | HTLV-1(W.B) | SST Serum | Western blot | | | 국외 | 0 | 0 | 195,000 | 0 | 200,900 |
| 41475 | HTLV-I/II Ab (EIA) | SST Serum | EIA | 나468나(1) | C4682596 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 41476 | HTLV-I/II Ab (EIA) | CSF | EIA | 나468나(1) | C4682596 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 41477 | HTLV-I/II Ab (EIA) | EDTA Plasma | EIA | 나468나(1) | C4682596 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|---------------------------|--------------|-----------------------|----------|----------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 01810 | Hu autoantibodies | SST Serum | Western blot | | | 국외 | 0 | 0 | 847,000 | 0 | 872,400 |
| 01811 | Hu autoantibodies | CSF | Western blot | | | 국외 | 0 | 0 | 847,000 | 0 | 872,400 |
| 25605 | Huntington's disease | EDTA Blood | PCR Fragment analysis | 너573가 | CY531006 | | 1199.67 | 84,100 | 84,100 | 86,620 | 86,620 |
| 00868 | HVA 정량 | CSF | GC/MSD | 너225나 | CY251006 | | 351.79 | 24,660 | 24,660 | 25,400 | 25,400 |
| 00861 | HVA 정량 (Plasma) | EDTA Plasma | GC/MSD | 너225나 | CY251006 | | 351.79 | 24,660 | 24,660 | 25,400 | 25,400 |
| 00865 | HVA 정량(HPLC) | 24hr Urine | HPLC | 너225나 | CY251006 | | 351.79 | 24,660 | 24,660 | 25,400 | 25,400 |
| 00866 | HVA 정량(HPLC) | Random Urine | HPLC | 너225나 | CY251006 | | 351.79 | 24,660 | 24,660 | 25,400 | 25,400 |
| 00860 | HVA 정량(Plasma) | EDTA Plasma | HPLC | | | 국외 | 0 | 0 | 46,000 | 0 | 47,400 |
| 12105 | Hyaluronic Acid | SST Serum | TIA | 너345가(3) | CY343 | | 201.9 | 14,150 | 14,150 | 14,580 | 14,580 |
| 12120 | Hydroxyproline Free | 24hr Urine | LC/MS/MS | 노244 | CZ244 | | 0 | 0 | 117,000 | 0 | 120,500 |
| 12110 | Hydroxyproline Total | 24hr Urine | HPLC | 노244 | CZ244 | 국외 | 0 | 0 | 125,000 | 0 | 128,800 |
| 12130 | ICTP(type I collagen) | SST Serum | RIA | | | 국외 | 0 | 0 | 85,000 | 0 | 87,600 |
| 81910 | IDH-1 (IHC) 성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 20628 | IFEP + PEP (24h urine) | 24hr Urine | Electrophoresis | | | | 0 | 0 | 53,120 | 0 | 54,720 |
| 20629 | IFEP + PEP (Random Urine) | Random Urine | Electrophoresis | | | | 0 | 0 | 53,120 | 0 | 54,720 |
| 20627 | IFEP + PEP (Serum) | SST Serum | Electrophoresis | | | | 0 | 0 | 47,590 | 0 | 49,020 |
| 20200 | IgA | SST Serum | TIA | 나228나 | C2282 | | 139.93 | 9,810 | 9,810 | 10,100 | 10,100 |
| 20201 | IgA | EDTA Plasma | TIA | 나228나 | C2282 | | 139.93 | 9,810 | 9,810 | 10,100 | 10,100 |
| 20205 | IgA (서울대) | SST Serum | Nephelometry | 나228나 | C2282 | | 139.93 | 9,810 | 9,810 | 10,100 | 10,100 |
| 81110 | IgA (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81111 | IgA (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 20211 | IgD | SST Serum | TIA | 나228라 | C2284 | | 136.12 | 9,540 | 9,540 | 9,830 | 9,830 |
| 60003 | IgE (ECLIA) | SST Serum | ECLIA | 나229 | C2290 | | 237.9 | 16,680 | 16,680 | 17,180 | 17,180 |
| 62586 | IgE MAST(식이성)&IgE(ECLIA) | SST Serum | | | | | 0 | 110,890 | 110,890 | 114,220 | 114,220 |
| 62596 | IgE MAST(흡입성)&IgE(ECLIA) | SST Serum | | | | | 0 | 110,890 | 110,890 | 114,220 | 114,220 |
| 62585 | IgE MAST-식이성 42종 | SST Serum | Immunoblot assay | 나232 | C2320006 | | 1343.99 | 94,210 | 94,210 | 97,040 | 97,040 |
| 62595 | IgE MAST-흡입성 42종 | SST Serum | Immunoblot assay | 나232 | C2320006 | | 1343.99 | 94,210 | 94,210 | 97,040 | 97,040 |
| 62640 | IgE_Clam:F207 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 63313 | IgE-6중(계란,밀,땅콩 심화) | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 94,140 | 94,140 | 96,960 | 96,960 |
| 63331 | IgE-6중(봄-여름 호흡기) | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 94,140 | 94,140 | 96,960 | 96,960 |
| 63320 | IgE-6중(식품/환경알레르기) | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 94,140 | 94,140 | 96,960 | 96,960 |
| 63310 | IgE-6중(식품알레르기1) | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 94,140 | 94,140 | 96,960 | 96,960 |
| 63311 | IgE-6중(식품알레르기2) | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 94,140 | 94,140 | 96,960 | 96,960 |
| 63332 | IgE-6중(여름-가을 호흡기) | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 94,140 | 94,140 | 96,960 | 96,960 |
| 63312 | IgE-6중(우유,계란 심화) | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 94,140 | 94,140 | 96,960 | 96,960 |
| 63330 | IgE-6중(통년성 호흡기) | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 94,140 | 94,140 | 96,960 | 96,960 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-------------------------|-----------|------|------|-------|----|--------|--------|--------|--------|--------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 63300 | IgE-6종(환경알레르기1) | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 94,140 | 94,140 | 96,960 | 96,960 |
| 63301 | IgE-6종(환경알레르기2) | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 94,140 | 94,140 | 96,960 | 96,960 |
| 60380 | IgE-A.Tenuis:M6 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62740 | IgE-Abalone:F346 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60350 | IgE-Acacia:T19 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 60360 | IgE-Acarus Siro:D70 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61180 | IgE-Alder:T2 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60370 | IgE-Almond:F20 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62860 | IgE-Amoxycilloyl:C6 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62850 | IgE-Ampicilloyl:C5 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 63210 | IgE-Anchovy:RF313 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 60390 | IgE-Anisakis:P4 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60400 | IgE-Apple:F49 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60410 | IgE-Ascaris:P1 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 60420 | IgE-Asp.Fumigatus:M3 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60440 | IgE-Avocado:F96 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 60450 | IgE-Bahia Grass:G17 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62460 | IgE-Baker's Yeast:F45 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60460 | IgE-Bamboo sprout:F51 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 60480 | IgE-Banana:F92 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60490 | IgE-Barley:F6 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60500 | IgE-Beech:T5 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60510 | IgE-Beef:F27 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60530 | IgE-Bermuda Grass:G2 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60105 | IgE-Birch:T3 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60560 | IgE-Blue Mussel:F37 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 63000 | IgE-Botrytis cinerea:M7 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61530 | IgE-Box Elder:T1 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 60570 | IgE-Brazil Nut:F18 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62630 | IgE-Broccoli:F260 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60590 | IgE-Buckwheat:F11 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60640 | IgE-C.pityrosporum:M70 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 63140 | IgE-Cabbage:F216 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 60620 | IgE-Cacao:F93 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60630 | IgE-Candida Albicans:M5 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60650 | IgE-Carrot:F31 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-------------------------|-----------|------|------|-------|----|--------|--------|--------|--------|--------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 60670 | IgE-Casein:F78 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60685 | IgE-Cat Epithelium:E1 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62870 | IgE-Cefaclor:C7 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60690 | IgE-Celery:F85 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60700 | IgE-Cheddar Cheese:F81 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60705 | IgE-Chestnut:F299 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60710 | IgE-Chicken meat:F83 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60720 | IgE-Chiken Feathers:E85 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62900 | IgE-Chymopapain:C209 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 60750 | IgE-Cl.Herbarum:M2 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60775 | IgE-Cockroach:I6 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60790 | IgE-Coconut:F36 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 60800 | IgE-Codfish:F3 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60820 | IgE-Common Ragweed:W1 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60830 | IgE-Common Reed:G7 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61500 | IgE-Corn:F8 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60840 | IgE-Cottonwood:T14 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60850 | IgE-Cow Dander:E4 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 60860 | IgE-Crab:F23 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62799 | IgE-Cucumber:F244 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 60905 | IgE-D.Farinae:D2 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62930 | IgE-D.microceras:D3 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60915 | IgE-D.Pteronyssinus:D1 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60920 | IgE-Dandelion:W8 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60935 | IgE-Dog dander:E5 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60950 | IgE-Duck Feathers:E86 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60980 | IgE-Echinococcus:P2 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 60995 | IgE-Egg White:F1 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61005 | IgE-Egg Yolk:F75 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62800 | IgE-Egg:F245 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60160 | IgE-Elm:T8 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61020 | IgE-English Plantain:W9 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61040 | IgE-Ethylene oxide:K78 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61050 | IgE-Eucalyptus:T18 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62660 | IgE-False ragweed:W4 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62730 | IgE-Fire Ant:I70 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|------------------------------|-----------|------|--------|-------|----|--------|--------|--------|--------|--------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 63050 | IgE-Food Mix:Fx5 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62970 | IgE-Formaldehyde:K80 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61610 | IgE-Foxtail Millet:F56 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62700 | IgE-Fusarium proliferatum:M9 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61200 | IgE-G.Pig Epithelium:E6 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61100 | IgE-Garlic:F47 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62890 | IgE-Gelatin bovine:C74 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61090 | IgE-Giant Ragweed:W3 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61110 | IgE-Gluten:F79 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61130 | IgE-Goat Epithelium:E80 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 63120 | IgE-Goat milk:RF300 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61150 | IgE-Goldenrod:W12 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61160 | IgE-Goose Feathers:E70 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61170 | IgE-Grape fruit:F209 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62680 | IgE-Grape:F259 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61210 | IgE-H.halodes:M8 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61220 | IgE-Hamster epithelium:E84 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61240 | IgE-Hazel Nut:F17 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61230 | IgE-Hazel:T4 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61250 | IgE-Honey Bee Venom:I1 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61251 | IgE-Honey:RF247 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61260 | IgE-Horse Dander:E3 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 60300 | IgE-Horse mackerel:F60 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61270 | IgE-House dust1:H1 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61280 | IgE-House dust2:H2 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61310 | IgE-Insulin Bovine:C71 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62880 | IgE-Insulin human:C73 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61320 | IgE-Insuline Porcine:C70 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61330 | IgE-Isocyanate HDI:K77 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61340 | IgE-Isocyanate MDI:K76 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61345 | IgE-Isocyanate MDI:K76-RIA | SST Serum | IRMA | 나231주2 | C7231 | | 204.59 | 14,340 | 14,340 | 14,770 | 14,770 |
| 61350 | IgE-Isocyanate TDI:K75 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61355 | IgE-Isocyanate TDI:K75-RIA | SST Serum | IRMA | 나231주2 | C7231 | | 204.59 | 14,340 | 14,340 | 14,770 | 14,770 |
| 61470 | IgE-Ispaghula:K72 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61360 | IgE-Japanes cedar:T17 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61370 | IgE-Japanese hop:W22 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|---------------------------|-----------|------|------|-------|----|--------|--------|--------|--------|--------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 62540 | IgE-Japanese linden:T24 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 60470 | IgE-Japanese millet: F57 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61380 | IgE-Johnson Grass:G10 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61390 | IgE-June Kentucky blue:G8 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61415 | IgE-Kiwi:F84 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61120 | IgE-L.Destructor:D71 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61430 | IgE-Lamb's Quarters:W10 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61440 | IgE-Latex:K82 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61445 | IgE-Lemon:F208 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61460 | IgE-Lobster:F80 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61490 | IgE-Mackerel:F50 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61510 | IgE-Malt:F90 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61520 | IgE-Mango:F91 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61540 | IgE-Marguerite:W7 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61550 | IgE-Meadow Fescue:G4 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61560 | IgE-Meadow Foxtail:G16 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61580 | IgE-Melon:F87 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61630 | IgE-Midge(성충):I7 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62790 | IgE-Milk,boiled:F231 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61605 | IgE-Milk:F2 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62750 | IgE-Mix grass pollen:Gx2 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62820 | IgE-Mix house dust:Hx2 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 63190 | IgE-Mix Tree Pollen:Tx1 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62770 | IgE-Mix tree pollen:Tx5 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 63180 | IgE-Mixed epithelia:Ex1 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61625 | IgE-Mold Cheese:F82 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62760 | IgE-Mold mix:Mx1 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61640 | IgE-Mosquito(속):I71 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61650 | IgE-Moth:I8 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61660 | IgE-Mountain Juniper:T6 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61670 | IgE-Mouse epithelium:E88 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62650 | IgE-Mucor racemosus:M4 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61680 | IgE-Mugwort:W6 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 63170 | IgE-Mushroom:RF212 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61700 | IgE-Mustard:F89 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61420 | IgE-Mutton:F88 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|-----------|------|------|-------|----|--------|--------|--------|--------|--------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 61715 | IgE-Nettle:W20 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61720 | IgE-Oak:T7 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61740 | IgE-Oat Pollen:G14 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61730 | IgE-Oat:F7 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61750 | IgE-Octopus:F59 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61760 | IgE-Olive:T9 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 63150 | IgE-Omega-5 Gliadine:F416 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61770 | IgE-Onion:F48 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61780 | IgE-Orange:F33 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61790 | IgE-Orchard Grass:G3 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61795 | IgE-Ovomucoid:F233 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62710 | IgE-Oyster:F290 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61810 | IgE-P.Wasp Venom:I4 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60890 | IgE-Pacific Squid:F58 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61820 | IgE-Parrot droppings:E77 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61830 | IgE-Parrot feathers:E78 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61840 | IgE-Parsley:F86 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61195 | IgE-Pea:F12 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61850 | IgE-Peach:F95 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61860 | IgE-Peanut:F13 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61870 | IgE-Pear:F94 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61880 | IgE-Pecan nut:F201 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61890 | IgE-Penicillium notatum:M1 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61900 | IgE-Penicilloyl G:C1 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61910 | IgE-Penicilloyl V:C2 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 63130 | IgE-Phadiatop | SST Serum | FEIA | 노113 | CZ113 | | 0 | 0 | 45,000 | 0 | 46,400 |
| 63160 | IgE-Phadiatop Infant | SST Serum | FEIA | 노113 | CZ113 | | 0 | 0 | 45,000 | 0 | 46,400 |
| 62010 | IgE-Phthalic anhydride:K79 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61940 | IgE-Pigeon Droppings:E7 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62670 | IgE-Pine nuts:F253 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62620 | IgE-Pineapple:F210 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61955 | IgE-Pistachio:F203 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61960 | IgE-Plaice:F254 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61965 | IgE-Plum:F255 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 61970 | IgE-Pork:F26 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61980 | IgE-Potato:F35 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|---------------------------|-----------|------|------|-------|----|--------|--------|--------|--------|--------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 61990 | IgE-Pumpkin:F225 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62000 | IgE-Rabbit epithelium:E82 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60405 | IgE-rAra h2:F423 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62780 | IgE-Rat epithelium:E73 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 60320 | IgE-Rat epithelium:E87 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62020 | IgE-Red top Grass:G9 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 63010 | IgE-Rhizo.nigricans:M11 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62050 | IgE-Rice:F9 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 61920 | IgE-Rye Grass:G5 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62080 | IgE-Rye:F5 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62100 | IgE-Sadine:F61 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62110 | IgE-Salmon:F41 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62135 | IgE-Sesame Seed:F10 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62140 | IgE-Sheep epithelium:E81 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62170 | IgE-Sheep Sorrel:W18 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62150 | IgE-Shrimp:F24 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62160 | IgE-Silk:K74 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62185 | IgE-Soybean:F14 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62190 | IgE-Spinach:F214 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 63040 | IgE-Squid:RF258 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 63060 | IgE-Stemphylium h.:M10 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62210 | IgE-Strawberry:F44 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 63230 | IgE-sunflower seed:K84 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62230 | IgE-Sweat Vernal:G1 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62240 | IgE-Sweet potato:F54 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62250 | IgE-Swine Epithelium:E83 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62260 | IgE-Sycamore:T11 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62270 | IgE-T.Putre Scentiae:D72 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62910 | IgE-T.toxoid:RC208 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62280 | IgE-Timothy Grass:G6 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62300 | IgE-Tomato:F25 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62840 | IgE-Tree mixture:Tx9 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62720 | IgE-Trichophyton:M205 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62320 | IgE-Tuna:F40 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62950 | IgE-Turkey meat:F284 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62350 | IgE-Walnut pollen:T10 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|---------------------------|-----------|----------------------|-------|----------|----|--------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 62810 | IgE-Walnut:F256 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 63030 | IgE-Weed Mix:Wx5 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62360 | IgE-Western Ragweed:W2 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62380 | IgE-Wheat Pollen:G15 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62370 | IgE-Wheat:F4 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62390 | IgE-White Ash:T15 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62410 | IgE-White bean:F15 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62400 | IgE-White faced hornet:I2 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 60960 | IgE-White Pine:T16 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62430 | IgE-Willow:T12 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62440 | IgE-Wormwood:W5 | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62830 | IgE-Yellow hornet:I5 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62480 | IgE-Yellow J.WaspVenom:I3 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62495 | IgE-αLactalbumin:F76 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 62505 | IgE-βLactoglobulin:F77 | SST Serum | FEIA | 나231 | C2310 | | 223.79 | 15,690 | 15,690 | 16,160 | 16,160 |
| 01295 | IGFBP-3 (CLIA) | SST Serum | CLIA | 너231 | CX231 | | 245.38 | 17,200 | 17,200 | 17,720 | 17,720 |
| 20220 | IgG | SST Serum | TIA | 나228가 | C2281 | | 139.4 | 9,770 | 9,770 | 10,060 | 10,060 |
| 20221 | IgG | CSF | TIA | 나228가 | C2281 | | 139.4 | 9,770 | 9,770 | 10,060 | 10,060 |
| 20226 | IgG (서울대) | SST Serum | Nephelometry | 나228가 | C2281 | | 139.4 | 9,770 | 9,770 | 10,060 | 10,060 |
| 80945 | IgG (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80944 | IgG(IHC)서울대 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80943 | IgG(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 20225 | IgG, Low Conc | CSF | TIA | 나228가 | C2281 | | 139.4 | 9,770 | 9,770 | 10,060 | 10,060 |
| 80946 | IgG4 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80948 | IgG4(IHC)서울대 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80947 | IgG4(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 63090 | IgG-Broccoli:F260G | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 63070 | IgG-D.ptonys.:D1G | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 80511 | IgG-Fibrinogen(성모) | Tissue | | 나554 | C5541외 | | 0 | 105,120 | 105,120 | 108,300 | 108,300 |
| 63100 | IgG-Grape:F259G | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 63110 | IgG-Tuna:F40G | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 62940 | IgG-Walnut:F256G | SST Serum | FEIA | | | 국외 | 0 | 0 | 23,000 | 0 | 23,700 |
| 25885 | IgH gene rearrangement | Block | Nested PCR | 너563바 | CY056006 | | 609.58 | 42,730 | 42,730 | 44,010 | 44,010 |
| 20270 | IgM | SST Serum | TIA | 나228다 | C2283 | | 139.97 | 9,810 | 9,810 | 10,110 | 10,110 |
| 20271 | IgM | Hp Plasma | TIA | 나228다 | C2283 | | 139.97 | 9,810 | 9,810 | 10,110 | 10,110 |
| 20275 | IgM (서울대) | SST Serum | Nephelometry | 나228다 | C2283 | | 139.97 | 9,810 | 9,810 | 10,110 | 10,110 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-------------------------------|--------------|----------------------|----------|-------------|----|--------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 80940 | IgM (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80941 | IgM(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80653 | IHC | Other | | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80663 | IHC | Other | | 나557 | C5575 | | 418.92 | 29,370 | 29,370 | 30,250 | 30,250 |
| 80182 | IHC (CFC) | Tissue | | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80140 | IHC (KMK) | Tissue | | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80343 | IHC(T&C) | Tissue | Immunohistochemistry | 나557 | C5575 | | 418.92 | 29,370 | 29,370 | 30,250 | 30,250 |
| 80658 | IHC×2 | Other | | 나557 | C5575006 | | 460.81 | 64,600 | 64,600 | 66,540 | 66,540 |
| 80164 | IHC×2 (CFC) | Tissue | | 나557 | C5575006 | | 460.81 | 64,600 | 64,600 | 66,540 | 66,540 |
| 80167 | IHC×3 (CFC) | Tissue | | 나557 | C5575006 | | 460.81 | 96,900 | 96,900 | 99,810 | 99,810 |
| 80654 | IHC×4 | Other | | 나557 | C5575006 | | 460.81 | 129,200 | 129,200 | 133,080 | 133,080 |
| 80655 | IHC×5 | Other | | 나557 | C5575006 | | 460.81 | 161,500 | 161,500 | 166,350 | 166,350 |
| 80169 | IHC×5 (CFC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 161,500 | 161,500 | 166,350 | 166,350 |
| 80683 | IHC×6 | Other | | 나557 | C5575006 | | 460.81 | 193,800 | 193,800 | 199,620 | 199,620 |
| 80685 | IHC×8 | Other | | 나557 | C5575006 | | 460.81 | 258,400 | 258,400 | 266,160 | 266,160 |
| 80185 | IHC×8 (CFC) | Tissue | | 나557 | C5575006 | | 460.81 | 258,400 | 258,400 | 266,160 | 266,160 |
| 80668 | IHCx2 | Other | | 나557 | C5575 | | 418.92 | 58,740 | 58,740 | 60,500 | 60,500 |
| 65621 | Imipramine | Plain Serum | LC/MS/MS | 나450나(4) | CX375696 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 51700 | Immune Complex(c1q) | SST Serum | ELISA | | | 국외 | 0 | 0 | 62,000 | 0 | 63,900 |
| 51710 | Immune Complex(RF) | SST Serum | EIA | | | 국외 | 0 | 0 | 62,000 | 0 | 63,900 |
| 20621 | Immuno E.P (24h urine) | 24hr Urine | Electrophoresis | 나308나 | B3083006 | | 456.92 | 32,030 | 32,030 | 32,990 | 32,990 |
| 20625 | Immuno E.P (IgG,M,A,D,E) | SST Serum | Electrophoresis | 나308가 | B3081006 | | 399.11 | 27,980 | 27,980 | 28,820 | 28,820 |
| 20623 | Immuno E.P (Random urine) | Random Urine | Electrophoresis | 나308나 | B3083006 | | 456.92 | 32,030 | 32,030 | 32,990 | 32,990 |
| 20620 | Immuno E.P (Serum) | SST Serum | Electrophoresis | 나308가 | B3081006 | | 399.11 | 27,980 | 27,980 | 28,820 | 28,820 |
| 20626 | Immuno E.P(IgG,M,A,D,E)(U) | Random Urine | Electrophoresis | 나308가 | B3081006 | | 399.11 | 27,980 | 27,980 | 28,820 | 28,820 |
| 20611 | Immuno Fixation EP | Random Urine | Electrophoresis | 나308나주 | B3084006 | | 615.6 | 43,150 | 43,150 | 44,450 | 44,450 |
| 20610 | Immuno Fixation EP (Serum) | SST Serum | Electrophoresis | 나308가주 | B3082006 | | 544.86 | 38,190 | 38,190 | 39,340 | 39,340 |
| 20612 | Immuno Fixation EP(24h urine) | 24hr Urine | Electrophoresis | 나308나주 | B3084006 | | 615.6 | 43,150 | 43,150 | 44,450 | 44,450 |
| 20228 | Immunoglobulin G Index | 복수검체 | 계산법 | | | | 0 | 0 | 35,380 | 0 | 36,430 |
| 26565 | Immunoglobulin heavy chain | Tissue | Nested PCR | 너563바 | CY056006 | | 609.58 | 42,730 | 42,730 | 44,010 | 44,010 |
| 80651 | Immunohistochemistry | Block | | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80652 | Immunohistochemistry | Other | | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80656 | Immunohistochemistry | Smear Slide | | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 70820 | India ink prep. | CSF | | 나401 | B4010 | | 25.28 | 1,770 | 1,770 | 1,830 | 1,830 |
| 70821 | India ink prep. | Other | | 나401 | B4010 | | 25.28 | 1,770 | 1,770 | 1,830 | 1,830 |
| 10060 | Indirect Bilirubin | SST Serum | 계산법 | 나372 | C3720+C3721 | | 0 | 0 | 2,440 | 0 | 2,520 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-----------------------------|-------------|----------------------|---------|----------|----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 10061 | Indirect Bilirubin | Capillary | 계산법 | 나372 외 | C3720 외 | | 0 | 0 | 2,440 | 0 | 2,520 |
| 30330 | Indirect Coombs | SST Serum | Microcolumn | 나204나주주 | B2048006 | | 75.71 | 5,310 | 5,310 | 5,470 | 5,470 |
| 12141 | Indocyanine Green(R15) | SST Serum | Spectrophotometry | 나399가 | C3991006 | | 245.82 | 17,230 | 17,230 | 17,750 | 17,750 |
| 12150 | Indocyanine Green소실율 | SST Serum | Colorimetry | 나399나 | C3992006 | | 403.65 | 28,300 | 28,300 | 29,140 | 29,140 |
| 12140 | Indocyanine Green정체율 | SST Serum | Colorimetry | 나399가 | C3991006 | | 245.82 | 17,230 | 17,230 | 17,750 | 17,750 |
| 42165 | Influenza A Culture | Other | Shell Vial Culture | 나416 | B4160006 | | 574.26 | 40,260 | 40,260 | 41,460 | 41,460 |
| 42284 | Influenza A PCR (Subtype3종) | 비인후/인후도찰물 | real time PCR | 노598 | C6095 | | 0 | 0 | 145,000 | 0 | 145,000 |
| 42283 | Influenza A&B PCR | 비인후/인후도찰물 | RT-PCR | 노598러 | CZ983 | | 0 | 0 | 118,000 | 0 | 121,500 |
| 42175 | Influenza B Culture | Other | Shell Vial Culture | 나416 | B4160006 | | 574.26 | 40,260 | 40,260 | 41,460 | 41,460 |
| 42280 | Influenza virus A & B Ag | Sputum | DFA | | | | 0 | 0 | 28,000 | 0 | 29,360 |
| 42281 | Influenza virus A Ag | Sputum | DFA | | | | 0 | 0 | 14,000 | 0 | 14,680 |
| 42282 | Influenza virus B Ag | Sputum | DFA | | | | 0 | 0 | 14,000 | 0 | 14,680 |
| 41490 | Influenza virus Type A(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41491 | Influenza virus Type A(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41510 | Influenza virus Type A(HI) | SST Serum | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41511 | Influenza virus Type A(HI) | CSF | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41500 | Influenza virus Type B(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41501 | Influenza virus Type B(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41520 | Influenza virus Type B(HI) | SST Serum | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41521 | Influenza virus Type B(HI) | CSF | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 81750 | Inhibin (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 01867 | Inhibin B | SST Serum | | | | 국외 | 0 | 0 | 586,000 | 0 | 603,600 |
| 81836 | Inhibin(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 01864 | Inhibin-A | SST Serum | CLIA | 나369 | CZ211 | | 350.82 | 24,590 | 24,590 | 25,330 | 25,330 |
| 81570 | INI-1 (IHC) | Block | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81571 | INI-1 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 01025 | Insulin | SST Serum | CMIA | 나341 | C3410 | | 179.71 | 12,600 | 12,600 | 12,980 | 12,980 |
| 01026 | Insulin | EDTA Plasma | CMIA | 나341 | C3410 | | 179.71 | 12,600 | 12,600 | 12,980 | 12,980 |
| 01047 | Insulin A/C | SST Serum | CMIA | 나341주 | C7341 | | 167.94 | 11,770 | 11,770 | 12,130 | 12,130 |
| 81870 | Insulin Ab(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 01040 | Insulin Ab(RIA) | SST Serum | RIA | 너444주 | CX745 | | 123.67 | 8,670 | 8,670 | 8,930 | 8,930 |
| 01048 | Insulin P/C | SST Serum | CMIA | 나341주 | C7341 | | 167.94 | 11,770 | 11,770 | 12,130 | 12,130 |
| 01050 | Insulin Receptor Ab | SST Serum | RRA | 노210 | CZ210 | 국외 | 0 | 0 | 352,000 | 0 | 362,600 |
| 01041 | Insulin-10호 | SST Serum | CMIA | 나341 | C3410 | | 179.71 | 12,600 | 12,600 | 12,980 | 12,980 |
| 01042 | Insulin-11호 | SST Serum | CMIA | 나341 | C3410 | | 179.71 | 12,600 | 12,600 | 12,980 | 12,980 |
| 01043 | Insulin-12호 | SST Serum | CMIA | 나341 | C3410 | | 179.71 | 12,600 | 12,600 | 12,980 | 12,980 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|------------------------------|-------------------|-------------|--------|----------|-----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 01044 | Insulin-13회 | SST Serum | CMIA | 나341 | C3410 | | 179.71 | 12,600 | 12,600 | 12,980 | 12,980 |
| 01045 | Insulin-14회 | SST Serum | CMIA | 나341 | C3410 | | 179.71 | 12,600 | 12,600 | 12,980 | 12,980 |
| 01046 | Insulin-15회 | SST Serum | CMIA | 나341 | C3410 | | 179.71 | 12,600 | 12,600 | 12,980 | 12,980 |
| 01031 | Insulin-1회 | SST Serum | CMIA | 나341 | C3410 | | 179.71 | 12,600 | 12,600 | 12,980 | 12,980 |
| 01032 | Insulin-2회 | SST Serum | CMIA | 나341 | C3410 | | 179.71 | 12,600 | 12,600 | 12,980 | 12,980 |
| 01033 | Insulin-3회 | SST Serum | CMIA | 나341 | C3410 | | 179.71 | 12,600 | 12,600 | 12,980 | 12,980 |
| 01034 | Insulin-4회 | SST Serum | CMIA | 나341 | C3410 | | 179.71 | 12,600 | 12,600 | 12,980 | 12,980 |
| 01035 | Insulin-5회 | SST Serum | CMIA | 나341 | C3410 | | 179.71 | 12,600 | 12,600 | 12,980 | 12,980 |
| 01036 | Insulin-6회 | SST Serum | CMIA | 나341 | C3410 | | 179.71 | 12,600 | 12,600 | 12,980 | 12,980 |
| 01037 | Insulin-7회 | SST Serum | CMIA | 나341 | C3410 | | 179.71 | 12,600 | 12,600 | 12,980 | 12,980 |
| 01038 | Insulin-8회 | SST Serum | CMIA | 나341 | C3410 | | 179.71 | 12,600 | 12,600 | 12,980 | 12,980 |
| 01039 | Insulin-9회 | SST Serum | CMIA | 나341 | C3410 | | 179.71 | 12,600 | 12,600 | 12,980 | 12,980 |
| 01847 | Integrated 1st_PAPP-A | SST Serum | RIA | 노212 | CZ212 | | 0 | 0 | 31,000 | 0 | 31,900 |
| 01848 | Integrated 1st_PAPP-A,NT | SST Serum | RIA | 노212 | CZ212 | | 0 | 0 | 31,000 | 0 | 31,900 |
| 02061 | Integrated 2nd (Quad) | SST Serum | | 나421 외 | C7421외 | | 0 | 63,920 | 63,920 | 65,840 | 65,840 |
| 51770 | Interleukin 1 R. antagonist | EDTA Plasma | ELISA | | | 국외 | 0 | 0 | 326,000 | 0 | 326,000 |
| 51860 | Interleukin 10 | SST Serum | ELISA | | | 국외 | 0 | 0 | 326,000 | 0 | 326,000 |
| 51760 | Interleukin 1β | SST Serum | ELISA | | | 국외 | 0 | 0 | 326,000 | 0 | 326,000 |
| 51780 | Interleukin 2 | SST Serum | ELISA | | | 국외 | 0 | 0 | 326,000 | 0 | 326,000 |
| 51790 | Interleukin 2 receptor,Solub | SST Serum | ELISA | | | 국외 | 0 | 0 | 326,000 | 0 | 326,000 |
| 51800 | Interleukin 3 | Media Supernatant | ELISA | | | 국외 | 0 | 0 | 326,000 | 0 | 326,000 |
| 51810 | Interleukin 4 | SST Serum | ELISA | | | 국외 | 0 | 0 | 326,000 | 0 | 326,000 |
| 51820 | Interleukin 5 | SST Serum | ELISA | | | 국외 | 0 | 0 | 326,000 | 0 | 326,000 |
| 51830 | Interleukin 6 | SST Serum | ELISA | | | 국외 | 0 | 0 | 326,000 | 0 | 326,000 |
| 51850 | Interleukin 8 | EDTA Plasma | ELISA | | | 국외 | 0 | 0 | 326,000 | 0 | 326,000 |
| 51851 | Interleukin 8 | Media Supernatant | ELISA | | | 국외 | 0 | 0 | 326,000 | 0 | 326,000 |
| 13150 | Iodide | Random Urine | | 너234 | CX234 | | 57.01 | 4,000 | 4,000 | 4,120 | 4,120 |
| 30140 | Iron Stain | Bone Marrow Slide | Stain | 나118다 | B1185006 | | 87.45 | 6,130 | 6,130 | 6,310 | 6,310 |
| 12730 | Iron (Fe) | SST Serum | Colorimetry | 나249 | C2490 | | 32.95 | 2,310 | 2,310 | 2,380 | 2,380 |
| 12732 | Iron (Fe)(Tissue) | Tissue | AAS | 나452 | C4527990 | | 619.4 | 43,420 | 43,420 | 44,720 | 44,720 |
| 30153 | Iron stain | Bone Marrow Slide | Stain | 나118다 | B1185006 | | 87.45 | 6,130 | 6,130 | 6,310 | 6,310 |
| 51880 | Islet cell Ab | SST Serum | IFA | 너446 | CX446006 | | 121.34 | 8,510 | 8,510 | 8,760 | 8,760 |
| 30370 | Isoagglutinin test | 복수검체 | | 나208 | B2080006 | | 99.47 | 6,970 | 6,970 | 7,180 | 7,180 |
| 27775 | JAK2 V617F mutation | EDTA Blood | Sequencing | 노595 | CZ647 | | 0 | 0 | 129,000 | 0 | 132,900 |
| 43500 | JEV Ab (NIH) | SST Serum | EIA | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 41570 | JEV Ab(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|---------------------------|----------------|----------------------|-----------|----------|----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 41571 | JEV Ab(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41580 | JEV Ab(HI) | SST Serum | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41581 | JEV Ab(HI) | CSF | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 42530 | JEV RT-PCR | CSF | RT-PCR | | | 국외 | 0 | 0 | 391,000 | 0 | 402,700 |
| 42531 | JEV RT-PCR | SST Serum | RT-PCR | | | 국외 | 0 | 0 | 391,000 | 0 | 402,700 |
| 71030 | Joint fluid analysis | Joint Fluid | | 나51 | B0510 | | 51.91 | 3,640 | 3,640 | 3,750 | 3,750 |
| 71031 | Joint fluid analysis | Other | | 나51 | B0510 | | 51.91 | 3,640 | 3,640 | 3,750 | 3,750 |
| 25893 | Kappa light chain | Random Urine | CLIA | 나554자 | C5548 | | 249.95 | 17,520 | 17,520 | 18,050 | 18,050 |
| 25894 | Kappa light chain | SST Serum | CLIA | 나554자 | C5548 | | 249.95 | 17,520 | 17,520 | 18,050 | 18,050 |
| 81964 | Kappa light chain (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 12200 | Ketone body 3분획 | EDTA Plasma | GC/MSD | 너271 | CX271006 | | 158.71 | 11,130 | 11,130 | 11,460 | 11,460 |
| 12201 | Ketone body 3분획 | Random Urine | GC/MSD | 너271 | CX271006 | | 158.71 | 11,130 | 11,130 | 11,460 | 11,460 |
| 12210 | Ketone Body 3분획 | SST Serum | GC/MSD | 너271 | CX271006 | | 158.71 | 11,130 | 11,130 | 11,460 | 11,460 |
| 12180 | Ketone Body 3F (Arterial) | Arterial Serum | Enzyme | | | 국외 | 0 | 0 | 24,000 | 0 | 24,700 |
| 12190 | Ketone Body 3F (Venous) | SST Serum | Enzyme | | | 국외 | 0 | 0 | 20,000 | 0 | 20,600 |
| 12170 | Ketone body 정성 | Random Urine | Colorimetry | 나386 | C3860 | | 75.95 | 5,320 | 5,320 | 5,480 | 5,480 |
| 12171 | Ketone body 정성 | SST Serum | Colorimetry | 나386 | C3860 | | 75.95 | 5,320 | 5,320 | 5,480 | 5,480 |
| 81340 | Ki-1(CD30) (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81050 | Ki-67 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81052 | Ki-67 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81710 | Ki-67 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81740 | Ki-67 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81876 | Ki-67(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 30441 | Kidd A 혈액형검사 | EDTA Blood | Tube | 나203 | B2030006 | | 70.22 | 4,920 | 4,920 | 5,070 | 5,070 |
| 30442 | Kidd B 혈액형검사 | EDTA Blood | Tube | 나203 | B2030006 | | 70.22 | 4,920 | 4,920 | 5,070 | 5,070 |
| 13060 | KL-6 | SST Serum | ECLIA | | | 국외 | 0 | 0 | 39,000 | 0 | 40,200 |
| 70830 | KOH Mount | Other | | 나400아 | B4107 | | 75.96 | 5,320 | 5,320 | 5,480 | 5,480 |
| 41650 | Korea virus I | SST Serum | | | | | 0 | 20,570 | 20,570 | 21,180 | 21,180 |
| 41660 | Korea VirusⅢ | SST Serum | | | | | 0 | 56,230 | 56,230 | 57,930 | 57,930 |
| 41663 | Korea VirusⅢ,CSF | CSF | | | | | 0 | 56,230 | 56,230 | 57,930 | 57,930 |
| 27676 | K-ras 전체돌연변이 | Other | Sequencing | 노595 | CZ605 | | 0 | 0 | 391,000 | 0 | 402,700 |
| 27661 | K-ras gene mutation | Tissue | Sequencing | 노595(11) | CZ605 | | 0 | 0 | 170,000 | 0 | 175,100 |
| 27659 | K-ras유전자돌연변이(여의도성모 | Tissue | | 노596가(39) | CZ856 | | 0 | 0 | 120,000 | 0 | 123,000 |
| 51890 | L.E. Cell | Plain Blood | Manual | 나112 | B1120006 | | 54.96 | 3,850 | 3,850 | 3,970 | 3,970 |
| 30930 | LAC confirm | SC Plasma | Clot-based | 나171나 | B1712006 | | 310.12 | 21,740 | 21,740 | 22,390 | 22,390 |
| 30935 | LAC screen | SC Plasma | Clot-based | 나171가 | B1711 | | 207.39 | 14,540 | 14,540 | 14,970 | 14,970 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|---------------------------|-------------------|----------------------|----------|------------|-----|--------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 10742 | Lactic Acid | Other | Enzyme | 너345가(5) | CY345 | | 201.9 | 14,150 | 14,150 | 14,580 | 14,580 |
| 10741 | Lactic Acid(CSF) | CSF | Enzyme | 너345가(5) | CY345 | | 201.9 | 14,150 | 14,150 | 14,580 | 14,580 |
| 10740 | Lactic Acid(NaF P) | NaF Plasma | Enzyme | 너345가(5) | CY345 | | 201.9 | 14,150 | 14,150 | 14,580 | 14,580 |
| 25613 | Lambda light chain | Random Urine | CLIA | 나554자 | C5548 | | 249.95 | 17,520 | 17,520 | 18,050 | 18,050 |
| 25614 | Lambda light chain | SST Serum | CLIA | 나554자 | C5548 | | 249.95 | 17,520 | 17,520 | 18,050 | 18,050 |
| 81965 | Lambda light chain (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 10390 | LAP | SST Serum | Enzyme | 나267 | B2670 | | 40.76 | 2,860 | 2,860 | 2,940 | 2,940 |
| 30380 | LAP Score | Blood Smear Slide | | 나126 | B1260006 | | 87.86 | 6,160 | 6,160 | 6,340 | 6,340 |
| 81640 | LCA (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 10400 | L-CAT | SST Serum | Enzyme | | | 국외 | 0 | 0 | 31,000 | 0 | 31,900 |
| 10410 | LDH | SST Serum | Enzyme | 나259 | B2590 | | 30.05 | 2,110 | 2,110 | 2,170 | 2,170 |
| 10411 | LDH | Body Fluid | Enzyme | 나259 | B2590 | | 30.05 | 2,110 | 2,110 | 2,170 | 2,170 |
| 20640 | LDH Isoenzyme | SST Serum | Electrophoresis | 나303 | B3030006 | | 176.33 | 12,360 | 12,360 | 12,730 | 12,730 |
| 20641 | LDH Isoenzyme | Body Fluid | Electrophoresis | 나303 | B3030006 | | 176.33 | 12,360 | 12,360 | 12,730 | 12,730 |
| 11110 | LDL-Cholesterol | SST Serum | Enzyme | 나243 | C2430 | | 88.58 | 6,210 | 6,210 | 6,400 | 6,400 |
| 00870 | L-Dopa | EDTA Plasma | HPLC | | | 국외 | 0 | 0 | 98,000 | 0 | 100,900 |
| 12752 | Lead(Pb) | Trace EDTA Blood | ICP/MS | 나452나(2) | C4523630 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 12753 | Lead(Pb) | 24hr Urine | ICP/MS | 나452나(2) | C4523630 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 12754 | Lead(Pb) | Random Urine | ICP/MS | 나452나(2) | C4523630 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 30158 | Leder Reaction | Tissue | Stain | 나556바 | C5566 | | 297.4 | 20,850 | 20,850 | 21,470 | 21,470 |
| 71140 | Legionella Ag | Random Urine | | 나531 | C5310 | | 100.26 | 7,030 | 7,030 | 7,240 | 7,240 |
| 71120 | Legionella culture (NIH) | Other | Culture | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 43570 | Legionella pneumophilaPCR | Sputum | PCR | 나5950아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 01300 | Leptin | SST Serum | RIA | | | | 0 | 0 | 39,000 | 0 | 40,200 |
| 41611 | Leptospira Ab | SST Serum | | 나466가 | C4661020 | | 113.14 | 7,930 | 7,930 | 8,170 | 8,170 |
| 41621 | Leptospira Ab Titer | SST Serum | | 나466가 | C4661020 | | 113.14 | 7,930 | 7,930 | 8,170 | 8,170 |
| 41615 | Leptospira Ab(NIH) | SST Serum | | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 71200 | Leptospira culture (NIH) | Random Urine | Culture | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 41668 | Leptospirosis(PHA) | SST Serum | PHA | 나466가 | C4661020 | | 113.14 | 7,930 | 7,930 | 8,170 | 8,170 |
| 26130 | Leukemia marker study | EDTA Blood | Flow Cytometry | 나512+나51 | C512~30006 | | 0 | 584,680 | 584,680 | 602,230 | 602,230 |
| 26131 | Leukemia marker study | Bone Marrow | Flow Cytometry | 나512+나51 | C512~30006 | | 0 | 584,680 | 584,680 | 602,230 | 602,230 |
| 26135 | Leukemia marker study | Bone Marrow | Flow Cytometry | 나511~3 | C5111006외 | | 0 | 536,210 | 536,210 | 552,300 | 552,300 |
| 65681 | Levetiracetam | SST Serum | LC/MS/MS | 나450나(4) | CX375696 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 00106 | LH (ECLIA) | SST Serum | ECLIA | 나348 | C3480 | | 152.68 | 10,700 | 10,700 | 11,020 | 11,020 |
| 00111 | LH-1호 | SST Serum | ECLIA | 나348 | C3480 | | 152.68 | 10,700 | 10,700 | 11,020 | 11,020 |
| 00112 | LH-2호 | SST Serum | ECLIA | 나348 | C3480 | | 152.68 | 10,700 | 10,700 | 11,020 | 11,020 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|-------------|----------------------|----------|------------|-----|--------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 00113 | LH-3회 | SST Serum | ECLIA | 나348 | C3480 | | 152.68 | 10,700 | 10,700 | 11,020 | 11,020 |
| 00114 | LH-4회 | SST Serum | ECLIA | 나348 | C3480 | | 152.68 | 10,700 | 10,700 | 11,020 | 11,020 |
| 00115 | LH-5회 | SST Serum | ECLIA | 나348 | C3480 | | 152.68 | 10,700 | 10,700 | 11,020 | 11,020 |
| 00116 | LH-6회 | SST Serum | ECLIA | 나348 | C3480 | | 152.68 | 10,700 | 10,700 | 11,020 | 11,020 |
| 00117 | LH-7회 | SST Serum | ECLIA | 나348 | C3480 | | 152.68 | 10,700 | 10,700 | 11,020 | 11,020 |
| 00118 | LH-8회 | SST Serum | ECLIA | 나348 | C3480 | | 152.68 | 10,700 | 10,700 | 11,020 | 11,020 |
| 25620 | LHON 11778 | EDTA Blood | PCR-RFLP | 너562나 | CY622006 | | 471.06 | 33,020 | 33,020 | 34,010 | 34,010 |
| 25630 | LHON 14484 | EDTA Blood | PCR-RFLP | 너562나 | CY622006 | | 471.06 | 33,020 | 33,020 | 34,010 | 34,010 |
| 26460 | LHON 3460 | EDTA Blood | PCR-RFLP | 너562나 | CY622006 | | 471.06 | 33,020 | 33,020 | 34,010 | 34,010 |
| 25645 | LHON 3460,4171,11778,14484 | EDTA Blood | PCR-RFLP | 너562나 | CY622006 | | 471.06 | 132,080 | 132,080 | 136,040 | 136,040 |
| 25635 | LHON 4171 | EDTA Blood | PCR-RFLP | 너562나 | CY622006 | | 471.06 | 33,020 | 33,020 | 34,010 | 34,010 |
| 65085 | Lidocaine | SST Serum | EIA | | | 국외 | 0 | 0 | 85,000 | 0 | 87,600 |
| 81911 | Light chain Kappa(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81912 | Light chain Lambda(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 10425 | Lipase | SST Serum | Colorimetry | 나262 | B2621 | | 59.82 | 4,190 | 4,190 | 4,320 | 4,320 |
| 10426 | Lipase(Fluid) | Body Fluid | Colorimetry | 나262 | B2621 | | 59.82 | 4,190 | 4,190 | 4,320 | 4,320 |
| 11116 | Lipid profile | SST Serum | 계산법 | 나241 외 | C2411 외 | | 0 | 10,460 | 10,460 | 10,780 | 10,780 |
| 20650 | Lipoprotein E.P | SST Serum | Electrophoresis | 나301 | B3010006 | | 121.64 | 8,530 | 8,530 | 8,780 | 8,780 |
| 20651 | Lipoprotein E.P | Body Fluid | Electrophoresis | 나301 | B3010006 | | 121.64 | 8,530 | 8,530 | 8,780 | 8,780 |
| 20660 | Lipoprotein lipase | Hp Plasma | ELISA | 노151 | BZ151 | 국외 | 0 | 0 | 85,000 | 0 | 87,600 |
| 12860 | Lipoprotein(a) | SST Serum | TIA | 나248 | C2480 | | 161.26 | 11,300 | 11,300 | 11,640 | 11,640 |
| 12765 | Lithium(Li) | SST Serum | AAS | 나452나(2) | C4523610 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 80831 | LMP(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 50820 | Lyme disease (NIH) | SST Serum | IFA | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 50821 | Lyme disease (NIH) | CSF | | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 26090 | Lymphocyte subset 3종 | EDTA Blood | | 나512 | C5120006 | | 451.56 | 94,950 | 94,950 | 97,800 | 97,800 |
| 26091 | Lymphocyte subset 3종 | Bone Marrow | | 나512 | C5120006 | | 451.56 | 94,950 | 94,950 | 97,800 | 97,800 |
| 26100 | Lymphocyte subset 4종 | EDTA Blood | | 나512 | C5120006 | | 451.56 | 126,600 | 126,600 | 130,400 | 130,400 |
| 26101 | Lymphocyte subset 4종 | Bone Marrow | | 나512 | C5120006 | | 451.56 | 126,600 | 126,600 | 130,400 | 130,400 |
| 26110 | Lymphocyte subset 4종 | EDTA Blood | | 나512 | C5120006 | | 451.56 | 126,600 | 126,600 | 130,400 | 130,400 |
| 26115 | Lymphocyte subset 4종 | EDTA Blood | | 나512 | C5120006 | | 451.56 | 126,600 | 126,600 | 130,400 | 130,400 |
| 10430 | Lysozyme | SST Serum | 비탁법 | | | 국외 | 0 | 0 | 34,000 | 0 | 35,000 |
| 80933 | Lysozyme (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80932 | Lysozyme(Immunostain) | Tissue | | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 30451 | M 혈액형검사 | EDTA Blood | Tube | 나203 | B2030006 | | 70.22 | 4,920 | 4,920 | 5,070 | 5,070 |
| 71230 | M.h & U.u 배양및약제감수성 | Other | Culture | 너301 | BY301+3006 | | 0 | 58,340 | 58,340 | 60,080 | 60,080 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-----------------------------|-------------------|----------------------|----------|----------|-----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 52130 | MAG autoantibodies | SST Serum | ELISA | | | 국외 | 0 | 0 | 717,000 | 0 | 738,500 |
| 10120 | Magnesium (Mg) | SST Serum | Colorimetry | 나379사 | C3797 | | 23.99 | 1,680 | 1,680 | 1,730 | 1,730 |
| 10122 | Magnesium (Mg) | Random Urine | Colorimetry | 나379사 | C3797 | | 23.99 | 1,680 | 1,680 | 1,730 | 1,730 |
| 10121 | Magnesium (Mg)(24hr U) | 24hr Urine | Colorimetry | 나379사 | C3797 | | 23.99 | 1,680 | 1,680 | 1,730 | 1,730 |
| 70840 | Malaria | Blood Smear Slide | Manual | 나115 | B1150006 | | 47.83 | 3,350 | 3,350 | 3,450 | 3,450 |
| 70850 | Malaria (Rapid) | EDTA Blood | | | | | 0 | 0 | 26,000 | 0 | 26,800 |
| 65120 | Malaria Ab | SST Serum | | | | | 0 | 0 | 6,500 | 0 | 6,700 |
| 42551 | Malaria P. falciparum PCR | EDTA Blood | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 42553 | Malaria P. malariae PCR | EDTA Blood | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 42554 | Malaria P. ovale PCR | EDTA Blood | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 42552 | Malaria P. vivax PCR | EDTA Blood | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 42540 | Malaria PCR | EDTA Blood | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 42545 | Malaria PCR 2종 | EDTA Blood | PCR | 나595아 | C5956006 | | 415.49 | 58,260 | 58,260 | 60,000 | 60,000 |
| 42555 | Malaria PCR 4종 | EDTA Blood | PCR | 나595아 | C5956006 | | 415.49 | 116,520 | 116,520 | 120,000 | 120,000 |
| 52500 | Malaria(NIH) | EDTA Blood | | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 12220 | Mandelic acid | Random Urine | HPLC | 나451나(3) | CY373020 | | 251.42 | 17,620 | 17,620 | 18,150 | 18,150 |
| 12770 | Mangane(Mn) | Trace EDTA Blood | AAS | 나452나(2) | C4523660 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 12771 | Mangane(Mn) | 24hr Urine | AAS | 나452나(2) | C4523660 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 12772 | Mangane(Mn) | Random Urine | AAS | 나452나(2) | C4523660 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 80599 | Masson's Trichrome Stain(한병 | Tissue | | 나553나 | C5532 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 81725 | MDM2(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 65690 | MDMA (Ecstasy) | Random Urine | | | | | 0 | 0 | 8,500 | 0 | 8,800 |
| 41680 | Measles virus IgG | SST Serum | EIA | 나468나(1) | C4682486 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 41681 | Measles virus IgG | CSF | EIA | 나468나(1) | C4682486 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 41690 | Measles virus IgM | SST Serum | EIA | 나468나(2) | C4683486 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 41691 | Measles virus IgM | CSF | EIA | 나468나(2) | C4683486 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 42560 | Measles virus RNA | CSF | RT-PCR | | | 국외 | 0 | 0 | 326,000 | 0 | 335,800 |
| 41720 | Measles virus(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41721 | Measles virus(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 81540 | Melan A (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81877 | Melan A(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81971 | Melan-A(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 29271 | MEN2, RET sequencing | EDTA Blood | Sequencing | 나599나(3) | CY571006 | | 4105.53 | 287,800 | 287,800 | 296,420 | 296,420 |
| 12783 | Mercury(Hg) | Other | AAS | 나452 | C4527640 | | 619.4 | 43,420 | 43,420 | 44,720 | 44,720 |
| 12784 | Mercury(Hg) | Trace EDTA Blood | ICP/MS | 나452나(2) | C4523640 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 12785 | Mercury(Hg) | 24hr Urine | ICP/MS | 나452나(2) | C4523640 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|--------------|----------------------|----------|-------------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 12786 | Mercury(Hg) | Random Urine | ICP/MS | 나452나(2) | C4523640 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 20520 | Met Hemoglobin | EDTA Blood | Oximeter | 나382가 | C3821 | | 48.88 | 3,430 | 3,430 | 3,530 | 3,530 |
| 00885 | Metanephrine 2F(HPLC) | 24hr Urine | HPLC | 너228 | | | 0 | 46,620 | 46,620 | 48,020 | 48,020 |
| 00886 | Metanephrine(HPLC) | 24hr Urine | HPLC | 너228라 | CY284006 | | 332.51 | 23,310 | 23,310 | 24,010 | 24,010 |
| 00892 | Metanephrine,Total(HPLC) | 24hr Urine | HPLC | 너228라 | CY284006 | | 332.51 | 23,310 | 23,310 | 24,010 | 24,010 |
| 00893 | Metanephtrines, Plasma | EDTA Plasma | LC/MS/MS | 너228 | | | 0 | 46,620 | 46,620 | 48,020 | 48,020 |
| 65430 | Methamphetamine 정성 | Random Urine | | | | | 0 | 0 | 8,500 | 0 | 8,800 |
| 10750 | Methanol | Random Urine | GC | | | 국외 | 0 | 0 | 168,000 | 0 | 173,000 |
| 65640 | Methotrexate(MTX) | SST Serum | 면역형광법 | 나450나(2) | C4504130 | | 252.59 | 17,710 | 17,710 | 18,240 | 18,240 |
| 12230 | Methylhippuric acid | Random Urine | HPLC | 나451나(3) | CY373040 | | 251.42 | 17,620 | 17,620 | 18,150 | 18,150 |
| 12235 | Methylhippuric acid (아산) | Random Urine | HPLC | 나451나(3) | CY373040 | | 251.42 | 17,620 | 17,620 | 18,150 | 18,150 |
| 10760 | Methylmalonic Acid | Random Urine | GC/MSD | 노340 | CZ340 | | 0 | 0 | 39,000 | 0 | 40,200 |
| 10761 | Methylmalonic Acid | 24hr Urine | GC/MSD | 노340 | CZ340 | | 0 | 0 | 39,000 | 0 | 40,200 |
| 10773 | Methylmalonic acid 정량 | EDTA Plasma | GC/MS | 노340 | CZ340 | | 0 | 0 | 40,000 | 0 | 41,200 |
| 10774 | Methylmalonic acid 정량 | Random Urine | GC/MS | 노340 | CZ340 | | 0 | 0 | 40,000 | 0 | 41,200 |
| 10775 | Methylmalonic acid 정량 | 24hr Urine | GC/MS | 노340 | CZ340 | | 0 | 0 | 40,000 | 0 | 41,200 |
| 81831 | MIB-1(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 10001 | Microalbumin | 24hr Urine | TIA | 나230나 | C2302 | | 203.5 | 14,270 | 14,270 | 14,690 | 14,690 |
| 20290 | Microalbumin 정성 | Random Urine | Strip | 나230가 | C2301 | | 10.67 | 750 | 750 | 770 | 770 |
| 10002 | Microalbumin(ACR) | Random Urine | TIA | 나230나 | C2302 | | 203.5 | 14,270 | 14,270 | 14,690 | 14,690 |
| 20280 | Microalbumin(RIA) | 24hr Urine | RIA | 나230나주 | C7230 | | 189.97 | 13,320 | 13,320 | 13,720 | 13,720 |
| 20281 | Microalbumin(RIA)(ACR) | Random Urine | RIA | 나230나주 | C7230 | | 189.97 | 13,320 | 13,320 | 13,720 | 13,720 |
| 10005 | Microalbumin/creatinine | Random Urine | TIA | 나230 외 | C2302+C3750 | | 0 | 15,440 | 15,440 | 15,900 | 15,900 |
| 50856 | Micro-ELISA Test(BF) | Body Fluid | ELISA | | | | 0 | 0 | 75,520 | 0 | 77,800 |
| 50857 | Micro-ELISA Test(CSF) | CSF | ELISA | | | | 0 | 0 | 56,640 | 0 | 58,350 |
| 50855 | Micro-ELISA Test(S) | SST Serum | ELISA | 나472나(1) | C4722616 | | 269.38 | 75,520 | 75,520 | 77,800 | 77,800 |
| 51900 | Mitochondrial DNA MELAS | EDTA Blood | PCR-RFLP | 너562다 | CY623006 | | 471.65 | 99,180 | 99,180 | 102,150 | 102,150 |
| 51910 | Mitochondrial DNA MERRF | EDTA Blood | PCR-RFLP | 너562라 | CY624006 | | 483.79 | 33,910 | 33,910 | 34,930 | 34,930 |
| 30050 | Mixing Test | SC Plasma | Clot-based | 나177 | B1770006 | | 187.15 | 13,120 | 13,120 | 13,510 | 13,510 |
| 26420 | MLH1gene mutation analysis | EDTA Blood | Sequencing | 나599나(2) | CY711006 | | 7634.12 | 535,150 | 535,150 | 551,180 | 551,180 |
| 81848 | MNF116(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81967 | MOC31(IHC) 성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81955 | MOC31(IHC)서울대 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 65440 | Morphine | Random Urine | | | | | 0 | 0 | 8,500 | 0 | 8,800 |
| 81700 | MPO(myeloperoxidase) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 30060 | MPV | EDTA Blood | 자동혈구계산법 | | | | 0 | 0 | 2,000 | 0 | 2,000 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-------------------------------|--------------|-----------------------|----------|----------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 42855 | MRSA(real-time PCR) | 비인후/인후도찰물 | real time PCR | 노598 | CZ998 | | 0 | 0 | 60,000 | 0 | 60,000 |
| 02090 | MSAFP | SST Serum | RIA | 나421나주 | C7421 | | 154.98 | 10,860 | 10,860 | 11,190 | 11,190 |
| 26430 | MSH2 gene mutation | EDTA Blood | Sequencing | 나599나(2) | CY712006 | | 7634.12 | 535,150 | 535,150 | 551,180 | 551,180 |
| 01865 | MS-hCG(부산) | SST Serum | RIA | 나352주 | C7352 | | 194.93 | 13,660 | 13,660 | 14,070 | 14,070 |
| 27674 | MSI Test | Block | PCR Fragment analysis | 너574 | CX574006 | | 3117.41 | 218,530 | 218,530 | 225,080 | 225,080 |
| 27679 | MSI(Microsatellite) test | Block | | 너574 | CX574006 | | 3117.41 | 218,530 | 218,530 | 225,080 | 225,080 |
| 80513 | M-T(Masson's Trichrome stain, | Tissue | Stain | 나553나 | C5532 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 42606 | MTB & NTM PCR | Sputum | PCR+Hybridization | 나595-1가 | C6021006 | | 672.67 | 47,150 | 47,150 | 48,570 | 48,570 |
| 42601 | MTB PCR (결핵협회) | Sputum | PCR | 나595다 | C5953006 | | 407.06 | 28,530 | 28,530 | 29,390 | 29,390 |
| 42611 | MTB PCR (조직) | Tissue | Nested PCR | 너563사 | CY059006 | | 595.22 | 41,720 | 41,720 | 42,970 | 42,970 |
| 42613 | MTB PCR(Pathology) | Tissue | PCR | 나595다 | C5953006 | | 407.06 | 28,530 | 28,530 | 29,390 | 29,390 |
| 27261 | MTHFR 1298 A>C mutation | EDTA Blood | PCR-RFLP | 너562아 | CY628006 | | 475.79 | 33,350 | 33,350 | 34,350 | 34,350 |
| 27265 | MTHFR(C677T) | EDTA Blood | PCR-RFLP | 너562아 | CY628006 | | 475.79 | 33,350 | 33,350 | 34,350 | 34,350 |
| 27060 | MTHFR(C677T) genotyping | EDTA Blood | | 너562아 | CY628006 | | 475.79 | 33,350 | 33,350 | 34,350 | 34,350 |
| 81953 | MUC1(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81950 | MUC2(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81951 | MUC5(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81952 | MUC6(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 71040 | Mucin clot test | Joint Fluid | Manual | 나54 | B0540 | | 11.58 | 810 | 810 | 840 | 840 |
| 10780 | Mucopolysaccharidosis 선별 | Random Urine | | 나444나 | C4442 | | 59.36 | 4,160 | 4,160 | 4,290 | 4,290 |
| 60040 | Multi Allergens-Epidermals | SST Serum | FEIA | | | 국외 | 0 | 0 | 40,000 | 0 | 41,200 |
| 60050 | Multi Allergens-Food child | SST Serum | FEIA | | | 국외 | 0 | 0 | 40,000 | 0 | 41,200 |
| 60070 | Multi Allergens-Grasses | SST Serum | FEIA | | | 국외 | 0 | 0 | 40,000 | 0 | 41,200 |
| 60080 | Multi Allergens-Molds | SST Serum | FEIA | | | 국외 | 0 | 0 | 40,000 | 0 | 41,200 |
| 60090 | Multi Allergens-Weeds | SST Serum | FEIA | | | 국외 | 0 | 0 | 40,000 | 0 | 41,200 |
| 81979 | MUM1(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 41730 | Mumps virus IgG | SST Serum | EIA | 나468나(1) | C4682506 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 41731 | Mumps virus IgG | CSF | EIA | 나468나(1) | C4682506 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 41740 | Mumps virus IgM | SST Serum | EIA | 나468나(2) | C4683506 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 41741 | Mumps virus IgM | CSF | EIA | 나468나(2) | C4683506 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 42591 | Mumps virus RNA(RT-PCR) | CSF | RT-PCR | 나596라 | C5969006 | | 678.1 | 47,530 | 47,530 | 48,960 | 48,960 |
| 41750 | Mumps virus(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41751 | Mumps virus(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41760 | Mumps virus(HI) | SST Serum | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41761 | Mumps virus(HI) | CSF | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41770 | Mumps virus(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 30,000 | 0 | 30,900 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-----------------------------|--------------|----------------------|-----------|-----------------|----|--------|---------|-----------|---------|-----------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 41771 | Mumps virus(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 30,000 | 0 | 30,900 |
| 52631 | MuSK Ab | SST Serum | RIA | | | 국외 | 0 | 0 | 1,288,000 | 0 | 1,326,600 |
| 65610 | Mycophenolic acid | EDTA Blood | LC/MS/MS | 나450나(4) | CX375696 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 50870 | Mycoplasma Ab | SST Serum | PA | 나474가 | C4741820 | | 59.99 | 4,210 | 4,210 | 4,330 | 4,330 |
| 50871 | Mycoplasma Ab | Body Fluid | PA | 나474가 | C4741820 | | 59.99 | 4,210 | 4,210 | 4,330 | 4,330 |
| 42620 | Mycoplasma genitalium PCR | 분비물 | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 42630 | Mycoplasma hominis PCR | 분비물 | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 52300 | Mycoplasma pneumoniae IgG | SST Serum | EIA | 나474나(1) | C4742826 | | 207.72 | 14,560 | 14,560 | 15,000 | 15,000 |
| 52310 | Mycoplasma pneumoniae IgM | SST Serum | EIA | 나474나(2) | C4743826 | | 205.84 | 14,430 | 14,430 | 14,860 | 14,860 |
| 52311 | Mycoplasma pneumoniae IgM | CSF | EIA | 나474나(2) | C4743826 | | 205.84 | 14,430 | 14,430 | 14,860 | 14,860 |
| 42640 | Mycoplasma pneumoniae PCR | Sputum | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 01325 | Myelin basic protein | CSF | EIA | 노428 | CZ428 | 국외 | 0 | 0 | 261,000 | 0 | 268,800 |
| 01330 | Myoglobin | SST Serum | CLIA | 나384나 | C3842 | | 234.1 | 16,410 | 16,410 | 16,900 | 16,900 |
| 01331 | Myoglobin | Random Urine | CLIA | 나384나 | C3842 | | 234.1 | 16,410 | 16,410 | 16,900 | 16,900 |
| 01340 | Myosin light chain 1 | SST Serum | EIA | | | 국외 | 0 | 0 | 70,000 | 0 | 72,100 |
| 81885 | Myosin-h-chain(ICH)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 25680 | Myotonic Muscular Dystrophy | EDTA Blood | Southern blot | 너573+나598 | CY539006+C59870 | | 0 | 149,760 | 149,760 | 154,250 | 154,250 |
| 25681 | Myotonic Muscular Dystrophy | EDTA Blood | Southern blot | 나598사 | C5987006 | | 936.71 | 65,660 | 65,660 | 67,630 | 67,630 |
| 30452 | N 혈액형검사 | EDTA Blood | Tube | 나203 | B2030006 | | 70.22 | 4,920 | 4,920 | 5,070 | 5,070 |
| 71082 | N. gonorr Culture&Sensi(G) | Other | Culture | 나405+나406 | B4051+B4061 | | 0 | 19,910 | 19,910 | 20,510 | 20,510 |
| 71080 | N.gonorrhoeae Culture | Other | Culture | 나405가 | B4051 | | 168.28 | 11,800 | 11,800 | 12,150 | 12,150 |
| 42650 | N.gonorrhoeae PCR | 분비물 | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 65090 | N-Acethylprocainamide | SST Serum | EIA | | | 국외 | 0 | 0 | 77,000 | 0 | 79,300 |
| 65091 | N-Acethylprocainamide | Hp Plasma | EIA | | | 국외 | 0 | 0 | 77,000 | 0 | 79,300 |
| 12240 | N-acetyl-aspartic acid | Random Urine | GC/MSD | | | | 0 | 0 | 65,000 | 0 | 67,000 |
| 81178 | NADH stain | Tissue | Stain | 나556다 | C5563 | | 297.4 | 20,850 | 20,850 | 21,470 | 21,470 |
| 10450 | NAG | 24hr Urine | Colorimetry | | | 국외 | 0 | 0 | 27,000 | 0 | 27,800 |
| 10451 | NAG | Random Urine | Colorimetry | | | 국외 | 0 | 0 | 27,000 | 0 | 27,800 |
| 81331 | Napsin A(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 01600 | NCC-ST-439 | SST Serum | EIA | | | 국외 | 0 | 0 | 60,000 | 0 | 61,800 |
| 00240 | Neonatal Free T4 | Blood Paper | EIA | 나334 | C3340 | | 173.49 | 12,160 | 12,160 | 12,530 | 12,530 |
| 00250 | Neonatal T4 | Blood Paper | FIA | 나333 | C3330 | | 164.03 | 11,500 | 11,500 | 11,840 | 11,840 |
| 00260 | Neonatal-TSH | Blood Paper | FIA | 나336 | C3360 | | 225.02 | 15,770 | 15,770 | 16,250 | 16,250 |
| 12250 | Neopterin | SST Serum | HPLC | 노288 | CZ288 | 국외 | 0 | 0 | 182,000 | 0 | 187,500 |
| 12251 | Neopterin | Random Urine | HPLC | 노288 | CZ288 | 국외 | 0 | 0 | 182,000 | 0 | 187,500 |
| 12255 | Neopterin/Biopterin | Random Urine | HPLC | 노288 | CZ288 | | 0 | 0 | 104,000 | 0 | 107,100 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|-------------------|----------------------|-----------|----------|----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 81575 | NEU-N (IHC) | Block | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81576 | NEU-N (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81976 | Neu-N(IHC) 성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81120 | Neurofilament (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81810 | Neurofilament (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 30021 | Neutrophil Seg | EDTA Blood | 자동혈구계산법 | 나109가 | B1091 | | 25.35 | 1,780 | 1,780 | 1,830 | 1,830 |
| 12792 | Nickel(Ni) | Trace Serum | AAS | | | | 0 | 0 | 22,000 | 0 | 22,700 |
| 11981 | Nicotine Metabolite(S) | SST Serum | CLIA | | | | 0 | 0 | 22,000 | 0 | 22,700 |
| 11982 | Nicotine Metabolite(U) | Random Urine | CLIA | | | | 0 | 0 | 22,000 | 0 | 22,700 |
| 11300 | Nicotinic acid(Niacin) | Hp Blood | Bioassay | | | 국외 | 0 | 0 | 306,000 | 0 | 315,200 |
| 64000 | NIFTY | EDTA Plasma | | | | | 0 | 0 | 900,000 | 0 | 900,000 |
| 65280 | Nitrazepam | SST Serum | HPLC | | | 국외 | 0 | 0 | 57,000 | 0 | 58,700 |
| 12275 | N-methyl formamide(NMF) | Random Urine | GC/NPD | 나451나(3) | CY373060 | | 251.42 | 17,620 | 17,620 | 18,150 | 18,150 |
| 65741 | N-methylacetamide(NMAC) | Random Urine | GC/NPD | | | | 0 | 0 | 17,620 | 0 | 18,150 |
| 27540 | NMP22 | Random Urine | EIA | 너322다 | CY323 | | 305.35 | 21,410 | 21,410 | 22,050 | 22,050 |
| 25790 | N-myc | 복수검체 | PCR | | | | 0 | 0 | 65,480 | 0 | 67,400 |
| 30150 | Nonspecific esterase stain | Bone Marrow Slide | Stain | 나118바 | B1188006 | | 84.92 | 5,950 | 5,950 | 6,130 | 6,130 |
| 30151 | Nonspecific esterase stain | Blood Smear Slide | Stain | 나118바 | B1188006 | | 84.92 | 5,950 | 5,950 | 6,130 | 6,130 |
| 30152 | Nonspecific esterase stain | Bone Marrow Slide | Stain | 나118바 | B1188006 | | 84.92 | 5,950 | 5,950 | 6,130 | 6,130 |
| 00887 | Normetanephrine(HPLC) | 24hr Urine | HPLC | 너228마 | CY285006 | | 332.51 | 23,310 | 23,310 | 24,010 | 24,010 |
| 42571 | Norovirus Ag | Stool | EIA | 나469 | C4690596 | | 203.37 | 14,260 | 14,260 | 14,680 | 14,680 |
| 65661 | Nortriptyline | Plain Serum | LC/MS/MS | 나450나(4) | CX375696 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 29445 | NPM1 mutation analysis | EDTA Blood | Sequencing | 노595(113) | CZ707 | | 0 | 0 | 144,000 | 0 | 148,300 |
| 01611 | NSE | Body Fluid | RIA | 나431 | C7431 | | 123.87 | 8,680 | 8,680 | 8,940 | 8,940 |
| 01615 | NSE (ECLIA) | SST Serum | ECLIA | 나431 | C4310 | | 310.84 | 21,790 | 21,790 | 22,440 | 22,440 |
| 81280 | NSE(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81846 | NSE(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 70606 | NTM Identification | 균주 | PCR+Hybridization | 나595-1다 | C6029006 | | 725.71 | 50,870 | 50,870 | 52,400 | 52,400 |
| 70501 | NTM Sensitivity (결핵협회) | 균주 | Microdilution | 나406다(2) | B4064 | | 564.43 | 39,570 | 39,570 | 40,750 | 40,750 |
| 01350 | NT-pro BNP | SST Serum | ECLIA | 나368-2 | CZ208 | | 608.98 | 42,690 | 42,690 | 43,970 | 43,970 |
| 12280 | NTx | Random Urine | ELISA | 나393-1 | C3931 | | 180.54 | 12,660 | 12,660 | 13,030 | 13,030 |
| 41635 | O.tsutsugamushi(IFA) | SST Serum | IFA | 나474나(1) | C4742836 | | 207.72 | 14,560 | 14,560 | 15,000 | 15,000 |
| 30180 | Oil red stain | Bone Marrow Slide | Stain | 나118아 | B1189006 | | 83.84 | 5,880 | 5,880 | 6,050 | 6,050 |
| 81977 | Olig-2(IHC) 성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 20322 | Oligoclonal band(강남성모) | 복수검체 | Electrophoresis | 너182 | BX182006 | | 225.94 | 15,840 | 15,840 | 16,310 | 16,310 |
| 20320 | Oligoclonal IgG band | CSF | Electrophoresis | 너182 | BX182006 | | 225.94 | 15,840 | 15,840 | 16,310 | 16,310 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|---------------------|--------------|----------------------|----------|----------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 65450 | Opiates | Random Urine | | | | | 0 | 0 | 8,500 | 0 | 8,800 |
| 12290 | Organic Acid | Random Urine | GC/MSD | 너345다 | CY348006 | | 2521.31 | 176,740 | 176,740 | 182,040 | 182,040 |
| 12291 | Organic Acid | EDTA Plasma | GC/MSD | 너345다 | CY348006 | | 2521.31 | 176,740 | 176,740 | 182,040 | 182,040 |
| 12310 | Orotic acid | 24hr Urine | Spectrophotometry | 너345가(6) | CY349 | | 201.9 | 14,150 | 14,150 | 14,580 | 14,580 |
| 12320 | Osmolality | SST Serum | Osmometer | 나380 | C3800 | | 54.5 | 3,820 | 3,820 | 3,930 | 3,930 |
| 12322 | Osmolality | Random Urine | Osmometer | 나380 | C3800 | | 54.5 | 3,820 | 3,820 | 3,930 | 3,930 |
| 12321 | Osmolality(24hr U) | 24hr Urine | Osmometer | 나380 | C3800 | | 54.5 | 3,820 | 3,820 | 3,930 | 3,930 |
| 12335 | Osmolality(S)-10회 | SST Serum | Osmometer | 나380 | C3800 | | 54.5 | 3,820 | 3,820 | 3,930 | 3,930 |
| 12336 | Osmolality(S)-11회 | SST Serum | Osmometer | 나380 | C3800 | | 54.5 | 3,820 | 3,820 | 3,930 | 3,930 |
| 12337 | Osmolality(S)-12회 | SST Serum | Osmometer | 나380 | C3800 | | 54.5 | 3,820 | 3,820 | 3,930 | 3,930 |
| 12338 | Osmolality(S)-13회 | SST Serum | Osmometer | 나380 | C3800 | | 54.5 | 3,820 | 3,820 | 3,930 | 3,930 |
| 12339 | Osmolality(S)-14회 | SST Serum | Osmometer | 나380 | C3800 | | 54.5 | 3,820 | 3,820 | 3,930 | 3,930 |
| 12325 | Osmolality(S)-1회 | SST Serum | Osmometer | 나380 | C3800 | | 54.5 | 3,820 | 3,820 | 3,930 | 3,930 |
| 12326 | Osmolality(S)-2회 | SST Serum | Osmometer | 나380 | C3800 | | 54.5 | 3,820 | 3,820 | 3,930 | 3,930 |
| 12327 | Osmolality(S)-3회 | SST Serum | Osmometer | 나380 | C3800 | | 54.5 | 3,820 | 3,820 | 3,930 | 3,930 |
| 12328 | Osmolality(S)-4회 | SST Serum | Osmometer | 나380 | C3800 | | 54.5 | 3,820 | 3,820 | 3,930 | 3,930 |
| 12329 | Osmolality(S)-5회 | SST Serum | Osmometer | 나380 | C3800 | | 54.5 | 3,820 | 3,820 | 3,930 | 3,930 |
| 12331 | Osmolality(S)-6회 | SST Serum | Osmometer | 나380 | C3800 | | 54.5 | 3,820 | 3,820 | 3,930 | 3,930 |
| 12332 | Osmolality(S)-7회 | SST Serum | Osmometer | 나380 | C3800 | | 54.5 | 3,820 | 3,820 | 3,930 | 3,930 |
| 12333 | Osmolality(S)-8회 | SST Serum | Osmometer | 나380 | C3800 | | 54.5 | 3,820 | 3,820 | 3,930 | 3,930 |
| 12334 | Osmolality(S)-9회 | SST Serum | Osmometer | 나380 | C3800 | | 54.5 | 3,820 | 3,820 | 3,930 | 3,930 |
| 12330 | Osmotic fragility | 복수검체 | Spectrophotometry | 나113 | B1131006 | | 91.22 | 6,390 | 6,390 | 6,590 | 6,590 |
| 01925 | Osteocalcin (ECLIA) | SST Serum | ECLIA | 나363 | C3630 | | 179.25 | 12,570 | 12,570 | 12,940 | 12,940 |
| 30470 | Other blood typing | EDTA Blood | Tube | 나203 | B2030006 | | 70.22 | 4,920 | 4,920 | 5,070 | 5,070 |
| 81220 | Other(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 10800 | Oxalic acid | 24hr Urine | Enzyme | 노339 | CZ339 | | 0 | 0 | 47,000 | 0 | 48,400 |
| 00120 | Oxytocin | 전용용기 혈장 | RIA | 노201 | CZ201 | 국외 | 0 | 0 | 104,000 | 0 | 107,100 |
| 30473 | P1 항원검사 | EDTA Blood | Tube | 나203 | B2030006 | | 70.22 | 4,920 | 4,920 | 5,070 | 5,070 |
| 81835 | P16(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81832 | P16(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81839 | p16(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81843 | p504S(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81600 | p53 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 25840 | p53 exon 4(LOH) | Tissue | PCR-RFLP | 노596가 | CZ804 | | 0 | 0 | 104,000 | 0 | 107,100 |
| 81863 | p53(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81871 | p57(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|-------------------------------|--------------|----------------------|----------|----------|----|--------|--------|--------|--------|--------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 81620 | p63 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81621 | P63 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81844 | p63(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 30690 | PAI-1 | SC Plasma | ELISA | 너80나 | BY802 | | 181.7 | 12,740 | 12,740 | 13,120 | 13,120 |
| 80512 | PAMS(Methenamine Siver stain, | Tissue | Stain | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 10245 | Pancreatic Amylase | SST Serum | Enzyme | 나261나 | B2612 | | 53.33 | 3,740 | 3,740 | 3,850 | 3,850 |
| 10246 | Pancreatic Amylase(RU) | Random Urine | Enzyme | 나261나 | B2612 | | 53.33 | 3,740 | 3,740 | 3,850 | 3,850 |
| 01630 | PAP | SST Serum | CLIA | 나429 | C4290 | | 140.11 | 9,820 | 9,820 | 10,120 | 10,120 |
| 01631 | PAP | 분비물 | CLIA | 나429 | C4290 | | 140.11 | 9,820 | 9,820 | 10,120 | 10,120 |
| 80005 | Pap smear | Cervix | Pap stain | 나592 | C5920 | | 89.02 | 6,240 | 6,240 | 6,430 | 6,430 |
| 80009 | Pap smear(한병리) | Cervix | Pap stain | 나592 | C5920 | | 89.02 | 6,240 | 6,240 | 6,430 | 6,430 |
| 80006 | Pap smear(A) | Cervix | Pap stain | 나592 | C5920 | | 89.02 | 6,240 | 6,240 | 6,430 | 6,430 |
| 80003 | Pap smear(KMK) | Cervix | Pap stain | 나592 | C5920 | | 89.02 | 6,240 | 6,240 | 6,430 | 6,430 |
| 80008 | Pap smear(T&C) | Cervix | Pap stain | 나592 | C5920 | | 89.02 | 6,240 | 6,240 | 6,430 | 6,430 |
| 80007 | Pap smear(T) | Cervix | Pap stain | 나592 | C5920 | | 89.02 | 6,240 | 6,240 | 6,430 | 6,430 |
| 80189 | Pap Solution(CFC) | Cervix | | 나592 | C5920 | | 89.02 | 6,240 | 6,240 | 6,430 | 6,430 |
| 50847 | Paragonimus IgG(BF) | Body Fluid | ELISA | | | | 0 | 0 | 18,880 | 0 | 19,450 |
| 50852 | Paragonimus IgG(CSF) | CSF | ELISA | | | | 0 | 0 | 18,880 | 0 | 19,450 |
| 50843 | Paragonimus IgG(S) | SST Serum | ELISA | 나472나(1) | C4722616 | | 269.38 | 18,880 | 18,880 | 19,450 | 19,450 |
| 42195 | Parainfluenza culture | Other | Shell Vial Culture | 나416 | B4160006 | | 574.26 | 40,260 | 40,260 | 41,460 | 41,460 |
| 43560 | Parainfluenza V. Ag(DFA) | Other | DFA | | | | 0 | 0 | 14,000 | 0 | 14,680 |
| 41810 | Parainfluenza V. Type 1(HI) | SST Serum | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41811 | Parainfluenza V. Type 1(HI) | CSF | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41820 | Parainfluenza V. Type 2(HI) | SST Serum | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41821 | Parainfluenza V. Type 2(HI) | CSF | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41830 | Parainfluenza V. Type 3(HI) | SST Serum | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41831 | Parainfluenza V. Type 3(HI) | CSF | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41840 | Parainfluenza V. Type 4(HI) | SST Serum | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41841 | Parainfluenza V. Type 4(HI) | CSF | HI | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 12345 | Paraquat | Random Urine | HPLC | 나450나(3) | CX374040 | | 325.85 | 22,840 | 22,840 | 23,530 | 23,530 |
| 12340 | Paraquat (Gramoxone) | SST Serum | HPLC | 나450나(3) | CX374040 | | 325.85 | 22,840 | 22,840 | 23,530 | 23,530 |
| 65623 | Paroxetine | Plain Serum | LC/MS/MS | 나450 | CX375696 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 42660 | Parvo virus B19 DNA | SST Serum | PCR | 나595나 | C5952006 | | 392.46 | 27,510 | 27,510 | 28,340 | 28,340 |
| 41780 | Parvo virus B19 IgG | SST Serum | EIA | 나468나(1) | C4682596 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 41781 | Parvo virus B19 IgG | Body Fluid | EIA | 나468나(1) | C4682596 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 41790 | Parvo virus B19 IgM | SST Serum | EIA | 나468나(2) | C4683596 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|--------------------------|-------------------|----------------------|----------|------------|----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 41791 | Parvo virus B19 IgM | Body Fluid | EIA | 나468나(2) | C4683596 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 30160 | PAS Stain | Bone Marrow Slide | Stain | 나118마 | B1187006 | | 86.41 | 6,060 | 6,060 | 6,240 | 6,240 |
| 30161 | PAS Stain | Blood Smear Slide | Stain | 나118마 | B1187006 | | 86.41 | 6,060 | 6,060 | 6,240 | 6,240 |
| 82100 | PAS Stain | Tissue | | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 80187 | PAS Stain (CFC) | Tissue | | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 80619 | PAS stain 성모 | Tissue | Stain | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 80603 | PAS Stain(한병리) | Tissue | | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 80346 | PAS Stain(T&C) | Tissue | Stain | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 30155 | PAS(periodic acid stain) | Bone Marrow Slide | Stain | 나118마 | B1187006 | | 86.41 | 6,060 | 6,060 | 6,240 | 6,240 |
| 81695 | PAX5 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 12806 | p-Cresol | Random Urine | GC/MS | 나451나(3) | CY373290 | | 251.42 | 17,620 | 17,620 | 18,150 | 18,150 |
| 30070 | PCT | EDTA Blood | 자동혈구계산법 | | | | 0 | 0 | 2,000 | 0 | 2,000 |
| 81470 | PD-1(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 26581 | PDGFRA(FISH) | Bone Marrow | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |
| 26582 | PDGFRB(FISH) | Bone Marrow | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |
| 81440 | PDGFR-α(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 30080 | PDW | EDTA Blood | 자동혈구계산법 | 나123 | B1230 | | 5.8 | 410 | 410 | 420 | 420 |
| 31085 | PEG Coombs Anti IgG | EDTA Blood | | 나204나주 | B2048106 | | 75.71 | 5,310 | 5,310 | 5,470 | 5,470 |
| 02036 | Pepsinogen I/II | SST Serum | LTIA | 나362 | C3620×2 | | 209.54 | 29,380 | 29,380 | 30,260 | 30,260 |
| 26085 | Perforin profile, FCM | EDTA Blood | Flow Cytometry | 나512 | C5120006*3 | | 0 | 94,950 | 94,950 | 97,800 | 97,800 |
| 30154 | Peroxidase stain | Bone Marrow Slide | Stain | 나118라 | B1186006 | | 83.11 | 5,830 | 5,830 | 6,000 | 6,000 |
| 30170 | Peroxidase stain | Bone Marrow Slide | Stain | 나118라 | B1186006 | | 83.11 | 5,830 | 5,830 | 6,000 | 6,000 |
| 30171 | Peroxidase stain | Blood Smear Slide | Stain | 나118라 | B1186006 | | 83.11 | 5,830 | 5,830 | 6,000 | 6,000 |
| 65470 | Phencyclidine 정성 | Random Urine | | | | | 0 | 0 | 8,500 | 0 | 8,800 |
| 65290 | Phenobarbital | SST Serum | 면역형광법 | 나450나(2) | C4504020 | | 252.59 | 17,710 | 17,710 | 18,240 | 18,240 |
| 12805 | Phenol | Random Urine | GC/MS | | | | 0 | 0 | 20,000 | 0 | 20,600 |
| 65300 | Phenytoin | SST Serum | 면역형광법 | 나450나(2) | C4504050 | | 252.59 | 17,710 | 17,710 | 18,240 | 18,240 |
| 10130 | Phosphate(Pi) | SST Serum | Colorimetry | 나379라 | C3794 | | 15.15 | 1,060 | 1,060 | 1,090 | 1,090 |
| 10132 | Phosphate(Pi) | Random Urine | Colorimetry | 나379라 | C3794 | | 15.15 | 1,060 | 1,060 | 1,090 | 1,090 |
| 10131 | Phosphate(Pi)(24hr U) | 24hr Urine | Colorimetry | 나379라 | C3794 | | 15.15 | 1,060 | 1,060 | 1,090 | 1,090 |
| 01070 | Phospholipase A2 | SST Serum | RIA | | | 국외 | 0 | 0 | 121,000 | 0 | 124,600 |
| 11160 | Phospholipid | SST Serum | Enzyme | 나244나 | C2442 | | 29.69 | 2,080 | 2,080 | 2,140 | 2,140 |
| 11161 | Phospholipid(Fluid) | Body Fluid | Enzyme | 나244나 | C2442 | | 29.69 | 2,080 | 2,080 | 2,140 | 2,140 |
| 80710 | PhotoPap(PapPlus)(T&C) | Cervix | Pap stain | | | | 0 | 0 | 9,000 | 0 | 9,000 |
| 11720 | Phytanic acid | EDTA Plasma | GC/MSD | 노332 | CZ332 | | 0 | 0 | 91,000 | 0 | 93,700 |
| 30700 | PIC TEST | SC Plasma | | | | 국외 | 0 | 0 | 45,000 | 0 | 46,400 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|--------------|----------------------|----------|-----------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 01640 | PIVKA-2 | SST Serum | EIA | 너78 | BX078 | | 190.03 | 13,320 | 13,320 | 13,720 | 13,720 |
| 81370 | PLAP (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 20530 | Plasma Hb | EDTA Plasma | Colorimetry | 나383 | C3830 | | 50.45 | 3,540 | 3,540 | 3,640 | 3,640 |
| 30710 | Plasminogen | SC Plasma | Chromogenic assay | 나188가 | B1881 | | 163.6 | 11,470 | 11,470 | 11,810 | 11,810 |
| 30005 | Platelet | EDTA Blood | 자동혈구계산법 | 나106 | B1060 | | 12.99 | 910 | 910 | 940 | 940 |
| 51920 | Platelet Associated Ab | EDTA Blood | IFA | 나502나 | C5022006 | | 251.6 | 17,640 | 17,640 | 18,170 | 18,170 |
| 26600 | PML/RARA(FISH) | Bone Marrow | FISH | 노598 | CZ967 | | 0 | 0 | 274,000 | 0 | 282,200 |
| 25710 | PML-RARa (nested RT-PCR) | EDTA Blood | Nested RT-PCR | 나597다 | C5973006 | | 1631.15 | 114,340 | 114,340 | 117,770 | 117,770 |
| 25712 | PML-RARa (nested RT-PCR) | Bone Marrow | Nested RT-PCR | 나597다 | C5973006 | | 1631.15 | 114,340 | 114,340 | 117,770 | 117,770 |
| 25713 | PML-RARa (real-time PCR) | EDTA Blood | real time PCR | 노596 | CZ807 | | 0 | 0 | 156,000 | 0 | 160,700 |
| 25714 | PML-RARa (real-time PCR) | Bone Marrow | real time PCR | 노596 | CZ807 | | 0 | 0 | 156,000 | 0 | 160,700 |
| 42670 | Pneumocystis jirovecii PCR | Sputum | PCR | 나5950아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 26161 | PNH test | EDTA Blood | Flow Cytometry | 너42나 | BY422006 | | 443.38 | 124,320 | 124,320 | 128,040 | 128,040 |
| 26165 | PNH test | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 63,300 | 63,300 | 65,200 | 65,200 |
| 81960 | Podoplanin(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 41910 | Poliovirus Type 1(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41911 | Poliovirus Type 1(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 42010 | Poliovirus Type 1(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 42011 | Poliovirus Type 1(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41920 | Poliovirus Type 2(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41921 | Poliovirus Type 2(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 42020 | Poliovirus Type 2(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 42021 | Poliovirus Type 2(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41930 | Poliovirus Type 3(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41931 | Poliovirus Type 3(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 42030 | Poliovirus Type 3(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 42031 | Poliovirus Type 3(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 42682 | Polyomavirus(BK) PCR | Random Urine | Nested PCR | 나5950아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 42685 | Polyomavirus(BK) PCR QN | Random Urine | real time PCR | 노598 | CZ966 | | 0 | 0 | 107,000 | 0 | 110,200 |
| 42686 | Polyomavirus(BK) PCR QN | CSF | real time PCR | 노598 | CZ966 | | 0 | 0 | 107,000 | 0 | 110,200 |
| 42680 | Polyomavirus(BK,JC) PCR | Random Urine | Nested PCR | 나5950아 | C5956006외 | | 0 | 58,260 | 58,260 | 60,000 | 60,000 |
| 42683 | Polyomavirus(JC) PCR | Random Urine | Nested PCR | 나5950아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 11770 | Porphobilinogen 정량 | Random Urine | 비색법 | 나389나(1) | C3892 | | 44.42 | 3,110 | 3,110 | 3,210 | 3,210 |
| 11771 | Porphobilinogen 정량 | 24hr Urine | 비색법 | 나389나(1) | C3892 | | 44.42 | 3,110 | 3,110 | 3,210 | 3,210 |
| 11760 | Porphobilinogen 정성 | Random Urine | Colorimetry | 나389가 | C3891 | | 9.88 | 690 | 690 | 710 | 710 |
| 25730 | post-BMT | EDTA Blood | PCR | 너571나(1) | CY575006 | | 2755.12 | 193,130 | 193,130 | 198,920 | 198,920 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|--------------|----------------------|----------|----------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 25731 | post-BMT | Bone Marrow | PCR | 너571나(1) | CY575006 | | 2755.12 | 193,130 | 193,130 | 198,920 | 198,920 |
| 25737 | post-BMT | EDTA Blood | | 너571나(1) | CY575006 | | 2755.12 | 193,130 | 193,130 | 198,920 | 198,920 |
| 10140 | Potassium(K) | SST Serum | ISE | 나379나 | C3792 | | 16.87 | 1,180 | 1,180 | 1,220 | 1,220 |
| 10142 | Potassium(K) | Random Urine | ISE | 나379나 | C3792 | | 16.87 | 1,180 | 1,180 | 1,220 | 1,220 |
| 10141 | Potassium(K)(24hr U) | 24hr Urine | ISE | 나379나 | C3792 | | 16.87 | 1,180 | 1,180 | 1,220 | 1,220 |
| 81840 | PR(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 25690 | PRA class I identification | SST Serum | Luminex | 나522나 | C5222006 | | 1308.12 | 91,700 | 91,700 | 94,450 | 94,450 |
| 26265 | PRA class I screening | SST Serum | Luminex | 나522가 | C5221006 | | 752.81 | 52,770 | 52,770 | 54,350 | 54,350 |
| 25695 | PRA classII identification | SST Serum | Luminex | 나522나 | C5222006 | | 1308.12 | 91,700 | 91,700 | 94,450 | 94,450 |
| 26266 | PRA classII screening | SST Serum | Luminex | 나522가 | C5221006 | | 752.81 | 52,770 | 52,770 | 54,350 | 54,350 |
| 20330 | Prealbumin | SST Serum | TIA | 나221-1 | C2215 | | 150.79 | 10,570 | 10,570 | 10,890 | 10,890 |
| 25720 | pre-BMT | 복수검체 | DNA Typing | 너571가(1) | CY573006 | | 3962.86 | 277,800 | 277,800 | 286,120 | 286,120 |
| 25725 | pre-BMT | 복수검체 | DNA Typing | 너571가(1) | CY573006 | | 3962.86 | 277,800 | 277,800 | 286,120 | 286,120 |
| 25727 | pre-BMT | 복수검체 | | 너571가(1) | CY573006 | | 3962.86 | 277,800 | 277,800 | 286,120 | 286,120 |
| 00480 | Pregnanediol(Urine) | 24hr Urine | GC/MS | | | 국외 | 0 | 0 | 85,000 | 0 | 87,600 |
| 00490 | Pregnanetriol | 24hr Urine | GC/MS | 노194 | CZ198 | 국외 | 0 | 0 | 119,000 | 0 | 122,600 |
| 00500 | Pregnenolone | SST Serum | RIA | | | 국외 | 0 | 0 | 156,000 | 0 | 160,700 |
| 65320 | Primidone | Plain Serum | HPLC | 나450나(3) | CX374690 | | 325.85 | 22,840 | 22,840 | 23,530 | 23,530 |
| 65100 | Procainamide | SST Serum | EIA | | | 국외 | 0 | 0 | 91,000 | 0 | 93,700 |
| 01891 | Procalcitonin | SST Serum | ECLIA | 노115 | CZ115 | | 0 | 0 | 60,000 | 0 | 61,800 |
| 12360 | Procollagen III peptide | SST Serum | RIA | | | 국외 | 0 | 0 | 65,000 | 0 | 67,000 |
| 00512 | Progesterone (ECLIA) | SST Serum | ECLIA | 나346 | C3460 | | 150.45 | 10,550 | 10,550 | 10,860 | 10,860 |
| 01549 | ProGRP | EDTA Plasma | CMIA | 나435 | C4350 | | 316.18 | 22,160 | 22,160 | 22,830 | 22,830 |
| 01081 | Proinsulin | SST Serum | RIA | 노206 | CZ206 | | 0 | 0 | 32,000 | 0 | 35,000 |
| 00133 | Prolactin (ECLIA) | SST Serum | ECLIA | 나351 | C3510 | | 166.15 | 11,650 | 11,650 | 12,000 | 12,000 |
| 81690 | Prolactin (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 00141 | Prolactin-1호 | SST Serum | ECLIA | 나351 | C3510 | | 166.15 | 11,650 | 11,650 | 12,000 | 12,000 |
| 00142 | Prolactin-2호 | SST Serum | ECLIA | 나351 | C3510 | | 166.15 | 11,650 | 11,650 | 12,000 | 12,000 |
| 00143 | Prolactin-3호 | SST Serum | ECLIA | 나351 | C3510 | | 166.15 | 11,650 | 11,650 | 12,000 | 12,000 |
| 00144 | Prolactin-4호 | SST Serum | ECLIA | 나351 | C3510 | | 166.15 | 11,650 | 11,650 | 12,000 | 12,000 |
| 00145 | Prolactin-5호 | SST Serum | ECLIA | 나351 | C3510 | | 166.15 | 11,650 | 11,650 | 12,000 | 12,000 |
| 00146 | Prolactin-6호 | SST Serum | ECLIA | 나351 | C3510 | | 166.15 | 11,650 | 11,650 | 12,000 | 12,000 |
| 00147 | Prolactin-7호 | SST Serum | ECLIA | 나351 | C3510 | | 166.15 | 11,650 | 11,650 | 12,000 | 12,000 |
| 00148 | Prolactin-8호 | SST Serum | ECLIA | 나351 | C3510 | | 166.15 | 11,650 | 11,650 | 12,000 | 12,000 |
| 65110 | Propranolol | SST Serum | HPLC | | | 국외 | 0 | 0 | 96,000 | 0 | 98,900 |
| 31021 | Prostaglandin E2 | 24hr Urine | RIA | | | 국외 | 0 | 0 | 652,000 | 0 | 671,600 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|------------------------------|--------------|----------------------|----------|----------|-----|---------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 30730 | Protein C Activity | SC Plasma | Chromogenic assay | 나183가 | B1831 | | 207.74 | 14,560 | 14,560 | 15,000 | 15,000 |
| 30740 | Protein C Antigen | SC Plasma | ELISA | 나183나 | B1832 | | 182.6 | 12,800 | 12,800 | 13,180 | 13,180 |
| 20711 | Protein E.P(24h urine) | 24hr Urine | Electrophoresis | 나300나 | B3001006 | | 142.26 | 9,970 | 9,970 | 10,270 | 10,270 |
| 20713 | Protein E.P(Random urine) | Random Urine | Electrophoresis | 나300나 | B3001006 | | 142.26 | 9,970 | 9,970 | 10,270 | 10,270 |
| 20710 | Protein E.P(Serum) | SST Serum | Electrophoresis | 나300가 | B3000006 | | 134.09 | 9,400 | 9,400 | 9,680 | 9,680 |
| 30750 | Protein S Activity | SC Plasma | Clot-based | 나184가 | B1841 | | 201.16 | 14,100 | 14,100 | 14,520 | 14,520 |
| 30760 | Protein S Ag(free) | SC Plasma | ELISA | 나184나 | B1842 | | 179.03 | 12,550 | 12,550 | 12,930 | 12,930 |
| 30770 | Protein S Ag(total) | SC Plasma | ELISA | 나184나 | B1842 | | 179.03 | 12,550 | 12,550 | 12,930 | 12,930 |
| 10035 | Protein/creatinine ratio | Random Urine | 계산법 | 나220 외 | C2200 외 | | 0 | 2,410 | 2,410 | 2,490 | 2,490 |
| 27895 | Prothrombin G20210A Mutation | EDTA Blood | PCR-RFLP | 노597 | CZ898 | | 0 | 0 | 30,000 | 0 | 30,900 |
| 30950 | Prothrombin Time | SC Plasma | Clot-based | 나154 | B1540 | | 27.73 | 1,940 | 1,940 | 2,000 | 2,000 |
| 70860 | Protozoa | Stool | 검경법 | 나63 | B0630 | | 23.95 | 1,680 | 1,680 | 1,730 | 1,730 |
| 70861 | Protozoa(amoeba) | Stool | | 나66 | B0660 | | 33.44 | 2,340 | 2,340 | 2,410 | 2,410 |
| 01675 | PSA (ECLIA) | SST Serum | ECLIA | 나428 | C4280 | | 241.06 | 16,900 | 16,900 | 17,400 | 17,400 |
| 81000 | PSA (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 01090 | PSTI | SST Serum | RIA | | | 국외 | 0 | 0 | 42,000 | 0 | 43,300 |
| 29310 | PTEN gene major mutation | EDTA Blood | Sequencing | 노595(71) | CZ665 | | 0 | 0 | 303,000 | 0 | 315,000 |
| 01930 | PTH | SST Serum | RIA | 나340주 | C7340 | | 275.4 | 19,310 | 19,310 | 19,880 | 19,880 |
| 01931 | PTH | EDTA Plasma | RIA | 나340주 | C7340 | | 275.4 | 19,310 | 19,310 | 19,880 | 19,880 |
| 01940 | PTH related peptide | 전용용기 혈장 | IRMA | 노192 | CZ192 | 국외 | 0 | 0 | 85,000 | 0 | 87,600 |
| 81968 | PTH(IHC) 성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 01950 | PTH-C | SST Serum | RIA | | | 국외 | 0 | 0 | 34,000 | 0 | 35,000 |
| 01967 | PTH-Intact (ECLIA) | SST Serum | ECLIA | 나340 | C3400 | | 294.34 | 20,630 | 20,630 | 21,250 | 21,250 |
| 01968 | PTH-Intact (ECLIA) | EDTA Plasma | ECLIA | 나340 | C3400 | | 294.34 | 20,630 | 20,630 | 21,250 | 21,250 |
| 10810 | Pyruvic Acid | 제단백액 | Enzyme | 너345가(1) | CY341 | | 201.9 | 14,150 | 14,150 | 14,580 | 14,580 |
| 10811 | Pyruvic Acid | CSF | Enzyme | 너345가(1) | CY341 | | 201.9 | 14,150 | 14,150 | 14,580 | 14,580 |
| 50890 | Q-fever (C. burnetti)(NIH) | SST Serum | IFA | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 02060 | Quad Test | SST Serum | | 나421 외 | C7421외 | | 0 | 63,920 | 63,920 | 65,840 | 65,840 |
| 52390 | QuantiFERON-TB | 전용용기 | ELISA | 나477 | CZ393006 | | 1162.62 | 81,500 | 81,500 | 83,940 | 83,940 |
| 65622 | Quetiapine | Plain Serum | LC/MS/MS | 나450 | CX375696 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 65135 | Quinidine | SST Serum | KIMS | | | 국외 | 0 | 0 | 79,000 | 0 | 81,400 |
| 41637 | R. (Rickettsia) 2 type Ab | SST Serum | IFA | 나474나(1) | C4742836 | | 207.72 | 29,120 | 29,120 | 30,000 | 30,000 |
| 51930 | R.A Factor | SST Serum | TIA | 나490가 | C4901 | | 20.2 | 1,420 | 1,420 | 1,460 | 1,460 |
| 51931 | R.A Factor | Body Fluid | TIA | 나490가 | C4901 | | 20.2 | 1,420 | 1,420 | 1,460 | 1,460 |
| 51940 | R.A Factor 정량 | SST Serum | TIA | 나490나 | C4903 | | 104.97 | 7,360 | 7,360 | 7,580 | 7,580 |
| 51941 | R.A Factor 정량 | Body Fluid | TIA | 나490나 | C4903 | | 104.97 | 7,360 | 7,360 | 7,580 | 7,580 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|--------------------------------|-------------|----------------------|----------|----------|-----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 41630 | R.tsutsugamushi | SST Serum | | 나474가 | C4741830 | | 59.99 | 4,210 | 4,210 | 4,330 | 4,330 |
| 41639 | R.tsutsugamushi PCR(NIH) | EDTA Blood | PCR | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 51960 | RA Factor IgA | SST Serum | EIA | 노421 | CZ421 | | 0 | 0 | 26,000 | 0 | 26,800 |
| 51950 | RA Factor IgG | SST Serum | ELISA | 노421 | CZ421 | | 0 | 0 | 26,000 | 0 | 26,800 |
| 52510 | Rabies virus(공수병) (NIH) | 복수검체 | | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 30002 | RBC | EDTA Blood | 자동혈구계산법 | 나104 | B1040 | | 10.97 | 770 | 770 | 790 | 790 |
| 11290 | RBC Folate | EDTA Blood | RIA | 나254주 | C7254 | | 198.75 | 13,930 | 13,930 | 14,350 | 14,350 |
| 81975 | RCC(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 30090 | RDW | EDTA Blood | 자동혈구계산법 | 나122 | B1220 | | 5.8 | 410 | 410 | 420 | 420 |
| 01381 | Renin 1회 | EDTA Plasma | RIA | 나360주 | C7360 | | 161.49 | 11,320 | 11,320 | 11,660 | 11,660 |
| 01382 | Renin 2회 | EDTA Plasma | RIA | 나360주 | C7360 | | 161.49 | 11,320 | 11,320 | 11,660 | 11,660 |
| 01383 | Renin 3회 | EDTA Plasma | RIA | 나360주 | C7360 | | 161.49 | 11,320 | 11,320 | 11,660 | 11,660 |
| 01384 | Renin 3회 | EDTA Plasma | RIA | 나360주 | C7360 | | 161.49 | 11,320 | 11,320 | 11,660 | 11,660 |
| 01385 | Renin 5회 | EDTA Plasma | RIA | 나360주 | C7360 | | 161.49 | 11,320 | 11,320 | 11,660 | 11,660 |
| 01386 | Renin 6회 | EDTA Plasma | RIA | 나360주 | C7360 | | 161.49 | 11,320 | 11,320 | 11,660 | 11,660 |
| 01370 | Renin Activity | EDTA Plasma | RIA | 나360주 | C7360 | | 161.49 | 11,320 | 11,320 | 11,660 | 11,660 |
| 41800 | REO virus(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41801 | REO virus(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 42257 | Respi.V.Ag Screening 5종 | Other | IFA | 나469 | C4690536 | | 203.37 | 14,260 | 14,260 | 14,680 | 14,680 |
| 29270 | RET gene mutation | EDTA Blood | Sequencing | 나599나(3) | CY571006 | | 4105.53 | 287,800 | 287,800 | 296,420 | 296,420 |
| 26730 | RET(MEN2A, MEN2B, FMTC) Mutati | EDTA Blood | Sequencing | 나599나(3) | CY571006 | | 4105.53 | 287,800 | 287,800 | 296,420 | 296,420 |
| 30157 | Reticulin Stain(서울대) | Tissue | Stain | 나118아 | B1189006 | | 83.84 | 5,880 | 5,880 | 6,050 | 6,050 |
| 80620 | Reticulin Stain(한병리) | Tissue | | 나553가 | C5531 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 30111 | Reticulocyte Count | EDTA Blood | Flow Cytometry | 나108나 | B1081 | | 20.21 | 1,420 | 1,420 | 1,460 | 1,460 |
| 11320 | Retinol Binding Protein | SST Serum | 라텍스응집비탁법 | | | 국외 | 0 | 0 | 102,000 | 0 | 105,100 |
| 30420 | Rh Ab Titer | SST Serum | Tube | 나208 | B2080006 | | 99.47 | 6,970 | 6,970 | 7,180 | 7,180 |
| 30390 | Rh(D) Typing | EDTA Blood | SLIDE | 나202가 | B2021 | | 13.82 | 970 | 970 | 1,000 | 1,000 |
| 30391 | Rh(D) Typing | Capillary | SLIDE | 나202가 | B2021 | | 13.82 | 970 | 970 | 1,000 | 1,000 |
| 30392 | Rh(D) Typing | Cord Blood | SLIDE | 나202가 | B2021 | | 13.82 | 970 | 970 | 1,000 | 1,000 |
| 30400 | Rh-Hr Subgroup | EDTA Blood | Tube | 나202나 | B2022006 | | 98.1 | 6,880 | 6,880 | 7,080 | 7,080 |
| 42210 | Rhino Virus Culture | Other | Culture | 나416 | B4160006 | | 574.26 | 40,260 | 40,260 | 41,460 | 41,460 |
| 42215 | Rhino virus PCR | Other | Nested RT-PCR | | | | 0 | 0 | 45,000 | 0 | 46,400 |
| 01820 | Ri autoantibodies | SST Serum | Western blot | | | 국외 | 0 | 0 | 769,000 | 0 | 792,100 |
| 01821 | Ri autoantibodies | CSF | Western blot | | | 국외 | 0 | 0 | 769,000 | 0 | 792,100 |
| 51216 | Ribosomal P protein IgG Ab | SST Serum | EIA | 너443자 | CY451006 | | 532.44 | 37,320 | 37,320 | 38,440 | 38,440 |
| 41850 | Rotavirus Ab (CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|------------------------------|---------------|-----------------------|----------|-------------------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 41851 | Rotavirus Ab (CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 42290 | Rotavirus Ag | Stool | ELISA | 나469 | C4690526 | | 203.37 | 14,260 | 14,260 | 14,680 | 14,680 |
| 50935 | RPR 정밀 | SST Serum | TIA | 나460-1 | C4602 | | 25.73 | 1,800 | 1,800 | 1,860 | 1,860 |
| 41871 | RS virus(NT) | CSF | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 41860 | RSV Ab (CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41861 | RSV Ab (CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41862 | RSV Ab (CF) | Pleural Fluid | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 41870 | RSV Ab(NT) | SST Serum | Neutralization | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 42300 | RSV Ag (DFA) | Sputum | DFA | 나469 | C4690536 | | 203.37 | 14,260 | 14,260 | 14,680 | 14,680 |
| 42225 | RSV Culture | Other | Shell Vial Culture | 나416 | B4160006 | | 574.26 | 40,260 | 40,260 | 41,460 | 41,460 |
| 42820 | RSV IgG(IFA) | SST Serum | IFA | 나468나(1) | C4682536 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 42830 | RSV IgM(IFA) | SST Serum | IFA | 나468나(2) | C4683536 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 41940 | Rubella IgG | SST Serum | CIA | 나468나(1) | C4682416 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 41941 | Rubella IgG | CSF | CIA | 나468나(1) | C4682416 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 43520 | Rubella IgG avidity | SST Serum | EIA | 노395 | CZ395 | | 0 | 0 | 33,000 | 0 | 34,000 |
| 41950 | Rubella IgM | SST Serum | CIA | 나468나(2) | C4683416 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 41951 | Rubella IgM | CSF | CIA | 나468나(2) | C4683416 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 42690 | Rubella Virus RT-PCR | EDTA Blood | RT-PCR | 나596라 | C5969006 | | 678.1 | 47,530 | 47,530 | 48,960 | 48,960 |
| 30461 | S 혈액형검사 | EDTA Blood | Tube | 나203 | B2030006 | | 70.22 | 4,920 | 4,920 | 5,070 | 5,070 |
| 30462 | s 혈액형검사 | EDTA Blood | Tube | 나203 | B2030006 | | 70.22 | 4,920 | 4,920 | 5,070 | 5,070 |
| 71150 | S.pneumoniae urinary Ag | Random Urine | | 노491 | CZ398 | | 0 | 0 | 21,000 | 0 | 24,000 |
| 81150 | S-100(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81152 | S-100(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81841 | S-100(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 52165 | Saccharomyces cerevisiaeAb | SST Serum | EIA | 노434 | CZ434외 | | 0 | 0 | 130,000 | 0 | 133,900 |
| 42700 | Salmonella PCR | EDTA Blood | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 26980 | SBMA, AR gene | EDTA Blood | PCR | 너573나 | CY532006 | | 1199.67 | 84,100 | 84,100 | 86,620 | 86,620 |
| 27001 | SCA panel (SCA 1,2,3,6,7) | EDTA Blood | PCR | 너573 | CY535,6,7,8,40006 | | 0 | 420,500 | 420,500 | 433,100 | 433,100 |
| 27000 | SCA profile (1,2,3,6,7,8,17) | EDTA Blood | PCR | 너573 | CY535~8,540006 | | 0 | 588,700 | 588,700 | 606,340 | 606,340 |
| 01690 | SCA-1 | EDTA Blood | PCR Fragment analysis | 너573라 | CY535006 | | 1199.67 | 84,100 | 84,100 | 86,620 | 86,620 |
| 27015 | SCA-17 | EDTA Blood | PCR Fragment analysis | 너573라 | C6097006 | | 1199.67 | 84,100 | 84,100 | 86,620 | 86,620 |
| 01700 | SCA-2 | EDTA Blood | PCR Fragment analysis | 너573라 | CY536006 | | 1199.67 | 84,100 | 84,100 | 86,620 | 86,620 |
| 01710 | SCA-3 | EDTA Blood | PCR Fragment analysis | 너573라 | CY537006 | | 1199.67 | 84,100 | 84,100 | 86,620 | 86,620 |
| 02070 | SCA-6 | EDTA Blood | PCR Fragment analysis | 너573라 | CY538006 | | 1199.67 | 84,100 | 84,100 | 86,620 | 86,620 |
| 02080 | SCA-7 | EDTA Blood | PCR Fragment analysis | 너573라 | CY540006 | | 1199.67 | 84,100 | 84,100 | 86,620 | 86,620 |
| 27010 | SCA-8 | EDTA Blood | | 너573라 | C6098006 | | 1199.67 | 84,100 | 84,100 | 86,620 | 86,620 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|--------------------------------|------------------|----------------------|----------|----------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 01720 | SCC | SST Serum | RIA | 나430주 | C7430 | | 310.79 | 21,790 | 21,790 | 22,440 | 22,440 |
| 01721 | SCC | Body Fluid | RIA | 나430주 | C7430 | | 310.79 | 21,790 | 21,790 | 22,440 | 22,440 |
| 11022 | SD LDL Cholesterol | SST Serum | Electrophoresis | 노134 | CZ134 | | 0 | 0 | 104,000 | 0 | 107,100 |
| 20350 | Selectivity Index | 복수검체 | 계산법 | 나392 | C3920 | | 290.14 | 20,340 | 20,340 | 20,950 | 20,950 |
| 12810 | Selenium | Trace EDTA Blood | ICP/MS | 나452나(2) | C4523990 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 12811 | Selenium | Random Urine | ICP/MS | 나452나(2) | C4523990 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 12400 | Semen Analysis | Semen | 검경법 | 나730 | E7300 | | 50.3 | 3,530 | 3,530 | 3,630 | 3,630 |
| 12410 | Semen fructose | Semen | Spectrophotometry | 너893 | EX893 | | 56.36 | 3,950 | 3,950 | 4,070 | 4,070 |
| 01845 | Sequential 1st | SST Serum | RIA | | | | 0 | 0 | 44,660 | 0 | 45,070 |
| 01846 | Sequential 1st_NT | SST Serum | RIA | | | | 0 | 0 | 44,660 | 0 | 45,070 |
| 02062 | Sequential 2nd (Quad) | SST Serum | | 나421 외 | C7421외 | | 0 | 63,920 | 63,920 | 65,840 | 65,840 |
| 00905 | Serotonin | Blood | HPLC | | | 국외 | 0 | 0 | 34,000 | 0 | 35,000 |
| 00906 | Serotonin | SST Serum | HPLC | | | | 0 | 0 | 35,000 | 0 | 30,900 |
| 00904 | Serotonin(PFP) | EDTA Plasma | HPLC | | | | 0 | 0 | 35,000 | 0 | 30,900 |
| 00901 | Serotonin(PRP) | EDTA Plasma | HPLC | | | 국외 | 0 | 0 | 57,000 | 0 | 58,700 |
| 30780 | SFMC | SC Plasma | 응 집법 | | | 국외 | 0 | 0 | 128,000 | 0 | 131,800 |
| 12425 | SHBG (ECLIA) | SST Serum | ECLIA | 노202 | CZ202 | | 0 | 0 | 52,000 | 0 | 53,600 |
| 10820 | Sialic acid | SST Serum | Enzyme | | | 국외 | 0 | 0 | 14,000 | 0 | 14,400 |
| 12820 | Silicate | Water | Colorimetry | | | | 0 | 0 | 52,000 | 0 | 53,600 |
| 12821 | Silicate (강남성모 청구용) | Water | | | | | 0 | 0 | 19,000 | 0 | 19,600 |
| 65720 | Sirolimus(Rafamycin) | EDTA Blood | LC/MS/MS | 나450나(4) | CX375696 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 26182 | SISH_Her-2/neu(breast,gastric) | Tissue | | 나591 | CZ988006 | | 2315.72 | 162,330 | 162,330 | 167,190 | 167,190 |
| 80060 | SLIDE제작 | Other | | | | | 0 | 0 | 5,000 | 0 | 5,000 |
| 01730 | SLX | SST Serum | RIA | | | 국외 | 0 | 0 | 72,000 | 0 | 74,200 |
| 81160 | SMA(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81162 | SMA(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81164 | SMA(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81167 | SMA(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81159 | SMA(IHC)성모 | Tissue | | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 51985 | SMA(SMN1 7&8, NAIP 4&5) | EDTA Blood | PCR-RFLP | 너562마 | CY625006 | | 483.08 | 33,860 | 33,860 | 34,880 | 34,880 |
| 51986 | SMA(SMN1 7&8, NAIP 5&13) | EDTA Blood | PCR-RFLP | 너562마 | CY625006 | | 483.08 | 33,860 | 33,860 | 34,880 | 34,880 |
| 81972 | SMAD4(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81551 | SM-MHC(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 10150 | Sodium(Na) | SST Serum | ISE | 나379가 | C3791 | | 15.64 | 1,100 | 1,100 | 1,130 | 1,130 |
| 10152 | Sodium(Na) | Random Urine | ISE | 나379가 | C3791 | | 15.64 | 1,100 | 1,100 | 1,130 | 1,130 |
| 10151 | Sodium(Na)(24hr U) | 24hr Urine | ISE | 나379가 | C3791 | | 15.64 | 1,100 | 1,100 | 1,130 | 1,130 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|-------------------|-------------|----------|----------|----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 12430 | soluble ELAM - 1 | SST Serum | ELISA | | | 국외 | 0 | 0 | 235,000 | 0 | 242,100 |
| 12440 | soluble ICAM - 1 | SST Serum | ELISA | | | 국외 | 0 | 0 | 235,000 | 0 | 242,100 |
| 52620 | Soluble IL-2 receptor | SST Serum | EIA | | | 국외 | 0 | 0 | 326,000 | 0 | 326,000 |
| 52460 | Soluble Liver Ag Auto Ab | SST Serum | EIA | | | 국외 | 0 | 0 | 363,000 | 0 | 373,900 |
| 12450 | soluble VCAM - 1 | SST Serum | ELISA | | | 국외 | 0 | 0 | 235,000 | 0 | 242,100 |
| 00155 | Somatomedin-C (CLIA) | SST Serum | CLIA | 너230 | CX230 | | 199.07 | 13,950 | 13,950 | 14,370 | 14,370 |
| 00152 | Somatomedin-C (RIA) | SST Serum | RIA | 너230주 | CX723 | | 182.97 | 12,830 | 12,830 | 13,210 | 13,210 |
| 01740 | Span-1 | SST Serum | RIA | | | 국외 | 0 | 0 | 57,000 | 0 | 58,700 |
| 50848 | Sparganum IgG(BF) | Body Fluid | ELISA | | | | 0 | 0 | 18,880 | 0 | 19,450 |
| 50853 | Sparganum IgG(CSF) | CSF | ELISA | | | | 0 | 0 | 18,880 | 0 | 19,450 |
| 50844 | Sparganum IgG(S) | SST Serum | ELISA | 나472나(1) | C4722616 | | 269.38 | 18,880 | 18,880 | 19,450 | 19,450 |
| 80605 | Special Stain | Tissue | | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 82080 | Special Stain | Tissue | | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 80141 | Special Stain (KMK) | Tissue | | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 80342 | Special Stain T&C | Tissue | | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 80600 | Special Stain(서울대) | Tissue | | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 80601 | Special Stain(한병리) | Tissue | | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 80598 | Special Stain(Alcian blue) | Tissue | | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 80181 | Special Stain(CFC) | Tissue | | 나553 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 80250 | Special Stain(TCM) | Tissue | | 나553 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 52530 | SRP auto Ab | SST Serum | | | | 국외 | 0 | 0 | 219,000 | 0 | 225,600 |
| 01750 | STN | SST Serum | RIA | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 12460 | Stone Analysis 정성 | Stone | Colorimetry | 나391 | C3910006 | | 79.95 | 5,600 | 5,600 | 5,770 | 5,770 |
| 12465 | Stone Analysis(physical) | Stone | | 너274 | CX274006 | | 409.88 | 28,730 | 28,730 | 29,590 | 29,590 |
| 70870 | Stool Microscopy | Stool | 검경법 | 나67 | B0670 | | 13.93 | 980 | 980 | 1,010 | 1,010 |
| 71250 | Stool OB 정량 | Stool | Colorimetry | 나65-1 | B0653 | | 65.85 | 4,620 | 4,620 | 4,750 | 4,750 |
| 70895 | Stool pH | Stool | | 나69 | B0690 | | 7.53 | 530 | 530 | 540 | 540 |
| 70890 | Stool WBC | Stool | 검경법 | 나67-1 | B0675 | | 9.75 | 680 | 680 | 700 | 700 |
| 42580 | Strep. Group B PCR | Random Urine | PCR | | | | 0 | 0 | 32,000 | 0 | 33,000 |
| 20231 | Subclass IgG I | SST Serum | TIA | 너181가 | BY181 | | 135.9 | 9,530 | 9,530 | 9,810 | 9,810 |
| 20241 | Subclass IgG II | SST Serum | TIA | 너181나 | BY182 | | 135.9 | 9,530 | 9,530 | 9,810 | 9,810 |
| 20251 | Subclass IgG III | SST Serum | TIA | 너181다 | BY183 | | 135.9 | 9,530 | 9,530 | 9,810 | 9,810 |
| 20261 | Subclass IgG IV | SST Serum | TIA | 너181라 | BY184 | | 135.9 | 9,530 | 9,530 | 9,810 | 9,810 |
| 11730 | Succinylacetone | Random Urine | GC/MSD | 너345가(6) | CY349 | | 201.9 | 14,150 | 14,150 | 14,580 | 14,580 |
| 12870 | Sucrose hemolysis | 복수검체 | Colorimetry | 나121 | B1210006 | | 48.93 | 3,430 | 3,430 | 3,530 | 3,530 |
| 30156 | Sudan Black B stain | Bone Marrow Slide | Stain | 나118나 | B1183006 | | 83.89 | 5,880 | 5,880 | 6,060 | 6,060 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|-------------------|------------------------|----------|----------|----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 30190 | Sudan black B stain | Bone Marrow Slide | Stain | 나118나 | B1183006 | | 83.89 | 5,880 | 5,880 | 6,060 | 6,060 |
| 30191 | Sudan black B stain | Blood Smear Slide | Stain | 나118나 | B1183006 | | 83.89 | 5,880 | 5,880 | 6,060 | 6,060 |
| 52140 | Sulfatide autoantibodies | SST Serum | ELISA | | | 국외 | 0 | 0 | 769,000 | 0 | 792,100 |
| 20540 | Sulf-Hemoglobin | EDTA Blood | Colorimetry | 나382나 | C3822 | | 54.54 | 3,820 | 3,820 | 3,940 | 3,940 |
| 29020 | Surface Ig(Cytoplasmic Ig) | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 29021 | Surface Ig-κ light chain | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 29022 | Surface Ig-λ light chain | EDTA Blood | Flow Cytometry | 나512 | C5120006 | | 451.56 | 31,650 | 31,650 | 32,600 | 32,600 |
| 12470 | Surfactant protein-A(SP-A) | SST Serum | EIA | | | 국외 | 0 | 0 | 65,000 | 0 | 67,000 |
| 13050 | Surfactant protein-D(SP-D) | SST Serum | EIA | | | 국외 | 0 | 0 | 68,000 | 0 | 70,000 |
| 81165 | SV40 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81163 | SV40 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81166 | SV40(IHC) 성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81400 | Synaptophysin (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81770 | Synaptophysin (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81853 | Synaptophysin(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 29001 | SYT/SSX gene rearrangement | Block | RT-PCR | 나596다 | CX564006 | | 633.09 | 44,380 | 44,380 | 45,710 | 45,710 |
| 29002 | SYT/SSX gene rearrangement | Block | RT-PCR | 나596다 | CX564006 | | 633.09 | 44,380 | 44,380 | 45,710 | 45,710 |
| 65830 | t,t-muconic acid | Random Urine | HPLC | | | | 0 | 0 | 18,000 | 0 | 18,500 |
| 00295 | T3 (ECLIA) | SST Serum | ECLIA | 나329 | C3290 | | 172.76 | 12,110 | 12,110 | 12,470 | 12,470 |
| 00305 | T3-Uptake (ECLIA) | SST Serum | ECLIA | 나331 | C3310 | | 148.28 | 10,390 | 10,390 | 10,710 | 10,710 |
| 00315 | T4 (ECLIA) | SST Serum | ECLIA | 나333 | C3330 | | 164.03 | 11,500 | 11,500 | 11,840 | 11,840 |
| 13240 | TAS&TOS test | SST Serum | Colorimetry | | | | 0 | 0 | 63,000 | 0 | 63,000 |
| 30790 | TAT | SC Plasma | EIA | | | 국외 | 0 | 0 | 49,000 | 0 | 50,500 |
| 00320 | TBG (RIA) | SST Serum | RIA | 나338주 | C7338 | | 174.88 | 12,260 | 12,260 | 12,630 | 12,630 |
| 65480 | TBPE | Random Urine | Colorimetry | | | | 0 | 0 | 5,500 | 0 | 5,700 |
| 25875 | T-cell Receptor rearrangem | Block | Southern Hybridization | 나598바 | C5986006 | | 936.71 | 65,660 | 65,660 | 67,630 | 67,630 |
| 81650 | TdT (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81651 | TdT(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 65330 | Teicoplanin | SST Serum | 라텍스응집비탁법 | | | 국외 | 0 | 0 | 128,000 | 0 | 131,800 |
| 26660 | TEL/AML1 rearrangement | EDTA Blood | Nested RT-PCR | 나597자 | C5979006 | | 1791.12 | 125,560 | 125,560 | 129,320 | 129,320 |
| 00523 | Testosterone (ECLIA) | SST Serum | ECLIA | 나353 | C3530 | | 172.2 | 12,070 | 12,070 | 12,430 | 12,430 |
| 00530 | Testosterone, Free | SST Serum | RIA | 너232 | CX232 | | 169.62 | 11,890 | 11,890 | 12,250 | 12,250 |
| 81450 | TFE3(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 65140 | Theophylline | SST Serum | 면역형광법 | 나450나(2) | C4504110 | | 252.59 | 17,710 | 17,710 | 18,240 | 18,240 |
| 30970 | Thrombin Time | SC Plasma | Clot-based | 나156 | B1560 | | 25.19 | 1,770 | 1,770 | 1,820 | 1,820 |
| 01760 | Thymidine Kinase | SST Serum | | | | 국외 | 0 | 0 | 98,000 | 0 | 100,900 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|--------------------------|--------------|----------------------|----------|----------|----|--------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 00355 | Thyroglobulin (ECLIA) | SST Serum | ECLIA | 나335 | C3350 | | 195.98 | 13,740 | 13,740 | 14,150 | 14,150 |
| 00345 | Thyroglobulin Ab (ECLIA) | SST Serum | ECLIA | 나494 | C4940 | | 169.45 | 11,880 | 11,880 | 12,230 | 12,230 |
| 00342 | Thyroglobulin Ab(RIA) | SST Serum | RIA | 나494주 | C7494 | | 186.35 | 13,060 | 13,060 | 13,450 | 13,450 |
| 81200 | Thyroglobulin(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81854 | Thyroglobulin(IHC)(TCM) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81874 | TIA(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80986 | TIA1 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 12830 | TIBC | SST Serum | 계산법 | 나250 | C2500 | | 37.32 | 2,620 | 2,620 | 2,690 | 2,690 |
| 81882 | TIA-1(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81878 | TLE-1(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 51990 | TNF-α | SST Serum | ELISA | | | 국외 | 0 | 0 | 325,000 | 0 | 325,000 |
| 65340 | Tobramycin | Plain Serum | 면역형광법 | 나450나(2) | C4504390 | | 252.59 | 17,710 | 17,710 | 18,240 | 18,240 |
| 42750 | TORCH Test | SST Serum | | | | | 0 | 150,200 | 150,200 | 154,700 | 154,700 |
| 10040 | Total Bilirubin | SST Serum | Colorimetry | 나372가 | C3720 | | 17.31 | 1,210 | 1,210 | 1,250 | 1,250 |
| 10041 | Total Bilirubin | Capillary | Colorimetry | 나372가 | C3720 | | 17.31 | 1,210 | 1,210 | 1,250 | 1,250 |
| 11020 | Total Cholesterol | SST Serum | Enzyme | 나241가 | C2411 | | 22.02 | 1,540 | 1,540 | 1,590 | 1,590 |
| 11021 | Total Cholesterol | Body Fluid | Enzyme | 나241가 | C2411 | | 22.02 | 1,540 | 1,540 | 1,590 | 1,590 |
| 02005 | Total hCG(ECLIA) | SST Serum | ECLIA | 나352 | C3520 | | 212.7 | 14,910 | 14,910 | 15,360 | 15,360 |
| 60005 | Total IgE (Unicap) | SST Serum | FEIA | 나229 | C2290 | | 237.9 | 16,680 | 16,680 | 17,180 | 17,180 |
| 11180 | Total Lipid | SST Serum | Colorimetry | 나244가 | C2441 | | 32.77 | 2,300 | 2,300 | 2,370 | 2,370 |
| 11181 | Total Lipid | Body Fluid | Colorimetry | 나244가 | C2441 | | 32.77 | 2,300 | 2,300 | 2,370 | 2,370 |
| 11780 | Total Porphyrin 정성 | Random Urine | Colorimetry | 나389가 | C3891 | | 9.88 | 690 | 690 | 710 | 710 |
| 10030 | Total Protein | SST Serum | Colorimetry | 나220 | C2200 | | 17.71 | 1,240 | 1,240 | 1,280 | 1,280 |
| 10033 | Total Protein | Body Fluid | Colorimetry | 나220 | C2200 | | 17.71 | 1,240 | 1,240 | 1,280 | 1,280 |
| 10031 | Total Protein(24hr U) | 24hr Urine | TIA | 나220 | C2200 | | 17.71 | 1,240 | 1,240 | 1,280 | 1,280 |
| 10032 | Total Protein(CSF) | CSF | TIA | 나220 | C2200 | | 17.71 | 1,240 | 1,240 | 1,280 | 1,280 |
| 10034 | Total Protein(RU) | Random Urine | TIA | 나220 | C2200 | | 17.71 | 1,240 | 1,240 | 1,280 | 1,280 |
| 13190 | Total Trichloride(TTC) | Random Urine | GC/ECD | 나451나(3) | CY373290 | | 251.42 | 17,620 | 17,620 | 18,150 | 18,150 |
| 52271 | Toxocariasis Ab IgG | SST Serum | ELISA | | | | 0 | 0 | 18,880 | 0 | 19,450 |
| 43510 | Toxoplasma DNA PCR | EDTA Blood | PCR | 나5950아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 50903 | Toxoplasma IgG | SST Serum | CIA | 나472나(1) | C4722616 | | 269.38 | 18,880 | 18,880 | 19,450 | 19,450 |
| 50904 | Toxoplasma IgG | CSF | CIA | 나472나(1) | C4722616 | | 269.38 | 18,880 | 18,880 | 19,450 | 19,450 |
| 50913 | Toxoplasma IgM | SST Serum | CIA | 나472나(2) | C4723616 | | 269.38 | 18,880 | 18,880 | 19,450 | 19,450 |
| 50914 | Toxoplasma IgM | CSF | CIA | 나472나(2) | C4723616 | | 269.38 | 18,880 | 18,880 | 19,450 | 19,450 |
| 26770 | TP53 gene, mutation | EDTA Blood | Sequencing | 노595 | CZ596 | | 0 | 0 | 747,000 | 0 | 769,400 |
| 01770 | TPA | SST Serum | IRMA | 나432주 | C7432 | | 305.03 | 21,380 | 21,380 | 22,020 | 22,020 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|---------------------------|-------------------|----------------------|-----------|-------------|----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 01772 | TPA | Body Fluid | IRMA | 나432주 | C7432 | | 305.03 | 21,380 | 21,380 | 22,020 | 22,020 |
| 50955 | TPLA 정밀 | SST Serum | TIA | 나461-1 | C4612 | | 123.74 | 8,670 | 8,670 | 8,930 | 8,930 |
| 27471 | TPMT gene mutation | EDTA Blood | Sequencing | 노597 | CZ904 | | 0 | 0 | 187,000 | 0 | 192,600 |
| 20360 | Transferrin | SST Serum | TIA | 나233 | C2330 | | 108.48 | 7,600 | 7,600 | 7,830 | 7,830 |
| 20370 | Transferrin saturation | SST Serum | 계산법 | 나249+나250 | C2490+C2500 | | 0 | 0 | 4,930 | 0 | 5,070 |
| 52370 | Transglutaminase IgA | SST Serum | EIA | | | 국외 | 0 | 0 | 398,000 | 0 | 409,900 |
| 30185 | TRAP stain | Blood Smear Slide | Stain | 나1180아 | B1189006 | | 83.84 | 5,880 | 5,880 | 6,050 | 6,050 |
| 30186 | TRAP stain | Bone Marrow Slide | Stain | 나1180아 | B1189006 | | 83.84 | 5,880 | 5,880 | 6,050 | 6,050 |
| 42720 | Treponema pallidum PCR | 분비물 | PCR | 나5950아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 12580 | Trichloroacetic acid(TCA) | Random Urine | GC/ECD | 나451나(3) | CY373290 | | 251.42 | 17,620 | 17,620 | 18,150 | 18,150 |
| 12560 | Trichloroethanol | Random Urine | GC | 나451나(3) | CY373290 | | 251.42 | 17,620 | 17,620 | 18,150 | 18,150 |
| 42655 | Trichomonas vaginalis PCR | 분비물 | PCR | 나5950아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 11190 | Triglyceride | SST Serum | Enzyme | 나244다 | C2443 | | 46.89 | 3,290 | 3,290 | 3,390 | 3,390 |
| 11191 | Triglyceride | Body Fluid | Enzyme | 나244다 | C2443 | | 46.89 | 3,290 | 3,290 | 3,390 | 3,390 |
| 65150 | Trimethadione | SST Serum | GC | | | 국외 | 0 | 0 | 182,000 | 0 | 187,500 |
| 01870 | Triple marker | SST Serum | RIA | | | | 0 | 39,330 | 39,330 | 40,510 | 40,510 |
| 01875 | Triple marker(대한가족협회) | SST Serum | CLIA | | | | 0 | 42,890 | 42,890 | 44,180 | 44,180 |
| 12591 | Troponin I | SST Serum | ECLIA | 나394나 | C3942 | | 164.34 | 11,520 | 11,520 | 11,870 | 11,870 |
| 12600 | Troponin T | SST Serum | ECLIA | 나394가 | C3941 | | 162.75 | 11,410 | 11,410 | 11,750 | 11,750 |
| 01110 | Trypsin | SST Serum | ELISA | | | 국외 | 0 | 0 | 91,000 | 0 | 93,700 |
| 01116 | Tryptase | SST Serum | FEIA | | | 국외 | 0 | 0 | 177,000 | 0 | 182,300 |
| 00365 | TSH (ECLIA) | SST Serum | ECLIA | 나336 | C3360 | | 225.02 | 15,770 | 15,770 | 16,250 | 16,250 |
| 00371 | TSH-1회 | SST Serum | ECLIA | 나336 | C3360 | | 225.02 | 15,770 | 15,770 | 16,250 | 16,250 |
| 00372 | TSH-2회 | SST Serum | ECLIA | 나336 | C3360 | | 225.02 | 15,770 | 15,770 | 16,250 | 16,250 |
| 00373 | TSH-3회 | SST Serum | ECLIA | 나336 | C3360 | | 225.02 | 15,770 | 15,770 | 16,250 | 16,250 |
| 00374 | TSH-4회 | SST Serum | ECLIA | 나336 | C3360 | | 225.02 | 15,770 | 15,770 | 16,250 | 16,250 |
| 00375 | TSH-5회 | SST Serum | ECLIA | 나336 | C3360 | | 225.02 | 15,770 | 15,770 | 16,250 | 16,250 |
| 00376 | TSH-6회 | SST Serum | ECLIA | 나336 | C3360 | | 225.02 | 15,770 | 15,770 | 16,250 | 16,250 |
| 00377 | TSH-7회 | SST Serum | ECLIA | 나336 | C3360 | | 225.02 | 15,770 | 15,770 | 16,250 | 16,250 |
| 00378 | TSH-8회 | SST Serum | ECLIA | 나336 | C3360 | | 225.02 | 15,770 | 15,770 | 16,250 | 16,250 |
| 00385 | TSH-R-Ab(ECLIA) | SST Serum | ECLIA | 나339 | C3390 | | 230.21 | 16,140 | 16,140 | 16,620 | 16,620 |
| 00383 | TSH-R-Ab(RIA) | SST Serum | RIA | 너221주 | CY722 | | 184.41 | 12,930 | 12,930 | 13,310 | 13,310 |
| 81430 | TTF1 (IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81332 | TTF-1(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 70900 | Tzanck Smear | Other | 검경법 | 나718 | E7180 | | 18.87 | 1,320 | 1,320 | 1,360 | 1,360 |
| 70910 | Tzanck Smear | Other | | 나718 | E7180 | | 18.87 | 1,320 | 1,320 | 1,360 | 1,360 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|--------------|----------------------|----------|----------|-----|--------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 27450 | UGT1A1 genotyping | EDTA Blood | Sequencing | 노597 | CZ903 | | 0 | 0 | 290,000 | 0 | 300,000 |
| 12840 | UIBC | SST Serum | Colorimetry | 나251 | C2510 | | 37.72 | 2,640 | 2,640 | 2,720 | 2,720 |
| 82171 | unstained slide ≤3장 | Tissue | | | | | 0 | 0 | 10,000 | 0 | 10,000 |
| 82172 | unstained slide ≥4장 | Tissue | | | | | 0 | 0 | 20,000 | 0 | 20,000 |
| 70921 | Urea breath Test(20m) | 전용용기 | | 나415나 | B4156 | | 0 | 0 | 0 | 0 | 0 |
| 42730 | Ureaplasma urealyticum PCR | 분비물 | PCR | 나595아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 10930 | Uric Acid | SST Serum | Enzyme | 나378 | C3780 | | 17.89 | 1,250 | 1,250 | 1,290 | 1,290 |
| 10932 | Uric Acid | Random Urine | Enzyme | 나378 | C3780 | | 17.89 | 1,250 | 1,250 | 1,290 | 1,290 |
| 10931 | Uric Acid(24hr U) | 24hr Urine | Enzyme | 나378 | C3780 | | 17.89 | 1,250 | 1,250 | 1,290 | 1,290 |
| 02110 | Urinary Bladder Cancer Ag | Random Urine | IRMA | 너322가 | CY321 | | 305.35 | 21,410 | 21,410 | 22,050 | 22,050 |
| 10160 | Urinary Ca | 복수검체 | 계산법 | 나379 외 | C3795 외 | | 0 | 0 | 3,460 | 0 | 3,570 |
| 70002 | Urine Glucose | Random Urine | Strip | 나1 | B0010 | | 13.67 | 960 | 960 | 990 | 990 |
| 70001 | Urine Protein | Random Urine | Strip | 나1 | B0010 | | 13.67 | 960 | 960 | 990 | 990 |
| 70050 | Urine RBC morphology | Random Urine | 검경법 | 너1 | BX001006 | | 30.16 | 2,110 | 2,110 | 2,180 | 2,180 |
| 11800 | Uroporphyrin 정량 | Random Urine | HPLC | | | 국외 | 0 | 0 | 37,000 | 0 | 38,100 |
| 11805 | Uroporphyrin 정량 | 24hr Urine | Colorimetry | 나389나(1) | C3892 | | 44.42 | 3,110 | 3,110 | 3,210 | 3,210 |
| 11790 | Uroporphyrin 정성 | Random Urine | Fluorometry | 나389가 | C3891 | | 9.88 | 690 | 690 | 710 | 710 |
| 65350 | Valproic Acid | SST Serum | 면역형광법 | 나450나(2) | C4504060 | | 252.59 | 17,710 | 17,710 | 18,240 | 18,240 |
| 65360 | Valproic acid,Free | SST Serum | EIA | | | 국외 | 0 | 0 | 65,000 | 0 | 67,000 |
| 27430 | van 유전자 (VRE)(NIH) | 균주 | Multiplex-PCR | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 80608 | Van Giesons Stain | Tissue | | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 65370 | Vancomycin | SST Serum | 면역형광법 | 나450나(2) | C4504160 | | 252.59 | 17,710 | 17,710 | 18,240 | 18,240 |
| 42230 | Varicella-Zoster Culture | Other | Shell Vial Culture | 나416 | B4160006 | | 574.26 | 40,260 | 40,260 | 41,460 | 41,460 |
| 42740 | Varicella-Zoster DNA(PCR) | EDTA Blood | Nested PCR | 너563사 | CY059006 | | 595.22 | 41,720 | 41,720 | 42,970 | 42,970 |
| 42050 | Varicella-Zoster IgG | SST Serum | EIA | 나468나(1) | C4682496 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 42051 | Varicella-Zoster IgG | CSF | EIA | 나468나(1) | C4682496 | | 273.64 | 19,180 | 19,180 | 19,760 | 19,760 |
| 42060 | Varicella-Zoster IgM | SST Serum | EIA | 나468나(2) | C4683496 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 42061 | Varicella-Zoster IgM | CSF | EIA | 나468나(2) | C4683496 | | 261 | 18,300 | 18,300 | 18,840 | 18,840 |
| 42090 | Varicella-Zoster(CF) | SST Serum | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 42091 | Varicella-Zoster(CF) | CSF | CF | | | 국외 | 0 | 0 | 17,000 | 0 | 17,500 |
| 50926 | VDRL 정량 | CSF | SLIDE | 나460주 | C4601 | | 33.05 | 2,320 | 2,320 | 2,390 | 2,390 |
| 50925 | VDRL정성 | CSF | SLIDE | 나460 | C4600 | | 18.35 | 1,290 | 1,290 | 1,320 | 1,320 |
| 13221 | VEGF | EDTA Plasma | EIA | | | | 0 | 0 | 130,000 | 0 | 133,900 |
| 81445 | VEGFR2(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 80609 | Verhoeff Stain | Tissue | | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 11200 | Very long chain fatty acid | Hp Plasma | GC/MSD | | | 국외 | 0 | 0 | 283,000 | 0 | 291,500 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|------------------------------|--------------|----------------------|----------|-------------|-----|---------|--------|---------|--------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 11205 | Very long chain fatty acid | Hp Plasma | GC/MSD | 나445 | C4450 | | 1128.77 | 79,130 | 79,130 | 81,500 | 81,500 |
| 70930 | Vibrio Culture | Stool | | 나405가 | B4051 | | 168.28 | 11,800 | 11,800 | 12,150 | 12,150 |
| 70935 | Vibrio Culture & Sensi(G) | Other | | 나405+나40 | B4051+B4061 | | 0 | 19,910 | 19,910 | 20,510 | 20,510 |
| 81290 | Vimentin(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81833 | Vimentin(IHC) TCM | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 01120 | VIP | 전용용기 혈장 | RIA | 노200 | CZ200 | 국외 | 0 | 0 | 391,000 | 0 | 402,700 |
| 11340 | Vitamin A | SST Serum | HPLC | | | | 0 | 0 | 31,000 | 0 | 31,900 |
| 11360 | Vitamin B1 | EDTA Blood | HPLC | 너153 | CY160006 | | 441.49 | 30,950 | 30,950 | 31,880 | 31,880 |
| 11396 | Vitamin B12 (ECLIA) | SST Serum | ECLIA | 나253나 | C2532 | | 245.4 | 17,200 | 17,200 | 17,720 | 17,720 |
| 11400 | Vitamin B12 Binding capacity | SST Serum | RIA | | | 국외 | 0 | 0 | 272,000 | 0 | 280,200 |
| 11370 | Vitamin B2 | EDTA Blood | HPLC/FLD | 너153나주1 | CY161006 | | 441.49 | 30,950 | 30,950 | 31,880 | 31,880 |
| 11386 | Vitamin B6 (PLP) | EDTA Plasma | HPLC/FLD | 너153다 | CY162006 | | 441.49 | 30,950 | 30,950 | 31,880 | 31,880 |
| 11410 | Vitamin C | Hp Plasma | HPLC | | | | 0 | 0 | 31,000 | 0 | 31,900 |
| 11415 | Vitamin C | SST Serum | HPLC | | | | 0 | 0 | 31,000 | 0 | 31,900 |
| 11420 | Vitamin E | SST Serum | HPLC | 너153바 | CY166006 | | 441.49 | 30,950 | 30,950 | 31,880 | 31,880 |
| 11430 | Vitamin E Fraction | SST Serum | HPLC | | | 국외 | 0 | 0 | 340,000 | 0 | 350,200 |
| 11440 | Vitamin K Fraction | SC Plasma | HPLC | | | 국외 | 0 | 0 | 165,000 | 0 | 170,000 |
| 27518 | VKORC1 genotyping | EDTA Blood | Sequencing | 노597 | CZ906 | | 0 | 0 | 96,000 | 0 | 98,900 |
| 00920 | VMA 정량 | 24hr Urine | HPLC | 나321나(2) | CX223006 | | 341.86 | 23,960 | 23,960 | 24,680 | 24,680 |
| 00925 | VMA 정량 | EDTA Plasma | HPLC | | | 국외 | 0 | 0 | 37,000 | 0 | 38,100 |
| 00910 | VMA 정성 | Random Urine | Colorimetry | 나321가 | C3211 | | 12.41 | 870 | 870 | 900 | 900 |
| 80607 | Von Kossa Stain | Tissue | | 나553다 | C5533 | | 123.77 | 8,680 | 8,680 | 8,940 | 8,940 |
| 30830 | von-Willebrand's Antigen | SC Plasma | ELISA | 나187가 | B1871 | | 174.26 | 12,220 | 12,220 | 12,580 | 12,580 |
| 65820 | Voriconazole | Plain Serum | LC/MS/MS | 나450나(4) | CX375696 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 70170 | VRE Culture | Other | Culture | 나405가 | B4051 | | 168.28 | 11,800 | 11,800 | 12,150 | 12,150 |
| 70171 | VRE Culture&Sensi(G) | Other | Culture | 나405+나40 | B4051+B4061 | | 0 | 19,910 | 19,910 | 20,510 | 20,510 |
| 42856 | VRE(real-time PCR) | Stool | real time PCR | | | | 0 | 0 | 60,000 | 0 | 60,000 |
| 27435 | VRSA (NIH) | 균주 | | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 30845 | vWF multimer analysis | SC Plasma | Electrophoresis | 너88 | BX088006 | | 481.94 | 33,780 | 33,780 | 34,800 | 34,800 |
| 30821 | VWF(Ristocetin Cofactor) | SC Plasma | | 나187나 | B1872 | | 208.47 | 14,610 | 14,610 | 15,050 | 15,050 |
| 42231 | VZV culture (조직) | Tissue | Shell Vial Culture | 나416 | B4160006 | | 574.26 | 40,260 | 40,260 | 41,460 | 41,460 |
| 65790 | Warfarin | EDTA Plasma | LC/MS/MS | 나450나(4) | CX375696 | | 577.54 | 40,490 | 40,490 | 41,700 | 41,700 |
| 30001 | WBC | EDTA Blood | 자동혈구계산법 | 나105 | B1050 | | 10.99 | 770 | 770 | 790 | 790 |
| 52511 | West nile virus (NIH) | SST Serum | | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 70960 | Wet Smear | Other | | 나4주 | B0042 | | 9.14 | 640 | 640 | 660 | 660 |
| 50980 | Widal Test | SST Serum | 응집법 | 나464 | C4640 | | 42.28 | 2,960 | 2,960 | 3,050 | 3,050 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------|--------------|----------------------|----------|-------------|-----|---------|---------|---------|---------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 50990 | Widal test (Para A B) | SST Serum | 응집법 | 나464 | C4640 | | 42.28 | 2,960 | 2,960 | 3,050 | 3,050 |
| 81969 | WT1(IHC) 성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 29610 | Y-chromosome microdeletion | EDTA Blood | Multiplex-PCR | | | | 0 | 0 | 60,000 | 0 | 60,000 |
| 25760 | Y-Chromosome(SRY gene) | EDTA Blood | PCR | 나5950아 | C5956006 | | 415.49 | 29,130 | 29,130 | 30,000 | 30,000 |
| 50891 | Yellow-fever(황열병)(NIH) | SST Serum | IFA | | | NIH | 0 | 0 | 0 | 0 | 0 |
| 71090 | Yersinia Culture | Stool | Culture | 나405가 | B4051 | | 168.28 | 11,800 | 11,800 | 12,150 | 12,150 |
| 71092 | Yersinia Culture&Sensi(G) | Stool | Culture | 나405+나40 | B4051+B4061 | | 0 | 19,910 | 19,910 | 20,510 | 20,510 |
| 01830 | Yo autoantibodies | SST Serum | Western blot | | | 국외 | 0 | 0 | 652,000 | 0 | 671,600 |
| 01831 | Yo autoantibodies | CSF | Western blot | | | 국외 | 0 | 0 | 652,000 | 0 | 671,600 |
| 11811 | Zinc Protoporphyrin(ZPP) | EDTA Blood | | 너43 | BX043 | | 28.26 | 1,980 | 1,980 | 2,040 | 2,040 |
| 12855 | Zinc(Zn) | Trace Serum | ICP/MS | 나452나(2) | C4523670 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 12856 | Zinc(Zn) | 24hr Urine | ICP/MS | 나452나(2) | C4523670 | | 313.68 | 21,990 | 21,990 | 22,650 | 22,650 |
| 65380 | Zonisamide | Plain Serum | HPLC | 나450나(3) | CX374690 | | 325.85 | 22,840 | 22,840 | 23,530 | 23,530 |
| 01390 | α- ANP | 전용용기 혈장 | CLIA | 노195 | CZ195 | 국외 | 0 | 0 | 98,000 | 0 | 100,900 |
| 20380 | α1-Acidglycoprotein | SST Serum | Nephelometry | | | 국외 | 0 | 0 | 65,000 | 0 | 67,000 |
| 20400 | α1-Antitrypsin | SST Serum | TIA | 나222 | C2220 | | 123.91 | 8,690 | 8,690 | 8,950 | 8,950 |
| 20405 | α1-Antitrypsin | Stool | Nephelometry | 나222 | C2220 | | 123.91 | 8,690 | 8,690 | 8,950 | 8,950 |
| 20406 | α1-antitrypsin clearance | 복수검체 | Nephelometry | 나222 | C2220 | | 123.91 | 17,380 | 17,380 | 17,900 | 17,900 |
| 20410 | α1-Microglobulin | SST Serum | Latex | | | 국외 | 0 | 0 | 51,000 | 0 | 52,500 |
| 20411 | α1-Microglobulin | Random Urine | Latex | | | 국외 | 0 | 0 | 51,000 | 0 | 52,500 |
| 80935 | α1-trypsin ab(AAT)(IHC)성모 | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 20420 | α2-Macroglobulin | SST Serum | Nephelometry | | | 국외 | 0 | 0 | 56,000 | 0 | 57,700 |
| 13200 | α-Galactosidase | EDTA Blood | Fluorometry | 노329 | CZ329 | | 0 | 0 | 130,000 | 0 | 133,900 |
| 01420 | β2-Microglobulin | SST Serum | RIA | 나223주 | C7223 | | 159.84 | 11,200 | 11,200 | 11,540 | 11,540 |
| 01421 | β2-Microglobulin | Random Urine | RIA | 나223주 | C7223 | | 159.84 | 11,200 | 11,200 | 11,540 | 11,540 |
| 20365 | β2-transferrin | Other | Electrophoresis | | | 국외 | 0 | 0 | 592,000 | 0 | 609,800 |
| 11450 | β-Carotene | SST Serum | HPLC | | | 국외 | 0 | 0 | 215,000 | 0 | 221,500 |
| 81530 | β-catenin(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 81531 | β-catenin(IHC) | Tissue | Immunohistochemistry | 나557 | C5575006 | | 460.81 | 32,300 | 32,300 | 33,270 | 33,270 |
| 13180 | β-Glucosidase(Gaucher's) | EDTA Blood | Enzyme | 노324 | CZ324 | | 0 | 0 | 65,000 | 0 | 67,000 |
| 11210 | β-Lipoprotein | SST Serum | Enzyme | 나247 | C2470 | | 109.76 | 7,690 | 7,690 | 7,920 | 7,920 |
| 25770 | β-Thalassemia | EDTA Blood | Sequencing | 나599 | C5991~2006 | | 0 | 203,580 | 203,580 | 209,680 | 209,680 |
| 25771 | β-Thalassemia | Bone Marrow | Sequencing | 나599 | C5991006외 | | 0 | 203,580 | 203,580 | 209,680 | 209,680 |
| 25772 | β-Thalassemia | EDTA Blood | Sequencing | 나599나(1) | C5992006 | | 1999.33 | 140,150 | 140,150 | 144,350 | 144,350 |
| 30980 | β-Thromboglobulin | 전용용기 혈장 | EIA | | | 국외 | 0 | 0 | 62,000 | 0 | 63,900 |
| 10500 | γ- GTP | SST Serum | Enzyme | 나271 | B2710 | | 42.95 | 3,010 | 3,010 | 3,100 | 3,100 |

삼광의료재단 2014년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험기호 | 비고 | 점수 | 2013 | | 2014 | |
|-------|----------------------------------|--------------|-----------------|----------|----------|----|--------|-------|---------|-------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 12630 | γ-Aminobutylic acid(GABA) | Hp Plasma | HPLC | | | 국외 | 0 | 0 | 100,000 | 0 | 103,000 |
| 20720 | γ-GTP isoenzyme | SST Serum | Electrophoresis | | | 국외 | 0 | 0 | 31,000 | 0 | 31,900 |
| 01790 | γ-Sm | SST Serum | EIA | | | 국외 | 0 | 0 | 91,000 | 0 | 93,700 |
| 11820 | δ-ALA | Random Urine | Colorimetry | 나450나(1) | C4503390 | | 124.99 | 8,760 | 8,760 | 9,020 | 9,020 |
| 11821 | δ-ALA | 24hr Urine | Colorimetry | 나450나(1) | C4503390 | | 124.99 | 8,760 | 8,760 | 9,020 | 9,020 |