

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|-------------------------------|-------------|-----------|------|-------|----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 00540 | 11-Deoxy cortisol | SST Serum | RIA | | | 국외 | 0.00 | 0 | 174,100 | 0 | 179,300 |
| 00550 | 11-Deoxycorticosterone | SST Serum | RIA | | | 국외 | 0.00 | 0 | 174,100 | 0 | 179,300 |
| 00560 | 11-OHCS | SST Serum | 형광법 | | | 국외 | 0.00 | 0 | 35,000 | 0 | 36,100 |
| 60030 | 12종 흡인성Allergen | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 00571 | 17-KGS(17-Ketogenic steroids) | 24hr Urine | 비색법 | | | 국외 | 0.00 | 0 | 130,800 | 0 | 134,700 |
| 00400 | 17 α -OH Pregnenolone | SST Serum | RIA | 노207 | CZ207 | 국외 | 0.00 | 0 | 140,100 | 0 | 144,300 |
| 00621 | 18-OH Corticosterone | SST Serum | LC/MS/MS | | | 국외 | 0.00 | 0 | 322,400 | 0 | 329,000 |
| 12130 | 1CTP(type 1 collagen) | SST Serum | RIA | | | 국외 | 0.00 | 0 | 87,600 | 0 | 90,200 |
| 00421 | 5-a-dihydrotestosterone | SST Serum | RIA | | | 국외 | 0.00 | 0 | 133,900 | 0 | 137,900 |
| 00820 | 5-HIAA 정량(Plasma) | EDTA Plasma | HPLC | | | 국외 | 0.00 | 0 | 47,400 | 0 | 48,800 |
| 01130 | 간세포증식인자(HGF) | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 174,100 | 0 | 179,300 |
| 11538 | 광범위선천성대사이상 MS/MS | Blood Paper | Tandem MS | 노338 | CZ338 | | 0.00 | 0 | 67,000 | 0 | 69,000 |
| 13070 | 광범위선천성대사이상검사 I | Blood Paper | | | | | 0.00 | 0 | 67,000 | 0 | 69,000 |
| 13030 | 광범위선천성대사이상검사II | Blood Paper | | | | | 0.00 | 0 | 78,840 | 0 | 81,200 |
| 13031 | 광범위선천성대사이상검사III | Blood Paper | | | | | 0.00 | 0 | 79,530 | 0 | 81,910 |
| 11545 | 광범위선천성대사이상검사IV | Blood Paper | | | | | 0.00 | 0 | 78,840 | 0 | 81,200 |
| 52581 | 기생충 항체 5종(1) CSF | CSF | ELISA | | | | 0.00 | 0 | 23,000 | 0 | 25,000 |
| 52580 | 기생충 항체 6종(1) CSF | CSF | ELISA | | | | 0.00 | 0 | 29,000 | 0 | 31,000 |
| 52595 | 기생충 항체 검사 10종 | SST Serum | ELISA | | | | 0.00 | 0 | 55,000 | 0 | 57,000 |
| 52596 | 기생충 항체 검사 10종(1) | SST Serum | ELISA | | | | 0.00 | 0 | 64,000 | 0 | 68,000 |
| 52600 | 기생충 항체 검사 11종 | SST Serum | ELISA | | | | 0.00 | 0 | 73,000 | 0 | 77,000 |
| 52560 | 기생충 항체 검사 5종 (1) | SST Serum | ELISA | | | | 0.00 | 0 | 23,000 | 0 | 25,000 |
| 52561 | 기생충 항체 검사 5종 (2) | SST Serum | ELISA | | | | 0.00 | 0 | 23,000 | 0 | 25,000 |
| 52563 | 기생충 항체 검사 5종 (4) | SST Serum | ELISA | | | | 0.00 | 0 | 23,000 | 0 | 25,000 |
| 52564 | 기생충 항체 검사 5종 (5) | SST Serum | ELISA | | | | 0.00 | 0 | 23,000 | 0 | 25,000 |
| 52565 | 기생충 항체 검사 5종 (6) | SST Serum | ELISA | | | | 0.00 | 0 | 32,000 | 0 | 36,000 |
| 52573 | 기생충 항체 검사 5종 (7) | SST Serum | ELISA | | | | 0.00 | 0 | 23,000 | 0 | 25,000 |
| 52566 | 기생충 항체 검사 6종 (1) | SST Serum | ELISA | | | | 0.00 | 0 | 29,000 | 0 | 31,000 |
| 52567 | 기생충 항체 검사 6종 (2) | SST Serum | ELISA | | | | 0.00 | 0 | 29,000 | 0 | 31,000 |
| 52568 | 기생충 항체 검사 6종 (3) | SST Serum | ELISA | | | | 0.00 | 0 | 29,000 | 0 | 31,000 |
| 52569 | 기생충 항체 검사 6종 (4) | SST Serum | ELISA | | | | 0.00 | 0 | 29,000 | 0 | 31,000 |
| 52572 | 기생충 항체 검사 6종 (5) | SST Serum | ELISA | | | | 0.00 | 0 | 29,000 | 0 | 31,000 |
| 52578 | 기생충 항체 검사 6종 (6) | SST Serum | ELISA | | | | 0.00 | 0 | 29,000 | 0 | 31,000 |
| 52579 | 기생충 항체 검사 6종 (7) | SST Serum | ELISA | | | | 0.00 | 0 | 29,000 | 0 | 31,000 |
| 52570 | 기생충 항체 검사 7종 (1) | SST Serum | ELISA | | | | 0.00 | 0 | 35,000 | 0 | 37,000 |
| 52582 | 기생충 항체 검사 7종 (1) | Body Fluid | ELISA | | | | 0.00 | 0 | 35,000 | 0 | 37,000 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|-------------------------|--------------|------------------------|-------|-------|-----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 52571 | 기생충 항체 검사 7종 (2) | SST Serum | ELISA | | | | 0.00 | 0 | 35,000 | 0 | 37,000 |
| 52574 | 기생충 항체 검사 7종 (3) | SST Serum | ELISA | | | | 0.00 | 0 | 35,000 | 0 | 37,000 |
| 52575 | 기생충 항체 검사 7종 (4) | SST Serum | ELISA | | | | 0.00 | 0 | 35,000 | 0 | 37,000 |
| 52576 | 기생충 항체 검사 8종 (1) | SST Serum | ELISA | | | | 0.00 | 0 | 41,000 | 0 | 43,000 |
| 52577 | 기생충 항체 검사 8종 (2) | SST Serum | ELISA | | | | 0.00 | 0 | 41,000 | 0 | 43,000 |
| 52590 | 기생충 항체 검사 9종(1) | SST Serum | ELISA | | | | 0.00 | 0 | 49,000 | 0 | 51,000 |
| 65255 | 마약선별검사 4종(COC/MET/THC/M | Random Urine | ICA | | | | 0.00 | 0 | 35,200 | 0 | 33,280 |
| 63223 | 만성 음식물 알러지 IgG 222종 | SST Serum | Microarray-based ELISA | | | | 0.00 | 0 | 300,000 | 0 | 400,000 |
| 63224 | 만성 음식물 알러지 IgG 222종 | EDTA Blood | Microarray-based ELISA | | | | 0.00 | 0 | 300,000 | 0 | 400,000 |
| 12648 | 모발분석(메디텍스) | 모발 | ICP/MS | | | | 0.00 | 0 | 72,000 | 0 | 74,000 |
| 12640 | 모발분석(병원급) | 모발 | ICP/MS | | | 국외 | 0.00 | 0 | 72,000 | 0 | 74,000 |
| 12641 | 모발분석(의원급) | 모발 | ICP/MS | | | 국외 | 0.00 | 0 | 72,000 | 0 | 74,000 |
| 70995 | 미포자충 (microsporidium) | Stool | 검경법 | | | | 0.00 | 0 | 0 | 0 | 0 |
| 42570 | 바이러스성 설사 4종 | Stool | Sequencing | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 50492 | 백일해 검사 | 비인후/인후도찰물 | | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 50493 | 백일해 항체 | SST Serum | EIA | | | 국외 | 0.00 | 0 | 61,800 | 0 | 63,700 |
| 27590 | 선천성난청유전자(GJB2) | EDTA Blood | Sequencing | 노595 | CZ623 | | 0.00 | 0 | 74,000 | 0 | 76,200 |
| 27591 | 선천성난청유전자(GJB2) | Blood Paper | Sequencing | 노595 | CZ623 | | 0.00 | 0 | 74,000 | 0 | 76,200 |
| 11502 | 선천성대사이상 6종 | Blood Paper | | | | | 0.00 | 0 | 0 | 0 | 0 |
| 11511 | 선천성대사이상 7종 | Blood Paper | | | | | 0.00 | 0 | 12,530 | 0 | 12,910 |
| 11512 | 선천성대사이상 7종 | Blood Paper | | | | | 0.00 | 0 | 11,840 | 0 | 12,200 |
| 27301 | 세균 rDNA 동정(16s rRNA) | 균주 | Sequencing | 노598카 | CZ969 | | 0.00 | 0 | 140,000 | 0 | 144,200 |
| 80067 | 세포 Slide 결과판독 | Other | | | | | 0.00 | 0 | 5,000 | 0 | 5,000 |
| 80065 | 세포 Slide 제작 | Other | | | | | 0.00 | 0 | 30,000 | 0 | 30,000 |
| 80066 | 세포Slide 결과재판독 | Other | | | | | 0.00 | 0 | 2,500 | 0 | 2,500 |
| 52112 | 신경근질환관련 자가항체4종 | SST Serum | | | | | 0.00 | 0 | 214,400 | 0 | 220,800 |
| 52113 | 신경근질환관련 자가항체4종 | CSF | | | | | 0.00 | 0 | 214,400 | 0 | 220,800 |
| 25367 | 유방암 유전자 가족검사 | EDTA Blood | Sequencing | | | | 0.00 | 0 | 100,000 | 0 | 100,000 |
| 80091 | 육안사진촬영 | Tissue | | | | | 0.00 | 0 | 30,000 | 0 | 30,000 |
| 11220 | 전지질 중 지방산분획 | SST Serum | GC | | | 국외 | 0.00 | 0 | 201,900 | 0 | 208,000 |
| 82160 | 조직 Block 대여 | Tissue | | | | | 0.00 | 0 | 34,500 | 0 | 35,500 |
| 80063 | 조직 Block 제작 | Other | | | | | 0.00 | 0 | 5,000 | 0 | 5,000 |
| 82165 | 조직 Block 제작 | Other | | | | | 0.00 | 0 | 11,500 | 0 | 11,800 |
| 82136 | 조직 Slide 결과판독 | Tissue | | | | | 0.00 | 0 | 13,020 | 0 | 13,400 |
| 82130 | 조직 Slide 원본 대여 | Tissue | | | | | 0.00 | 0 | 34,500 | 0 | 35,500 |
| 82137 | 조직 slide제작(Recut)≤2장 | Tissue | | | | | 0.00 | 0 | 5,000 | 0 | 5,200 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|----------------------------|----------------|------------------------------|----------|---------|-----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 82138 | 조직 slide제작(Recut)≥3장 | Tissue | | | | | 0.00 | 0 | 10,000 | 0 | 10,300 |
| 80071 | 조직 Slide제작(TCM) | Other | | | | | 0.00 | 0 | 5,000 | 0 | 5,000 |
| 82181 | 조직검사(사진포함) | Tissue | | | | | 0.00 | 0 | 30,000 | 0 | 30,900 |
| 80062 | 조직Block 대여 | Other | | | | | 0.00 | 0 | 30,000 | 0 | 30,000 |
| 80085 | 조직Slide 결과재판독 | Other | | | | | 0.00 | 0 | 4,000 | 0 | 4,000 |
| 80080 | 조직Slide 결과판독 | Other | | | | | 0.00 | 0 | 11,320 | 0 | 11,320 |
| 80068 | 조직Slide 대여 | Other | | | | | 0.00 | 0 | 5,000 | 0 | 5,000 |
| 80183 | 조직Slide 대여(CFC) | Tissue | | | | | 0.00 | 0 | 5,000 | 0 | 5,000 |
| 80081 | 조직Slide결과판독-특수염색 | Other | | | | | 0.00 | 0 | 4,300 | 0 | 4,300 |
| 80061 | 추가Slide | Other | | | | | 0.00 | 0 | 5,000 | 0 | 5,000 |
| 25226 | 친자확인 검사대상자 1인추가 | EDTA Blood | | | | | 0.00 | 0 | 237,900 | 0 | 240,800 |
| 25225 | 친자확인(부or모+자)검사 | EDTA Blood | | | | | 0.00 | 0 | 476,900 | 0 | 481,600 |
| 70755 | 투석용수 미생물배양검사 | Water | Culture | | | | 0.00 | 0 | 13,400 | 0 | 13,800 |
| 12645 | 투석용수 미세물질24종검사 | Water | ICP/MS | | | | 0.00 | 0 | 291,500 | 0 | 300,200 |
| 70762 | 투석용수 Endotoxin | Water | Kinetic turbidimetric method | | | | 0.00 | 0 | 47,400 | 0 | 48,800 |
| 31160 | 혈액점도검사 | EDTA Blood | | | | | 0.00 | 0 | 80,000 | 0 | 82,400 |
| 13245 | 혈청 간섭유화 검사 | SST Serum | CIA | 노248 | CZ248 | | 0.00 | 0 | 150,000 | 0 | 150,000 |
| 42308 | 호흡기바이러스 14종 PCR | 비인후/인후도찰물 | real time PCR | 노598 | CZ994~7 | | 0.00 | 0 | 125,000 | 0 | 128,800 |
| 42306 | 호흡기바이러스 6종 PCR | 비인후/인후도찰물 | real time PCR | 노598러 | CZ981~4 | | 0.00 | 0 | 115,000 | 0 | 115,000 |
| 29551 | 희소돌기종(LOH) | Block | PCR Fragment analysis | 노596나(7) | CZ836 | | 0.00 | 0 | 300,000 | 0 | 300,000 |
| 65160 | Acetazolamide | SST Serum | HPLC | | | 국외 | 0.00 | 0 | 80,300 | 0 | 82,700 |
| 12650 | Acetone 정량 | Random Urine | GC | | | 국외 | 0.00 | 0 | 52,500 | 0 | 54,100 |
| 12660 | Acetone 정량 | SST Serum | GC | | | 국외 | 0.00 | 0 | 52,500 | 0 | 54,100 |
| 25000 | Acetylcholinesterase | Amniotic Fluid | Electrophoresis | 노173 | BZ173 | | 0.00 | 0 | 200,900 | 0 | 206,900 |
| 25060 | ACHe+Chromosome | Amniotic Fluid | | | | | 0.00 | 0 | 684,000 | 0 | 704,500 |
| 25315 | Achondroplasia familystudy | EDTA Blood | Sequencing | | | | 0.00 | 0 | 34,000 | 0 | 35,000 |
| 01150 | Ach-r-Blocking Ab | SST Serum | RIA | | | | 0.00 | 0 | 129,800 | 0 | 133,700 |
| 13177 | Acid-α-glucosidase(pompe) | EDTA Blood | Fluorometry | 노331 | CZ331 | | 0.00 | 0 | 77,300 | 0 | 79,600 |
| 52513 | Adenovirus (NIH) | Other | | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 40000 | Adenovirus(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40001 | Adenovirus(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40010 | Adenovirus,Type 1(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40011 | Adenovirus,Type 1(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40110 | Adenovirus,Type 11(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40111 | Adenovirus,Type 11(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40190 | Adenovirus,Type 19(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|-----------------------------|----------------|----------------|------|---------|----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 40191 | Adenovirus,Type 19(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40020 | Adenovirus,Type 2(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40021 | Adenovirus,Type 2(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40210 | Adenovirus,Type 21(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40211 | Adenovirus,Type 21(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40030 | Adenovirus,Type 3(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40031 | Adenovirus,Type 3(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40370 | Adenovirus,Type 37(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40371 | Adenovirus,Type 37(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40040 | Adenovirus,Type 4(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40041 | Adenovirus,Type 4(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40050 | Adenovirus,Type 5(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40051 | Adenovirus,Type 5(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40060 | Adenovirus,Type 6(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40061 | Adenovirus,Type 6(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40070 | Adenovirus,Type 7(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40071 | Adenovirus,Type 7(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40080 | Adenovirus,Type 8(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40081 | Adenovirus,Type 8(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 00729 | Adrenal 21-hydroxylase Ab | SST Serum | | | | 국외 | 0.00 | 0 | 194,700 | 0 | 200,500 |
| 25050 | AFAPF+ACHe | Amniotic Fluid | | | | | 0.00 | 0 | 213,300 | 0 | 219,680 |
| 25070 | AFAPF+Chromosome | Amniotic Fluid | | | | | 0.00 | 0 | 495,500 | 0 | 510,380 |
| 25090 | AFAPF+High Resol.Chromosome | Amniotic Fluid | | | | | 0.00 | 0 | 495,500 | 0 | 510,380 |
| 70516 | AFB Sensitivity (Sequence) | Sputum | Sequencing | 노598 | CZ985~6 | | 0.00 | 0 | 94,800 | 0 | 97,600 |
| 11890 | Alcohol | SST Serum | Enzyme | | | | 0.00 | 0 | 9,800 | 0 | 9,300 |
| 11891 | Alcohol | EDTA Plasma | Enzyme | | | | 0.00 | 0 | 9,800 | 0 | 9,300 |
| 11892 | Alcohol(RU) | Random Urine | Enzyme | | | | 0.00 | 0 | 9,800 | 0 | 9,300 |
| 28045 | ALK rearrangement | Tissue | FISH | 노598 | CZ967 | | 0.00 | 0 | 545,000 | 0 | 607,910 |
| 12670 | Aluminium(Al) | Trace Serum | AAS | | | | 0.00 | 0 | 22,700 | 0 | 23,340 |
| 12671 | Aluminium(Al) | 24hr Urine | AAS | | | | 0.00 | 0 | 22,700 | 0 | 23,340 |
| 00675 | AMH | SST Serum | ELISA | 노214 | CZ214 | | 0.00 | 0 | 58,700 | 0 | 60,500 |
| 25325 | AML1/ETO (real-time PCR) | EDTA Blood | real time PCR | 노596 | CZ808 | | 0.00 | 0 | 160,700 | 0 | 165,500 |
| 25326 | AML1/ETO (real-time PCR) | Bone Marrow | real time PCR | 노596 | CZ808 | | 0.00 | 0 | 160,700 | 0 | 165,500 |
| 27080 | AML1/ETO(FISH) | Bone Marrow | FISH | 노598 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |
| 65390 | Amphetamine | Random Urine | ICA | | | | 0.00 | 0 | 8,800 | 0 | 8,320 |
| 10510 | Amyloid A | SST Serum | Latex | 노242 | CZ242 | 국외 | 0.00 | 0 | 120,500 | 0 | 124,100 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|------------------------------|-------------|--------------|------|-------|-----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 00670 | Androstenedione | SST Serum | RIA | 노196 | CZ196 | | 0.00 | 0 | 89,600 | 0 | 92,300 |
| 00680 | Androsterone | SST Serum | RIA | 노197 | CZ197 | 국외 | 0.00 | 0 | 189,500 | 0 | 195,200 |
| 01170 | Angiotensin I | EDTA Plasma | RIA | | | 국외 | 0.00 | 0 | 80,300 | 0 | 82,700 |
| 01180 | AngiotensinII | EDTA Plasma | RIA | | | 국외 | 0.00 | 0 | 80,300 | 0 | 82,700 |
| 51070 | Anti Adrenal Cortex Ab | SST Serum | IFA | | | 국외 | 0.00 | 0 | 261,600 | 0 | 269,400 |
| 51110 | Anti cardiolipinB2 gly 1 com | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 116,400 | 0 | 119,900 |
| 51121 | Anti CCP Ab | EDTA Plasma | EIA | 노432 | CZ432 | | 0.00 | 0 | 40,200 | 0 | 41,400 |
| 51122 | Anti CCP Ab | SST Serum | EIA | 노432 | CZ432 | | 0.00 | 0 | 40,200 | 0 | 41,400 |
| 52400 | Anti collagen- II Ab IgG | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 242,100 | 0 | 292,100 |
| 50340 | Anti Diphtheria Ab | SST Serum | EIA | | | 국외 | 0.00 | 0 | 295,600 | 0 | 304,500 |
| 50415 | Anti DNase B Ab | SST Serum | Nephelometry | | | 국외 | 0.00 | 0 | 173,000 | 0 | 178,200 |
| 52040 | Anti GD1b IgG | SST Serum | EIA | | | | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 52041 | Anti GD1b IgG | CSF | EIA | | | | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 52042 | Anti GD1b IgG | EDTA Plasma | EIA | | | | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 52050 | Anti GD1b IgM | SST Serum | EIA | 노425 | CZ425 | | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 52051 | Anti GD1b IgM | CSF | EIA | 노425 | CZ425 | | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 52052 | Anti GD1b IgM | EDTA Plasma | EIA | 노425 | CZ425 | | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 52060 | Anti GM1 IgG | SST Serum | EIA | 노426 | CZ261 | | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 52061 | Anti GM1 IgG | CSF | EIA | 노426 | CZ261 | | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 52070 | Anti GM1 IgM | SST Serum | EIA | 노426 | CZ262 | | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 52071 | Anti GM1 IgM | CSF | EIA | 노426 | CZ262 | | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 52090 | Anti GQ1b IgG | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 402,700 | 0 | 452,700 |
| 52095 | Anti GQ1b IgG | SST Serum | EIA | | | | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 52096 | Anti GQ1b IgG | CSF | EIA | | | | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 52097 | Anti GQ1b IgM | SST Serum | EIA | | | | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 52098 | Anti GQ1b IgM | CSF | EIA | | | | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 31005 | Anti heparin(PF4) Ab | Plain Serum | ELISA | | | 국외 | 0.00 | 0 | 668,500 | 0 | 688,600 |
| 52340 | Anti IA-2 Ab (ICA 512 Ab) | SST Serum | RIA | | | 국외 | 0.00 | 0 | 137,000 | 0 | 141,100 |
| 51330 | Anti Jo-1 Ab | SST Serum | Ouchterlony | | | 국외 | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 50360 | Anti Legionella Ab (NIH) | SST Serum | IFA | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 51400 | Anti mitochondrial M2 Ab | SST Serum | CLIA | | | 국외 | 0.00 | 0 | 91,700 | 0 | 94,500 |
| 52610 | Anti PE Ab | SST Serum | EIA | | | | 0.00 | 0 | 832,200 | 0 | 857,200 |
| 51431 | Anti PI Ab | SST Serum | EIA | | | 국외 | 0.00 | 0 | 730,300 | 0 | 752,200 |
| 51470 | Anti Pituitary Ab | SST Serum | IFA | | | 국외 | 0.00 | 0 | 160,700 | 0 | 165,500 |
| 51500 | Anti Reticulin Ab | SST Serum | IFA | | | 국외 | 0.00 | 0 | 242,100 | 0 | 268,000 |
| 51530 | Anti Scl-70 Ab | SST Serum | Ouchterlony | | | 국외 | 0.00 | 0 | 52,500 | 0 | 54,100 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|-------------------------------|-------------------|-------------------|------|-------|-----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 51540 | Anti Skeletal Muscle Ab | SST Serum | IFA | | | 국외 | 0.00 | 0 | 233,800 | 0 | 283,800 |
| 51565 | Anti Smooth Muscle Ab정량 | SST Serum | IFA | | | | 0.00 | 0 | 28,000 | 0 | 28,000 |
| 51180 | Anti ss-DNA IgG | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 46,400 | 0 | 47,800 |
| 51190 | Anti ss-DNA IgM | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 50380 | Anti Streptokinase Ab | SST Serum | PA | | | 국외 | 0.00 | 0 | 20,600 | 0 | 21,200 |
| 50390 | Anti Tetanus Ab | SST Serum | EIA | | | 국외 | 0.00 | 0 | 268,800 | 0 | 276,900 |
| 51620 | Anti TS Ab | SST Serum | Bio-assay | 노213 | CZ213 | | 0.00 | 0 | 80,300 | 0 | 82,700 |
| 51630 | Anti TSB Ab | SST Serum | EIA | | | 국외 | 0.00 | 0 | 268,800 | 0 | 276,900 |
| 30850 | Antiplasmin(α2-PI) | SC Plasma | Chromogenic assay | | | 국외 | 0.00 | 0 | 43,300 | 0 | 44,600 |
| 65006 | Aprindine | Hp Blood | HPLC | | | 국외 | 0.00 | 0 | 44,300 | 0 | 45,600 |
| 65005 | Aprindine | SST Serum | HPLC | | | 국외 | 0.00 | 0 | 44,300 | 0 | 45,600 |
| 10265 | Arylsulfatase A | EDTA Blood | Spectrophotometry | 노327 | CZ327 | | 0.00 | 0 | 105,100 | 0 | 108,300 |
| 50440 | Aspergillus Ab | SST Serum | Immuno-diffusion | | | 국외 | 0.00 | 0 | 133,900 | 0 | 137,900 |
| 50456 | Aspergillus Ag(BAL) | Bronchial Washing | EIA | | | | 0.00 | 0 | 22,260 | 0 | 22,940 |
| 27673 | ATP기반 항암제 감수성 검사 | Other | | 노481 | CZ481 | | 0.00 | 0 | 466,700 | 0 | 600,000 |
| 29170 | Avellino corneal dystrophy | Other | Sequencing | 노595 | CZ661 | | 0.00 | 0 | 58,700 | 0 | 60,500 |
| 01430 | Basic fetoprotein(BFP) | SST Serum | EIA | | | 국외 | 0.00 | 0 | 60,800 | 0 | 62,600 |
| 01440 | BCA225 | SST Serum | EIA | | | 국외 | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 26151 | BCR/ABL1(FISH) | Bone Marrow | FISH | 노598 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |
| 80095 | Biopsy (연구용검체) | Tissue | | | | | 0.00 | 0 | 45,600 | 0 | 45,600 |
| 11680 | Biotinidase 정량 | EDTA Plasma | Spectrophotometry | 노333 | CZ333 | | 0.00 | 0 | 85,000 | 0 | 87,600 |
| 50470 | Blastomyces Ab | SST Serum | Immuno-diffusion | | | 국외 | 0.00 | 0 | 297,700 | 0 | 297,700 |
| 29065 | BRAF V600E mutation | Thyroid | real time PCR | 노596 | CZ854 | | 0.00 | 0 | 90,000 | 0 | 96,500 |
| 29067 | BRAF V600E mutation(melanoma) | Tissue | real time PCR | | | | 0.00 | 0 | 90,000 | 0 | 96,500 |
| 25368 | BRCA family test | EDTA Blood | Sequencing | | | | 0.00 | 0 | 93,700 | 0 | 96,500 |
| 65680 | Bromide | Plain Serum | ICA | | | 국외 | 0.00 | 0 | 200,900 | 0 | 206,900 |
| 50510 | Brucella Ab (NIH) | SST Serum | | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 20010 | C1 inactivator | SST Serum | Nephelometry | 노111 | CZ111 | | 0.00 | 0 | 60,800 | 0 | 62,600 |
| 30880 | C1 inactivator activity | SC Plasma | 발색성합성기질법 | 노111 | CZ111 | 국외 | 0.00 | 0 | 133,900 | 0 | 137,900 |
| 20030 | C2 | SST Serum | RID | | | 국외 | 0.00 | 0 | 262,700 | 0 | 270,600 |
| 20031 | C2 | EDTA Plasma | RID | | | 국외 | 0.00 | 0 | 262,700 | 0 | 270,600 |
| 20050 | C3a | EDTA Plasma | RIA | | | 국외 | 0.00 | 0 | 234,800 | 0 | 282,000 |
| 20090 | C5 | SST Serum | RID | | | 국외 | 0.00 | 0 | 262,700 | 0 | 312,700 |
| 20110 | C6 | SST Serum | RID | | | 국외 | 0.00 | 0 | 262,700 | 0 | 312,700 |
| 20120 | C7 | SST Serum | RID | | | 국외 | 0.00 | 0 | 262,700 | 0 | 312,700 |
| 20145 | C8 | SST Serum | RID | | | 국외 | 0.00 | 0 | 262,700 | 0 | 312,700 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|----------------------------|------------------|------------------|------|-------|-----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 20150 | C9 | SST Serum | RID | | | 국외 | 0.00 | 0 | 262,700 | 0 | 312,700 |
| 01510 | CA 54/61 | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 80,300 | 0 | 82,700 |
| 01520 | CA 602 | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 80,300 | 0 | 82,700 |
| 13225 | Calprotectin | Stool | FEIA | | | | 0.00 | 0 | 60,000 | 0 | 61,800 |
| 01195 | C-AMP | EDTA Plasma | RIA | 노205 | CZ205 | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 01196 | C-AMP | 24hr Urine | RIA | 노205 | CZ205 | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 01197 | C-AMP | Random Urine | RIA | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 50520 | Campylobacter jejuni Ab | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 291,500 | 0 | 291,500 |
| 50530 | Candida Ab | SST Serum | Immuno-diffusion | | | 국외 | 0.00 | 0 | 245,100 | 0 | 252,500 |
| 50540 | Candida Ag | SST Serum | Latex | | | 국외 | 0.00 | 0 | 42,200 | 0 | 43,500 |
| 50541 | Candida Ag | CSF | Latex | | | 국외 | 0.00 | 0 | 42,200 | 0 | 43,500 |
| 65400 | Cannabinoids 정성 | Random Urine | ICA | | | | 0.00 | 0 | 8,800 | 0 | 8,320 |
| 01800 | CAR autoantibodies | SST Serum | Western blot | | | 국외 | 0.00 | 0 | 671,600 | 0 | 691,700 |
| 65210 | Carbamazepine,Free | Plain Serum | | | | 국외 | 0.00 | 0 | 212,200 | 0 | 262,200 |
| 11260 | Carnitine(Vitamin BT) | SST Serum | Enzyme | | | 국외 | 0.00 | 0 | 116,400 | 0 | 119,900 |
| 20741 | CDT | SST Serum | Nephelometry | 노112 | CZ112 | | 0.00 | 0 | 44,300 | 0 | 45,600 |
| 82155 | Cell Block 제작 | Other | | | | | 0.00 | 0 | 11,500 | 0 | 11,800 |
| 52351 | Chikungunya (NIH) | SST Serum | | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 50580 | Chlamydia pneumoniae IgA | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 50590 | Chlamydia psittaci Ab(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 20,600 | 0 | 21,200 |
| 50591 | Chlamydia psittaci Ab(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 20,600 | 0 | 21,200 |
| 50600 | Chlamydia psittaci IgG | SST Serum | FA | | | 국외 | 0.00 | 0 | 87,600 | 0 | 90,200 |
| 50601 | Chlamydia psittaci IgG | CSF | FA | | | 국외 | 0.00 | 0 | 87,600 | 0 | 90,200 |
| 50610 | Chlamydia psittaci IgM | SST Serum | FA | | | 국외 | 0.00 | 0 | 87,600 | 0 | 90,200 |
| 50611 | Chlamydia psittaci IgM | CSF | FA | | | 국외 | 0.00 | 0 | 87,600 | 0 | 90,200 |
| 42345 | Chlamydia psittaciPCR(NIH) | Sputum | PCR | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 50650 | Chlamydia trachomatis IgA | SST Serum | EIA | | | | 0.00 | 0 | 26,800 | 0 | 27,600 |
| 65540 | Chlorpromazine | SST Serum | GC | | | 국외 | 0.00 | 0 | 315,200 | 0 | 324,700 |
| 11060 | Cholesterol | EDTA Plasma | GC/MS | | | 국외 | 0.00 | 0 | 349,200 | 0 | 349,200 |
| 02180 | Cholyglycine | SST Serum | RIA | | | 국외 | 0.00 | 0 | 41,200 | 0 | 42,400 |
| 12700 | Chromium(Cr) | Trace EDTA Blood | AAS | | | | 0.00 | 0 | 22,700 | 0 | 23,340 |
| 12701 | Chromium(Cr) | 24hr Urine | AAS | | | | 0.00 | 0 | 22,700 | 0 | 23,340 |
| 12702 | Chromium(Cr) | Random Urine | AAS | | | | 0.00 | 0 | 22,700 | 0 | 23,340 |
| 25197 | Chromosomal microarray | EDTA Blood | | | | | 0.00 | 0 | 738,500 | 0 | 760,000 |
| 25103 | Chromosome Analysis | Other | Culture | | | | 0.00 | 0 | 483,100 | 0 | 497,600 |
| 25101 | Chromosome Analysis(AF) | Amniotic Fluid | Culture | | | | 0.00 | 0 | 483,100 | 0 | 497,600 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|------------------------------|----------------|------------------|--------|-------|-----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 25105 | Chromosome Analysis(Stem) | Stem cell | Culture | | | | 0.00 | 0 | 245,000 | 0 | 252,400 |
| 25176 | Chromosome(Direct) | Chorion | | | | | 0.00 | 0 | 111,200 | 0 | 114,500 |
| 25175 | Chromosome(Direct+Long) | Chorion | Culture | | | | 0.00 | 0 | 589,800 | 0 | 607,500 |
| 25191 | Chromosome(High Resolution) | Amniotic Fluid | Culture | | | | 0.00 | 0 | 483,100 | 0 | 497,600 |
| 25165 | Chromosome(Long Term) | Chorion | Culture | | | | 0.00 | 0 | 483,100 | 0 | 497,600 |
| 65010 | Cisplatin (Free) | SST Serum | AAS | | | | 0.00 | 0 | 175,100 | 0 | 180,400 |
| 65020 | Cisplatin (Total) | SST Serum | AAS | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 65030 | Cisplatin (Urine) | Random Urine | AAS | | | | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 65220 | Clonazepam | SST Serum | HPLC | | | 국외 | 0.00 | 0 | 80,300 | 0 | 82,700 |
| 50849 | Clonorchis IgG(BF) | Body Fluid | ELISA | | | | 0.00 | 0 | 19,450 | 0 | 20,040 |
| 42356 | CMV 정량 (Real-time PCR) | EDTA Blood | real time PCR | 노 598마 | CZ963 | | 0.00 | 0 | 107,100 | 0 | 110,300 |
| 40272 | CMV(CF) | Body Fluid | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40270 | CMV(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40271 | CMV(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 12712 | Cobalt(Co) | 24hr Urine | AAS | | | | 0.00 | 0 | 22,700 | 0 | 23,400 |
| 12713 | Cobalt(Co) | Hp Blood | AAS | | | | 0.00 | 0 | 22,700 | 0 | 23,400 |
| 12714 | Cobalt(Co) | 24hr Urine | ICP/MS | | | | 0.00 | 0 | 22,700 | 0 | 23,400 |
| 12715 | Cobalt(Co) | Hp Blood | ICP/MS | | | | 0.00 | 0 | 22,700 | 0 | 23,400 |
| 65410 | Cocaine 정성 | Random Urine | ICA | | | | 0.00 | 0 | 8,800 | 0 | 8,320 |
| 50525 | Coccidioidomycosis Ab(NIH) | SST Serum | Immuno-diffusion | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 13170 | Coenzyme Q10 | EDTA Plasma | HPLC | | | | 0.00 | 0 | 60,800 | 0 | 62,600 |
| 11955 | Collagen Type IV | SST Serum | Latex | | | 국외 | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 11960 | Collagen Type IV.7S | SST Serum | RIA | | | 국외 | 0.00 | 0 | 85,500 | 0 | 88,100 |
| 29171 | Corneal dystrophy, TGFBI | Other | Sequencing | 노 595 | CZ661 | | 0.00 | 0 | 159,000 | 0 | 159,000 |
| 00690 | Corticosterone | SST Serum | RIA | | | 국외 | 0.00 | 0 | 160,700 | 0 | 165,500 |
| 00720 | Cortisone | SST Serum | RIA | | | 국외 | 0.00 | 0 | 181,300 | 0 | 186,700 |
| 11970 | Cotinine 정성 | Random Urine | ICA | | | | 0.00 | 0 | 26,000 | 0 | 26,000 |
| 40500 | Coxsackievirus A type 10(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40501 | Coxsackievirus A type 10(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40560 | Coxsackievirus A type 16(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40561 | Coxsackievirus A type 16(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40420 | Coxsackievirus A type 2(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40421 | Coxsackievirus A type 2(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40430 | Coxsackievirus A type 3(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40431 | Coxsackievirus A type 3(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40440 | Coxsackievirus A type 4(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|-----------------------------|------------|----------------|------|------|----|------|------|--------|------|--------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 40441 | Coxsackievirus A type 4(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40450 | Coxsackievirus A type 5(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40451 | Coxsackievirus A type 5(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40460 | Coxsackievirus A type 6(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40461 | Coxsackievirus A type 6(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40470 | Coxsackievirus A type 7(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40471 | Coxsackievirus A type 7(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40590 | Coxsackievirus A type 9(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40591 | Coxsackievirus A type 9(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40490 | Coxsackievirus A type 9(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40491 | Coxsackievirus A type 9(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40710 | Coxsackievirus B type 1(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40711 | Coxsackievirus B type 1(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40610 | Coxsackievirus B type 1(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40611 | Coxsackievirus B type 1(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40720 | Coxsackievirus B type 2(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40721 | Coxsackievirus B type 2(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40620 | Coxsackievirus B type 2(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40621 | Coxsackievirus B type 2(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40730 | Coxsackievirus B type 3(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40731 | Coxsackievirus B type 3(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40630 | Coxsackievirus B type 3(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40631 | Coxsackievirus B type 3(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40740 | Coxsackievirus B type 4(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40741 | Coxsackievirus B type 4(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40640 | Coxsackievirus B type 4(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40641 | Coxsackievirus B type 4(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40750 | Coxsackievirus B type 5(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40751 | Coxsackievirus B type 5(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40652 | Coxsackievirus B type 5(NT) | Body Fluid | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40650 | Coxsackievirus B type 5(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40651 | Coxsackievirus B type 5(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40760 | Coxsackievirus B type 6(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40761 | Coxsackievirus B type 6(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40660 | Coxsackievirus B type 6(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40661 | Coxsackievirus B type 6(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|--------------------------------|--------------|-----------------------|----------|-------------|-----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 27431 | CRE(NDM-1 CRE)(NIH) | 균주 | PCR | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 10870 | Creatine | SST Serum | Colorimetry | | | 국외 | 0.00 | 0 | 3,300 | 0 | 3,400 |
| 10871 | Creatine | 24hr Urine | Colorimetry | | | 국외 | 0.00 | 0 | 3,300 | 0 | 3,400 |
| 10872 | Creatine | Random Urine | Colorimetry | | | 국외 | 0.00 | 0 | 3,300 | 0 | 3,400 |
| 29200 | Creutzfeldt-Jakob D(NIH) | 복수검체 | Western blot | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 65700 | Cyanide | EDTA Blood | Colorimetry | | | 국외 | 0.00 | 0 | 195,700 | 0 | 201,600 |
| 01545 | CYFRA 21-1 | SST Serum | EIA | 노285 | CZ285 | | 0.00 | 0 | 40,200 | 0 | 41,400 |
| 27790 | CYP2C19 major polymorphism | EDTA Blood | Sequencing | 노597 | CZ900 | | 0.00 | 0 | 80,300 | 0 | 82,700 |
| 27510 | CYP2C9 major polymorphism | EDTA Blood | Sequencing | 노597 | CZ905 | | 0.00 | 0 | 82,400 | 0 | 84,900 |
| 27517 | CYP2C9,VKORC1 major polymorphi | EDTA Blood | Sequencing | 노597 | CZ905,CZ906 | | 0.00 | 0 | 108,200 | 0 | 111,400 |
| 50846 | Cysticercus IgG(BF) | Body Fluid | ELISA | | | | 0.00 | 0 | 19,450 | 0 | 20,040 |
| 50851 | Cysticercus IgG(CSF) | CSF | ELISA | | | | 0.00 | 0 | 19,450 | 0 | 20,040 |
| 27696 | DCC(LOH) | Block | PCR Fragment analysis | 노596가(8) | CZ803 | | 0.00 | 0 | 80,000 | 0 | 80,000 |
| 52350 | Dengue virus IgG/IgM (NIH) | SST Serum | ICA | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 00730 | DHEA | SST Serum | RIA | 노199 | CZ199 | | 0.00 | 0 | 147,300 | 0 | 151,700 |
| 65230 | Diazepam (HPLC) | SST Serum | HPLC | | | 국외 | 0.00 | 0 | 87,600 | 0 | 90,200 |
| 65041 | Digitoxin | Plain Serum | Immuno assay | | | 국외 | 0.00 | 0 | 161,700 | 0 | 224,000 |
| 71290 | Diphtheria culture (NIH) | Other | Culture | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 65060 | Disopyramide | SST Serum | EIA | | | 국외 | 0.00 | 0 | 67,000 | 0 | 69,000 |
| 65061 | Disopyramide | Hp Plasma | EIA | | | 국외 | 0.00 | 0 | 67,000 | 0 | 69,000 |
| 25390 | DMD/BMD | EDTA Blood | Multiplex-PCR | 노596 | CZ811 | | 0.00 | 0 | 214,200 | 0 | 220,600 |
| 01550 | DUPAN-2 | SST Serum | EIA | 노286 | CZ286 | 국외 | 0.00 | 0 | 67,000 | 0 | 69,000 |
| 42935 | EBV 정량 (Real-time PCR) | EDTA Blood | real time PCR | 노598 | CZ965 | | 0.00 | 0 | 107,100 | 0 | 110,300 |
| 41310 | Echovirus Type 11(HI) | SST Serum | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41311 | Echovirus Type 11(HI) | CSF | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41110 | Echovirus Type 11(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41111 | Echovirus Type 11(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41320 | Echovirus Type 12(HI) | SST Serum | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41321 | Echovirus Type 12(HI) | CSF | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41120 | Echovirus Type 12(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41121 | Echovirus Type 12(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41130 | Echovirus Type 13(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41131 | Echovirus Type 13(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41160 | Echovirus Type 16(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41161 | Echovirus Type 16(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41170 | Echovirus Type 17(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|--------------------------------|------------|----------------|------|-------|----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 41171 | Echovirus Type 17(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41180 | Echovirus Type 18(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41181 | Echovirus Type 18(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41190 | Echovirus Type 19(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41191 | Echovirus Type 19(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41210 | Echovirus Type 21(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41211 | Echovirus Type 21(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41220 | Echovirus Type 22(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41221 | Echovirus Type 22(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41240 | Echovirus Type 24(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41241 | Echovirus Type 24(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41250 | Echovirus Type 25(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41251 | Echovirus Type 25(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41030 | Echovirus Type 3(HI) | SST Serum | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41031 | Echovirus Type 3(HI) | CSF | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40930 | Echovirus Type 3(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40931 | Echovirus Type 3(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41300 | Echovirus Type 30(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41301 | Echovirus Type 30(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40940 | Echovirus Type 4(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40941 | Echovirus Type 4(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40950 | Echovirus Type 5(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40951 | Echovirus Type 5(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40960 | Echovirus Type 6(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40961 | Echovirus Type 6(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41070 | Echovirus Type 7(HI) | SST Serum | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41071 | Echovirus Type 7(HI) | CSF | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 40970 | Echovirus Type 7(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40971 | Echovirus Type 7(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40990 | Echovirus Type 9(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40991 | Echovirus Type 9(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40910 | Echovirus,Type 1(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 40911 | Echovirus,Type 1(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 29460 | ECM1 gene | EDTA Blood | Sequencing | | | | 0.00 | 0 | 862,100 | 0 | 888,000 |
| 01220 | ECP | SST Serum | CLIA | 노114 | CZ114 | | 0.00 | 0 | 107,100 | 0 | 110,300 |
| 01226 | ECP (Eosinophil Cationic Prote | SST Serum | FEIA | 노114 | CZ114 | | 0.00 | 0 | 107,100 | 0 | 110,300 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|-----------------------------|----------------|----------------|-------|-------|-----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 01560 | Elastase 1 | SST Serum | 라텍스응집비탁법 | 노155 | BZ155 | 국외 | 0.00 | 0 | 80,300 | 0 | 82,700 |
| 52380 | Endomysial IgA | SST Serum | IFA | | | 국외 | 0.00 | 0 | 381,100 | 0 | 392,500 |
| 41000 | Enterovirus Type 70(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41001 | Enterovirus Type 70(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41012 | Enterovirus Type 71(NT) | Body Fluid | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41010 | Enterovirus Type 71(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41011 | Enterovirus Type 71(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 12993 | Epimerase | EDTA Blood | Enzyme | 노337 | CZ040 | | 0.00 | 0 | 87,600 | 0 | 90,200 |
| 27355 | ERCC1,RRM1 gene expression | Tissue | real time PCR | | | | 0.00 | 0 | 275,000 | 0 | 283,300 |
| 00435 | Estradiol (E2) | 24hr Urine | RIA | | | 국외 | 0.00 | 0 | 92,700 | 0 | 95,500 |
| 00445 | Estriol (E3) | 24hr Urine | RIA | | | 국외 | 0.00 | 0 | 92,700 | 0 | 95,500 |
| 00456 | Estrogen | 24hr Urine | RIA | | | 국외 | 0.00 | 0 | 140,100 | 0 | 144,300 |
| 00475 | Estrone(E1) | SST Serum | RIA | | | | 0.00 | 0 | 100,900 | 0 | 103,900 |
| 65240 | Ethosuximide | SST Serum | EIA | | | 국외 | 0.00 | 0 | 87,600 | 0 | 90,200 |
| 27863 | Express QF-PCR 21&culture | Amniotic Fluid | | | | | 0.00 | 0 | 590,200 | 0 | 607,900 |
| 27862 | Express QF-PCR 3종&culture | Amniotic Fluid | | | | | 0.00 | 0 | 671,600 | 0 | 691,700 |
| 27860 | Express QF-PCR 5종&culture | Amniotic Fluid | | | | | 0.00 | 0 | 751,900 | 0 | 774,500 |
| 26335 | Express study(13)& Culture | Amniotic Fluid | FISH | | | | 0.00 | 0 | 590,200 | 0 | 607,900 |
| 26351 | Express study(18)& Culture | Amniotic Fluid | FISH | | | | 0.00 | 0 | 590,200 | 0 | 607,900 |
| 26280 | Express study(21)& Culture | Amniotic Fluid | FISH | | | | 0.00 | 0 | 590,200 | 0 | 607,900 |
| 25422 | Express study-13 | Amniotic Fluid | FISH | 노598자 | CZ967 | | 0.00 | 0 | 234,800 | 0 | 241,800 |
| 25402 | Express study-18 | Amniotic Fluid | FISH | 노598 | CZ967 | | 0.00 | 0 | 234,800 | 0 | 241,800 |
| 25416 | Express study-21 | Amniotic Fluid | FISH | 노598 | CZ967 | | 0.00 | 0 | 234,800 | 0 | 241,800 |
| 27681 | Express(13/18/21) & Culture | Amniotic Fluid | FISH | | | | 0.00 | 0 | 824,000 | 0 | 848,700 |
| 27680 | Express(18/21) & Culture | Amniotic Fluid | FISH | | | | 0.00 | 0 | 698,300 | 0 | 719,200 |
| 11082 | Fatty Acid Fraction | Hp Plasma | GC | | | 국외 | 0.00 | 0 | 103,000 | 0 | 106,100 |
| 13220 | FGF23 | EDTA Plasma | Enzyme | | | | 0.00 | 0 | 366,700 | 0 | 392,000 |
| 70775 | Filariasis(사상충)(NIH) | EDTA Blood | | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 01840 | First double Marker | SST Serum | | | | | 0.00 | | | 0 | 48,720 |
| 01850 | First double Marker NT | SST Serum | | | | | 0.00 | | | 0 | 48,720 |
| 27900 | FISH_1p32/1q21 | Hp Blood | FISH | 노598 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |
| 27910 | FISH_5q31 | Hp Blood | FISH | 노598 | CZ967 | | 0.00 | 0 | 245,100 | 0 | 252,500 |
| 27920 | FISH_7q22/7q31 | Hp Blood | FISH | 노598 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |
| 28043 | FISH_ALK(Tissue) CFC | Tissue | FISH | 노598 | CZ967 | | 0.00 | 0 | 450,000 | 0 | 450,000 |
| 26454 | FISH_CATCH 22 | Hp Blood | FISH | 노598자 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |
| 26458 | FISH_CATCH 22 & Culture | Amniotic Fluid | FISH | | | | 0.00 | 0 | 765,300 | 0 | 788,300 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|-----------------------------|-------------------|-----------------------|-------|-------------|-----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 26480 | FISH_CFBF gene, 16q22 | Hp Blood | FISH | 노598 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |
| 27950 | FISH_CEP8 | Hp Blood | FISH | 노598 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |
| 26530 | FISH_D20S108 Locus, 20q12 | Hp Blood | FISH | 노598 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |
| 26560 | FISH_IGH, 14q32.3 | Hp Blood | FISH | 노598 | CZ967 | | 0.00 | 0 | 245,100 | 0 | 252,500 |
| 27990 | FISH_IGH/FGFR3,t(4;14) | Hp Blood | FISH | 노598 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |
| 28000 | FISH_IGH/MAF,t(14;16) | Hp Blood | FISH | 노598 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |
| 28010 | FISH_p16 | Hp Blood | FISH | 노598 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |
| 25744 | FISH_Prader-Willi | Hp Blood | FISH | 노598자 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |
| 25753 | FISH_Prader-Willi & Culture | Amniotic Fluid | FISH | | | | 0.00 | 0 | 765,300 | 0 | 788,300 |
| 28030 | FISH_TEL/AML1 12;21 | Hp Blood | FISH | 노598 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |
| 28020 | FISH_TP53,17p13 | Hp Blood | FISH | 노598 | CZ967 | | 0.00 | 0 | 245,100 | 0 | 252,500 |
| 26650 | FISH_X/Y | Hp Blood | FISH | 노598 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |
| 26245 | FLT3 ITD/TKD | EDTA Blood | Sequencing | 노595 | CZ634+CZ635 | | 0.00 | 0 | 80,300 | 0 | 82,700 |
| 25450 | Fragile X | EDTA Blood | PCR Fragment analysis | | | | 0.00 | 0 | 83,400 | 0 | 89,260 |
| 52650 | Francisella Ab(NIH) | SST Serum | 응집법 | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 71300 | Francisella culture(NIH) | Other | Culture | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 11040 | Free cholesterol | SST Serum | Enzyme | | | | 0.00 | 0 | 4,100 | 0 | 4,240 |
| 00170 | Free α-Subunit | SST Serum | RIA | 노203 | CZ203 | | 0.00 | 0 | 52,500 | 0 | 54,100 |
| 65800 | Furosemide(Lasix) | Plain Serum | HPLC | | | 국외 | 0.00 | 0 | 295,600 | 0 | 304,500 |
| 12991 | G-1-P Uridyltransferase | EDTA Blood | Enzyme | 노337 | CZ039 | | 0.00 | 0 | 74,200 | 0 | 76,400 |
| 12992 | Galactokinase | EDTA Blood | Enzyme | 노337 | CZ038 | | 0.00 | 0 | 67,000 | 0 | 69,000 |
| 12990 | Galactose-1-Phosphate | EDTA Blood | Enzyme | 노337 | CZ041 | | 0.00 | 0 | 74,200 | 0 | 76,400 |
| 12998 | Galactosemia 확진검사(3종) | EDTA Blood | Enzyme | 노337 | CZ039~041 | | 0.00 | 0 | 236,000 | 0 | 243,000 |
| 12999 | Galactosemia 확진검사(4종) | EDTA Blood | Enzyme | 노337 | CZ038~041 | | 0.00 | 0 | 303,000 | 0 | 312,000 |
| 12020 | G-CSF | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 295,600 | 0 | 304,500 |
| 52290 | Gliadin IgG, IgA | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 417,200 | 0 | 429,700 |
| 10720 | Glycoalbumin | SST Serum | Enzyme | 노241 | CZ241 | | 0.00 | 0 | 24,700 | 0 | 25,400 |
| 01260 | Glycocholic Acid | SST Serum | RIA | | | 국외 | 0.00 | 0 | 29,900 | 0 | 30,800 |
| 13175 | Glycogen 정량 | EDTA Blood | Spectrophotometry | | | | 0.00 | 0 | 60,800 | 0 | 62,600 |
| 12030 | GM-CSF | Media Supernatant | ELISA | | | 국외 | 0.00 | 0 | 322,400 | 0 | 332,100 |
| 12032 | GM-CSF | SST Serum | EIA | | | 국외 | 0.00 | 0 | 322,400 | 0 | 332,100 |
| 12033 | GM-CSF | Bronchial Washing | EIA | | | | 0.00 | 0 | 322,400 | 0 | 332,100 |
| 10340 | GOT-m | SST Serum | Protease | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 51245 | Growth hormone Ab | SST Serum | | | | 국외 | 0.00 | 0 | 206,000 | 0 | 256,000 |
| 10370 | Guanase | SST Serum | Enzyme | | | 국외 | 0.00 | 0 | 16,500 | 0 | 17,000 |
| 81176 | H&E stain- Block | Tissue | | | | | 0.00 | 0 | 10,900 | 0 | 11,200 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|--------------------------------|--------------|----------------|------|-------|-----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 81175 | H&E stain- Gross | Tissue | | | | | 0.00 | 0 | 20,500 | 0 | 21,100 |
| 81173 | H&E Stain(염색만) | Tissue | | | | | 0.00 | 0 | 4,100 | 0 | 4,200 |
| 41665 | Hantaan virus IgG(NIH) | SST Serum | IFA | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 50190 | HBV Pre core | SST Serum | PCR-RFLP | | | | 0.00 | 0 | 74,200 | 0 | 76,400 |
| 50195 | HBV Pre core(RFMP) | SST Serum | RFMP | | | | 0.00 | 0 | 74,200 | 0 | 76,400 |
| 50271 | HDV RT- PCR | SST Serum | Nested RT-PCR | 노598 | CZ959 | | 0.00 | 0 | 100,900 | 0 | 103,900 |
| 01473 | HE4 | SST Serum | ECLIA | | | | 0.00 | 0 | 60,000 | 0 | 60,000 |
| 26442 | Hemochromatosis, HFE gene muta | EDTA Blood | Sequencing | | | | 0.00 | 0 | 68,000 | 0 | 70,000 |
| 65590 | Hemopexin | Plain Serum | SRID | | | 국외 | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 30910 | Hepaplastin | SC Plasma | | | | 국외 | 0.00 | 0 | 14,400 | 0 | 14,800 |
| 30660 | Heparin | SC Plasma | 발색성합성기질법 | | | 국외 | 0.00 | 0 | 31,900 | 0 | 32,900 |
| 65420 | Heroin | Random Urine | ICA | | | | 0.00 | 0 | 8,800 | 0 | 8,320 |
| 12997 | HGPRT enzyme test | EDTA Blood | Enzyme | | | | 0.00 | 0 | 133,900 | 0 | 137,900 |
| 50310 | HGV RT-PCR | SST Serum | Nested RT-PCR | 노598 | CZ958 | | 0.00 | 0 | 80,300 | 0 | 82,700 |
| 43580 | HHV Type 6 IgG | SST Serum | IFA | | | 국외 | 0.00 | 0 | 198,800 | 0 | 204,800 |
| 65600 | Histamine | EDTA Plasma | EIA | | | 국외 | 0.00 | 0 | 117,400 | 0 | 120,900 |
| 50806 | Histoplasma Ab Confirm | SST Serum | CF | | | 국외 | 0.00 | 0 | 315,200 | 0 | 365,200 |
| 50805 | Histoplasma Ab Screen | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 219,400 | 0 | 219,400 |
| 41341 | HIV (보건환경연구원) | SST Serum | Western blot | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 41340 | HIV Western blot (NIH) | SST Serum | Western blot | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 41360 | HIV-I(W.B) | SST Serum | Western blot | | | 국외 | 0.00 | 0 | 315,200 | 0 | 324,700 |
| 41370 | HIV-II(W.B) | SST Serum | Western blot | | | 국외 | 0.00 | 0 | 350,200 | 0 | 360,700 |
| 25510 | HLA B51 typing | EDTA Blood | DNA Typing | 노597 | CZ909 | | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 12090 | Homocysteine | SST Serum | Enzyme | 노133 | CZ133 | | 0.00 | 0 | 26,800 | 0 | 27,600 |
| 12091 | Homocysteine | EDTA Plasma | Enzyme | 노133 | CZ133 | | 0.00 | 0 | 26,800 | 0 | 27,600 |
| 12095 | Homocysteine(HPLC) | Random Urine | HPLC | 노133 | CZ133 | | 0.00 | 0 | 93,700 | 0 | 96,500 |
| 01590 | Homogentistic acid | Random Urine | GC/MSD | | | | 0.00 | 0 | 107,100 | 0 | 110,300 |
| 01990 | HPL(Human Placental Lactogen) | SST Serum | Latex | 노193 | CZ193 | 국외 | 0.00 | 0 | 74,200 | 0 | 76,400 |
| 26170 | HSALP | SST Serum | Enzyme | | | | 0.00 | 0 | 7,200 | 0 | 7,400 |
| 43541 | HSV Type 1 IgM | SST Serum | IFA | | | 국외 | 0.00 | 0 | 49,400 | 0 | 50,900 |
| 43540 | HSV Type 1/2 IgM | SST Serum | IFA | | | 국외 | 0.00 | 0 | 98,800 | 0 | 101,800 |
| 43542 | HSV Type 2 IgM | SST Serum | IFA | | | 국외 | 0.00 | 0 | 49,400 | 0 | 50,900 |
| 41420 | HSV Type I (NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41421 | HSV Type I (NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41430 | HSV TypeⅡ(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41431 | HSV TypeⅡ(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|------------------------------|-------------|--------------|------|-------|----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 41460 | HTLV-1(W.B) | SST Serum | Western blot | | | 국외 | 0.00 | 0 | 200,900 | 0 | 206,900 |
| 01810 | Hu autoantibodies | SST Serum | Western blot | | | 국외 | 0.00 | 0 | 872,400 | 0 | 898,600 |
| 01811 | Hu autoantibodies | CSF | Western blot | | | 국외 | 0.00 | 0 | 872,400 | 0 | 898,600 |
| 00860 | HVA 정량(Plasma) | EDTA Plasma | HPLC | | | 국외 | 0.00 | 0 | 47,400 | 0 | 48,800 |
| 12120 | Hydroxyproline Free | 24hr Urine | LC/MS/MS | 노244 | CZ244 | | 0.00 | 0 | 120,500 | 0 | 124,100 |
| 12110 | Hydroxyproline Total | 24hr Urine | HPLC | 노244 | CZ244 | 국외 | 0.00 | 0 | 128,800 | 0 | 132,700 |
| 60350 | IgE-Acacia:T19 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 63210 | IgE-Anchovy:RF313 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 60410 | IgE-Ascaris:P1 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 60440 | IgE-Avocado:F96 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 60450 | IgE-Bahia Grass:G17 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 60460 | IgE-Bamboo sprout:F51 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 60561 | IgE-Blueberry:RF288 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 63000 | IgE-Botrytis cinerea:M7 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61530 | IgE-Box Elder:T1 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 60570 | IgE-Brazil Nut:F18 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 63140 | IgE-Cabbage:F216 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 60575 | IgE-Cashew nut:F202 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 60720 | IgE-Chicken Feathers:E85 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62900 | IgE-Chymopapain:C209 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 60790 | IgE-Coconut:F36 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 60830 | IgE-Common Reed:G7 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 60850 | IgE-Cow Dander:E4 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62799 | IgE-Cucumber:F244 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 60160 | IgE-Elm:T8 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61020 | IgE-English Plantain:W9 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61040 | IgE-Ethylene oxide:K78 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61050 | IgE-Eucalyptus:T18 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62660 | IgE-False ragweed:W4 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62730 | IgE-Fire Ant:I70 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61610 | IgE-Foxtail Millet:F56 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62700 | IgE-Fusarium proliferatum:M9 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61200 | IgE-G.Pig Epithelium:E6 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62890 | IgE-Gelatin bovine:C74 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61090 | IgE-Giant Ragweed:W3 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61130 | IgE-Goat Epithelium:E80 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|----------------------------|-----------|------|------|------|----|------|------|--------|------|--------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 63120 | IgE-Goat milk:RF300 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61150 | IgE-Goldenrod:W12 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61160 | IgE-Goose Feathers:E70 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62680 | IgE-Grape:F259 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61210 | IgE-H.halodes:M8 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61220 | IgE-Hamster epithelium:E84 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61251 | IgE-Honey:RF247 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61260 | IgE-Horse Dander:E3 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 60300 | IgE-Horse mackerel:F60 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61310 | IgE-Insulin Bovine:C71 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62880 | IgE-Insulin human:C73 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61320 | IgE-Insuline Porcine:C70 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61330 | IgE-Isocyanate HDI:K77 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61340 | IgE-Isocyanate MDI:K76 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61350 | IgE-Isocyanate TDI:K75 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61470 | IgE-Ispaghula:K72 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62540 | IgE-Japanese linden:T24 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 60470 | IgE-Japanese millet: F57 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61380 | IgE-Johnson Grass:G10 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61390 | IgE-June Kentucky blue:G8 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61430 | IgE-Lamb's Quarters:W10 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61445 | IgE-Lemon:F208 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61510 | IgE-Malt:F90 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61520 | IgE-Mango:F91 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61560 | IgE-Meadow Foxtail:G16 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61630 | IgE-Midge(성충):I7 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62790 | IgE-Milk,boiled:F231 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61650 | IgE-Moth:I8 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61660 | IgE-Mountain Juniper:T6 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61670 | IgE-Mouse epithelium:E88 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62650 | IgE-Mucor racemosus:M4 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 63170 | IgE-Mushroom:RF212 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61700 | IgE-Mustard:F89 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61420 | IgE-Mutton:F88 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61715 | IgE-Nettle:W20 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61740 | IgE-Oat Pollen:G14 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|----------------------------|-----------|------|------|-------|----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 61730 | IgE-Oat:F7 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61750 | IgE-Octopus:F59 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61760 | IgE-Olive:T9 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61881 | IgE-Ovalbumin:F232 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 60890 | IgE-Pacific Squid:F58 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61820 | IgE-Parrot droppings:E77 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61830 | IgE-Parrot feathers:E78 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61840 | IgE-Parsley:F86 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61880 | IgE-Pecan nut:F201 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 63130 | IgE-Phadiatop | SST Serum | FEIA | 노113 | CZ113 | | 0.00 | 0 | 46,400 | 0 | 47,800 |
| 63160 | IgE-Phadiatop Infant | SST Serum | FEIA | 노113 | CZ113 | | 0.00 | 0 | 46,400 | 0 | 47,800 |
| 62010 | IgE-Phthalic anhydride:K79 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61940 | IgE-Pigeon Droppings:E7 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61955 | IgE-Pistachio:F203 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61960 | IgE-Plaice:F254 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 61965 | IgE-Plum:F255 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62780 | IgE-Rat epithelium:E73 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 60320 | IgE-Rat epithelium:E87 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62020 | IgE-Red top Grass:G9 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 63010 | IgE-Rhizo.nigricans:M11 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62140 | IgE-Sheep epithelium:E81 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62170 | IgE-Sheep Sorrel:W18 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62160 | IgE-Silk:K74 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 63040 | IgE-Squid:RF258 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 63060 | IgE-Stemphylium h.:M10 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62240 | IgE-Sweet potato:F54 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62250 | IgE-Swine Epithelium:E83 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62260 | IgE-Sycamore:T11 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62910 | IgE-T.toxoid:RC208 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62950 | IgE-Turkey meat:F284 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62380 | IgE-Wheat Pollen:G15 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62410 | IgE-White bean:F15 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62440 | IgE-Wormwood:W5 | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 00093 | IGF-2(RIA) | SST Serum | RIA | | | 국외 | 0.00 | 0 | 287,400 | 0 | 296,000 |
| 63090 | IgG-Broccoli:F260G | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 63070 | IgG-D.pteronys.:D1G | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|------------------------------|-------------------|----------------------|-------|-------|-----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 63100 | IgG-Grape:F259G | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 63110 | IgG-Tuna:F40G | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 62940 | IgG-Walnut:F256G | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 81860 | IHC 판독(TCM) | Tissue | Immunohistochemistry | | | | 0.00 | 0 | 5,000 | 0 | 5,000 |
| 51700 | Immune Complex(c1q) | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 63,900 | 0 | 65,800 |
| 51710 | Immune Complex(RF) | SST Serum | EIA | | | 국외 | 0.00 | 0 | 63,900 | 0 | 65,800 |
| 42278 | Influenza A PCR(Subtype) | 비인후/인후도찰물 | real time PCR | 노598 | C6095 | | 0.00 | 0 | 145,000 | 0 | 149,400 |
| 42283 | Influenza A&B PCR | 비인후/인후도찰물 | RT-PCR | 노598러 | CZ983 | | 0.00 | 0 | 121,500 | 0 | 125,100 |
| 42280 | Influenza virus A & B Ag | Sputum | DFA | | | | 0.00 | 0 | 29,360 | 0 | 30,260 |
| 42281 | Influenza virus A Ag | Sputum | DFA | | | | 0.00 | 0 | 14,680 | 0 | 15,130 |
| 42282 | Influenza virus B Ag | Sputum | DFA | | | | 0.00 | 0 | 14,680 | 0 | 15,130 |
| 41490 | Influenza virus Type A(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41491 | Influenza virus Type A(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41510 | Influenza virus Type A(HI) | SST Serum | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41511 | Influenza virus Type A(HI) | CSF | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41500 | Influenza virus Type B(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41501 | Influenza virus Type B(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41520 | Influenza virus Type B(HI) | SST Serum | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41521 | Influenza virus Type B(HI) | CSF | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 01867 | Inhibin B | SST Serum | | | | 국외 | 0.00 | 0 | 603,600 | 0 | 621,700 |
| 01050 | Insulin Receptor Ab | SST Serum | RRA | 노210 | CZ210 | 국외 | 0.00 | 0 | 362,600 | 0 | 373,500 |
| 01847 | Integrated 1st_PAPP-A | SST Serum | RIA | 노212 | CZ212 | | 0.00 | 0 | 31,900 | 0 | 32,900 |
| 01848 | Integrated 1st_PAPP-A,NT | SST Serum | RIA | 노212 | CZ212 | | 0.00 | 0 | 31,900 | 0 | 32,900 |
| 51770 | Interleukin 1 R. antagonist | EDTA Plasma | ELISA | | | 국외 | 0.00 | 0 | 326,000 | 0 | 335,800 |
| 51860 | Interleukin 10 | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 326,000 | 0 | 335,800 |
| 51760 | Interleukin 1β | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 326,000 | 0 | 335,800 |
| 51780 | Interleukin 2 | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 326,000 | 0 | 335,800 |
| 51790 | Interleukin 2 receptor,Solub | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 326,000 | 0 | 335,800 |
| 51800 | Interleukin 3 | Media Supernatant | ELISA | | | 국외 | 0.00 | 0 | 326,000 | 0 | 335,800 |
| 51810 | Interleukin 4 | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 326,000 | 0 | 335,800 |
| 51820 | Interleukin 5 | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 326,000 | 0 | 335,800 |
| 51830 | Interleukin 6 | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 326,000 | 0 | 335,800 |
| 51850 | Interleukin 8 | EDTA Plasma | ELISA | | | 국외 | 0.00 | 0 | 326,000 | 0 | 335,800 |
| 51851 | Interleukin 8 | Media Supernatant | ELISA | | | 국외 | 0.00 | 0 | 326,000 | 0 | 335,800 |
| 27775 | JAK2 V617F mutation | EDTA Blood | Sequencing | 노595 | CZ647 | | 0.00 | 0 | 132,900 | 0 | 136,900 |
| 43500 | JEV Ab (NIH) | SST Serum | EIA | | | NIH | 0.00 | 0 | 0 | 0 | 0 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|---------------------------|----------------|----------------|------|-------|-----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 41570 | JEV Ab(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41571 | JEV Ab(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41580 | JEV Ab(HI) | SST Serum | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41581 | JEV Ab(HI) | CSF | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 42530 | JEV RT-PCR | CSF | RT-PCR | | | 국외 | 0.00 | 0 | 402,700 | 0 | 414,800 |
| 42531 | JEV RT-PCR | SST Serum | RT-PCR | | | 국외 | 0.00 | 0 | 402,700 | 0 | 414,800 |
| 12180 | Ketone Body 3F (Arterial) | Arterial Serum | Enzyme | | | 국외 | 0.00 | 0 | 24,700 | 0 | 25,400 |
| 12190 | Ketone Body 3F (Venous) | SST Serum | Enzyme | | | 국외 | 0.00 | 0 | 20,600 | 0 | 21,200 |
| 13060 | KL-6 | SST Serum | ECLIA | | | 국외 | 0.00 | 0 | 40,200 | 0 | 41,400 |
| 65783 | Lamotrigine | Plain Serum | LC/MS/MS | | | 국외 | 0.00 | 0 | 41,200 | 0 | 42,400 |
| 10400 | L-CAT | SST Serum | Enzyme | | | 국외 | 0.00 | 0 | 31,900 | 0 | 32,900 |
| 00870 | L-Dopa | EDTA Plasma | HPLC | | | 국외 | 0.00 | 0 | 100,900 | 0 | 103,900 |
| 71120 | Legionella culture (NIH) | Other | Culture | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 01300 | Leptin | SST Serum | RIA | | | | 0.00 | 0 | 40,200 | 0 | 41,400 |
| 41615 | Leptospira Ab(NIH) | SST Serum | | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 71200 | Leptospira culture (NIH) | Random Urine | Culture | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 65681 | Levetiracetam | Plain Serum | LC/MS/MS | | | | 0.00 | 0 | 55,000 | 0 | 55,000 |
| 65085 | Lidocaine | SST Serum | EIA | | | 국외 | 0.00 | 0 | 87,600 | 0 | 90,200 |
| 20660 | Lipoprotein lipase | Hp Plasma | ELISA | 노151 | BZ151 | 국외 | 0.00 | 0 | 87,600 | 0 | 90,200 |
| 50820 | Lyme disease (NIH) | SST Serum | IFA | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 50821 | Lyme disease (NIH) | CSF | | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 50822 | Lyme disease-원인균 배양검사 (| Hp Blood | | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 10430 | Lysozyme | SST Serum | 비탁법 | | | 국외 | 0.00 | 0 | 35,000 | 0 | 36,100 |
| 52130 | MAG autoantibodies | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 738,500 | 0 | 760,700 |
| 70850 | Malaria (Rapid) | EDTA Blood | ICA | 노397 | CZ397 | | 0.00 | 0 | 26,800 | 0 | 27,600 |
| 52500 | Malaria(NIH) | EDTA Blood | | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 65690 | MDMA (Ecstasy) | Random Urine | ICA | | | | 0.00 | 0 | 8,800 | 0 | 8,320 |
| 42562 | Measles Ab(NIH) | SST Serum | ELISA | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 42560 | Measles virus RNA | CSF | RT-PCR | | | 국외 | 0.00 | 0 | 335,800 | 0 | 345,900 |
| 42561 | Measles virus(NIH) | 비인후/인후도찰물 | PCR | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 41720 | Measles virus(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41721 | Measles virus(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 65430 | Methamphetamine 정성 | Random Urine | ICA | | | | 0.00 | 0 | 8,800 | 0 | 8,320 |
| 10750 | Methanol | Random Urine | GC | | | 국외 | 0.00 | 0 | 173,000 | 0 | 178,200 |
| 10760 | Methylmalonic Acid | Random Urine | GC/MSD | 노340 | CZ340 | | 0.00 | 0 | 40,200 | 0 | 41,400 |
| 10773 | Methylmalonic acid 정량 | EDTA Plasma | GC/MS | 노340 | CZ340 | | 0.00 | 0 | 41,200 | 0 | 42,400 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|----------------------------|--------------|----------------|------|-------|-----|------|------|-----------|------|-----------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 10774 | Methylmalonic acid 정량 | Random Urine | GC/MS | 노340 | CZ340 | | 0.00 | 0 | 41,200 | 0 | 42,400 |
| 10775 | Methylmalonic acid 정량 | 24hr Urine | GC/MS | 노340 | CZ340 | | 0.00 | 0 | 41,200 | 0 | 42,400 |
| 50856 | Micro-ELISA Test(BF) | Body Fluid | ELISA | | | | 0.00 | 0 | 77,800 | 0 | 80,160 |
| 50857 | Micro-ELISA Test(CSF) | CSF | ELISA | | | | 0.00 | 0 | 58,350 | 0 | 60,120 |
| 27630 | MLL(FISH) | Bone Marrow | FISH | 노598 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |
| 65440 | Morphine | Random Urine | ICA | | | | 0.00 | 0 | 8,800 | 0 | 8,320 |
| 30060 | MPV | EDTA Blood | 자동혈구계산법 | | | | 0.00 | 0 | 2,000 | 0 | 0 |
| 42855 | MRSA(real-time PCR) | 비인후/인후도찰물 | real time PCR | 노598 | CZ998 | | 0.00 | 0 | 60,000 | 0 | 61,800 |
| 60040 | Multi Allergens-Epidermals | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 41,200 | 0 | 42,400 |
| 60050 | Multi Allergens-Food child | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 41,200 | 0 | 42,400 |
| 60070 | Multi Allergens-Grasses | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 41,200 | 0 | 42,400 |
| 60080 | Multi Allergens-Molds | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 41,200 | 0 | 42,400 |
| 60090 | Multi Allergens-Weeds | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 41,200 | 0 | 42,400 |
| 52512 | Mumps virus (NIH) | SST Serum | | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 41750 | Mumps virus(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41751 | Mumps virus(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41760 | Mumps virus(HI) | SST Serum | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41761 | Mumps virus(HI) | CSF | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41770 | Mumps virus(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 30,900 | 0 | 31,800 |
| 41771 | Mumps virus(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 30,900 | 0 | 31,800 |
| 52631 | MuSK Ab | SST Serum | RIA | | | 국외 | 0.00 | 0 | 1,326,600 | 0 | 1,353,000 |
| 01325 | Myelin basic protein | CSF | RIA | | | 국외 | 0.00 | 0 | 278,300 | 0 | 286,600 |
| 01340 | Myosin light chain 1 | SST Serum | EIA | | | 국외 | 0.00 | 0 | 72,100 | 0 | 74,300 |
| 65090 | N-Acethylprocainamide | SST Serum | EIA | | | 국외 | 0.00 | 0 | 79,300 | 0 | 81,700 |
| 65091 | N-Acethylprocainamide | Hp Plasma | EIA | | | 국외 | 0.00 | 0 | 79,300 | 0 | 81,700 |
| 12240 | N-acetyl-aspartic acid | Random Urine | GC/MSD | | | | 0.00 | 0 | 67,000 | 0 | 69,000 |
| 10450 | NAG | 24hr Urine | Colorimetry | | | 국외 | 0.00 | 0 | 27,800 | 0 | 28,600 |
| 10451 | NAG | Random Urine | Colorimetry | | | 국외 | 0.00 | 0 | 27,800 | 0 | 28,600 |
| 01600 | NCC-ST-439 | SST Serum | EIA | | | 국외 | 0.00 | 0 | 61,800 | 0 | 63,700 |
| 12250 | Neopterin | SST Serum | HPLC | 노288 | CZ288 | 국외 | 0.00 | 0 | 187,500 | 0 | 193,100 |
| 12251 | Neopterin | Random Urine | HPLC | 노288 | CZ288 | 국외 | 0.00 | 0 | 187,500 | 0 | 193,100 |
| 12255 | Neopterin/Biopterin | Random Urine | HPLC | 노288 | CZ288 | | 0.00 | 0 | 107,100 | 0 | 110,300 |
| 12792 | Nickel(Ni) | Trace Serum | AAS | | | | 0.00 | 0 | 22,700 | 0 | 23,400 |
| 11981 | Nicotine Metabolite(S) | SST Serum | CLIA | | | | 0.00 | 0 | 22,700 | 0 | 23,400 |
| 11982 | Nicotine Metabolite(U) | Random Urine | CLIA | | | | 0.00 | 0 | 22,700 | 0 | 23,400 |
| 11300 | Nicotinic acid(Niacin) | Hp Blood | Bioassay | | | 국외 | 0.00 | 0 | 315,200 | 0 | 324,700 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|-----------------------------|--------------|------------|-----------|-------|----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 64000 | NIFTY | EDTA Plasma | | | | | 0.00 | 0 | 900,000 | 0 | 927,000 |
| 65280 | Nitrazepam | SST Serum | HPLC | | | 국외 | 0.00 | 0 | 58,700 | 0 | 60,500 |
| 65741 | N-methylacetamide(NMAC) | Random Urine | GC/NPD | | | | 0.00 | 0 | 18,150 | 0 | 18,710 |
| 25790 | N-myc | 복수검체 | PCR | | | | 0.00 | 0 | 67,400 | 0 | 69,400 |
| 29445 | NPM1 mutation analysis | EDTA Blood | Sequencing | 노595(113) | CZ707 | | 0.00 | 0 | 148,300 | 0 | 152,700 |
| 70608 | NTM identification | Block | Sequencing | | | | 0.00 | 0 | 62,800 | 0 | 64,700 |
| 65450 | Opiates | Random Urine | ICA | | | | 0.00 | 0 | 8,800 | 0 | 8,320 |
| 12298 | Organic acid profile | Random Urine | LC/MS/MS | | | | 0.00 | 0 | 210,000 | 0 | 216,300 |
| 10800 | Oxalic acid | 24hr Urine | Enzyme | 노339 | CZ339 | | 0.00 | 0 | 48,400 | 0 | 49,900 |
| 00120 | Oxytocin | 전용용기 혈장 | RIA | 노201 | CZ201 | 국외 | 0.00 | 0 | 107,100 | 0 | 110,300 |
| 25840 | p53 exon 4(LOH) | Tissue | PCR-RFLP | 노596가 | CZ804 | | 0.00 | 0 | 107,100 | 0 | 110,300 |
| 01562 | Pancreatic elastase | Stool | ELISA | 노155 | BZ155 | | 0.00 | 0 | 80,300 | 0 | 82,700 |
| 50847 | Paragonimus IgG(BF) | Body Fluid | ELISA | | | | 0.00 | 0 | 19,450 | 0 | 20,040 |
| 50852 | Paragonimus IgG(CSF) | CSF | ELISA | | | | 0.00 | 0 | 19,450 | 0 | 20,040 |
| 43560 | Parainfluenza V. Ag(DFA) | Other | DFA | | | | 0.00 | 0 | 14,680 | 0 | 15,130 |
| 41810 | Parainfluenza V. Type 1(HI) | SST Serum | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41811 | Parainfluenza V. Type 1(HI) | CSF | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41820 | Parainfluenza V. Type 2(HI) | SST Serum | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41821 | Parainfluenza V. Type 2(HI) | CSF | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41830 | Parainfluenza V. Type 3(HI) | SST Serum | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41831 | Parainfluenza V. Type 3(HI) | CSF | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41840 | Parainfluenza V. Type 4(HI) | SST Serum | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41841 | Parainfluenza V. Type 4(HI) | CSF | HI | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41785 | Parvo virus B19 IgG | SST Serum | EIA | | | 국외 | 0.00 | 0 | 68,400 | 0 | 70,500 |
| 41795 | Parvo virus B19 IgM | SST Serum | EIA | | | 국외 | 0.00 | 0 | 68,400 | 0 | 70,500 |
| 30070 | PCT | EDTA Blood | 자동혈구계산법 | | | | 0.00 | 0 | 2,000 | 0 | 0 |
| 26581 | PDGFRA(FISH) | Bone Marrow | FISH | 노598 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |
| 26582 | PDGFRB(FISH) | Bone Marrow | FISH | 노598 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |
| 65470 | Phencyclidine 정성 | Random Urine | ICA | | | | 0.00 | 0 | 8,800 | 0 | 8,320 |
| 12805 | Phenol | Random Urine | GC/MS | | | | 0.00 | 0 | 20,600 | 0 | 18,710 |
| 01070 | Phospholipase A2 | SST Serum | RIA | | | 국외 | 0.00 | 0 | 124,600 | 0 | 128,300 |
| 80090 | Photo 촬영비 | Tissue | | | | | 0.00 | 0 | 30,000 | 0 | 30,000 |
| 80710 | PhotoPap(PapPlus)(T&C) | Cervix | Pap stain | | | | 0.00 | 0 | 9,000 | 0 | 9,000 |
| 11720 | Phytanic acid | EDTA Plasma | GC/MSD | 노332 | CZ332 | | 0.00 | 0 | 93,700 | 0 | 96,500 |
| 30700 | PIC TEST | SC Plasma | | | | 국외 | 0.00 | 0 | 46,400 | 0 | 47,800 |
| 26600 | PML/RARA(FISH) | Bone Marrow | FISH | 노598 | CZ967 | | 0.00 | 0 | 282,200 | 0 | 290,700 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|------------------------------|--------------|----------------|------|-------|-----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 25713 | PML-RARa (real-time PCR) | EDTA Blood | real time PCR | 노596 | CZ807 | | 0.00 | 0 | 160,700 | 0 | 165,500 |
| 25714 | PML-RARa (real-time PCR) | Bone Marrow | real time PCR | 노596 | CZ807 | | 0.00 | 0 | 160,700 | 0 | 165,500 |
| 41910 | Poliovirus Type 1(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41911 | Poliovirus Type 1(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 42010 | Poliovirus Type 1(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 42011 | Poliovirus Type 1(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41920 | Poliovirus Type 2(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41921 | Poliovirus Type 2(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 42020 | Poliovirus Type 2(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 42021 | Poliovirus Type 2(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41930 | Poliovirus Type 3(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41931 | Poliovirus Type 3(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 42030 | Poliovirus Type 3(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 42031 | Poliovirus Type 3(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 42685 | Polyomavirus(BK) PCR QN | Random Urine | real time PCR | 노598 | CZ966 | | 0.00 | 0 | 110,200 | 0 | 113,500 |
| 42686 | Polyomavirus(BK) PCR QN | CSF | real time PCR | 노598 | CZ966 | | 0.00 | 0 | 110,200 | 0 | 113,500 |
| 00480 | Pregnanediol(Urine) | 24hr Urine | GC/MS | | | 국외 | 0.00 | 0 | 87,600 | 0 | 90,200 |
| 00490 | Pregnanetriol | 24hr Urine | GC/MS | 노194 | CZ198 | 국외 | 0.00 | 0 | 122,600 | 0 | 126,300 |
| 00500 | Pregnenolone | SST Serum | RIA | | | 국외 | 0.00 | 0 | 160,700 | 0 | 165,500 |
| 65100 | Procainamide | SST Serum | EIA | | | 국외 | 0.00 | 0 | 93,700 | 0 | 96,500 |
| 01891 | Procalcitonin | SST Serum | ECLIA | 노115 | CZ115 | | 0.00 | 0 | 61,800 | 0 | 63,700 |
| 12360 | Procollagen III peptide | SST Serum | RIA | | | 국외 | 0.00 | 0 | 67,000 | 0 | 69,000 |
| 01081 | Proinsulin | SST Serum | RIA | 노206 | CZ206 | | 0.00 | 0 | 35,000 | 0 | 36,100 |
| 65110 | Propranolol | SST Serum | HPLC | | | 국외 | 0.00 | 0 | 98,900 | 0 | 101,900 |
| 31021 | Prostaglandin E2 | 24hr Urine | RIA | | | 국외 | 0.00 | 0 | 671,600 | 0 | 691,700 |
| 27895 | Prothrombin G20210A Mutation | EDTA Blood | PCR-RFLP | 노597 | CZ898 | | 0.00 | 0 | 30,900 | 0 | 31,800 |
| 01940 | PTH related peptide | 전용용기 혈장 | IRMA | 노192 | CZ192 | 국외 | 0.00 | 0 | 87,600 | 0 | 90,200 |
| 50890 | Q-fever (C. burnetti)(NIH) | SST Serum | IFA | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 65135 | Quinidine | SST Serum | KIMS | | | 국외 | 0.00 | 0 | 81,400 | 0 | 83,800 |
| 41639 | R.tsutsugamushi PCR(NIH) | EDTA Blood | PCR | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 51960 | RA Factor IgA | SST Serum | EIA | 노421 | CZ421 | | 0.00 | 0 | 26,800 | 0 | 27,600 |
| 51950 | RA Factor IgG | SST Serum | ELISA | 노421 | CZ421 | | 0.00 | 0 | 26,800 | 0 | 27,600 |
| 52510 | Rabies virus(공수병) (NIH) | 복수검체 | | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 41800 | REO virus(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41801 | REO virus(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 11320 | Retinol Binding Protein | SST Serum | 라텍스응집비탁법 | | | 국외 | 0.00 | 0 | 105,100 | 0 | 108,300 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|----------------------------|---------------|-----------------|------|--------|----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 00281 | Reverse T3 | SST Serum | EIA | | | | 0.00 | 0 | 46,400 | 0 | 47,800 |
| 42215 | Rhino virus PCR | Other | RT-PCR | | | | 0.00 | 0 | 46,400 | 0 | 50,450 |
| 01820 | Ri autoantibodies | SST Serum | Western blot | | | 국외 | 0.00 | 0 | 792,100 | 0 | 815,900 |
| 01821 | Ri autoantibodies | CSF | Western blot | | | 국외 | 0.00 | 0 | 792,100 | 0 | 815,900 |
| 01474 | ROMA 난소암 위험도 | SST Serum | 계산법 | | | | 0.00 | 0 | 78,310 | 0 | 78,870 |
| 01475 | ROMA 난소암 위험도SET I | SST Serum | ECLIA | | | | 0.00 | 0 | 78,310 | 0 | 78,870 |
| 01476 | ROMA 난소암 위험도SETⅡ | SST Serum | ECLIA | | | | 0.00 | 0 | 60,000 | 0 | 60,000 |
| 41850 | Rotavirus Ab (CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41851 | Rotavirus Ab (CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41871 | RS virus(NT) | CSF | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 41862 | RSV Ab (CF) | Pleural Fluid | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41860 | RSV Ab (CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41861 | RSV Ab (CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 41870 | RSV Ab(NT) | SST Serum | Neutralization | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 43520 | Rubella IgG avidity | SST Serum | EIA | 노395 | CZ395 | | 0.00 | 0 | 34,000 | 0 | 35,000 |
| 71150 | S.pneumoniae urinary Ag | Random Urine | ICA | 노491 | CZ398 | | 0.00 | 0 | 24,000 | 0 | 29,700 |
| 52165 | Saccharomyces cerevisiaeAb | SST Serum | EIA | 노434 | CZ434외 | | 0.00 | 0 | 133,900 | 0 | 137,920 |
| 11022 | SD LDL Cholesterol | SST Serum | Electrophoresis | 노134 | CZ134 | | 0.00 | 0 | 107,100 | 0 | 110,300 |
| 01845 | Sequential 1st | SST Serum | RIA | | | | 0.00 | | | 0 | 48,720 |
| 01846 | Sequential 1st_NT | SST Serum | RIA | | | | 0.00 | | | 0 | 48,720 |
| 00905 | Serotonin | Blood | HPLC | | | 국외 | 0.00 | 0 | 35,000 | 0 | 36,100 |
| 00906 | Serotonin | SST Serum | HPLC | | | | 0.00 | 0 | 30,900 | 0 | 31,800 |
| 00904 | Serotonin(PFP) | EDTA Plasma | HPLC | | | | 0.00 | 0 | 30,900 | 0 | 31,800 |
| 00901 | Serotonin(PRP) | EDTA Plasma | HPLC | | | 국외 | 0.00 | 0 | 58,700 | 0 | 60,500 |
| 30780 | SFMC | SC Plasma | 응집법 | | | 국외 | 0.00 | 0 | 131,800 | 0 | 135,800 |
| 12425 | SHBG (ECLIA) | SST Serum | ECLIA | 노202 | CZ202 | | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 10820 | Sialic acid | SST Serum | Enzyme | | | 국외 | 0.00 | 0 | 14,400 | 0 | 14,800 |
| 12820 | Silicate | Water | Colorimetry | | | | 0.00 | 0 | 53,600 | 0 | 55,200 |
| 12821 | Silicate (강남성모 청구용) | Water | | | | | 0.00 | 0 | 19,600 | 0 | 20,200 |
| 80060 | SLIDE제작 | Other | | | | | 0.00 | 0 | 5,000 | 0 | 5,000 |
| 01730 | SLX | SST Serum | RIA | | | 국외 | 0.00 | 0 | 74,200 | 0 | 76,400 |
| 12430 | soluble ELAM - 1 | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 242,100 | 0 | 249,400 |
| 12440 | soluble ICAM - 1 | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 242,100 | 0 | 249,400 |
| 52620 | Soluble IL-2 receptor | SST Serum | EIA | | | 국외 | 0.00 | 0 | 326,000 | 0 | 335,800 |
| 52460 | Soluble Liver Ag Auto Ab | SST Serum | EIA | | | 국외 | 0.00 | 0 | 373,900 | 0 | 385,100 |
| 12450 | soluble VCAM - 1 | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 242,100 | 0 | 249,400 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|--------------------------------|--------------|---------------|------|-------|-----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 01740 | Span-1 | SST Serum | RIA | | | 국외 | 0.00 | 0 | 58,700 | 0 | 60,500 |
| 50848 | Sparganum IgG(BF) | Body Fluid | ELISA | | | | 0.00 | 0 | 19,450 | 0 | 20,040 |
| 50853 | Sparganum IgG(CSF) | CSF | ELISA | | | | 0.00 | 0 | 19,450 | 0 | 20,040 |
| 63231 | Specific IgE K84(Sunflower see | SST Serum | FEIA | | | 국외 | 0.00 | 0 | 23,700 | 0 | 24,400 |
| 52530 | SRP auto Ab | SST Serum | | | | 국외 | 0.00 | 0 | 225,600 | 0 | 232,400 |
| 01750 | STN | SST Serum | RIA | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 42580 | Strep. Group B PCR | Random Urine | PCR | | | | 0.00 | 0 | 33,000 | 0 | 34,000 |
| 27445 | Streptococcus pneumoniae(NIH) | 균주 | | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 52140 | Sulfatide autoantibodies | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 792,100 | 0 | 815,900 |
| 12470 | Surfactant protein-A(SP-A) | SST Serum | EIA | | | 국외 | 0.00 | 0 | 67,000 | 0 | 69,000 |
| 13050 | Surfactant protein-D(SP-D) | SST Serum | EIA | | | 국외 | 0.00 | 0 | 70,000 | 0 | 72,100 |
| 65830 | t,t-muconic acid | Random Urine | HPLC | | | | 0.00 | 0 | 18,500 | 0 | 19,100 |
| 13240 | TAS&TOS test | SST Serum | Colorimetry | | | | 0.00 | 0 | 63,000 | 0 | 64,900 |
| 30790 | TAT | SC Plasma | EIA | | | 국외 | 0.00 | 0 | 50,500 | 0 | 52,000 |
| 65480 | TBPE | Random Urine | Colorimetry | | | | 0.00 | 0 | 5,700 | 0 | 5,170 |
| 65330 | Teicoplanin | SST Serum | 라텍스응집비탁법 | | | 국외 | 0.00 | 0 | 131,800 | 0 | 135,800 |
| 01760 | Thymidine Kinase | SST Serum | | | | 국외 | 0.00 | 0 | 100,900 | 0 | 103,900 |
| 51990 | TNF-α | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 325,000 | 0 | 334,800 |
| 65712 | Topiramate | Plain Serum | LC/MS/MS | | | 국외 | 0.00 | 0 | 41,200 | 0 | 42,400 |
| 52597 | Toxocara canis(개회충) | SST Serum | ELISA | | | | 0.00 | 0 | 19,450 | 0 | 20,040 |
| 52586 | Toxocara+ Anisakis | SST Serum | ELISA | | | | 0.00 | 0 | 38,900 | 0 | 40,080 |
| 52271 | Toxocariasis Ab IgG | SST Serum | ELISA | | | | 0.00 | 0 | 19,450 | 0 | 20,040 |
| 26770 | TP53 gene, mutation | EDTA Blood | Sequencing | 노595 | CZ596 | | 0.00 | 0 | 769,400 | 0 | 792,500 |
| 27471 | TPMT gene mutation | EDTA Blood | Sequencing | 노597 | CZ904 | | 0.00 | 0 | 192,600 | 0 | 198,400 |
| 52370 | Transglutaminase IgA | SST Serum | EIA | | | 국외 | 0.00 | 0 | 409,900 | 0 | 422,200 |
| 65150 | Trimethadione | SST Serum | GC | | | 국외 | 0.00 | 0 | 187,500 | 0 | 193,100 |
| 01110 | Trypsin | SST Serum | ELISA | | | 국외 | 0.00 | 0 | 93,700 | 0 | 96,500 |
| 01116 | Tryptase | SST Serum | FEIA | 노154 | BZ154 | | 0.00 | 0 | 182,300 | 0 | 187,800 |
| 82171 | unstained slide ≤3장 | Tissue | | | | | 0.00 | 0 | 10,000 | 0 | 10,300 |
| 82172 | unstained slide ≥4장 | Tissue | | | | | 0.00 | 0 | 20,000 | 0 | 20,600 |
| 80064 | Unstained Slide 제작 | Other | | | | | 0.00 | 0 | 3,000 | 0 | 3,000 |
| 80166 | Unstained Slide 제작(CFC) | Other | | | | | 0.00 | 0 | 3,000 | 0 | 3,000 |
| 11800 | Uroporphyrin 정량 | Random Urine | HPLC | | | 국외 | 0.00 | 0 | 38,100 | 0 | 39,200 |
| 65360 | Valproic acid,Free | SST Serum | EIA | | | 국외 | 0.00 | 0 | 67,000 | 0 | 69,000 |
| 27430 | van 유전자 (VRE)(NIH) | 균주 | Multiplex-PCR | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 42090 | Varicella-Zoster(CF) | SST Serum | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |

삼광의료재단 2015년 수가안내

| 검사코드 | 검사명 | 검체명 | 검사방법 | 분류코드 | 보험코드 | 비고 | 점수 | 2014 | | 2015 | |
|-------|------------------------------|--------------|-----------------|-------|-------|-----|------|------|---------|------|---------|
| | | | | | | | | 보험가 | 의뢰가 | 보험가 | 의뢰가 |
| 42091 | Varicella-Zoster(CF) | CSF | CF | | | 국외 | 0.00 | 0 | 17,500 | 0 | 18,000 |
| 13221 | VEGF | EDTA Plasma | EIA | | | | 0.00 | 0 | 133,900 | 0 | 137,900 |
| 11200 | Very long chain fatty acid | Hp Plasma | GC/MSD | | | 국외 | 0.00 | 0 | 291,500 | 0 | 300,200 |
| 01120 | VIP | 전용용기 혈장 | RIA | 노200 | CZ200 | 국외 | 0.00 | 0 | 402,700 | 0 | 414,800 |
| 11340 | Vitamin A | SST Serum | HPLC | | | | 0.00 | 0 | 31,900 | 0 | 32,850 |
| 11400 | Vitamin B12 Binding capacity | SST Serum | RIA | | | 국외 | 0.00 | 0 | 280,200 | 0 | 280,200 |
| 11410 | Vitamin C | Hp Plasma | HPLC | | | | 0.00 | 0 | 31,900 | 0 | 32,850 |
| 11415 | Vitamin C | SST Serum | HPLC | | | | 0.00 | 0 | 31,900 | 0 | 32,850 |
| 11430 | Vitamin E Fraction | SST Serum | HPLC | | | 국외 | 0.00 | 0 | 350,200 | 0 | 360,700 |
| 11440 | Vitamin K Fraction | SC Plasma | HPLC | | | 국외 | 0.00 | 0 | 170,000 | 0 | 175,100 |
| 27518 | VKORC1 genotyping | EDTA Blood | Sequencing | 노597 | CZ906 | | 0.00 | 0 | 98,900 | 0 | 101,900 |
| 00925 | VMA 정량 | EDTA Plasma | HPLC | | | 국외 | 0.00 | 0 | 38,100 | 0 | 39,200 |
| 42856 | VRE(real-time PCR) | Stool | real time PCR | 노598고 | CZ051 | | 0.00 | 0 | 60,000 | 0 | 61,800 |
| 27435 | VRSA (NIH) | 균주 | | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 52511 | West nile virus (NIH) | SST Serum | | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 29610 | Y-chromosome microdeletion | EDTA Blood | Multiplex-PCR | 노598노 | CZ052 | | 0.00 | 0 | 60,000 | 0 | 61,800 |
| 50891 | Yellow-fever(황열병)(NIH) | SST Serum | IFA | | | NIH | 0.00 | 0 | 0 | 0 | 0 |
| 01830 | Yo autoantibodies | SST Serum | Western blot | | | 국외 | 0.00 | 0 | 671,600 | 0 | 691,700 |
| 01831 | Yo autoantibodies | CSF | Western blot | | | 국외 | 0.00 | 0 | 671,600 | 0 | 691,700 |
| 01390 | α- ANP | 전용용기 혈장 | CLIA | 노195 | CZ195 | 국외 | 0.00 | 0 | 100,900 | 0 | 103,900 |
| 20380 | α1-Acidglycoprotein | SST Serum | Nephelometry | | | 국외 | 0.00 | 0 | 67,000 | 0 | 69,000 |
| 20410 | α1-Microglobulin | SST Serum | Latex | | | 국외 | 0.00 | 0 | 52,500 | 0 | 54,100 |
| 20411 | α1-Microglobulin | Random Urine | Latex | | | 국외 | 0.00 | 0 | 52,500 | 0 | 54,100 |
| 20420 | α2-Macroglobulin | SST Serum | Nephelometry | | | 국외 | 0.00 | 0 | 57,700 | 0 | 59,400 |
| 13200 | α-Galactosidase | EDTA Blood | Fluorometry | 노329 | CZ329 | | 0.00 | 0 | 133,900 | 0 | 137,900 |
| 20365 | β2-transferrin | Other | Electrophoresis | | | 국외 | 0.00 | 0 | 609,800 | 0 | 609,800 |
| 11450 | β-Carotene | SST Serum | HPLC | | | 국외 | 0.00 | 0 | 221,500 | 0 | 228,100 |
| 13180 | β-Glucosidase(Gaucher's) | EDTA Blood | Fluorometry | 노324 | CZ324 | | 0.00 | 0 | 67,000 | 0 | 69,000 |
| 30980 | β-Thromboglobulin | 전용용기 혈장 | EIA | | | 국외 | 0.00 | 0 | 63,900 | 0 | 65,800 |
| 12630 | γ-Aminobutylic acid(GABA) | Hp Plasma | HPLC | | | 국외 | 0.00 | 0 | 103,000 | 0 | 106,100 |
| 20720 | γ-GTP isoenzyme | SST Serum | Electrophoresis | | | 국외 | 0.00 | 0 | 31,900 | 0 | 32,900 |
| 01790 | γ-Sm | SST Serum | EIA | | | 국외 | 0.00 | 0 | 93,700 | 0 | 96,500 |