

## 삼광의료재단 2017년 검사 수가 안내 (급여)

(알파벳 순)

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
11230	1,25-(OH) <sub>2</sub> Vitamin D	SST Serum	너153자	CY700	158.79		12,160	12,160	12,540	12,540
20002	1,5-Anhydroglucitol	SST Serum	너273	CX273	173.93		13,320	13,320	13,740	13,740
11670	17a-OH Progesterone	Blood Paper	나347	C3470	152.06		11,650	11,650	12,010	12,010
00591	17-KS	24hr Urine	나324가(3)	C3242	58.49		4,480	4,480	4,620	4,620
00611	17-OHCS	24hr Urine	나324가(2)	C3241	62.06		4,750	4,750	4,900	4,900
00410	17α-OH-Progesterone	SST Serum	나347주	C7347	147.75		11,320	11,320	11,670	11,670
00411	17α-OH-Progesterone	EDTA Plasma	나347주	C7347	147.75		11,320	11,320	11,670	11,670
11830	2,5-Hexanedione	Random Urine	나451나(3)	CY373290	251.42		19,260	19,260	19,860	19,860
11250	25-OH Vitamin D	SST Serum	너153자	CY170	84.70		6,490	6,490	6,690	6,690
11252	25-OH Vitamin D(D2,D3)	Plain Serum	너153	CY165006	441.49		33,820	33,820	34,880	34,880
11254	25-OH Vitamin D3 (RIA)	SST Serum	너153마주2	CY705	158.79		12,160	12,160	12,540	12,540
11251	25-OH Vitamin D3 (RIA)	SST Serum	너153마주2	CY705	158.79		12,160	12,160	12,540	12,540
11257	25-OH Vitamin D3 (RIA)(SCL)	SST Serum	너153마주2	CY705	158.79		12,160	12,160	12,540	12,540
00825	5-HIAA 정량	24hr Urine	나322나(2)	C3223	234.43		17,960	17,960	18,520	18,520
00826	5-HIAA 정량	Random Urine	나322나(2)	C3223	234.43		17,960	17,960	18,520	18,520
00812	5-HIAA 정량 (24hr U)	24hr Urine	나322나(3)	CX224006	337.43		25,850	25,850	26,660	26,660
00811	5-HIAA 정량(Plasma)	EDTA Plasma	나322나(3)	CX224006	337.43		25,850	25,850	26,660	26,660
00810	5-HIAA 정성	Random Urine	나322가	C3221	15.93		1,220	1,220	1,260	1,260
10840	A/CCR	복수검체	나261+C375	B2611+C3750	-		8,840	8,840	9,100	9,100
10020	A/G ratio	SST Serum	나220+나221	C2200+C2210	-		3,080	3,080	3,170	3,170
10021	A/G ratio (Fluid)	Body Fluid	나220+나221	C2200+C2210	-		3,080	3,080	3,170	3,170
30290	Ab Elution	EDTA Blood	나211	B2110006	50.37		3,860	3,860	3,980	3,980
30230	Ab Identification Test	복수검체	나206나	B2062006외	-		31,540	31,540	32,540	32,540
30220	Ab Screening test	SST Serum	나206가	B2061006	103.62		7,940	7,940	8,190	8,190
27691	ABCD1 gene, mutation(삼성)	EDTA Blood	나580다(3)	C5808016	4664.21		357,280	357,280	368,470	368,470
30247	ABO 혈액형 검사(Front & Back)	EDTA Blood	나201나	B2002	37.99		2,910	2,910	3,000	3,000
30251	ABO(Front)Typing	Capillary	나201가	B2001	29.22		2,240	2,240	2,310	2,310
30252	ABO(Front)Typing	Cord Blood	나201가	B2001	29.22		2,240	2,240	2,310	2,310
10190	ACE	SST Serum	나273	B2731	223.09		17,090	17,090	17,620	17,620
10191	ACE	Other	나273	B2731	223.09		17,090	17,090	17,620	17,620
65490	Acetaminophen	SST Serum	나450나(1)	C4503390	124.99		9,570	9,570	9,870	9,870
65491	Acetaminophen	Plain Serum	나450나(2)	C4504390	252.59		19,350	19,350	19,950	19,950
01140	Ach-r-Binding Ab	SST Serum	너450주	CX747	138.33		10,600	10,600	10,930	10,930
30120	Acid phosphatase stain	Bone Marrow Slide	나118가	B1182006	83.27		6,380	6,380	6,580	6,580
13177	Acid-α-glucosidase(pompe)	EDTA Blood	나446가	C4465006	660.03		50,560	50,560	52,140	52,140
10200	ACP	SST Serum	나260가	B2601	18.28		1,400	1,400	1,440	1,440
10201	ACP	분비물	나260가	B2601	18.28		1,400	1,400	1,440	1,440
00015	ACTH (ECLIA)	EDTA Plasma	나359	C3590	190.03		14,560	14,560	15,010	15,010
00011	ACTH (RIA)	EDTA Plasma	나359주	C7359	170.68		13,070	13,070	13,480	13,480

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
80860	ACTH(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81159	Actin(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
30960	Activated PTT	SC Plasma	나153	B1530	44.78		3,430	3,430	3,540	3,540
26234	Acute Leukemia panel	Bone Marrow	나512	C5120006	451.56		622,620	622,620	642,060	642,060
26130	Acute Leukemia panel	EDTA Blood	나512+나513	C512~30006	-		638,990	638,990	658,940	658,940
26131	Acute Leukemia panel	Bone Marrow	나512+나513	C512~30006	-		638,990	638,990	658,940	658,940
10210	ADA	SST Serum	나272	B2721	164.41		12,590	12,590	12,990	12,990
10212	ADA	Body Fluid	나272	B2721	164.41		12,590	12,590	12,990	12,990
10211	ADA(CSF)	CSF	나272	B2721	164.41		12,590	12,590	12,990	12,990
42811	Adenovirus Ag (Stool)	Stool	나469	C4690516	203.37		15,580	15,580	16,070	16,070
42105	Adenovirus culture	Other	나416	B4160006	574.26		43,990	43,990	45,370	45,370
40255	Adenovirus IgG	SST Serum	나468나(1)	C4682516	273.64		20,960	20,960	21,620	21,620
40260	Adenovirus IgM	SST Serum	나468나(2)	C4683516	261.00		19,990	19,990	20,620	20,620
40261	Adenovirus IgM	CSF	나468나(2)	C4683516	261.00		19,990	19,990	20,620	20,620
42107	Adenovirus rapid culture	Other	나416	B4160006	574.26		43,990	43,990	45,370	45,370
00030	ADH	EDTA Plasma	나365주	C7365	108.83		8,340	8,340	8,600	8,600
27690	Adrenoleukodystrophy-ABCD1	EDTA Blood	나580다(3)	C5808016	4664.21		357,280	357,280	368,470	368,470
26576	AE1/3(Pancytokeratin)여의도성모	Tissue	나557	C5575	471.62		36,130	36,130	37,260	37,260
25020	AFAFP	Amniotic Fluid	나421나	C4212	171.76		13,160	13,160	13,570	13,570
25040	AFAFP	Amniotic Fluid	나421나	C4212	171.76		13,160	13,160	13,570	13,570
70410	AFB Culture	Sputum	나405나(1)	B4054	192.40		14,740	14,740	15,200	15,200
70420	AFB Culture	Tissue	나405나(1)	B4054	192.40		14,740	14,740	15,200	15,200
70450	AFB Culture(액체+고체)결핵	Tissue	나405나	B4054+B4055	-		34,360	34,360	35,430	35,430
70445	AFB Culture(액체+고체배지)	Sputum	나405나	B4054+B4055	-		34,360	34,360	35,430	35,430
70605	AFB Identification	균주	나595-1다	C6029006	725.71		55,590	55,590	57,330	57,330
70512	AFB Sensitivity (INH)	Sputum	나595-1나2	CY752006	638.23		48,890	48,890	50,420	50,420
70511	AFB Sensitivity (RFP)	Sputum	나595-1나1	CY751006	638.23		48,890	48,890	50,420	50,420
70510	AFB Sensitivity (RFP,INH)	Sputum	나595-1나	CY751006외	-		97,780	97,780	100,840	100,840
70500	AFB Sensitivity (결핵협회)	균주	나406다(2)	B4064	564.43		43,240	43,240	44,590	44,590
82090	AFB Stain	Tissue	나553다	C5533	123.77		9,480	9,480	9,780	9,780
70320	AFB Stain	Tissue	나304	BX304	75.33		5,770	5,770	5,950	5,950
70400	AFB Stain & Culture	Sputum	나304+나405	BX304+B4054	-		20,510	20,510	21,150	21,150
70330	AFB Stain(형광법)	Sputum	나304	BX304	75.33		5,770	5,770	5,950	5,950
01405	AFP	SST Serum	나421나	C4212	171.76		13,160	13,160	13,570	13,570
01406	AFP	EDTA Plasma	나421나	C4212	171.76		13,160	13,160	13,570	13,570
01407	AFP	Body Fluid	나421나	C4212	171.76		13,160	13,160	13,570	13,570
81560	AFP(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81978	AFP(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
26881	AGL gene, mutation(삼성)	EDTA Blood	나580다(4)	C5809016	7298.26		559,050	559,050	576,560	576,560
26736	AHC:NR0B1 gene mutation	EDTA Blood	나580다(2)	C5807236	3185.27		243,990	243,990	251,640	251,640
10000	Albumin	SST Serum	나221	C2210	22.45		1,720	1,720	1,770	1,770

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
10004	Albumin	Body Fluid	나221	C2210	22.45		1,720	1,720	1,770	1,770
10003	Albumin(CSF)	CSF	나230나	C2302	203.50		15,590	15,590	16,080	16,080
10221	Aldolase	SST Serum	나269	B2690	52.89		4,050	4,050	4,180	4,180
00656	Aldosterone	SST Serum	나358주	C7358	133.98		10,260	10,260	10,580	10,580
00650	Aldosterone (RIA)	SST Serum	나358주	C7358	133.98		10,260	10,260	10,580	10,580
00651	Aldosterone (RIA)	EDTA Plasma	나358주	C7358	133.98		10,260	10,260	10,580	10,580
00655	Aldosterone (RIA)	24hr Urine	나358주	C7358	133.98		10,260	10,260	10,580	10,580
28045	ALK rearrangement	Tissue	나583라(3)	C5841016	2425.56		185,800	185,800	191,620	191,620
81705	ALK(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
51857	ALL-Leukemia gene 선별검사	Bone Marrow	나583나(1)	C5831016외	-		488,960	488,960	504,280	504,280
10230	ALP	SST Serum	나260나	B2602	20.09		1,540	1,540	1,590	1,590
20560	ALP Isoenzyme	SST Serum	나305	B3050006	178.33		13,660	13,660	14,090	14,090
10231	ALP(Fluid)	Body Fluid	나260나	B2602	20.09		1,540	1,540	1,590	1,590
10360	ALT(GPT)	SST Serum	나258	B2580	23.01		1,760	1,760	1,820	1,820
10361	ALT(GPT)(Fluid)	Body Fluid	나258	B2580	23.01		1,760	1,760	1,820	1,820
81145	AMACR(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81146	AMACR(IHC)여의도성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
65170	Amikacin	Plain Serum	나450나(2)	C4504390	252.59		19,350	19,350	19,950	19,950
13011	Amino Acid 분석	EDTA Plasma	나443나(3)	C4433006외	-		134,160	134,160	138,360	138,360
13012	Amino Acid 분석	Random Urine	나443나(3)	C4433006외	-		134,160	134,160	138,360	138,360
65500	Amiodarone	Plain Serum	나450나(4)	CX375116	577.54		44,240	44,240	45,630	45,630
65512	Amitriptyline + Nortriptyline	Plain Serum	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
25320	AML1/ETO (nested RT-PCR)	EDTA Blood	나583나(1)	C5831106	1595.76		122,240	122,240	126,070	126,070
25321	AML1/ETO (nested RT-PCR)	Bone Marrow	나583나(1)	C5831106	1595.76		122,240	122,240	126,070	126,070
25325	AML1/ETO (real-time PCR)	EDTA Blood	나583나(1)	C5831236	1595.76		122,240	122,240	126,070	126,070
25326	AML1/ETO (real-time PCR)	Bone Marrow	나583나(1)	C5831236	1595.76		122,240	122,240	126,070	126,070
51856	AML-Leukemia gene 선별검사	Bone Marrow	나583나(1)	C5831016외	-		488,960	488,960	504,280	504,280
10850	Ammonia (NH3)	EDTA Plasma	나387	C3870	62.85		4,810	4,810	4,970	4,970
10240	Amylase	SST Serum	나261가	B2611	40.93		3,140	3,140	3,230	3,230
10243	Amylase	Body Fluid	나261가	B2611	40.93		3,140	3,140	3,230	3,230
10252	Amylase clearance	복수검체	나261 외	B2611 외	-		8,840	8,840	9,100	9,100
20570	Amylase Isoenzyme	SST Serum	나306	B3060006	136.74		10,470	10,470	10,800	10,800
20571	Amylase Isoenzyme	Body Fluid	나306	B3060006	136.74		10,470	10,470	10,800	10,800
20573	Amylase Isoenzyme	SST Serum	나306	B3060006	136.74		10,470	10,470	10,800	10,800
20574	Amylase Isoenzyme	Body Fluid	나306	B3060006	136.74		10,470	10,470	10,800	10,800
10242	Amylase(24hr U)	24hr Urine	나261가	B2611	40.93		3,140	3,140	3,230	3,230
10241	Amylase(RU)	Random Urine	나261가	B2611	40.93		3,140	3,140	3,230	3,230
81966	Amyloid A(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81974	Amyloid A(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
51030	ANA (IFA)	SST Serum	나491나	C4912006	157.37		12,050	12,050	12,430	12,430
51031	ANA (IFA)	Body Fluid	나491나	C4912006	157.37		12,050	12,050	12,430	12,430

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
51040	ANA 경량	SST Serum	나491나주	C4913006	282.46		21,640	21,640	22,310	22,310
51041	ANA 경량	Body Fluid	나491나주	C4913006	282.46		21,640	21,640	22,310	22,310
51061	ANCA (MPO) 경량	SST Serum	너447나	CY472006	212.38		16,270	16,270	16,780	16,780
51062	ANCA (PR3) 경량	SST Serum	너447가	CY471006	212.38		16,270	16,270	16,780	16,780
51060	ANCA 경량	SST Serum	너447	CY471~2006	-		32,540	32,540	33,560	33,560
51063	ANCA 경량 3종(MPO,PR3,GBM)	SST Serum	너447가외	CY471006외	-		42,190	42,190	43,510	43,510
51050	ANCA 경성	SST Serum	나499	C4991006	163.44		12,520	12,520	12,910	12,910
51065	ANCA(경량)	SST Serum	나499주	C4992006	329.57		25,250	25,250	26,040	26,040
12930	Anion GAP	SST Serum	나379 외	C3791 외	-		7,060	7,060	7,290	7,290
51100	Anti Cardiolipin IgA	SST Serum	나503나(3)	C5034	262.41		20,100	20,100	20,730	20,730
51080	Anti Cardiolipin IgG	SST Serum	나503나(1)	C5032	262.41		20,100	20,100	20,730	20,730
51090	Anti Cardiolipin IgM	SST Serum	나503나(2)	C5033	262.41		20,100	20,100	20,730	20,730
51145	Anti centromere Ab(EIA)	SST Serum	너443사	CY449006	530.48		40,630	40,630	41,910	41,910
51152	Anti dsDNA Ab(RIA)	SST Serum	나492나주2	C7492	234.83		17,990	17,990	18,550	18,550
51160	Anti dsDNA IgG	SST Serum	나492나	C4922	254.88		19,520	19,520	20,140	20,140
51170	Anti dsDNA IgM	SST Serum	나492나	C4922	254.88		19,520	19,520	20,140	20,140
51171	Anti dsDNA IgM	EDTA Plasma	나492나	C4922	254.88		19,520	19,520	20,140	20,140
70795	Anti fungal susceptibility	Other	나406나	B4062	181.87		13,930	13,930	14,370	14,370
51220	Anti GAD Ab	SST Serum	너441주	CX744	498.79		38,210	38,210	39,400	39,400
51221	Anti GAD Ab	CSF	너441주	CX744	498.79		38,210	38,210	39,400	39,400
51230	Anti GBM Ab	SST Serum	너451	CX451	125.99		9,650	9,650	9,950	9,950
30300	Anti globulin Test	EDTA Blood	나204가주	B2047006	64.93		4,970	4,970	5,130	5,130
50010	Anti HAV IgG(RIA)	SST Serum	나486가주	C7583	161.83		12,400	12,400	12,780	12,780
50020	Anti HAV IgM(RIA)	SST Serum	나486나주	C7584	238.37		18,260	18,260	18,830	18,830
50212	Anti HCV Ab(RIA)	SST Serum	나487나주	C7487	208.17		15,950	15,950	16,450	16,450
51320	Anti Jo-1 Ab	SST Serum	너443바	CY448006	558.84		42,810	42,810	44,150	44,150
51360	Anti LKM Ab	SST Serum	너455	CX455	336.36		25,770	25,770	26,570	26,570
01882	Anti Microsome (TPO) Ab(RIA)	SST Serum	나495나주	C7495	230.25		17,640	17,640	18,190	18,190
01885	Anti Microsome(TPO) Ab	SST Serum	나495나	C4952	223.74		17,140	17,140	17,680	17,680
51380	Anti Mitochondrial Ab(IFA)	SST Serum	나496나	C4962	132.55		10,150	10,150	10,470	10,470
52640	Anti neutrophil Ab	EDTA Blood	나505	C5050	84.26		6,450	6,450	6,660	6,660
51420	Anti Parietal cell Ab	SST Serum	나504	C5040	78.08		5,980	5,980	6,170	6,170
51450	Anti Phospholipid IgG	SC Plasma	나498나(1)	C4982006	274.51		21,030	21,030	21,690	21,690
51451	Anti Phospholipid IgG	SST Serum	나498나(1)	C4982006	274.51		21,030	21,030	21,690	21,690
51460	Anti Phospholipid IgM	SC Plasma	나498나(2)	C4983006	275.25		21,080	21,080	21,740	21,740
51461	Anti Phospholipid IgM	SST Serum	나498나(2)	C4983006	275.25		21,080	21,080	21,740	21,740
51480	Anti Platelet Ab	SST Serum	나501나	C5012006	251.60		19,270	19,270	19,880	19,880
51482	Anti Platelet Ab	복수검체	나501나	C5012006	251.60		19,270	19,270	19,880	19,880
51520	Anti RNP Ab	SST Serum	너443나	CY444006	400.52		30,680	30,680	31,640	31,640
51521	Anti RNP Ab	EDTA Plasma	너443나	CY444006	400.52		30,680	30,680	31,640	31,640
51535	Anti Scl-70 Ab	SST Serum	너443마	CY447006	589.20		45,130	45,130	46,550	46,550

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
51550	Anti Sm Ab	SST Serum	너443가	CY443006	411.76		31,540	31,540	32,530	32,530
51560	Anti Smooth Muscle Ab(IFA)	SST Serum	나497나	C4972	131.16		10,050	10,050	10,360	10,360
51580	Anti SS-A/Ro Ab	SST Serum	너443다	CY445006	411.77		31,540	31,540	32,530	32,530
51590	Anti SS-B/La Ab	SST Serum	너443라	CY446006	411.81		31,540	31,540	32,530	32,530
30870	Anti thrombin III (%)	SC Plasma	나158	B1580	111.80		8,560	8,560	8,830	8,830
31120	Anti Xa LMWH test (Heparin)	SC Plasma	나163-1나	B1634	186.95		14,320	14,320	14,770	14,770
52030	Anti β2-GPI IgG	SST Serum	나506가	C5061	262.41		20,100	20,100	20,730	20,730
52035	Anti β2-GPI IgM	SST Serum	나506나	C5062	262.41		20,100	20,100	20,730	20,730
26411	APC gene mutation analysis	EDTA Blood	나580다(4)	C5809026	7298.26		559,050	559,050	576,560	576,560
31100	APCR	SC Plasma	너89	BX089	343.29		26,300	26,300	27,120	27,120
10940	Apolipoprotein A I	SST Serum	나246가	C2461	102.63		7,860	7,860	8,110	8,110
10950	Apolipoprotein A II	SST Serum	나246가	C2461	102.63		7,860	7,860	8,110	8,110
10960	Apolipoprotein B	SST Serum	나246나	C2462	106.50		8,160	8,160	8,410	8,410
10970	Apolipoprotein C II	SST Serum	나246다	C2463	109.49		8,390	8,390	8,650	8,650
10980	Apolipoprotein C III	SST Serum	나246다	C2463	109.49		8,390	8,390	8,650	8,650
10990	Apolipoprotein E	SST Serum	나246라	C2464	108.48		8,310	8,310	8,570	8,570
25330	Apolipoprotein E Genotype	EDTA Blood	나580가	C5800016	924.73		70,830	70,830	73,050	73,050
20430	Apt test	Stool	나124	B1240	12.00		920	920	950	950
20431	Apt test	Other	나124	B1240	12.00		920	920	950	950
29390	ARSA gene (MLD)	EDTA Blood	나580다(2)	C5807056	3185.27		243,990	243,990	251,640	251,640
12683	Arsenic(As)	Trace EDTA Blood	나451나(3)	CY373290	251.42		19,260	19,260	19,860	19,860
12685	Arsenic(AS)	24hr Urine	나451나(3)	CY373290	251.42		19,260	19,260	19,860	19,860
12686	Arsenic(AS)	Random Urine	나451나(3)	CY373290	251.42		19,260	19,260	19,860	19,860
10260	Arylsulfatase A	EDTA Blood	나446가	C4462006	660.03		50,560	50,560	52,140	52,140
10265	Arylsulfatase A	EDTA Blood	나446가	C4462006	660.03		50,560	50,560	52,140	52,140
50410	ASO 정량	SST Serum	나463나	C4633	107.52		8,240	8,240	8,490	8,490
50400	ASO(Latex)	SST Serum	나463가	C4631	28.79		2,210	2,210	2,270	2,270
50411	ASO(Titer)(Fluid)	Body Fluid	나463나	C4633	107.52		8,240	8,240	8,490	8,490
50445	Aspergillus Ab IgG	SST Serum	나467나	C4672236	190.48		14,590	14,590	15,050	15,050
50446	Aspergillus Ab(CSF)	CSF	나467나	C4672236	190.48		14,590	14,590	15,050	15,050
50455	Aspergillus Ag	SST Serum	나475나	C4752996	308.29		23,620	23,620	24,350	24,350
65520	Aspirin (Salicylic acid)	Plain Serum	나450나(1)	C4503390	124.99		9,570	9,570	9,870	9,870
10350	AST(GOT)	SST Serum	나257	B2570	23.58		1,810	1,810	1,860	1,860
10351	AST(GOT)(Fluid)	Body Fluid	나257	B2570	23.58		1,810	1,810	1,860	1,860
81179	ATPase 9.4 stain	Tissue	나556가	C5561	334.82		25,650	25,650	26,450	26,450
82429	ATRX(IHC)(서울성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
11925	Auto hemolysis test	복수검체	나114	B1140006	119.56		9,160	9,160	9,450	9,450
27570	B cell confirm test	EDTA Blood	나512	C5120006	451.56		138,360	138,360	142,680	142,680
10890	B/C ratio	SST Serum	나373+C375	C3730+C3750	-		2,930	2,930	3,020	3,020
29300	BAALC	EDTA Blood	나583나(1)	C5831156	1595.76		122,240	122,240	126,070	126,070
65180	Barbiturate	Random Urine	나450가(2)	C4502070	111.78		8,560	8,560	8,830	8,830

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
25900	B-Cell Stain(CD20)(IHC)	Blood Smear Slide	나512	C5120006	451.56		34,590	34,590	35,670	35,670
81070	BCL2(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81071	BCL2(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81072	BCL2(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81080	BCL6(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81081	BCL6(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81660	BCL6(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81082	BCL6(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
27563	BCR/ABL gene, rearrangement	EDTA Blood	나583나(1)	C5831016외	-		244,480	244,480	252,140	252,140
25370	BCR-ABL major PCR	EDTA Blood	나583나(1)	C5831016	1595.76		122,240	122,240	126,070	126,070
25371	BCR-ABL major PCR	Bone Marrow	나583나(1)	C5831016	1595.76		122,240	122,240	126,070	126,070
25380	BCR-ABL minor PCR	EDTA Blood	나583나(1)	C5831026	1595.76		122,240	122,240	126,070	126,070
25381	BCR-ABL minor PCR	Bone Marrow	나583나(1)	C5831026	1595.76		122,240	122,240	126,070	126,070
27564	bcr-abl 정량 (성모)	Bone Marrow	나583나(1)	C5831166	1595.76		122,240	122,240	126,070	126,070
27576	bcr-abl 정량(major)	EDTA Blood	나583나(1)	C5831166	1595.76		122,240	122,240	126,070	126,070
27577	bcr-abl 정량(minor)	EDTA Blood	나583나(1)	C5831166	1595.76		122,240	122,240	126,070	126,070
65190	Benzodiazepine	Random Urine	나450가(2)	C4502080	111.78		8,560	8,560	8,830	8,830
80834	beta-hcg(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
11930	Bile Acid	SST Serum	너272	CX272	161.06		12,340	12,340	12,720	12,720
11931	Bile Acid	Bile	너272	CX272	161.06		12,340	12,340	12,720	12,720
80584	Biopsy (≥13)판독	Tissue	나550가(5)	C5915009	137.45		10,530	10,530	10,860	10,860
80583	Biopsy (10-12)판독	Tissue	나550가(4)	C5914009	117.82		9,030	9,030	9,310	9,310
80211	Biopsy (1-3)×2	Tissue	나550가(1)	C5911	282.35		43,260	43,260	44,620	44,620
80580	Biopsy (1-3)판독	Tissue	나550가(1)	C5911009	56.47		4,330	4,330	4,460	4,460
80315	Biopsy (4-6)×2	Tissue	나550가(2)	C5912	380.51		58,300	58,300	60,120	60,120
80581	Biopsy (4-6)판독	Tissue	나550가(2)	C5912009	76.10		5,830	5,830	6,010	6,010
80316	Biopsy (7-9)+절편(≤6)	Tissue	나550	C5913+C5916	-		70,820	70,820	73,030	73,030
80582	Biopsy (7-9)판독	Tissue	나550가(3)	C5913009	95.73		7,330	7,330	7,560	7,560
80570	Biopsy 악성(≤20)+호르몬*2	Tissue	나550+나559	C5918+C5590*2	-		166,600	166,600	171,820	171,820
80587	Biopsy 악성(≤20)판독	Tissue	나550다	C5918009	241.42		18,490	18,490	19,070	19,070
80232	Biopsy 악성(≥16)	Tissue	나550다	C5504	1234.92		94,590	94,590	97,560	97,560
80589	Biopsy 악성(≥16)판독	Tissue	나550다	C5504009	246.98		18,920	18,920	19,510	19,510
80571	Biopsy 악성(≥21)+호르몬*2	Tissue	나550+나559	C5919+C5590*2	-		212,320	212,320	218,970	218,970
80588	Biopsy 악성(≥21)판독	Tissue	나550다	C5919009	360.79		27,640	27,640	28,500	28,500
80585	Biopsy 절편(≤6)판독	Tissue	나550나(1)	C5916009	89.17		6,830	6,830	7,040	7,040
80586	Biopsy 절편(≥7)판독	Tissue	나550나(2)	C5917009	127.37		9,760	9,760	10,060	10,060
80630	Biopsy(≥13)+Stain	Tissue	나550외	C5915+C5533	-		62,120	62,120	64,070	64,070
80629	Biopsy(10-12)+Stain	Tissue	나550외	C5914+C5533	-		54,600	54,600	56,320	56,320
80621	Biopsy(1-3)+Stain	Tissue	나550+나553	C5911+C5533	-		31,110	31,110	32,090	32,090
80622	Biopsy(1-3)+Stain*2	Tissue	나550+나553	C5911+C5533	-		40,590	40,590	41,870	41,870
80623	Biopsy(1-3)+Stain*3	Tissue	나550+나553	C5911+C5533	-		50,070	50,070	51,650	51,650

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
80624	Biopsy(1-3)+Stain*4	Tissue	나550+나553	C5911+C5533	-		59,550	59,550	61,430	61,430
80626	Biopsy(4-6)+Stain	Tissue	나550외	C5912+C5533	-		38,630	38,630	39,840	39,840
80628	Biopsy(7-9)+Stain	Tissue	나550외	C5913+C5533	-		46,150	46,150	47,590	47,590
80645	biopsy구축학적검사(1)	Tissue	나550라(1)	C5505	1867.42		143,040	143,040	147,530	147,530
80646	biopsy구축학적검사(2)	Tissue	나550라(2)	C5508	1270.58		97,330	97,330	100,380	100,380
80631	Biopsy절편(≤6)+Stain	Tissue	나550+나553	C5916+C5533	-		43,630	43,630	45,000	45,000
80632	Biopsy절편(≤6)+Stain×2	Tissue	나550+나553	C5916+C5533	-		53,110	53,110	54,780	54,780
80633	Biopsy절편(≤6)+Stain×3	Tissue	나550+나553	C5916+C5533	-		62,590	62,590	64,560	64,560
80634	Biopsy절편(≤6)+Stain×4	Tissue	나550+나553	C5916+C5533	-		72,070	72,070	74,340	74,340
30010	Blood Cell Morphology	EDTA Blood	나110	B1100006	75.56		5,790	5,790	5,970	5,970
30016	Blood Cell Morphology(서울대)	EDTA Blood	나110	B1100006	75.56		5,790	5,790	5,970	5,970
70230	Blood Culture & Sensi(Disk)	Blood	나405가	B4051	168.28		12,890	12,890	13,290	13,290
70235	Blood Culture & Sensi(G)	Other	나405+나406	B4051+B4061	-		21,750	21,750	22,430	22,430
70245	Blood Culture & Sensi(MIC)	Blood	나405가	B4051	168.28		12,890	12,890	13,290	13,290
70241	Blood Culture & Sensi(MIC)(G)	Blood	나405+나406	B4051+B4062	-		26,820	26,820	27,660	27,660
71020	Body Fluid Analysis	Body Fluid	나51	B0510	51.91		3,980	3,980	4,100	4,100
71021	Body Fluid Analysis(Joint)	Joint Fluid	나51	B0510	51.91		3,980	3,980	4,100	4,100
71060	Body Fluid Cell count	Body Fluid	나51	B0510	51.91		3,980	3,980	4,100	4,100
11941	Bone ALP	SST Serum	나398	C3980	91.46		7,010	7,010	7,230	7,230
30135	Bone Marrow Consultant	Bone Marrow Slide	나111가주1	B1113	577.75		44,260	44,260	45,640	45,640
30130	Bone Marrow Examination	Bone Marrow Slide	나111가주1	B1113	577.75		44,260	44,260	45,640	45,640
80554	Bone Section	Tissue	나552	C5520	346.62		26,550	26,550	27,380	27,380
29065	BRAF V600E mutation	Thyroid	나583나(1)	C5831176	1595.76		122,240	122,240	126,070	126,070
29067	BRAF V600E mutation(melanoma)	Tissue	나583나(1)	C5831176	1595.76		122,240	122,240	126,070	126,070
25368	BRCA family test	EDTA Blood	나580다(취)	C5805006	2004.46		153,540	153,540	158,350	158,350
25350	BRCA1	EDTA Blood	나580다(4)	C5809056	7298.26		559,050	559,050	576,560	576,560
25351	BRCA1 (서울대)	EDTA Blood	나580다(4)	C5809056	7298.26		559,050	559,050	576,560	576,560
25360	BRCA2	EDTA Blood	나580다(5)	C5810016	11094.85		849,870	849,870	876,490	876,490
25361	BRCA2 (서울대)	EDTA Blood	나580다(5)	C5810016	11094.85		849,870	849,870	876,490	876,490
10860	BUN	SST Serum	나373	C3730	21.52		1,650	1,650	1,700	1,700
10862	BUN	Random Urine	나373	C3730	21.52		1,650	1,650	1,700	1,700
10861	BUN(24hr U)	24hr Urine	나373	C3730	21.52		1,650	1,650	1,700	1,700
70727	C. difficile culture	Stool	너302가	BY021	181.51		13,900	13,900	14,340	14,340
70724	C. difficile toxin A,B	Stool	너302나	BY022	133.91		10,260	10,260	10,580	10,580
20040	C3	SST Serum	나226가	C2261	108.17		8,290	8,290	8,550	8,550
20070	C4	SST Serum	나226나	C2262	106.47		8,160	8,160	8,410	8,410
81156	C4d	Tissue	나554자	C5548	281.40		21,560	21,560	22,230	22,230
81155	C4d(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81157	C4d(IHC) 성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
01482	CA 72-4 (ECLIA)	SST Serum	나426	C4260	280.19		21,460	21,460	22,140	22,140
01481	CA 72-4 (RIA)	SST Serum	나426주	C7426	264.90		20,290	20,290	20,930	20,930

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
10090	Ca++	SST Serum	나379바	C3796	81.11		6,210	6,210	6,410	6,410
10091	Ca++	Hp Plasma	나379바	C3796	81.11		6,210	6,210	6,410	6,410
01495	CA125 (ECLIA)	SST Serum	나424	C4240	253.63		19,430	19,430	20,040	20,040
01492	CA125 (RIA)	SST Serum	나424주	C7424	229.91		17,610	17,610	18,160	18,160
01455	CA15-3 (ECLIA)	SST Serum	나433	C4330	251.58		19,270	19,270	19,870	19,870
01452	CA15-3 (RIA)	SST Serum	나433주	C7433	226.56		17,350	17,350	17,900	17,900
01465	CA19-9 (ECLIA)	SST Serum	나423	C4230	263.56		20,190	20,190	20,820	20,820
01466	CA19-9 (ECLIA)	Body Fluid	나423	C4230	263.56		20,190	20,190	20,820	20,820
01462	CA19-9 (RIA)	SST Serum	나423주	C7423	247.27		18,940	18,940	19,530	19,530
80832	CA19-9(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
28180	CACNA1S gene mutation	EDTA Blood	나580다(1)	C5806026	2004.46		153,540	153,540	158,350	158,350
12692	Cadmium(Cd)	Trace EDTA Blood	나452나(2)	C4523650	313.68		24,030	24,030	24,780	24,780
12693	Cadmium(Cd)	24hr Urine	나452나(2)	C4523650	313.68		24,030	24,030	24,780	24,780
12694	Cadmium(Cd)	Random Urine	나452나(2)	C4523650	313.68		24,030	24,030	24,780	24,780
12695	Cadmium(Cd)	Hp Blood	나452나(2)	C4523650	313.68		24,030	24,030	24,780	24,780
28080	CAG repeats of Androgen R	EDTA Blood	나580나	C5803016	1199.67		91,890	91,890	94,770	94,770
01919	Calcitonin	SST Serum	나356	C3560	156.46		11,980	11,980	12,360	12,360
01900	Calcitonin (RIA)	SST Serum	나356주	C7356	153.33		11,750	11,750	12,110	12,110
81190	Calcitonin(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
82434	Calcitonin(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
10070	Calcium (Ca)	SST Serum	나379마	C3795	15.94		1,220	1,220	1,260	1,260
10072	Calcium (Ca)	Random Urine	나379마	C3795	15.94		1,220	1,220	1,260	1,260
10071	Calcium (Ca)(24hr U)	24hr Urine	나379마	C3795	15.94		1,220	1,220	1,260	1,260
10077	Calcium excretion	복수검체	나379마외	C3795외	-		3,780	3,780	3,900	3,900
80835	Calponin(IHC)(삼성)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
27774	CALR(Calreticulin) Gene, Mutation	EDTA Blood	나583다(6)	C5838026	2998.19		229,660	229,660	236,860	236,860
81886	Calretinin(IHC) 서울성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
71050	Campylobacter Culture	Stool	나405가	B4051	168.28		12,890	12,890	13,290	13,290
50542	Candida Ag 경성	SST Serum	나408	B4080	79.57		6,100	6,100	6,290	6,290
42696	Candida albicans PCR	분비물	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
65200	Carbamazepine	SST Serum	나450나(2)	C4504030	252.59		19,350	19,350	19,950	19,950
65201	Carbamazepine	Plain Serum	나450나(2)	C4504030	252.59		19,350	19,350	19,950	19,950
27433	Carbapenemase(CRE) PCR	균주	나595사	C6051006	415.49		31,830	31,830	32,820	32,820
20440	Carboxy Hemoglobin	EDTA Blood	나382다	C3823	54.19		4,150	4,150	4,280	4,280
11010	Cardiac Risk Factor	SST Serum	나241+C242	C2411+C2420	-		7,850	7,850	8,090	8,090
11265	Carnitine(Vitamin BT)	SST Serum	너154	CY544	296.45		22,710	22,710	23,420	23,420
11270	Carotene	SST Serum	나255	C2550	51.11		3,920	3,920	4,040	4,040
02043	Catecholamine 2F	EDTA Plasma	너228		-		50,940	50,940	52,540	52,540
02045	Catecholamine 2F	24hr Urine	너228		-		50,940	50,940	52,540	52,540
02053	Catecholamine 3F	EDTA Plasma	너228		-		76,410	76,410	78,810	78,810
02056	Catecholamine 3F	24hr Urine	너228		-		76,410	76,410	78,810	78,810

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
26009	CD 103	EDTA Blood	나512	C5120006	451.56		34,590	34,590	35,670	35,670
25993	CD 19	EDTA Blood	나512	C5120006	451.56		34,590	34,590	35,670	35,670
26000	CD 20	EDTA Blood	나512	C5120006	451.56		34,590	34,590	35,670	35,670
26005	CD 20	EDTA Blood	나512	C5120006	451.56		34,590	34,590	35,670	35,670
26008	CD 25	EDTA Blood	나512	C5120006	451.56		34,590	34,590	35,670	35,670
27460	CD 25	Bone Marrow	나512	C5120006	451.56		34,590	34,590	35,670	35,670
25928	CD 3 (T3)	EDTA Blood	나512	C5120006	451.56		34,590	34,590	35,670	35,670
26025	CD 34	EDTA Blood	나512	C5120006	451.56		34,590	34,590	35,670	35,670
26026	CD 34	EDTA Blood	나512	C5120006	451.56		34,590	34,590	35,670	35,670
25933	CD 4 (T helper)	EDTA Blood	나512	C5120006	451.56		34,590	34,590	35,670	35,670
26030	CD 45	EDTA Blood	나512	C5120006	451.56		34,590	34,590	35,670	35,670
25964	CD 8 (T suppressor)	EDTA Blood	나512	C5120006	451.56		34,590	34,590	35,670	35,670
81030	CD10(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81680	CD10(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81682	CD10(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
26190	CD117 (IHC)	Block	나557	C5575006	518.78		39,740	39,740	40,980	40,980
26195	CD117(c-kit)(IHC)	Block	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81630	CD117(c-kit)(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
26196	CD117(c-kit)(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81580	CD138(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81581	CD138(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80880	CD15(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80881	CD15(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
26251	CD16+CD56(NKcell)	EDTA Blood	나512	C5120006	451.56		34,590	34,590	35,670	35,670
81585	CD163(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81210	CD1a(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81158	CD1a(IHC) 서울성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81211	CD1a(IHC) 성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81995	CD2(IHC)(삼성)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80930	CD20(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81240	CD20(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80929	CD20(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81242	CD20(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80850	CD21(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80931	CD21(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80934	CD22(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81993	CD23(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80920	CD25(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80840	CD3(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80841	CD3(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80843	CD3(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
80844	CD3(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81185	CD30(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81186	CD30(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81340	CD30(Ki-1)(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81180	CD31(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81181	CD31(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81182	CD31(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81130	CD34(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81132	CD34(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81129	CD34(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81100	CD35(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81105	CD35(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81582	CD38(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81230	CD4(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81670	CD4(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81231	CD4(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
26031	CD40/CD154(CD40L) Profile	EDTA Blood	나512	C5120006	451.56		138,360	138,360	142,680	142,680
81135	CD44(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80939	CD44(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81250	CD45,LCA(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81265	CD45RB(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81252	CD45RB(LCA)(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80910	CD5(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80915	CD5(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81992	CD5(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81090	CD56(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81091	CD56(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81022	CD56(IHC)여의도성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80882	CD61(IHC)(녹십자)	Tissue	나557	C5575006	518.78		39740	39740	40980	40980
51853	CD68(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80950	CD68(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80951	CD68(IHC)(성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80885	CD7(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80890	CD79a(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80891	CD79a(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81921	CD8(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81920	CD8(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81415	CDX2(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81800	Cdx2(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81801	CDX2(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
01535	CEA (ECLIA)	SST Serum	나422	C4220	230.59		17,660	17,660	18,220	18,220

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
01536	CEA (ECLIA)	Body Fluid	나422	C4220	230.59		17,660	17,660	18,220	18,220
01532	CEA (RIA)	SST Serum	나422주	C7422	214.37		16,420	16,420	16,940	16,940
81500	CEA(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81511	CEA(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
29265	CEBPA gene mutation	EDTA Blood	나583다(5)	C5837016	2392.86		183,290	183,290	189,040	189,040
80762	Cell block after 액상흡인세포검사(갑상선)	Thyroid	나594-3주2	C5944	455.90		34,920	34,920	36,020	36,020
82150	Cell block after 체액세포병리검사	Other	나594	C5940	121.73		9,320	9,320	9,620	9,620
80049	Cell block after 흡인세포병리검사	Thyroid	나594-1주2	C5942	240.08		18,390	18,390	18,970	18,970
80980	C-erb B2(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80982	C-erb B2(IHC)(성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
20160	Ceruloplasmin	SST Serum	나235	C2350	113.91		8,730	8,730	9,000	9,000
20161	Ceruloplasmin	Hp Plasma	나235	C2350	113.91		8,730	8,730	9,000	9,000
27740	CFTR Gene mutation	EDTA Blood	나580다(4)	C5809076	7298.26		559,050	559,050	576,560	576,560
51640	CH50	SST Serum	나225	C2250	104.79		8,030	8,030	8,280	8,280
25386	CHD7 gene, mutation (삼성)	EDTA Blood	나580다(5)	C5810026	11094.85		849,870	849,870	876,490	876,490
71271	Chlamydia culture	Other	너301나	BY302006	393.46		30,140	30,140	31,080	31,080
50560	Chlamydia pneumoniae IgG	SST Serum	나474나(1)	C4742816	207.72		15,910	15,910	16,410	16,410
50570	Chlamydia pneumoniae IgM	SST Serum	나474나(2)	C4743816	205.84		15,770	15,770	16,260	16,260
42340	Chlamydia pneumoniae PCR	Other	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
50630	Chlamydia trachomatis IgG	SST Serum	나474나(1)	C4742816	207.72		15,910	15,910	16,410	16,410
50640	Chlamydia trachomatis IgM	SST Serum	나474나(2)	C4743816	205.84		15,770	15,770	16,260	16,260
42330	Chlamydia trachomatis PCR	분비물	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
10100	Chloride(Cl)	SST Serum	나379다	C3793	14.68		1,120	1,120	1,160	1,160
10102	Chloride(Cl)	Random Urine	나379다	C3793	14.68		1,120	1,120	1,160	1,160
10101	Chloride(Cl)(24hr U)	24hr Urine	나379다	C3793	14.68		1,120	1,120	1,160	1,160
11050	Cholesterol Ester 경량	SST Serum	나241나	C2412	16.94		1,300	1,300	1,340	1,340
11051	Cholesterol Ester 경량	Body Fluid	나241나	C2412	16.94		1,300	1,300	1,340	1,340
10280	Cholinesterase(Pseudo)	SST Serum	나270	B2700	39.92		3,060	3,060	3,150	3,150
10290	Cholinesterase(RBC activity)	EDTA Blood	나270	B2700	39.92		3,060	3,060	3,150	3,150
81410	Chromogranin(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81760	Chromogranin(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81956	Chromogranin(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81024	Chromogranin(IHC)여의도성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
25102	Chromosome Analysis(BM)	Bone Marrow	나600나(1)	C6005006	1658.71		127,060	127,060	131,040	131,040
25104	Chromosome Analysis(CB)	Cord Blood	나600가(1)	C6001006	1286.79		98,570	98,570	101,660	101,660
25110	Chromosome analysis (Leukemia)	Hp Blood	나600나(1)	C6005006	1658.71		127,060	127,060	131,040	131,040
25100	Chromosome Analysis (PB)	Hp Blood	나600가(1)	C6001006	1286.79		98,570	98,570	101,660	101,660
26235	Chronic Leukemia panel	Bone Marrow	나512	C5120006	451.56		622,620	622,620	642,060	642,060
26142	Chronic Leukemia Panel	Bone Marrow	나512+나513	C512~30006	-		569,810	569,810	587,600	587,600
10520	Citrate	24hr Urine	너345가(2)	CY342	201.90		15,470	15,470	15,950	15,950
81069	CK 5/6(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
81015	CK HMW(CK 1,5,10,14)(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
20580	CK Isoenzyme	SST Serum	나304	B3040006	163.72		12,540	12,540	12,930	12,930
20581	CK Isoenzyme	Body Fluid	나304	B3040006	163.72		12,540	12,540	12,930	12,930
10300	CK(Creatine kinase)	SST Serum	나263	B2630	55.99		4,290	4,290	4,420	4,420
10301	CK(Creatine kinase)	Body Fluid	나263	B2630	55.99		4,290	4,290	4,420	4,420
81060	CK(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81064	CK(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
82432	CK,AE1/AE3, PAN CK(IHC)삼성	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81058	CK19(Cytokeratin19)(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81057	CK19(Cytokeratin19)(IHC)(삼성)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81062	CK20(Cytokeratin20)(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81067	CK20(Cytokeratin20)(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81068	CK20(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81016	CK34βE12(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81066	CK5/6(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81061	CK7(Cytokeratin7)(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81065	CK7(Cytokeratin7)(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81805	CK8(IHC) 성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81821	CK-AE1/3(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
10316	CK-BB	SST Serum	나304	B3040006	163.72		12,540	12,540	12,930	12,930
29253	c-kit gene mutation(exon4)	Block	나583다(4)	C5836026	2150.72		164,750	164,750	169,910	169,910
29256	c-kit mutation	EDTA Blood	나583다(4)	C5836026	2150.72		164,750	164,750	169,910	169,910
29255	c-kit mutation	EDTA Blood	나583다(4)	C5836026	2150.72		164,750	164,750	169,910	169,910
29258	c-kit mutation (exon4)	Block	나583다(4)	C5836026	2150.72		164,750	164,750	169,910	169,910
29262	c-kit mutation(아산)	EDTA Blood	나583다(4)	C5836026	2150.72		164,750	164,750	169,910	169,910
29263	c-kit mutation(아산)	Bone Marrow	나583다(4)	C5836026	2150.72		164,750	164,750	169,910	169,910
10310	CK-MB 정량	SST Serum	나264	B2640	153.12		11,730	11,730	12,100	12,100
10315	CK-MM	SST Serum	나304	B3040006	163.72		12,540	12,540	12,930	12,930
65225	Clobazam	Plain Serum	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
65221	Clonazepam	Plain Serum	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
50845	Clonorchis IgG(S)	SST Serum	나472나(1)	C4722616	269.38		20,630	20,630	21,280	21,280
65770	Clozapine	Plain Serum	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
81333	c-MET(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
26825	CMT2A, MFN2 mutation	EDTA Blood	나580다(3)	C5808186	4664.21		357,280	357,280	368,470	368,470
50670	CMV Antigenemia	EDTA Blood	나469	C4690426	203.37		15,580	15,580	16,070	16,070
42135	CMV culture	Other	나416	B4160006	574.26		43,990	43,990	45,370	45,370
42136	CMV culture(조직)	Tissue	나416	B4160006	574.26		43,990	43,990	45,370	45,370
42350	CMV DNA(PCR)	EDTA Blood	나589-2	C5893006	441.23		33,800	33,800	34,860	34,860
40305	CMV IgG	SST Serum	나468나(1)	C4682426	273.64		20,960	20,960	21,620	21,620
40306	CMV IgG	CSF	나468나(1)	C4682426	273.64		20,960	20,960	21,620	21,620
40315	CMV IgM	SST Serum	나468나(2)	C4683426	261.00		19,990	19,990	20,620	20,620

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
40316	CMV IgM	CSF	나468나(2)	C4683426	261.00		19,990	19,990	20,620	20,620
42356	CMV 경량 (Real-time PCR)	EDTA Blood	나589-2	CZ963006	894.88		68,550	68,550	70,700	70,700
81510	CMV(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81513	CMV(IHC) 성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81514	CMV(IHC)삼성	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
10110	CO2,Total	SST Serum	나381나	C3812	45.04		3,450	3,450	3,560	3,560
12714	Cobalt(Co)	24hr Urine	나452나(2)	C4523990	313.68		24,030	24,030	24,780	24,780
12715	Cobalt(Co)	Hp Blood	나452나(2)	C4523990	313.68		24,030	24,030	24,780	24,780
29501	COL1A1 gene, mutation	EDTA Blood	나580다(5)	C5810036	11094.85		849,870	849,870	876,490	876,490
29502	COL1A2 gene, mutation	EDTA Blood	나580다(5)	C5810046	11094.85		849,870	849,870	876,490	876,490
29505	COL3A1 gene, mutation	EDTA Blood	나580다(5)	C5810066	11094.85		849,870	849,870	876,490	876,490
50710	Cold Agglutinin	SST Serum	나209	B2090006	53.63		4,110	4,110	4,240	4,240
80938	Collagen Type IV (IHC) 삼성	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80508	Collagen Type IV형_α1	Tissue	나554자	C5548	281.40		21,560	21,560	22,230	22,230
80509	Collagen Type IV형_α3	Tissue	나554자	C5548	281.40		21,560	21,560	22,230	22,230
80518	Collagen Type IV형_α5	Tissue	나554자	C5548	281.40		21,560	21,560	22,230	22,230
30000	Complete Blood Count 8종	EDTA Blood			-		4,820	4,820	4,970	4,970
80769	Congo red	Tissue			-		13,510	13,510	13,930	13,930
80770	Congo red+KMN04	Tissue			-		13,510	13,510	13,930	13,930
20506	Co-oximeter	EDTA Blood	나370	C3700	160.26		12,280	12,280	12,660	12,660
12725	Copper(Cu)	Trace Serum	나452나(2)	C4523620	313.68		24,030	24,030	24,780	24,780
12726	Copper(Cu)	24hr Urine	나452나(2)	C4523620	313.68		24,030	24,030	24,780	24,780
12722	Copper(Cu)	Tissue	나452나(2)	C4527620	619.40		47,450	47,450	48,930	48,930
11750	Coproporphyrin 경량	24hr Urine	나389나(1)	C3892	44.42		3,400	3,400	3,510	3,510
11740	Coproporphyrin 경성	Random Urine	나389가	C3891	9.88		760	760	780	780
10075	corrected Ca	SST Serum	나221 외	C2210 외	-		2,940	2,940	3,030	3,030
00707	Cortisol	SST Serum	나324나(4)	C3248	119.38		9,140	9,140	9,430	9,430
00703	Cortisol (RIA)	SST Serum	나324나(4)	C7322	110.33		8,450	8,450	8,720	8,720
81930	COX-2(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
00965	C-peptide	SST Serum	나343	C3430	202.69		15,530	15,530	16,010	16,010
00966	C-peptide	24hr Urine	나343	C3430	202.69		15,530	15,530	16,010	16,010
00962	C-Peptide (RIA)	SST Serum	나343주	C7343	183.28		14,040	14,040	14,480	14,480
00963	C-Peptide (RIA)	24hr Urine	나343주	C7343	183.28		14,040	14,040	14,480	14,480
10900	Crea.Clearance Test	복수검체	나376	C3760	44.35		3,400	3,400	3,500	3,500
10882	Creatinine	Random Urine	나375	C3750	16.75		1,280	1,280	1,320	1,320
10883	Creatinine	SST Serum	나375	C3750	16.75		1,280	1,280	1,320	1,320
10881	Creatinine(24hr U)	24hr Urine	나375	C3750	16.75		1,280	1,280	1,320	1,320
50720	CRP	SST Serum	나224가	C2241	19.43		1,490	1,490	1,530	1,530
50721	CRP	CSF	나224가	C2241	19.43		1,490	1,490	1,530	1,530
50732	CRP정량(HS-CRP)	SST Serum	나224나	C2243	106.53		8,160	8,160	8,420	8,420
50733	CRP정량(HS-CRP)	CSF	나224나	C2243	106.53		8,160	8,160	8,420	8,420

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
20170	Cryoglobulin 경성	SST Serum	나500가	C5001	31.27		2,400	2,400	2,470	2,470
50740	Cryptococcus Ag	SST Serum	나408	B4080	79.57		6,100	6,100	6,290	6,290
50741	Cryptococcus Ag	CSF	나408	B4080	79.57		6,100	6,100	6,290	6,290
13010	CTx	SST Serum	나393-2	C3932	181.32		13,890	13,890	14,320	14,320
70110	Culture	Other	나405가	B4051	168.28		12,890	12,890	13,290	13,290
70120	Culture & Sensitivity	Other	나405가	B4051	168.28		12,890	12,890	13,290	13,290
70125	Culture & Sensitivity(G)	Other	나405+나406	B4051+B4061	-		21,750	21,750	22,430	22,430
70150	Culture & Sensitivity(MIC)	Other	나405가	B4051	168.28		12,890	12,890	13,290	13,290
70155	Culture & Sensitivity(MIC)(G)	Other	나405+나406	B4051+B4062	-		26,820	26,820	27,660	27,660
80985	CXCL13(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81020	Cyclin D1(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81021	Cyclin D1(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
65550	Cyclosporin	EDTA Blood	나450나(2)	C7451150	212.51		16,280	16,280	16,790	16,790
65551	Cyclosporin (LC-MS/MS)	EDTA Blood	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
12980	Cystatin C	SST Serum	나131	CX131	112.18		8,590	8,590	8,860	8,860
50842	Cysticercus IgG(S)	SST Serum	나472나(1)	C4722616	269.38		20,630	20,630	21,280	21,280
80855	D2-40(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80856	D2-40(IHC)삼성	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
30680	D-dimer 정량	SC Plasma	나172나	B1723	176.33		13,510	13,510	13,930	13,930
31060	D-dimer 정성	SC Plasma	나172가	B1721	40.93		3,140	3,140	3,230	3,230
12381	Deoxypyridinoline(DPD)	Random Urine	나393	C3930	182.85		14,010	14,010	14,450	14,450
81270	Desmin(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81271	Desmin(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81276	Desmin(IHC)(삼성)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81274	Desmin(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
27615	DHCR7 gene, mutation(삼성)	EDTA Blood	나580다(2)	C5807066	3185.27		243,990	243,990	251,640	251,640
00746	DHEA-S (ECLIA)	SST Serum	나364	C3640	259.09		19,850	19,850	20,470	20,470
00743	DHEA-S (RIA)	SST Serum	나364주	C7364	224.71		17,210	17,210	17,750	17,750
29562	DHR(삼성)	EDTA Blood	나491가	CY901006	333.31		25,530	25,530	26,330	26,330
42575	Diarrhea bacteria PCR	Stool	나595하	C5956006	-		63,660	63,660	65,640	65,640
65235	Diazepam (LC-MS/MS)	Plain Serum	나450나(4)	CX375016	577.54		44,240	44,240	45,630	45,630
30020	Differential Count	EDTA Blood	나109가	B1091	25.35		1,940	1,940	2,000	2,000
65051	Digoxin	SST Serum	나450나(2)	C4504090	252.59		19,350	19,350	19,950	19,950
10050	Direct Bilirubin	SST Serum	나372나	C3721	17.55		1,340	1,340	1,390	1,390
10051	Direct Bilirubin	Capillary	나372나	C3721	17.55		1,340	1,340	1,390	1,390
30320	Direct Coombs	EDTA Blood	나204가주	B2047006	64.93		4,970	4,970	5,130	5,130
31070	Direct Coombs Anti C3d,IgG	EDTA Blood	나204가	B20471+406	-		9,940	9,940	10,260	10,260
25394	DMD gene, mutation (sequencing)	EDTA Blood	나580다(5)	C5810086	11094.85		849,870	849,870	876,490	876,490
25390	DMD/BMD	EDTA Blood	나580가	C5800026	924.73		70,830	70,830	73,050	73,050
81715	DOG1(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81716	DOG-1(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
50715	Donath Landsteiner test	Plain Serum	나210	B2100006	39.88		3,050	3,050	3,150	3,150
27480	DRPLA	EDTA Blood	나580나	C5803026	1199.67		91,890	91,890	94,770	94,770
26840	DRPLA gene mutation	EDTA Blood	나580나	C5803026	1199.67		91,890	91,890	94,770	94,770
26841	DRPLA gene mutation	EDTA Blood	나580나	C5803026	1199.67		91,890	91,890	94,770	94,770
65571	Drug profiling test	Random Urine	나450가(4)	CX372690외	-		42,000	42,000	43,300	43,300
30410	Du (Weak D) Test	EDTA Blood	나202다	B2023	42.47		3,250	3,250	3,360	3,360
30411	Du Test	EDTA Blood	나202다	B2023	42.47		3,250	3,250	3,360	3,360
30431	Duffy A 혈액형검사	EDTA Blood	나203	B2030006	70.22		5,380	5,380	5,550	5,550
30432	Duffy B 혈액형검사	EDTA Blood	나203	B2030006	70.22		5,380	5,380	5,550	5,550
25683	DYSF gene, mutation	EDTA Blood	나580다(5)	C5810096	11094.85		849,870	849,870	876,490	876,490
29060	DYT1 (Dystonia I, torsion)	EDTA Blood	나580나	C5802156	470.31		36,030	36,030	37,150	37,150
71220	E.coli O157 Culture	Other	나405가	B4051	168.28		12,890	12,890	13,290	13,290
29350	E2A-PBX1 rearrangement	EDTA Blood	나583나(1)	C5831116	1595.76		122,240	122,240	126,070	126,070
42875	EBV EA-DR IgG	SST Serum	나468나(1)	C4682446	273.64		20,960	20,960	21,620	21,620
42876	EBV EA-DR IgG	CSF	나468나(1)	C4682446	273.64		20,960	20,960	21,620	21,620
42895	EBV EA-DR IgM	SST Serum	나468나(2)	C4683446	261.00		19,990	19,990	20,620	20,620
42896	EBV EA-DR IgM	CSF	나468나(2)	C4683446	261.00		19,990	19,990	20,620	20,620
42900	EBV EBNA IgG	SST Serum	나468나(1)	C4682456	273.64		20,960	20,960	21,620	21,620
42901	EBV EBNA IgG	EDTA Plasma	나468나(1)	C4682456	273.64		20,960	20,960	21,620	21,620
42902	EBV EBNA IgG	CSF	나468나(1)	C4682456	273.64		20,960	20,960	21,620	21,620
42910	EBV EBNA IgM	SST Serum	나468나(2)	C4683456	261.00		19,990	19,990	20,620	20,620
42911	EBV EBNA IgM	EDTA Plasma	나468나(2)	C4683456	261.00		19,990	19,990	20,620	20,620
42912	EBV EBNA IgM	CSF	나468나(2)	C4683456	261.00		19,990	19,990	20,620	20,620
42920	EBV PCR	EDTA Blood	나595마	C5955006	386.82		29,630	29,630	30,560	30,560
40835	EBV VCA IgG	SST Serum	나468나(1)	C4682436	273.64		20,960	20,960	21,620	21,620
40836	EBV VCA IgG	CSF	나468나(1)	C4682436	273.64		20,960	20,960	21,620	21,620
40845	EBV VCA IgM	SST Serum	나468나(2)	C4683436	261.00		19,990	19,990	20,620	20,620
40846	EBV VCA IgM	CSF	나468나(2)	C4683436	261.00		19,990	19,990	20,620	20,620
42935	EBV 경량 (Real-time PCR)	EDTA Blood	나589-2	CZ965006	894.88		68,550	68,550	70,700	70,700
81973	EBV(IHC) 성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
50755	EBV(in situ)	Other	나567다	CY673006	630.51		48,300	48,300	49,810	49,810
50760	EBV(in situ)	Other	나567다	CY673006	630.51		48,300	48,300	49,810	49,810
80820	E-Cadherin(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80821	E-Cadherin(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
27405	EGFR EXON 18,19,20,21	Tissue	나583다(4)	C5836016	2150.72		164,750	164,750	169,910	169,910
27664	EGFR gene mutation	Tissue	나583다(4)	C5836016	2150.72		164,750	164,750	169,910	169,910
26596	EGFR(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
26597	EGFR(IHC) 삼성	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
26598	EGFR(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
27658	EGFR유전자돌연변이(여의도성모)	Tissue	나583나(1)	C5831196	1595.76		122,240	122,240	126,070	126,070
70981	Egg count	Stool	나68	B0680	29.10		2,230	2,230	2,300	2,300

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
70980	Egg count, EPG	Stool	나68	B0680	29.10		2,230	2,230	2,300	2,300
27170	ELA2 gene test	EDTA Blood	나580다(1)	C5806036	2004.46		153,540	153,540	158,350	158,350
29570	ELANE gene, mutation	EDTA Blood	나580다(1)	C5806036	2004.46		153,540	153,540	158,350	158,350
81125	EMA(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81126	EMA(IHC)삼성	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
29600	ENG gene mutation	EDTA Blood	나580다(3)	C5808056	4664.21		357,280	357,280	368,470	368,470
42140	Entero Virus Culture	Other	나416	B4160006	574.26		43,990	43,990	45,370	45,370
42370	Entero virus RNA(PCR)	CSF	나596나	C5962006	616.46		47,220	47,220	48,700	48,700
30030	Eosinophil Count	EDTA Blood	나107가	B1070	12.41		950	950	980	980
30031	Eosinophil Count	Smear Slide	나107나	B1071	13.69		1,050	1,050	1,080	1,080
80966	ER(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
01570	ER/PR	Tissue	나559	C5590	483.96		74,140	74,140	76,460	76,460
01573	ER/PR(성모)	Tissue	나559	C5590	483.96		74,140	74,140	76,460	76,460
81520	ERCC1(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
22659	ERG(IHC)서울성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
01250	Erythropoietin(EPO)	SST Serum	나357	C3570	241.49		18,500	18,500	19,080	19,080
01251	Erythropoietin(EPO)	Hp Plasma	나357	C3570	241.49		18,500	18,500	19,080	19,080
30040	ESR	EDTA Blood	나103나	B1034	13.21		1,010	1,010	1,040	1,040
00433	Estradiol (E2) (ECLIA)	SST Serum	나326	C3260	191.10		14,640	14,640	15,100	15,100
00436	Estradiol (E2) (RIA)	SST Serum	나326주	C7326	171.25		13,120	13,120	13,530	13,530
00450	Estrogen	SST Serum	나325주	C7325	89.60		6,860	6,860	7,080	7,080
01571	Estrogen Receptor(ER)(IHC)	Tissue	나559	C5590	483.96		37,070	37,070	38,230	38,230
01574	Estrogen Receptor(ER)(IHC)	Tissue	나559	C5590	483.96		37,070	37,070	38,230	38,230
65725	Everolimus	EDTA Blood	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
29100	EWS-FLI1/ERG rearrangement	Block	나583나(1)	C5831046	1595.76		122,240	122,240	126,070	126,070
30650	Factor 5 Leiden(FV:Q506)	EDTA Blood	나580나	C5802036	470.31		36,030	36,030	37,150	37,150
30480	Factor Ab VIII	SC Plasma	나178가	B1780006	209.53		16,050	16,050	16,550	16,550
30490	Factor Ab IX	SC Plasma	나178나	B1781006	214.80		16,450	16,450	16,970	16,970
30570	Factor Assay VII	SC Plasma	나169가(3)	B1693006	180.51		13,830	13,830	14,260	14,260
30580	Factor Assay VIII	SC Plasma	나169가(4)	B1694006	186.59		14,290	14,290	14,740	14,740
30590	Factor Assay IX	SC Plasma	나169가(5)	B1695006	184.73		14,150	14,150	14,590	14,590
30520	Factor Assay II	SC Plasma	나169가(1)	B1691006	173.34		13,280	13,280	13,690	13,690
30550	Factor Assay V	SC Plasma	나169가(2)	B1692006	171.22		13,120	13,120	13,530	13,530
30600	Factor Assay X	SC Plasma	나169가(6)	B1696006	168.84		12,930	12,930	13,340	13,340
30610	Factor Assay X I	SC Plasma	나169가(7)	B1697006	169.58		12,990	12,990	13,400	13,400
30620	Factor Assay X II	SC Plasma	나169가(8)	B1698006	158.83		12,170	12,170	12,550	12,550
30630	Factor Assay X III	SC Plasma	나169가(9)	B1699006	169.62		12,990	12,990	13,400	13,400
31140	Factor IX gene analysis	EDTA Blood	나580다(2)	C5807086	3185.27		243,990	243,990	251,640	251,640
81765	Factor13a(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
25607	FAH gene, mutation (삼성)	EDTA Blood	나580다(3)	C5808066	4664.21		357,280	357,280	368,470	368,470
27701	Family Mutation,Auto Domin	EDTA Blood	나580다(췌)	C5805006	2004.46		153,540	153,540	158,350	158,350

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
27702	Family Mutation,Auto Reces	EDTA Blood	나580다췌	C5805006	2004.46		153,540	153,540	158,350	158,350
27703	Family,X-link/Mitochondria	EDTA Blood	나580다췌	C5805006	2004.46		153,540	153,540	158,350	158,350
27810	Fanconi Anemia Study	복수검체	나600가외	CY692006외	-		266,640	266,640	275,000	275,000
12940	Fat 정성 검사	Stool	나67	B0670	13.93		1,070	1,070	1,100	1,100
30890	FDP 정량	SC Plasma	나161나	B1613	140.82		10,790	10,790	11,120	11,120
31110	FDP 정성	SC Plasma	나161가	B1611	51.38		3,940	3,940	4,060	4,060
01585	Ferritin (ECLIA)	SST Serum	나252	C2520	177.83		13,620	13,620	14,050	14,050
01582	Ferritin (RIA)	SST Serum	나252췌	C7252	161.95		12,410	12,410	12,790	12,790
20450	Fetal hemoglobin	EDTA Blood	나382라	C3824	66.78		5,120	5,120	5,280	5,280
27558	FGFR1 gene, mutation (삼성)	EDTA Blood	나580다(3)	C5808076	4664.21		357,280	357,280	368,470	368,470
27557	FGFR1 sequencing	EDTA Blood	나580다(3)	C5808076	4664.21		357,280	357,280	368,470	368,470
27555	FGFR2	EDTA Blood	나580다(3)	C5808086	4664.21		357,280	357,280	368,470	368,470
27554	FGFR2 gene, mutation (삼성)	EDTA Blood	나580다(3)	C5808086	4664.21		357,280	357,280	368,470	368,470
30640	Fibrinogen	SC Plasma	나160가	B1601	39.78		3,050	3,050	3,140	3,140
80515	Fibrinogen(성모)	Tissue	나5540아	C5547	281.40		21,560	21,560	22,230	22,230
70770	Filariae	Blood Smear Slide	나115	B1150006	47.83		3,660	3,660	3,780	3,780
28044	FISH_ALK t(2;5)	Tissue	나583라(3)	C5841016	2425.56		185,800	185,800	191,620	191,620
26184	FISH_Her2/neu (성모)	Other	나583라(3)	C5841026	2425.56		185,800	185,800	191,620	191,620
65582	FK-506	EDTA Blood	나450나(2)	C4504390	252.59		19,350	19,350	19,950	19,950
65580	FK-506 (LC/MS/MS)	EDTA Blood	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
65581	FK-506 (LC-MS/MS)	EDTA Blood	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
81345	FLI-1 (IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
26245	FLT3 ITD/TKD	EDTA Blood	나583다(1)	5833016+C58330	-		218,200	218,200	225,040	225,040
26246	FLT3 gene, ITD mutation	EDTA Blood	나583다(1)	C5833016	1424.32		109,100	109,100	112,520	112,520
11286	Folate (ECLIA)	SST Serum	나254	C2540	222.95		17,080	17,080	17,610	17,610
11281	Folate (RIA)	SST Serum	나254췌	C7254	198.75		15,220	15,220	15,700	15,700
25450	Fragile X	EDTA Blood	나580나	C5803126	1199.67		91,890	91,890	94,770	94,770
27273	Fragile X 정밀(혈액)검사	EDTA Blood	나580라외	C5811026외	-		168,630	168,630	173,910	173,910
00765	Free Cortisol	24hr Urine	나324나(5)	C3249	116.78		8,950	8,950	9,230	9,230
00766	Free Cortisol	Random Urine	나324나(5)	C3249	116.78		8,950	8,950	9,230	9,230
00762	Free Cortisol (RIA)	24hr Urine	나324나(5)	C7323	84.70		6,490	6,490	6,690	6,690
11090	Free Fatty Acid(NEFA)	SST Serum	나245	C2450	34.32		2,630	2,630	2,710	2,710
11091	Free Fatty Acid(NEFA)	Other	나245	C2450	34.32		2,630	2,630	2,710	2,710
25891	Free Kappa light chain	SST Serum	나237가(1)	C2371006	474.18		36,320	36,320	37,460	37,460
25896	Free Kappa light chain(RU)	Random Urine	나237나(1)	C2381006	474.18		36,320	36,320	37,460	37,460
25883	Free Kappa/Free Lambda light c	SST Serum	나237가	C2371~2006	-		72,640	72,640	74,920	74,920
25884	Free Kappa/Free Lambda light c	Random Urine	나237나	C2381~2006	-		72,640	72,640	74,920	74,920
25615	Free Lambda light chain	SST Serum	나237가(2)	C2372006	474.18		36,320	36,320	37,460	37,460
25616	Free Lambda light chain(RU)	Random Urine	나237나(2)	C2382006	474.18		36,320	36,320	37,460	37,460
01682	Free PSA (ECLIA)	SST Serum	나321	CX321	179.68		13,760	13,760	14,190	14,190
01681	free PSA (RIA)	SST Serum	나321췌	CX732	186.51		14,290	14,290	14,730	14,730

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
01686	Free PSA/PSA ratio(ECLIA)	SST Serum	나428외	C4280+CX321	-		32,230	32,230	33,230	33,230
00216	Free T3 (ECLIA)	SST Serum	나330	C3300	148.14		11,350	11,350	11,700	11,700
00211	Free T3 (RIA)	SST Serum	나330주	C7330	140.84		10,790	10,790	11,130	11,130
00226	Free T4 (ECLIA)	SST Serum	나334	C3340	173.49		13,290	13,290	13,710	13,710
00222	Free T4 (RIA)	SST Serum	나334주	C7334	164.55		12,600	12,600	13,000	13,000
00235	Free thyroxine index	SST Serum	나331+나333	C3310+C3330	-		23,920	23,920	24,670	24,670
29011	Friedreich's ataxia	EDTA Blood	나580라	C5811036	1001.80		76,740	76,740	79,140	79,140
20460	Fructosamine	SST Serum	나397	C3970	87.52		6,700	6,700	6,910	6,910
00092	FSH (ECLIA)	SST Serum	나350	C3500	159.41		12,210	12,210	12,590	12,590
00095	FSH (RIA)	SST Serum	나350주	C7350	154.61		11,840	11,840	12,210	12,210
27330	FSHD, D4Z4 analysis	EDTA Blood	나580라	C5811016	1001.80		76,740	76,740	79,140	79,140
50960	FTA-ABS IgG	SST Serum	나462	C4620006	158.40		12,130	12,130	12,510	12,510
50961	FTA-ABS IgG	CSF	나462	C4620006	158.40		12,130	12,130	12,510	12,510
50975	FTA-ABS IgM	SST Serum	나462	C4620006	158.40		12,130	12,130	12,510	12,510
50976	FTA-ABS IgM	CSF	나462	C4620006	158.40		12,130	12,130	12,510	12,510
70780	Fungus Culture	Other	나405가	B4051	168.28		12,890	12,890	13,290	13,290
70785	Fungus Culture & Sensi(G)	Other	나405+나406	B4051+B4061	-		21,750	21,750	22,430	22,430
12991	G-1-P Uridyltransferase	EDTA Blood	나446나	C4476006	1291.93		98,960	98,960	102,060	102,060
29420	G6PC gene mutation(삼성)	EDTA Blood	나580다(2)	C5807096	3185.27		243,990	243,990	251,640	251,640
10531	G-6-PDH	EDTA Blood	나274	B2741	88.42		6,770	6,770	6,990	6,990
12992	Galactokinase	EDTA Blood	나446나	C4475006	1291.93		98,960	98,960	102,060	102,060
12990	Galactose-1-Phosphate	EDTA Blood	나446가	C4469006	660.03		50,560	50,560	52,140	52,140
12998	Galactosemia 확진검사(3종)	EDTA Blood	나446	C4476006외	-		248,480	248,480	256,260	256,260
12999	Galactosemia 확진검사(4종)	EDTA Blood	나446	C4475006외	-		347,440	347,440	358,320	358,320
11700	Galactose정밀검사	Blood Paper	나446+너341	C4469006외	-		62,280	62,280	64,220	64,220
81991	Galectin-3(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81990	Galectin-3(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
42715	Gardnerella vaginalis PCR	분비물	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
00999	Gastrin	SST Serum	나345	C3450	136.13		10,430	10,430	10,750	10,750
00980	Gastrin (RIA)	SST Serum	나345주	C7345	50.86		3,900	3,900	4,020	4,020
00981	Gastrin (RIA)	EDTA Plasma	나345주	C7345	50.86		3,900	3,900	4,020	4,020
81994	GATA-3(IHC)(삼성)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
71210	GBS Culture	Other	나405가	B4051	168.28		12,890	12,890	13,290	13,290
81780	GCDFP(BRST-2)(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80833	GCDFP15(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
29151	GCH1 gene mutation	EDTA Blood	나580다(2)	C5807126	3185.27		243,990	243,990	251,640	251,640
29150	GCH1 gene mutation	EDTA Blood	나580다(2)	C5807126	3185.27		243,990	243,990	251,640	251,640
29405	Gene rearrangement profile	Bone Marrow	나583나(1)	C5831016외	-		611,200	611,200	630,350	630,350
65260	Gentamicin	Plain Serum	나450나(2)	C4504120	252.59		19,350	19,350	19,950	19,950
10905	GFR (신사구체여과율)	SST Serum	나375	C3750	16.75		1,280	1,280	1,320	1,320
10904	GFR-Cystatin C	SST Serum	너131	CX131	112.18		8,590	8,590	8,860	8,860

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
00062	GH (CLIA)	SST Serum	나342	C3420	178.72		13,690	13,690	14,120	14,120
00061	GH (RIA)	SST Serum	나342주	C7342	175.53		13,450	13,450	13,870	13,870
82140	Giemsa(H.Pylori) Stain	Tissue	나553다	C5533	123.77		9,480	9,480	9,780	9,780
27595	GJB1 gene, mutation (CMTX)	EDTA Blood	나580다(1)	C5806046	2004.46		153,540	153,540	158,350	158,350
10010	Globulin	SST Serum	나220 외	C2200 외	-		3,080	3,080	3,170	3,170
10011	Globulin(Fluid)	Body Fluid	나220+나230	C2200+C2302	-		16,950	16,950	17,480	17,480
01000	Glucagon (RIA)	EDTA Plasma	나344주	C7344	57.07		4,370	4,370	4,510	4,510
10540	Glucose	NaF Plasma	나371나	C3711	17.32		1,330	1,330	1,370	1,370
10541	Glucose	SST Serum	나371나	C3711	17.32		1,330	1,330	1,370	1,370
10543	Glucose	Body Fluid	나371나	C3711	17.32		1,330	1,330	1,370	1,370
10542	Glucose(24hr Urine)	24hr Urine	나371나	C3711	17.32		1,330	1,330	1,370	1,370
81970	GLUT-1(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81962	Glutamine Synthetase(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81961	Glypican-3(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80618	Gomori's trichrome stain	Tissue	나553다	C5533	123.77		9,480	9,480	9,780	9,780
70100	Gram Stain	Smear Slide	나400가	B4101	20.76		1,590	1,590	1,640	1,640
71160	Gram stain (cytospin)	Other	나400주	B4112	25.00		1,920	1,920	1,980	1,980
81790	Granzyme B(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81791	Granzyme B(IHC) 성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81170	H&N stain 판독	Tissue	나550가(1)	C5911009	56.47		4,330	4,330	4,460	4,460
71070	H. pylori Ag	Stool	나415다	B4157	280.84		21,510	21,510	22,190	22,190
50771	H. pylori IgG (CLIA)	SST Serum	나465	C4650	202.97		15,550	15,550	16,030	16,030
50780	H.pylori IgM	SST Serum	나465	C4650	202.97		15,550	15,550	16,030	16,030
42384	H.Pylori PCR + 클라리스로마이신 내성	Tissue			-		63,660	63,660	65,640	65,640
42383	H.Pylori 클라리스로마이신 내성	Tissue	나595아	C6052006	415.49		31,830	31,830	32,820	32,820
42735	Haemophilus ducreyi PCR	분비물	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
65071	Haloperidol (Haldol)	Plain Serum	나450나(4)	CX375066	577.54		44,240	44,240	45,630	45,630
12060	Ham's test	복수검체	나120	B1200006	60.64		4,650	4,650	4,790	4,790
41590	Hantaan Virus Ab	SST Serum	나468가	C4681470	120.29		9,210	9,210	9,500	9,500
41600	Hantaan Virus Ab Titer	SST Serum	나468가	C4681470	120.29		9,210	9,210	9,500	9,500
41666	Hantaan virus Ab 경량(IFA)	SST Serum	나468나(1)	C4682476	273.64		20,960	20,960	21,620	21,620
27851	Hantaan Virus PCR	SST Serum	나597나	C5977006	1620.39		124,120	124,120	128,010	128,010
20180	Haptoglobin	SST Serum	나234	C2340	120.77		9,250	9,250	9,540	9,540
20181	Haptoglobin	EDTA Plasma	나234	C2340	120.77		9,250	9,250	9,540	9,540
50016	HAV IgG	SST Serum	나486가	C4861	164.56		12,610	12,610	13,000	13,000
50025	HAV IgM	SST Serum	나486나	C4862	238.23		18,250	18,250	18,820	18,820
26976	HAX1 gene, mutation	EDTA Blood	나580다(2)	C5807156	3185.27		243,990	243,990	251,640	251,640
25773	HBA1/HBA2 gene, mutation	EDTA Blood	나580다(1)	C5806056외	-		307,080	307,080	316,700	316,700
50045	HBc Ab	SST Serum	나484가	C4841	211.54		16,200	16,200	16,710	16,710
50041	HBc Ab IgG(RIA)-핵의학	SST Serum	나484가주	C7581	203.33		15,580	15,580	16,060	16,060
50055	HBc Ab IgM	SST Serum	나484나	C4842	197.17		15,100	15,100	15,580	15,580

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
50051	HBc Ab IgM(RIA)-핵의학	SST Serum	나484나주	C7582	195.99		15,010	15,010	15,480	15,480
81941	HBc ag(IHC)서울대	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
50076	HBe Ab	SST Serum	나483나	C4832	208.04		15,940	15,940	16,440	16,440
50077	HBe Ab(RIA)-중부	SST Serum	나483나주	C7483	204.36		15,650	15,650	16,140	16,140
50075	HBe Ag	SST Serum	나482나	C4822	207.02		15,860	15,860	16,350	16,350
50074	HBe Ag(RIA)-중부	SST Serum	나482나주	C7482	206.03		15,780	15,780	16,280	16,280
81490	HBME-1(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
01271	HBNP	EDTA Plasma	나368	C2204	605.25		46,360	46,360	47,810	47,810
50116	HBs Ab	SST Serum	나481나	C4812	148.74		11,390	11,390	11,750	11,750
50113	HBs Ab(RIA)	SST Serum	나481나주	C7481	146.96		11,260	11,260	11,610	11,610
50115	HBs Ag	SST Serum	나480가(2)	C4802	138.37		10,600	10,600	10,930	10,930
50119	HBs Ag 정량(ECLIA)	SST Serum	나480나(2)	C4804	327.82		25,110	25,110	25,900	25,900
81946	HBs ag(IHC)서울대	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
50112	HBs Ag(RIA)	SST Serum	나480가(2)	C7480	136.62		10,470	10,470	10,790	10,790
50140	HBV DNA (PCR)	SST Serum	나595라	C5954006	387.28		29,670	29,670	30,600	30,600
52178	HBV DNA 정량(real-timePCR)	SST Serum	나485마	C4854006	894.88		68,550	68,550	70,700	70,700
50209	HBV Drug mutation	SST Serum	나599-1가	C5993006	1666.46		127,650	127,650	131,650	131,650
01970	hCG (정성)	Random Urine	나26	B0260	26.28		2,010	2,010	2,080	2,080
81360	hCG(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81985	HCK(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
50230	HCV (RT-PCR+Hybrid.)	SST Serum	나596-1가	C6081006	891.24		68,270	68,270	70,410	70,410
50231	HCV (RT-PCR+Hybrid.)	Other	나596-1가	C6081006	891.24		68,270	68,270	70,410	70,410
50215	HCV Ab	SST Serum	나487나	C4872	207.31		15,880	15,880	16,380	16,380
50220	HCV Ab(RIBA III)	SST Serum	나487다	C4873006	559.00		42,820	42,820	44,160	44,160
52360	HCV Genotype (Sequencing)	SST Serum	나596-3	C6093006	1666.46		127,650	127,650	131,650	131,650
50241	HCV RNA 정량	SST Serum	나424다	C4424006	1127.20		86,340	86,340	89,050	89,050
25606	HD gene, mutation (Huntington)	EDTA Blood	나580나	C5803096	1199.67		91,890	91,890	94,770	94,770
11100	HDL-Cholesterol	SST Serum	나242	C2420	80.37		6,160	6,160	6,350	6,350
50265	HDV Ab (IgG)	SST Serum	나421	CX421	166.37		12,740	12,740	13,140	13,140
01473	HE4	SST Serum	나437	C4370	225.66		17,290	17,290	17,830	17,830
70810	Heinz body	EDTA Blood	나116	B1160006	35.66		2,730	2,730	2,820	2,820
30004	Hematocrit(Hct)	EDTA Blood	나102	B1020	10.94		840	840	860	860
26441	Hemochromatosis(C282Y)	EDTA Blood	나580나	C5802096	470.31		36,030	36,030	37,150	37,150
10731	Hemoglobin A1c	EDTA Blood	나382마	C3825	103.57		7,930	7,930	8,180	8,180
20490	Hemoglobin E.P	EDTA Blood	나307	B3070006	103.13		7,900	7,900	8,150	8,150
30003	Hemoglobin(Hb)	EDTA Blood	나101	B1010	16.96		1,300	1,300	1,340	1,340
70040	Hemosiderin	Random Urine	나7	B0070	27.46		2,100	2,100	2,170	2,170
81420	Hepatocyte(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
50280	HEV Ab IgG	SST Serum	나422가	CY431	126.40		9,680	9,680	9,990	9,990
50290	HEV Ab IgM	SST Serum	나422나	CY432	126.40		9,680	9,680	9,990	9,990
50301	HEV RT- PCR	SST Serum	나596다	C5969006	678.10		51,940	51,940	53,570	53,570

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
42520	HHV type 6 DNA(PCR)	SST Serum	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
42521	HHV type 6 DNA(PCR)	CSF	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
42525	HHV-8 PCR	Block	나595바	CY561006	391.93		30,020	30,020	30,960	30,960
42527	HHV-8 PCR(성모)	Tissue	나595바	CY561006	391.93		30,020	30,020	30,960	30,960
81460	HHV-8(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
12080	Hippuric acid	Random Urine	나451나(3)	CY373030	251.42		19,260	19,260	19,860	19,860
12085	Hippuric acid	Random Urine	나451나(3)	CY373030	251.42		19,260	19,260	19,860	19,860
51670	Histone Ab	SST Serum	나4430하	CY450006	532.44		40,780	40,780	42,060	42,060
41335	HIV Ab	SST Serum	나471나주	C4713	142.99		10,950	10,950	11,300	11,300
41337	HIV Ab (Stem cell)	Stem cell	나471나주	C4713	142.99		10,950	10,950	11,300	11,300
29543	HIV drug resistance mutation	EDTA Plasma	나599-1나	C5994006	2091.42		160,200	160,200	165,220	165,220
42404	HIV RNA 정량	EDTA Plasma	나396가	CY396006	2317.76		177,540	177,540	183,100	183,100
25470	HLA A Typing (High)	EDTA Blood	나518다	CY916006	3893.18		298,220	298,220	307,560	307,560
26360	HLA A Typing (Low)	EDTA Blood	나518나	CY915006	2084.13		159,640	159,640	164,650	164,650
26361	HLA A Typing (Low)	Bone Marrow	나518나	CY915006	2084.13		159,640	159,640	164,650	164,650
25497	HLA A,B 조혈모이식1차	EDTA Blood	나518다	CY916006	3893.18		596,440	596,440	615,120	615,120
25499	HLA A,B,C,DR 조혈모 수여	EDTA Blood	나518다외	CY914006 외	-		1,167,830	1,167,830	1,204,410	1,204,410
25480	HLA B Typing (High)	EDTA Blood	나518다	CY916006	3893.18		298,220	298,220	307,560	307,560
26370	HLA B Typing (Low)	EDTA Blood	나518나	CY915006	2084.13		159,640	159,640	164,650	164,650
26371	HLA B Typing (Low)	Bone Marrow	나518나	CY915006	2084.13		159,640	159,640	164,650	164,650
25500	HLA B27-PCR	EDTA Blood	나524나	CY917006	807.73		61,870	61,870	63,810	63,810
25490	HLA C Typing (High)	EDTA Blood	나518다	CY916006	3893.18		298,220	298,220	307,560	307,560
26380	HLA C Typing (Low)	EDTA Blood	나518나	CY915006	2084.13		159,640	159,640	164,650	164,650
26381	HLA C Typing (Low)	Bone Marrow	나518나	CY915006	2084.13		159,640	159,640	164,650	164,650
25498	HLA C,DR 조혈모이식2차	EDTA Blood	나518다외	CY914006 외	-		571,390	571,390	589,290	589,290
26390	HLA DQ Typing (Low)	EDTA Blood	나523나(2)	CY911006	2105.72		161,300	161,300	166,350	166,350
26391	HLA DQ Typing (Low)	Bone Marrow	나523나(2)	CY911006	2105.72		161,300	161,300	166,350	166,350
25535	HLA DQB1 Typing (High)	EDTA Blood	나523다(2)	CY912006	3493.47		267,600	267,600	275,980	275,980
25560	HLA DR Typing (High)	EDTA Blood	나523다(1)	CY914006	3566.18		273,170	273,170	281,730	281,730
25550	HLA DR Typing (Low)	EDTA Blood	나523나(1)	CY913006	2105.74		161,300	161,300	166,350	166,350
26392	HLA DR Typing (Low)	EDTA Blood	나523나(1)	CY913006	2105.74		161,300	161,300	166,350	166,350
26393	HLA DR Typing (Low)	Bone Marrow	나523나(1)	CY913006	2105.74		161,300	161,300	166,350	166,350
26263	HLA항체 동정검사-Class I	SST Serum	나522-1가	CZ485006	2705.36		207,230	207,230	213,720	213,720
26264	HLA항체 동정검사-Class II	SST Serum	나522-1나	CZ486006	2489.20		190,670	190,670	196,650	196,650
81390	HMB45(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81393	HMB45(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81392	HMB45(IHC)삼성	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
26421	hMLH1 mutation identification	EDTA Blood	나580다(3)	C5808196	4664.21		357,280	357,280	368,470	368,470
81610	hMLH1(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
26431	hMSH2 mutation identification	EDTA Blood	나580다(3)	C5808206	4664.21		357,280	357,280	368,470	368,470
81615	hMSH2(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
82436	HMWCK(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
01055	HOMA of insulin resistance	복수검체	나341외	C3410외	-		15,100	15,100	15,570	15,570
81380	HPL(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
26940	HPRT1 gene mutation	EDTA Blood	나580다(2)	C5807166	3185.27		243,990	243,990	251,640	251,640
42430	HPV 16	분비물	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
42440	HPV 18	분비물	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
42451	HPV genotyping(Microarray)	분비물	나595-2가주	C6031006	698.13		53,480	53,480	55,150	55,150
42441	HPV genotyping(realtime-PCR)(?)	분비물	나595-2라	C6033006	668.38		51,200	51,200	52,800	52,800
42420	HPV Screening	분비물	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
42495	HPV(Condyloma)	분비물	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
29592	HSP(유전성 하지마비)	EDTA Blood	나580다(3)	C5808336외	-		714,560	714,560	736,940	736,940
81963	HSP70(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
42155	HSV culture	Other	나416	B4160006	574.26		43,990	43,990	45,370	45,370
42156	HSV culture(조직)	Tissue	나416	B4160006	574.26		43,990	43,990	45,370	45,370
42841	HSV DNA PCR, type 1&2	Tissue	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
41380	HSV IgG	SST Serum	나468나(1)	C4682466	273.64		20,960	20,960	21,620	21,620
41381	HSV IgG	CSF	나468나(1)	C4682466	273.64		20,960	20,960	21,620	21,620
41390	HSV IgM	SST Serum	나468나(2)	C4683466	261.00		19,990	19,990	20,620	20,620
41391	HSV IgM	CSF	나468나(2)	C4683466	261.00		19,990	19,990	20,620	20,620
43080	HSV type 1 IgG	SST Serum	나468나(1)	C4682466	273.64		20,960	20,960	21,620	21,620
43081	HSV type 1 IgG	CSF	나468나(1)	C4682466	273.64		20,960	20,960	21,620	21,620
43543	HSV Type 1 IgM	SST Serum	나468나(2)	C4683466	261.00		19,990	19,990	20,620	20,620
41440	HSV Type 2 IgG	SST Serum	나468나(1)	C4682466	273.64		20,960	20,960	21,620	21,620
41441	HSV Type 2 IgG	CSF	나468나(1)	C4682466	273.64		20,960	20,960	21,620	21,620
43544	HSV Type 2 IgM	SST Serum	나468나(2)	C4683466	261.00		19,990	19,990	20,620	20,620
42500	HSV Type I(PCR)	EDTA Blood	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
42510	HSV Type II(PCR)	분비물	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
81512	HSV(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
41475	HTLV-I/II Ab	SST Serum	나468나(1)	C4682596	273.64		20,960	20,960	21,620	21,620
41477	HTLV-I/II Ab	EDTA Plasma	나468나(1)	C4682596	273.64		20,960	20,960	21,620	21,620
25605	Huntington's disease	EDTA Blood	나580나	C5803096	1199.67		91,890	91,890	94,770	94,770
00868	HVA 정량	CSF	너225나	CY251006	351.79		26,950	26,950	27,790	27,790
11713	HVA 정량 (24hr U)	24hr Urine	너225나	CY251006	351.79		26,950	26,950	27,790	27,790
00861	HVA 정량 (Plasma)	EDTA Plasma	너225나	CY251006	351.79		26,950	26,950	27,790	27,790
00865	HVA 정량(HPLC)	24hr Urine	너225나	CY251006	351.79		26,950	26,950	27,790	27,790
00866	HVA 정량(HPLC)	Random Urine	너225나	CY251006	351.79		26,950	26,950	27,790	27,790
12105	Hyaluronic Acid	SST Serum	너345가(3)	CY343	201.90		15,470	15,470	15,950	15,950
81910	IDH-1(IHC) 성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80503	IF study for C1q	Tissue	나554자	C5548	281.40		21,560	21,560	22,230	22,230
80504	IF study for C3	Tissue	나554마	C5545	281.40		21,560	21,560	22,230	22,230
80506	IF study for IgA	Tissue	나554나	C5542	281.40		21,560	21,560	22,230	22,230

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
80507	IF study for IgG	Tissue	나554가	C5541	281.40		21,560	21,560	22,230	22,230
80505	IF study for IgM	Tissue	나554다	C5543	281.40		21,560	21,560	22,230	22,230
80502	IF study for kappa light chain	Tissue	나554자	C5548	281.40		21,560	21,560	22,230	22,230
80501	IF study for lambda light chain	Tissue	나554차	C5548	281.40		21,560	21,560	22,230	22,230
20628	IFEP + PEP (24h urine)	24hr Urine			-		58,050	58,050	59,870	59,870
20629	IFEP + PEP (Random Urine)	Random Urine			-		58,050	58,050	59,870	59,870
20627	IFEP + PEP (Serum)	SST Serum			-		52,010	52,010	53,630	53,630
20200	IgA	SST Serum	나228나	C2282	139.93		10,720	10,720	11,050	11,050
20201	IgA	EDTA Plasma	나228나	C2282	139.93		10,720	10,720	11,050	11,050
20205	IgA (서울대)	SST Serum	나228나	C2282	139.93		10,720	10,720	11,050	11,050
81110	IgA(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81111	IgA(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
20211	IgD	SST Serum	나228라	C2284	136.12		10,430	10,430	10,750	10,750
60003	IgE (ECLIA)	SST Serum	나229	C2290	237.90		18,220	18,220	18,790	18,790
62587	IgE MAST-식이성 62종	SST Serum	나232	C2320006	1343.99		102,950	102,950	106,180	106,180
62597	IgE MAST-흡입성 62종	SST Serum	나232	C2320006	1343.99		102,950	102,950	106,180	106,180
62640	IgE_Clam:F207	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
63313	IgE-6종(계란, 밀, 땅콩 심화)	SST Serum	나231	C2310	223.79		102,840	102,840	106,080	106,080
63331	IgE-6종(봄-여름 호흡기)	SST Serum	나231	C2310	223.79		102,840	102,840	106,080	106,080
63320	IgE-6종(식품/환경알레르기)	SST Serum	나231	C2310	223.79		102,840	102,840	106,080	106,080
63310	IgE-6종(식품알레르기1)	SST Serum	나231	C2310	223.79		102,840	102,840	106,080	106,080
63311	IgE-6종(식품알레르기2)	SST Serum	나231	C2310	223.79		102,840	102,840	106,080	106,080
63332	IgE-6종(여름-가을 호흡기)	SST Serum	나231	C2310	223.79		102,840	102,840	106,080	106,080
63312	IgE-6종(우유, 계란 심화)	SST Serum	나231	C2310	223.79		102,840	102,840	106,080	106,080
63330	IgE-6종(통년성 호흡기)	SST Serum	나231	C2310	223.79		102,840	102,840	106,080	106,080
63300	IgE-6종(환경알레르기1)	SST Serum	나231	C2310	223.79		102,840	102,840	106,080	106,080
63301	IgE-6종(환경알레르기2)	SST Serum	나231	C2310	223.79		102,840	102,840	106,080	106,080
60380	IgE-A.Tenuis:M6	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62740	IgE-Abalone:F346	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60360	IgE-Acarus Siro:D70	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61180	IgE-Alder:T2	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60370	IgE-Almond:F20	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62861	IgE-Amoxycilloyl:C6	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62850	IgE-Ampicilloyl:C5	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
63210	IgE-Anchovy:F313	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60391	IgE-Anisakis:P4	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60400	IgE-Apple:F49	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60420	IgE-Asp.Fumigatus:M3	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62460	IgE-Baker's Yeast:F45	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60480	IgE-Banana:F92	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60490	IgE-Barley:F6	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
60500	IgE-Beech:T5	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60510	IgE-Beef:F27	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60530	IgE-Bermuda Grass:G2	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60105	IgE-Birch:T3	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60562	IgE-Blue Mussel:F37	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62630	IgE-Broccoli:F260	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60590	IgE-Buckwheat:F11	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60641	IgE-C. pityrosporum:M70	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
63140	IgE-Cabbage:F216	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60620	IgE-Cacao:F93	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60630	IgE-Candida Albicans:M5	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60650	IgE-Carrot:F31	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60670	IgE-Casein:F78	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60575	IgE-Cashew nut:F202	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60685	IgE-Cat Dander:E1	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62870	IgE-Cefaclor:C7	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60690	IgE-Celery:F85	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60700	IgE-Cheddar Cheese:F81	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60705	IgE-Chestnut:F299	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60710	IgE-Chicken meat:F83	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60750	IgE-Cl.Herbarum:M2	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60775	IgE-Cockroach:I6	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60800	IgE-Codfish:F3	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60820	IgE-Common Ragweed:W1	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61882	IgE-Conalbumin:F323	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61500	IgE-Corn:F8	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60840	IgE-Cottonwood:T14	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60860	IgE-Crab:F23	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62799	IgE-Cucumber:F244	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60905	IgE-D.Farinae:D2	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62931	IgE-D.microceras:D3	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60915	IgE-D.Pteronyssinus:D1	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60920	IgE-Dandelion:W8	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60935	IgE-Dog dander:E5	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60950	IgE-Duck Feathers:E86	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60995	IgE-Egg White:F1	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61005	IgE-Egg Yolk:F75	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62801	IgE-Egg:F245	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60160	IgE-Elm:T8	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62730	IgE-Fire Ant:I70	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
63050	IgE-Food Mix:Fx5	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
62970	IgE-Formaldehyde:K80	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62700	IgE-Fusarium proliferatum:M9	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61101	IgE-Garlic:F47	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62890	IgE-Gelatin bovine:C74	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61090	IgE-Giant Ragweed:W3	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61110	IgE-Gluten:F79	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
63120	IgE-Goat milk:F300	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61170	IgE-Grape fruit:F209	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62680	IgE-Grape:F259	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60531	IgE-Grass mix:Gx1	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61220	IgE-Hamster epithelium:E84	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61240	IgE-Hazel Nut:F17	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61230	IgE-Hazel:T4	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61957	IgE-Herring:F205	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61250	IgE-Honey Bee Venom:I1	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61260	IgE-Horse Dander:E3	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61270	IgE-House dust1:H1	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61281	IgE-House dust2:H2	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61330	IgE-Isocyanate HDI:K77	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61340	IgE-Isocyanate MDI:K76	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61350	IgE-Isocyanate TDI:K75	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61360	IgE-Japanese cedar:T17	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61370	IgE-Japanese hop:W22	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61415	IgE-Kiwi:F84	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61120	IgE-L.Destructor:D71	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61430	IgE-Lamb's Quarters:W10	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61440	IgE-Latex:K82	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61445	IgE-Lemon:F208	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61461	IgE-Lobster:F80	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61490	IgE-Mackerel:F50	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61520	IgE-Mango:F91	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61540	IgE-Marguerite:W7	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61550	IgE-Meadow Fescue:G4	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61580	IgE-Melon:F87	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62790	IgE-Milk,boiled:F231	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61605	IgE-Milk:F2	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62750	IgE-Mix grass pollen:Gx2	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62820	IgE-Mix house dust:Hx2	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
63190	IgE-Mix Tree Pollen:Tx1	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62770	IgE-Mix tree pollen:Tx5	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
63180	IgE-Mixed epithelia:Ex1	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
61625	IgE-Mold Cheese:F82	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62760	IgE-Mold mix:Mx1	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61640	IgE-Mosquito(숙):l71	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61660	IgE-Mountain Juniper:T6	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62650	IgE-Mucor racemosus:M4	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61680	IgE-Mugwort:W6	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
63171	IgE-Mushroom:RF212	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61420	IgE-Mutton:F88	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61720	IgE-Oak:T7	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61750	IgE-Octopus:F59	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
63150	IgE-Omega-5 Gliadine:F416	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61770	IgE-Onion:F48	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61780	IgE-Orange:F33	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61790	IgE-Orchard Grass:G3	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61015	IgE-Ovalbumin:F232	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61795	IgE-Ovomucoid:F233	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62711	IgE-Oyster:F290	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61810	IgE-P.Wasp Venom:l4	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60891	IgE-Pacific Squid:F58	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61195	IgE-Pea:F12	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61850	IgE-Peach:F95	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61860	IgE-Peanut:F13	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61870	IgE-Pear:F94	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61890	IgE-Penicillium notatum:M1	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61900	IgE-Penicilloyl G:C1	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61910	IgE-Penicilloyl V:C2	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62671	IgE-Pine nuts:F253	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62620	IgE-Pineapple:F210	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61955	IgE-Pistachio:F203	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61960	IgE-Plaice:F254	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61965	IgE-Plum:F255	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61970	IgE-Pork:F26	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61981	IgE-Potato:F35	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60001	IgE-PRIST (RIA)	SST Serum	나229주	C7229	222.66		17,060	17,060	17,590	17,590
61991	IgE-Pumpkin:F225	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62000	IgE-Rabbit epithelium:E82	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60405	IgE-rAra h2:F423	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
63010	IgE-Rhizo.nigricans:M11	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62050	IgE-Rice:F9	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
61921	IgE-Rye Grass:G5	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62080	IgE-Rye:F5	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
62100	IgE-Sadine:F61	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62110	IgE-Salmon:F41	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62135	IgE-Sesame Seed:F10	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62150	IgE-Shrimp:F24	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62185	IgE-Soybean:F14	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62190	IgE-Spinach:F214	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
63041	IgE-Squid:RF258	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62210	IgE-Strawberry:F44	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62230	IgE-Sweat Vernal:G1	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62240	IgE-Sweet potato:F54	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62270	IgE-T.Putre Scentiae:D72	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62280	IgE-Timothy Grass:G6	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62300	IgE-Tomato:F25	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62840	IgE-Tree mixture:Tx9	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62720	IgE-Trichophyton:M205	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62320	IgE-Tuna:F40	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62350	IgE-Walnut pollen:T10	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62810	IgE-Walnut:F256	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62355	IgE-Watermelon:F329	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60091	IgE-Weed mix:Wx1	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
63030	IgE-Weed Mix:Wx5	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62360	IgE-Western Ragweed:W2	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62370	IgE-Wheat:F4	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62390	IgE-White Ash:T15	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62411	IgE-White bean:F15	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62401	IgE-White faced hornet venom:I	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
60960	IgE-White Pine:T16	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62430	IgE-Willow:T12	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62830	IgE-Yellow hornet:I5	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62481	IgE-Yellow J.WaspVenom:I3	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62495	IgE-αLactalbumin:F76	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
62505	IgE-βLactoglobulin:F77	SST Serum	나231	C2310	223.79		17,140	17,140	17,680	17,680
01295	IGFBP-3 (CLIA)	SST Serum	나231	CX231	245.38		18,800	18,800	19,390	19,390
01291	IGFBP-3 (RIA)	SST Serum	나231주	CX731	223.81		17,140	17,140	17,680	17,680
20220	IgG	SST Serum	나228가	C2281	139.40		10,680	10,680	11,010	11,010
20221	IgG	CSF	나228가	C2281	139.40		10,680	10,680	11,010	11,010
20226	IgG (서울대)	SST Serum	나228가	C2281	139.40		10,680	10,680	11,010	11,010
80945	IgG(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80944	IgG(IHC)서울대	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80942	IgG(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80943	IgG(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
20225	IgG, Low Conc	CSF	나228가	C2281	139.40		10,680	10,680	11,010	11,010
80946	IgG4(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80948	IgG4(IHC)서울대	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80947	IgG4(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80511	IgG-Fibrinogen(성모)	Tissue	나554	C5541외	-		129,360	129,360	133,380	133,380
25801	IgH gene rearrangement (아산)	Tissue	나583나	C5832066	3070.75		235,220	235,220	242,590	242,590
25802	IgH gene rearrangement(삼성)	Block	나583나(2)	C5832066	3070.75		235,220	235,220	242,590	242,590
20270	IgM	SST Serum	나228다	C2283	139.97		10,720	10,720	11,060	11,060
20271	IgM	Hp Plasma	나228다	C2283	139.97		10,720	10,720	11,060	11,060
20275	IgM (서울대)	SST Serum	나228다	C2283	139.97		10,720	10,720	11,060	11,060
80940	IgM(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80941	IgM(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80653	IHC	Other	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80663	IHC	Other	나557	C5575	471.62		36,130	36,130	37,260	37,260
65624	Imipramine + Desipramine	Plain Serum	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
20621	Immuno E.P (24h urine)	24hr Urine	나308나	B3083006	456.92		35,000	35,000	36,100	36,100
20625	Immuno E.P (IgG,M,A,D,E)	SST Serum	나308가	B3081006	399.11		30,570	30,570	31,530	31,530
20623	Immuno E.P (Random urine)	Random Urine	나308나	B3083006	456.92		35,000	35,000	36,100	36,100
20620	Immuno E.P (Serum)	SST Serum	나308가	B3081006	399.11		30,570	30,570	31,530	31,530
20626	Immuno E.P(IgG,M,A,D,E)(U)	Random Urine	나308나	B3083006	456.92		35,000	35,000	36,100	36,100
20611	Immuno Fixation EP	Random Urine	나308나주	B3084006	615.60		47,150	47,150	48,630	48,630
20610	Immuno Fixation EP (Serum)	SST Serum	나308가주	B3082006	544.86		41,740	41,740	43,040	43,040
20612	Immuno Fixation EP(24h urine)	24hr Urine	나308나주	B3084006	615.60		47,150	47,150	48,630	48,630
20731	Immunoglobulin E.P (24U)	24hr Urine	나308나	B3083006	456.92		35,000	35,000	36,100	36,100
20730	Immunoglobulin E.P (Serum)	SST Serum	나308가	B3081006	399.11		30,570	30,570	31,530	31,530
20733	Immunoglobulin E.P (U)	Random Urine	나308나	B3083006	456.92		35,000	35,000	36,100	36,100
20228	Immunoglobulin G Index	복수검체			-		38,670	38,670	39,870	39,870
80650	Immunohistochemistry	Smear Slide	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80651	Immunohistochemistry	Block	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80652	Immunohistochemistry	Other	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80656	Immunohistochemistry	Smear Slide	나557	C5575006	518.78		39,740	39,740	40,980	40,980
70820	India ink prep.	CSF	나401	B4010	25.28		1,940	1,940	2,000	2,000
70821	India ink prep.	Other	나401	B4010	25.28		1,940	1,940	2,000	2,000
10060	Indirect Bilirubin	SST Serum	나372	C3720+C3721	-		2,670	2,670	2,760	2,760
10061	Indirect Bilirubin	Capillary	나372 외	C3720 외	-		2,670	2,670	2,760	2,760
30330	Indirect Coombs	SST Serum	나204나주	B2048006	75.71		5,800	5,800	5,980	5,980
12141	Indocyanine Green(R15)	SST Serum	나399가	C3991006	245.82		18,830	18,830	19,420	19,420
12150	Indocyanine Green소실율	SST Serum	나399나	C3992006	403.65		30,920	30,920	31,890	31,890
12140	Indocyanine Green경체율	SST Serum	나399가	C3991006	245.82		18,830	18,830	19,420	19,420
42165	Influenza A Culture	Other	나416	B4160006	574.26		43,990	43,990	45,370	45,370
42175	Influenza B Culture	Other	나416	B4160006	574.26		43,990	43,990	45,370	45,370

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
81887	Inhibin(IHC) 서울성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81571	INI-1 (IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
01025	Insulin	SST Serum	나341	C3410	179.71		13,770	13,770	14,200	14,200
01026	Insulin	EDTA Plasma	나341	C3410	179.71		13,770	13,770	14,200	14,200
01022	Insulin (RIA)	SST Serum	나341주	C7341	167.94		12,860	12,860	13,270	13,270
81870	Insulin Ab(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
01040	Insulin Ab(RIA)	SST Serum	나444주	CX745	123.67		9,470	9,470	9,770	9,770
02061	Integrated 2nd (Quad)	SST Serum	나421 외	C4212외	-		73,740	73,740	76,040	76,040
51271	Intrinsic factor Ab	SST Serum	나452	CX452	120.96		9,270	9,270	9,560	9,560
13152	Iodine	Random Urine	나234주외	CX235 외	-		5,650	5,650	5,820	5,820
30113	IRF SET	EDTA Blood			-		2,870	2,870	2,970	2,970
12730	Iron (Fe)	SST Serum	나249	C2490	32.95		2,520	2,520	2,600	2,600
12732	Iron (Fe)(Tissue)	Tissue	나452나(2)	C4527990	619.40		47,450	47,450	48,930	48,930
30140	Iron Stain	Bone Marrow Slide	나118다	B1185006	87.45		6,700	6,700	6,910	6,910
30145	Iron Stain	Bone Marrow Slide	나118다	B1185006	87.45		6,700	6,700	6,910	6,910
30153	Iron stain	Bone Marrow Slide	나118다	B1185006	87.45		6,700	6,700	6,910	6,910
51880	Islet cell Ab	SST Serum	나446	CX446006	121.34		9,290	9,290	9,590	9,590
30371	Isoagglutinin test	SST Serum	나208	B2080006	99.47		7,620	7,620	7,860	7,860
27777	JAK2 gene exon 12 mutations	EDTA Blood	나583다(1)	C5833036	1424.32		109,100	109,100	112,520	112,520
27772	JAK2 gene exon12 mutation	EDTA Blood	나583다(1)	C5833036	1424.32		109,100	109,100	112,520	112,520
27771	JAK2 Gene V617F Mutation	EDTA Blood	나583가	C5830036	1352.85		103,630	103,630	106,880	106,880
27776	JAK2 gene V617F mutation (polycythemia vera)	EDTA Blood	나583다(1)	C5833046	1424.32		109,100	109,100	112,520	112,520
27775	JAK2 V617F mutation	EDTA Blood	나583다(1)	C5833046	1424.32		109,100	109,100	112,520	112,520
71030	Joint fluid analysis	Joint Fluid	나51	B0510	51.91		3,980	3,980	4,100	4,100
81964	Kappa light chain(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81625	Kappa light chain(IHC)(여의도?)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81982	Kappa light chain(IHC)서울대	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81987	Kappa light chain(in situ)성모	Other	나583라(2)	C5840016	558.64		42,790	42,790	44,130	44,130
12200	Ketone body 3분획	EDTA Plasma	나271	CX271006	158.71		12,160	12,160	12,540	12,540
12201	Ketone body 3분획	Random Urine	나271	CX271006	158.71		12,160	12,160	12,540	12,540
12210	Ketone Body 3분획	SST Serum	나271	CX271006	158.71		12,160	12,160	12,540	12,540
12170	Ketone body 정성	Random Urine	나386	C3860	75.95		5,820	5,820	6,000	6,000
12171	Ketone body 정성	SST Serum	나386	C3860	75.95		5,820	5,820	6,000	6,000
81050	Ki-67(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81052	Ki-67(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81710	Ki-67(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
30441	Kidd A 혈액형검사	EDTA Blood	나203	B2030006	70.22		5,380	5,380	5,550	5,550
30442	Kidd B 혈액형검사	EDTA Blood	나203	B2030006	70.22		5,380	5,380	5,550	5,550
70830	KOH Mount	Other	나400아	B4107	75.96		5,820	5,820	6,000	6,000
41650	Korea virus I	SST Serum			-		22,480	22,480	23,180	23,180

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
41660	Korea VirusⅢ	SST Serum			-		61,450	61,450	63,380	63,380
41663	Korea VirusⅢ,CSF	CSF			-		61,450	61,450	63,380	63,380
27165	KRAS EXON 2,3,4	Tissue	나583다(2)	C5834016	1666.46		127,650	127,650	131,650	131,650
27661	K-ras gene mutation	Tissue	나583다(2)	C5834016	1666.46		127,650	127,650	131,650	131,650
27163	K-RAS gene, mutation (삼성)	Tissue	나583다(2)	C5834016	1666.46		127,650	127,650	131,650	131,650
27164	K-RAS gene, mutation(Real-time	Tissue	나583나(1)	C5831206	1595.76		122,240	122,240	126,070	126,070
27676	K-ras 전체돌연변이	Other	나583다(2)	C5834016	1666.46		127,650	127,650	131,650	131,650
27677	K-ras 주요돌연변이	Other	나583다(2)	C5834016	1666.46		127,650	127,650	131,650	131,650
27659	K-ras유전자돌연변이(여의도성모	Tissue	나583나(1)	C5831206	1595.76		122,240	122,240	126,070	126,070
51890	L.E. Cell	Plain Blood	나112	B1120006	54.96		4,210	4,210	4,340	4,340
30930	LAC confirm	SC Plasma	나171나	B1712006	310.12		23,760	23,760	24,500	24,500
30935	LAC screen	SC Plasma	나171가	B1711	207.39		15,890	15,890	16,380	16,380
10742	Lactic Acid	Other	너345가(5)	CY345	201.90		15,470	15,470	15,950	15,950
10741	Lactic Acid(CSF)	CSF	너345가(5)	CY345	201.90		15,470	15,470	15,950	15,950
10740	Lactic Acid(NaF P)	NaF Plasma	너345가(5)	CY345	201.90		15,470	15,470	15,950	15,950
81965	Lambda light chain(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81626	Lambda light chain(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81983	Lambda light chain(IHC)서울대	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81986	Lambda light chain(in situ)성모	Other	나583라(2)	C5840026	558.64		42,790	42,790	44,130	44,130
65782	Lamotrigine	Plain Serum	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
10390	LAP	SST Serum	나267	B2670	40.76		3,120	3,120	3,220	3,220
30380	LAP Score	Blood Smear Slide	나126	B1260006	87.86		6,730	6,730	6,940	6,940
81640	LCA(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
10410	LDH	SST Serum	나259	B2590	30.05		2,300	2,300	2,370	2,370
10411	LDH	Body Fluid	나259	B2590	30.05		2,300	2,300	2,370	2,370
20640	LDH Isoenzyme	SST Serum	나303	B3030006	176.33		13,510	13,510	13,930	13,930
20641	LDH Isoenzyme	Body Fluid	나303	B3030006	176.33		13,510	13,510	13,930	13,930
11110	LDL-Cholesterol	SST Serum	나243	C2430	88.58		6,790	6,790	7,000	7,000
12752	Lead(Pb)	Trace EDTA Blood	나452나(2)	C4523630	313.68		24,030	24,030	24,780	24,780
12753	Lead(Pb)	24hr Urine	나452나(2)	C4523630	313.68		24,030	24,030	24,780	24,780
12754	Lead(Pb)	Random Urine	나452나(2)	C4523630	313.68		24,030	24,030	24,780	24,780
30158	Leder Reaction	Tissue	나556바	C5566	334.82		25,650	25,650	26,450	26,450
71140	Legionella Ag	Random Urine	나531	C5310	100.26		7,680	7,680	7,920	7,920
43570	Legionella pneumophila PCR	Sputum	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
41611	Leptospira Ab	SST Serum	나466가	C4661020	113.14		8,670	8,670	8,940	8,940
41668	Leptospira Ab	SST Serum	나466가	C4661020	113.14		8,670	8,670	8,940	8,940
41621	Leptospira Ab Titer	SST Serum	나466가	C4661020	113.14		8,670	8,670	8,940	8,940
26135	Leukemia marker study	Bone Marrow	나511~3	C5111006외	-		586,020	586,020	604,310	604,310
65681	Levetiracetam	Plain Serum	나450	CX375696	577.54		44,240	44,240	45,630	45,630
00106	LH (ECLIA)	SST Serum	나348	C3480	152.68		11,700	11,700	12,060	12,060
00101	LH (RIA)	SST Serum	나348주	C7348	148.72		11,390	11,390	11,750	11,750

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
25645	LHON 3460,4171,11778,14484	EDTA Blood	나580나	C5802116	470.31		36,030	36,030	37,150	37,150
81911	Light chain Kappa(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81912	Light chain Lambda(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
10425	Lipase	SST Serum	나262	B2621	59.82		4,580	4,580	4,730	4,730
10426	Lipase(Fluid)	Body Fluid	나262	B2621	59.82		4,580	4,580	4,730	4,730
11116	Lipid profile	SST Serum	나241 외	C2411 외	-		11,440	11,440	11,790	11,790
20650	Lipoprotein E.P	SST Serum	나301	B3010006	121.64		9,320	9,320	9,610	9,610
20651	Lipoprotein E.P	Body Fluid	나301	B3010006	121.64		9,320	9,320	9,610	9,610
12860	Lipoprotein(a)	SST Serum	나248	C2480	161.26		12,350	12,350	12,740	12,740
12765	Lithium(Li)	SST Serum	나452나(2)	C4523610	313.68		24,030	24,030	24,780	24,780
28172	LMNA gene, mutation(LGMD 1B, E	EDTA Blood	나580다(3)	C5808166	4664.21		357,280	357,280	368,470	368,470
80831	LMP(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
13300	Lymphocyte subset 2종 I	EDTA Blood	나512	C5120006	451.56		69,180	69,180	71,340	71,340
13301	Lymphocyte subset 2종 II	EDTA Blood	나512	C5120006	451.56		69,180	69,180	71,340	71,340
13311	Lymphocyte subset 2종 II (count)	EDTA Blood	나512	C5120006	451.56		69,180	69,180	71,340	71,340
13302	Lymphocyte subset 2종 III	EDTA Blood	나512	C5120006	451.56		69,180	69,180	71,340	71,340
13312	Lymphocyte subset 2종 III (count)	EDTA Blood	나512	C5120006	451.56		69,180	69,180	71,340	71,340
13303	Lymphocyte subset 2종 IV	EDTA Blood	나512	C5120006	451.56		69,180	69,180	71,340	71,340
13313	Lymphocyte subset 2종 IV (count)	EDTA Blood	나512	C5120006	451.56		69,180	69,180	71,340	71,340
13310	Lymphocyte subset 2종 I (count)	EDTA Blood	나512	C5120006	451.56		69,180	69,180	71,340	71,340
13304	Lymphocyte subset 3종 I	EDTA Blood	나512	C5120006	451.56		103,770	103,770	107,010	107,010
13314	Lymphocyte subset 3종 I (count)	EDTA Blood	나512	C5120006	451.56		103,770	103,770	107,010	107,010
13305	Lymphocyte subset 3종 II	EDTA Blood	나512	C5120006	451.56		103,770	103,770	107,010	107,010
13315	Lymphocyte subset 3종 II (count)	EDTA Blood	나512	C5120006	451.56		103,770	103,770	107,010	107,010
13320	Lymphocyte subset 3종 IV	EDTA Blood	나512	C5120006	451.56		103,770	103,770	107,010	107,010
26115	Lymphocyte subset 4종	EDTA Blood	나512	C5120006	451.56		138,360	138,360	142,680	142,680
13306	Lymphocyte subset 4종 I	EDTA Blood	나512	C5120006	451.56		138,360	138,360	142,680	142,680
13316	Lymphocyte subset 4종 I (count)	EDTA Blood	나512	C5120006	451.56		138,360	138,360	142,680	142,680
13307	Lymphocyte subset 4종 II	EDTA Blood	나512	C5120006	451.56		138,360	138,360	142,680	142,680
13317	Lymphocyte subset 4종 II (count)	EDTA Blood	나512	C5120006	451.56		138,360	138,360	142,680	142,680
13308	Lymphocyte subset 5종	EDTA Blood	나512	C5120006	451.56		172,950	172,950	178,350	178,350
13318	Lymphocyte subset 5종(count)	EDTA Blood	나512	C5120006	451.56		172,950	172,950	178,350	178,350
80933	Lysozyme(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80932	Lysozyme(Immunostain)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
30451	M 혈액형검사	EDTA Blood	나203	B2030006	70.22		5,380	5,380	5,550	5,550
71234	M.h & U.u 배양및약제-Mycoview	Other	너301	BY301+3006	-		63,740	63,740	65,740	65,740
71230	M.h & U.u 배양및약제감수성	Other	너301	BY301+3006	-		63,740	63,740	65,740	65,740
10120	Magnesium (Mg)	SST Serum	나379사	C3797	23.99		1,840	1,840	1,900	1,900
10122	Magnesium (Mg)	Random Urine	나379사	C3797	23.99		1,840	1,840	1,900	1,900
10121	Magnesium (Mg)(24hr U)	24hr Urine	나379사	C3797	23.99		1,840	1,840	1,900	1,900
70840	Malaria	Blood Smear Slide	나115	B1150006	47.83		3,660	3,660	3,780	3,780

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
42551	Malaria P. falciparum PCR	EDTA Blood	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
42553	Malaria P. malariae PCR	EDTA Blood	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
42554	Malaria P. ovale PCR	EDTA Blood	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
42552	Malaria P. vivax PCR	EDTA Blood	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
42540	Malaria PCR	EDTA Blood	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
42545	Malaria PCR 2종	EDTA Blood	나595하	C5956006	-		63,660	63,660	65,640	65,640
42555	Malaria PCR 4종	EDTA Blood	나595하	C5956006	-		127,320	127,320	131,280	131,280
12770	Mangane(Mn)	Trace EDTA Blood	나452나(2)	C4523660	313.68		24,030	24,030	24,780	24,780
12771	Mangane(Mn)	24hr Urine	나452나(2)	C4523660	313.68		24,030	24,030	24,780	24,780
12772	Mangane(Mn)	Random Urine	나452나(2)	C4523660	313.68		24,030	24,030	24,780	24,780
26911	Marfan, FBN1 gene mutation	EDTA Blood	나580다(5)	C5810116	11094.85		849,870	849,870	876,490	876,490
81725	MDM2(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81726	MDM2(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
41680	Measles virus IgG	SST Serum	나468나(1)	C4682486	273.64		20,960	20,960	21,620	21,620
41681	Measles virus IgG	CSF	나468나(1)	C4682486	273.64		20,960	20,960	21,620	21,620
41690	Measles virus IgM	SST Serum	나468나(2)	C4683486	261.00		19,990	19,990	20,620	20,620
41691	Measles virus IgM	CSF	나468나(2)	C4683486	261.00		19,990	19,990	20,620	20,620
81971	Melan-A(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
25662	MELAS, MT-TL1 sequencing	EDTA Blood	나580다(1)	C5806086	2004.46		153,540	153,540	158,350	158,350
25661	MELAS,MT-TL1(Leigh disease	EDTA Blood	나580다(1)	C5806086	2004.46		153,540	153,540	158,350	158,350
27875	MEN1 gene, mutation	EDTA Blood	나580다(2)	C5807216	3185.27		243,990	243,990	251,640	251,640
29271	MEN2, RET sequencing	EDTA Blood	나580다(2)	C5807266	3185.27		243,990	243,990	251,640	251,640
12784	Mercury(Hg)	Trace EDTA Blood	나452나(2)	C4523640	313.68		24,030	24,030	24,780	24,780
12785	Mercury(Hg)	24hr Urine	나452나(2)	C4523640	313.68		24,030	24,030	24,780	24,780
12786	Mercury(Hg)	Random Urine	나452나(2)	C4523640	313.68		24,030	24,030	24,780	24,780
12783	Mercury(Hg)	모발	나452나(2)	C4527640	619.40		47,450	47,450	48,930	48,930
20520	Met Hemoglobin	EDTA Blood	나382가	C3821	48.88		3,740	3,740	3,860	3,860
00885	Metanephrine 2F(HPLC)	24hr Urine	너228		-		50,940	50,940	52,540	52,540
00894	Metanephrine, plasma	EDTA Plasma	너228		-		50,940	50,940	52,540	52,540
00892	Metanephrine,Total(HPLC)	24hr Urine	너228라	CY284006	332.51		25,470	25,470	26,270	26,270
00893	Metanephrines, Plasma	EDTA Plasma	너228		-		50,940	50,940	52,540	52,540
65640	Methotrexate(MTX)	Plain Serum	나450나(2)	C4504130	252.59		19,350	19,350	19,950	19,950
12230	Methylhippuric acid	Random Urine	나451나(3)	CY373040	251.42		19,260	19,260	19,860	19,860
12235	Methylhippuric acid	Random Urine	나451나(3)	CY373040	251.42		19,260	19,260	19,860	19,860
10001	Microalbumin	24hr Urine	나230나	C2302	203.50		15,590	15,590	16,080	16,080
20290	Microalbumin 경성	Random Urine	나230가	C2301	10.67		820	820	840	840
10002	Microalbumin(ACR)	Random Urine	나230나	C2302	203.50		15,590	15,590	16,080	16,080
20283	Microalbumin(RIA)	Random Urine	나230나주	C7230	189.97		14,550	14,550	15,010	15,010
20284	Microalbumin(RIA)(24hr)	24hr Urine	나230나주	C7230	189.97		14,550	14,550	15,010	15,010
20282	Microalbumin(RIA)(8hr)	8hr Urine	나230나주	C7230	189.97		14,550	14,550	15,010	15,010
10005	Microalbumin/creatinine	Random Urine	나230 외	C2302+C3750	-		16,870	16,870	17,400	17,400

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
50855	Micro-ELISA Test(S)	SST Serum	나472나(1)	C4722616	269.38		82,520	82,520	85,120	85,120
51900	Mitochondrial DNA MELAS	EDTA Blood	나580나	C5802136	470.31		36,030	36,030	37,150	37,150
51910	Mitochondrial DNA MERRF	EDTA Blood	나580나	C5802126	470.31		36,030	36,030	37,150	37,150
30050	Mixing Test	SC Plasma	나177	B1770006	187.15		14,340	14,340	14,780	14,780
81999	MLH1(IHC)(삼성)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
26420	MLH1gene mutation analysis	EDTA Blood	나580다(3)	C5808196	4664.21		357,280	357,280	368,470	368,470
81967	MOC31(IHC) 성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81955	MOC31(IHC)서울대	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81701	MPO(IHC)(성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81700	MPO(myeloperoxidase)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
29290	MPS2, IDS gene mutation	EDTA Blood	나580다(2)	C5807176	3185.27		243,990	243,990	251,640	251,640
27614	MPZ gene, mutation (CMT1B)	EDTA Blood	나580다(2)	C5807226	3185.27		243,990	243,990	251,640	251,640
02090	MSAFP	SST Serum	나421나	C4212	171.76		13,160	13,160	13,570	13,570
26430	MSH2 gene mutation	EDTA Blood	나580다(3)	C5808206	4664.21		357,280	357,280	368,470	368,470
81998	MSH-2(IHC)(삼성)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
27694	MSI(Microsatellite)	Block	나583나(2)	C5832016	3070.75		235,220	235,220	242,590	242,590
80513	M-T(Masson's Trichrome stain)	Tissue	나553나	C5532	123.77		9,480	9,480	9,780	9,780
42606	MTB & NTM PCR	Sputum	나595-17가	C6021006	672.67		51,530	51,530	53,140	53,140
42601	MTB PCR (결핵협회)	Sputum	나595다	C5953006	407.06		31,180	31,180	32,160	32,160
42611	MTB PCR (조직)	Tissue	나563가	CY051006	595.22		45,590	45,590	47,020	47,020
42613	MTB PCR(Pathology)	Tissue	나595다	C5953006	407.06		31,180	31,180	32,160	32,160
27266	MTHFR 1298 A>C mutation	EDTA Blood	나580나	C5802106	470.31		36,030	36,030	37,150	37,150
27265	MTHFR(C677T)	EDTA Blood	나580나	C5802106	470.31		36,030	36,030	37,150	37,150
27060	MTHFR(C677T) genotyping	EDTA Blood	나580나	C5802106	470.31		36,030	36,030	37,150	37,150
81953	MUC1(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81950	MUC2(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81951	MUC5(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81952	MUC6(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
71040	Mucin clot test	Joint Fluid	나54	B0540	11.58		890	890	910	910
10780	Mucopolysaccharidosis 선별	Random Urine	나444나	C4442	59.36		4,550	4,550	4,690	4,690
81979	MUM1(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
41730	Mumps virus IgG	SST Serum	나468나(1)	C4682506	273.64		20,960	20,960	21,620	21,620
41731	Mumps virus IgG	CSF	나468나(1)	C4682506	273.64		20,960	20,960	21,620	21,620
41740	Mumps virus IgM	SST Serum	나468나(2)	C4683506	261.00		19,990	19,990	20,620	20,620
41741	Mumps virus IgM	CSF	나468나(2)	C4683506	261.00		19,990	19,990	20,620	20,620
42591	Mumps virus RNA(RT-PCR)	CSF	나596다	C5969006	678.10		51,940	51,940	53,570	53,570
65610	Mycophenolic acid	EDTA Blood	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
50870	Mycoplasma Ab	SST Serum	나474가	C4741820	59.99		4,600	4,600	4,740	4,740
50871	Mycoplasma Ab	Body Fluid	나474가	C4741820	59.99		4,600	4,600	4,740	4,740
42620	Mycoplasma genitalium PCR	분비물	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
42630	Mycoplasma hominis PCR	분비물	나595하	C5956006	415.49		31,830	31,830	32,820	32,820

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
52300	Mycoplasma pneumoniae IgG	SST Serum	나474나(1)	C4742826	207.72		15,910	15,910	16,410	16,410
52310	Mycoplasma pneumoniae IgM	SST Serum	나474나(2)	C4743826	205.84		15,770	15,770	16,260	16,260
52311	Mycoplasma pneumoniae IgM	CSF	나474나(2)	C4743826	205.84		15,770	15,770	16,260	16,260
42640	Mycoplasma pneumoniae PCR	Sputum	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
81761	MyoD1 (IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80949	MyoD1 (IHC) 성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81762	Myogenin (IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
01330	Myoglobin	SST Serum	나384나	C3842	234.10		17,930	17,930	18,490	18,490
01331	Myoglobin	Random Urine	나384나	C3842	234.10		17,930	17,930	18,490	18,490
25681	Myotonic Muscular Dystrophy	EDTA Blood	나580라	C5811046	1001.80		76,740	76,740	79,140	79,140
25680	Myotonic Muscular Dystrophy	EDTA Blood	나580나	C5803116	1199.67		168,630	168,630	94,770	94,770
30452	N 혈액형검사	EDTA Blood	나203	B2030006	70.22		5,380	5,380	5,550	5,550
71080	N.gonorrhoeae Culture	Other	나405가	B4051	168.28		12,890	12,890	13,290	13,290
42650	N.gonorrhoeae PCR	분비물	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
81178	NADH stain	Tissue	나556다	C5563	334.82		25,650	25,650	26,450	26,450
81331	Napsin A (IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
00250	Neonatal T4	Blood Paper	나333	C3330	164.03		12,560	12,560	12,960	12,960
00260	Neonatal-TSH	Blood Paper	나336	C3360	225.02		17,240	17,240	17,780	17,780
81575	NEU-N (IHC)	Block	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81976	Neu-N (IHC) 성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
27784	Neurofibromatosis, NF1 gene	EDTA Blood	나580다(4)	C5809126	7298.26		559,050	559,050	576,560	576,560
81120	Neurofilament (IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81810	Neurofilament (IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
30021	Neutrophil Seg	EDTA Blood	나109가	B1091	25.35		1,940	1,940	2,000	2,000
26262	NK 세포 활성도 검사	전용용기 혈장	나525	C5250	619.43		47,450	47,450	48,930	48,930
12275	N-methyl formamide (NMF)	Random Urine	나451나(3)	CY373060	251.42		19,260	19,260	19,860	19,860
27541	NMP22	Random Urine	나322다	CY323	305.35		23,390	23,390	24,120	24,120
30150	Nonspecific esterase stain	Bone Marrow Slide	나118바	B1188006	84.92		6,500	6,500	6,710	6,710
30151	Nonspecific esterase stain	Blood Smear Slide	나118바	B1188006	84.92		6,500	6,500	6,710	6,710
30152	Nonspecific esterase stain	Bone Marrow Slide	나118바	B1188006	84.92		6,500	6,500	6,710	6,710
26960	Noonan Syndrome, PTPN11	EDTA Blood	나580다(3)	C5808276	4664.21		357,280	357,280	368,470	368,470
42571	Norovirus Ag	Stool	나469	C4690596	203.37		15,580	15,580	16,070	16,070
29440	NPM1 mutation (A,B,D)	Bone Marrow	나583나(1)	C5831216	1595.76		122,240	122,240	126,070	126,070
29445	NPM1 mutation analysis	EDTA Blood	나583다(1)	C5833056	1424.32		109,100	109,100	112,520	112,520
27166	NR0B1 gene, mutation(삼성)	EDTA Blood	나580다(2)	C5807236	3185.27		243,990	243,990	251,640	251,640
27181	N-ras gene mutation	Tissue	나583다(2)	C5834026	1666.46		127,650	127,650	131,650	131,650
27689	N-ras 전체돌연변이(exon 2,3,4)	Tissue	나583다(2)	C5834026	1666.46		127,650	127,650	131,650	131,650
01611	NSE	Body Fluid	나431주	C7431	123.87		9,490	9,490	9,790	9,790
01615	NSE (ECLIA)	SST Serum	나431	C4310	310.84		23,810	23,810	24,560	24,560
01612	NSE (RIA)	SST Serum	나431주	C7431	123.87		9,490	9,490	9,790	9,790
81280	NSE (IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
81281	NSE(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
70606	NTM Identification	균주	나595-1다	C6029006	725.71		55,590	55,590	57,330	57,330
70501	NTM Sensitivity (결핵협회)	균주	나406다(2)	B4064	564.43		43,240	43,240	44,590	44,590
01350	NT-pro BNP	SST Serum	나368-2	CZ208	608.98		46,650	46,650	48,110	48,110
12280	NTx	Random Urine	나393-1	C3931	180.54		13,830	13,830	14,260	14,260
41635	O.tsutsugamushi Ab (IFA)	SST Serum	나474나(1)	C4742836	207.72		15,910	15,910	16,410	16,410
30180	Oil red stain	Bone Marrow Slide	나1180아	B1189006	83.84		6,420	6,420	6,620	6,620
81977	Olig-2(IHC) 성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
20320	Oligoclonal band	CSF	너182	BX182006	225.94		17,310	17,310	17,850	17,850
12290	Organic Acid	Random Urine	너345다	CY348006	2521.31		193,130	193,130	199,180	199,180
12291	Organic Acid	EDTA Plasma	너345다	CY348006	2521.31		193,130	193,130	199,180	199,180
12310	Orotic acid	24hr Urine	너345가(6)	CY349	201.90		15,470	15,470	15,950	15,950
12320	Osmolality	SST Serum	나380	C3800	54.50		4,170	4,170	4,310	4,310
12322	Osmolality	Random Urine	나380	C3800	54.50		4,170	4,170	4,310	4,310
12321	Osmolality(24hr U)	24hr Urine	나380	C3800	54.50		4,170	4,170	4,310	4,310
12330	Osmotic fragility	복수검체	나113	B1131006	91.22		6,990	6,990	7,210	7,210
01925	Osteocalcin (ECLIA)	SST Serum	나363	C3630	179.25		13,730	13,730	14,160	14,160
01921	Osteocalcin (RIA)	SST Serum	나363추	C7363	151.79		11,630	11,630	11,990	11,990
81220	Other(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
10801	Oxalic acid	24hr Urine	너345	CZ339006	593.48		45,460	45,460	46,880	46,880
65460	Oxcarbazepine & Metabolite	Plain Serum	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
81835	P16(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81839	p16(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
25841	p53 gene 5개 exon(5,6,7,8,9)	Tissue	나580다(2)	C5807336	3185.27		243,990	243,990	251,640	251,640
81600	p53(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81997	P53(IHC)(삼성)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81275	p57(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81620	p63(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81621	P63(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81622	p63(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
26670	PABPN1 gene, mutation	EDTA Blood	나580다(1)	C5806096	2004.46		153,540	153,540	158,350	158,350
29410	PAH gene mutation	EDTA Blood	나580다(3)	C5808216	4664.21		357,280	357,280	368,470	368,470
30690	PAI-1	SC Plasma	너80나	BY802	181.70		13,920	13,920	14,350	14,350
80512	PAMS(Methenamine Siver stain)	Tissue	나553다	C5533	123.77		9,480	9,480	9,780	9,780
10245	Pancreatic Amylase	SST Serum	나261나	B2612	53.33		4,090	4,090	4,210	4,210
10246	Pancreatic Amylase(RU)	Random Urine	나261나	B2612	53.33		4,090	4,090	4,210	4,210
29005	PANK2 gene mutation	EDTA Blood	나580다(2)	C5807246	3185.27		243,990	243,990	251,640	251,640
01630	PAP	SST Serum	나429	C4290	140.11		10,730	10,730	11,070	11,070
01631	PAP	분비물	나429	C4290	140.11		10,730	10,730	11,070	11,070
50843	Paragonimus IgG(S)	SST Serum	나472나(1)	C4722616	269.38		20,630	20,630	21,280	21,280
42195	Parainfluenza culture	Other	나416	B4160006	574.26		43,990	43,990	45,370	45,370

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
12345	Paraquat	Random Urine	나450나(3)	CX374040	325.85		24,960	24,960	25,740	25,740
12340	Paraquat (Gramoxone)	SST Serum	나450나(3)	CX374040	325.85		24,960	24,960	25,740	25,740
29130	PARK2 gene mutation	EDTA Blood	나580다(3)	C5808226	4664.21		357,280	357,280	368,470	368,470
29120	Parkinson's disease(PARK2)	EDTA Blood	나580다(3)	C5808226	4664.21		357,280	357,280	368,470	368,470
65623	Paroxetine	Plain Serum	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
42660	Parvo virus B19 DNA	SST Serum	나595나	C5952006	392.46		30,060	30,060	31,000	31,000
30160	PAS Stain	Bone Marrow Slide	나118마	B1187006	86.41		6,620	6,620	6,830	6,830
82100	PAS Stain	Tissue	나553다	C5533	123.77		9,480	9,480	9,780	9,780
80619	PAS stain 성모	Tissue	나553다	C5533	123.77		9,480	9,480	9,780	9,780
30155	PAS(periodic acid stain)	Bone Marrow Slide	나118마	B1187006	86.41		6,620	6,620	6,830	6,830
81702	PAX2(IHC)(서울대)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81695	PAX5(IHC)(서울대)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81699	PAX8(IHC)(서울대)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
12806	p-Cresol	Random Urine	나451나(3)	CY373290	251.42		19,260	19,260	19,860	19,860
81984	PD-1 (IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81996	PD-1 (IHC)(성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
29086	PDGFRA(12,14,18)	Tissue	나583다(3)	C5835016	1908.59		146,200	146,200	150,780	150,780
81440	PDGFR-α(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
30080	PDW	EDTA Blood	나123	B1230	5.80		440	440	460	460
31085	PEG Coombs Anti IgG	EDTA Blood	나204나주	B2048106	75.71		5,800	5,800	5,980	5,980
02036	Pepsinogen I/II	SST Serum	나362	C3620	209.54		32,100	32,100	33,100	33,100
26085	Perforin profile, FCM	EDTA Blood	나512	C5120006*3	-		103,770	103,770	107,010	107,010
30154	Peroxidase stain	Bone Marrow Slide	나118라	B1186006	83.11		6,370	6,370	6,570	6,570
30170	Peroxidase stain	Bone Marrow Slide	나118라	B1186006	83.11		6,370	6,370	6,570	6,570
30171	Peroxidase stain	Blood Smear Slide	나118라	B1186006	83.11		6,370	6,370	6,570	6,570
65290	Phenobarbital	SST Serum	나450나(2)	C4504020	252.59		19,350	19,350	19,950	19,950
65300	Phenytoin	SST Serum	나450나(2)	C4504050	252.59		19,350	19,350	19,950	19,950
10130	Phosphate(Pi)	SST Serum	나379라	C3794	15.15		1,160	1,160	1,200	1,200
10132	Phosphate(Pi)	Random Urine	나379라	C3794	15.15		1,160	1,160	1,200	1,200
10131	Phosphate(Pi)(24hr U)	24hr Urine	나379라	C3794	15.15		1,160	1,160	1,200	1,200
11160	Phospholipid	SST Serum	나244나	C2442	29.69		2,270	2,270	2,350	2,350
11161	Phospholipid(Fluid)	Body Fluid	나244나	C2442	29.69		2,270	2,270	2,350	2,350
01640	PIVKA-2	SST Serum	너78	BX078	190.03		14,560	14,560	15,010	15,010
81370	PLAP(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
20530	Plasma Hb	EDTA Plasma	나383	C3830	50.45		3,860	3,860	3,990	3,990
30710	Plasminogen	SC Plasma	나188가	B1881	163.60		12,530	12,530	12,920	12,920
30005	Platelet	EDTA Blood	나106	B1060	12.99		1,000	1,000	1,030	1,030
51920	Platelet Associated Ab	EDTA Blood	나502나	C5022006	251.60		19,270	19,270	19,880	19,880
25710	PML-RARa (nested RT-PCR)	EDTA Blood	나583나(1)	C5831086	1595.76		122,240	122,240	126,070	126,070
25712	PML-RARa (nested RT-PCR)	Bone Marrow	나583나(1)	C5831086	1595.76		122,240	122,240	126,070	126,070
25713	PML-RARa (real-time PCR)	EDTA Blood	나583나(1)	C5831226	1595.76		122,240	122,240	126,070	126,070

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
25714	PML-RARa (real-time PCR)	Bone Marrow	나583나(1)	C5831226	1595.76		122,240	122,240	126,070	126,070
27613	PMP22 gene, mutation (CMT1E)	EDTA Blood	나580다(1)	C5806106	2004.46		153,540	153,540	158,350	158,350
42670	Pneumocystis jirovecii PCR	Sputum	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
26161	PNH test	EDTA Blood	너42나	BY422006	443.38		135,840	135,840	140,120	140,120
26165	PNH test	EDTA Blood	나512	C5120006	451.56		138,360	138,360	142,680	142,680
81960	Podoplanin(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
42682	Polyomavirus(BK) PCR	Random Urine	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
42685	Polyomavirus(BK) PCR QN	Random Urine	나589-2	CZ966006	894.88		68,550	68,550	70,700	70,700
42686	Polyomavirus(BK) PCR QN	CSF	나589-2	CZ966006	894.88		68,550	68,550	70,700	70,700
42680	Polyomavirus(BK,JC) PCR	Random Urine	나595하	C5956006외	-		63,660	63,660	65,640	65,640
42683	Polyomavirus(JC) PCR	Random Urine	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
11772	Porphobilinogen 경량	Random Urine	나389나(1)	C3892	44.42		3,400	3,400	3,510	3,510
11773	Porphobilinogen 경량	24hr Urine	나389나(1)	C3892	44.42		3,400	3,400	3,510	3,510
11760	Porphobilinogen 경성	Random Urine	나389가	C3891	9.88		760	760	780	780
65822	Posaconazole	Plain Serum	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
25737	post-BMT	EDTA Blood	나583나(2)	C5832026	3070.75		235,220	235,220	242,590	242,590
25738	post-BMT(성모)	EDTA Blood	나583나(2)	C5832026	3070.75		235,220	235,220	242,590	242,590
10140	Potassium(K)	SST Serum	나379나	C3792	16.87		1,290	1,290	1,330	1,330
10142	Potassium(K)	Random Urine	나379나	C3792	16.87		1,290	1,290	1,330	1,330
10141	Potassium(K)(24hr U)	24hr Urine	나379나	C3792	16.87		1,290	1,290	1,330	1,330
25693	PRA 동경(Class I)	SST Serum	나522나	C5222006	1308.12		100,200	100,200	103,340	103,340
25694	PRA 동경(Class II)	SST Serum	나522나	C5222006	1308.12		100,200	100,200	103,340	103,340
25691	PRA 선별(Class I)	SST Serum	나522가	C5221006	752.81		57,670	57,670	59,470	59,470
25692	PRA 선별(Class II)	SST Serum	나522가	C5221006	752.81		57,670	57,670	59,470	59,470
25746	Prader-Willi syndrome	EDTA Blood	나580나(2)	C5803136	1199.67		91,890	91,890	94,770	94,770
25747	Prader-Willi/Angelman	EDTA Blood	나580나(2)	C5803136	1199.67		91,890	91,890	94,770	94,770
20330	Prealbumin	SST Serum	나221-1	C2215	150.79		11,550	11,550	11,910	11,910
25725	pre-BMT	복수검체	나583나(2)	C5832026	3070.75		235,220	235,220	242,590	242,590
25727	pre-BMT	복수검체	나583나(2)	C5832026	3070.75		235,220	235,220	242,590	242,590
25726	pre-BMT(성모)	복수검체	나583나(2)	C5832026	3070.75		235,220	235,220	242,590	242,590
26916	PRF1 gene, mutation	EDTA Blood	나580다(2)	C5807256	3185.27		243,990	243,990	251,640	251,640
01891	Procalcitonin	SST Serum	나239나	C2392	330.39		25,310	25,310	26,100	26,100
00512	Progesterone (ECLIA)	SST Serum	나346	C3460	150.45		11,520	11,520	11,890	11,890
00511	Progesterone (RIA)	SST Serum	나346주	C7346	145.16		11,120	11,120	11,470	11,470
01549	ProGRP	EDTA Plasma	나435	C4350	316.18		24,220	24,220	24,980	24,980
00133	Prolactin (ECLIA)	SST Serum	나351	C3510	166.15		12,730	12,730	13,130	13,130
00132	Prolactin (RIA)	SST Serum	나351주	C7351	160.53		12,300	12,300	12,680	12,680
81690	Prolactin(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
30730	Protein C Activity	SC Plasma	나183가	B1831	207.74		15,910	15,910	16,410	16,410
30740	Protein C Antigen	SC Plasma	나183나	B1832	182.60		13,990	13,990	14,430	14,430
20711	Protein E.P(24h urine)	24hr Urine	나300나	B3001006	142.26		10,900	10,900	11,240	11,240

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
20716	Protein E.P(CSF)	CSF	나300나	B3001006	142.26		10,900	10,900	11,240	11,240
20713	Protein E.P(Random urine)	Random Urine	나300나	B3001006	142.26		10,900	10,900	11,240	11,240
20710	Protein E.P(Serum)	SST Serum	나300가	B3000006	134.09		10,270	10,270	10,590	10,590
30750	Protein S Activity	SC Plasma	나184가	B1841	201.16		15,410	15,410	15,890	15,890
30760	Protein S Ag(free)	SC Plasma	나184나	B1842	179.03		13,710	13,710	14,140	14,140
30770	Protein S Ag(total)	SC Plasma	나184나	B1842	179.03		13,710	13,710	14,140	14,140
10035	Protein/creatinine ratio	Random Urine	나220 외	C2200 외	-		2,640	2,640	2,720	2,720
30950	Prothrombin Time	SC Plasma	나154	B1540	27.73		2,120	2,120	2,190	2,190
70860	Protozoa	Stool	나63	B0630	23.95		1,830	1,830	1,890	1,890
70861	Protozoa(amoeba)	Stool	나66	B0660	33.44		2,560	2,560	2,640	2,640
01675	PSA (ECLIA)	SST Serum	나428	C4280	241.06		18,470	18,470	19,040	19,040
81000	PSA(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81001	PSA(IHC)삼성	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81968	PTH(IHC) 성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
01967	PTH-Intact (ECLIA)	SST Serum	나340	C3400	294.34		22,550	22,550	23,250	23,250
01968	PTH-Intact (ECLIA)	EDTA Plasma	나340	C3400	294.34		22,550	22,550	23,250	23,250
01962	PTH-Intact (RIA)	SST Serum	나340주	C7340	275.40		21,100	21,100	21,760	21,760
01963	PTH-Intact (RIA)_삼성	SST Serum	나340주	C7340	275.40		21,100	21,100	21,760	21,760
26961	PTPN11 gene mutation	EDTA Blood	나580다(3)	C5808276	4664.21		357,280	357,280	368,470	368,470
26962	PTPN11 gene mutation(아산)	EDTA Blood	나580다(3)	C5808276	4664.21		357,280	357,280	368,470	368,470
10810	Pyruvic Acid	제단백액	너345가(1)	CY341	201.90		15,470	15,470	15,950	15,950
10811	Pyruvic Acid	CSF	너345가(1)	CY341	201.90		15,470	15,470	15,950	15,950
27407	Q-EGFR	Tissue	나583나(1)	C5831196	1595.76		122,240	122,240	126,070	126,070
02060	Quad Test	SST Serum	나421 외	C4212외	-		73,740	73,740	76,040	76,040
52390	QuantiFERON-TB	전용용기	나477	CZ393006	1162.62		89,060	89,060	91,850	91,850
65622	Quetiapine	Plain Serum	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
51930	R.A Factor	SST Serum	나490가	C4901	20.20		1,550	1,550	1,600	1,600
51931	R.A Factor	Body Fluid	나490가	C4901	20.20		1,550	1,550	1,600	1,600
51940	R.A Factor 경량	SST Serum	나490나	C4903	104.97		8,040	8,040	8,290	8,290
51941	R.A Factor 경량	Body Fluid	나490나	C4903	104.97		8,040	8,040	8,290	8,290
41630	R.tsutsugamushi	SST Serum	나474가	C4741830	59.99		4,600	4,600	4,740	4,740
29090	RB1 gene point mutation	EDTA Blood	나580다(4)	C5809186	7298.26		559,050	559,050	576,560	576,560
30002	RBC	EDTA Blood	나104	B1040	10.97		840	840	870	870
11290	RBC Folate	EDTA Blood	나254주	C7254	198.75		15,220	15,220	15,700	15,700
81975	RCC(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
30090	RDW	EDTA Blood	나122	B1220	5.80		440	440	460	460
01370	Renin Activity	EDTA Plasma	나360주	C7360	161.49		12,370	12,370	12,760	12,760
42257	Respiratory V.Ag Screening 5종	Other	나469	C4690536	203.37		15,580	15,580	16,070	16,070
29272	RET gene mutation	EDTA Blood	나580다(2)	C5807266	3185.27		243,990	243,990	251,640	251,640
30157	Reticulin Stain(서울대)	Tissue	나118아	B1189006	83.84		6,420	6,420	6,620	6,620
80519	Reticulin Stain(여의도성모)	Tissue	나553가	C5531	123.77		9,480	9,480	9,780	9,780

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
30111	Reticulocyte Count	EDTA Blood	나108나	B1081	20.21		1,550	1,550	1,600	1,600
27580	Rett Syndrome,MECP2 Sequencing	EDTA Blood	나580다(2)	C5807206	3185.27		243,990	243,990	251,640	251,640
30420	Rh Ab Titer	SST Serum	나208	B2080006	99.47		7,620	7,620	7,860	7,860
30390	Rh(D) Typing	EDTA Blood	나202가(2)	B2024	17.97		1,380	1,380	1,420	1,420
30391	Rh(D) Typing	Capillary	나202가(1)	B2021	13.82		1,060	1,060	1,090	1,090
30392	Rh(D) Typing	Cord Blood	나202가(1)	B2021	13.82		1,060	1,060	1,090	1,090
30400	Rh-Hr Subgroup	EDTA Blood	나202나	B2022006	98.10		7,510	7,510	7,750	7,750
51216	Ribosomal P protein IgG Ab	SST Serum	너443자	CY451006	532.44		40,780	40,780	42,060	42,060
41641	Rickettsia 2 type Ab	SST Serum	나474나(1)	C4742836	207.72		31,820	31,820	32,820	32,820
01474	ROMA 난소암 위험도	SST Serum	나437+나424	C4370+C4240	-		36,720	36,720	37,870	37,870
42290	Rotavirus Ag	Stool	나469	C4690526	203.37		15,580	15,580	16,070	16,070
50935	RPR 정밀	SST Serum	나460-1	C4602	25.73		1,970	1,970	2,030	2,030
42225	RSV Culture	Other	나416	B4160006	574.26		43,990	43,990	45,370	45,370
42820	RSV IgG	SST Serum	나468나(1)	C4682536	273.64		20,960	20,960	21,620	21,620
42830	RSV IgM	SST Serum	나468나(2)	C4683536	261.00		19,990	19,990	20,620	20,620
41940	Rubella IgG	SST Serum	나468나(1)	C4682416	273.64		20,960	20,960	21,620	21,620
41941	Rubella IgG	CSF	나468나(1)	C4682416	273.64		20,960	20,960	21,620	21,620
41950	Rubella IgM	SST Serum	나468나(2)	C4683416	261.00		19,990	19,990	20,620	20,620
41951	Rubella IgM	CSF	나468나(2)	C4683416	261.00		19,990	19,990	20,620	20,620
42690	Rubella Virus RT-PCR	EDTA Blood	나596다	C5969006	678.10		51,940	51,940	53,570	53,570
30461	S 혈액형검사	EDTA Blood	나203	B2030006	70.22		5,380	5,380	5,550	5,550
30462	s 혈액형검사	EDTA Blood	나203	B2030006	70.22		5,380	5,380	5,550	5,550
81150	S-100(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81152	S-100(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81153	S-100(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
52165	Saccharomyces cerevisiae Ab	SST Serum	나584	CZ434006 외	-		29,180	29,180	30,100	30,100
42700	Salmonella PCR	EDTA Blood	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
26981	SBMA (Kennedy disease)	EDTA Blood	나580나	C5803016	1199.67		91,890	91,890	94,770	94,770
26980	SBMA, AR gene	EDTA Blood	나580나	C5803016	1199.67		91,890	91,890	94,770	94,770
27001	SCA panel (SCA 1,2,3,6,7)	EDTA Blood	나580나(2)	C5803036외	-		459,450	459,450	473,850	473,850
27000	SCA profile (1,2,3,6,7,8,17)	EDTA Blood	나580나(2)	C5803036외	-		643,230	643,230	663,390	663,390
01690	SCA-1	EDTA Blood	나580나	C5803036	1199.67		91,890	91,890	94,770	94,770
27003	SCA-1,2,3,6,7,8	EDTA Blood	나580나	C5803036외	-		551,340	551,340	568,620	568,620
27015	SCA-17	EDTA Blood	나580나	C5803106	1199.67		91,890	91,890	94,770	94,770
01700	SCA-2	EDTA Blood	나580나	C5803046	1199.67		91,890	91,890	94,770	94,770
01710	SCA-3	EDTA Blood	나580나	C5803056	1199.67		91,890	91,890	94,770	94,770
02070	SCA-6	EDTA Blood	나580나	C5803086	1199.67		91,890	91,890	94,770	94,770
02080	SCA-7	EDTA Blood	나580나	C5803066	1199.67		91,890	91,890	94,770	94,770
27010	SCA-8	EDTA Blood	나580나	C5803076	1199.67		91,890	91,890	94,770	94,770
01723	SCC	SST Serum	나430	C4300	333.73		25,560	25,560	26,360	26,360
01724	SCC(RIA)-삼성의료원	SST Serum	나430주	C7430	310.79		23,810	23,810	24,550	24,550

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
29226	SCN4A Gene mutation	EDTA Blood	나580다(4)	C5809196	7298.26		559,050	559,050	576,560	576,560
20357	Selectivity Index	복수검체	나392	C3920	290.14		22,220	22,220	22,920	22,920
12810	Selenium	Trace EDTA Blood	나452나(2)	C4523990	313.68		24,030	24,030	24,780	24,780
12811	Selenium	Random Urine	나452나(2)	C4523990	313.68		24,030	24,030	24,780	24,780
12400	Semen Analysis	Semen	나730	E7300	50.30		3,850	3,850	3,970	3,970
02062	Sequential 2nd (Quad)	SST Serum	나421 외	C4212외	-		73,740	73,740	76,040	76,040
00908	Serotonin	SST Serum	나367나	C3671	172.76		13,230	13,230	13,650	13,650
00907	Serotonin(PFP)	EDTA Plasma	나367나	C3671	172.76		13,230	13,230	13,650	13,650
65720	Sirolimus(Rafamycin)	EDTA Blood	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
26182	SISH_Her-2/neu(breast,gastric)	Tissue	나583라(3)	C5841026	2425.56		185,800	185,800	191,620	191,620
81160	SMA(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81162	SMA(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81164	SMA(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
51985	SMA(SMN1 7&8, NAIP 4&5)	EDTA Blood	나580나	C5802146	470.31		36,030	36,030	37,150	37,150
51986	SMA(SMN1 7&8, NAIP 5&13)	EDTA Blood	나580나	C5802146	470.31		36,030	36,030	37,150	37,150
81972	SMAD4(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81551	SM-MHC(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81025	SM-MHC(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
51989	SMN1 gene mutation	EDTA Blood	나580다(2)	C5807306	3185.27		243,990	243,990	251,640	251,640
51984	SMN1 gene, mutation	EDTA Blood	나580다(2)	C5807306	3185.27		243,990	243,990	251,640	251,640
27031	SOD1 gene mutation	EDTA Blood	나580다(1)	C5806116	2004.46		153,540	153,540	158,350	158,350
10150	Sodium(Na)	SST Serum	나379가	C3791	15.64		1,200	1,200	1,240	1,240
10152	Sodium(Na)	Random Urine	나379가	C3791	15.64		1,200	1,200	1,240	1,240
10151	Sodium(Na)(24hr U)	24hr Urine	나379가	C3791	15.64		1,200	1,200	1,240	1,240
00156	Somatomedin-C (CLIA)	SST Serum	너230	CX230	199.07		15,250	15,250	15,730	15,730
00152	Somatomedin-C (RIA)	SST Serum	너230주	CX723	182.97		14,020	14,020	14,450	14,450
80937	SOX-11(IHC)삼성	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
50844	Sparganum IgG(S)	SST Serum	나472나(1)	C4722616	269.38		20,630	20,630	21,280	21,280
29591	SPAST gene, mutation	EDTA Blood	나580다(3)	C5808326	4664.21		357,280	357,280	368,470	368,470
29594	Spastic paraplasia (SPG4)	EDTA Blood	나580다(3)	C5808326	4664.21		357,280	357,280	368,470	368,470
29593	Spastic paraplasia(SPG3A)	EDTA Blood	나580다(3)	C5808336	4664.21		357,280	357,280	368,470	368,470
82080	Special Stain	Tissue	나553다	C5533	123.77		9,480	9,480	9,780	9,780
80605	Special Stain	Tissue	나553다	C5533	123.77		9,480	9,480	9,780	9,780
80687	Special Stain(성모)	Tissue	나553다	C5533	123.77		9,480	9,480	9,780	9,780
29590	SPG3 gene, mutation(ATL1 gene)	EDTA Blood	나580다(3)	C5808336	4664.21		357,280	357,280	368,470	368,470
25686	STAT3 gene, mutation (Hyper Ig	EDTA Blood	나580다(4)	C5809216	7298.26		559,050	559,050	576,560	576,560
43656	STD 12종(Multiplex-PCR)	분비물	나595-5	C6014006	747.89		57,290	57,290	59,080	59,080
43650	STD 6종(Multiplex Real-time PC	분비물	나589-1가	C5896006	1306.28		100,060	100,060	103,200	103,200
43655	STD 6종(Multiplex-PCR)	분비물	나595-5라	C6014006	747.89		57,290	57,290	59,080	59,080
43660	STD 7종(Multiplex Real-time PC	분비물	나589-1가	C5896006	1306.28		100,060	100,060	103,200	103,200
27870	STK11 Gene Point mutation	EDTA Blood	나580다(2)	C5807316	3185.27		243,990	243,990	251,640	251,640

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
12460	Stone Analysis 경성	Stone	나391	C3910006	79.95		6,120	6,120	6,320	6,320
12465	Stone Analysis(physical)	Stone	너274	CX274006	409.88		31,400	31,400	32,380	32,380
70870	Stool Microscopy	Stool	나67	B0670	13.93		1,070	1,070	1,100	1,100
71250	Stool OB 정량	Stool	나65-1	B0653	65.85		5,040	5,040	5,200	5,200
70895	Stool pH	Stool	나69	B0690	7.53		580	580	590	590
70890	Stool WBC	Stool	나67-1	B0675	9.75		750	750	770	770
20231	Subclass IgG I	SST Serum	너181가	BY181	135.90		10,410	10,410	10,740	10,740
20241	Subclass IgG II	SST Serum	너181나	BY182	135.90		10,410	10,410	10,740	10,740
20251	Subclass IgG III	SST Serum	너181다	BY183	135.90		10,410	10,410	10,740	10,740
20261	Subclass IgG IV	SST Serum	너181라	BY184	135.90		10,410	10,410	10,740	10,740
11730	Succinylacetone	Random Urine	너345가(6)	CY349	201.90		15,470	15,470	15,950	15,950
12870	Sucrose hemolysis	복수검체	나121	B1210006	48.93		3,750	3,750	3,870	3,870
30156	Sudan Black B stain	Bone Marrow Slide	나118나	B1183006	83.89		6,430	6,430	6,630	6,630
30190	Sudan black B stain	Bone Marrow Slide	나118나	B1183006	83.89		6,430	6,430	6,630	6,630
30191	Sudan black B stain	Blood Smear Slide	나118나	B1183006	83.89		6,430	6,430	6,630	6,630
20540	Sulf-Hemoglobin	EDTA Blood	나382나	C3822	54.54		4,180	4,180	4,310	4,310
29020	Surface Ig(Cytoplasmic Ig)	EDTA Blood	나512	C5120006	451.56		34,590	34,590	35,670	35,670
29021	Surface Ig-κ light chain	EDTA Blood	나512	C5120006	451.56		34,590	34,590	35,670	35,670
29022	Surface Ig-λ light chain	EDTA Blood	나512	C5120006	451.56		34,590	34,590	35,670	35,670
81163	SV40(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81165	SV40(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81166	SV40(IHC) 성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81400	Synaptophysin(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81770	Synaptophysin(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81023	Synaptophysin(IHC)여의도성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
29009	SYT-SSX gene rearrangement	Block	나583가	C5830046	1352.85		103,630	103,630	106,880	106,880
65830	t,t-muconic acid	Random Urine	나451나(3)	CY373290	251.42		19,260	19,260	19,860	19,860
00296	T3 (ECLIA)	SST Serum	나329	C3290	172.76		13,230	13,230	13,650	13,650
00305	T3-Uptake (ECLIA)	SST Serum	나331	C3310	148.28		11,360	11,360	11,710	11,710
00301	T3-Uptake (RIA)	SST Serum	나331추	C7331	140.81		10,790	10,790	11,120	11,120
00316	T4 (ECLIA)	SST Serum	나333	C3330	164.03		12,560	12,560	12,960	12,960
00311	T4 (RIA)	SST Serum	나333추	C7333	150.63		11,540	11,540	11,900	11,900
65574	TB drug 농도 정량	EDTA Plasma	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
00320	TBG (RIA)	SST Serum	나338추	C7338	174.88		13,400	13,400	13,820	13,820
25872	TCR-γ gene rearrangement	Block	나583나	C5832036	3070.75		235,220	235,220	242,590	242,590
81650	TdT(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81651	TdT(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
26660	TEL/AML1 rearrangement	EDTA Blood	나583나(1)	C5831036	1595.76		122,240	122,240	126,070	126,070
00523	Testosterone (ECLIA)	SST Serum	나353	C3530	172.20		13,190	13,190	13,600	13,600
00521	Testosterone (RIA)	SST Serum	나353추	C7353	167.71		12,850	12,850	13,250	13,250
00530	Testosterone, Free	SST Serum	너232	CX232	169.62		12,990	12,990	13,400	13,400

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
81450	TFE3(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81451	TFE-3(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
65140	Theophylline	SST Serum	나450나(2)	C4504110	252.59		19,350	19,350	19,950	19,950
30970	Thrombin Time	SC Plasma	나156	B1560	25.19		1,930	1,930	1,990	1,990
00355	Thyroglobulin (ECLIA)	SST Serum	나335	C3350	195.98		15,010	15,010	15,480	15,480
00345	Thyroglobulin Ab (ECLIA)	SST Serum	나494	C4940	169.45		12,980	12,980	13,390	13,390
00342	Thyroglobulin Ab(RIA)	SST Serum	나494주	C7494	186.35		14,270	14,270	14,720	14,720
81200	Thyroglobulin(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
82435	Thyroglobulin(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
00352	Thyroglobulin(RIA)	SST Serum	나335주	C7335	184.24		14,110	14,110	14,550	14,550
80986	TIA1(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
12830	TIBC	SST Serum	나250	C2500	37.32		2,860	2,860	2,950	2,950
01775	Tissue polypeptide Ag(TPA)	SST Serum	나432	C4320	326.63		25,020	25,020	25,800	25,800
65340	Tobramycin	Plain Serum	나450나(2)	C4504390	252.59		19,350	19,350	19,950	19,950
65711	Topiramate	Plain Serum	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
42750	TORCH Test	SST Serum			-		164,110	164,110	169,280	169,280
10040	Total Bilirubin	SST Serum	나372가	C3720	17.31		1,330	1,330	1,370	1,370
10041	Total Bilirubin	Capillary	나372가	C3720	17.31		1,330	1,330	1,370	1,370
11020	Total Cholesterol	SST Serum	나241가	C2411	22.02		1,690	1,690	1,740	1,740
11021	Total Cholesterol	Body Fluid	나241가	C2411	22.02		1,690	1,690	1,740	1,740
02005	Total hCG(ECLIA)	SST Serum	나352	C3520	212.70		16,290	16,290	16,800	16,800
60005	Total IgE (Unicap)	SST Serum	나229	C2290	237.90		18,220	18,220	18,790	18,790
11180	Total Lipid	SST Serum	나244가	C2441	32.77		2,510	2,510	2,590	2,590
11181	Total Lipid	Body Fluid	나244가	C2441	32.77		2,510	2,510	2,590	2,590
11780	Total Porphyrin 형성	Random Urine	나389가	C3891	9.88		760	760	780	780
10030	Total Protein	SST Serum	나220	C2200	17.71		1,360	1,360	1,400	1,400
10033	Total Protein	Body Fluid	나220	C2200	17.71		1,360	1,360	1,400	1,400
10031	Total Protein(24hr U)	24hr Urine	나220	C2200	17.71		1,360	1,360	1,400	1,400
10032	Total Protein(CSF)	CSF	나220	C2200	17.71		1,360	1,360	1,400	1,400
10034	Total Protein(RU)	Random Urine	나220	C2200	17.71		1,360	1,360	1,400	1,400
13190	Total Trichloride(TTC)	Random Urine	나451나(3)	CY373290	251.42		19,260	19,260	19,860	19,860
43510	Toxoplasma DNA PCR	EDTA Blood	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
50903	Toxoplasma IgG	SST Serum	나472나(1)	C4722616	269.38		20,630	20,630	21,280	21,280
50904	Toxoplasma IgG	CSF	나472나(1)	C4722616	269.38		20,630	20,630	21,280	21,280
50913	Toxoplasma IgM	SST Serum	나472나(2)	C4723616	269.38		20,630	20,630	21,280	21,280
50914	Toxoplasma IgM	CSF	나472나(2)	C4723616	269.38		20,630	20,630	21,280	21,280
26770	TP53 gene, mutation	EDTA Blood	나580타(2)	C5807336	3185.27		243,990	243,990	251,640	251,640
50955	TPIA 매독항체정밀	SST Serum	나461-1	C4612	123.74		9,480	9,480	9,780	9,780
20360	Transferrin	SST Serum	나233	C2330	108.48		8,310	8,310	8,570	8,570
20370	Transferrin saturation	SST Serum	나249+나250	C2490+C2500	-		5,380	5,380	5,550	5,550
30185	TRAP stain	Blood Smear Slide	나1180아	B1189006	83.84		6,420	6,420	6,620	6,620

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
30186	TRAP stain	Bone Marrow Slide	나118아	B1189006	83.84		6,420	6,420	6,620	6,620
42720	Treponema pallidum PCR	분비물	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
42655	Trichomonas vaginalis PCR	분비물	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
11190	Triglyceride	SST Serum	나244다	C2443	46.89		3,590	3,590	3,700	3,700
11191	Triglyceride	Body Fluid	나244다	C2443	46.89		3,590	3,590	3,700	3,700
01870	Triple marker	SST Serum			-		46,870	46,870	48,330	48,330
12591	Troponin I	SST Serum	나394나	C3942	164.34		12,590	12,590	12,980	12,980
12600	Troponin T	SST Serum	나394가	C3941	162.75		12,470	12,470	12,860	12,860
27651	TSC1 (Tuberous sclerosis)	EDTA Blood	나580다(4)	C5809226	7298.26		559,050	559,050	576,560	576,560
27652	TSC2 (Tuberous sclerosis)	EDTA Blood	나580다(5)	C5810136	11094.85		849,870	849,870	876,490	876,490
00366	TSH (ECLIA)	SST Serum	나336	C3360	225.02		17,240	17,240	17,780	17,780
00362	TSH (RIA)	SST Serum	나336주	C7336	206.21		15,800	15,800	16,290	16,290
00385	TSH-R-Ab(ECLIA)	SST Serum	나339	C3390	230.21		17,630	17,630	18,190	18,190
00383	TSH-R-Ab(RIA)	SST Serum	너221주	CY722	184.41		14,130	14,130	14,570	14,570
81332	TTF1 (IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81430	TTF1 (IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
29160	TYR gene(oculocutaneous albinism)	EDTA Blood	나580다(2)	C5807346	3185.27		243,990	243,990	251,640	251,640
70900	Tzanck Smear	Other	나718	E7180	18.87		1,450	1,450	1,490	1,490
19057	T세포 수용체 감마 유전자 재배열	Other	나583나(2)	C5832036	3070.75		235,220	235,220	242,590	242,590
12993	UDP-Galactose-4-Epimerase	EDTA Blood	나446나	C4477006	1291.93		98,960	98,960	102,060	102,060
27450	UGT1A1 genotyping	EDTA Blood	나580다(2)	C5807356	3185.27		243,990	243,990	251,640	251,640
12840	UIBC	SST Serum	나251	C2510	37.72		2,890	2,890	2,980	2,980
26915	UNC13D gene, mutation	EDTA Blood	나580다(4)	C5809236	7298.26		559,050	559,050	576,560	576,560
42730	Ureaplasma urealyticum PCR	분비물	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
10930	Uric Acid	SST Serum	나378	C3780	17.89		1,370	1,370	1,410	1,410
10932	Uric Acid	Random Urine	나378	C3780	17.89		1,370	1,370	1,410	1,410
10931	Uric Acid(24hr U)	24hr Urine	나378	C3780	17.89		1,370	1,370	1,410	1,410
10160	Urinary Ca	복수검체	나379 외	C3795 외	-		3,780	3,780	3,900	3,900
70002	Urine Glucose	Random Urine	나1	B0010	13.67		1,050	1,050	1,080	1,080
70001	Urine Protein	Random Urine	나1	B0010	13.67		1,050	1,050	1,080	1,080
70050	Urine RBC morphology	Random Urine	너1	BX001006	30.16		2,310	2,310	2,380	2,380
81147	Uroplakin III(AU1)(IHC) 성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
11790	Uroporphyrin 형성	Random Urine	나389가	C3891	9.88		760	760	780	780
65350	Valproic Acid	SST Serum	나450나(2)	C4504060	252.59		19,350	19,350	19,950	19,950
65370	Vancomycin	SST Serum	나450나(2)	C4504160	252.59		19,350	19,350	19,950	19,950
42230	Varicella-Zoster Culture	Other	나416	B4160006	574.26		43,990	43,990	45,370	45,370
42740	Varicella-Zoster DNA(PCR)	EDTA Blood	나595하	C5956006	415.49		31,830	31,830	32,820	32,820
42050	Varicella-Zoster IgG	SST Serum	나468나(1)	C4682496	273.64		20,960	20,960	21,620	21,620
42051	Varicella-Zoster IgG	CSF	나468나(1)	C4682496	273.64		20,960	20,960	21,620	21,620
42060	Varicella-Zoster IgM	SST Serum	나468나(2)	C4683496	261.00		19,990	19,990	20,620	20,620
42061	Varicella-Zoster IgM	CSF	나468나(2)	C4683496	261.00		19,990	19,990	20,620	20,620

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
50926	VDRL 정량	CSF	나460주	C4601	33.05		2,530	2,530	2,610	2,610
50925	VDRL 정성	CSF	나460	C4600	18.35		1,410	1,410	1,450	1,450
81445	VEGFR2(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
80678	Verhoeff Van Gieson Elastic	Tissue	나553다	C5533	123.77		9,480	9,480	9,780	9,780
11205	Very long chain fatty acid	Hp Plasma	나445	C4450	1128.77		86,460	86,460	89,170	89,170
27283	VHL gene mutation analysis	EDTA Blood	나580다(1)	C5806146	2004.46		153,540	153,540	158,350	158,350
70930	Vibrio Culture	Stool	나405가	B4051	168.28		12,890	12,890	13,290	13,290
81290	Vimentin(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81291	Vimentin(IHC)(여의도성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
11360	Vitamin B1	EDTA Blood	너153주	CY160006	441.49		33,820	33,820	34,880	34,880
11396	Vitamin B12 (ECLIA)	SST Serum	나253나	C2532	245.40		18,800	18,800	19,390	19,390
11391	Vitamin B12 (RIA)	SST Serum	나253주	C7253	228.53		17,510	17,510	18,050	18,050
11370	Vitamin B2	EDTA Blood	너153주	CY161006	441.49		33,820	33,820	34,880	34,880
11386	Vitamin B6 (PLP)	EDTA Plasma	너153주	CY162006	441.49		33,820	33,820	34,880	34,880
11387	Vitamin B6 profile	EDTA Plasma	너153주	CY162006	441.49		33,820	33,820	34,880	34,880
11420	Vitamin E	SST Serum	너153주	CY166006	441.49		33,820	33,820	34,880	34,880
00920	VMA 정량	24hr Urine	나321나(3)	CX223006	341.86		26,190	26,190	27,010	27,010
00910	VMA 정성	Random Urine	나321가	C3211	12.41		950	950	980	980
80607	Von Kossa Stain	Tissue	나553다	C5533	123.77		9,480	9,480	9,780	9,780
30830	von-Willebrand's Antigen	SC Plasma	나187가	B1871	174.26		13,350	13,350	13,770	13,770
65820	Voriconazole	Plain Serum	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
65821	Voriconazole(서울성모)	SST Serum	나450나(4)	CX375696	577.54		44,240	44,240	45,630	45,630
70173	VRE Culture	Other	나405가	B4051	168.28		12,890	12,890	13,290	13,290
30845	vWF multimer analysis	SC Plasma	너88	BX088006	481.94		36,920	36,920	38,070	38,070
30821	vWF(Ristocetin Cofactor)	SC Plasma	나187나	B1872	208.47		15,970	15,970	16,470	16,470
42231	VZV culture (조직)	Tissue	나416	B4160006	574.26		43,990	43,990	45,370	45,370
30001	WBC	EDTA Blood	나105	B1050	10.99		840	840	870	870
70960	Wet Smear	Other	나4주	B0042	9.14		700	700	720	720
50980	Widal Test	SST Serum	나464	C4640	42.28		3,240	3,240	3,340	3,340
50990	Widal test (Para A B)	SST Serum	나464	C4640	42.28		3,240	3,240	3,340	3,340
27587	Wilson disease ATP7B mutation	EDTA Blood	나580다(4)	C5809046	7298.26		559,050	559,050	576,560	576,560
26273	Wilson disease, ATP7B	EDTA Blood	나580다(4)	C5809046	7298.26		559,050	559,050	576,560	576,560
26271	Wilson disease, ATP7B gene	EDTA Blood	나580다(4)	C5809046	7298.26		559,050	559,050	576,560	576,560
26272	Wilson disease,ATP7B whole	EDTA Blood	나580다(4)	C5809046	7298.26		559,050	559,050	576,560	576,560
29261	WT1 gene	EDTA Blood	나583나(1)	C5831246	1595.76		122,240	122,240	126,070	126,070
81969	WT1(IHC) 성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
25760	Y-Chromosome(SRY gene)	EDTA Blood	나580가	C5800036	924.73		70,830	70,830	73,050	73,050
71090	Yersinia Culture	Stool	나405가	B4051	168.28		12,890	12,890	13,290	13,290
42271	Zika Virus Real-time PCR(급여)	Random Urine	너424다	C4424006	1127.20		86,340	86,340	89,050	89,050
11811	Zinc Protoporphyrin(ZPP)	EDTA Blood	너43	BX043	28.26		2,160	2,160	2,230	2,230
12855	Zinc(Zn)	Trace Serum	나452나(2)	C4523670	313.68		24,030	24,030	24,780	24,780

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
12856	Zinc(Zn)	24hr Urine	나452나(2)	C4523670	313.68		24,030	24,030	24,780	24,780
65380	Zonisamide	Plain Serum	나450나(3)	CX374690	325.85		24,960	24,960	25,740	25,740
20400	$\alpha$ 1-Antitrypsin	SST Serum	나222	C2220	123.91		9,490	9,490	9,790	9,790
20405	$\alpha$ 1-Antitrypsin	Stool	나222	C2220	123.91		9,490	9,490	9,790	9,790
20406	$\alpha$ 1-antitrypsin clearance	복수검체	나222	C2220	123.91		18,980	18,980	19,580	19,580
20404	$\alpha$ 1-Antitrypsin(serum)	SST Serum	나222	C2220	123.91		9,490	9,490	9,790	9,790
80935	$\alpha$ 1-trypsin ab(AAT)(IHC)성모	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
13200	$\alpha$ -Galactosidase	EDTA Blood	나446가	C4464006	660.03		50,560	50,560	52,140	52,140
13205	$\alpha$ -Galactosidase A (Fabry)	Hp Blood	나446가	C4464006	660.03		50,560	50,560	52,140	52,140
01420	$\beta$ 2-Microglobulin	SST Serum	나223주	C7223	159.84		12,240	12,240	12,630	12,630
01421	$\beta$ 2-Microglobulin	Random Urine	나223주	C7223	159.84		12,240	12,240	12,630	12,630
01425	$\beta$ 2-Microglobulin	SST Serum	나223	C2230	175.95		13,480	13,480	13,900	13,900
01426	$\beta$ 2-Microglobulin(RU)	Random Urine	나223	C2230	175.95		13,480	13,480	13,900	13,900
81530	$\beta$ -catenin(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81531	$\beta$ -catenin(IHC)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
81533	$\beta$ -catenin(IHC)(성모)	Tissue	나557	C5575006	518.78		39,740	39,740	40,980	40,980
13080	$\beta$ -Galactosidase	Hp Blood	나446가	C4461006	660.03		50,560	50,560	52,140	52,140
02000	$\beta$ -hCG (RIA)	SST Serum	나352주	C7352	194.93		14,930	14,930	15,400	15,400
11210	$\beta$ -Lipoprotein	SST Serum	나247	C2470	109.76		8,410	8,410	8,670	8,670
25770	$\beta$ -Thalassemia	EDTA Blood	나580다(1)	C5806076	2004.46		153,540	153,540	158,350	158,350
25771	$\beta$ -Thalassemia	Bone Marrow	나580다(1)	C5806076	2004.46		153,540	153,540	158,350	158,350
25772	$\beta$ -Thalassemia	EDTA Blood	나580다(1)	C5806076	2004.46		153,540	153,540	158,350	158,350
10500	$\gamma$ - GTP	SST Serum	나271	B2710	42.95		3,290	3,290	3,390	3,390
11822	$\delta$ -ALA	Random Urine	나450나(3)	CX374690	325.85		24,960	24,960	25,740	25,740
11823	$\delta$ -ALA	24hr Urine	나450나(3)	CX374690	325.85		24,960	24,960	25,740	25,740
12920	갈락토스혈증	Blood Paper	너341가	CY411	16.31		1,250	1,250	1,290	1,290
27825	글리벡내성유전자(Sequencing)	EDTA Blood	나583다(6)	C5838016	2998.19		229,660	229,660	236,860	236,860
42576	급성설사 원인 바이러스 선별검사	Stool	나596-4가	C6041006	1017.14		77,910	77,910	80,350	80,350
42577	급성설사 원인균 선별검사	Stool	나595-5가	C6011006	623.24		47,740	47,740	49,240	49,240
12891	단풍당뇨증	Blood Paper	나443나	CY441	24.93		1,910	1,910	1,970	1,970
80000	부인과적 세포검사	Cervix	나592	C5920	89.02		6,820	6,820	7,030	7,030
70970	분변충란검사	Stool	나61다	B0613	21.83		1,670	1,670	1,720	1,720
12582	삼염화초산(TCA)_1,1,1-TCE	Random Urine	나451나(3)	CY373290	251.42		19,260	19,260	19,860	19,860
12583	삼염화초산(TCA)_PCE	Random Urine	나451나(3)	CY373290	251.42		19,260	19,260	19,860	19,860
12581	삼염화초산(TCA)_TCE	Random Urine	나451나(3)	CY373290	251.42		19,260	19,260	19,860	19,860
42585	세균성뇌수막염검사 PCR 5종	CSF	나595-5나	C6012006	623.24		47,740	47,740	49,240	49,240
82430	악성종양 외부표본판독<20)	Other	나550다	C5918009	241.42		18,490	18,490	19,070	19,070
80720	엑상자궁경부세포-C	Cervix	너541	CX541	368.48		28,230	28,230	29,110	29,110
80700	엑상자궁경부세포검사	Cervix	너541	CX541	368.48		28,230	28,230	29,110	29,110
80029	엑상체액세포검사	Random Urine	나593-1	CZ521	419.61		32,140	32,140	33,150	33,150
80058	엑상체액세포병리검사	Other	나593-1	CZ521	419.61		32,140	32,140	33,150	33,150

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
80028	액상흡연세포검사	Thyroid	나594-3	C5943	392.25		30,050	30,050	30,990	30,990
80076	액상흡연세포검사	Thyroid	나594-3	C5943	392.25		30,050	30,050	30,990	30,990
80761	액상흡연세포검사(갑상선)	Thyroid	나594-3	C5943	392.25		30,050	30,050	30,990	30,990
70006	요일반검사 4종	Random Urine	나1	B0010	13.67		1,050	1,050	1,080	1,080
70005	요일반검사 7종	Random Urine	나2	B0020	16.36		1,250	1,250	1,290	1,290
70000	요일반검사10종	Random Urine	나3	B0030	28.27		2,170	2,170	2,230	2,230
71010	요충란검사(Scotch tape)	Other	나62	B0620	16.73		1,280	1,280	1,320	1,320
70015	요침사검사	Random Urine	나4-1가	B0043	16.74		1,280	1,280	1,320	1,320
80750	자궁경부암 검사(2종)	Cervix	나541+나595	CX541외	-		81,710	81,710	84,260	84,260
81316	전자현미경검사	Tissue	나555	C5550	1254.59		96,100	96,100	99,110	99,110
82018	조직 (≥13)	Tissue	나550가(5)	C5915	687.25		52,640	52,640	54,290	54,290
82017	조직 (10-12)	Tissue	나550가(4)	C5914	589.09		45,120	45,120	46,540	46,540
82014	조직 (1-3)	Tissue	나550가(1)	C5911	282.35		21,630	21,630	22,310	22,310
80082	조직 (1-3)결과판독(삼성)	Other	나550가(1)	C5911009	56.47		4,330	4,330	4,460	4,460
82015	조직 (4-6)	Tissue	나550가(2)	C5912	380.51		29,150	29,150	30,060	30,060
80084	조직 (4-6)결과판독(삼성)	Other	나550가(2)	C5912009	76.10		5,830	5,830	6,010	6,010
82016	조직 (7-9)	Tissue	나550가(3)	C5913	478.66		36,670	36,670	37,810	37,810
82037	조직 악성(≤15)	Tissue	나550다	C5500	882.23		67,580	67,580	69,700	69,700
80083	조직 악성(≤15)결과판독	Other	나550다	C5500009	176.45		13,520	13,520	13,940	13,940
82035	조직 악성(≤20)	Tissue	나550다	C5918	1207.08		92,460	92,460	95,360	95,360
82038	조직 악성(≥16)	Tissue	나550다	C5504	1234.92		94,590	94,590	97,560	97,560
82036	조직 악성(≥21)	Tissue	나550다	C5919	1803.93		138,180	138,180	142,510	142,510
82024	조직 절편(≤6)	Tissue	나550나(1)	C5916	445.87		34,150	34,150	35,220	35,220
82211	조직 절편(≤6)+ 절편(≥7)	Tissue	나550	C5916+C5917	-		82,930	82,930	85,530	85,530
82205	조직 절편(≤6)×2	Tissue	나550나(1)	C5916	445.87		68,300	68,300	70,440	70,440
82025	조직 절편(≥7)	Tissue	나550나(2)	C5917	636.85		48,780	48,780	50,310	50,310
82089	조직(≥13)+ Stain	Tissue	나550+나553	C5915+C5533	-		62,120	62,120	64,070	64,070
82088	조직(10-12)+ Stain	Tissue	나550+나553	C5914+C5533	-		54,600	54,600	56,320	56,320
82085	조직(1-3)+ Stain	Tissue	나550+나553	C5911+C5533	-		31,110	31,110	32,090	32,090
82200	조직(1-3)+ 악성(≤20)	Tissue	나550	C5911+C5918	-		114,090	114,090	117,670	117,670
82190	조직(1-3)+ 절편(≤6)	Tissue	나550	C5911+C5916	-		55,780	55,780	57,530	57,530
82191	조직(1-3)×2	Tissue	나550가(1)	C5911	282.35		43,260	43,260	44,620	44,620
82086	조직(4-6)+ Stain	Tissue	나550+나553	C5912+C5533	-		38,630	38,630	39,840	39,840
82087	조직(7-9)+ Stain	Tissue	나550+나553	C5913+C5533	-		46,150	46,150	47,590	47,590
82050	조직구축학적검사	Tissue	나550라(1)	C5505	1867.42		143,040	143,040	147,530	147,530
80240	조직구축학적검사	Tissue	나550라(1)	C5505	1867.42		143,040	143,040	147,530	147,530
80681	조직내호르몬수용체×2	Tissue	나559	C5590	483.96		74,140	74,140	76,460	76,460
80680	조직내호르몬수용체검사	Other	나559	C5590	483.96		37,070	37,070	38,230	38,230
80660	조직면역형광현미경검사	Other	나554가	C5541	281.40		21,560	21,560	22,230	22,230
80670	조직전자현미경검사	Other	나555	C5550	1254.59		96,100	96,100	99,110	99,110
80086	조직절편(≤6)결과판독(삼성)	Other	나550나(1)	C5916009	89.17		6,830	6,830	7,040	7,040

검사 코드	검사명	검체명	분류코드	보험코드	상대가치 점수	비고	2016년		2017년	
							보험가	의뢰가	보험가	의뢰가
80020	체액세포병리검사	Sputum	나593가	C5930	104.42		8,000	8,000	8,250	8,250
80021	체액세포병리검사(Cytospin)	Random Urine	나593나	C5931	110.05		8,430	8,430	8,690	8,690
82070	탈회(Decalcification)	Tissue	나550주1	C5509	46.91		3,590	3,590	3,710	3,710
80525	탈회(Decalcification)	Tissue	나550주1	C5509	46.91		3,590	3,590	3,710	3,710
12881	페닐케톤뇨증	Blood Paper	나443나	C4411	24.93		1,910	1,910	1,970	1,970
80673	편광현미경검사	Other	나558	C5580	52.55		4,030	4,030	4,150	4,150
42304	폐렴 원인균 선별검사	Sputum	나595-5다	C6013006	623.24		47,740	47,740	49,240	49,240
30231	혈액형 동정검사	복수검체	나206나	B2062006	243.24		18,630	18,630	19,220	19,220
70700	혈기성 배양	Other	나405가	B4051	168.28		12,890	12,890	13,290	13,290
12910	호모시스틴뇨증	Blood Paper	나443나	CX342	24.93		1,910	1,910	1,970	1,970
42308	호흡기바이러스 14종 PCR	비인후/인후도찰물	나589-1나	CZ053006	1306.28		100,060	100,060	103,200	103,200
42306	호흡기바이러스 6종 PCR	비인후/인후도찰물	나589-1나	CZ053006	1306.28		100,060	100,060	103,200	103,200
42252	호흡기바이러스 culture 2종	Other	나416	B4160006	574.26		87,980	87,980	90,740	90,740
42253	호흡기바이러스 culture 3종	Other	나416	B4160006	574.26		131,970	131,970	136,110	136,110
42254	호흡기바이러스 culture 4종	Other	나416	B4160006	574.26		175,960	175,960	181,480	181,480
42255	호흡기바이러스 culture 5종	Other	나416	B4160006	574.26		219,950	219,950	226,850	226,850
42256	호흡기바이러스 culture 6종	Other	나416	B4160006	574.26		263,940	263,940	272,220	272,220
80030	흡인세포병리검사	Thyroid	나594-1	C5941	180.66		13,840	13,840	14,270	14,270
80039	흡인세포병리검사 판독	Other	나594-1	C5941009	36.13		2,770	2,770	2,850	2,850
80036	흡인세포병리검사_조직절편	Other	나594-1주2	C5942	240.08		18,390	18,390	18,970	18,970
80078	흡인세포병리검사판독(삼성)	Other	나594-1	C5941009	36.13		2,770	2,770	2,850	2,850
71100	흡충란검사 (Trematodes)	Stool	나64	B0641	51.04		3,910	3,910	4,030	4,030