

삼광의료재단 2021년 검사수가 안내 (급여)

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
10532	(1-3)β-D-Glucan	SST Serum	누620다	D620401C	350.20	30,050	30,050	30,680	30,680
10534	(1-3)β-D-Glucan	SST Serum	누620다	D620401C	350.20	30,050	30,050	30,680	30,680
11230	1,25-(OH)2 Vitamin D	SST Serum	누490	D4902017	118.49	10,170	10,170	10,380	10,380
20002	1,5-Anhydroglucitol	SST Serum	누303	D3030003	185.14	15,890	15,890	16,220	16,220
00591	17-KS	24hr Urine	누350가	D3501043	49.74	4,270	4,270	4,360	4,360
00611	17-OHCS	24hr Urine	누350가	D3501053	49.74	4,270	4,270	4,360	4,360
00410	17α-OH Progesterone	SST Serum	누371주	D3711017	162.88	13,980	13,980	14,270	14,270
00411	17α-OH Progesterone	EDTA Plasma	누371주	D3711017	162.88	13,980	13,980	14,270	14,270
19081	25(OH) Vitamin D2/D3	SST Serum	누490다	D490408C	544.26	46,700	46,700	47,680	47,680
11841	2-5-Hexanedione(특검)	Random Urine	누540다(2)	D5423013	254.59	21,840	21,840	22,300	22,300
11250	25-OH Vitamin D	SST Serum	누490나	D4902023	116.21	9,970	9,970	10,180	10,180
11252	25-OH Vitamin D (D2,D3)	Plain Serum	누490다	D490408C	544.26	46,700	46,700	47,680	47,680
11251	25-OH Vitamin D3 (RIA)	SST Serum	누490나주	D4903067	168.63	14,470	14,470	14,770	14,770
00825	5-HIAA 정량	24hr Urine	누351다	D3513013	217.24	18,640	18,640	19,030	19,030
00826	5-HIAA 정량	Random Urine	누351다	D3513013	217.24	18,640	18,640	19,030	19,030
00812	5-HIAA 정량 (24hr U)	24hr Urine	누351라	D351401C	447.20	38,370	38,370	39,170	39,170
00811	5-HIAA 정량 (Plasma)	EDTA Plasma	누351라	D351401C	447.20	38,370	38,370	39,170	39,170
00810	5-HIAA 정성	Random Urine	누351가	D3511013	17.37	1,490	1,490	1,520	1,520
10840	A/CCR	복수검체	누380외	D3800023외	-	8,320	8,320	8,500	8,500
10020	A/G ratio	SST Serum	누188외	D1880003외	-	2,740	2,740	2,800	2,800
10021	A/G ratio (Fluid)	Body Fluid	누188외	D1880003외	-	2,740	2,740	2,800	2,800
30290	Ab Elution	EDTA Blood	누160	D160000C	78.22	6,710	6,710	6,850	6,850
30230	Ab Identification Test	복수검체	누154외	D154105C외	-	38,370	38,370	39,170	39,170
30220	Ab Screening test	SST Serum	누156가	D156100C	135.51	11,630	11,630	11,870	11,870
25687	ABCB11 gene mutation	EDTA Blood	나580다(4)	C580924C	7,255.90	622,560	622,560	635,620	635,620
25763	ABCC8 gene, mutation (Famil	EDTA Blood	나580다(4)	C580925C	7,255.90	622,560	622,560	635,620	635,620
27691	ABCD1 gene mutation (삼성)	EDTA Blood	나580다(3)	C580801C	4,637.14	397,870	397,870	406,210	406,210
30247	ABO 혈액형 검사 (Front&Back	EDTA Blood	누150나	D1502003	67.31	5,780	5,780	5,900	5,900
10190	ACE	SST Serum	누252	D2520003	168.74	14,480	14,480	14,780	14,780
10191	ACE	Other	누252	D2520003	168.74	14,480	14,480	14,780	14,780
65490	Acetaminophen	SST Serum	누532나(2)	D5333013	188.13	16,140	16,140	16,480	16,480
12652	Acetone (특검)	Random Urine	누540다(2)	D5423033	254.59	21,840	21,840	22,300	22,300
27552	Achondroplasia,FGFR3 major	EDTA Blood	나580다(1)	C580618C	1,992.83	170,980	170,980	174,570	174,570
01140	Ach-r-Binding Ab	SST Serum	누808주	D8081007	117.75	10,100	10,100	10,310	10,310
10200	ACP	SST Serum	누229	D2290003	17.30	1,480	1,480	1,520	1,520
10201	ACP	분비물	누229	D2290003	17.30	1,480	1,480	1,520	1,520
00015	ACTH (ECLIA)	EDTA Plasma	누343	D3430003	166.10	14,250	14,250	14,550	14,550
80860	ACTH (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81159	Actin (IHC)(여의도성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
30960	Activated PTT	SC Plasma	누100라	D1004003	35.27	3,030	3,030	3,090	3,090
26130	Acute Leukemia panel	EDTA Blood	누081나외	D081200C외	-	771,200	771,200	787,450	787,450
26131	Acute Leukemia panel	Bone Marrow	누081나외	D081200C외	-	771,200	771,200	787,450	787,450
26234	Acute Leukemia panel	Bone Marrow	누081나외	D081200C외	-	751,680	751,680	767,520	767,520

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
29601	ACVRL1 gene mutation (HHT)	EDTA Blood	나580다(2)	C580702C	3,166.78	271,710	271,710	277,410	277,410
13223	Acylcarnitine 정량	EDTA Plasma	누520	D520000C	1,160.10	99,540	99,540	101,620	101,620
10210	ADA	SST Serum	누253	D2530003	129.16	11,080	11,080	11,310	11,310
10212	ADA	Body Fluid	누253	D2530003	129.16	11,080	11,080	11,310	11,310
10211	ADA (CSF)	CSF	누253	D2530003	129.16	11,080	11,080	11,310	11,310
65132	Adalimumab 정량	SST Serum	누532나(2)	D5333523	188.13	16,140	16,140	16,480	16,480
28051	ADAMTS 13 activity	SC Plasma	누133나	D133200C	738.79	63,390	63,390	64,720	64,720
28050	ADAMTS 13 activity (녹십자)	SC Plasma	누133가	D133100C	1,464.50	125,650	125,650	128,290	128,290
42812	Adenovirus Ag (Stool)	Stool	누653가	D6530023	86.70	7,440	7,440	7,590	7,590
42105	Adenovirus culture	Other	누652가	D652100C	578.61	49,640	49,640	50,690	50,690
40255	Adenovirus IgG	SST Serum	누654나(1)	D654201C	199.61	17,130	17,130	17,490	17,490
40260	Adenovirus IgM	SST Serum	누654나(2)	D654301C	179.14	15,370	15,370	15,690	15,690
40261	Adenovirus IgM	CSF	누654나(2)	D654301C	179.14	15,370	15,370	15,690	15,690
42107	Adenovirus rapid culture	Other	누652가	D652100C	578.61	49,640	49,640	50,690	50,690
27690	Adrenoleukodystrophy-ABCD	EDTA Blood	나580다(3)	C580801C	4,637.14	397,870	397,870	406,210	406,210
25020	AFAFP	Amniotic Fluid	누421나	D2420023	92.31	7,920	7,920	8,090	8,090
25040	AFAFP	Amniotic Fluid	누421나	D2420023	92.31	7,920	7,920	8,090	8,090
70410	AFB Culture	Sputum	누601가(1)	D6011003	175.55	15,060	15,060	15,380	15,380
70420	AFB Culture (고체배지)	Tissue	누601가(1)	D6011003	175.55	15,060	15,060	15,380	15,380
70450	AFB Culture (액체+고체)(결핵균)	Tissue	누601가외	D6011003외	-	35,710	35,710	36,460	36,460
70445	AFB Culture (액체+고체배지)	Sputum	누601가외	D6011003외	-	35,710	35,710	36,460	36,460
70605	AFB Identification	균주	누604가	D604102C	520.33	44,640	44,640	45,580	45,580
70512	AFB Sensitivity (INH)	Sputum	누604나	D604204C	628.86	53,960	53,960	55,090	55,090
70511	AFB Sensitivity (RIF)	Sputum	누604나	D604203C	628.86	53,960	53,960	55,090	55,090
70510	AFB Sensitivity (RIF,INH)	Sputum	누604나	D604203C외	-	107,920	107,920	110,180	110,180
70516	AFB Sensitivity (Sequence)	Sputum	누605가외	D605102C외	-	325,980	325,980	332,800	332,800
70500	AFB Sensitivity (결핵협회)	균주	누601나(1)(2)	D6013003	477.81	41,000	41,000	41,860	41,860
70330	AFB Stain (형광법)	Sputum	누600다	D6003003	96.93	8,320	8,320	8,490	8,490
70400	AFB Stain&Culture	Sputum	누600다외	D6003003외	-	23,380	23,380	23,870	23,870
01405	AFP	SST Serum	누421나	D2420023	92.31	7,920	7,920	8,090	8,090
01406	AFP	EDTA Plasma	누421나	D2420023	92.31	7,920	7,920	8,090	8,090
01407	AFP	Body Fluid	누421나	D2420023	92.31	7,920	7,920	8,090	8,090
81560	AFP (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81978	AFP (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
01417	AFP-L3(%)	SST Serum	누421-17가	D4111003	194.43	16,680	16,680	17,030	17,030
26881	AGL gene mutation (삼성)	EDTA Blood	나580다(4)	C580901C	7,255.90	622,560	622,560	635,620	635,620
26736	AHC;NR0B1 gene mutation	EDTA Blood	나580다(2)	C580723C	3,166.78	271,710	271,710	277,410	277,410
10000	Albumin	SST Serum	누188가	D1880003	17.23	1,480	1,480	1,510	1,510
10004	Albumin	Body Fluid	누188가	D1880003	17.23	1,480	1,480	1,510	1,510
10003	Albumin (CSF)	CSF	누300나	D3002003	193.53	16,600	16,600	16,950	16,950
11891	Alcohol	EDTA Plasma	누532가(2)	D5323183	136.35	11,700	11,700	11,940	11,940
11890	Alcohol (Ethanol)	SST Serum	누532가(2)	D5323183	136.35	11,700	11,700	11,940	11,940
11892	Alcohol (RU)	Random Urine	누532가(2)	D5323183	136.35	11,700	11,700	11,940	11,940
10221	Aldolase	SST Serum	누251가	D2510083	30.77	2,640	2,640	2,700	2,700
00650	Aldosterone	SST Serum	누350나주	D3503037	153.54	13,170	13,170	13,450	13,450
00654	Aldosterone(24hr U)	24hr Urine	누350나주	D3503037	153.54	13,170	13,170	13,450	13,450

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
81354	ALK (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81705	ALK (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
82440	ALK (IHC)(여의도성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
10230	ALP	SST Serum	누187가	D1870003	16.28	1,400	1,400	1,430	1,430
10231	ALP (Fluid)	Body Fluid	누187가	D1870003	16.28	1,400	1,400	1,430	1,430
20560	ALP Isoenzyme	SST Serum	누254나	D254201C	177.13	15,200	15,200	15,520	15,520
10360	ALT(GPT)	SST Serum	누185가	D1850003	20.20	1,730	1,730	1,770	1,770
10361	ALT(GPT)(Fluid)	Body Fluid	누185가	D1850003	20.20	1,730	1,730	1,770	1,770
12670	Aluminium(Al)	Trace Serum	누550나(1)	D5511023	325.17	27,900	27,900	28,480	28,480
12671	Aluminium(Al)	24hr Urine	누550나(1)	D5511023	325.17	27,900	27,900	28,480	28,480
81145	AMACR (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81146	AMACR (IHC)(여의도성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
00675	AMH	SST Serum	누373	D3730003	531.93	45,640	45,640	46,600	46,600
65170	Amikacin	Plain Serum	누532나(2)	D5333023	188.13	16,140	16,140	16,480	16,480
13011	Amino Acid 분석 [LC/MS-MS]	EDTA Plasma	누514마	D514500C외	-	155,980	155,980	159,240	159,240
13012	Amino Acid 분석 [LC/MS-MS]	Random Urine	누514마	D514500C외	-	155,980	155,980	159,240	159,240
65500	Amiodarone	Plain Serum	누532다(4)	D534904C	571.84	49,060	49,060	50,090	50,090
65512	Amitriptyline+Nortriptyline	Plain Serum	누532다(4)	D534905C	571.84	49,060	49,060	50,090	50,090
25325	AML1/ETO (real-time PCR)	EDTA Blood	나583나(1)	C583123C	1,352.44	116,040	116,040	118,470	118,470
25320	AML1/ETO (RT-Nested-PCR)	EDTA Blood	나583나(1)	C583110C	1,352.44	116,040	116,040	118,470	118,470
10850	Ammonia (NH ₃)	EDTA Plasma	누192	D1920003	47.28	4,060	4,060	4,140	4,140
10240	Amylase	SST Serum	누380가	D3800023	30.27	2,600	2,600	2,650	2,650
10243	Amylase	Body Fluid	누380가	D3800023	30.27	2,600	2,600	2,650	2,650
10242	Amylase (24hr U)	24hr Urine	누380가	D3800023	30.27	2,600	2,600	2,650	2,650
10241	Amylase (RU)	Random Urine	누380가	D3800023	30.27	2,600	2,600	2,650	2,650
10252	Amylase clearance	복수검체	누228외	D2280003외	-	8,320	8,320	8,500	8,500
20573	Amylase Isoenzyme	SST Serum	누382	D382000C	163.89	14,060	14,060	14,360	14,360
20574	Amylase Isoenzyme	Body Fluid	누382	D382000C	163.89	14,060	14,060	14,360	14,360
81966	Amyloid A (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81974	Amyloid A (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
51030	ANA (IFA)	SST Serum	누784나(1)	D784200C	171.18	14,690	14,690	15,000	15,000
51031	ANA (IFA)	Body Fluid	누784나(1)	D784200C	171.18	14,690	14,690	15,000	15,000
51040	ANA 정량	SST Serum	누784나(2)	D784300C	302.01	25,910	25,910	26,460	26,460
51041	ANA 정량	Body Fluid	누784나(2)	D784300C	302.01	25,910	25,910	26,460	26,460
51061	ANCA (MPO) 정량	SST Serum	누795가	D795103C	174.78	15,000	15,000	15,310	15,310
51062	ANCA (PR3) 정량	SST Serum	누795가	D795104C	174.78	15,000	15,000	15,310	15,310
51052	ANCA Titer (IFA)	SST Serum	누794가(2)	D794200C	306.15	26,270	26,270	26,820	26,820
51060	ANCA 정량	SST Serum	누795가	D795103C외	-	30,000	30,000	30,620	30,620
51063	ANCA 정량 3종 (MPO,PR3,GB)	SST Serum	누795외	D795103C외	-	41,920	41,920	42,790	42,790
51050	ANCA 경성	SST Serum	누794가(1)	D794100C	133.27	11,430	11,430	11,670	11,670
12930	Anion GAP	SST Serum	누280외	D2800033외	-	8,350	8,350	8,520	8,520
51100	Anti Cardiolipin IgA	SST Serum	누788가(2)	D7882013	188.48	16,170	16,170	16,510	16,510
51080	Anti Cardiolipin IgG	SST Serum	누788가(2)	D7882023	188.48	16,170	16,170	16,510	16,510
51090	Anti Cardiolipin IgM	SST Serum	누788가(2)	D7882033	188.48	16,170	16,170	16,510	16,510
51121	Anti CCP Ab	EDTA Plasma	누813	D8130003	187.97	16,130	16,130	16,470	16,470
51122	Anti CCP Ab	SST Serum	누813	D8130003	187.97	16,130	16,130	16,470	16,470

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
51145	Anti centromere Ab (EIA)	SST Serum	누785나	D785209C	335.78	28,810	28,810	29,410	29,410
51152	Anti dsDNA Ab (RIA)	SST Serum	누786나주	D7863007	269.20	23,100	23,100	23,580	23,580
51160	Anti dsDNA IgG	SST Serum	누786나	D7862003	257.95	22,130	22,130	22,600	22,600
51170	Anti dsDNA IgM	SST Serum	누786나	D7862003	257.95	22,130	22,130	22,600	22,600
51171	Anti dsDNA IgM	EDTA Plasma	누786나	D7862003	257.95	22,130	22,130	22,600	22,600
51220	Anti GAD Ab	SST Serum	누803주	D8031007	504.60	43,290	43,290	44,200	44,200
51221	Anti GAD Ab	CSF	누803주	D8031007	504.60	43,290	43,290	44,200	44,200
51230	Anti GBM Ab	SST Serum	누796가	D7961003	138.90	11,920	11,920	12,170	12,170
31006	Anti heparin(PF4) Ab	SST Serum	누814	D8140003	553.51	47,490	47,490	48,490	48,490
51272	Anti Intrinsic Factor Ab	SST Serum	누805	D8050003	98.55	8,460	8,460	8,630	8,630
51320	Anti Jo-1 Ab	SST Serum	누785나	D785201C	335.78	28,810	28,810	29,410	29,410
51360	Anti LKM Ab	SST Serum	누798나	D7982003	298.92	25,650	25,650	26,190	26,190
52102	Anti MAG Ab	SST Serum	누812	D812000C	335.78	28,810	28,810	29,410	29,410
01885	Anti Microsome (TPO) Ab	SST Serum	누321나	D3212043	150.67	12,930	12,930	13,200	13,200
51380	Anti Mitochondrial Ab (IFA)	SST Serum	누797다	D7973003	115.74	9,930	9,930	10,140	10,140
51420	Anti Parietal cell Ab	SST Serum	누809	D8090003	83.33	7,150	7,150	7,300	7,300
51450	Anti Phospholipid IgG	SC Plasma	누789가(2)	D789202C	240.58	20,640	20,640	21,070	21,070
51451	Anti Phospholipid IgG	SST Serum	누789가(2)	D789202C	240.58	20,640	20,640	21,070	21,070
51460	Anti Phospholipid IgM	SC Plasma	누789가(2)	D789203C	240.58	20,640	20,640	21,070	21,070
51461	Anti Phospholipid IgM	SST Serum	누789가(2)	D789203C	240.58	20,640	20,640	21,070	21,070
51480	Anti Platelet Ab	SST Serum	누791다	D791300C	230.63	19,790	19,790	20,200	20,200
51520	Anti RNP Ab	SST Serum	누785나	D785204C	335.78	28,810	28,810	29,410	29,410
51521	Anti RNP Ab	EDTA Plasma	누785나	D785204C	335.78	28,810	28,810	29,410	29,410
51535	Anti Scl-70 Ab	SST Serum	누785나	D785205C	335.78	28,810	28,810	29,410	29,410
51550	Anti Sm Ab	SST Serum	누785나	D785206C	335.78	28,810	28,810	29,410	29,410
51560	Anti Smooth Muscle Ab (IFA)	SST Serum	누799다	D7993003	97.46	8,360	8,360	8,540	8,540
51580	Anti SS-A/Ro Ab	SST Serum	누785나	D785207C	335.78	28,810	28,810	29,410	29,410
51590	Anti SS-B/La Ab	SST Serum	누785나	D785208C	335.78	28,810	28,810	29,410	29,410
30870	Anti thrombin III (%)	SC Plasma	누112가	D1121003	65.01	5,580	5,580	5,690	5,690
51620	Anti TS Ab	SST Serum	누321나주2	D3214013	490.66	42,100	42,100	42,980	42,980
31120	Anti Xa LMWH test (Heparin)	SC Plasma	누102	D1020023	143.57	12,320	12,320	12,580	12,580
52030	Anti β2-GPI IgG	SST Serum	누790가	D7901023	240.53	20,640	20,640	21,070	21,070
52035	Anti β2-GPI IgM	SST Serum	누790가	D7901033	240.53	20,640	20,640	21,070	21,070
51071	Anti-Aquaporin 4 IgG Antibody	SST Serum	누810가	D810100C	351.49	30,160	30,160	30,790	30,790
27786	Anti-Aquaporin4 IgG Antibody	SST Serum	누810나	D810200C	1,058.05	90,780	90,780	92,690	92,690
51541	Anti-PLA2R IgG	SST Serum	누811	D8110003	307.81	26,410	26,410	26,960	26,960
26411	APC gene mutation analysis	EDTA Blood	나580다(4)	C580902C	7,255.90	622,560	622,560	635,620	635,620
31100	APCR	SC Plasma	누103	D1030033	153.85	13,200	13,200	13,480	13,480
10940	Apolipoprotein A I	SST Serum	누263	D2630023	79.66	6,830	6,830	6,980	6,980
10950	Apolipoprotein A II	SST Serum	누263	D2630023	79.66	6,830	6,830	6,980	6,980
10960	Apolipoprotein B	SST Serum	누263	D2630033	79.66	6,830	6,830	6,980	6,980
10970	Apolipoprotein C II	SST Serum	누263	D2630043	79.66	6,830	6,830	6,980	6,980
10980	Apolipoprotein C III	SST Serum	누263	D2630043	79.66	6,830	6,830	6,980	6,980
10990	Apolipoprotein E	SST Serum	누263	D2630053	79.66	6,830	6,830	6,980	6,980
25330	Apolipoprotein E Genotype	EDTA Blood	나580가	C580001C	724.40	62,150	62,150	63,460	63,460
20430	Apt test	Stool	누032가	D0321003	51.05	4,380	4,380	4,470	4,470

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
20431	Apt test	Other	누032가	D0321003	51.05	4,380	4,380	4,470	4,470
29312	AR(IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
29390	ARSA gene (MLD)	EDTA Blood	나580다(2)	C580705C	3,166.78	271,710	271,710	277,410	277,410
12683	Arsenic (As)	Trace EDTA Blo	누550나(1)	D5511033	325.17	27,900	27,900	28,480	28,480
12685	Arsenic (As)	24hr Urine	누550나(1)	D5511033	325.17	27,900	27,900	28,480	28,480
12686	Arsenic (As)	Random Urine	누550나(1)	D5511033	325.17	27,900	27,900	28,480	28,480
12688	Arsenic (As)(특검)	Random Urine	누550나(1)	D5511033	325.17	27,900	27,900	28,480	28,480
10260	Arylsulfatase A	EDTA Blood	누517가(1)	D517105C	656.20	56,300	56,300	57,480	57,480
10265	Arylsulfatase A (MLD) enzyme	EDTA Blood	누517가(1)	D517105C	656.20	56,300	56,300	57,480	57,480
52166	ASCA (Anti Saccharomyces Ce	SST Serum	누807외	D807001C외	-	28,840	28,840	29,440	29,440
50400	ASO (Latex)	SST Serum	누583가	D5831003	25.45	2,180	2,180	2,230	2,230
50411	ASO (Titer)(Fluid)	Body Fluid	누583다	D5833003	92.59	7,940	7,940	8,110	8,110
50410	ASO 정량	SST Serum	누583다	D5833003	92.59	7,940	7,940	8,110	8,110
50446	Aspergillus Ab (CSF)	CSF	누622나	D622201C	168.06	14,420	14,420	14,720	14,720
50445	Aspergillus Ab IgG	SST Serum	누622나	D622201C	168.06	14,420	14,420	14,720	14,720
50455	Aspergillus Ag	SST Serum	누621나	D621201C	241.98	20,760	20,760	21,200	21,200
50456	Aspergillus Ag (BAL)	Bronchial Was	누621나	D621201C	241.98	20,760	20,760	21,200	21,200
65520	Aspirin (Salicylic acid)	Plain Serum	누532가(2)	D5323403	136.35	11,700	11,700	11,940	11,940
25652	ASS1 gene mutation (citrulline	EDTA Blood	나580다(3)	C580803C	4,637.14	397,870	397,870	406,210	406,210
10350	AST(GOT)	SST Serum	누186가	D1860003	20.69	1,780	1,780	1,810	1,810
10351	AST(GOT)(Fluid)	Body Fluid	누186가	D1860003	20.69	1,780	1,780	1,810	1,810
25631	ATP7A gene mutation (Menke	EDTA Blood	나580다(4)	C580903C	7,255.90	622,560	622,560	635,620	635,620
81179	ATPase 9.4 stain	Tissue	나566	C5660008	409.66	35,150	35,150	35,890	35,890
11925	Auto hemolysis test	복수검체	누054가	D054102C	108.14	9,280	9,280	9,470	9,470
29172	Avellino corneal dystrophy	Other	나580나(1)	C580109C	724.40	62,150	62,150	63,460	63,460
29430	AVPR2 gene mutation	EDTA Blood	나580다(2)	C580737C	3,166.78	271,710	271,710	277,410	277,410
10890	B/C ratio	SST Serum	누230외	D2300003외	-	2,990	2,990	3,060	3,060
29300	BAALC	EDTA Blood	나583나(1)	C583115C	1,352.44	116,040	116,040	118,470	118,470
65180	Barbiturate	Random Urine	누532가(1)	D5321043	64.09	5,500	5,500	5,610	5,610
81071	BCL2 (IHC)(삼성)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81070	BCL2 (IHC)(서울대)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81660	BCL6 (IHC)(삼성)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81080	BCL6 (IHC)(서울대)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81081	BCL6 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
27563	BCR-ABL gene rearrangement	EDTA Blood	나583나외	C583101C외	-	232,080	232,080	236,940	236,940
25371	BCR-ABL major PCR	Bone Marrow	나583나(1)	C583101C	1,352.44	116,040	116,040	118,470	118,470
25381	BCR-ABL minor PCR	Bone Marrow	나583나(1)	C583102C	1,352.44	116,040	116,040	118,470	118,470
27576	BCR-ABL 정량 (major)	EDTA Blood	나583나(1)	C583116C	1,352.44	116,040	116,040	118,470	118,470
27577	BCR-ABL 정량 (minor)	EDTA Blood	나583나(1)	C583116C	1,352.44	116,040	116,040	118,470	118,470
27564	BCR-ABL 정량 (성모)	Bone Marrow	나583나(1)	C583116C	1,352.44	116,040	116,040	118,470	118,470
65190	Benzodiazepine	Random Urine	누532가(1)	D5321053	64.09	5,500	5,500	5,610	5,610
80834	beta-hcg (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
11930	Bile Acid	SST Serum	누190	D1900003	163.44	14,020	14,020	14,320	14,320
11931	Bile Acid	Bile	누190	D1900003	163.44	14,020	14,020	14,320	14,320
11680	Biotinidase enzyme activity	EDTA Plasma	누517가(1)	D517118C	656.20	56,300	56,300	57,480	57,480
42682	BK Virus PCR	Random Urine	누658가	D658102C	389.36	33,410	33,410	34,110	34,110

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
42685	BK Virus PCR 경량	Random Urine	누658마	D658501C	792.13	67,960	67,960	69,390	69,390
30010	Blood Cell Morphology	EDTA Blood	누051	D051000C	111.94	9,600	9,600	9,810	9,810
70231	Blood Culture&Sensi (DISK)(성	Blood	누581마(1)주	D5853003	220.91	18,950	18,950	19,350	19,350
70232	Blood Culture&Sensi (DISK)(소	Blood	누581마(1)	D5851003	199.45	17,110	17,110	17,470	17,470
70241	Blood Culture&Sensi (MIC)(성	Blood	누581마(2)주	D5856003	252.27	21,640	21,640	22,100	22,100
70242	Blood Culture&Sensi (MIC)(소	Blood	누581마(2)	D5854003	210.70	18,080	18,080	18,460	18,460
25634	BMPR2 gene mutation (삼성)	EDTA Blood	나580다(2)	C580738C	3,166.78	271,710	271,710	277,410	277,410
71020	Body Fluid Analysis	Body Fluid	누032사	D0327003	57.13	4,900	4,900	5,000	5,000
71021	Body Fluid Analysis(Joint)	Joint Fluid	누032사	D0327003	57.13	4,900	4,900	5,000	5,000
71060	Body Fluid Cell count	Body Fluid	누032사	D0327003	57.13	4,900	4,900	5,000	5,000
11941	Bone ALP	SST Serum	누500	D5000013	88.56	7,600	7,600	7,760	7,760
30130	Bone Marrow Examination	Bone Marrow	누083가	D0831003	614.34	52,710	52,710	53,820	53,820
50823	Borrelia PCR	EDTA Blood	누591가	D591102C	389.36	33,410	33,410	34,110	34,110
29064	BRAF real-time PCR (melanoma)	Tissue	나583나(1)	C583117F	1,376.60	118,110	118,110	120,590	120,590
29065	BRAF V600E mutation	Thyroid	나583나(1)	C583117C	1,352.44	116,040	116,040	118,470	118,470
25368	BRCA family test	EDTA Blood	나580다주	C580500C	1,992.83	170,980	170,980	174,570	174,570
25350	BRCA1	EDTA Blood	나580다(4)	C580905C	7,255.90	622,560	622,560	635,620	635,620
25351	BRCA1 (서울대)	EDTA Blood	나580다(4)	C580905C	7,255.90	622,560	622,560	635,620	635,620
25360	BRCA2	EDTA Blood	나580다(5)	C581001C	11,030.45	946,410	946,410	966,270	966,270
25361	BRCA2 (서울대)	EDTA Blood	나580다(5)	C581001C	11,030.45	946,410	946,410	966,270	966,270
29080	BTK gene mutation	EDTA Blood	나580다(3)	C580838C	4,637.14	397,870	397,870	406,210	406,210
10860	BUN	SST Serum	누230	D2300003	16.65	1,430	1,430	1,460	1,460
10862	BUN	Random Urine	누230	D2300003	16.65	1,430	1,430	1,460	1,460
10861	BUN(24hr U)	24hr Urine	누230	D2300003	16.65	1,430	1,430	1,460	1,460
70727	C.difficile culture	Stool	누582	D5821073	380.91	32,680	32,680	33,370	33,370
70728	C.difficile toxin A&B PCR	Stool	누591나	D591205C	520.33	44,640	44,640	45,580	45,580
70724	C.difficile toxin A,B	Stool	누590다	D5903003	105.29	9,030	9,030	9,220	9,220
20010	C1 inactivator	SST Serum	누750	D7500003	234.84	20,150	20,150	20,570	20,570
26401	C1q Binding HLA Ab (SA-Class	SST Serum	누843나(2)주	D843801C	3,129.17	268,480	268,480	274,120	274,120
26402	C1q Binding HLA Ab (SA-Class	SST Serum	누843나(2)주	D843802C	3,129.17	268,480	268,480	274,120	274,120
20040	C3	SST Serum	누747가	D7471013	71.47	6,130	6,130	6,260	6,260
20070	C4	SST Serum	누747가	D7471023	71.47	6,130	6,130	6,260	6,260
81155	C4d (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81157	C4d (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
10076	Ca/Cr ratio(Urine)	Random Urine	누280외	D2800053외	-	3,100	3,100	3,170	3,170
10090	Ca ⁺⁺	SST Serum	누281	D2810023	63.75	5,470	5,470	5,580	5,580
10091	Ca ⁺⁺	Hp Plasma	누281	D2810023	63.75	5,470	5,470	5,580	5,580
01495	CA125 (ECLIA)	SST Serum	누431	D4311003	160.71	13,790	13,790	14,080	14,080
01455	CA15-3 (ECLIA)	SST Serum	누434	D4340003	167.29	14,350	14,350	14,650	14,650
01465	CA19-9 (ECLIA)	SST Serum	누435	D4350003	170.46	14,630	14,630	14,930	14,930
01466	CA19-9 (ECLIA)	Body Fluid	누435	D4350003	170.46	14,630	14,630	14,930	14,930
80832	CA19-9 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
01482	CA72-4 (ECLIA)	SST Serum	누436	D4360003	172.23	14,780	14,780	15,090	15,090
26860	CACNA1A gene mutation	EDTA Blood	나580다(5)	C581015C	11,030.45	946,410	946,410	966,270	966,270
28180	CACNA1S gene mutation	EDTA Blood	나580다(1)	C580602C	1,992.83	170,980	170,980	174,570	174,570
26790	CADASIL (NOTCH3)	EDTA Blood	나580다(3)	C580862C	4,637.14	397,870	397,870	406,210	406,210

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
12697	Cadmium (Cd)(특검)	Random Urine	누550나(1)	D5511043	325.17	27,900	27,900	28,480	28,480
12698	Cadmium (Cd)(특검)	Trace EDTA Blo	누550나(1)	D5511043	325.17	27,900	27,900	28,480	28,480
12692	Cadmium(Cd)	Trace EDTA Blo	누550나(1)	D5511043	325.17	27,900	27,900	28,480	28,480
12693	Cadmium(Cd)	24hr Urine	누550나(1)	D5511043	325.17	27,900	27,900	28,480	28,480
12694	Cadmium(Cd)	Random Urine	누550나(1)	D5511043	325.17	27,900	27,900	28,480	28,480
28080	CAG repeats of Androgen R	EDTA Blood	나580나(2)(L	C580301C	1,274.65	109,360	109,360	111,660	111,660
01919	Calcitonin	SST Serum	누424	D4240003	150.60	12,920	12,920	13,190	13,190
81190	Calcitonin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
10070	Calcium (Ca)	SST Serum	누280	D2800053	17.95	1,540	1,540	1,570	1,570
10072	Calcium (Ca)	Random Urine	누280	D2800053	17.95	1,540	1,540	1,570	1,570
10071	Calcium (Ca)(24hr U)	24hr Urine	누280	D2800053	17.95	1,540	1,540	1,570	1,570
10077	Calcium excretion	복수검체	누280외	D2800053외	-	4,660	4,660	4,770	4,770
13227	Calprotectin	Stool	누013나	D0133003	246.95	21,190	21,190	21,630	21,630
27774	CALR(Calreticulin) Gene muta	EDTA Blood	나583다(6)	C583802C	2,980.79	255,750	255,750	261,120	261,120
81886	Calretinin (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81888	Calretinin (IHC)(여의도성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
71050	Campylobacter Culture	Stool	누582	D582106C	418.25	35,890	35,890	36,640	36,640
50542	Candida Ag 정성	SST Serum	누581다	D5830023	93.69	8,040	8,040	8,210	8,210
42696	Candida albicans PCR	분비물	누623가	D623103C	389.36	33,410	33,410	34,110	34,110
25685	CAPN3 gene mutation	EDTA Blood	나580다(4)	C580927C	7,255.90	622,560	622,560	635,620	635,620
65200	Carbamazepine	SST Serum	누532나(2)	D5333083	188.13	16,140	16,140	16,480	16,480
27439	Carbapenemase PCR (Panel)	균주	누591다	D591303C외	-	195,120	195,120	199,200	199,200
27438	Carbapenemase(CRE) PCR	균주	누685가	D685102C	793.36	68,070	68,070	69,500	69,500
20440	Carboxy Hemoglobin	EDTA Blood	누530	D5300033	46.83	4,020	4,020	4,100	4,100
20443	Carboxy Hemoglobin(특검)	EDTA Blood	누530	D5300033	46.83	4,020	4,020	4,100	4,100
11010	Cardiac Risk Factor	SST Serum	누261가	D2611003외	-	7,420	7,420	7,580	7,580
11265	Carnitine 2분획	SST Serum	누490다	D4904123	495.67	42,530	42,530	43,420	43,420
11270	Carotene	SST Serum	누490가	D4901073	86.09	7,390	7,390	7,540	7,540
02043	Catecholamine 2F	EDTA Plasma	누351라외	D351408C외	-	76,740	76,740	78,340	78,340
02045	Catecholamine 2F	24hr Urine	누351라외	D351408C외	-	76,740	76,740	78,340	78,340
02053	Catecholamine 3F	EDTA Plasma	누351라외	D351408C외	-	115,110	115,110	117,510	117,510
02056	Catecholamine 3F	24hr Urine	누351라외	D351408C외	-	115,110	115,110	117,510	117,510
26666	CBFB-MYH11-inv(16) RQ-PCR	EDTA Blood	나583나(1)	C583118C	1,352.44	116,040	116,040	118,470	118,470
81415	CD*2 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81800	CD*2 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81801	CD*2 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81030	CD10 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81680	CD10 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
26009	CD103	EDTA Blood	누081나	D081200C	486.76	41,760	41,760	42,640	42,640
26190	CD117 (IHC)	Block	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
26195	CD117(c-kit) (IHC)	Block	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81330	CD117(c-kit) (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81630	CD117(c-kit) (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
26196	CD117(c-kit)(IHC)(여의도성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81581	CD138 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81584	CD138 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
80880	CD15 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80881	CD15 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
13299	CD16+56 (NK cell)	EDTA Blood	누081나	D081200C	486.76	41,760	41,760	42,640	42,640
81585	CD163 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
25945	CD19 (B-cell)	EDTA Blood	누081나	D081200C	486.76	41,760	41,760	42,640	42,640
29279	CD19 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
26137	CD19+CD20	EDTA Blood	누081나	D081200C외	-	83,520	83,520	85,280	85,280
81210	CD1a (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81158	CD1a (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81211	CD1a (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81995	CD2 (IHC)(삼성)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80930	CD20 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81240	CD20 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81336	CD20 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80929	CD20 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81242	CD20 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80850	CD21 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80931	CD21 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
26008	CD25	EDTA Blood	누081나	D081200C	486.76	41,760	41,760	42,640	42,640
80920	CD25 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80840	CD3 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80843	CD3 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81335	CD3 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80844	CD3 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80841	CD3 (IHC)(여의도성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
25928	CD3 (T3)	EDTA Blood	누081나	D081200C	486.76	41,760	41,760	42,640	42,640
81185	CD30 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81186	CD30 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81351	CD30 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81340	CD30(Ki-1) (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81180	CD31 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81181	CD31 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
26026	CD34	EDTA Blood	누081나	D081200C	486.76	41,760	41,760	42,640	42,640
81130	CD34 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81132	CD34 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81352	CD34 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81129	CD34 (IHC)(여의도)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81105	CD35 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81582	CD38 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81230	CD4 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81670	CD4 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81231	CD4 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
25933	CD4 (T helper)	EDTA Blood	누081나	D081200C	486.76	41,760	41,760	42,640	42,640
26031	CD40/CD154(CD40L) Profile	EDTA Blood	누081외	D081200C외	-	167,040	167,040	170,560	170,560
81135	CD44 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80939	CD44 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
81250	CD45,LCA (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81265	CD45RB (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80910	CD5 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80915	CD5 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81090	CD56 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81091	CD56 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81326	CD56 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81022	CD56 (IHC)(여의도성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
51853	CD68 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80950	CD68 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80951	CD68 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80885	CD7 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80890	CD79a (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81921	CD8 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81920	CD8 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
25964	CD8 (T suppressor)	EDTA Blood	누081나	D081200C	486.76	41,760	41,760	42,640	42,640
01535	CEA (ECLIA)	SST Serum	누429	D4290003	133.83	11,480	11,480	11,720	11,720
01536	CEA (ECLIA)	Body Fluid	누429	D4290003	133.83	11,480	11,480	11,720	11,720
81500	CEA (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81511	CEA (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
29265	CEBPA gene mutation	EDTA Blood	나583다(5)	C583701C	2,378.97	204,120	204,120	208,400	208,400
29266	CEBPA gene mutation	EDTA Blood	나583다(5)	C583701C	2,378.97	204,120	204,120	208,400	208,400
29267	CEBPA gene mutation	Bone Marrow	나583다(5)	C583701C	2,378.97	204,120	204,120	208,400	208,400
80762	Cell block after 액상흡인세포검	Thyroid	나562나외	C5626008외	-	43,320	43,320	44,230	44,230
82150	Cell block after 체액세포병리검	Other	나562	C5622008외	-	20,410	20,410	20,840	20,840
80049	Cell block after 흡인세포병리검	Thyroid	나562가외	C5623008외	-	26,320	26,320	26,870	26,870
80980	C-erb B2 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80982	C-erb B2 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
20160	Ceruloplasmin	SST Serum	누470	D4700013	79.73	6,840	6,840	6,980	6,980
20161	Ceruloplasmin	Hp Plasma	누470	D4700013	79.73	6,840	6,840	6,980	6,980
25632	CFH gene mutation	EDTA Blood	나580다(4)	C580906C	7,255.90	622,560	622,560	635,620	635,620
27740	CFTR Gene mutation	EDTA Blood	나580다(4)	C580907C	7,255.90	622,560	622,560	635,620	635,620
51640	CH50	SST Serum	누740	D7400003	126.11	10,820	10,820	11,050	11,050
25386	CHD7 gene mutation (삼성)	EDTA Blood	나580다(5)	C581002C	11,030.45	946,410	946,410	966,270	966,270
50560	Chlamydia pneumoniae IgG	SST Serum	누587나(2)	D587301C	171.92	14,750	14,750	15,060	15,060
50570	Chlamydia pneumoniae IgM	SST Serum	누587나(3)	D587401C	171.36	14,700	14,700	15,010	15,010
42340	Chlamydia pneumoniae PCR	Other	누591가	D591103C	389.36	33,410	33,410	34,110	34,110
50630	Chlamydia trachomatis IgG	SST Serum	누587나(2)	D587303C	171.92	14,750	14,750	15,060	15,060
50640	Chlamydia trachomatis IgM	SST Serum	누587나(3)	D587403C	171.36	14,700	14,700	15,010	15,010
42330	Chlamydia trachomatis PCR	분비물	누591가	D591104C	389.36	33,410	33,410	34,110	34,110
10100	Chloride(Cl)	SST Serum	누280	D2800033	17.95	1,540	1,540	1,570	1,570
10102	Chloride(Cl)	Random Urine	누280	D2800033	17.95	1,540	1,540	1,570	1,570
10101	Chloride(Cl)(24hr U)	24hr Urine	누280	D2800033	17.95	1,540	1,540	1,570	1,570
10280	Cholinesterase(Pseudo)	SST Serum	누251가	D2510093	30.77	2,640	2,640	2,700	2,700
10290	Cholinesterase(RBC activity)	EDTA Blood	누251가	D2510093	30.77	2,640	2,640	2,700	2,700
12700	Chromium(Cr)	Trace EDTA Bld	누550나(1)	D5511063	325.17	27,900	27,900	28,480	28,480

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
12701	Chromium(Cr)	24hr Urine	누550나(1)	D5511063	325.17	27,900	27,900	28,480	28,480
12702	Chromium(Cr)	Random Urine	누550나(1)	D5511063	325.17	27,900	27,900	28,480	28,480
81325	Chromogranin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81410	Chromogranin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81760	Chromogranin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81024	Chromogranin (IHC)(여의도성)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
25102	Chromosome Analysis(BM)	Bone Marrow	나600나(1)	C600500C	2,185.20	187,490	187,490	191,420	191,420
25110	Chromosome analysis(Leukem)	Hp Blood	나600나(1)	C600500C	2,185.20	187,490	187,490	191,420	191,420
25100	Chromosome Analysis(PB)	Hp Blood	나600가(1)(7)	C600100C	1,701.17	145,960	145,960	149,020	149,020
26142	Chronic Leukemia Panel	Bone Marrow	누081나외	D081200C외	-	687,680	687,680	702,170	702,170
26235	Chronic Leukemia panel	Bone Marrow	누081나외	D081200C외	-	751,680	751,680	767,520	767,520
51701	CIC C1q	SST Serum	누806	D8060013	133.28	11,440	11,440	11,680	11,680
10520	Citrate	24hr Urine	누515가	D5151023	184.02	15,790	15,790	16,120	16,120
81060	CK (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81064	CK (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
20580	CK Isoenzyme	SST Serum	누254나	D254203C	177.13	15,200	15,200	15,520	15,520
20581	CK Isoenzyme	Body Fluid	누254나	D254203C	177.13	15,200	15,200	15,520	15,520
10300	CK(Creatine kinase)	SST Serum	누251가	D2510013	30.77	2,640	2,640	2,700	2,700
10301	CK(Creatine kinase)	Body Fluid	누251가	D2510013	30.77	2,640	2,640	2,700	2,700
81062	CK20(Cytokeratin20) (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81067	CK20(Cytokeratin20) (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81066	CK5/6 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81304	CK5/6 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81069	CK5/6 (IHC)(여의도성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81061	CK7(Cytokeratin7) (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81065	CK7(Cytokeratin7) (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
10316	CK-BB	SST Serum	누254나	D254203C	177.13	15,200	15,200	15,520	15,520
29268	C-KIT Exon9,11,13,17	Tissue	나583다(4)	C583602F	2,176.42	186,740	186,740	190,650	190,650
29253	c-kit gene mutation (exon4)	Block	나583다(4)	C583602F	2,176.42	186,740	186,740	190,650	190,650
29255	c-kit mutation	EDTA Blood	나583다(4)	C583602C	2,138.24	183,460	183,460	187,310	187,310
29259	c-kit mutation	EDTA Blood	나583다(4)	C583602C	2,138.24	183,460	183,460	187,310	187,310
29258	c-kit mutation (exon4)	Block	나583다(4)	C583602F	2,176.42	186,740	186,740	190,650	190,650
29262	c-kit mutation (아산)	EDTA Blood	나583다(4)	C583602C	2,138.24	183,460	183,460	187,310	187,310
29263	c-kit mutation (아산)	Bone Marrow	나583다(4)	C583602C	2,138.24	183,460	183,460	187,310	187,310
10310	CK-MB 경량	SST Serum	누404	D4040003	86.66	7,440	7,440	7,590	7,590
10315	CK-MM	SST Serum	누254나	D254203C	177.13	15,200	15,200	15,520	15,520
26737	CLAH;STAR gene mutation	EDTA Blood	나580다(2)	C580758C	3,166.78	271,710	271,710	277,410	277,410
65225	Clobazam	Plain Serum	누532다(4)	D534910C	571.84	49,060	49,060	50,090	50,090
65221	Clonazepam	Plain Serum	누532다(4)	D534920C	571.84	49,060	49,060	50,090	50,090
50849	Clonorchis IgG(BF)	Body Fluid	누641나(1)	D264202C	225.14	19,320	19,320	19,720	19,720
50845	Clonorchis IgG(S)	SST Serum	누641나(1)	D264202C	225.14	19,320	19,320	19,720	19,720
65770	Clozapine	Plain Serum	누532다(4)	D534921C	571.84	49,060	49,060	50,090	50,090
81333	c-MET (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
26826	CMT2A MFN2 유전자검사	EDTA Blood	나580다(3)	C580818C	4,637.14	397,870	397,870	406,210	406,210
81510	CMV (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81513	CMV (IHC) (성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
81514	CMV (IHC)(삼성)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
42135	CMV culture	Other	누652가	D652100C	578.61	49,640	49,640	50,690	50,690
42136	CMV culture (조직)	Tissue	누652가	D652100C	578.61	49,640	49,640	50,690	50,690
42350	CMV DNA(PCR)	EDTA Blood	누658나	D658206C	520.33	44,640	44,640	45,580	45,580
40305	CMV IgG	SST Serum	누654나(1)	D654220C	199.61	17,130	17,130	17,490	17,490
40306	CMV IgG	CSF	누654나(1)	D654220C	199.61	17,130	17,130	17,490	17,490
40315	CMV IgM	SST Serum	누654나(2)	D654320C	179.14	15,370	15,370	15,690	15,690
40316	CMV IgM	CSF	누654나(2)	D654320C	179.14	15,370	15,370	15,690	15,690
28340	CMV PCR (아산)	Tissue	누658가	D658108F	396.31	34,000	34,000	34,720	34,720
40273	CMV 약제내성 돌연변이(성모)	EDTA Blood	누660가	D660101C	1,899.60	162,990	162,990	166,400	166,400
42356	CMV 정량 (Real-time PCR)	EDTA Blood	누658마	D658503C	792.13	67,960	67,960	69,390	69,390
01576	C-MYC (IHC)(삼성)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
01577	C-MYC (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
10110	CO2,Total	SST Serum	누283	D2830003	43.46	3,730	3,730	3,810	3,810
12714	Cobalt(Co)	24hr Urine	누550나(1)	D5511053	325.17	27,900	27,900	28,480	28,480
12715	Cobalt(Co)	Hp Blood	누550나(1)	D5511053	325.17	27,900	27,900	28,480	28,480
12716	Cobalt(Co)	Random Urine	누550나(1)	D5511053	325.17	27,900	27,900	28,480	28,480
29501	COL1A1 gene mutation	EDTA Blood	나580다(5)	C581003C	11,030.45	946,410	946,410	966,270	966,270
29502	COL1A2 gene mutation	EDTA Blood	나580다(5)	C581004C	11,030.45	946,410	946,410	966,270	966,270
29507	COL2A1 gene mutation analy	EDTA Blood	나580다(5)	C581005C	11,030.45	946,410	946,410	966,270	966,270
29505	COL3A1 gene mutation	EDTA Blood	나580다(5)	C581006C	11,030.45	946,410	946,410	966,270	966,270
50710	Cold Agglutinin	SST Serum	누159	D159000C	72.16	6,190	6,190	6,320	6,320
80938	Collagen Type IV (IHC)(삼성)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
30000	Complete Blood Count 8종	EDTA Blood	누000나외	D0002013외	-	4,850	4,850	4,950	4,950
80795	Congo red(여의도성모)	Tissue	나563외	C5630008외	-	28,710	28,710	29,310	29,310
20506	Co-oximeter	EDTA Blood	누531	D5310003	134.77	11,560	11,560	11,810	11,810
12722	Copper(Cu)	Tissue	누550나(1)주	D5512073	635.11	54,490	54,490	55,640	55,640
12725	Copper(Cu)	Trace Serum	누550나(1)	D5511073	325.17	27,900	27,900	28,480	28,480
12726	Copper(Cu)	24hr Urine	누550나(1)	D5511073	325.17	27,900	27,900	28,480	28,480
11750	Coproporphyrin 정량	24hr Urine	누516가(2)	D5162003	57.07	4,900	4,900	5,000	5,000
11740	Coproporphyrin 정성	Random Urine	누516가(1)	D5161003	13.62	1,170	1,170	1,190	1,190
29171	Corneal dystrophy, TGFBI	Other	나580다(1)	C580633C	1,992.83	170,980	170,980	174,570	174,570
10075	Corrected Ca	SST Serum	누188외	D1880003외	-	3,020	3,020	3,080	3,080
00707	Cortisol	SST Serum	누350나	D3502143	150.97	12,950	12,950	13,220	13,220
00964	C-peptide	NaF Plasma	누305	D3050013	125.74	10,790	10,790	11,010	11,010
00965	C-peptide	SST Serum	누305	D3050013	125.74	10,790	10,790	11,010	11,010
00966	C-peptide	24hr Urine	누305	D3050013	125.74	10,790	10,790	11,010	11,010
70140	CRE Cul.&Sensi.(Disk)	Stool	누581마(1)	D5851003	199.45	17,110	17,110	17,470	17,470
70131	CRE Cul.&Sensi.(MIC)	Stool	누581마(2)	D5854003	210.70	18,080	18,080	18,460	18,460
10900	Crea.Clearance Test	복수검체	누232가	D2321003	38.91	3,340	3,340	3,410	3,410
10882	Creatinine	Random Urine	누228가	D2280003	18.22	1,560	1,560	1,600	1,600
10883	Creatinine	SST Serum	누228가	D2280003	18.22	1,560	1,560	1,600	1,600
10881	Creatinine(24hr U)	24hr Urine	누228가	D2280003	18.22	1,560	1,560	1,600	1,600
50720	CRP	SST Serum	누011가(1)	D0111003	20.51	1,760	1,760	1,800	1,800
50721	CRP	CSF	누011가(1)	D0111003	20.51	1,760	1,760	1,800	1,800
50732	CRP 정량	SST Serum	누011나	D0113003	76.79	6,590	6,590	6,730	6,730

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
50733	CRP 정량	CSF	누011나	D0113003	76.79	6,590	6,590	6,730	6,730
50736	CRP 정량(HS-CRP)	SST Serum	누011나	D0113003	76.79	6,590	6,590	6,730	6,730
20170	Cryoglobulin 경성	SST Serum	누783가	D7831003	32.77	2,810	2,810	2,870	2,870
50740	Cryptococcus Ag	SST Serum	누621가	D6211033	41.71	3,580	3,580	3,650	3,650
50741	Cryptococcus Ag	CSF	누621가	D6211033	41.71	3,580	3,580	3,650	3,650
25602	CSF3R gene mutation	EDTA Blood	나583다(4)	C583603C	2,138.24	183,460	183,460	187,310	187,310
13010	CTx	SST Serum	누501	D5010013	151.31	12,980	12,980	13,250	13,250
70253	Culture&sensi(DISK)	Other	누581마(1)	D5851003	199.45	17,110	17,110	17,470	17,470
70261	Culture&sensi(MIC)	Other	누581마(2)	D5854003	210.70	18,080	18,080	18,460	18,460
80985	CXCL13 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
29564	CYBB gene mutation	EDTA Blood	나580다(3)	C580804C	4,637.14	397,870	397,870	406,210	406,210
81020	Cyclin D1 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
65550	Cyclosporin	EDTA Blood	누532나(2)주	D5335117	181.47	15,570	15,570	15,900	15,900
65551	Cyclosporin (LC-MS/MS)	EDTA Blood	누532다(4)	D534923C	571.84	49,060	49,060	50,090	50,090
01546	CYFRA 21-1	SST Serum	누448	D4480003	254.00	21,790	21,790	22,250	22,250
25638	CYP17A1 gene, mutation(삼성	EDTA Blood	나580다(2)	C580740C	3,166.78	271,710	271,710	277,410	277,410
28151	CYP21A2 gene mutation	EDTA Blood	나580다(2)	C580741C	3,166.78	271,710	271,710	277,410	277,410
28152	CYP21A2 gene mutation	EDTA Blood	나580다(2)	C580741C	3,166.78	271,710	271,710	277,410	277,410
27790	CYP2C19 major polymorphism	EDTA Blood	나580다(1)	C580617C	1,992.83	170,980	170,980	174,570	174,570
27511	CYP2C9 Major polymorphism	EDTA Blood	나580다(1)	C580616C	1,992.83	170,980	170,980	174,570	174,570
12980	Cystatin C	SST Serum	누233	D2330003	68.44	5,870	5,870	6,000	6,000
50846	Cysticercus IgG(BF)	Body Fluid	누641나(1)	D264203C	225.14	19,320	19,320	19,720	19,720
50851	Cysticercus IgG(CSF)	CSF	누641나(1)	D264203C	225.14	19,320	19,320	19,720	19,720
50842	Cysticercus IgG(S)	SST Serum	누641나(1)	D264203C	225.14	19,320	19,320	19,720	19,720
81016	Cytokeratin-903(34βE12)(IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81821	Cytokeratin-AE1/AE3(IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80855	D2-40 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80856	D2-40 (IHC)(삼성)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80857	D2-40 (IHC)(여의도성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
30680	D-dimer 정량	SC Plasma	누107다	D1073003	124.94	10,720	10,720	10,940	10,940
12381	Deoxypyridinoline(DPD)	Random Urine	누501	D5010033	151.31	12,980	12,980	13,250	13,250
81270	Desmin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81334	Desmin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81276	Desmin (IHC)(삼성)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
27615	DHCR7 gene mutation (삼성)	EDTA Blood	나580다(2)	C580706C	3,166.78	271,710	271,710	277,410	277,410
00746	DHEA-S (ECLIA)	SST Serum	누350나	D3502103	150.97	12,950	12,950	13,220	13,220
65235	Diazepam (LC-MS/MS)	Plain Serum	누532다(4)	D534925C	571.84	49,060	49,060	50,090	50,090
30020	Differential Count	EDTA Blood	누001다	D0013003	24.87	2,130	2,130	2,180	2,180
65051	Digoxin	SST Serum	누532나(2)	D5333153	188.13	16,140	16,140	16,480	16,480
10050	Direct Bilirubin	SST Serum	누182가	D1820003	13.08	1,120	1,120	1,150	1,150
10051	Direct Bilirubin	Capillary	누182가	D1820003	13.08	1,120	1,120	1,150	1,150
30320	Direct Coombs	EDTA Blood	누154가	D154105C	61.11	5,240	5,240	5,350	5,350
31070	Direct Coombs Anti C3d,IgG	EDTA Blood	누154가	D154103C외	-	10,480	10,480	10,700	10,700
26851	DMD gene mutation	EDTA Blood	나580다(5)	C581008C	11,030.45	946,410	946,410	966,270	966,270
25394	DMD gene mutation (sequenc	EDTA Blood	나580다(5)	C581008C	11,030.45	946,410	946,410	966,270	966,270
25390	DMD/BMD	EDTA Blood	나580가	C580002C	724.40	62,150	62,150	63,460	63,460

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
25680	DMPK gene mutation	EDTA Blood	나580나(2)나	C580311C	1,274.65	109,360	109,360	111,660	111,660
81355	DOG-1 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81715	DOG-1 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
50715	Donath Landsteiner test	Plain Serum	누158	D158000C	64.02	5,490	5,490	5,610	5,610
82101	D-PAS stain(성모)	Tissue	나563	C5630008	196.47	16,860	16,860	17,210	17,210
27480	DRPLA gene	EDTA Blood	나580나(2)나	C580302C	1,274.65	109,360	109,360	111,660	111,660
26840	DRPLA gene mutation	EDTA Blood	나580나(2)나	C580302C	1,274.65	109,360	109,360	111,660	111,660
26841	DRPLA gene mutation	EDTA Blood	나580나(2)나	C580302C	1,274.65	109,360	109,360	111,660	111,660
65571	Drug profiling test	Random Urine	누532외	D5345313외	-	128,450	128,450	131,150	131,150
30410	Du (Weak D) Test	EDTA Blood	누151라	D1514003	49.40	4,240	4,240	4,330	4,330
30431	Duffy A 혈액형검사	EDTA Blood	누152	D152002C	75.26	6,460	6,460	6,590	6,590
30432	Duffy B 혈액형검사	EDTA Blood	누152	D152002C	75.26	6,460	6,460	6,590	6,590
25683	DYSF gene mutation	EDTA Blood	나580다(5)	C581009C	11,030.45	946,410	946,410	966,270	966,270
29060	DYT1 (Dystonia I, torsion)	EDTA Blood	나580나(2)나	C580215C	512.75	43,990	43,990	44,920	44,920
71220	E.coli O157 Cul.&Sensi. (Disk)	Stool	누581마(1)	D5851003	199.45	17,110	17,110	17,470	17,470
29350	E2A/PBX1 (TCF3/PBX1) 유전자	EDTA Blood	나583나(1)	C583111C	1,352.44	116,040	116,040	118,470	118,470
81973	EBV (IHC) (성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81301	EBV (In situ)	Tissue	누659가	D659102F	1,106.75	94,960	94,960	96,950	96,950
42875	EBV EA-DR IgG	SST Serum	누654나(1)	D654206C	199.61	17,130	17,130	17,490	17,490
42876	EBV EA-DR IgG	CSF	누654나(1)	D654206C	199.61	17,130	17,130	17,490	17,490
42895	EBV EA-DR IgM	SST Serum	누654나(2)	D654306C	179.14	15,370	15,370	15,690	15,690
42896	EBV EA-DR IgM	CSF	누654나(2)	D654306C	179.14	15,370	15,370	15,690	15,690
42900	EBV EBNA IgG	SST Serum	누654나(1)	D654207C	199.61	17,130	17,130	17,490	17,490
42901	EBV EBNA IgG	EDTA Plasma	누654나(1)	D654207C	199.61	17,130	17,130	17,490	17,490
42902	EBV EBNA IgG	CSF	누654나(1)	D654207C	199.61	17,130	17,130	17,490	17,490
42910	EBV EBNA IgM	SST Serum	누654나(2)	D654307C	179.14	15,370	15,370	15,690	15,690
42911	EBV EBNA IgM	EDTA Plasma	누654나(2)	D654307C	179.14	15,370	15,370	15,690	15,690
42912	EBV EBNA IgM	CSF	누654나(2)	D654307C	179.14	15,370	15,370	15,690	15,690
42920	EBV PCR	EDTA Blood	누658가	D658103C	389.36	33,410	33,410	34,110	34,110
28341	EBV PCR (아산)	Tissue	누658가	D658103F	396.31	34,000	34,000	34,720	34,720
40835	EBV VCA IgG	SST Serum	누654나(1)	D654208C	199.61	17,130	17,130	17,490	17,490
40836	EBV VCA IgG	CSF	누654나(1)	D654208C	199.61	17,130	17,130	17,490	17,490
40845	EBV VCA IgM	SST Serum	누654나(2)	D654308C	179.14	15,370	15,370	15,690	15,690
40846	EBV VCA IgM	CSF	누654나(2)	D654308C	179.14	15,370	15,370	15,690	15,690
42935	EBV 정량 (Real-time PCR)	EDTA Blood	누658마	D658502C	792.13	67,960	67,960	69,390	69,390
50755	EBV(in situ)	Other	누659가	D659102F	1,106.75	94,960	94,960	96,950	96,950
50760	EBV(in situ)	Other	누659가	D659102F	1,106.75	94,960	94,960	96,950	96,950
80820	E-Cadherin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81329	E-cadherin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
25384	EDA gene mutation (삼성)	EDTA Blood	나580다(2)	C580745C	3,166.78	271,710	271,710	277,410	277,410
26596	EGFR (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81323	EGFR (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
26597	EGFR (IHC)(삼성)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
26598	EGFR (IHC)(여의도성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
27405	EGFR Exon18,19,20,21	Tissue	나583다(4)	C583601F	2,176.42	186,740	186,740	190,650	190,650
27664	EGFR gene mutation	Tissue	나583다(4)	C583601C	2,138.24	183,460	183,460	187,310	187,310

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
27645	EGFR gene mutation (Real-time)	EDTA Plasma	나583나(1)	C583119C	1,352.44	116,040	116,040	118,470	118,470
27658	EGFR유전자돌연변이(여의도성모)	Tissue	나583나(1)	C583119F	1,376.60	118,110	118,110	120,590	120,590
70980	Egg count, EPG	Stool	누640아	D6408003	39.50	3,390	3,390	3,460	3,460
70741	EHEC PCR	Stool	누591가	D591115C	389.36	33,410	33,410	34,110	34,110
29571	ELA2 gene mutation	EDTA Blood	나580다(1)	C580603C	1,992.83	170,980	170,980	174,570	174,570
27170	ELA2 gene test	EDTA Blood	나580다(1)	C580603C	1,992.83	170,980	170,980	174,570	174,570
29570	ELANE gene, mutation (ELA2)	EDTA Blood	나580다(1)	C580603C	1,992.83	170,980	170,980	174,570	174,570
81125	EMA (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81353	EMA (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81126	EMA (IHC)(삼성)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
29600	ENG gene mutation	EDTA Blood	나580다(3)	C580805C	4,637.14	397,870	397,870	406,210	406,210
42140	Enterovirus Culture	Other	누652가	D652100C	578.61	49,640	49,640	50,690	50,690
42370	Enterovirus PCR	CSF	누658다	D658304C	628.86	53,960	53,960	55,090	55,090
30030	Eosinophil Count	EDTA Blood	누002나	D0022003	12.53	1,080	1,080	1,100	1,100
30031	Eosinophil Count	Smear Slide	누032마	D0325003	23.36	2,000	2,000	2,050	2,050
25755	Eosinophilia panel A	Bone Marrow	나583라외	C584126C외	-	827,600	827,600	844,960	844,960
25756	Eosinophilia panel B	Bone Marrow	나583라외	C584126C외	-	620,700	620,700	633,720	633,720
27616	EPOR gene mutation(삼성)	EDTA Blood	나580다(2)	C580746C	3,166.78	271,710	271,710	277,410	277,410
01568	ER (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
01570	ER/PR	Tissue	나567가	C567300F외	-	115,000	115,000	117,420	117,420
01573	ER/PR (여의도성모)	Tissue	나567가	C567300F외	-	115,000	115,000	117,420	117,420
01250	Erythropoietin(EPO)	SST Serum	누057	D0570013	210.09	18,030	18,030	18,400	18,400
01251	Erythropoietin(EPO)	Hp Plasma	누057	D0570013	210.09	18,030	18,030	18,400	18,400
30040	ESR	EDTA Blood	누010	D0100013	11.16	960	960	980	980
00433	Estradiol (E2) (ECLIA)	SST Serum	누371	D3710023	141.67	12,160	12,160	12,410	12,410
00450	Estrogen	SST Serum	누371주	D3711037	162.88	13,980	13,980	14,270	14,270
81318	Estrogen Receptor (ER)(IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
01571	Estrogen Receptor(ER)(IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
01574	Estrogen Receptor(ER)(IHC)(O	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
26660	ETV6/RUNX1(TEL/AML1) rear	EDTA Blood	나583나(1)	C583103C	1,352.44	116,040	116,040	118,470	118,470
65725	Everolimus	EDTA Blood	누532다(4)	D534932C	571.84	49,060	49,060	50,090	50,090
65726	Everolimus (MS)(성모)	EDTA Blood	누532다(4)	D534932C	571.84	49,060	49,060	50,090	50,090
29100	EWS-FLI1/ERG rearrangement	Block	나583나(1)	C583104F	1,376.60	118,110	118,110	120,590	120,590
31130	F11 gene, mutation (factor 11)	EDTA Blood	나580다(3)	C580842C	4,637.14	397,870	397,870	406,210	406,210
26978	F12 gene, mutation(factor 12)	EDTA Blood	나580다(3)	C580878C	4,637.14	397,870	397,870	406,210	406,210
31141	F7 gene, mutation (factor VII)	EDTA Blood	나580다(2)	C580707C	3,166.78	271,710	271,710	277,410	277,410
31150	F8 gene, mutation (factor VIII)	EDTA Blood	나580다(4)	C580928C	7,255.90	622,560	622,560	635,620	635,620
31140	F9 gene, mutation (hemophilia)	EDTA Blood	나580다(2)	C580708C	3,166.78	271,710	271,710	277,410	277,410
30650	Factor 5 Leiden(FV:Q506)	EDTA Blood	나580나(2)(7	C580203C	512.75	43,990	43,990	44,920	44,920
01578	Factor 8 related Ag (IHC)(삼성	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
30480	Factor Ab VIII	SC Plasma	누104	D104001C	173.06	14,850	14,850	15,160	15,160
30490	Factor Ab IX	SC Plasma	누104	D104002C	173.06	14,850	14,850	15,160	15,160
30570	Factor Assay VII	SC Plasma	누113가	D113103C	142.21	12,200	12,200	12,460	12,460
30580	Factor Assay VIII	SC Plasma	누113가	D113104C	142.21	12,200	12,200	12,460	12,460
30590	Factor Assay IX	SC Plasma	누113가	D113105C	142.21	12,200	12,200	12,460	12,460
30520	Factor Assay II	SC Plasma	누113가	D113101C	142.21	12,200	12,200	12,460	12,460

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
30550	Factor Assay V	SC Plasma	누113가	D113102C	142.21	12,200	12,200	12,460	12,460
30600	Factor Assay X	SC Plasma	누113가	D113106C	142.21	12,200	12,200	12,460	12,460
30610	Factor Assay X I	SC Plasma	누113가	D113107C	142.21	12,200	12,200	12,460	12,460
30620	Factor Assay X II	SC Plasma	누113가	D113108C	142.21	12,200	12,200	12,460	12,460
30630	Factor Assay X III	SC Plasma	누113가	D113109C	142.21	12,200	12,200	12,460	12,460
81765	Factor13a (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
25607	FAH gene mutation (삼성)	EDTA Blood	나580다(3)	C580806C	4,637.14	397,870	397,870	406,210	406,210
27810	Fanconi Anemia Study	복수검체	나600가	CY69200C외	-	350,610	350,610	357,960	357,960
12940	Fat 형성 검사	Stool	누031나	D0312003	18.69	1,600	1,600	1,640	1,640
30890	FDP 정량	SC Plasma	누108다	D1083003	112.01	9,610	9,610	9,810	9,810
01585	Ferritin (ECLIA)	SST Serum	누052나	D0522013	103.21	8,860	8,860	9,040	9,040
27558	FGFR1 gene mutation (삼성)	EDTA Blood	나580다(3)	C580807C	4,637.14	397,870	397,870	406,210	406,210
27557	FGFR1 sequencing	EDTA Blood	나580다(3)	C580807C	4,637.14	397,870	397,870	406,210	406,210
27555	FGFR2	EDTA Blood	나580다(3)	C580808C	4,637.14	397,870	397,870	406,210	406,210
27554	FGFR2 gene mutation (삼성)	EDTA Blood	나580다(3)	C580808C	4,637.14	397,870	397,870	406,210	406,210
27551	FGFR3 gene mutation (hypoc)	EDTA Blood	나580다(3)	C580843C	4,637.14	397,870	397,870	406,210	406,210
27550	FGFR3 gene, Common mutati	EDTA Blood	나580다(1)	C580618C	1,992.83	170,980	170,980	174,570	174,570
30640	Fibrinogen	SC Plasma	누100마	D1005003	32.83	2,820	2,820	2,880	2,880
70770	Filariae	Blood Smear S	누640자	D640900C	60.17	5,160	5,160	5,270	5,270
28350	FISH 1p/19q deletion	Tissue	나583라외	C584108F외	-	610,160	610,160	622,960	622,960
28346	FISH FGFR-1	Tissue	나583라외	C584116F외	-	305,080	305,080	311,480	311,480
27742	FISH, 19q(성모)	Tissue	나583라(3)	C584113F	2,454.53	210,600	210,600	215,020	215,020
27741	FISH, 1p(성모)	Tissue	나583라(3)	C584108F	2,454.53	210,600	210,600	215,020	215,020
27749	FISH_1p/19q deletion (여의도)	Tissue	나583라외	C584108F외	-	610,160	610,160	622,960	622,960
27901	FISH_1p32/1q21	Bone Marrow	나583라(3)	C584109C	2,411.47	206,900	206,900	211,240	211,240
28250	FISH_1p36 deletion	Block	나583라(3)	C584108F	2,454.53	210,600	210,600	215,020	215,020
26531	FISH_20q12	Bone Marrow	나583라(3)	C584114C	2,411.47	206,900	206,900	211,240	211,240
27911	FISH_5q31	Bone Marrow	나583라(3)	C584110C	2,411.47	206,900	206,900	211,240	211,240
27921	FISH_7q22/7q31	Bone Marrow	나583라(3)	C584111C	2,411.47	206,900	206,900	211,240	211,240
28045	FISH_ALK Gene	Tissue	나583외	C584101C외	-	299,720	299,720	306,010	306,010
28040	FISH_ALK gene rearrangement	Hp Blood	나583라(3)	C584101C	2,411.47	206,900	206,900	211,240	211,240
28044	FISH_ALK t(2;5)	Tissue	나583라외	C584101F외	-	305,080	305,080	311,480	311,480
28023	FISH_AML Panel	Bone Marrow	나583외	C584105C외	-	827,600	827,600	844,960	844,960
28036	FISH_AML Panel	Bone Marrow	나583라외	C584105C외	-	827,600	827,600	844,960	844,960
28028	FISH_AMLL panel	Bone Marrow	나583외	C584104C외	-	413,800	413,800	422,480	422,480
28291	FISH_ATM Gene	Bone Marrow	나583라(3)	C584103C	2,411.47	206,900	206,900	211,240	211,240
28007	FISH_BCL-2	Tissue	나583라외	C584119F외	-	305,080	305,080	311,480	311,480
26151	FISH_BCR/ABL1 Fusion Gene	Bone Marrow	나583라(3)	C584104C	2,411.47	206,900	206,900	211,240	211,240
26481	FISH_CBFβ/MYH11 Fusion Ge	Bone Marrow	나583라(3)	C584105C	2,411.47	206,900	206,900	211,240	211,240
26571	FISH_CCND1 (여의도성모)	Block	나583라외	C584120F외	-	305,080	305,080	311,480	311,480
28301	FISH_Centromere 12	Bone Marrow	나583라(3)	C584107C	2,411.47	206,900	206,900	211,240	211,240
27951	FISH_Centromere 8	Bone Marrow	나583라(3)	C584106C	2,411.47	206,900	206,900	211,240	211,240
28027	FISH_CLL Panel	Bone Marrow	나583외	C584112C외	-	1,034,500	1,034,500	1,056,200	1,056,200
27967	FISH_C-MYC	Tissue	나583라외	C584125F외	-	305,080	305,080	311,480	311,480
27960	FISH_C-myc,8q24	Hp Blood	나583라(3)	C584125C	2,411.47	206,900	206,900	211,240	211,240
26466	FISH_D13S319	Bone Marrow	나583라(3)	C584112C	2,411.47	206,900	206,900	211,240	211,240

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
26540	FISH_D7S522, 7q31	Hp Blood	나583라(3)	C584111C	2,411.47	206,900	206,900	211,240	211,240
28031	FISH_ETV6/RUNX1(TEL/AML1)	Bone Marrow	나583라(3)	C584115C	2,411.47	206,900	206,900	211,240	211,240
28125	FISH_FGFR1 Gene	Bone Marrow	나583라(3)	C584116C	2,411.47	206,900	206,900	211,240	211,240
27751	FISH_FIP1L1/PDGFR(4q12)	Bone Marrow	나583라(3)	C584117C	2,411.47	206,900	206,900	211,240	211,240
26581	FISH_FIP1L1/PDGFRα Fusion	Bone Marrow	나583라(3)	C584117C	2,411.47	206,900	206,900	211,240	211,240
27761	FISH_FL,t(14;18)(여의도성모)	Tissue	나583라외	C584119F외	-	305,080	305,080	311,480	311,480
26184	FISH_Her2/neu (여의도성모)	Other	나583라외	C584102F외	-	305,080	305,080	311,480	311,480
26563	FISH_IGH Gene	Bone Marrow	나583라(3)	C584118C	2,411.47	206,900	206,900	211,240	211,240
27980	FISH_IGH/BCL2 trans.	Hp Blood	나583라(3)	C584119C	2,411.47	206,900	206,900	211,240	211,240
26572	FISH_IGH/CCND1 Fusion Gene	Bone Marrow	나583라(3)	C584120C	2,411.47	206,900	206,900	211,240	211,240
27991	FISH_IGH/FGFR3 Fusion Gene	Bone Marrow	나583라(3)	C584121C	2,411.47	206,900	206,900	211,240	211,240
28005	FISH_IGH/MAF Fusion Gene	Bone Marrow	나583라(3)	C584122C	2,411.47	206,900	206,900	211,240	211,240
28004	FISH_IGH/MAFB Fusion Gene	Bone Marrow	나583라(3)	C584123C	2,411.47	206,900	206,900	211,240	211,240
27630	FISH_KMT2A (MLL) Gene	Bone Marrow	나583라(3)	C584124C	2,411.47	206,900	206,900	211,240	211,240
27968	FISH_MCL, t(11;14)(여의도성모)	Tissue	나583라외	C584120F외	-	305,080	305,080	311,480	311,480
26575	FISH_MDS AA Panel	Bone Marrow	나583라(3)	C584110C외	-	1,034,500	1,034,500	1,056,200	1,056,200
28026	FISH_MDS/AA Panel	Bone Marrow	나583외	C584114C외	-	827,600	827,600	844,960	844,960
27631	FISH_MLL Gene(성모)	Hp Blood	나583라(3)	C584124C	2,411.47	206,900	206,900	211,240	211,240
28025	FISH_MM Panel	Bone Marrow	나583외	C584118C외	-	1,448,300	1,448,300	1,478,680	1,478,680
26452	FISH_Myeloma Profile	Bone Marrow	나583라외	C584109C외	-	1,448,300	1,448,300	1,478,680	1,478,680
26582	FISH_PDGFRB Gene	Bone Marrow	나583라(3)	C584126C	2,411.47	206,900	206,900	211,240	211,240
26600	FISH_PML/RARA Fusion Gene	Bone Marrow	나583라(3)	C584127C	2,411.47	206,900	206,900	211,240	211,240
26602	FISH_PML-RARA	Hp Blood	나583라(3)	C584127C	2,411.47	206,900	206,900	211,240	211,240
25750	FISH_Rb gene	Bone Marrow	나583라(3)	C584112C	2,411.47	206,900	206,900	211,240	211,240
25751	FISH_Rb gene	Hp Blood	나583라(3)	C584112C	2,411.47	206,900	206,900	211,240	211,240
28313	FISH_RB1, 13q14.2	Bone Marrow	나583라(3)	C584112C	2,411.47	206,900	206,900	211,240	211,240
27080	FISH_RUNX1-RUNX1T1 (AML)	Bone Marrow	나583라(3)	C584129C	2,411.47	206,900	206,900	211,240	211,240
28022	FISH_TP53 Gene	Bone Marrow	나583라(3)	C584130C	2,411.47	206,900	206,900	211,240	211,240
28320	FISH_TP53 Gene (성모)	Hp Blood	나583라(3)	C584130C	2,411.47	206,900	206,900	211,240	211,240
28021	FISH_TP53 gene, deletion	Bone Marrow	나583라(3)	C584130C	2,411.47	206,900	206,900	211,240	211,240
27930	FISH_파라핀블록	Tissue	나583라(3)주	C584200F	1,101.11	94,480	94,480	96,460	96,460
65582	FK-506	EDTA Blood	누532나(2)	D5333423	188.13	16,140	16,140	16,480	16,480
65581	FK-506 (LC-MS/MS)	EDTA Blood	누532다(4)	D534984C	571.84	49,060	49,060	50,090	50,090
29576	FLCN sequencing	EDTA Blood	나580다(3)	C580844C	4,637.14	397,870	397,870	406,210	406,210
26247	FLT3 ITD/TKD mutation	EDTA Blood	나583외	C583209C외	-	379,130	379,130	387,090	387,090
11286	Folate (ECLIA)	SST Serum	누490나	D4902143	116.21	9,970	9,970	10,180	10,180
26738	FOXP3 gene mutation	EDTA Blood	나580다(3)	C580845C	4,637.14	397,870	397,870	406,210	406,210
25450	Fragile X	EDTA Blood	나580나(2)나	C580312C	1,274.65	109,360	109,360	111,660	111,660
00765	Free Cortisol	24hr Urine	누350나	D3502133	150.97	12,950	12,950	13,220	13,220
00766	Free Cortisol	Random Urine	누350나	D3502133	150.97	12,950	12,950	13,220	13,220
11090	Free Fatty Acid(NEFA)	SST Serum	누260라	D2264003	41.04	3,520	3,520	3,600	3,600
11091	Free Fatty Acid(NEFA)	Other	누260라	D2264003	41.04	3,520	3,520	3,600	3,600
25861	Free Kappa light chain	SST Serum	누442가(1)	D442104C	378.97	32,520	32,520	33,200	33,200
25862	Free Kappa light chain(U)	Random Urine	누442가(1)	D442103C	378.97	32,520	32,520	33,200	33,200
25867	Free Kappa/Free Lambda ratio	SST Serum	누442가	D442104C외	-	65,040	65,040	66,400	66,400
25868	Free Kappa/Free Lambda ratio	Random Urine	누442가	D442103C외	-	65,040	65,040	66,400	66,400

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
25863	Free Lambda light chain	SST Serum	누442가(1)	D442102C	378.97	32,520	32,520	33,200	33,200
25864	Free Lambda light chain(U)	Random Urine	누442가(1)	D442101C	378.97	32,520	32,520	33,200	33,200
01682	Free PSA (ECLIA)	SST Serum	누430	D4300013	148.93	12,780	12,780	13,050	13,050
01686	Free PSA/PSA ratio(ECLIA)	SST Serum	누430외	D4300033외	-	25,560	25,560	26,100	26,100
00216	Free T3 (ECLIA)	SST Serum	누323	D3230013	121.62	10,430	10,430	10,650	10,650
00226	Free T4 (ECLIA)	SST Serum	누323	D3230053	121.62	10,430	10,430	10,650	10,650
00235	Free thyroxine index	SST Serum	누323외	D3230023외	-	20,860	20,860	21,300	21,300
00170	Free α-Subunit	SST Serum	누345	D3450007	394.30	33,830	33,830	34,540	34,540
29011	Friedreich's ataxia	EDTA Blood	나580라	C581103C	1,185.74	101,740	101,740	103,870	103,870
20460	Fructosamine	SST Serum	누304	D3040003	72.33	6,210	6,210	6,340	6,340
00092	FSH (ECLIA)	SST Serum	누370나	D3702023	120.66	10,350	10,350	10,570	10,570
50960	FTA-ABS IgG	SST Serum	누692라	D692400C	168.95	14,500	14,500	14,800	14,800
50961	FTA-ABS IgG	CSF	누692라	D692400C	168.95	14,500	14,500	14,800	14,800
50975	FTA-ABS IgM	SST Serum	누692라	D692400C	168.95	14,500	14,500	14,800	14,800
50976	FTA-ABS IgM	CSF	누692라	D692400C	168.95	14,500	14,500	14,800	14,800
70780	Fungus Culture	Other	누581나	D5820003	171.31	14,700	14,700	15,010	15,010
70800	Fungus Culture(MIC)	Sputum	누581마(2)	D5854003	210.70	18,080	18,080	18,460	18,460
12991	G-1-P Uridyltransferase	EDTA Blood	누517나	D517201C	1,284.43	110,200	110,200	112,520	112,520
29420	G6PC gene mutation (삼성)	EDTA Blood	나580다(2)	C580709C	3,166.78	271,710	271,710	277,410	277,410
10531	G-6-PDH	EDTA Blood	누055	D0550013	107.47	9,220	9,220	9,410	9,410
12992	Galactokinase	EDTA Blood	누517나	D517202C	1,284.43	110,200	110,200	112,520	112,520
12990	Galactose-1-Phosphate	EDTA Blood	누517가(1)	D517101C	656.20	56,300	56,300	57,480	57,480
12998	Galactosemia 확진검사(3종)	EDTA Blood	누517가	D517101C외	-	276,700	276,700	282,520	282,520
12999	Galactosemia 확진검사(4종)	EDTA Blood	누517가	D517101C외	-	386,900	386,900	395,040	395,040
27619	GALC gene, mutation (Krabbe)	EDTA Blood	나580다(3)	C580810C	4,637.14	397,870	397,870	406,210	406,210
81991	Galectin-3 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
42715	Gardnerella vaginalis PCR	분비물	누591가	D591105C	389.36	33,410	33,410	34,110	34,110
00999	Gastrin	SST Serum	누381	D3810013	119.68	10,270	10,270	10,480	10,480
71210	GBS Culture&Sensitivity (Disk)	분비물	누581마(1)	D5851003	199.45	17,110	17,110	17,470	17,470
71211	GBS Culture&Sensitivity (MIC)	분비물	누581마(2)	D5854003	210.70	18,080	18,080	18,460	18,460
81780	GCDPF(BRST-2) (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80833	GCDPF15 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
29150	GCH1 gene mutation	EDTA Blood	나580다(2)	C580712C	3,166.78	271,710	271,710	277,410	277,410
29151	GCH1 gene mutation	EDTA Blood	나580다(2)	C580712C	3,166.78	271,710	271,710	277,410	277,410
51858	Gene rearrangements, acute I	EDTA Blood	나583나(1)	C583101C외	-	696,240	696,240	710,820	710,820
65260	Gentamicin	Plain Serum	누532나(2)	D5333193	188.13	16,140	16,140	16,480	16,480
27521	GFAP gene, mutation (Alexan	EDTA Blood	나580다(2)	C580713C	3,166.78	271,710	271,710	277,410	277,410
10905	GFR (신사구체여과율)	SST Serum	누228가	D2280003	18.22	1,560	1,560	1,600	1,600
10904	GFR-Cystatin C	SST Serum	누233	D2330003	68.44	5,870	5,870	6,000	6,000
00062	GH (CLIA)	SST Serum	누342	D3420003	132.05	11,330	11,330	11,570	11,570
27595	GJB1 gene mutation (CMTX)	EDTA Blood	나580다(1)	C580604C	1,992.83	170,980	170,980	174,570	174,570
10010	Globulin	SST Serum	누188 외	D1880003외	-	2,740	2,740	2,800	2,800
10011	Globulin(Fluid)	Body Fluid	누184외	D1840003외	-	2,740	2,740	2,800	2,800
01001	Glucagon (RIA)	EDTA Plasma	누381주	D3811027	97.32	8,350	8,350	8,530	8,530
10540	Glucose	NaF Plasma	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10541	Glucose	SST Serum	누302나	D3022003	14.42	1,240	1,240	1,260	1,260

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
10543	Glucose	Body Fluid	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10550	Glucose tolerance test	NaF Plasma	누302나외	D3022003외	-	4,960	4,960	5,040	5,040
10542	Glucose(24hr Urine)	24hr Urine	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10560	Glucose-Fasting	NaF Plasma	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10561	Glucose-Fasting	SST Serum	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10570	Glucose-30 MIN	NaF Plasma	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10571	Glucose-30 MIN	SST Serum	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10580	Glucose-60 MIN	NaF Plasma	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10581	Glucose-60 MIN	SST Serum	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10590	Glucose-90 MIN	NaF Plasma	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10591	Glucose-90 MIN	SST Serum	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10600	Glucose-120 MIN	NaF Plasma	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10601	Glucose-120 MIN	SST Serum	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10610	Glucose-150 MIN	NaF Plasma	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10611	Glucose-150 MIN	SST Serum	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10620	Glucose-3 hr	NaF Plasma	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10621	Glucose-3 hr	SST Serum	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10630	Glucose-4 hr	NaF Plasma	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10631	Glucose-4 hr	SST Serum	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
81970	GLUT-1 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81962	Glutamine Synthetase (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
29278	Glutamine Synthetase (IHC)(성)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
10720	Glycated Albumin	SST Serum	누309	D3090003	112.18	9,630	9,630	9,830	9,830
81961	Glypican-3 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
29277	Glypican-3 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
27340	GNAS gene mutation	EDTA Blood	나580다(3)	C580848C	4,637.14	397,870	397,870	406,210	406,210
27341	GNAS gene mutation (아산)	EDTA Blood	나580다(3)	C580848C	4,637.14	397,870	397,870	406,210	406,210
25682	GNE gene mutation	EDTA Blood	나580다(3)	C580849C	4,637.14	397,870	397,870	406,210	406,210
80618	Gomori's trichrome stain	Tissue	나563	C5630008	196.47	16,860	16,860	17,210	17,210
27361	Gorlin-Goltz syndrome(PTCH1)	EDTA Blood	나580다(4)	C580936C	7,255.90	622,560	622,560	635,620	635,620
70100	Gram Stain	Smear Slide	누580나	D5802023	30.18	2,590	2,590	2,640	2,640
71160	Gram stain (cytospin)	Other	누580나주	D5803003	24.92	2,140	2,140	2,180	2,180
81790	Granzyme B (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
71072	H.pylori Ag	Stool	누589다(2)	D5899003	41.71	3,580	3,580	3,650	3,650
50771	H.pylori IgG (CLIA)	SST Serum	누589나(1)	D5894003	141.90	12,180	12,180	12,430	12,430
50780	H.pylori IgM	SST Serum	누589나(1)	D5894003	141.90	12,180	12,180	12,430	12,430
42385	H.Pylori PCR+클라리스로마이신	Tissue	누591외	D591203C외	-	93,420	93,420	95,380	95,380
42383	H.Pylori 클라리스로마이신 내성	Tissue	누591다	D591301C	568.53	48,780	48,780	49,800	49,800
42382	H.Pylori 클라리스로마이신 내성	Tissue	누589마	D589700C	1,059.71	90,920	90,920	92,830	92,830
42735	Haemophilus ducreyi PCR	분비물	누591가	D591106C	389.36	33,410	33,410	34,110	34,110
30193	Hale's Colloidal Iron	Tissue	나563	C5630008	196.47	16,860	16,860	17,210	17,210
65071	Haloperidol	Plain Serum	누532다(4)	D534936C	571.84	49,060	49,060	50,090	50,090
12060	Ham test	복수검체	누053가	D053101C	72.62	6,230	6,230	6,360	6,360
27852	Hantaan & Seoul virus PCR	SST Serum	누658라	D658402C	815.29	69,950	69,950	71,420	71,420
41590	Hantaan Virus Ab	SST Serum	누653나	D6531253	102.11	8,760	8,760	8,940	8,940
41666	Hantaan virus Ab (IFA)	SST Serum	누655나	D6552013	163.15	14,000	14,000	14,290	14,290

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
20180	Haptoglobin	SST Serum	누470	D4700033	79.73	6,840	6,840	6,980	6,980
20181	Haptoglobin	EDTA Plasma	누470	D4700033	79.73	6,840	6,840	6,980	6,980
50016	HAV IgG	SST Serum	누701가	D7011013	169.62	14,550	14,550	14,860	14,860
50025	HAV IgM	SST Serum	누701가	D7011023	169.62	14,550	14,550	14,860	14,860
26976	HAX1 gene mutation	EDTA Blood	나580다(2)	C580715C	3,166.78	271,710	271,710	277,410	277,410
26977	HAX1 gene mutation	EDTA Blood	나580다(2)	C580715C	3,166.78	271,710	271,710	277,410	277,410
25773	HBA1/HBA2 gene mutation	EDTA Blood	나580다외	C580605C외	-	341,960	341,960	349,140	349,140
25772	HBB gene mutation (β-Thalassaemia)	EDTA Blood	나580다(1)	C580607C	1,992.83	170,980	170,980	174,570	174,570
50055	HBc Ab IgM	SST Serum	누701마	D7020023	155.57	13,350	13,350	13,630	13,630
50045	HBc Ab, Total	SST Serum	누701마	D7020013	155.57	13,350	13,350	13,630	13,630
50076	HBe Ab	SST Serum	누701사	D7024003	189.40	16,250	16,250	16,590	16,590
50075	HBe Ag	SST Serum	누701바	D7022003	187.53	16,090	16,090	16,430	16,430
81490	HBME-1 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
01271	HBNP	EDTA Plasma	누406나	D4062023	524.10	44,970	44,970	45,910	45,910
50116	HBs Ab	SST Serum	누701라	D7018003	142.81	12,250	12,250	12,510	12,510
50115	HBs Ag	SST Serum	누701다(1)	D7015003	134.04	11,500	11,500	11,740	11,740
50119	HBs Ag 정량(ECLIA)	SST Serum	누701다(2)	D7017013	326.50	28,010	28,010	28,600	28,600
50140	HBV DNA (PCR)	SST Serum	누704가	D704101C	389.36	33,410	33,410	34,110	34,110
52179	HBV DNA 정량(real-timePCR)	SST Serum	누704라	D704403C	792.13	67,960	67,960	69,390	69,390
50209	HBV Drug mutation	SST Serum	누705가	D705101C	1,899.60	162,990	162,990	166,400	166,400
81360	hCG (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
01970	hCG (정성)	Random Urine	누570가	D5701003	18.36	1,580	1,580	1,610	1,610
81985	HCK (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
50230	HCV (RT-PCR+Hybrid)	SST Serum	누704다	D704301C	628.86	53,960	53,960	55,090	55,090
50231	HCV (RT-PCR+Hybrid.)	EDTA Plasma	누704다	D704301C	628.86	53,960	53,960	55,090	55,090
50215	HCV Ab	SST Serum	누701아	D7026003	166.09	14,250	14,250	14,550	14,550
50220	HCV Ab(RIBA III)	SST Serum	누703가	D703100C	498.15	42,740	42,740	43,640	43,640
52361	HCV genotyping (Real-time RT-PCR)	SST Serum	누704사	D704701C	1,574.66	135,110	135,110	137,940	137,940
52376	HCV NS5A L31/Y93 Mutation	SST Serum	누705가	D705102C	1,899.60	162,990	162,990	166,400	166,400
50242	HCV RNA 정량(real-timePCR)	SST Serum	누704마	D704502C	1,350.40	115,860	115,860	118,300	118,300
25606	HD gene mutation (Huntington's disease)	EDTA Blood	나580나(2)(L)	C580309C	1,274.65	109,360	109,360	111,660	111,660
11100	HDL Cholesterol	SST Serum	누261다(1)	D2613003	69.37	5,950	5,950	6,080	6,080
50271	HDV RT- PCR	SST Serum	누704다	D704303C	628.86	53,960	53,960	55,090	55,090
01473	HE4	SST Serum	누437	D4370003	224.75	19,280	19,280	19,690	19,690
70810	Heinz body	EDTA Blood	누058	D058000C	45.90	3,940	3,940	4,020	4,020
30004	Hematocrit(Hct)	EDTA Blood	누000나	D0002043	11.31	970	970	990	990
26441	Hemochromatosis(C282Y/H63D)	EDTA Blood	나580나외	C580209C외	-	87,980	87,980	89,840	89,840
10731	Hemoglobin A1c	EDTA Blood	누306다	D3063003	79.32	6,810	6,810	6,950	6,950
20490	Hemoglobin E.P	EDTA Blood	누060	D060000C	109.64	9,410	9,410	9,600	9,600
30003	Hemoglobin(Hb)	EDTA Blood	누000나	D0002053	11.31	970	970	990	990
70040	Hemosiderin	Random Urine	누222	D2220003	32.93	2,830	2,830	2,880	2,880
81420	Hepatocyte (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81321	Her-2/C-erbB2 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
25392	Hereditary multiple osteochondroma	EDTA Blood	나580다(3)	C580840C	4,637.14	397,870	397,870	406,210	406,210
50280	HEV Ab IgG	SST Serum	누701차	D7030013	85.79	7,360	7,360	7,520	7,520
50290	HEV Ab IgM	SST Serum	누701차	D7030023	85.79	7,360	7,360	7,520	7,520

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
50301	HEV RT- PCR	SST Serum	누704나	D704202C	520.33	44,640	44,640	45,580	45,580
10380	Hexosaminidase A	Hp Blood	누517가(1)	D517114C	656.20	56,300	56,300	57,480	57,480
42520	HHV type 6 DNA(PCR)	SST Serum	누658가	D658105C	389.36	33,410	33,410	34,110	34,110
42521	HHV type 6 DNA(PCR)	CSF	누658가	D658105C	389.36	33,410	33,410	34,110	34,110
81460	HHV-8 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
30823	HHV-8 PCR	EDTA Blood	누658가	D658105C	389.36	33,410	33,410	34,110	34,110
42525	HHV-8 PCR	Tissue	누658가	D658105F	396.31	34,000	34,000	34,720	34,720
42527	HHV-8 PCR (성모)	Tissue	누658가	D658105F	396.31	34,000	34,000	34,720	34,720
12080	Hippuric acid	Random Urine	누540다(2)	D5423043	254.59	21,840	21,840	22,300	22,300
51670	Histone Ab	SST Serum	누785나	D785210C	335.78	28,810	28,810	29,410	29,410
41335	HIV Ag/Ab	SST Serum	누721나	D7212003	119.35	10,240	10,240	10,460	10,460
29543	HIV drug resistance mutation	EDTA Plasma	누724가	D724101C	1,899.60	162,990	162,990	166,400	166,400
42404	HIV RNA 정량	EDTA Plasma	누723나	D723202C	1,350.40	115,860	115,860	118,300	118,300
25470	HLA A Typing (High)	EDTA Blood	누840라	D840401C	3,549.44	304,540	304,540	310,930	310,930
26360	HLA A Typing (Low)	EDTA Blood	누840나	D840201C	1,666.83	143,010	143,010	146,010	146,010
26361	HLA A Typing (Low)	Bone Marrow	누840나	D840201C	1,666.83	143,010	143,010	146,010	146,010
25497	HLA A,B 조혈모이식1차	EDTA Blood	누840다외	D840301C외	-	609,080	609,080	621,860	621,860
25499	HLA A,B,C,DR 조혈모 수여	EDTA Blood	누840다외	D840301C외	-	1,218,160	1,218,160	1,243,720	1,243,720
25480	HLA B Typing (High)	EDTA Blood	누840라	D840401C	3,549.44	304,540	304,540	310,930	310,930
26370	HLA B Typing (Low)	EDTA Blood	누840나	D840201C	1,666.83	143,010	143,010	146,010	146,010
26371	HLA B Typing (Low)	Bone Marrow	누840나	D840201C	1,666.83	143,010	143,010	146,010	146,010
25500	HLA B27	EDTA Blood	누841다	D841302C	774.28	66,430	66,430	67,830	67,830
25490	HLA C Typing (High)	EDTA Blood	누840라	D840401C	3,549.44	304,540	304,540	310,930	310,930
26380	HLA C Typing (Low)	EDTA Blood	누840나	D840201C	1,666.83	143,010	143,010	146,010	146,010
26381	HLA C Typing (Low)	Bone Marrow	누840나	D840201C	1,666.83	143,010	143,010	146,010	146,010
25498	HLA C,DR 조혈모이식2차	EDTA Blood	누840다외	D840301C외	-	609,080	609,080	621,860	621,860
26390	HLA DQ Typing (Low)	EDTA Blood	누840나	D840202C	1,666.83	143,010	143,010	146,010	146,010
26391	HLA DQ Typing (Low)	Bone Marrow	누840나	D840202C	1,666.83	143,010	143,010	146,010	146,010
25535	HLA DQB1 Typing (High)	EDTA Blood	누840라	D840402C	3,549.44	304,540	304,540	310,930	310,930
25560	HLA DR Typing (High)	EDTA Blood	누840라	D840403C	3,549.44	304,540	304,540	310,930	310,930
25550	HLA DR Typing (Low)	EDTA Blood	누840나	D840203C	1,666.83	143,010	143,010	146,010	146,010
26392	HLA DR Typing (Low)	EDTA Blood	누840나	D840203C	1,666.83	143,010	143,010	146,010	146,010
26393	HLA DR Typing (Low)	Bone Marrow	누840나	D840203C	1,666.83	143,010	143,010	146,010	146,010
26397	HLA-B5801 genotyping	EDTA Blood	누841라	D841403C	1,520.12	130,430	130,430	133,160	133,160
81390	HMB45 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81392	HMB45 (IHC)(삼성)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81610	hMLH1 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
26421	hMLH1 mutation identificatio	EDTA Blood	나580다(3)	C580819C	4,637.14	397,870	397,870	406,210	406,210
81615	hMSH2 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
26431	hMSH2 mutation identificatio	EDTA Blood	나580다(3)	C580820C	4,637.14	397,870	397,870	406,210	406,210
01055	HOMA of insulin resistance	복수검체	누305외	D3050023외	-	12,030	12,030	12,270	12,270
01057	HOMA B-cell	복수검체	누305외	D3050023외	-	12,030	12,030	12,270	12,270
12090	Homocysteine	SST Serum	누514나	D5142033	140.81	12,080	12,080	12,330	12,330
12091	Homocysteine	EDTA Plasma	누514나	D5142033	140.81	12,080	12,080	12,330	12,330
81380	HPL (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
26940	HPRT1 gene mutation	EDTA Blood	나580다(2)	C580716C	3,166.78	271,710	271,710	277,410	277,410

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
42430	HPV 16	분비물	누658가	D658109C	389.36	33,410	33,410	34,110	34,110
42440	HPV 18	분비물	누658가	D658109C	389.36	33,410	33,410	34,110	34,110
42444	HPV genotyping (Real-time PCR)	분비물	누658바	D658604C	598.35	51,340	51,340	52,420	52,420
42420	HPV Screening	분비물	누658가	D658109C	389.36	33,410	33,410	34,110	34,110
42495	HPV(Condyloma)	분비물	누658가	D658109C	389.36	33,410	33,410	34,110	34,110
29592	HSP(유전성 하지마비)	EDTA Blood	나580다외	C580833C외	-	795,740	795,740	812,420	812,420
81512	HSV (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
42155	HSV culture	Other	누652가	D652100C	578.61	49,640	49,640	50,690	50,690
42156	HSV culture (조직)	Tissue	누652가	D652100C	578.61	49,640	49,640	50,690	50,690
41380	HSV IgG	SST Serum	누654나(1)	D654209C	199.61	17,130	17,130	17,490	17,490
41381	HSV IgG	CSF	누654나(1)	D654209C	199.61	17,130	17,130	17,490	17,490
41390	HSV IgM	SST Serum	누654나(2)	D654309C	179.14	15,370	15,370	15,690	15,690
41391	HSV IgM	CSF	누654나(2)	D654309C	179.14	15,370	15,370	15,690	15,690
43080	HSV Type 1 IgG	SST Serum	누654나(1)	D654209C	199.61	17,130	17,130	17,490	17,490
43081	HSV Type 1 IgG	CSF	누654나(1)	D654209C	199.61	17,130	17,130	17,490	17,490
43543	HSV Type 1 IgM	SST Serum	누654나(2)	D654309C	179.14	15,370	15,370	15,690	15,690
41440	HSV Type 2 IgG	SST Serum	누654나(1)	D654209C	199.61	17,130	17,130	17,490	17,490
41441	HSV Type 2 IgG	CSF	누654나(1)	D654209C	199.61	17,130	17,130	17,490	17,490
43544	HSV Type 2 IgM	SST Serum	누654나(2)	D654309C	179.14	15,370	15,370	15,690	15,690
42500	HSV Type I(PCR)	EDTA Blood	누658가	D658104C	389.36	33,410	33,410	34,110	34,110
42510	HSV Type II(PCR)	분비물	누658가	D658104C	389.36	33,410	33,410	34,110	34,110
41478	HTLV-1 DNA, detection	EDTA Blood	누658다	D658301C	628.86	53,960	53,960	55,090	55,090
41475	HTLV-I/II Ab	SST Serum	누654나(1)	D654222C	199.61	17,130	17,130	17,490	17,490
41477	HTLV-I/II Ab	EDTA Plasma	누654나(1)	D654222C	199.61	17,130	17,130	17,490	17,490
41479	HTLV-I/II Ab (CSF)	CSF	누654나(1)	D654222C	199.61	17,130	17,130	17,490	17,490
25603	Huntington's disease	EDTA Blood	나580나(2)외	C580309C	1,274.65	109,360	109,360	111,660	111,660
11713	HVA 정량 (24hr U)	24hr Urine	누351라	D351403C	447.20	38,370	38,370	39,170	39,170
00866	HVA 정량(HPLC)	Random Urine	누351라	D351403C	447.20	38,370	38,370	39,170	39,170
00861	HVA 정량(Plasma)	EDTA Plasma	누351라	D351403C	447.20	38,370	38,370	39,170	39,170
81910	IDH-1 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
29079	IDH1 gene mutation (성모)	Block	나583나(1)	C583125F	1,376.60	118,110	118,110	120,590	120,590
29556	IDH1 돌연변이 염기서열	Tissue	나583다(1)	C583307F	1,441.34	123,670	123,670	126,260	126,260
29557	IDH2 돌연변이 염기서열	Tissue	나583다(1)	C583309F	1,441.34	123,670	123,670	126,260	126,260
29094	IDH2 유전자 돌연변이 염기서열	Tissue	나583다(1)	C583309F	1,441.34	123,670	123,670	126,260	126,260
29290	IDS gene mutation (mucopolysaccharidosis)	EDTA Blood	나580다(2)	C580717C	3,166.78	271,710	271,710	277,410	277,410
20628	IFEP + PEP (24h urine)	24hr Urine	누475외	D475201C외	-	54,630	54,630	55,780	55,780
20629	IFEP + PEP (Random Urine)	Random Urine	누475외	D475201C외	-	54,630	54,630	55,780	55,780
20627	IFEP + PEP (Serum)	SST Serum	누475외	D475101C외	-	51,990	51,990	53,080	53,080
20200	IgA	SST Serum	누741	D7410013	94.90	8,140	8,140	8,310	8,310
20201	IgA	EDTA Plasma	누741	D7410013	94.90	8,140	8,140	8,310	8,310
81110	IgA (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81111	IgA (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
20212	IgD	SST Serum	누741	D7410023	94.90	8,140	8,140	8,310	8,310
60003	IgE (ECLIA)	SST Serum	누743나	D7430003	158.75	13,620	13,620	13,910	13,910
62582	IgE MAST 93종&IgE(ECLIA)	SST Serum	누743외	D7430003외	-	115,120	115,120	117,540	117,540
63315	IgE-12종(식품알레르기/아토피피부염)	SST Serum	누744외	D7440013외	-	188,400	188,400	192,360	192,360

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
63316	IgE-12종(천명/비염)(3세미만)	SST Serum	누744외	D7440013외	-	188,400	188,400	192,360	192,360
63317	IgE-12종(천명/비염)(3세이상)	SST Serum	누744외	D7440013외	-	188,400	188,400	192,360	192,360
63313	IgE-6종(계란,밀,땅콩 심화)	SST Serum	누744외	D7440013외	-	94,200	94,200	96,180	96,180
63331	IgE-6종(봄-여름 호흡기)	SST Serum	누744외	D7440013외	-	94,200	94,200	96,180	96,180
63320	IgE-6종(식품/환경알레르기)	SST Serum	누744외	D7440013외	-	94,200	94,200	96,180	96,180
63310	IgE-6종(식품알레르기1)	SST Serum	누744외	D7440013외	-	94,200	94,200	96,180	96,180
63311	IgE-6종(식품알레르기2)	SST Serum	누744외	D7440013외	-	94,200	94,200	96,180	96,180
63332	IgE-6종(여름-가을 호흡기)	SST Serum	누744외	D7440013외	-	94,200	94,200	96,180	96,180
63312	IgE-6종(우유,계란 심화)	SST Serum	누744외	D7440013외	-	94,200	94,200	96,180	96,180
63330	IgE-6종(통년성 호흡기)	SST Serum	누744외	D7440013외	-	94,200	94,200	96,180	96,180
63300	IgE-6종(환경알레르기1)	SST Serum	누744외	D7440013외	-	94,200	94,200	96,180	96,180
63301	IgE-6종(환경알레르기2)	SST Serum	누744외	D7440013외	-	94,200	94,200	96,180	96,180
62740	IgE-Abalone:F346	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60360	IgE-Acarus siro:D70	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61180	IgE-Alder:T2	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60370	IgE-Almond:F20	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60380	IgE-Alternaria alternata:M6	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62861	IgE-Amoxicilloyl:C6	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62850	IgE-Ampicilloyl:C5	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
63211	IgE-Anchovy:F313	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60391	IgE-Anisakis:P4	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60400	IgE-Apple:F49	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60420	IgE-Aspergillus fumigatus:M3	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60480	IgE-Banana:F92	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60490	IgE-Barley:F6	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60500	IgE-Beech:T5	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60510	IgE-Beef:F27	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60530	IgE-Bermuda Grass:G2	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60105	IgE-Birch:T3	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60562	IgE-Blue Mussel:F37	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60563	IgE-Blueberry:F288	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62630	IgE-Broccoli:F260	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60590	IgE-Buckwheat:F11	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
63139	IgE-Cabbage:F216	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60620	IgE-Cacao:F93	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60630	IgE-Candida albicans:M5	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60650	IgE-Carrot:F31	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60670	IgE-Casein:F78	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60574	IgE-Cashew nut:F202	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60685	IgE-Cat Dander:E1	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62870	IgE-Cefaclor:C7	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60690	IgE-Celery:F85	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60700	IgE-Cheddar Cheese:F81	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60705	IgE-Chestnut:F299	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60719	IgE-Chicken Feathers:E85	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60710	IgE-Chicken meat:F83	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
61490	IgE-Chub mackerel:F50	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60750	IgE-Cladosporium herbarum:M	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62640	IgE-Clam:F207	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60775	IgE-Cockroach:I6	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61790	IgE-Cocksfoot: G3	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60789	IgE-Coconut:F36	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60800	IgE-Codfish:F3	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60820	IgE-Common Ragweed:W1	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60829	IgE-Common Reed:G7	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61500	IgE-Corn:F8	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60840	IgE-Cottonwood:T14	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60860	IgE-Crab:F23	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62798	IgE-Cucumber:F244	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62379	IgE-Cultivated wheat:G15	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60920	IgE-Dandelion:W8	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60905	IgE-Dermatophagoides farinae	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62931	IgE-Dermatophagoides micro	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60915	IgE-Dermatophagoides pteron	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60935	IgE-Dog dander:E5	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60950	IgE-Duck feathers:E86	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60995	IgE-Egg white:F1	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61005	IgE-Egg yolk:F75	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62801	IgE-Egg:F245	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
63101	IgE-Elder:T205	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60161	IgE-Elm:T8	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
63180	IgE-Epidermals & animal prote	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62729	IgE-Fire Ant:I70	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
63050	IgE-Foods mixes:Fx5	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62970	IgE-Formaldehyde:K80	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62701	IgE-Fusarium proliferatum:M9	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
63233	IgE-Galactose-alpha-1,3-galac	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61101	IgE-Garlic:F47	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62889	IgE-Gelatin bovine:C74	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61091	IgE-Giant ragweed:W3	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61110	IgE-Gluten:F79	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
63121	IgE-Goat milk:F300	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61151	IgE-Goldenrod:W12	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61431	IgE-Goosefoot, Lamb's quarte	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61170	IgE-Grape fruit:F209	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62679	IgE-Grape:F259	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60531	IgE-Grass pollens mixes: Gx1	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62750	IgE-Grass pollens mixes:Gx2	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61221	IgE-Hamster epithelium:E84	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61240	IgE-Hazel Nut:F17	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61229	IgE-Hazel:T4	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61958	IgE-Herring:F205	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
61250	IgE-Honey Bee Venom:I1	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61259	IgE-Horse dander:E3	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62820	IgE-House dust mixes:Hx2	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61270	IgE-House dust1:H1	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61281	IgE-House dust2:H2	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61333	IgE-Isocyanate HDI:K77	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61332	IgE-Isocyanate MDI:K76	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61331	IgE-Isocyanate TDI:K75	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61360	IgE-Japanese cedar:T17	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61370	IgE-Japanese hop:W22	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61415	IgE-Kiwi:F84	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61440	IgE-Latex:K82	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61444	IgE-Lemon:F208	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61120	IgE-Lepidoglyphus destructor:	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61461	IgE-Lobster:F80	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61491	IgE-Mackerel:F206	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61519	IgE-Mango:F91	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62260	IgE-Maple leaf sycamore, Lonicera	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61539	IgE-Marguerite, Ox-eye daisy:	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62581	IgE-MAST 93종	SST Serum	누745나	D746000C	1,182.97	101,500	101,500	103,630	103,630
61550	IgE-Meadow fescue:G4	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
63054	IgE-Meat mixes:Fx73	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61580	IgE-Melon:F87	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62791	IgE-Milk, boiled:F231	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61605	IgE-Milk:F2	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
63190	IgE-Mix Tree Pollen:Tx1	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61624	IgE-Mold cheese:F82	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62760	IgE-Mold mixes:Mx1	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
63107	IgE-Molds&Yeasts mixes:Mx2	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61640	IgE-Mosquito(속):I71	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61661	IgE-Mountain juniper:T6	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
63106	IgE-Mouse epithelium:E71	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62649	IgE-Mucor racemosus:M4	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61680	IgE-Mugwort:W6	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
63171	IgE-Mushroom(champignon):	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61701	IgE-Mustard:F89	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61419	IgE-Mutton:F88	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61795	IgE-nGal d 1 Ovomucoid, Egg	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61883	IgE-nGal d 3 Conalbumin, Egg	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61874	IgE-nGly m 5 (β-conglycinin),	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61875	IgE-nGly m 6 (Glycinin), Soy:F	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61720	IgE-Oak:T7	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61749	IgE-Octopus:F59	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
63150	IgE-Omega-5 Gliadin:F416	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61770	IgE-Onion:F48	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61780	IgE-Orange:F33	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
61015	IgE-Ovalbumin:F232	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62711	IgE-Oyster:F290	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60891	IgE-Pacific Squid:F58	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61810	IgE-Paper wasp venom:I4	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61195	IgE-Pea:F12	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61850	IgE-Peach:F95	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61860	IgE-Peanut:F13	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61870	IgE-Pear:F94	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61890	IgE-Penicillium chrysogenum:I	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61900	IgE-Penicilloyl G:C1	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61910	IgE-Penicilloyl V:C2	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62011	IgE-persimmon:F301	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62671	IgE-Pine nuts:F253	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
63218	IgE-Pine:T213	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62620	IgE-Pineapple:F210	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61956	IgE-Pistachio:F203	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60641	IgE-Pityrosporum orbiculare(s	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61961	IgE-Plaice:F254	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61964	IgE-Plum:F255	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61970	IgE-Pork:F26	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61981	IgE-Potato:F35	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61991	IgE-Pumpkin:F225	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61999	IgE-Rabbit epithelium:E82	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61878	IgE-rApi m 1 phospholipase A	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61871	IgE-rAra h 1, Peanut:F422	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60405	IgE-rAra h 2, Peanut:F423	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61872	IgE-rAra h 3, Peanut:F424	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61885	IgE-rAra h 8 PR-10, Peanut:F3	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61873	IgE-rAra h 9 (LTP), Peanut:F42	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61864	IgE-rAsp f 3, Aspergillus fumig	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61868	IgE-rBet v 1 PR-10, Birch:T215	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61869	IgE-rBet v 2 Profilin, Birch:T21	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60559	IgE-Red kidney bean:F287	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61886	IgE-rGly m 4 PR-10, Soy:F353	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
63009	IgE-Rhizopus nigricans:M11	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62050	IgE-Rice:F9	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61876	IgE-rJug r 1, Walnut:F441	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61877	IgE-rJug r 3 LTP, Walnut:F442	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61884	IgE-rPen a 1 Tropomyosin, Shi	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61867	IgE-rPol d 5 paper wasp:I210	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61887	IgE-rPru p 1 PR-10, Peach:F41	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61888	IgE-rPru p 3 LTP, Peach:F420	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61889	IgE-rPru p 4 Profilin, Peach:F4	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61879	IgE-rVes v 5 Common wasp:I2	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61921	IgE-Rye Grass:G5	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62080	IgE-Rye:F5	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
61863	IgE-S. enterotoxin TSST:M226	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62110	IgE-Salmon:F41	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62100	IgE-Sardine, Japanese Pilchard	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
61782	IgE-Scallops:F338	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62135	IgE-Sesame seed:F10	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62150	IgE-Shrimp:F24	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62185	IgE-Soybean:F14	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62189	IgE-Spinach:F214	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
63041	IgE-Squid:F258	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60642	IgE-Staphylococcal enterotoxin	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60643	IgE-Staphylococcal enterotoxin	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62210	IgE-Strawberry:F44	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62239	IgE-Sweet potato:F54	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62231	IgE-Sweet vernal grass:G1	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62280	IgE-Timothy grass:G6	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62300	IgE-Tomato:F25	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62770	IgE-Tree pollens mixes:Tx5	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62840	IgE-Tree pollens mixes:Tx9	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62720	IgE-Trichophyton rubrum:M20	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62320	IgE-Tuna:F40	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62270	IgE-Tyrophagus putrescentiae	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62810	IgE-Walnut:F256	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62350	IgE-Walnut:T10	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62354	IgE-Watermelon:F329	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60091	IgE-Weed pollens mixes:Wx1	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
63030	IgE-Weed pollens mixes:Wx5	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62360	IgE-Western Ragweed:W2	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62370	IgE-Wheat:F4	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62391	IgE-White ash:T15	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62411	IgE-White bean:F15	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62401	IgE-White faced hornet venom	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
60960	IgE-White pine:T16	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62431	IgE-Willow:T12	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62461	IgE-Yeast:F45	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62829	IgE-Yellow hornet:I5	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62481	IgE-Yellow jacket:I3	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62495	IgE-α-lactalbumin:F76	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
62505	IgE-β-lactoglobulin:F77	SST Serum	누744	D7440013	182.96	15,700	15,700	16,030	16,030
01295	IGFBP-3 (CLIA)	SST Serum	누344	D3440023	217.29	18,640	18,640	19,030	19,030
20220	IgG	SST Serum	누741	D7410043	94.90	8,140	8,140	8,310	8,310
20221	IgG	CSF	누741	D7410043	94.90	8,140	8,140	8,310	8,310
80945	IgG (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80943	IgG (IHC)(여의도성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80944	IgG (IHC)서울대	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
20225	IgG, Low Conc	CSF	누741	D7410043	94.90	8,140	8,140	8,310	8,310
80946	IgG4 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
80947	IgG4 (IHC)(여의도성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80511	IgG-Fibrinogen (성모)	Tissue	나564외	C5640008외	-	186,060	186,060	189,960	189,960
25802	IgH gene rearrangement (삼성)	Block	나583나(2)	C583206F	3,056.35	262,230	262,230	267,740	267,740
29083	IgH gene rearrangement (성모)	Tissue	나583나(2)	C583206F	3,056.35	262,230	262,230	267,740	267,740
25801	IgH gene rearrangement (아산)	Tissue	나583나(2)	C583206F	3,056.35	262,230	262,230	267,740	267,740
29088	Ig-Kappa gene rearrangement	Tissue	나583나(2)	C583207F	3,056.35	262,230	262,230	267,740	267,740
29089	Ig-Lambda gene rearrangement	Tissue	나583나(2)	C583208F	3,056.35	262,230	262,230	267,740	267,740
20270	IgM	SST Serum	누741	D7410053	94.90	8,140	8,140	8,310	8,310
20271	IgM	Hp Plasma	누741	D7410053	94.90	8,140	8,140	8,310	8,310
80940	IgM (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80941	IgM (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
28270	IKBKG (NEMO) gene, mutation	EDTA Blood	나580다(2)	C580747C	3,166.78	271,710	271,710	277,410	277,410
27825	Imatinib 약제내성(Major BCR/A	EDTA Blood	나583다(6)	C583801C	2,980.79	255,750	255,750	261,120	261,120
65624	Imipramine + Desipramine	Plain Serum	누532다(4)	D534938C	571.84	49,060	49,060	50,090	50,090
20611	Immuno Fixation E.P	Random Urine	누475나	D475201C	497.01	42,640	42,640	43,540	43,540
20610	Immuno Fixation E.P (Serum)	SST Serum	누475가	D475101C	478.90	41,090	41,090	41,950	41,950
20613	Immuno Fixation E.P IgD,IgE(S	SST Serum	누475가	D475101C	478.90	41,090	41,090	41,950	41,950
20614	Immuno Fixation E.P IgD,IgE(U	Random Urine	누475나	D475201C	497.01	42,640	42,640	43,540	43,540
20612	Immuno Fixation E.P(24h urin	24hr Urine	누475나	D475201C	497.01	42,640	42,640	43,540	43,540
20228	Immunoglobulin G Index	복수검체	누188외	D1880003외	-	34,360	34,360	35,080	35,080
80650	Immunohistochemistry	Smear Slide	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80651	Immunohistochemistry	Block	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80652	Immunohistochemistry	Other	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80656	Immunohistochemistry	Smear Slide	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
70820	India ink prep.	CSF	누580다	D5804013	54.26	4,660	4,660	4,750	4,750
70821	India ink prep.	Other	누580다	D5804013	54.26	4,660	4,660	4,750	4,750
10060	Indirect Bilirubin	SST Serum	누183외	D1830003외	-	2,310	2,310	2,360	2,360
10061	Indirect Bilirubin	Capillary	누183외	D1830003외	-	2,310	2,310	2,360	2,360
30330	Indirect Coombs	SST Serum	누154나	D154205C	78.30	6,720	6,720	6,860	6,860
12141	Indocyanine Green(R15)	SST Serum	누196가	D196100C	352.31	30,230	30,230	30,860	30,860
12140	Indocyanine Green경체울	SST Serum	누196가	D196100C	352.31	30,230	30,230	30,860	30,860
65130	Infliximab 경량	SST Serum	누532나(2)	D5333503	188.13	16,140	16,140	16,480	16,480
42165	Influenza A Culture	Other	누652가	D652100C	578.61	49,640	49,640	50,690	50,690
42175	Influenza B Culture	Other	누652가	D652100C	578.61	49,640	49,640	50,690	50,690
42280	Influenza virus A&B Ag	Sputum	누655가	D655106C외	-	27,500	27,500	28,080	28,080
81887	Inhibin (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
01864	Inhibin-A	SST Serum	누573	D5730003	318.58	27,330	27,330	27,910	27,910
81571	INI-1 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
01024	Insulin	NaF Plasma	누305	D3050023	125.74	10,790	10,790	11,010	11,010
01025	Insulin	SST Serum	누305	D3050023	125.74	10,790	10,790	11,010	11,010
01026	Insulin	EDTA Plasma	누305	D3050023	125.74	10,790	10,790	11,010	11,010
81870	Insulin Ab (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
01049	Insulin Ab(ELISA)	SST Serum	누801	D8010003	139.24	11,950	11,950	12,200	12,200
02061	Integrated 2nd (Quad)	SST Serum	누421나외	D2420023외	-	58,990	58,990	60,230	60,230
51831	Interleukin 6	SST Serum	누749	D7490003	329.06	28,230	28,230	28,830	28,830
13152	Iodine	Random Urine	누320외	D3200013외	-	5,300	5,300	5,410	5,410

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
30113	IRF SET	EDTA Blood	누050나외	D0502023외	-	3,180	3,180	3,240	3,240
12730	Iron (Fe)	SST Serum	누052가	D0521033	27.85	2,390	2,390	2,440	2,440
30140	Iron Stain	Bone Marrow	누084	D084106C	103.23	8,860	8,860	9,040	9,040
30153	Iron stain	Bone Marrow	누084	D084106C	103.23	8,860	8,860	9,040	9,040
51880	Islet cell Ab	SST Serum	누802나	D802200C	213.88	18,350	18,350	18,740	18,740
30371	Isoagglutinin test	SST Serum	누157	D157000C	93.33	8,010	8,010	8,180	8,180
27618	JAG1 gene mutation (삼성)	EDTA Blood	나580다(4)	C580931C	7,255.90	622,560	622,560	635,620	635,620
27772	JAK2 gene exon12 mutation	EDTA Blood	나583다(1)	C583303C	1,416.05	121,500	121,500	124,050	124,050
27796	JAK2 gene exon12 mutation	EDTA Blood	나583다(1)	C583303C	1,416.05	121,500	121,500	124,050	124,050
27771	JAK2 gene V617F mutation	EDTA Blood	나583가	C583003C	1,179.27	101,180	101,180	103,300	103,300
27775	JAK2 gene V617F mutation	EDTA Blood	나583다(1)	C583304C	1,416.05	121,500	121,500	124,050	124,050
42683	JC Virus PCR	Random Urine	누658가	D658106C	389.36	33,410	33,410	34,110	34,110
71034	Joint fluid analysis(편광현미경)	Joint Fluid	나568	C5680003	135.50	11,630	11,630	11,870	11,870
81964	Kappa light chain (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81982	Kappa light chain (IHC)서울대	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81302	Kappa light chain (In situ)	Tissue	나583라(2)	C584001F	1,006.55	86,360	86,360	88,170	88,170
29217	KCNH2 gene mutation (삼성)	EDTA Blood	나580다(3)	C580851C	4,637.14	397,870	397,870	406,210	406,210
29222	KCNH2 Gene mutation (성모)	EDTA Blood	나580다(3)	C580851C	4,637.14	397,870	397,870	406,210	406,210
27169	KCNJ11 gene mutation (삼성)	EDTA Blood	나580다(1)	C580620C	1,992.83	170,980	170,980	174,570	174,570
26963	KCNJ11 gene mutation (아산)	EDTA Blood	나580다(1)	C580620C	1,992.83	170,980	170,980	174,570	174,570
29220	KCNQ1 (Long QT syndrome)	EDTA Blood	나580다(3)	C580852C	4,637.14	397,870	397,870	406,210	406,210
29219	KCNQ1 gene mutation	EDTA Blood	나580다(3)	C580852C	4,637.14	397,870	397,870	406,210	406,210
29221	KCNQ1 gene mutation (성모)	EDTA Blood	나580다(3)	C580852C	4,637.14	397,870	397,870	406,210	406,210
12200	Ketone Body 3분획	EDTA Plasma	누301다	D301300C	236.41	20,280	20,280	20,710	20,710
12201	Ketone Body 3분획	Random Urine	누301다	D301300C	236.41	20,280	20,280	20,710	20,710
12210	Ketone Body 3분획	SST Serum	누301다	D301300C	236.41	20,280	20,280	20,710	20,710
12170	Ketone Body 정성	Random Urine	누301가	D3011003	56.09	4,810	4,810	4,910	4,910
12171	Ketone Body 정성	SST Serum	누301가	D3011003	56.09	4,810	4,810	4,910	4,910
81050	Ki-67 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81322	Ki-67 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81710	Ki-67 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81052	Ki-67 (IHC)(여의도)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
30441	Kidd A 혈액형검사	EDTA Blood	누152	D152004C	75.26	6,460	6,460	6,590	6,590
30442	Kidd B 혈액형검사	EDTA Blood	누152	D152004C	75.26	6,460	6,460	6,590	6,590
13061	KL-6	SST Serum	누016	D0160003	599.17	51,410	51,410	52,490	52,490
26964	KMT2D gene mutation (아산)	EDTA Blood	나580다(5)	C581016C	11,030.45	946,410	946,410	966,270	966,270
70830	KOH Mount	Other	누620가	D6201003	29.94	2,570	2,570	2,620	2,620
41650	Korea virus	SST Serum	누584외	D1582123외	-	19,060	19,060	19,460	19,460
27698	K-RAS exon 2,3,4 PNA Clamp	Tissue	나583나(1)	C583120F	1,376.60	118,110	118,110	120,590	120,590
27165	K-RAS Exon2,3,4	Tissue	나583다(2)	C583401F	1,686.37	144,690	144,690	147,730	147,730
27661	K-RAS gene mutation	Tissue	나583다(2)	C583401C	1,656.78	142,150	142,150	145,130	145,130
27164	K-RAS gene mutation (Real-time)	Tissue	나583나(1)	C583120F	1,376.60	118,110	118,110	120,590	120,590
27163	K-RAS gene mutation (삼성)	Tissue	나583다(2)	C583401F	1,686.37	144,690	144,690	147,730	147,730
27602	KRAS gene, mutation (삼성)	EDTA Blood	나583다(2)	C583401C	1,656.78	142,150	142,150	145,130	145,130
27659	K-RAS 유전자돌연변이(여의도성)	Tissue	나583나(1)	C583120F	1,376.60	118,110	118,110	120,590	120,590
27676	K-RAS 전체돌연변이[Sequencing]	Tissue	나583다(2)	C583401F	1,686.37	144,690	144,690	147,730	147,730

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
51890	L.E. Cell	Plain Blood	누780	D780000C	73.38	6,300	6,300	6,430	6,430
30930	LAC confirm	SC Plasma	누111나	D111200C	379.67	32,580	32,580	33,260	33,260
30935	LAC screen	SC Plasma	누111가	D1111003	142.14	12,200	12,200	12,450	12,450
10742	Lactic Acid	Other	누511	D5110003	55.80	4,790	4,790	4,890	4,890
10741	Lactic Acid(CSF)	CSF	누511	D5110003	55.80	4,790	4,790	4,890	4,890
10740	Lactic Acid(NaF P)	NaF Plasma	누511	D5110003	55.80	4,790	4,790	4,890	4,890
81965	Lambda light chain (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81983	Lambda light chain (IHC)(서울	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81303	Lambda light chain (In situ)	Tissue	나583라(2)	C584002F	1,006.55	86,360	86,360	88,170	88,170
65782	Lamotrigine	Plain Serum	누532다(4)	D534943C	571.84	49,060	49,060	50,090	50,090
10390	LAP	SST Serum	누251가	D2510043	30.77	2,640	2,640	2,700	2,700
30380	LAP Score	Blood Smear S	누084	D084101C	103.23	8,860	8,860	9,040	9,040
81640	LCA (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
11261	L-carnitine (S)	SST Serum	누490다	D4904123	495.67	42,530	42,530	43,420	43,420
10410	LDH	SST Serum	누251가	D2510053	30.77	2,640	2,640	2,700	2,700
10411	LDH	Body Fluid	누251가	D2510053	30.77	2,640	2,640	2,700	2,700
20640	LDH Isoenzyme	SST Serum	누254나	D254202C	177.13	15,200	15,200	15,520	15,520
20641	LDH Isoenzyme	Body Fluid	누254나	D254202C	177.13	15,200	15,200	15,520	15,520
11110	LDL Cholesterol	SST Serum	누261라	D2614003	69.63	5,970	5,970	6,100	6,100
28312	LDLR gene mutation	EDTA Blood	나580다(3)	C580853C	4,637.14	397,870	397,870	406,210	406,210
28314	LDLR gene mutation(아산)	EDTA Blood	나580다(3)	C580853C	4,637.14	397,870	397,870	406,210	406,210
12757	Lead (Pb)(특검)	Random Urine	누550나(1)	D5511153	325.17	27,900	27,900	28,480	28,480
12758	Lead (Pb)(특검)	Trace EDTA Bld	누550나(1)	D5511153	325.17	27,900	27,900	28,480	28,480
12752	Lead(Pb)	Trace EDTA Bld	누550나(1)	D5511153	325.17	27,900	27,900	28,480	28,480
12753	Lead(Pb)	24hr Urine	누550나(1)	D5511153	325.17	27,900	27,900	28,480	28,480
12754	Lead(Pb)	Random Urine	누550나(1)	D5511153	325.17	27,900	27,900	28,480	28,480
30158	Leder Reaction	Tissue	나566	C5660008	409.66	35,150	35,150	35,890	35,890
71140	Legionella Ag	Random Urine	누584다	D1584013	99.86	8,570	8,570	8,750	8,750
43570	Legionella pneumophila PCR	Sputum	누591가	D591108C	389.36	33,410	33,410	34,110	34,110
41611	Leptospira Ab	SST Serum	누584나	D1582123	60.02	5,150	5,150	5,260	5,260
41612	Leptospira Ab (MAT)	SST Serum	누587나(1)	D587209C	160.85	13,800	13,800	14,090	14,090
26135	Leukemia marker study	Bone Marrow	누080외	D080300C외	-	707,170	707,170	722,070	722,070
82014	Level A	Tissue	나560가	C5601008	255.68	21,940	21,940	22,400	22,400
82015	Level B	Tissue	나560나	C5602008	383.53	32,910	32,910	33,600	33,600
82069	Level C 양성종양 + 탈회(Decalc	Tissue	나560	C5603008외	-	56,210	56,210	57,380	57,380
82017	Level C 양성종양 10개이상	Tissue	나560다(2)	C5604008	767.06	65,810	65,810	67,190	67,190
82016	Level C 양성종양 1-9개	Tissue	나560다(1)	C5603008	596.61	51,190	51,190	52,260	52,260
82036	Level D 악성 10-15개	Tissue	나560라(2)	C5606008	1,626.87	139,590	139,590	142,510	142,510
82037	Level D 악성 16개이상	Tissue	나560라(3)	C5607008	1,898.35	162,880	162,880	166,300	166,300
82035	Level D 악성 1-9개	Tissue	나560라(1)	C5605008	1,291.33	110,800	110,800	113,120	113,120
65681	Levetiracetam	Plain Serum	누532다(4)	D534944C	571.84	49,060	49,060	50,090	50,090
00106	LH (ECLIA)	SST Serum	누370나	D3702033	120.66	10,350	10,350	10,570	10,570
25646	LHON 3460,11778,14484,15	EDTA Blood	나580다(1)	C580623C	1,992.83	170,980	170,980	174,570	174,570
25645	LHON 3460,4171,11778,144	EDTA Blood	나580나(2)(7	C580211C	512.75	43,990	43,990	44,920	44,920
81911	Light chain Kappa (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81912	Light chain Lambda (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
10425	Lipase	SST Serum	누380가	D3800013	30.27	2,600	2,600	2,650	2,650
10426	Lipase(Fluid)	Body Fluid	누380가	D3800013	30.27	2,600	2,600	2,650	2,650
11116	Lipid profile	SST Serum	누261외	D2611003외	-	10,930	10,930	11,160	11,160
20650	Lipoprotein E.P	SST Serum	누265	D265000C	158.82	13,630	13,630	13,910	13,910
20651	Lipoprotein E.P	Body Fluid	누265	D265000C	158.82	13,630	13,630	13,910	13,910
12860	Lipoprotein(a)	SST Serum	누262	D2620003	114.97	9,860	9,860	10,070	10,070
12765	Lithium(Li)	SST Serum	누550나(1)	D5511123	325.17	27,900	27,900	28,480	28,480
26133	LLM Acute Panel	Bone Marrow	누081나외	D081200C외	-	771,200	771,200	787,450	787,450
26134	LLM Chronic Panel	Bone Marrow	누081나	D081200C외	-	501,120	501,120	511,680	511,680
28172	LMNA gene mutation(LGMD	EDTA Blood	나580다(3)	C580816C	4,637.14	397,870	397,870	406,210	406,210
80831	LMP (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
13300	Lymphocyte subset 2종 I	EDTA Blood	누081나	D081200C외	-	83,520	83,520	85,280	85,280
13301	Lymphocyte subset 2종 II	EDTA Blood	누081나	D081200C외	-	83,520	83,520	85,280	85,280
13311	Lymphocyte subset 2종 II (cou	EDTA Blood	누081나	D081200C외	-	83,520	83,520	85,280	85,280
13302	Lymphocyte subset 2종 III	EDTA Blood	누081나	D081200C외	-	83,520	83,520	85,280	85,280
13312	Lymphocyte subset 2종 III (cou	EDTA Blood	누081나	D081200C외	-	83,520	83,520	85,280	85,280
13303	Lymphocyte subset 2종 IV	EDTA Blood	누081나	D081200C외	-	83,520	83,520	85,280	85,280
13313	Lymphocyte subset 2종 IV (cou	EDTA Blood	누081나	D081200C외	-	83,520	83,520	85,280	85,280
13310	Lymphocyte subset 2종 I (cou	EDTA Blood	누081나	D081200C외	-	83,520	83,520	85,280	85,280
13304	Lymphocyte subset 3종 I	EDTA Blood	누081나	D081200C외	-	125,280	125,280	127,920	127,920
13314	Lymphocyte subset 3종 I (cou	EDTA Blood	누081나	D081200C외	-	125,280	125,280	127,920	127,920
13305	Lymphocyte subset 3종 II	EDTA Blood	누081나	D081200C외	-	125,280	125,280	127,920	127,920
13315	Lymphocyte subset 3종 II (cou	EDTA Blood	누081나	D081200C외	-	125,280	125,280	127,920	127,920
13320	Lymphocyte subset 3종 IV	EDTA Blood	누081나	D081200C외	-	125,280	125,280	127,920	127,920
26115	Lymphocyte subset 4종	EDTA Blood	누081나외	D081200C외	-	167,040	167,040	170,560	170,560
13306	Lymphocyte subset 4종 I	EDTA Blood	누081나	D081200C외	-	167,040	167,040	170,560	170,560
13316	Lymphocyte subset 4종 I (cou	EDTA Blood	누081나	D081200C외	-	167,040	167,040	170,560	170,560
13307	Lymphocyte subset 4종 II	EDTA Blood	누081나	D081200C외	-	167,040	167,040	170,560	170,560
13317	Lymphocyte subset 4종 II (cou	EDTA Blood	누081나	D081200C외	-	167,040	167,040	170,560	170,560
13308	Lymphocyte subset 5종	EDTA Blood	누081나	D081200C외	-	208,800	208,800	213,200	213,200
13318	Lymphocyte subset 5종(count	EDTA Blood	누081나	D081200C외	-	208,800	208,800	213,200	213,200
80933	Lysozyme (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
30451	M 혈액형검사	EDTA Blood	누152	D152006C	75.26	6,460	6,460	6,590	6,590
71230	M.h & U.u 배양및약제감수성	Other	누582	D582105C	418.25	35,890	35,890	36,640	36,640
71234	M.h & U.u 배양및약제-Mycovie	Other	누582	D582105C	418.25	35,890	35,890	36,640	36,640
52341	M2BPGi	SST Serum	누198	D1980003	599.17	51,410	51,410	52,490	52,490
10120	Magnesium (Mg)	SST Serum	누280	D2800013	17.95	1,540	1,540	1,570	1,570
10122	Magnesium (Mg)	Random Urine	누280	D2800013	17.95	1,540	1,540	1,570	1,570
10121	Magnesium (Mg)(24hr U)	24hr Urine	누280	D2800013	17.95	1,540	1,540	1,570	1,570
70840	Malaria	Blood Smear S	누640자	D640900C	60.17	5,160	5,160	5,270	5,270
70851	Malaria (Rapid)	EDTA Blood	누643가	D6431003	116.81	10,020	10,020	10,230	10,230
42551	Malaria P.falciparum PCR	EDTA Blood	누642가	D642101C	389.36	33,410	33,410	34,110	34,110
42553	Malaria P.malariae PCR	EDTA Blood	누642가	D642101C	389.36	33,410	33,410	34,110	34,110
42554	Malaria P.ovale PCR	EDTA Blood	누642가	D642101C	389.36	33,410	33,410	34,110	34,110
42552	Malaria P.vivax PCR	EDTA Blood	누642가	D642101C	389.36	33,410	33,410	34,110	34,110
42540	Malaria PCR	EDTA Blood	누642가	D642101C	389.36	33,410	33,410	34,110	34,110

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
42545	Malaria PCR 2종	EDTA Blood	누642가	D642101C외	-	66,820	66,820	68,220	68,220
42555	Malaria PCR 4종	EDTA Blood	누642가	D642101C외	-	133,640	133,640	136,440	136,440
12222	Mandelic acid & Phenylglyoxy	Random Urine	누540다(2)	D5423063	254.59	21,840	21,840	22,300	22,300
12770	Manganese (Mn)	Trace EDTA Blo	누550나(1)	D5511133	325.17	27,900	27,900	28,480	28,480
12771	Manganese (Mn)	24hr Urine	누550나(1)	D5511133	325.17	27,900	27,900	28,480	28,480
12772	Manganese (Mn)	Random Urine	누550나(1)	D5511133	325.17	27,900	27,900	28,480	28,480
29006	MAPT gene mutation	EDTA Blood	나580다(3)	C580854C	4,637.14	397,870	397,870	406,210	406,210
26911	Marfan, FBN1 gene mutation	EDTA Blood	나580다(5)	C581011C	11,030.45	946,410	946,410	966,270	966,270
81725	MDM2 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
41680	Measles virus IgG	SST Serum	누654나(1)	D654211C	199.61	17,130	17,130	17,490	17,490
41681	Measles virus IgG	CSF	누654나(1)	D654211C	199.61	17,130	17,130	17,490	17,490
41690	Measles virus IgM	SST Serum	누654나(2)	D654311C	179.14	15,370	15,370	15,690	15,690
41691	Measles virus IgM	CSF	누654나(2)	D654311C	179.14	15,370	15,370	15,690	15,690
81971	Melan-A (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
25662	MELAS, MT-TL1 sequencing	EDTA Blood	나580다(1)	C580608C	1,992.83	170,980	170,980	174,570	174,570
25661	MELAS, MT-TL1 (Leigh disease	EDTA Blood	나580다(1)	C580608C	1,992.83	170,980	170,980	174,570	174,570
27875	MEN1 gene mutation	EDTA Blood	나580다(2)	C580721C	3,166.78	271,710	271,710	277,410	277,410
29271	MEN2, RET sequencing	EDTA Blood	나580다(2)	C580726C	3,166.78	271,710	271,710	277,410	277,410
12788	Mercury (Hg)(특검)	Random Urine	누550나(1)	D5511103	325.17	27,900	27,900	28,480	28,480
12789	Mercury (Hg)(특검)	Trace EDTA Blo	누550나(1)	D5511103	325.17	27,900	27,900	28,480	28,480
12784	Mercury(Hg)	Trace EDTA Blo	누550나(1)	D5511103	325.17	27,900	27,900	28,480	28,480
12785	Mercury(Hg)	24hr Urine	누550나(1)	D5511103	325.17	27,900	27,900	28,480	28,480
12786	Mercury(Hg)	Random Urine	누550나(1)	D5511103	325.17	27,900	27,900	28,480	28,480
51917	MERRF, MT-TK Gene	EDTA Blood	나580다(1)	C580624C	1,992.83	170,980	170,980	174,570	174,570
51916	MERRF, MTTK sequencing	EDTA Blood	나580다(1)	C580624C	1,992.83	170,980	170,980	174,570	174,570
20520	Met Hemoglobin	EDTA Blood	누530	D5300013	46.83	4,020	4,020	4,100	4,100
00885	Metanephrine 2F(HPLC)	24hr Urine	누351라외	D351404C외	-	76,740	76,740	78,340	78,340
00892	Metanephrine, Total(HPLC)	24hr Urine	누351라	D351404C	447.20	38,370	38,370	39,170	39,170
00893	Metanephrines, Plasma	EDTA Plasma	누351라외	D351404C외	-	76,740	76,740	78,340	78,340
65430	Methamphetamine 경성	Random Urine	누532가(1)	D5321213	64.09	5,500	5,500	5,610	5,610
65640	Methotrexate(MTX)	Plain Serum	누532나(2)	D5333283	188.13	16,140	16,140	16,480	16,480
11858	Methyl ethyl ketone(특검)	Random Urine	누540다(2)	D5423073	254.59	21,840	21,840	22,300	22,300
12230	Methylhippuric acid	Random Urine	누540다(2)	D5423083	254.59	21,840	21,840	22,300	22,300
12231	Methylhippuric acid(특검)	Random Urine	누540다(2)	D5423083	254.59	21,840	21,840	22,300	22,300
10773	Methylmalonic acid 경량	EDTA Plasma	누515다(1)	D515301C	590.04	50,630	50,630	51,690	51,690
10774	Methylmalonic acid 경량	Random Urine	누515다(1)	D515301C	590.04	50,630	50,630	51,690	51,690
10775	Methylmalonic acid 경량	24hr Urine	누515다(1)	D515301C	590.04	50,630	50,630	51,690	51,690
26825	MFN2 gene mutation (CMT2A	EDTA Blood	나580다(3)	C580818C	4,637.14	397,870	397,870	406,210	406,210
10001	Microalbumin	24hr Urine	누300나	D3002003	193.53	16,600	16,600	16,950	16,950
10002	Microalbumin(ACR)	Random Urine	누300나	D3002003	193.53	16,600	16,600	16,950	16,950
10005	Microalbumin/creatinine	Random Urine	누300나외	D3002003외	-	18,160	18,160	18,550	18,550
50856	Micro-ELISA Test(BF)	Body Fluid	누641나(1)	D264203C외	-	77,280	77,280	78,880	78,880
50857	Micro-ELISA Test(CSF)	CSF	누641나(1)	D264203C외	-	57,960	57,960	59,160	59,160
50855	Micro-ELISA Test(S)	SST Serum	누641나(1)	D264203C외	-	77,280	77,280	78,880	78,880
30050	Mixing Test	SC Plasma	누103	D103002C	168.93	14,490	14,490	14,800	14,800
26420	MLH1 gene mutation analysis	EDTA Blood	나580다(3)	C580819C	4,637.14	397,870	397,870	406,210	406,210

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
81967	MOC31 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
27778	MPL gene mutation (CAMT)	EDTA Blood	나580다(3)	C580856C	4,637.14	397,870	397,870	406,210	406,210
27773	MPL gene, W515K/L mutation	EDTA Blood	나583다(1)	C583308C	1,416.05	121,500	121,500	124,050	124,050
81700	MPO(myeloperoxidase) (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
30060	MPV	EDTA Blood			-	-	-	-	-
27614	MPZ gene mutation (CMT1B)	EDTA Blood	나580다(2)	C580722C	3,166.78	271,710	271,710	277,410	277,410
02090	MSAFP	SST Serum	누421나	D2420023	92.31	7,920	7,920	8,090	8,090
26430	MSH2 gene mutation	EDTA Blood	나580다(3)	C580820C	4,637.14	397,870	397,870	406,210	406,210
27694	MSI(Microsatellite)	Block	나583나(2)	C583201C	3,002.73	257,630	257,630	263,040	263,040
51401	MT-ATP6 gene Mutation	EDTA Blood	나580다(1)	C580622C	1,992.83	170,980	170,980	174,570	174,570
42606	MTB & NTM PCR	Sputum	누604나	D604202C	628.86	53,960	53,960	55,090	55,090
42601	MTB PCR (결핵협회)	Sputum	누604가	D604101C	520.33	44,640	44,640	45,580	45,580
27060	MTHFR gene, C677T genotype	EDTA Blood	나580나(2)(7)	C580210C	512.75	43,990	43,990	44,920	44,920
27267	MTHFR 유전자 C677T, A1298C	EDTA Blood	나580나(1)	C580106C	724.40	62,150	62,150	63,460	63,460
51915	MT-TK gene, mutation (MERRF)	EDTA Blood	나580다(1)	C580624C	1,992.83	170,980	170,980	174,570	174,570
81953	MUC1 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81950	MUC2 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81951	MUC5 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81952	MUC6 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
71040	Mucin clot test	Joint Fluid	누032다	D0323003	14.61	1,250	1,250	1,280	1,280
10780	Mucopolysaccharidosis 선별	Random Urine	누513나	D5132003	76.18	6,540	6,540	6,670	6,670
10785	Mucopolysaccharidosis 경량(T)	Random Urine	누513다	D513300C	1,014.60	87,050	87,050	88,880	88,880
81979	MUM1 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
41730	Mumps virus IgG	SST Serum	누654나(1)	D654212C	199.61	17,130	17,130	17,490	17,490
41731	Mumps virus IgG	CSF	누654나(1)	D654212C	199.61	17,130	17,130	17,490	17,490
41740	Mumps virus IgM	SST Serum	누654나(2)	D654312C	179.14	15,370	15,370	15,690	15,690
41741	Mumps virus IgM	CSF	누654나(2)	D654312C	179.14	15,370	15,370	15,690	15,690
42591	Mumps virus RNA(RT-PCR)	CSF	누658나	D658203C	520.33	44,640	44,640	45,580	45,580
65610	Mycophenolic acid	EDTA Blood	누532다(4)	D534955C	571.84	49,060	49,060	50,090	50,090
50870	Mycoplasma Ab	SST Serum	누584나	D1582133	60.02	5,150	5,150	5,260	5,260
50871	Mycoplasma Ab	Body Fluid	누584나	D1582133	60.02	5,150	5,150	5,260	5,260
42620	Mycoplasma genitalium PCR	분비물	누591가	D591110C	389.36	33,410	33,410	34,110	34,110
42630	Mycoplasma hominis PCR	분비물	누591가	D591111C	389.36	33,410	33,410	34,110	34,110
52300	Mycoplasma pneumoniae IgG	SST Serum	누587나(2)	D587304C	171.92	14,750	14,750	15,060	15,060
52310	Mycoplasma pneumoniae IgM	SST Serum	누587나(3)	D587409C	171.36	14,700	14,700	15,010	15,010
52311	Mycoplasma pneumoniae IgM	CSF	누587나(3)	D587409C	171.36	14,700	14,700	15,010	15,010
42640	Mycoplasma pneumoniae PCR	Sputum	누591가	D591116C	389.36	33,410	33,410	34,110	34,110
13218	MYH7 gene mutation	EDTA Blood	나580다(4)	C580932C	7,255.90	622,560	622,560	635,620	635,620
26482	MYH9 gene mutation (MYH9)	EDTA Blood	나580다(4)	C580911C	7,255.90	622,560	622,560	635,620	635,620
81761	MyoD1 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80949	MyoD1 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81762	Myogenin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81915	Myogenin (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
01330	Myoglobin	SST Serum	누401나	D4012003	172.40	14,790	14,790	15,100	15,100
01331	Myoglobin	Random Urine	누401나	D4012003	172.40	14,790	14,790	15,100	15,100
25681	Myotonic Muscular Dystrophy	EDTA Blood	나580라	C581104C	1,185.74	101,740	101,740	103,870	103,870

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
30452	N 혈액형검사	EDTA Blood	누152	D152006C	75.26	6,460	6,460	6,590	6,590
42650	N. gonorrhoeae PCR	분비물	누591가	D591112C	389.36	33,410	33,410	34,110	34,110
81178	NADH stain	Tissue	나566	C5660008	409.66	35,150	35,150	35,890	35,890
10452	NAG	Random Urine	누226	D2260003	116.23	9,970	9,970	10,180	10,180
81331	Napsin A (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
25383	NDP gene mutation (Norrie di	EDTA Blood	나580다(1)	C580625C	1,992.83	170,980	170,980	174,570	174,570
81976	NeuN (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
27782	Neurofibromatosis,NF2 gene	EDTA Blood	나580다(3)	C580861C	4,637.14	397,870	397,870	406,210	406,210
27785	Neurofibromatosis,NF2 gene	EDTA Blood	나580다(3)	C580861C	4,637.14	397,870	397,870	406,210	406,210
81120	Neurofilament (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81810	Neurofilament (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
50221	NGAL quantitative test	Random Urine	누234나	D2342003	555.01	47,620	47,620	48,620	48,620
50223	NGAL quantitative test	EDTA Plasma	누234나	D2342003	555.01	47,620	47,620	48,620	48,620
12796	Nickel (Ni)(특검)	Random Urine	누550나(1)	D5511143	325.17	27,900	27,900	28,480	28,480
12793	Nickel(Ni)	Trace Serum	누550나(1)	D5511143	325.17	27,900	27,900	28,480	28,480
12794	Nickel(Ni)	Random Urine	누550나(1)	D5511143	325.17	27,900	27,900	28,480	28,480
27692	NIPBL gene mutation (CdLS)상	EDTA Blood	나580다(5)	C581012C	11,030.45	946,410	946,410	966,270	966,270
26262	NK 세포 활성도 검사	전용용기 혈장	누763가	D7631003	616.94	52,930	52,930	54,040	54,040
11845	N-Methylformamide(특검)	Random Urine	누540다(2)	D5423113	254.59	21,840	21,840	22,300	22,300
27541	NMP22	Random Urine	누422나	D2222023	229.77	19,710	19,710	20,130	20,130
30150	Nonspecific esterase stain	Bone Marrow	누084	D084103C	103.23	8,860	8,860	9,040	9,040
30151	Nonspecific esterase stain	Blood Smear S	누084	D084103C	103.23	8,860	8,860	9,040	9,040
30152	Nonspecific esterase stain	Bone Marrow	누084	D084103C	103.23	8,860	8,860	9,040	9,040
42569	Norovirus Ag	Stool	누653가주2	D6533003	95.92	8,230	8,230	8,400	8,400
29440	NPM1 mutation (A,B,D)	Bone Marrow	나583나(1)	C583121C	1,352.44	116,040	116,040	118,470	118,470
29445	NPM1 mutation analysis	EDTA Blood	나583다(1)	C583305C	1,416.05	121,500	121,500	124,050	124,050
29446	NPM1 유전자 염기서열	EDTA Blood	나583다(1)	C583305C	1,416.05	121,500	121,500	124,050	124,050
29447	NPM1 유전자 염기서열	Bone Marrow	나583다(1)	C583305C	1,416.05	121,500	121,500	124,050	124,050
27166	NR0B1 gene mutation (삼성)	EDTA Blood	나580다(2)	C580723C	3,166.78	271,710	271,710	277,410	277,410
27180	N-RAS gene mutation	Tissue	나583다(2)	C583402C	1,656.78	142,150	142,150	145,130	145,130
27699	N-RAS PNA Clamp(대장암) 유	Tissue	나583나(1)	C583127F	1,376.60	118,110	118,110	120,590	120,590
27689	N-RAS 전체돌연변이(exon2,3,4	Tissue	나583다(2)	C583402F	1,686.37	144,690	144,690	147,730	147,730
25621	NSD1 gene mutation (삼성)	EDTA Blood	나580다(4)	C580913C	7,255.90	622,560	622,560	635,620	635,620
01611	NSE	Body Fluid	누438주	D4382007	206.56	17,720	17,720	18,090	18,090
01615	NSE (ECLIA)	SST Serum	누438	D4381003	212.35	18,220	18,220	18,600	18,600
81280	NSE (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81281	NSE (IHC)(여의도성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
30192	NSE(ANBE) stain	Bone Marrow	누084	D084103C	103.23	8,860	8,860	9,040	9,040
70606	NTM Identification	균주	누604가	D604102C	520.33	44,640	44,640	45,580	45,580
70501	NTM Sensitivity (결핵협회)	균주	누601나(2)	D6015003	477.81	41,000	41,000	41,860	41,860
01350	NT-pro BNP	SST Serum	누406나	D4062013	524.10	44,970	44,970	45,910	45,910
12280	NTx	Random Urine	누501	D5010023	151.31	12,980	12,980	13,250	13,250
01579	NUT (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
41630	O. tsutsugamushi Ab	SST Serum	누584나	D1582253	60.02	5,150	5,150	5,260	5,260
41635	O. tsutsugamushi Ab (IFA)	SST Serum	누587나(2)	D587308C	171.92	14,750	14,750	15,060	15,060
70886	Occult blood 정량	Stool	누031라(3)	D0320003	60.32	5,180	5,180	5,280	5,280

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
12809	o-cresol(특검)	Random Urine	누540다(2)	D5423123	254.59	21,840	21,840	22,300	22,300
81977	Olig-2 (IHC) (성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
20320	Oligoclonal band	CSF	누474	D474000C	217.56	18,670	18,670	19,060	19,060
29110	OPA1 gene mutation	EDTA Blood	나580다(4)	C580934C	7,255.90	622,560	622,560	635,620	635,620
29119	OPA1 gene, mutation (optic a	EDTA Blood	나580다(4)	C580934C	7,255.90	622,560	622,560	635,620	635,620
12290	Organic Acid	Random Urine	누515다(2)	D515400C	2,232.13	191,520	191,520	195,530	195,530
12291	Organic Acid	EDTA Plasma	누515다(2)	D515400C	2,232.13	191,520	191,520	195,530	195,530
12320	Osmolality	SST Serum	누282	D2820003	45.73	3,920	3,920	4,010	4,010
12322	Osmolality	Random Urine	누282	D2820003	45.73	3,920	3,920	4,010	4,010
12321	Osmolality(24hr U)	24hr Urine	누282	D2820003	45.73	3,920	3,920	4,010	4,010
12330	Osmotic fragility	복수검체	누054가	D054103C	108.14	9,280	9,280	9,470	9,470
01925	Osteocalcin (ECLIA)	SST Serum	누503	D5030013	182.77	15,680	15,680	16,010	16,010
10801	Oxalic acid	24hr Urine	누515다(1)	D515302C	590.04	50,630	50,630	51,690	51,690
65460	Oxcarbazepine & Metabolite	Plain Serum	누532다(4)	D534961C	571.84	49,060	49,060	50,090	50,090
30473	P1 항원검사	EDTA Blood	누152	D152007C	75.26	6,460	6,460	6,590	6,590
81835	p16 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81839	p16 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81328	p16(IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
13009	P1NP	SST Serum	누503	D5030023	182.77	15,680	15,680	16,010	16,010
81337	p53 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81600	p53 (IHC)(여의도성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
25841	p53 gene 5개 exon5,6,7,8,9	Tissue	나580다(2)	C580733F	3,223.33	276,560	276,560	282,360	282,360
29313	p63 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
26670	PABPN1 gene mutation	EDTA Blood	나580다(1)	C580609C	1,992.83	170,980	170,980	174,570	174,570
29410	PAH gene mutation	EDTA Blood	나580다(3)	C580821C	4,637.14	397,870	397,870	406,210	406,210
30690	PAI-1	SC Plasma	누127나	D1272003	152.01	13,040	13,040	13,320	13,320
81327	Pan-CK (pancytokeratin) (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
10245	Pancreatic Amylase	SST Serum	누380가	D3800033	30.27	2,600	2,600	2,650	2,650
10246	Pancreatic Amylase(RU)	Random Urine	누380가	D3800033	30.27	2,600	2,600	2,650	2,650
29005	PANK2 gene mutation	EDTA Blood	나580다(2)	C580724C	3,166.78	271,710	271,710	277,410	277,410
01630	PAP	SST Serum	누430	D4300023	148.93	12,780	12,780	13,050	13,050
01631	PAP	분비물	누430	D4300023	148.93	12,780	12,780	13,050	13,050
50847	Paragonimus IgG(BF)	Body Fluid	누641나(1)	D264207C	225.14	19,320	19,320	19,720	19,720
50852	Paragonimus IgG(CSF)	CSF	누641나(1)	D264207C	225.14	19,320	19,320	19,720	19,720
50843	Paragonimus IgG(S)	SST Serum	누641나(1)	D264207C	225.14	19,320	19,320	19,720	19,720
42195	Parainfluenza culture	Other	누652가	D652100C	578.61	49,640	49,640	50,690	50,690
43560	Parainfluenza V.Ag(DFA)	Other	누655가	D655110C	160.26	13,750	13,750	14,040	14,040
12345	Paraquat	Random Urine	누532다(2)	D5343593	311.40	26,720	26,720	27,280	27,280
12340	Paraquat (gramoxone)	SST Serum	누532다(2)	D5343593	311.40	26,720	26,720	27,280	27,280
29120	Parkinson's disease(PARK2)	EDTA Blood	나580다(3)	C580822C	4,637.14	397,870	397,870	406,210	406,210
65623	Paroxetine	Plain Serum	누532다(4)	D534963C	571.84	49,060	49,060	50,090	50,090
42660	Parvo virus B19 DNA	SST Serum	누658가	D658110C	389.36	33,410	33,410	34,110	34,110
30160	PAS Stain	Bone Marrow	누084	D084102C	103.23	8,860	8,860	9,040	9,040
30155	PAS(periodic acid stain)	Bone Marrow	누084	D084102C	103.23	8,860	8,860	9,040	9,040
81696	PAX2 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81695	PAX5 (IHC)(서울대)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
81697	PAX8 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
30070	PCT	EDTA Blood			-	-	-	-	-
81984	PD-1 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
29087	PDGFRA exon12,14,18 유전자	Tissue	나583다(3)	C583501F	1,931.40	165,710	165,710	169,190	169,190
29086	PDGFRA(12,14,18)	Tissue	나583다(3)	C583501F	1,931.40	165,710	165,710	169,190	169,190
29115	PD-L1 Concentrate 22C3(기타)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
29113	PD-L1 IHC 22C3 pharmDx (CF)	Tissue	나567나	C567401F	825.15	70,800	70,800	72,280	72,280
29108	PD-L1 IHC 22C3 pharmDx (TP)	Tissue	나567나	C567401F	825.15	70,800	70,800	72,280	72,280
19121	PD-L1 IHC 22C3 pharmDx (두)	Tissue	나567나	C567401F	825.15	70,800	70,800	72,280	72,280
30080	PDW	EDTA Blood	누000나	D0002063	11.31	970	970	990	990
31085	PEG Coombs Anti IgG	EDTA Blood	누154나	D154203C	78.30	6,720	6,720	6,860	6,860
29360	Pendred syndrome, SLC26A4	EDTA Blood	나580다(3)	C580868C	4,637.14	397,870	397,870	406,210	406,210
02036	Pepsinogen I/II	SST Serum	누427	D4270003외	-	25,480	25,480	26,020	26,020
26085	Perforin profile, FCM	EDTA Blood	누081외	D081200C외	-	125,280	125,280	127,920	127,920
30154	Peroxidase stain	Bone Marrow	누084	D084108C	103.23	8,860	8,860	9,040	9,040
30170	Peroxidase stain	Bone Marrow	누084	D084108C	103.23	8,860	8,860	9,040	9,040
30171	Peroxidase stain	Blood Smear S	누084	D084108C	103.23	8,860	8,860	9,040	9,040
65290	Phenobarbital	SST Serum	누532나(2)	D5333343	188.13	16,140	16,140	16,480	16,480
12805	Phenol	Random Urine	누540다(2)	D5423143	254.59	21,840	21,840	22,300	22,300
12804	Phenol(특검)	Random Urine	누540다(2)	D5423143	254.59	21,840	21,840	22,300	22,300
65300	Phenytoin	SST Serum	누532나(2)	D5333363	188.13	16,140	16,140	16,480	16,480
27693	PHEX gene mutation	EDTA Blood	나580다(4)	C580917C	7,255.90	622,560	622,560	635,620	635,620
26966	PHEX gene mutation (아산)	EDTA Blood	나580다(4)	C580917C	7,255.90	622,560	622,560	635,620	635,620
10130	Phosphate(Pi)	SST Serum	누280	D2800043	17.95	1,540	1,540	1,570	1,570
10132	Phosphate(Pi)	Random Urine	누280	D2800043	17.95	1,540	1,540	1,570	1,570
10131	Phosphate(Pi)(24hr U)	24hr Urine	누280	D2800043	17.95	1,540	1,540	1,570	1,570
11160	Phospholipid	SST Serum	누260가	D2261003	28.72	2,460	2,460	2,520	2,520
11161	Phospholipid(Fluid)	Body Fluid	누260가	D2261003	28.72	2,460	2,460	2,520	2,520
11720	Phytanic acid	EDTA Plasma	누518	D518002C	1,337.91	114,790	114,790	117,200	117,200
26198	PIT-1(IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
01640	PIVKA-2	SST Serum	누426	D4260003	157.18	13,490	13,490	13,770	13,770
27880	PKD1 gene mutation	EDTA Blood	나580다(5)	C581017C	11,030.45	946,410	946,410	966,270	966,270
27883	PKD1 gene mutation(아산)	EDTA Blood	나580다(5)	C581017C	11,030.45	946,410	946,410	966,270	966,270
27881	PKD2 gene mutation	EDTA Blood	나580다(3)	C580864C	4,637.14	397,870	397,870	406,210	406,210
27884	PKD2 gene mutation(아산)	EDTA Blood	나580다(3)	C580864C	4,637.14	397,870	397,870	406,210	406,210
27885	PKHD1 gene mutation(아산)	EDTA Blood	나580다(5)	C581019C	11,030.45	946,410	946,410	966,270	966,270
81370	PLAP (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
20530	Plasma Hb	EDTA Plasma	누059	D0590003	47.98	4,120	4,120	4,200	4,200
30710	Plasminogen	SC Plasma	누126가	D1261003	119.43	10,250	10,250	10,460	10,460
30005	Platelet	EDTA Blood	누000나	D0002073	11.31	970	970	990	990
51920	Platelet Associated Ab	EDTA Blood	누792다	D792300C	230.63	19,790	19,790	20,200	20,200
25713	PML-RARa (real-time PCR)	EDTA Blood	나583나(1)	C583122C	1,352.44	116,040	116,040	118,470	118,470
25710	PML-RARa (RT-Nested-PCR)	EDTA Blood	나583나(1)	C583108C	1,352.44	116,040	116,040	118,470	118,470
27613	PMP22 gene mutation (CMT1)	EDTA Blood	나580다(1)	C580610C	1,992.83	170,980	170,980	174,570	174,570
42670	Pneumocystis jirovecii PCR	Sputum	누623가	D623102C	389.36	33,410	33,410	34,110	34,110
26165	PNH test	EDTA Blood	누081나외	D081200C외	-	167,040	167,040	170,560	170,560

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
26166	PNH test	EDTA Blood	누053다	D053300C외	-	206,600	206,600	210,950	210,950
81960	Podoplanin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
42680	Polyomavirus(BK,JC) PCR	Random Urine	누658가	D658102C외	-	66,820	66,820	68,220	68,220
11772	Porphobilinogen 정량	Random Urine	누516나	D5163003	178.16	15,290	15,290	15,610	15,610
11773	Porphobilinogen 정량	24hr Urine	누516나	D5163003	178.16	15,290	15,290	15,610	15,610
11760	Porphobilinogen 정성	Random Urine	누516가(1)	D5161003	13.62	1,170	1,170	1,190	1,190
10140	Potassium(K)	SST Serum	누280	D2800063	17.95	1,540	1,540	1,570	1,570
10142	Potassium(K)	Random Urine	누280	D2800063	17.95	1,540	1,540	1,570	1,570
10141	Potassium(K)(24hr U)	24hr Urine	누280	D2800063	17.95	1,540	1,540	1,570	1,570
25693	PRA 동경(Class I)(녹십자)	SST Serum	누843나(2)	D843400C	1,227.05	105,280	105,280	107,490	107,490
25694	PRA 동경(Class II)(녹십자)	SST Serum	누843나(2)	D843400C	1,227.05	105,280	105,280	107,490	107,490
25691	PRA 선별(Class I)(녹십자)	SST Serum	누843나(1)	D843300C	752.18	64,540	64,540	65,890	65,890
25692	PRA 선별(Class II)(녹십자)	SST Serum	누843나(1)	D843300C	752.18	64,540	64,540	65,890	65,890
20330	Prealbumin	SST Serum	누471	D4710023	83.63	7,180	7,180	7,330	7,330
26916	PRF1 gene mutation	EDTA Blood	나580다(2)	C580725C	3,166.78	271,710	271,710	277,410	277,410
27612	PROC gene mutation (삼성)	EDTA Blood	나580다(2)	C580750C	3,166.78	271,710	271,710	277,410	277,410
01891	Procalcitonin	SST Serum	누014나	D0142003	329.06	28,230	28,230	28,830	28,830
00512	Progesterone (ECLIA)	SST Serum	누371	D3710083	141.67	12,160	12,160	12,410	12,410
01575	Progesterone receptor (IHC)(4)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81319	Progesterone Receptor (PR) (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
01569	Progesterone Receptor(IHC)(4)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
01567	Progesterone Receptor(IHC)(C)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
01549	ProGRP	EDTA Plasma	누441	D4410003	314.90	27,020	27,020	27,590	27,590
00133	Prolactin (ECLIA)	SST Serum	누341	D3410003	120.26	10,320	10,320	10,530	10,530
81690	Prolactin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
27611	PROS1 gene mutation (삼성)	EDTA Blood	나580다(3)	C580865C	4,637.14	397,870	397,870	406,210	406,210
30730	Protein C Activity	SC Plasma	누114가	D1141003	149.19	12,800	12,800	13,070	13,070
30740	Protein C Antigen	SC Plasma	누114나	D1142003	165.60	14,210	14,210	14,510	14,510
20711	Protein E.P(24h urine)	24hr Urine	누473나	D473201C	139.70	11,990	11,990	12,240	12,240
20716	Protein E.P(CSF)	CSF	누473나	D473201C	139.70	11,990	11,990	12,240	12,240
20713	Protein E.P(Random urine)	Random Urine	누473나	D473201C	139.70	11,990	11,990	12,240	12,240
20710	Protein E.P(Serum)	SST Serum	누473가	D473101C	127.05	10,900	10,900	11,130	11,130
30750	Protein S Activity	SC Plasma	누115가	D1151003	142.56	12,230	12,230	12,490	12,490
30760	Protein S Ag(free)	SC Plasma	누115나	D1152003	157.12	13,480	13,480	13,760	13,760
30770	Protein S Ag(total)	SC Plasma	누115나	D1152003	157.12	13,480	13,480	13,760	13,760
10035	Protein/creatinine ratio	Random Urine	누184외	D1840003외	-	2,820	2,820	2,890	2,890
27894	Prothrombin G20210A Mutat	EDTA Blood	나580나(1)	C580104C	724.40	62,150	62,150	63,460	63,460
30950	Prothrombin Time	SC Plasma	누100다	D1003003	21.84	1,870	1,870	1,910	1,910
70860	Protozoa	Stool	누640마	D6405003	31.25	2,680	2,680	2,740	2,740
25651	PRRT2 gene mutation	EDTA Blood	나580다(2)	C580751C	3,166.78	271,710	271,710	277,410	277,410
01675	PSA (ECLIA)	SST Serum	누430	D4300033	148.93	12,780	12,780	13,050	13,050
29310	PTEN gene mutation	EDTA Blood	나580다(2)	C580752C	3,166.78	271,710	271,710	277,410	277,410
29311	P-TEN(IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81968	PTH (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
01967	PTH-Intact (ECLIA)	SST Serum	누502	D5020013	182.77	15,680	15,680	16,010	16,010
01968	PTH-Intact (ECLIA)	EDTA Plasma	누502	D5020013	182.77	15,680	15,680	16,010	16,010

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
26961	PTPN11 gene mutation	EDTA Blood	나580다(3)	C580827C	4,637.14	397,870	397,870	406,210	406,210
26962	PTPN11 gene mutation (아산)	EDTA Blood	나580다(3)	C580827C	4,637.14	397,870	397,870	406,210	406,210
26960	PTPN11 gene mutation(Noon)	EDTA Blood	나580다(3)	C580827C	4,637.14	397,870	397,870	406,210	406,210
27617	PTS gene mutation (삼성)	EDTA Blood	나580다(2)	C580764C	3,166.78	271,710	271,710	277,410	277,410
10810	Pyruvic Acid	제단백액	누515가	D5151033	184.02	15,790	15,790	16,120	16,120
10811	Pyruvic Acid	CSF	누515가	D5151033	184.02	15,790	15,790	16,120	16,120
27407	Q-EGFR	Tissue	나583나(1)	C583119F	1,376.60	118,110	118,110	120,590	120,590
02060	Quad Test	SST Serum	누421나외	D2420023외	-	58,990	58,990	60,230	60,230
65622	Quetiapine	Plain Serum	누532다(4)	D534974C	571.84	49,060	49,060	50,090	50,090
51930	R.A Factor	SST Serum	누781가(1)	D7811003	20.68	1,770	1,770	1,810	1,810
51931	R.A Factor	Body Fluid	누781가(1)	D7811003	20.68	1,770	1,770	1,810	1,810
51940	R.A Factor 경량	SST Serum	누781나	D7813003	95.90	8,230	8,230	8,400	8,400
51941	R.A Factor 경량	Body Fluid	누781나	D7813003	95.90	8,230	8,230	8,400	8,400
29090	RB1 gene point mutation	EDTA Blood	나580다(4)	C580918C	7,255.90	622,560	622,560	635,620	635,620
30002	RBC	EDTA Blood	누000나	D0002033	11.31	970	970	990	990
11291	RBC Folate	EDTA Blood	누490나	D4902143	116.21	9,970	9,970	10,180	10,180
81975	RCC (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
30090	RDW	EDTA Blood	누000나	D0002023	11.31	970	970	990	990
01370	Renin Activity	EDTA Plasma	누354가주	D3541007	171.23	14,690	14,690	15,000	15,000
42257	Respiratory V.Ag Screening 5	Other	누655가	D655111C	160.26	13,750	13,750	14,040	14,040
29272	RET gene mutation	EDTA Blood	나580다(2)	C580726C	3,166.78	271,710	271,710	277,410	277,410
80519	Reticulin Stain (여의도성모)	Tissue	나563	C5630008	196.47	16,860	16,860	17,210	17,210
30111	Reticulocyte Count	EDTA Blood	누050나	D0502013	18.55	1,590	1,590	1,620	1,620
27580	Rett Syndrome,MECP2 Sequel	EDTA Blood	나580다(2)	C580720C	3,166.78	271,710	271,710	277,410	277,410
30420	Rh Ab Titer	SST Serum	누157	D157000C	93.33	8,010	8,010	8,180	8,180
30390	Rh(D) Typing	EDTA Blood	누151나	D1512003	40.02	3,430	3,430	3,510	3,510
30400	Rh-Hr Subgroup	EDTA Blood	누151다	D151300C	117.08	10,050	10,050	10,260	10,260
51216	Ribosomal P protein IgG Ab	SST Serum	누785나	D785203C	335.78	28,810	28,810	29,410	29,410
41641	Rickettsia 2 type Ab	SST Serum	누587나(2)	D587308C외	-	29,500	29,500	30,120	30,120
65784	Risperidone and Metabolites	Plain Serum	누532다(4)	D534975C	571.84	49,060	49,060	50,090	50,090
25656	RNF213 gene R4810K mutatio	EDTA Blood	나580다(1)	C580629C	1,992.83	170,980	170,980	174,570	174,570
25633	RNF213 gene, R4810K mutati	EDTA Blood	나580다(1)	C580629C	1,992.83	170,980	170,980	174,570	174,570
25609	RNF213 gene, R4810K mutati	EDTA Blood	나580다(1)	C580629C	1,992.83	170,980	170,980	174,570	174,570
01474	ROMA 난소암 위험도	SST Serum	누437외	D4370003외	-	33,070	33,070	33,770	33,770
29093	ROS1 gene, Fusion(SCL)	Tissue	나583나(1)	C583129C	1,352.44	116,040	116,040	118,470	118,470
29092	ROS1, gene Fusion (여의도성모)	Tissue	나583나(1)	C583129F	1,376.60	118,110	118,110	120,590	120,590
42290	Rotavirus Ag	Stool	누654가	D654110C	160.26	13,750	13,750	14,040	14,040
50935	RPR 정밀	SST Serum	누691다	D6913003	20.75	1,780	1,780	1,820	1,820
25387	RS1 gene mutation (삼성)	EDTA Blood	나580다(2)	C580753C	3,166.78	271,710	271,710	277,410	277,410
42225	RSV Culture	Other	누652가	D652100C	578.61	49,640	49,640	50,690	50,690
42820	RSV IgG	SST Serum	누654나(1)	D654216C	199.61	17,130	17,130	17,490	17,490
42830	RSV IgM	SST Serum	누654나(2)	D654316C	179.14	15,370	15,370	15,690	15,690
41940	Rubella IgG	SST Serum	누654나(1)	D654218C	199.61	17,130	17,130	17,490	17,490
41941	Rubella IgG	CSF	누654나(1)	D654218C	199.61	17,130	17,130	17,490	17,490
43520	Rubella IgG avidity	SST Serum	누654나(1)주	D654400C	469.77	40,310	40,310	41,150	41,150
41950	Rubella IgM	SST Serum	누654나(2)	D654318C	179.14	15,370	15,370	15,690	15,690

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
41951	Rubella IgM	CSF	누654나(2)	D654318C	179.14	15,370	15,370	15,690	15,690
42690	Rubella Virus RT-PCR	EDTA Blood	누658나	D658204C	520.33	44,640	44,640	45,580	45,580
30461	S 혈액형검사	EDTA Blood	누152	D152006C	75.26	6,460	6,460	6,590	6,590
30462	s 혈액형검사	EDTA Blood	누152	D152006C	75.26	6,460	6,460	6,590	6,590
81150	S-100 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81152	S-100 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81338	S-100 protein (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
00930	S-100 Protein Quantification	SST Serum	누476	D476000C	599.40	51,430	51,430	52,510	52,510
42700	Salmonella PCR	EDTA Blood	누591가	D591113C	389.36	33,410	33,410	34,110	34,110
42296	SARS-CoV-2	복수검체	누658라	D658404C외	-	139,900	139,900	142,840	142,840
42294	SARS-CoV-2(상기도)	구인두,비인두도	누658라	D658404C	815.29	69,950	69,950	71,420	71,420
42295	SARS-CoV-2(하기도)	Sputum	누658라	D658404C	815.29	69,950	69,950	71,420	71,420
75010	SARS-CoV-2(부산)	복수검체	누658라	D6584046외	-	137,400	137,400	140,280	140,280
75008	SARS-CoV-2(상기도)(부산)	구인두,비인두도	누658라	D6584046	800.73	68,700	68,700	70,140	70,140
75009	SARS-CoV-2(하기도)(부산)	Sputum	누658라	D6584046	800.73	68,700	68,700	70,140	70,140
42298	SARS-CoV-2(취합,그룹1단계)(부산)	구인두,비인두도	누658	D658800C외	-	87,450	87,450	89,300	89,300
42299	SARS-CoV-2(취합,개별2단계)(부산)	구인두,비인두도	누658	D658900C	611.48	52,460	52,460	53,570	53,570
75011	SARS-CoV-2(취합,그룹1)(부산)	구인두,비인두도	누658	D6588006외	-	85,900	85,900	87,700	87,700
75012	SARS-CoV-2(취합,개별2)(부산)	구인두,비인두도	누658	D6589006	600.56	51,530	51,530	52,610	52,610
42321	SARS-CoV-2/Influenza A&B	구인두,비인두도	누680주3가	D680001C	899.62	77,190	77,190	78,810	78,810
75014	SARS-CoV-2/Influenza A&B(부산)	구인두,비인두도	누680주3가	D6800016	885.45	75,970	75,970	77,570	77,570
29264	SBDS gene mutation (아산)	EDTA Blood	나580다(1)	C580631C	1,992.83	170,980	170,980	174,570	174,570
26981	SBMA (Kennedy disease)	EDTA Blood	나580나(2)(4)	C580301C	1,274.65	109,360	109,360	111,660	111,660
26980	SBMA, AR gene	EDTA Blood	나580나(2)(4)	C580301C	1,274.65	109,360	109,360	111,660	111,660
27001	SCA panel (SCA 1,2,3,6,7)	EDTA Blood	나580나(2)	C580303C외	-	546,800	546,800	558,300	558,300
01690	SCA-1	EDTA Blood	나580나(2)(4)	C580303C	1,274.65	109,360	109,360	111,660	111,660
27003	SCA-1,2,3,6,7,8	EDTA Blood	나580나외	C580303C외	-	656,160	656,160	669,960	669,960
02082	SCA-17	EDTA Blood	나580나(2)(4)	C580310C	1,274.65	109,360	109,360	111,660	111,660
27015	SCA-17	EDTA Blood	나580나(2)(4)	C580310C	1,274.65	109,360	109,360	111,660	111,660
01700	SCA-2	EDTA Blood	나580나(2)(4)	C580304C	1,274.65	109,360	109,360	111,660	111,660
01710	SCA-3	EDTA Blood	나580나(2)(4)	C580305C	1,274.65	109,360	109,360	111,660	111,660
02070	SCA-6	EDTA Blood	나580나(2)(4)	C580308C	1,274.65	109,360	109,360	111,660	111,660
02080	SCA-7	EDTA Blood	나580나(2)(4)	C580306C	1,274.65	109,360	109,360	111,660	111,660
02081	SCA-8	EDTA Blood	나580나(2)(4)	C580307C	1,274.65	109,360	109,360	111,660	111,660
27010	SCA-8 gene, mutation (spinoc)	EDTA Blood	나580나(2)(4)	C580307C	1,274.65	109,360	109,360	111,660	111,660
01723	SCC	SST Serum	누439	D4390003	215.83	18,520	18,520	18,910	18,910
29227	SCN1A gene mutation	EDTA Blood	나580다(4)	C580938C	7,255.90	622,560	622,560	635,620	635,620
29226	SCN4A gene mutation	EDTA Blood	나580다(4)	C580919C	7,255.90	622,560	622,560	635,620	635,620
29218	SCN5A gene mutation (삼성)	EDTA Blood	나580다(4)	C580939C	7,255.90	622,560	622,560	635,620	635,620
29225	SCN5A gene mutation (성모)	EDTA Blood	나580다(4)	C580939C	7,255.90	622,560	622,560	635,620	635,620
11022	SD LDL Cholesterol	SST Serum	누264	D2640003	791.74	67,930	67,930	69,360	69,360
27345	SDHB gene mutation	EDTA Blood	나580다(2)	C580755C	3,166.78	271,710	271,710	277,410	277,410
27347	SDHB gene mutation(아산)	EDTA Blood	나580다(2)	C580755C	3,166.78	271,710	271,710	277,410	277,410
27346	SDHD gene mutation	EDTA Blood	나580다(1)	C580632C	1,992.83	170,980	170,980	174,570	174,570
20357	Selectivity Index	복수검체	누232나	D2322003	198.79	17,060	17,060	17,410	17,410
12810	Selenium	Trace EDTA Blood	누550나(1)	D5511173	325.17	27,900	27,900	28,480	28,480

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
12811	Selenium	Random Urine	누550나(1)	D5511173	325.17	27,900	27,900	28,480	28,480
12814	Selenium	Trace Serum	누550나(1)	D5511173	325.17	27,900	27,900	28,480	28,480
02062	Sequential 2nd (Quad)	SST Serum	누421나외	D2420023외	-	58,990	58,990	60,230	60,230
00908	Serotonin(LC/MS/MS)	SST Serum	누444나(2)	D444300C	447.20	38,370	38,370	39,170	39,170
00907	Serotonin(PFP)(LC/MS/MS)	EDTA Plasma	누444나(2)	D444300C	447.20	38,370	38,370	39,170	39,170
00909	Serotonin(S)	SST Serum	누444나(1)	D4442003	172.06	14,760	14,760	15,070	15,070
26199	SF-1(IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
63226	sFlt-1/PlGF ratio (전자간증위험)	SST Serum	누574	D5740003	1,017.57	87,310	87,310	89,140	89,140
42270	SFTS(중증열성혈소판감소증후군)	EDTA Blood	누658라	D658401C	815.29	69,950	69,950	71,420	71,420
29140	SGCE gene mutation	EDTA Blood	나580다(3)	C580867C	4,637.14	397,870	397,870	406,210	406,210
65720	Sirolimus(Rapamycin)	EDTA Blood	누532다(4)	D534978C	571.84	49,060	49,060	50,090	50,090
26182	SISH_Her-2/neu(breast,gastro)	Tissue	나583라(3)	C584102F	2,454.53	210,600	210,600	215,020	215,020
26985	SLC12A3 gene mutation	EDTA Blood	나580다(4)	C580940C	7,255.90	622,560	622,560	635,620	635,620
26973	SLC22A12 (URAT1)	EDTA Blood	나580다(2)	C580727C	3,166.78	271,710	271,710	277,410	277,410
25622	SLC25A13 gene mutation (cit)	EDTA Blood	나580다(3)	C580831C	4,637.14	397,870	397,870	406,210	406,210
26972	SLC37A4 gene mutation	EDTA Blood	나580다(2)	C580729C	3,166.78	271,710	271,710	277,410	277,410
81160	SMA (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81162	SMA (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
29580	SMAD4 gene mutation	EDTA Blood	나580다(3)	C580869C	4,637.14	397,870	397,870	406,210	406,210
81551	SM-MHC (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
29314	SM-MHC (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
51984	SMN1 gene mutation	EDTA Blood	나580다(2)	C580730C	3,166.78	271,710	271,710	277,410	277,410
27031	SOD1 gene mutation	EDTA Blood	나580다(1)	C580611C	1,992.83	170,980	170,980	174,570	174,570
10150	Sodium(Na)	SST Serum	누280	D2800023	17.95	1,540	1,540	1,570	1,570
10152	Sodium(Na)	Random Urine	누280	D2800023	17.95	1,540	1,540	1,570	1,570
10151	Sodium(Na)(24hr U)	24hr Urine	누280	D2800023	17.95	1,540	1,540	1,570	1,570
12603	Soluble ST2	SST Serum	누405나	D4050003	334.44	28,690	28,690	29,300	29,300
00156	Somatomedin-C (CLIA)	SST Serum	누344	D3440013	217.29	18,640	18,640	19,030	19,030
00152	Somatomedin-C (RIA)	SST Serum	누344주	D3441017	214.38	18,390	18,390	18,780	18,780
80937	SOX-11 (IHC)(삼성)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
80936	SOX-11 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
25619	SOX9 gene mutation (삼성)	EDTA Blood	나580다(2)	C580756C	3,166.78	271,710	271,710	277,410	277,410
50848	Sparganum IgG(BF)	Body Fluid	누641나(1)	D264209C	225.14	19,320	19,320	19,720	19,720
50853	Sparganum IgG(CSF)	CSF	누641나(1)	D264209C	225.14	19,320	19,320	19,720	19,720
50844	Sparganum IgG(S)	SST Serum	누641나(1)	D264209C	225.14	19,320	19,320	19,720	19,720
29591	SPAST gene mutation	EDTA Blood	나580다(3)	C580832C	4,637.14	397,870	397,870	406,210	406,210
29594	Spastic paraplasia (SPG4)	EDTA Blood	나580다(3)	C580832C	4,637.14	397,870	397,870	406,210	406,210
29593	Spastic paraplasia(SPG3A)	EDTA Blood	나580다(3)	C580833C	4,637.14	397,870	397,870	406,210	406,210
82080	Special Stain	Tissue	나563	C5630008	196.47	16,860	16,860	17,210	17,210
63227	Specific IgG4 D1	SST Serum	누744	D7440023	182.96	15,700	15,700	16,030	16,030
63229	Specific IgG4 D2	SST Serum	누744	D7440023	182.96	15,700	15,700	16,030	16,030
63232	Specific IgG4 W6(Mugwort(sa	SST Serum	누744	D7440023	182.96	15,700	15,700	16,030	16,030
29590	SPG3 gene mutation (ATL1 ge	EDTA Blood	나580다(3)	C580833C	4,637.14	397,870	397,870	406,210	406,210
51977	Spinal muscular atrophy	EDTA Blood	나580나(2)(7	C580214C	512.75	43,990	43,990	44,920	44,920
27000	Spinocerebellar ataxia, Profile	EDTA Blood	나580나외	C580303C외	-	765,520	765,520	781,620	781,620
25637	SRD5A2 gene, mutation(삼성)	EDTA Blood	나580다(1)	C580612C	1,992.83	170,980	170,980	174,570	174,570

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
25686	STAT3 gene mutation (Hyper	EDTA Blood	나580다(4)	C580921C	7,255.90	622,560	622,560	635,620	635,620
43650	STD 6종(Multiplex Real-time P	분비물	누680가	D680108C	793.36	68,070	68,070	69,500	69,500
43655	STD 6종(Multiplex-PCR)	분비물	누680가	D680108C	793.36	68,070	68,070	69,500	69,500
43653	STD 12종(Multiplex Real-time	분비물	누680나	D680208C	894.40	76,740	76,740	78,350	78,350
43656	STD 12종(Multiplex-PCR)	분비물	누680나	D680208C	894.40	76,740	76,740	78,350	78,350
43658	STD 검사(13종)	분비물	누680나	D680208C	894.40	76,740	76,740	78,350	78,350
27870	STK11 gene point mutation	EDTA Blood	나580다(2)	C580731C	3,166.78	271,710	271,710	277,410	277,410
12464	Stone analysis (physical)	Stone	누030가	D030101C	280.17	24,040	24,040	24,540	24,540
12460	Stone Analysis 경성	Stone	누030가	D030102C	280.17	24,040	24,040	24,540	24,540
70870	Stool Microscopy	Stool	누031나	D0312003	18.69	1,600	1,600	1,640	1,640
71250	Stool OB 정량	Stool	누031라(3)	D0320003	60.32	5,180	5,180	5,280	5,280
70895	Stool pH	Stool	누031가	D0311003	7.44	640	640	650	650
70890	Stool WBC	Stool	누031다	D0313003	13.09	1,120	1,120	1,150	1,150
71150	Streptococcus pneumoniae ur	Random Urine	누584다	D1584023	99.86	8,570	8,570	8,750	8,750
20243	Subclass IgG II	SST Serum	누742	D7420023	88.71	7,610	7,610	7,770	7,770
20253	Subclass IgG III	SST Serum	누742	D7420033	88.71	7,610	7,610	7,770	7,770
20263	Subclass IgG IV	SST Serum	누742	D7420043	88.71	7,610	7,610	7,770	7,770
20233	Subclass IgG I	SST Serum	누742	D7420013	88.71	7,610	7,610	7,770	7,770
11730	Succinylacetone	Random Urine	누515다(1)	D515303C	590.04	50,630	50,630	51,690	51,690
12870	Sucrose hemolysis	복수검체	누053가	D053102C	72.62	6,230	6,230	6,360	6,360
30190	Sudan black B stain	Bone Marrow	누084	D084105C	103.23	8,860	8,860	9,040	9,040
30191	Sudan black B stain	Blood Smear S	누084	D084105C	103.23	8,860	8,860	9,040	9,040
29020	Surface Ig(Cytoplasmic Ig)	EDTA Blood	누081나	D081200C	486.76	41,760	41,760	42,640	42,640
29021	Surface Ig-κ light chain	EDTA Blood	누081나	D081200C	486.76	41,760	41,760	42,640	42,640
29022	Surface Ig-λ light chain	EDTA Blood	누081나	D081200C	486.76	41,760	41,760	42,640	42,640
81163	SV40 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81165	SV40 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81166	SV40 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81324	Synaptophysin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81400	Synaptophysin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81770	Synaptophysin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81023	Synaptophysin (IHC)(여의도성	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
29009	SYT-SSX gene rearrangement	Block	나583가	C583004F	1,200.33	102,990	102,990	105,150	105,150
65831	t,t-muconic acid (특검)	Random Urine	누540다(2)	D5423103	254.59	21,840	21,840	22,300	22,300
00296	T3 (ECLIA)	SST Serum	누323	D3230063	121.62	10,430	10,430	10,650	10,650
00305	T3-Uptake (ECLIA)	SST Serum	누323	D3230023	121.62	10,430	10,430	10,650	10,650
00316	T4 (ECLIA)	SST Serum	누323	D3230043	121.62	10,430	10,430	10,650	10,650
00320	TBG (RIA)	SST Serum	누321나주1	D3213027	179.46	15,400	15,400	15,720	15,720
25604	TCOF1 gene mutaion (아산)	EDTA Blood	나580다(4)	C580941C	7,255.90	622,560	622,560	635,620	635,620
25608	TCOF1 gene mutation (삼성)	EDTA Blood	나580다(4)	C580941C	7,255.90	622,560	622,560	635,620	635,620
25874	TCR β gene rearrangement	Block	나583나(2)	C583205F	3,056.35	262,230	262,230	267,740	267,740
25876	TCR β gene rearrangement	Bone Marrow	나583나(2)	C583205C	3,002.73	257,630	257,630	263,040	263,040
25872	TCR γ gene rearrangement	Block	나583나(2)	C583203F	3,056.35	262,230	262,230	267,740	267,740
25877	TCR γ gene rearrangement	Bone Marrow	나583나(2)	C583203C	3,002.73	257,630	257,630	263,040	263,040
25878	TCR δ gene rearrangement	Bone Marrow	나583나(2)	C583204C	3,002.73	257,630	257,630	263,040	263,040
25879	TCR δ gene rearrangement	Block	나583나(2)	C583204F	3,056.35	262,230	262,230	267,740	267,740

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
81650	TdT (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81651	TdT (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
65331	Teicoplanin	Plain Serum	누532다(4)	D534986C	571.84	49,060	49,060	50,090	50,090
00523	Testosterone (ECLIA)	SST Serum	누371	D3710063	141.67	12,160	12,160	12,410	12,410
00530	Testosterone, Free	SST Serum	누371	D3710057	144.45	12,390	12,390	12,650	12,650
81450	TFE3 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
27167	TGFBR1 gene mutation (Loeys	EDTA Blood	나580다(2)	C580760C	3,166.78	271,710	271,710	277,410	277,410
27168	TGFBR2 gene mutation (Loeys	EDTA Blood	나580다(3)	C580870C	4,637.14	397,870	397,870	406,210	406,210
65140	Theophylline	SST Serum	누532나(2)	D5333433	188.13	16,140	16,140	16,480	16,480
29180	THRB gene mutation	EDTA Blood	나580다(2)	C580761C	3,166.78	271,710	271,710	277,410	277,410
30970	Thrombin Time	SC Plasma	누100바	D1006003	20.34	1,750	1,750	1,780	1,780
29315	Thrombomobulin(IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
00355	Thyroglobulin (ECLIA)	SST Serum	누425	D4250003	145.79	12,510	12,510	12,770	12,770
81200	Thyroglobulin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
00345	Thyroglobulin Ab (ECLIA)	SST Serum	누324	D3240003	177.84	15,260	15,260	15,580	15,580
80986	TIA1 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
12830	TIBC	SST Serum	누052가	D0521043	27.85	2,390	2,390	2,440	2,440
01775	Tissue polypeptide Ag(TPA)	SST Serum	누440	D4400003	228.72	19,620	19,620	20,040	20,040
65340	Tobramycin	Plain Serum	누532나(2)	D5333443	188.13	16,140	16,140	16,480	16,480
65711	Topiramate	Plain Serum	누532다(4)	D534990C	571.84	49,060	49,060	50,090	50,090
65712	Topiramate	Plain Serum	누532다(4)	D534990C	571.84	49,060	49,060	50,090	50,090
42750	TORCH Test	SST Serum	누654외	D654220C외	-	136,140	136,140	138,980	138,980
10040	Total Bilirubin	SST Serum	누183가	D1830003	13.86	1,190	1,190	1,210	1,210
10041	Total Bilirubin	Capillary	누183가	D1830003	13.86	1,190	1,190	1,210	1,210
11020	Total Cholesterol	SST Serum	누261가(1)	D2611003	17.10	1,470	1,470	1,500	1,500
11021	Total Cholesterol	Body Fluid	누261가(1)	D2611003	17.10	1,470	1,470	1,500	1,500
02005	Total hCG(ECLIA)	SST Serum	누372가	D3720003	134.94	11,580	11,580	11,820	11,820
60005	Total IgE (Unicap)	SST Serum	누743나	D7430003	158.75	13,620	13,620	13,910	13,910
11780	Total Porphyrin 경성	Random Urine	누516가(1)	D5161003	13.62	1,170	1,170	1,190	1,190
10030	Total Protein	SST Serum	누184가	D1840003	14.69	1,260	1,260	1,290	1,290
10033	Total Protein	Body Fluid	누184가	D1840003	14.69	1,260	1,260	1,290	1,290
10031	Total Protein(24hr U)	24hr Urine	누184가	D1840003	14.69	1,260	1,260	1,290	1,290
10032	Total Protein(CSF)	CSF	누184가	D1840003	14.69	1,260	1,260	1,290	1,290
10034	Total Protein(RU)	Random Urine	누184가	D1840003	14.69	1,260	1,260	1,290	1,290
52559	Toxocara canis Ab IgG(삼성)	SST Serum	누641나(1)	D264212C	225.14	19,320	19,320	19,720	19,720
52271	Toxocara canis IgG	SST Serum	누641나(1)	D264212C	225.14	19,320	19,320	19,720	19,720
43510	Toxoplasma DNA PCR	EDTA Blood	누642가	D642102C	389.36	33,410	33,410	34,110	34,110
50903	Toxoplasma IgG	SST Serum	누641나(1)	D264210C	225.14	19,320	19,320	19,720	19,720
50904	Toxoplasma IgG	CSF	누641나(1)	D264210C	225.14	19,320	19,320	19,720	19,720
50913	Toxoplasma IgM	SST Serum	누641나(2)	D264304C	225.14	19,320	19,320	19,720	19,720
50914	Toxoplasma IgM	CSF	누641나(2)	D264304C	225.14	19,320	19,320	19,720	19,720
26772	TP53 gene mutation	EDTA Blood	나580다(2)	C580733C	3,166.78	271,710	271,710	277,410	277,410
26197	TPIT(TBX19)(IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
50955	TPLA 정밀	SST Serum	누692다	D6923003	92.88	7,970	7,970	8,140	8,140
27472	TPMT genotyping	EDTA Blood	나580다(1)	C580635C	1,992.83	170,980	170,980	174,570	174,570
20360	Transferrin	SST Serum	누471	D4710013	83.63	7,180	7,180	7,330	7,330

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
20370	Transferrin saturation	SST Serum	누052외	D0521033외	-	4,780	4,780	4,880	4,880
42720	Treponema pallidum PCR	분비물	누693가	D693101C	389.36	33,410	33,410	34,110	34,110
42655	Trichomonas vaginalis PCR	분비물	누642가	D642103C	389.36	33,410	33,410	34,110	34,110
11190	Triglyceride	SST Serum	누260다	D2263003	40.90	3,510	3,510	3,580	3,580
11191	Triglyceride	Body Fluid	누260다	D2263003	40.90	3,510	3,510	3,580	3,580
01870	Triple marker	SST Serum	누372외	D3720003외	-	31,660	31,660	32,320	32,320
12591	Troponin I	SST Serum	누402다	D4023013	103.79	8,910	8,910	9,090	9,090
12600	Troponin T	SST Serum	누402다	D4023023	103.79	8,910	8,910	9,090	9,090
27651	TSC1 (Tuberous sclerosis1)	EDTA Blood	나580다(4)	C580922C	7,255.90	622,560	622,560	635,620	635,620
27652	TSC2 (Tuberous sclerosis2)	EDTA Blood	나580다(5)	C581013C	11,030.45	946,410	946,410	966,270	966,270
00366	TSH (ECLIA)	SST Serum	누325	D3250013	169.07	14,510	14,510	14,810	14,810
00385	TSH-R-Ab(ECLIA)	SST Serum	누321나	D3212013	150.67	12,930	12,930	13,200	13,200
81332	TTF1 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81430	TTF1 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
29575	TTR gene mutation	EDTA Blood	나580다(1)	C580613C	1,992.83	170,980	170,980	174,570	174,570
29574	TTR gene mutation(서울성모)	EDTA Blood	나580다(1)	C580613C	1,992.83	170,980	170,980	174,570	174,570
29160	TYR gene mutation (oculocuta	EDTA Blood	나580다(2)	C580734C	3,166.78	271,710	271,710	277,410	277,410
19057	T세포 수용체 감마 유전자 재배열	Other	나583나(2)	C583203F	3,056.35	262,230	262,230	267,740	267,740
12993	UDP-Galactose-4-Epimerase	EDTA Blood	누517나	D517207C	1,284.43	110,200	110,200	112,520	112,520
27450	UGT1A1 (hyperbilirubinemia)	EDTA Blood	나580다(2)	C580735C	3,166.78	271,710	271,710	277,410	277,410
12840	UIBC	SST Serum	누052가	D0521013	27.85	2,390	2,390	2,440	2,440
26915	UNC13D gene mutation	EDTA Blood	나580다(4)	C580923C	7,255.90	622,560	622,560	635,620	635,620
70921	Urea breath Test(20m)	전용용기	누589라	D5896003	-	-	-	-	-
42733	Ureaplasma parvum PCR	분비물	누591가	D591114C	389.36	33,410	33,410	34,110	34,110
42734	Ureaplasma parvum PCR	분비물	누591나	D591204C	520.33	44,640	44,640	45,580	45,580
42730	Ureaplasma urealyticum PCR	분비물	누591가	D591114C	389.36	33,410	33,410	34,110	34,110
42736	Ureaplasma urealyticum PCR	분비물	누591나	D591204C	520.33	44,640	44,640	45,580	45,580
10930	Uric Acid	SST Serum	누231가	D2310003	23.51	2,020	2,020	2,060	2,060
10932	Uric Acid	Random Urine	누231가	D2310003	23.51	2,020	2,020	2,060	2,060
10931	Uric Acid(24hr U)	24hr Urine	누231가	D2310003	23.51	2,020	2,020	2,060	2,060
10160	Urinary Ca	복수검체	누280외	D2800053외	-	4,660	4,660	4,770	4,770
70002	Urine Glucose	Random Urine	누225가	D2251003	8.36	720	720	730	730
70001	Urine Protein	Random Urine	누225가	D2251003	8.36	720	720	730	730
70050	Urine RBC morphology	Random Urine	누221나	D221200C	36.55	3,140	3,140	3,200	3,200
11790	Uroporphyrin 정성	Random Urine	누516가(1)	D5161003	13.62	1,170	1,170	1,190	1,190
65350	Valproic Acid	SST Serum	누532나(2)	D5333453	188.13	16,140	16,140	16,480	16,480
65370	Vancomycin	SST Serum	누532나(2)	D5333473	188.13	16,140	16,140	16,480	16,480
42230	Varicella-Zoster Culture	Other	누652가	D652100C	578.61	49,640	49,640	50,690	50,690
42231	Varicella-Zoster culture (조직)	Tissue	누652가	D652100C	578.61	49,640	49,640	50,690	50,690
42740	Varicella-Zoster DNA(PCR)	EDTA Blood	누658가	D658107C	389.36	33,410	33,410	34,110	34,110
42050	Varicella-Zoster IgG	SST Serum	누654나(1)	D654219C	199.61	17,130	17,130	17,490	17,490
42051	Varicella-Zoster IgG	CSF	누654나(1)	D654219C	199.61	17,130	17,130	17,490	17,490
42060	Varicella-Zoster IgM	SST Serum	누654나(2)	D654319C	179.14	15,370	15,370	15,690	15,690
42061	Varicella-Zoster IgM	CSF	누654나(2)	D654319C	179.14	15,370	15,370	15,690	15,690
50926	VDRL 정량	CSF	누691나	D6912003	32.06	2,750	2,750	2,810	2,810
50925	VDRL 정성	CSF	누691가	D6911003	17.02	1,460	1,460	1,490	1,490

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
81445	VEGFR2 (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
29114	VENTANA ALK(D5F3)	Tissue	나567나	C567402F	825.15	70,800	70,800	72,280	72,280
29112	VENTANA PD-L1(SP142) Assa	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
29104	VENTANA PD-L1(SP263) Assa	Tissue	나567나	C567401F	825.15	70,800	70,800	72,280	72,280
11205	Very long chain fatty acid	Hp Plasma	누518	D5180013	1,218.45	104,540	104,540	106,740	106,740
27283	VHL gene mutation analysis	EDTA Blood	나580다(1)	C580614C	1,992.83	170,980	170,980	174,570	174,570
71215	Vibrio Culture&Sensitivity (Dis	Stool	누581마(1)	D5851003	199.45	17,110	17,110	17,470	17,470
71216	Vibrio Culture&Sensitivity (MI	Stool	누581마(2)	D5854003	210.70	18,080	18,080	18,460	18,460
81290	Vimentin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81356	Vimentin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81291	Vimentin (IHC)(여의도성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
11340	Vitamin A	SST Serum	누490다	D4904023	495.67	42,530	42,530	43,420	43,420
11360	Vitamin B1	EDTA Blood	누490다	D490403C	544.26	46,700	46,700	47,680	47,680
11396	Vitamin B12 (ECLIA)	SST Serum	누490나	D4902053	116.21	9,970	9,970	10,180	10,180
11370	Vitamin B2	EDTA Blood	누490다	D490404C	544.26	46,700	46,700	47,680	47,680
11387	Vitamin B6 profile	EDTA Plasma	누490다	D490405C	544.26	46,700	46,700	47,680	47,680
11386	Vitamin B6(PLP)	EDTA Plasma	누490다	D490405C	544.26	46,700	46,700	47,680	47,680
11410	Vitamin C	Hp Plasma	누490다	D490406C	544.26	46,700	46,700	47,680	47,680
11415	Vitamin C	SST Serum	누490다	D490406C	544.26	46,700	46,700	47,680	47,680
11420	Vitamin E	SST Serum	누490다	D490409C	544.26	46,700	46,700	47,680	47,680
11421	Vitamin E profile	SST Serum	누490다	D490409C	544.26	46,700	46,700	47,680	47,680
27512	VKORC1 genotyping	EDTA Blood	나580다(1)	C580637C	1,992.83	170,980	170,980	174,570	174,570
00920	VMA 경량	24hr Urine	누351라	D351407C	447.20	38,370	38,370	39,170	39,170
00910	VMA 정성	Random Urine	누351가	D3511023	17.37	1,490	1,490	1,520	1,520
80627	Von Kossa stain (여의도성모)	Tissue	나563	C5630008	196.47	16,860	16,860	17,210	17,210
30830	von-Willebrand's Antigen	SC Plasma	누110나	D2111003	154.85	13,290	13,290	13,560	13,560
65820	Voriconazole	Plain Serum	누532다(4)	D534997C	571.84	49,060	49,060	50,090	50,090
65821	Voriconazole (성모)	SST Serum	누532다	D534997C	571.84	49,060	49,060	50,090	50,090
70178	VRE Cul.&Sensi.(DISK)	Stool	누581마(1)	D5851003	199.45	17,110	17,110	17,470	17,470
70182	VRE Cul.&Sensi.(MIC)	Stool	누581마(2)	D5854003	210.70	18,080	18,080	18,460	18,460
30822	vWF gene mutation (von Wille	EDTA Blood	나580다(5)	C581014C	11,030.45	946,410	946,410	966,270	966,270
30821	VWF(Ristocetin Cofactor)	SC Plasma	누110가	D2110003	190.77	16,370	16,370	16,710	16,710
27610	WAS gene mutation (Wiskott	EDTA Blood	나580다(3)	C580871C	4,637.14	397,870	397,870	406,210	406,210
30001	WBC	EDTA Blood	누000나	D0002013	11.31	970	970	990	990
70960	Wet Smear	Other	누220나주	D2203003	10.98	940	940	960	960
50980	Widal Test	SST Serum	누586	D5860003	27.76	2,380	2,380	2,430	2,430
50990	Widal Test (Para A B)	SST Serum	누586	D5860003	27.76	2,380	2,380	2,430	2,430
26273	Wilson disease, ATP7B	EDTA Blood	나580다(4)	C580904C	7,255.90	622,560	622,560	635,620	635,620
26271	Wilson disease, ATP7B gene	EDTA Blood	나580다(4)	C580904C	7,255.90	622,560	622,560	635,620	635,620
26272	Wilson disease, ATP7B whole	EDTA Blood	나580다(4)	C580904C	7,255.90	622,560	622,560	635,620	635,620
81969	WT1 (IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
82441	WT1 (IHC)(여의도성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
29261	WT1 gene	EDTA Blood	나583나(1)	C583124C	1,352.44	116,040	116,040	118,470	118,470
25760	Y-Chromosome(SRY gene)	EDTA Blood	나580가	C580003C	724.40	62,150	62,150	63,460	63,460
71091	Yersinia Culture	Stool	누582	D582104C	418.25	35,890	35,890	36,640	36,640
42271	Zika Virus Real-time PCR(급여	Random Urine	누658다	D658302C	628.86	53,960	53,960	55,090	55,090

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
11811	Zinc Protoporphyrin(ZPP)	EDTA Blood	누052가	D0521023	27.85	2,390	2,390	2,440	2,440
11812	Zinc Protoporphyrin(ZPP)(특검)	EDTA Blood	누052가	D0521023	27.85	2,390	2,390	2,440	2,440
12855	Zinc(Zn)	Trace Serum	누550나(1)	D5511183	325.17	27,900	27,900	28,480	28,480
12856	Zinc(Zn)	24hr Urine	누550나(1)	D5511183	325.17	27,900	27,900	28,480	28,480
65380	Zonisamide	Plain Serum	누532다(4)	D534999C	571.84	49,060	49,060	50,090	50,090
20400	α1-Antitrypsin	SST Serum	누470	D4700023	79.73	6,840	6,840	6,980	6,980
20405	α1-Antitrypsin	Stool	누470	D4700023	79.73	6,840	6,840	6,980	6,980
20406	α1-antitrypsin clearance	복수검체	누470	D4700023외	-	13,680	13,680	13,960	13,960
20404	α1-Antitrypsin(serum)	SST Serum	누470	D4700023	79.73	6,840	6,840	6,980	6,980
80935	α1-trypsin ab(AAT)(IHC)(성모)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
13200	α-Galactosidase (Fabry)	EDTA Blood	누517가(1)	D517107C	656.20	56,300	56,300	57,480	57,480
13205	α-Galactosidase A (Fabry)	Hp Blood	누517가(1)	D517107C	656.20	56,300	56,300	57,480	57,480
01425	β2-Microglobulin	SST Serum	누423	D4230003	127.27	10,920	10,920	11,150	11,150
01426	β2-Microglobulin(RU)	Random Urine	누423	D4230003	127.27	10,920	10,920	11,150	11,150
01428	β2-Microglobulin(특검)	Random Urine	누423	D4230003	127.27	10,920	10,920	11,150	11,150
81530	β-catenin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
81531	β-catenin (IHC)	Tissue	나567가	C567300F	670.17	57,500	57,500	58,710	58,710
13080	β-Galactosidase	Hp Blood	누517가(1)	D517104C	656.20	56,300	56,300	57,480	57,480
13180	β-Glucosidase (Gaucher) enzy	EDTA Blood	누517가(1)	D517113C	656.20	56,300	56,300	57,480	57,480
13181	β-Glucosidase(Gaucher's)	Hp Blood	누517가(1)	D517113C	656.20	56,300	56,300	57,480	57,480
11210	β-Lipoprotein	SST Serum	누263	D2630013	79.66	6,830	6,830	6,980	6,980
10500	γ- GTP	SST Serum	누189가	D1890003	37.49	3,220	3,220	3,280	3,280
11822	δ-ALA	Random Urine	누532다(4)	D5349A1C	571.84	49,060	49,060	50,090	50,090
11823	δ-ALA	24hr Urine	누532다(4)	D5349A1C	571.84	49,060	49,060	50,090	50,090
11824	δ-ALA(특검)	Random Urine	누532다(4)	D5349A1C	571.84	49,060	49,060	50,090	50,090
01418	간세포암 선별검사	SST Serum	누426외	D4260003외	-	30,170	30,170	30,800	30,800
52393	결핵균특이항원자극인터페론감도	전용용기	누602	D602000C	524.24	44,980	44,980	45,920	45,920
42581	급성설사 원인 바이러스 선별검사	Stool	누680가	D680101C	793.36	68,070	68,070	69,500	69,500
42582	급성설사 원인균 선별검사	Stool	누680나	D680202C	894.40	76,740	76,740	78,350	78,350
80000	부인과과적 세포검사	Cervix	나562가(1)	C5621008	118.13	10,140	10,140	10,350	10,350
70970	분변총란검사	Stool	누640나	D6402003	25.82	2,220	2,220	2,260	2,260
11847	삼염화초산 (TCA)_1,1,1-TCE(특검)	Random Urine	누540다(2)	D5423183	254.59	21,840	21,840	22,300	22,300
11848	삼염화초산 (TCA)_PCE(특검)	Random Urine	누540다(2)	D5423183	254.59	21,840	21,840	22,300	22,300
11846	삼염화초산 (TCA)_TCE(특검)	Random Urine	누540다(2)	D5423183	254.59	21,840	21,840	22,300	22,300
13071	선천성 대사이상 선별검사	Blood Paper	누519	D519000C	1,182.72	101,480	101,480	103,610	103,610
13072	선천성 대사이상 선별검사(추적검)	Blood Paper	누519	D519000C	1,182.72	101,480	101,480	103,610	103,610
27590	선천성난청유전자(GJB2)	EDTA Blood	나580다(1)	C580619C	1,992.83	170,980	170,980	174,570	174,570
27591	선천성난청유전자(GJB2)	Blood Paper	나580다(1)	C580619C	1,992.83	170,980	170,980	174,570	174,570
42585	세균성뇌수막염검사 PCR 5종	CSF	누680가	D680103C	793.36	68,070	68,070	69,500	69,500
80720	액상자궁경부세포-C	Cervix	나562나(1)	C5624008	453.03	38,870	38,870	39,690	39,690
80700	액상자궁경부세포검사	Cervix	나562나(1)	C5624008	453.03	38,870	38,870	39,690	39,690
80029	액상체액세포검사	Random Urine	나562나(2)	C5625008	466.81	40,050	40,050	40,890	40,890
80761	액상흉선세포검사 (갑상선/림프관)	Thyroid	나562나(3)	C5626008	405.40	34,780	34,780	35,510	35,510
80028	액상흉선세포검사(녹십자)	Breast	나562나(3)	C5626008	405.40	34,780	34,780	35,510	35,510
81357	역형성대세포포름프중(세포)SET	Other	나567외	C567300F외	-	198,820	198,820	203,000	203,000
81358	역형성대세포포름프중(조직)SET	Tissue	나567외	C567300F외	-	223,690	223,690	228,390	228,390

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치 점수	2020년		2021년	
						보험가	의뢰가	보험가	의뢰가
70006	요일반검사 4종	Random Urine	누225가	D2251003	8.36	720	720	730	730
70005	요일반검사 7종	Random Urine	누225나	D2252003	12.64	1,080	1,080	1,110	1,110
70000	요일반검사10종	Random Urine	누225다	D2253003	21.32	1,830	1,830	1,870	1,870
71010	요충란검사(Scotch tape)	Other	누640다	D6403003	23.68	2,030	2,030	2,070	2,070
70015	요침사검사	Random Urine	누220가	D2201013	13.98	1,200	1,200	1,220	1,220
25367	유방암 유전자 가족검사	EDTA Blood	나580다주	C580500C	1,992.83	170,980	170,980	174,570	174,570
27581	유전성 난청 유전자검사(급여)	EDTA Blood	나580나(1)주	C158101C	1,102.95	94,630	94,630	96,620	96,620
10640	임신성당뇨(100g)부하시험	NaF Plasma	누302나외	D3022003외	-	4,960	4,960	5,040	5,040
10670	임신성당뇨(100g)-Fasting	NaF Plasma	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10680	임신성당뇨(100g)-60min	NaF Plasma	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10690	임신성당뇨(100g)-120min	NaF Plasma	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10700	임신성당뇨(100g)-180min	NaF Plasma	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10650	임신성당뇨(50+100)부하시험	NaF Plasma	누302나외	D3022003외	-	6,200	6,200	6,300	6,300
10660	임신성당뇨(50g)-60min	NaF Plasma	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10705	임신성당뇨(75g)-Fasting	NaF Plasma	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10706	임신성당뇨(75g)-60min	NaF Plasma	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
10707	임신성당뇨(75g)-120min	NaF Plasma	누302나	D3022003	14.42	1,240	1,240	1,260	1,260
80750	자궁경부암 검사(2종)	Cervix	나562나외	C5624008외	-	90,210	90,210	92,110	92,110
80093	절제조직 외부표본판독(비종양성)	Other	나560주4가	C1561008	51.14	4,390	4,390	4,480	4,480
82042	조직 Level A Slide 판독	Tissue	나560주4가	C1561008	51.14	4,390	4,390	4,480	4,480
82041	조직 Level B Slide 판독	Tissue	나560주4나	C1562008	76.71	6,580	6,580	6,720	6,720
82044	조직 Level C 10개 이상 Slide 판	Tissue	나560주4다(2)	C1564008	153.41	13,160	13,160	13,440	13,440
82043	조직 Level C 1-9개 Slide 판독	Tissue	나560주4다(1)	C1563008	119.32	10,240	10,240	10,450	10,450
80082	조직[1장기당]-외부Slide판독 Le	Other	나560주4나	C1562008	76.71	6,580	6,580	6,720	6,720
80020	체액세포병리검사	Sputum	나562가(2)	C5622008	138.30	11,870	11,870	12,120	12,120
80021	체액세포병리검사(Cytospin)	Random Urine	나562가(2)주	C5627008	144.05	12,360	12,360	12,620	12,620
80112	체액세포병리검사(Cytospin)(특	Random Urine	나562가(2)주	C5627008	144.05	12,360	12,360	12,620	12,620
80111	체액세포병리검사(특검)	Sputum	나562가(2)	C5622008	138.30	11,870	11,870	12,120	12,120
11849	총삼염화물(특검)	Random Urine	누540다(2)	D5423173	254.59	21,840	21,840	22,300	22,300
82070	탈회(Decalcification)	Tissue	나560주3	C5600008	58.45	5,020	5,020	5,120	5,120
42318	폐렴 원인균 선별검사	Sputum	누680가	D680104C	793.36	68,070	68,070	69,500	69,500
31160	혈액점도검사 (Scanning 모세관	EDTA Blood	누400나	D400100C	289.34	24,830	24,830	25,350	25,350
30261	혈액형 아형검사	복수검체	누150외	D1502003외	-	34,200	34,200	34,920	34,920
42252	호흡기바이러스 culture 2종	Other	누652가	D652100C외	-	99,280	99,280	101,380	101,380
42253	호흡기바이러스 culture 3종	Other	누652가	D652100C외	-	148,920	148,920	152,070	152,070
42254	호흡기바이러스 culture 4종	Other	누652가	D652100C외	-	198,560	198,560	202,760	202,760
42255	호흡기바이러스 culture 5종	Other	누652가	D652100C외	-	248,200	248,200	253,450	253,450
42317	호흡기바이러스 PCR	비인후/인후도찰	누680나	D680206C	894.40	76,740	76,740	78,350	78,350
80030	흡인세포병리검사	Thyroid	나562가(3)	C5623008	207.17	17,780	17,780	18,150	18,150
71100	흡충란검사 (Trematodes)	Stool	누640라	D6404003	47.90	4,110	4,110	4,200	4,200