

삼광의료재단 2023년 검사수가 안내 (급여)

검사명 순

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
10534	(1-3)β-D-Glucan	SST Serum	누620다	D620401C	350.2	31,590	31,590	32,250	32,250
11230	1,25-(OH)2 Vitamin D	SST Serum	누490나	D4902017	118.49	10,690	10,690	10,910	10,910
20002	1,5-Anhydroglucitol	SST Serum	누303	D3030003	185.14	16,700	16,700	17,050	17,050
00593	17-KS	24hr Urine	누350가	D3501043	49.74	4,490	4,490	4,580	4,580
00613	17-OHCS	24hr Urine	누350가	D3501053	49.74	4,490	4,490	4,580	4,580
00410	17α-OH Progesterone	SST Serum	누371주	D3711017	162.88	14,690	14,690	15,000	15,000
00411	17α-OH Progesterone	EDTA Plasma	누371주	D3711017	162.88	14,690	14,690	15,000	15,000
12572	2,5-Hexanedione(MBK)(특검)	Random Urin	누540다(2)	D5423013	254.59	22,960	22,960	23,450	23,450
12571	2,5-Hexanedione(n-헥산)(특검)	Random Urin	누540다(2)	D5423013	254.59	22,960	22,960	23,450	23,450
19081	25(OH) Vitamin D2/D3	SST Serum	누490다	D490408C	544.26	49,090	49,090	50,130	50,130
11250	25-OH Vitamin D	SST Serum	누490나	D4902023	116.21	10,480	10,480	10,700	10,700
11251	25-OH Vitamin D3 (RIA)	SST Serum	누490나주	D4903067	168.63	15,210	15,210	15,530	15,530
00825	5-HIAA 정량	24hr Urine	누351다	D3513013	217.24	19,600	19,600	20,010	20,010
00826	5-HIAA 정량	Random Urin	누351다	D3513013	217.24	19,600	19,600	20,010	20,010
00812	5-HIAA 정량 (24hr U)	24hr Urine	누351라	D351401C	447.2	40,340	40,340	41,190	41,190
00811	5-HIAA 정량 (Plasma)	EDTA Plasma	누351라	D351401C	447.2	40,340	40,340	41,190	41,190
00810	5-HIAA 정성	Random Urin	누351가	D3511013	17.37	1,570	1,570	1,600	1,600
10840	A/CCR	복수검체	누380외	D3800023외	-	8,740	8,740	8,940	8,940
10020	A/G ratio	SST Serum	누188외	D1880003외	-	2,880	2,880	2,940	2,940
10021	A/G ratio (Fluid)	Body Fluid	누188외	D1880003외	-	2,880	2,880	2,940	2,940
30290	Ab Elution	EDTA Blood	누160	D160000C	78.22	7,060	7,060	7,200	7,200
30230	Ab Identification Test	복수검체	누154외	D154105C외	-	40,330	40,330	41,190	41,190
30220	Ab Screening test	SST Serum	누156가	D156100C	135.51	12,220	12,220	12,480	12,480
25687	ABCB11 gene mutation	EDTA Blood	나580다(4)	C580924C	7255.9	654,480	654,480	668,270	668,270
25763	ABCC8 gene, mutation (Familial	EDTA Blood	나580다(4)	C580925C	7255.9	654,480	654,480	668,270	668,270
27691	ABCD1 gene mutation	EDTA Blood	나580다(3)	C580801C	4637.14	418,270	418,270	427,080	427,080
30247	ABO 혈액형 검사 (Front&Back Typ	EDTA Blood	누150나	D1502003	67.31	6,070	6,070	6,200	6,200
10190	ACE	SST Serum	누252	D2520003	168.74	15,220	15,220	15,540	15,540
10191	ACE	Other	누252	D2520003	168.74	15,220	15,220	15,540	15,540
65490	Acetaminophen	SST Serum	누532나(2)	D5333013	188.13	16,970	16,970	17,330	17,330
12652	Acetone (특검)	Random Urin	누540다(2)	D5423033	254.59	22,960	22,960	23,450	23,450
27552	Achondroplasia,FGFR3 major mu	EDTA Blood	나580다(1)	C580618C	1992.83	179,750	179,750	183,540	183,540
01140	Ach-r-Binding Ab	SST Serum	누808주	D8081007	117.75	10,620	10,620	10,840	10,840
10200	ACP	SST Serum	누229	D2290003	17.3	1,560	1,560	1,590	1,590
10201	ACP	분비물	누229	D2290003	17.3	1,560	1,560	1,590	1,590
00015	ACTH (ECLIA)	EDTA Plasma	누343	D3430003	166.1	14,980	14,980	15,300	15,300
30960	Activated PTT	SC Plasma	누100라	D1004003	35.27	3,180	3,180	3,250	3,250
26131	Acute Leukemia panel	Bone Marrow	누081나외	D081200C외	-	810,890	810,890	827,890	827,890
29601	ACVRL1 gene mutation (HHT)	EDTA Blood	나580다(2)	C580702C	3166.78	285,640	285,640	291,660	291,660
13223	Acylcarnitine 정량	EDTA Plasma	누520	D520000C	1160.1	104,640	104,640	106,850	106,850
10210	ADA	SST Serum	누253	D2530003	129.16	11,650	11,650	11,900	11,900
10211	ADA (CSF)	CSF	누253	D2530003	129.16	11,650	11,650	11,900	11,900
10214	ADA Fluid (other)	Body Fluid	누253	D2530003	129.16	11,650	11,650	11,900	11,900
10212	ADA(Pleural Fluid)	Pleural Fluid	누253	D2530003	129.16	11,650	11,650	11,900	11,900
65132	Adalimumab 정량	SST Serum	누532나(2)	D5333523	188.13	16,970	16,970	17,330	17,330
28051	ADAMTS 13 activity	SC Plasma	누133나	D133200C	738.79	66,640	66,640	68,040	68,040
28050	ADAMTS 13 activity	SC Plasma	누133가	D133100C	1464.5	132,100	132,100	134,880	134,880
42812	Adenovirus Ag (Stool)	Stool	누654가	D654101C	160.26	14,460	14,460	14,760	14,760
42105	Adenovirus culture	Other	누652가	D652100C	578.61	52,190	52,190	53,290	53,290
40255	Adenovirus IgG	SST Serum	누654나(1)	D654201C	199.61	18,000	18,000	18,380	18,380
40260	Adenovirus IgM	SST Serum	누654나(2)	D654301C	179.14	16,160	16,160	16,500	16,500
40261	Adenovirus IgM	CSF	누654나(2)	D654301C	179.14	16,160	16,160	16,500	16,500
42107	Adenovirus rapid culture	Other	누652가	D652100C	578.61	52,190	52,190	53,290	53,290

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
00030	ADH	EDTA Plasma	누340가주	D1340007	114.57	10,330	10,330	10,550	10,550
27690	Adrenoleukodystrophy-ABCD1	EDTA Blood	나580다(3)	C580801C	4637.14	418,270	418,270	427,080	427,080
25020	AFAFP	Amniotic Fluid	누421나	D2420023	92.31	8,330	8,330	8,500	8,500
70410	AFB Culture	Sputum	누601가(1)	D6011003	175.55	15,830	15,830	16,170	16,170
70420	AFB Culture (고체배지)	Tissue	누601가(1)	D6011003	175.55	15,830	15,830	16,170	16,170
70450	AFB Culture (액체+고체)(결핵협회)	Tissue	누601가외	D6011003외	-	37,540	37,540	38,340	38,340
70445	AFB Culture (액체+고체배지)	Sputum	누601가외	D6011003외	-	37,540	37,540	38,340	38,340
70605	AFB Identification	균주	누604가	D604102C	520.33	46,930	46,930	47,920	47,920
70521	AFB Sensitivity (RIF, INH)	Sputum	누604나	D604206C	628.86	56,720	56,720	57,920	57,920
70510	AFB Sensitivity (RIF,INH)	Sputum	누604나	D604203C외	-	113,440	113,440	115,840	115,840
70516	AFB Sensitivity (Sequence)	Sputum	누605가외	D605102C외	-	342,680	342,680	349,900	349,900
70500	AFB Sensitivity (결핵협회)	균주	누601나(1)(가)	D6013003	477.81	43,100	43,100	44,010	44,010
70503	AFB sensitivity(MIC)(결핵협회)	균주	누601나(1)(나)주	D6010003	477.81	43,100	43,100	44,010	44,010
70330	AFB Stain (형광법)	Sputum	누600다	D6003003	96.93	8,740	8,740	8,930	8,930
70400	AFB Stain&Culture	Sputum	누600다외	D6003003외	-	24,570	24,570	25,100	25,100
01405	AFP	SST Serum	누421나	D2420023	92.31	8,330	8,330	8,500	8,500
01406	AFP	EDTA Plasma	누421나	D2420023	92.31	8,330	8,330	8,500	8,500
01407	AFP	Body Fluid	누421나	D2420023	92.31	8,330	8,330	8,500	8,500
01417	AFP-L3(%)	SST Serum	누421-1가	D4111003	194.43	17,540	17,540	17,910	17,910
26881	AGL gene mutation	EDTA Blood	나580다(4)	C580901C	7255.9	654,480	654,480	668,270	668,270
26736	AHC:NR0B1 gene mutation	EDTA Blood	나580다(2)	C580723C	3166.78	285,640	285,640	291,660	291,660
10000	Albumin	SST Serum	누188가	D1880003	17.23	1,550	1,550	1,590	1,590
10004	Albumin	Body Fluid	누188가	D1880003	17.23	1,550	1,550	1,590	1,590
10003	Albumin (CSF)	CSF	누300나	D3002003	193.53	17,460	17,460	17,820	17,820
11891	Alcohol	EDTA Plasma	누532가(2)	D5323183	136.35	12,300	12,300	12,560	12,560
11890	Alcohol (Ethanol)	SST Serum	누532가(2)	D5323183	136.35	12,300	12,300	12,560	12,560
11892	Alcohol (RU)	Random Urine	누532가(2)	D5323183	136.35	12,300	12,300	12,560	12,560
10221	Aldolase	SST Serum	누251가	D2510083	30.77	2,780	2,780	2,830	2,830
00650	Aldosterone	SST Serum	누350나주	D3503037	153.54	13,850	13,850	14,140	14,140
00654	Aldosterone(24hr U)	24hr Urine	누350나주	D3503037	153.54	13,850	13,850	14,140	14,140
81354	ALK (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
10230	ALP	SST Serum	누187가	D1870003	16.28	1,470	1,470	1,500	1,500
10231	ALP (Fluid)	Body Fluid	누187가	D1870003	16.28	1,470	1,470	1,500	1,500
20560	ALP Isoenzyme	SST Serum	누254나	D254201C	177.13	15,980	15,980	16,310	16,310
10360	ALT(GPT)	SST Serum	누185가	D1850003	20.2	1,820	1,820	1,860	1,860
10361	ALT(GPT)(Fluid)	Body Fluid	누185가	D1850003	20.2	1,820	1,820	1,860	1,860
12670	Aluminium(Al)	Trace Serum	누550나(1)	D5511023	325.17	29,330	29,330	29,950	29,950
12671	Aluminium(Al)	24hr Urine	누550나(1)	D5511023	325.17	29,330	29,330	29,950	29,950
81144	AMACR (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
00675	AMH	SST Serum	누373	D3730003	531.93	47,980	47,980	48,990	48,990
65371	Amikacin	Plain Serum	누532나(2)	D5333023	188.13	16,970	16,970	17,330	17,330
13014	Amino Acid 분석 [P, LC/MS-MS]	EDTA Plasma	누514마	D514500C외	-	163,960	163,960	167,430	167,430
13019	Amino Acid 분석 [U, LC/MS-MS]	Random Urine	누514마	D514500C외	-	163,960	163,960	167,430	167,430
65500	Amiodarone	Plain Serum	누532다(4)	D534904C	571.84	51,580	51,580	52,670	52,670
65512	Amitriptyline+Nortriptyline	Plain Serum	누532다(4)	D534905C	571.84	51,580	51,580	52,670	52,670
25325	AML1/ETO (real-time PCR)	EDTA Blood	나583나(1)	C583123C	1352.44	121,990	121,990	124,560	124,560
25320	AML1/ETO (RT-Nested-PCR)	EDTA Blood	나583나(1)	C583110C	1352.44	121,990	121,990	124,560	124,560
10850	Ammonia (NH3)	EDTA Plasma	누192	D1920003	47.28	4,260	4,260	4,350	4,350
10240	Amylase	SST Serum	누380가	D3800023	30.27	2,730	2,730	2,790	2,790
10243	Amylase	Body Fluid	누380가	D3800023	30.27	2,730	2,730	2,790	2,790
10242	Amylase (24hr U)	24hr Urine	누380가	D3800023	30.27	2,730	2,730	2,790	2,790
10241	Amylase (RU)	Random Urine	누380가	D3800023	30.27	2,730	2,730	2,790	2,790
10252	Amylase clearance	복수검체	누228외	D2280003외	-	8,740	8,740	8,940	8,940
20573	Amylase Isoenzyme	SST Serum	누382	D382000C	163.89	14,780	14,780	15,090	15,090
20574	Amylase Isoenzyme	Body Fluid	누382	D382000C	163.89	14,780	14,780	15,090	15,090
51042	ANA 경량	SST Serum	누784나(2)	D784300C	302.01	27,240	27,240	27,820	27,820

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
51032	ANA 경성	SST Serum	누784나(1)	D784200C	171.18	15,440	15,440	15,770	15,770
51061	ANCA (MPO) 경량	SST Serum	누794나(1)	D795103C	174.78	15,770	15,770	16,100	16,100
51062	ANCA (PR3) 경량	SST Serum	누794나(1)	D795104C	174.78	15,770	15,770	16,100	16,100
51052	ANCA Titer (IFA)	SST Serum	누794가(2)	D794200C	306.15	27,610	27,610	28,200	28,200
51060	ANCA 경량	SST Serum	누794나(1)	D795103C외	-	31,540	31,540	32,200	32,200
51063	ANCA 경량 3종 (MPO,PR3,GBM)	SST Serum	누794나(1)외	D795103C외	-	44,070	44,070	44,990	44,990
51050	ANCA 경성	SST Serum	누794가(1)	D794100C	133.27	12,020	12,020	12,270	12,270
12930	Anion GAP	SST Serum	누280외	D2800033외	-	8,780	8,780	8,950	8,950
51075	Anti Aquaporin 4 Ab	SST Serum	누810가	D810100C	351.49	31,700	31,700	32,370	32,370
51076	Anti Aquaporin 4 Ab (경량)	SST Serum	누810나	D810200C	1058.05	95,440	95,440	97,450	97,450
51100	Anti Cardiolipin IgA	SST Serum	누788가(2)	D7882013	188.48	17,000	17,000	17,360	17,360
51080	Anti Cardiolipin IgG	SST Serum	누788가(2)	D7882023	188.48	17,000	17,000	17,360	17,360
51090	Anti Cardiolipin IgM	SST Serum	누788가(2)	D7882033	188.48	17,000	17,000	17,360	17,360
51121	Anti CCP Ab	EDTA Plasma	누813	D8130003	187.97	16,950	16,950	17,310	17,310
51122	Anti CCP Ab	SST Serum	누813	D8130003	187.97	16,950	16,950	17,310	17,310
51145	Anti centromere Ab	SST Serum	누785나	D785209C	335.78	30,290	30,290	30,930	30,930
51152	Anti dsDNA Ab	SST Serum	누786나주	D7863007	269.2	24,280	24,280	24,790	24,790
51160	Anti dsDNA IgG	SST Serum	누786나	D7862003	257.95	23,270	23,270	23,760	23,760
51170	Anti dsDNA IgM	SST Serum	누786나	D7862003	257.95	23,270	23,270	23,760	23,760
51171	Anti dsDNA IgM	EDTA Plasma	누786나	D7862003	257.95	23,270	23,270	23,760	23,760
51220	Anti GAD Ab	SST Serum	누803주	D8031007	504.6	45,510	45,510	46,470	46,470
51221	Anti GAD Ab	CSF	누803주	D8031007	504.6	45,510	45,510	46,470	46,470
51230	Anti GBM Ab	SST Serum	누796가	D7961003	138.9	12,530	12,530	12,790	12,790
65131	anti infliximab ab	SST Serum	누533	D537000C	435.31	39,260	39,260	40,090	40,090
51272	Anti Intrinsic Factor Ab	SST Serum	누805	D8050003	98.55	8,890	8,890	9,080	9,080
51320	Anti Jo-1 Ab	SST Serum	누785나	D785201C	335.78	30,290	30,290	30,930	30,930
51360	Anti LKM Ab	SST Serum	누798나	D7982003	298.92	26,960	26,960	27,530	27,530
52102	Anti MAG Ab	SST Serum	누812	D812000C	335.78	30,290	30,290	30,930	30,930
01885	Anti Microsome (TPO) Ab	SST Serum	누321나	D3212043	150.67	13,590	13,590	13,880	13,880
51380	Anti Mitochondrial Ab	SST Serum	누797다	D7973003	115.74	10,440	10,440	10,660	10,660
51420	Anti Parietal cell Ab	SST Serum	누809	D8090003	83.33	7,520	7,520	7,670	7,670
51450	Anti Phospholipid IgG	SC Plasma	누789가(2)	D789202C	240.58	21,700	21,700	22,160	22,160
51451	Anti Phospholipid IgG	SST Serum	누789가(2)	D789202C	240.58	21,700	21,700	22,160	22,160
51460	Anti Phospholipid IgM	SC Plasma	누789가(2)	D789203C	240.58	21,700	21,700	22,160	22,160
51461	Anti Phospholipid IgM	SST Serum	누789가(2)	D789203C	240.58	21,700	21,700	22,160	22,160
51480	Anti Platelet Ab	SST Serum	누791다	D791300C	230.63	20,800	20,800	21,240	21,240
51520	Anti RNP Ab	SST Serum	누785나	D785204C	335.78	30,290	30,290	30,930	30,930
51521	Anti RNP Ab	EDTA Plasma	누785나	D785204C	335.78	30,290	30,290	30,930	30,930
51535	Anti Scl-70 Ab	SST Serum	누785나	D785205C	335.78	30,290	30,290	30,930	30,930
51550	Anti Sm Ab	SST Serum	누785나	D785206C	335.78	30,290	30,290	30,930	30,930
51560	Anti Smooth Muscle Ab	SST Serum	누799다	D7993003	97.46	8,790	8,790	8,980	8,980
51580	Anti SS-A/Ro Ab	SST Serum	누785나	D785207C	335.78	30,290	30,290	30,930	30,930
51590	Anti SS-B/La Ab	SST Serum	누785나	D785208C	335.78	30,290	30,290	30,930	30,930
30870	Anti thrombin III (%)	SC Plasma	누112가	D1121003	65.01	5,860	5,860	5,990	5,990
51620	Anti TS Ab	SST Serum	누321나주2	D3214013	490.66	44,260	44,260	45,190	45,190
31120	Anti Xa LMWH test	SC Plasma	누102	D1020023	143.57	12,950	12,950	13,220	13,220
52030	Anti β2-GPI IgG	SST Serum	누790가	D7901023	240.53	21,700	21,700	22,150	22,150
52035	Anti β2-GPI IgM	SST Serum	누790가	D7901033	240.53	21,700	21,700	22,150	22,150
51541	Anti-PLA2R IgG	SST Serum	누811	D8110003	307.81	27,760	27,760	28,350	28,350
26411	APC gene mutation analysis	EDTA Blood	나580다(4)	C580902C	7255.9	654,480	654,480	668,270	668,270
31100	APCR	SC Plasma	누103	D1030033	153.85	13,880	13,880	14,170	14,170
10940	Apolipoprotein A I	SST Serum	누263	D2630023	79.66	7,190	7,190	7,340	7,340
10950	Apolipoprotein A II	SST Serum	누263	D2630023	79.66	7,190	7,190	7,340	7,340
10960	Apolipoprotein B	SST Serum	누263	D2630033	79.66	7,190	7,190	7,340	7,340
10970	Apolipoprotein C II	SST Serum	누263	D2630043	79.66	7,190	7,190	7,340	7,340
10980	Apolipoprotein C III	SST Serum	누263	D2630043	79.66	7,190	7,190	7,340	7,340

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
10990	Apolipoprotein E	SST Serum	누263	D2630053	79.66	7,190	7,190	7,340	7,340
25330	Apolipoprotein E Genotype	EDTA Blood	나580가	C580001C	724.4	65,340	65,340	66,720	66,720
20430	Apt test	Stool	누032가	D0321003	51.05	4,600	4,600	4,700	4,700
20431	Apt test	Other	누032가	D0321003	51.05	4,600	4,600	4,700	4,700
51074	Aquaporin-4 Antibody	SST Serum	누810다	D810300C	1155.94	104,270	104,270	106,460	106,460
29390	ARSA gene (MLD)	EDTA Blood	나580다(2)	C580705C	3166.78	285,640	285,640	291,660	291,660
12683	Arsenic (As)	Trace EDTA B	누550나(1)	D5511033	325.17	29,330	29,330	29,950	29,950
12685	Arsenic (As)	24hr Urine	누550나(1)	D5511033	325.17	29,330	29,330	29,950	29,950
12686	Arsenic (As)	Random Urin	누550나(1)	D5511033	325.17	29,330	29,330	29,950	29,950
12688	Arsenic (As)(특검)	Random Urin	누550나(1)	D5511033	325.17	29,330	29,330	29,950	29,950
10260	Arylsulfatase A	EDTA Blood	누517가(1)	D517105C	656.2	59,190	59,190	60,440	60,440
10265	Arylsulfatase A (MLD) enzyme ac	EDTA Blood	누517가(1)	D517105C	656.2	59,190	59,190	60,440	60,440
52166	ASCA (Anti Saccharomyces Cerev	SST Serum	누807외	D807001C외	-	30,320	30,320	30,960	30,960
50400	ASO (Latex)	SST Serum	누583가	D5831003	25.45	2,300	2,300	2,340	2,340
50411	ASO (Titer)(Fluid)	Body Fluid	누583다	D5833003	92.59	8,350	8,350	8,530	8,530
50410	ASO 정량	SST Serum	누583다	D5833003	92.59	8,350	8,350	8,530	8,530
50446	Aspergillus Ab (CSF)	CSF	누622나	D622201C	168.06	15,160	15,160	15,480	15,480
50445	Aspergillus Ab IgG	SST Serum	누622나	D622201C	168.06	15,160	15,160	15,480	15,480
50455	Aspergillus Ag	SST Serum	누621나	D621201C	241.98	21,830	21,830	22,290	22,290
50456	Aspergillus Ag (BAL)	Bronchial Wa	누621나	D621201C	241.98	21,830	21,830	22,290	22,290
65372	Aspirin (Salicylic acid)	Plain Serum	누532가(2)	D5323403	136.35	12,300	12,300	12,560	12,560
25652	ASS1 gene mutation (citrullinem	EDTA Blood	나580다(3)	C580803C	4637.14	418,270	418,270	427,080	427,080
10350	AST(GOT)	SST Serum	누186가	D1860003	20.69	1,870	1,870	1,910	1,910
10351	AST(GOT)(Fluid)	Body Fluid	누186가	D1860003	20.69	1,870	1,870	1,910	1,910
25631	ATP7A gene mutation (Menkes)	EDTA Blood	나580다(4)	C580903C	7255.9	654,480	654,480	668,270	668,270
29293	ATP8B1 gene, mutation	EDTA Blood	나580다(4)	C580926C	7255.9	654,480	654,480	668,270	668,270
81179	ATPase 9.4 stain	Tissue	나566	C5660008	409.66	36,950	36,950	37,730	37,730
11925	Auto hemolysis test	복수검체	누054가	D054102C	108.14	9,750	9,750	9,960	9,960
29172	Avellino corneal dystrophy	Other	나580나(1)	C580109C	724.4	65,340	65,340	66,720	66,720
29430	AVPR2 gene mutation	EDTA Blood	나580다(2)	C580737C	3166.78	285,640	285,640	291,660	291,660
10890	B/C ratio	SST Serum	누230외	D2300003외	-	3,140	3,140	3,210	3,210
29300	BAALC	EDTA Blood	나583나(1)	C583115C	1352.44	121,990	121,990	124,560	124,560
65180	Barbiturate	Random Urin	누532가(1)	D5321043	64.09	5,780	5,780	5,900	5,900
52541	Bartonella henselae IgG	SST Serum	누588	D588002C	160.85	14,510	14,510	14,810	14,810
27563	BCR-ABL gene rearrangement	EDTA Blood	나583나외	C583101C외	-	243,980	243,980	249,120	249,120
25371	BCR-ABL major PCR	Bone Marrow	나583나(1)	C583101C	1352.44	121,990	121,990	124,560	124,560
25381	BCR-ABL minor PCR	Bone Marrow	나583나(1)	C583102C	1352.44	121,990	121,990	124,560	124,560
27564	BCR-ABL 정량	Bone Marrow	나583나(1)	C583116C	1352.44	121,990	121,990	124,560	124,560
27576	BCR-ABL 정량 (major)	EDTA Blood	나583나(1)	C583116C	1352.44	121,990	121,990	124,560	124,560
27577	BCR-ABL 정량 (minor)	EDTA Blood	나583나(1)	C583116C	1352.44	121,990	121,990	124,560	124,560
65190	Benzodiazepine	Random Urin	누532가(1)	D5321053	64.09	5,780	5,780	5,900	5,900
11930	Bile Acid	SST Serum	누190	D1900003	163.44	14,740	14,740	15,050	15,050
11680	Biotinidase enzyme activity	EDTA Plasma	누517가(1)	D517118C	656.2	59,190	59,190	60,440	60,440
42682	BK Virus PCR	Random Urin	누658가	D658102C	389.36	35,120	35,120	35,860	35,860
42685	BK Virus PCR 정량	Random Urin	누658마	D658501C	792.13	71,450	71,450	72,960	72,960
30010	Blood Cell Morphology	EDTA Blood	누051	D051000C	111.94	10,100	10,100	10,310	10,310
70231	Blood Culture&Sensi (DISK)(성인)	Blood	누581마(1)주2	D5853003	220.91	19,930	19,930	20,350	20,350
70232	Blood Culture&Sensi (DISK)(소아)	Blood	누581마(1)	D5851003	199.45	17,990	17,990	18,370	18,370
70241	Blood Culture&Sensi (MIC)(성인)	Blood	누581마(2)주2	D5856003	252.27	22,750	22,750	23,230	23,230
70242	Blood Culture&Sensi (MIC)(소아)	Blood	누581마(2)	D5854003	210.7	19,010	19,010	19,410	19,410
25634	BMPR2 gene mutation	EDTA Blood	나580다(2)	C580738C	3166.78	285,640	285,640	291,660	291,660
71020	Body Fluid Analysis	Body Fluid	누032사	D0327003	57.13	5,150	5,150	5,260	5,260
71021	Body Fluid Analysis(Joint)	Joint Fluid	누032사	D0327003	57.13	5,150	5,150	5,260	5,260
71060	Body Fluid Cell count	Body Fluid	누032사	D0327003	57.13	5,150	5,150	5,260	5,260
11941	Bone ALP	SST Serum	누500	D5000013	88.56	7,990	7,990	8,160	8,160
50823	Borrelia PCR	EDTA Blood	누591가	D591102C	389.36	35,120	35,120	35,860	35,860

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
29052	BRAF gene exon15 mutation	Tissue	나583다(1)	C583306C	1416.05	127,730	127,730	130,420	130,420
29064	BRAF real-time PCR (melanoma)	Tissue	나583나(1)	C583117F	1376.6	124,170	124,170	126,780	126,780
29065	BRAF V600E mutation	Thyroid	나583나(1)	C583117C	1352.44	121,990	121,990	124,560	124,560
25354	BRCA 유전자 가족검사	EDTA Blood	나580다주	C580500C	1992.83	179,750	179,750	183,540	183,540
25350	BRCA1	EDTA Blood	나580다(4)	C580905C	7255.9	654,480	654,480	668,270	668,270
25351	BRCA1	EDTA Blood	나580다(4)	C580905C	7255.9	654,480	654,480	668,270	668,270
25360	BRCA2	EDTA Blood	나580다(5)	C581001C	11030.45	994,950	994,950	1,015,900	1,015,900
25361	BRCA2	EDTA Blood	나580다(5)	C581001C	11030.45	994,950	994,950	1,015,900	1,015,900
29080	BTk gene mutation	EDTA Blood	나580다(3)	C580838C	4637.14	418,270	418,270	427,080	427,080
10860	BUN	SST Serum	누230	D2300003	16.65	1,500	1,500	1,530	1,530
10862	BUN	Random Urin	누230	D2300003	16.65	1,500	1,500	1,530	1,530
10861	BUN(24hr U)	24hr Urine	누230	D2300003	16.65	1,500	1,500	1,530	1,530
70727	C.difficile culture	Stool	누582	D5821073	380.91	34,360	34,360	35,080	35,080
70728	C.difficile toxin A&B PCR	Stool	누591나	D591205C	520.33	46,930	46,930	47,920	47,920
70724	C.difficile toxin A,B	Stool	누590다	D5903003	105.29	9,500	9,500	9,700	9,700
20010	C1 inactivator	SST Serum	누750	D7500003	234.84	21,180	21,180	21,630	21,630
20040	C3	SST Serum	누747가	D7471013	71.47	6,450	6,450	6,580	6,580
20070	C4	SST Serum	누747가	D7471023	71.47	6,450	6,450	6,580	6,580
10076	Ca/Cr ratio(Urine)	Random Urin	누280외	D2800053외	-	3,260	3,260	3,330	3,330
10090	Ca++	SST Serum	누281	D2810023	63.75	5,750	5,750	5,870	5,870
10091	Ca++	Hp Plasma	누281	D2810023	63.75	5,750	5,750	5,870	5,870
01495	CA125 (ECLIA)	SST Serum	누431	D4311003	160.71	14,500	14,500	14,800	14,800
01455	CA15-3 (ECLIA)	SST Serum	누434	D4340003	167.29	15,090	15,090	15,410	15,410
01465	CA19-9 (ECLIA)	SST Serum	누435	D4350003	170.46	15,380	15,380	15,700	15,700
01466	CA19-9 (ECLIA)	Body Fluid	누435	D4350003	170.46	15,380	15,380	15,700	15,700
01482	CA72-4 (ECLIA)	SST Serum	누436	D4360003	172.23	15,540	15,540	15,860	15,860
26860	CACNA1A gene mutation	EDTA Blood	나580다(5)	C581015C	11030.45	994,950	994,950	1,015,900	1,015,900
28180	CACNA1S gene mutation	EDTA Blood	나580다(1)	C580602C	1992.83	179,750	179,750	183,540	183,540
26790	CADASIL (NOTCH3)	EDTA Blood	나580다(3)	C580862C	4637.14	418,270	418,270	427,080	427,080
12697	Cadmium (Cd)(특검)	Random Urin	누550나(1)	D5511043	325.17	29,330	29,330	29,950	29,950
12698	Cadmium (Cd)(특검)	Trace EDTA B	누550나(1)	D5511043	325.17	29,330	29,330	29,950	29,950
12692	Cadmium(Cd)	Trace EDTA B	누550나(1)	D5511043	325.17	29,330	29,330	29,950	29,950
12693	Cadmium(Cd)	24hr Urine	누550나(1)	D5511043	325.17	29,330	29,330	29,950	29,950
12694	Cadmium(Cd)	Random Urin	누550나(1)	D5511043	325.17	29,330	29,330	29,950	29,950
01919	Calcitonin	SST Serum	누424	D4240003	150.6	13,580	13,580	13,870	13,870
10070	Calcium (Ca)	SST Serum	누280	D2800053	17.95	1,620	1,620	1,650	1,650
10072	Calcium (Ca)	Random Urin	누280	D2800053	17.95	1,620	1,620	1,650	1,650
10071	Calcium (Ca)(24hr U)	24hr Urine	누280	D2800053	17.95	1,620	1,620	1,650	1,650
10077	Calcium excretion	복수검체	누280외	D2800053외	-	4,900	4,900	5,010	5,010
13227	Calprotectin	Stool	누013나	D0133003	246.95	22,270	22,270	22,740	22,740
27774	CALR(Calreticulin) Gene mutatio	EDTA Blood	나583다(6)	C583802C	2980.79	268,870	268,870	274,530	274,530
71050	Campylobacter Culture	Stool	누582	D582106C	418.25	37,730	37,730	38,520	38,520
42696	Candida albicans PCR	분비물	누623가	D623103C	389.36	35,120	35,120	35,860	35,860
25685	CAPN3 gene mutation	EDTA Blood	나580다(4)	C580927C	7255.9	654,480	654,480	668,270	668,270
65200	Carbamazepine	SST Serum	누532나(2)	D5333083	188.13	16,970	16,970	17,330	17,330
27439	Carbapenemase PCR (Panel)	균주	누591다	D591303C외	-	205,120	205,120	209,440	209,440
27438	Carbapenemase(CRE) PCR	균주	누685가	D685102C	793.36	71,560	71,560	73,070	73,070
20440	Carboxy Hemoglobin	EDTA Blood	누530	D5300033	46.83	4,220	4,220	4,310	4,310
20443	Carboxy Hemoglobin(특검)	EDTA Blood	누530	D5300033	46.83	4,220	4,220	4,310	4,310
11010	Cardiac Risk Factor	SST Serum	누261가	D2611003외	-	7,800	7,800	7,960	7,960
11265	Carnitine 2분획	SST Serum	누490다	D4904123	495.67	44,710	44,710	45,650	45,650
02043	Catecholamine 2F	EDTA Plasma	누351라외	D351408C외	-	80,680	80,680	82,380	82,380
02045	Catecholamine 2F	24hr Urine	누351라외	D351408C외	-	80,680	80,680	82,380	82,380
02053	Catecholamine 3F	EDTA Plasma	누351라외	D351408C외	-	121,020	121,020	123,570	123,570
02056	Catecholamine 3F	24hr Urine	누351라외	D351408C외	-	121,020	121,020	123,570	123,570
26666	CBFB-MYH11-inv(16) RQ-PCR	EDTA Blood	나583나(1)	C583118C	1352.44	121,990	121,990	124,560	124,560

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
26009	CD103	EDTA Blood	누081나	D081200C	486.76	43,910	43,910	44,830	44,830
26202	CD117	EDTA Blood	누081나	D081200C	486.76	43,910	43,910	44,830	44,830
81330	CD117(c-kit) (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
81584	CD138 (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
25951	CD138	EDTA Blood	누081나	D081200C	486.76	43,910	43,910	44,830	44,830
13299	CD16+56 (NK cell)	EDTA Blood	누081나	D081200C	486.76	43,910	43,910	44,830	44,830
25945	CD19 (B-cell)	EDTA Blood	누081나	D081200C	486.76	43,910	43,910	44,830	44,830
26137	CD19+CD20	2834	누081나	D081200C외	-	87,820	87,820	89,660	89,660
26000	CD20	EDTA Blood	누081나	D081200C	486.76	43,910	43,910	44,830	44,830
81336	CD20 (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
26008	CD25	EDTA Blood	누081나	D081200C	486.76	43,910	43,910	44,830	44,830
81335	CD3 (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
25928	CD3 (T3)	EDTA Blood	누081나	D081200C	486.76	43,910	43,910	44,830	44,830
81351	CD30 (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
26026	CD34	EDTA Blood	누081나	D081200C	486.76	43,910	43,910	44,830	44,830
81352	CD34 (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
25933	CD4 (T helper)	EDTA Blood	누081나	D081200C	486.76	43,910	43,910	44,830	44,830
26031	CD40/CD154(CD40L) Profile	EDTA Blood	누081외	D081200C외	-	175,640	175,640	179,320	179,320
81326	CD56 (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
25964	CD8 (T suppressor)	EDTA Blood	누081나	D081200C	486.76	43,910	43,910	44,830	44,830
20741	CDT	SST Serum	누477가	CZ112003	170.37	15,370	15,370	15,690	15,690
01535	CEA (ECLIA)	SST Serum	누429	D4290003	133.83	12,070	12,070	12,330	12,330
01536	CEA (ECLIA)	Body Fluid	누429	D4290003	133.83	12,070	12,070	12,330	12,330
29265	CEBPA gene mutation	EDTA Blood	나583다(5)	C583701C	2378.97	214,580	214,580	219,100	219,100
80762	Cell block after 액상흡인세포검사	Thyroid	나562나외	C5626008외	-	45,540	45,540	46,500	46,500
82150	Cell block after 체액세포병리검사	Other	나562	C5622008외	-	21,440	21,440	21,900	21,900
80049	Cell block after 흡인세포병리검사	Thyroid	나562가외	C5623008외	-	27,660	27,660	28,240	28,240
20160	Ceruloplasmin	SST Serum	누470	D4700013	79.73	7,190	7,190	7,340	7,340
20161	Ceruloplasmin	Hp Plasma	누470	D4700013	79.73	7,190	7,190	7,340	7,340
25632	CFH gene mutation	EDTA Blood	나580다(4)	C580906C	7255.9	654,480	654,480	668,270	668,270
27740	CFTR Gene mutation	EDTA Blood	나580다(4)	C580907C	7255.9	654,480	654,480	668,270	668,270
51640	CH50	SST Serum	누740	D7400003	126.11	11,380	11,380	11,610	11,610
25386	CHD7 gene mutation	EDTA Blood	나580다(5)	C581002C	11030.45	994,950	994,950	1,015,900	1,015,900
71271	Chlamydia culture	Other	누582	D582101C	418.25	37,730	37,730	38,520	38,520
50560	Chlamydia pneumoniae IgG	SST Serum	누587나(2)	D587301C	171.92	15,510	15,510	15,830	15,830
50570	Chlamydia pneumoniae IgM	SST Serum	누587나(3)	D587401C	171.36	15,460	15,460	15,780	15,780
42340	Chlamydia pneumoniae PCR	Other	누591가	D591103C	389.36	35,120	35,120	35,860	35,860
50630	Chlamydia trachomatis IgG	SST Serum	누587나(2)	D587303C	171.92	15,510	15,510	15,830	15,830
50640	Chlamydia trachomatis IgM	SST Serum	누587나(3)	D587403C	171.36	15,460	15,460	15,780	15,780
42330	Chlamydia trachomatis PCR	분비물	누591가	D591104C	389.36	35,120	35,120	35,860	35,860
10100	Chloride(Cl)	SST Serum	누280	D2800033	17.95	1,620	1,620	1,650	1,650
10102	Chloride(Cl)	Random Urin	누280	D2800033	17.95	1,620	1,620	1,650	1,650
10101	Chloride(Cl)(24hr U)	24hr Urine	누280	D2800033	17.95	1,620	1,620	1,650	1,650
10280	Cholinesterase(Pseudo)	SST Serum	누251가	D2510093	30.77	2,780	2,780	2,830	2,830
10290	Cholinesterase(RBC activity)	EDTA Blood	누251가	D2510093	30.77	2,780	2,780	2,830	2,830
12700	Chromium(Cr)	Trace EDTA B	누550나(1)	D5511063	325.17	29,330	29,330	29,950	29,950
12701	Chromium(Cr)	24hr Urine	누550나(1)	D5511063	325.17	29,330	29,330	29,950	29,950
12702	Chromium(Cr)	Random Urin	누550나(1)	D5511063	325.17	29,330	29,330	29,950	29,950
81325	Chromogranin (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
25102	Chromosome Analysis(BM)	Bone Marrow	나600나(1)	C600500C	2185.2	197,110	197,110	201,260	201,260
25110	Chromosome analysis(Leukemia)	Hp Blood	나600나(1)	C600500C	2185.2	197,110	197,110	201,260	201,260
25100	Chromosome Analysis(PB)	Hp Blood	나600가(1)(가)	C600100C	1701.17	153,450	153,450	156,680	156,680
26142	Chronic Leukemia Panel	Bone Marrow	누081나외	D081200C외	-	723,070	723,070	738,230	738,230
51701	CIC C1q	SST Serum	누806	D8060013	133.28	12,020	12,020	12,280	12,280
10520	Citrate	24hr Urine	누515가	D5151023	184.02	16,600	16,600	16,950	16,950
20580	CK Isoenzyme	SST Serum	누254나	D254203C	177.13	15,980	15,980	16,310	16,310

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
20581	CK Isoenzyme	Body Fluid	누254나	D254203C	177.13	15,980	15,980	16,310	16,310
10300	CK(Creatine kinase)	SST Serum	누251가	D2510013	30.77	2,780	2,780	2,830	2,830
10301	CK(Creatine kinase)	Body Fluid	누251가	D2510013	30.77	2,780	2,780	2,830	2,830
81304	CK5/6 (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
10316	CK-BB	SST Serum	누254나	D254203C	177.13	15,980	15,980	16,310	16,310
29268	C-KIT Exon9,11,13,17	Tissue	나583다(4)	C583602F	2176.42	196,310	196,310	200,450	200,450
29253	c-kit gene mutation (exon4)	Block	나583다(4)	C583602F	2176.42	196,310	196,310	200,450	200,450
29255	c-kit mutation	EDTA Blood	나583다(4)	C583602C	2138.24	192,870	192,870	196,930	196,930
29259	c-kit mutation	EDTA Blood	나583다(4)	C583602C	2138.24	192,870	192,870	196,930	196,930
29263	c-kit mutation	Bone Marrow	나583다(4)	C583602C	2138.24	192,870	192,870	196,930	196,930
29262	c-kit mutation	EDTA Blood	나583다(4)	C583602C	2138.24	192,870	192,870	196,930	196,930
29258	c-kit mutation (exon4)	Block	나583다(4)	C583602F	2176.42	196,310	196,310	200,450	200,450
10310	CK-MB 정량	SST Serum	누404	D4040003	86.66	7,820	7,820	7,980	7,980
10315	CK-MM	SST Serum	누254나	D254203C	177.13	15,980	15,980	16,310	16,310
26737	CLAH;STAR gene mutation	EDTA Blood	나580다(2)	C580758C	3166.78	285,640	285,640	291,660	291,660
65225	Clobazam	Plain Serum	누532다(4)	D534910C	571.84	51,580	51,580	52,670	52,670
65221	Clonazepam	Plain Serum	누532다(4)	D534920C	571.84	51,580	51,580	52,670	52,670
50849	Clonorchis IgG(BF)	Body Fluid	누641나(1)	D264202C	225.14	20,310	20,310	20,740	20,740
50845	Clonorchis IgG(S)	SST Serum	누641나(1)	D264202C	225.14	20,310	20,310	20,740	20,740
65770	Clozapine	Plain Serum	누532다(4)	D534921C	571.84	51,580	51,580	52,670	52,670
26826	CMT2A MFN2 유전자검사	EDTA Blood	나580다(3)	C580818C	4637.14	418,270	418,270	427,080	427,080
42135	CMV culture	Other	누652가	D652100C	578.61	52,190	52,190	53,290	53,290
42136	CMV culture (조직)	Tissue	누652가	D652100C	578.61	52,190	52,190	53,290	53,290
42350	CMV DNA(PCR)	EDTA Blood	누658나	D658206C	520.33	46,930	46,930	47,920	47,920
40305	CMV IgG	SST Serum	누654나(1)	D654220C	199.61	18,000	18,000	18,380	18,380
40306	CMV IgG	CSF	누654나(1)	D654220C	199.61	18,000	18,000	18,380	18,380
40315	CMV IgM	SST Serum	누654나(2)	D654320C	179.14	16,160	16,160	16,500	16,500
40316	CMV IgM	CSF	누654나(2)	D654320C	179.14	16,160	16,160	16,500	16,500
28340	CMV PCR	Tissue	누658가	D658108F	396.31	35,750	35,750	36,500	36,500
40273	CMV 약제내성 돌연변이	EDTA Blood	누660가	D660101C	1899.6	171,340	171,340	174,950	174,950
42356	CMV 정량 (Real-time PCR)	EDTA Blood	누658마	D658503C	792.13	71,450	71,450	72,960	72,960
10110	CO2,Total	SST Serum	누283	D2830003	43.46	3,920	3,920	4,000	4,000
12714	Cobalt(Co)	24hr Urine	누550나(1)	D5511053	325.17	29,330	29,330	29,950	29,950
12715	Cobalt(Co)	Trace EDTA B	누550나(1)	D5511053	325.17	29,330	29,330	29,950	29,950
12716	Cobalt(Co)	Random Urin	누550나(1)	D5511053	325.17	29,330	29,330	29,950	29,950
29501	COL1A1 gene mutation	EDTA Blood	나580다(5)	C581003C	11030.45	994,950	994,950	1,015,900	1,015,900
29502	COL1A2 gene mutation	EDTA Blood	나580다(5)	C581004C	11030.45	994,950	994,950	1,015,900	1,015,900
29507	COL2A1 gene mutation analysis	EDTA Blood	나580다(5)	C581005C	11030.45	994,950	994,950	1,015,900	1,015,900
29505	COL3A1 gene mutation	EDTA Blood	나580다(5)	C581006C	11030.45	994,950	994,950	1,015,900	1,015,900
50710	Cold Agglutinin	SST Serum	누159	D159000C	72.16	6,510	6,510	6,650	6,650
30000	Complete Blood Count 8종	EDTA Blood	누000나외	D0002013외	-	5,100	5,100	5,200	5,200
80795	Congo red	Tissue	나563외	C5630008외	-	30,180	30,180	30,810	30,810
20506	Co-oximeter	EDTA Blood	누531	D5310003	134.77	12,160	12,160	12,410	12,410
12722	Copper(Cu)	Tissue	누550나(1)추	D5512073	635.11	57,290	57,290	58,490	58,490
12725	Copper(Cu)	Trace Serum	누550나(1)	D5511073	325.17	29,330	29,330	29,950	29,950
12726	Copper(Cu)	24hr Urine	누550나(1)	D5511073	325.17	29,330	29,330	29,950	29,950
11750	Coproporphyrin 정량	24hr Urine	누516가(2)	D5162003	57.07	5,150	5,150	5,260	5,260
11740	Coproporphyrin 정성	Random Urin	누516가(1)	D5161003	13.62	1,230	1,230	1,250	1,250
29171	Corneal dystrophy, TGFBI	Other	나580다(1)	C580633C	1992.83	179,750	179,750	183,540	183,540
10075	Corrected Ca	SST Serum	누188외	D1880003외	-	3,170	3,170	3,240	3,240
00707	Cortisol	SST Serum	누350나	D3502143	150.97	13,620	13,620	13,900	13,900
00964	C-peptide	NaF Plasma	누305	D3050013	125.74	11,340	11,340	11,580	11,580
00965	C-peptide	SST Serum	누305	D3050013	125.74	11,340	11,340	11,580	11,580
00966	C-peptide	24hr Urine	누305	D3050013	125.74	11,340	11,340	11,580	11,580
70140	CRE Cul.&Sensi.(Disk)	Stool	누581마(1)	D5851003	199.45	17,990	17,990	18,370	18,370
70131	CRE Cul.&Sensi.(MIC)	Stool	누581마(2)	D5854003	210.7	19,010	19,010	19,410	19,410

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
10900	Crea.Clearance Test	복수검체	누232가	D2321003	38.91	3,510	3,510	3,580	3,580
10882	Creatinine	Random Urin	누228가	D2280003	18.22	1,640	1,640	1,680	1,680
10883	Creatinine	SST Serum	누228가	D2280003	18.22	1,640	1,640	1,680	1,680
10881	Creatinine(24hr U)	24hr Urine	누228가	D2280003	18.22	1,640	1,640	1,680	1,680
50720	CRP	SST Serum	누011가(1)	D0111003	20.51	1,850	1,850	1,890	1,890
50721	CRP	CSF	누011가(1)	D0111003	20.51	1,850	1,850	1,890	1,890
50732	CRP 정량	SST Serum	누011나	D0113003	76.79	6,930	6,930	7,070	7,070
50733	CRP 정량	CSF	누011나	D0113003	76.79	6,930	6,930	7,070	7,070
50736	CRP 정량(HS-CRP)	SST Serum	누011나	D0113003	76.79	6,930	6,930	7,070	7,070
20170	Cryoglobulin 형성	SST Serum	누783가	D7831003	32.77	2,960	2,960	3,020	3,020
50740	Cryptococcus Ag	SST Serum	누581다	D5830023	93.69	8,450	8,450	8,630	8,630
50741	Cryptococcus Ag	CSF	누581다	D5830023	93.69	8,450	8,450	8,630	8,630
25602	CSF3R gene mutation	EDTA Blood	나583다(4)	C583603C	2138.24	192,870	192,870	196,930	196,930
13010	CTx	SST Serum	누501	D5010013	151.31	13,650	13,650	13,940	13,940
70110	Culture	Other	누581나	D5820003	171.31	15,450	15,450	15,780	15,780
70253	Culture&sensi(DISK)	Other	누581마(1)	D5851003	199.45	17,990	17,990	18,370	18,370
70261	Culture&sensi(MIC)	Other	누581마(2)	D5854003	210.7	19,010	19,010	19,410	19,410
29564	CYBB gene mutation	EDTA Blood	나580다(3)	C580804C	4637.14	418,270	418,270	427,080	427,080
65550	Cyclosporin	EDTA Blood	누532나(2)주2	D5335117	181.47	16,370	16,370	16,710	16,710
65551	Cyclosporin (LC-MS/MS)	EDTA Blood	누532다(4)	D534923C	571.84	51,580	51,580	52,670	52,670
00066	Cyclosporine	EDTA Blood	누532나(2)	D5333113	188.13	16,970	16,970	17,330	17,330
01546	CYFRA 21-1	SST Serum	누448	D4480003	254	22,910	22,910	23,390	23,390
26968	CYP17A1 gene	EDTA Blood	나580다(2)	C580740C	3166.78	285,640	285,640	291,660	291,660
25638	CYP17A1 gene, mutation	EDTA Blood	나580다(2)	C580740C	3166.78	285,640	285,640	291,660	291,660
28151	CYP21A2 gene mutation	EDTA Blood	나580다(2)	C580741C	3166.78	285,640	285,640	291,660	291,660
28152	CYP21A2 gene mutation	EDTA Blood	나580다(2)	C580741C	3166.78	285,640	285,640	291,660	291,660
27790	CYP2C19 major polymorphism	EDTA Blood	나580다(1)	C580617C	1992.83	179,750	179,750	183,540	183,540
27511	CYP2C9 Major polymorphism	EDTA Blood	나580다(1)	C580616C	1992.83	179,750	179,750	183,540	183,540
12980	Cystatin C	SST Serum	누233	D2330003	68.44	6,170	6,170	6,300	6,300
50846	Cysticercus IgG(BF)	Body Fluid	누641나(1)	D264203C	225.14	20,310	20,310	20,740	20,740
50851	Cysticercus IgG(CSF)	CSF	누641나(1)	D264203C	225.14	20,310	20,310	20,740	20,740
50842	Cysticercus IgG(S)	SST Serum	누641나(1)	D264203C	225.14	20,310	20,310	20,740	20,740
30680	D-dimer 정량	SC Plasma	누107다	D1073003	124.94	11,270	11,270	11,510	11,510
12381	Deoxypyridinoline(DPD)	Random Urin	누501	D5010033	151.31	13,650	13,650	13,940	13,940
81334	Desmin (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
27615	DHCR7 gene mutation	EDTA Blood	나580다(2)	C580706C	3166.78	285,640	285,640	291,660	291,660
00746	DHEA-S (ECLIA)	SST Serum	누350나	D3502103	150.97	13,620	13,620	13,900	13,900
65235	Diazepam (LC-MS/MS)	Plain Serum	누532다(4)	D534925C	571.84	51,580	51,580	52,670	52,670
30020	Differential Count	EDTA Blood	누001다	D0013003	24.87	2,240	2,240	2,290	2,290
65051	Digoxin	SST Serum	누532나(2)	D5333153	188.13	16,970	16,970	17,330	17,330
10050	Direct Bilirubin	SST Serum	누182가	D1820003	13.08	1,180	1,180	1,200	1,200
10051	Direct Bilirubin	Capillary	누182가	D1820003	13.08	1,180	1,180	1,200	1,200
30320	Direct Coombs	EDTA Blood	누154가	D154105C	61.11	5,510	5,510	5,630	5,630
31070	Direct Coombs Anti C3d,IgG	EDTA Blood	누154가	D154103C외	-	11,020	11,020	11,260	11,260
26851	DMD gene mutation	EDTA Blood	나580다(5)	C581008C	11030.45	994,950	994,950	1,015,900	1,015,900
25394	DMD gene mutation (sequencing)	EDTA Blood	나580다(5)	C581008C	11030.45	994,950	994,950	1,015,900	1,015,900
25390	DMD/BMD	EDTA Blood	나580가	C580002C	724.4	65,340	65,340	66,720	66,720
25680	DMPK gene mutation	EDTA Blood	나580나(2)(나)	C580311C	1274.65	114,970	114,970	117,400	117,400
81355	DOG-1 (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
82101	D-PAS stain	Tissue	나563	C5630008	196.47	17,720	17,720	18,090	18,090
27480	DRPLA gene	EDTA Blood	나580나(2)(나)	C580302C	1274.65	114,970	114,970	117,400	117,400
26840	DRPLA gene mutation	EDTA Blood	나580나(2)(나)	C580302C	1274.65	114,970	114,970	117,400	117,400
26841	DRPLA gene mutation	EDTA Blood	나580나(2)(나)	C580302C	1274.65	114,970	114,970	117,400	117,400
65571	Drug profiling test	Random Urin	누532외	D5345313외	-	135,000	135,000	137,850	137,850
30410	Du (Weak D) Test	EDTA Blood	누151라	D1514003	49.4	4,460	4,460	4,550	4,550
25683	DYSF gene mutation	EDTA Blood	나580다(5)	C581009C	11030.45	994,950	994,950	1,015,900	1,015,900

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
29060	DYT1 (Dystonia I, torsion)	EDTA Blood	나580나(2)(가)	C580215C	512.75	46,250	46,250	47,220	47,220
71220	E.coli O157 Cul.&Sensi. (Disk)	Stool	누581마(1)	D5851003	199.45	17,990	17,990	18,370	18,370
29350	E2A/PBX1 (TCF3/PBX1) 유전자 재	EDTA Blood	나583나(1)	C583111C	1352.44	121,990	121,990	124,560	124,560
81301	EBV (In situ)	Tissue	누659가	D659102F	1106.75	99,830	99,830	101,930	101,930
42875	EBV EA-DR IgG	SST Serum	누654나(1)	D654206C	199.61	18,000	18,000	18,380	18,380
42876	EBV EA-DR IgG	CSF	누654나(1)	D654206C	199.61	18,000	18,000	18,380	18,380
42895	EBV EA-DR IgM	SST Serum	누654나(2)	D654306C	179.14	16,160	16,160	16,500	16,500
42896	EBV EA-DR IgM	CSF	누654나(2)	D654306C	179.14	16,160	16,160	16,500	16,500
42900	EBV EBNA IgG	SST Serum	누654나(1)	D654207C	199.61	18,000	18,000	18,380	18,380
42902	EBV EBNA IgG	CSF	누654나(1)	D654207C	199.61	18,000	18,000	18,380	18,380
42910	EBV EBNA IgM	SST Serum	누654나(2)	D654307C	179.14	16,160	16,160	16,500	16,500
42911	EBV EBNA IgM	EDTA Plasma	누654나(2)	D654307C	179.14	16,160	16,160	16,500	16,500
42912	EBV EBNA IgM	CSF	누654나(2)	D654307C	179.14	16,160	16,160	16,500	16,500
42920	EBV PCR	EDTA Blood	누658가	D658103C	389.36	35,120	35,120	35,860	35,860
28341	EBV PCR	Tissue	누658가	D658103F	396.31	35,750	35,750	36,500	36,500
40835	EBV VCA IgG	SST Serum	누654나(1)	D654208C	199.61	18,000	18,000	18,380	18,380
40836	EBV VCA IgG	CSF	누654나(1)	D654208C	199.61	18,000	18,000	18,380	18,380
40845	EBV VCA IgM	SST Serum	누654나(2)	D654308C	179.14	16,160	16,160	16,500	16,500
40846	EBV VCA IgM	CSF	누654나(2)	D654308C	179.14	16,160	16,160	16,500	16,500
42935	EBV 정량 (Real-time PCR)	EDTA Blood	누658마	D658502C	792.13	71,450	71,450	72,960	72,960
81329	E-cadherin (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
52599	Echinococcus granulosus(포충)	SST Serum	누641나(1)	D264204C	225.14	20,310	20,310	20,740	20,740
25384	EDA gene mutation	EDTA Blood	나580다(2)	C580745C	3166.78	285,640	285,640	291,660	291,660
81323	EGFR (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
27405	EGFR Exon18,19,20,21	Tissue	나583다(4)	C583601F	2176.42	196,310	196,310	200,450	200,450
27664	EGFR gene mutation	Tissue	나583다(4)	C583601C	2138.24	192,870	192,870	196,930	196,930
27645	EGFR gene mutation (Real-time)	EDTA Plasma	나583나(1)	C583119C	1352.44	121,990	121,990	124,560	124,560
27658	EGFR 유전자돌연변이	Tissue	나583나(1)	C583119F	1376.6	124,170	124,170	126,780	126,780
70980	Egg count, EPG	Stool	누640아	D6408003	39.5	3,560	3,560	3,640	3,640
70741	EHEC PCR	Stool	누591가	D591115C	389.36	35,120	35,120	35,860	35,860
29571	ELA2 gene mutation	EDTA Blood	나580다(1)	C580603C	1992.83	179,750	179,750	183,540	183,540
27170	ELA2 gene test	EDTA Blood	나580다(1)	C580603C	1992.83	179,750	179,750	183,540	183,540
29570	ELANE gene, mutation (ELA2, ne	EDTA Blood	나580다(1)	C580603C	1992.83	179,750	179,750	183,540	183,540
81353	EMA (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
29600	ENG gene mutation	EDTA Blood	나580다(3)	C580805C	4637.14	418,270	418,270	427,080	427,080
42142	Enterovirus culture	Other	누652가	D652100C	578.61	52,190	52,190	53,290	53,290
42370	Enterovirus PCR	CSF	누658다	D658304C	628.86	56,720	56,720	57,920	57,920
30030	Eosinophil Count	EDTA Blood	누002나	D0022003	12.53	1,130	1,130	1,150	1,150
30031	Eosinophil Count	Smear Slide	누032마	D0325003	23.36	2,110	2,110	2,150	2,150
25755	Eosinophilia panel A	Bone Marrow	나583라외	C584126C외	-	870,040	870,040	888,400	888,400
25756	Eosinophilia panel B	Bone Marrow	나583라외	C584126C외	-	652,530	652,530	666,300	666,300
27616	EPOR gene mutation	EDTA Blood	나580다(2)	C580746C	3166.78	285,640	285,640	291,660	291,660
01250	Erythropoietin(EPO)	SST Serum	누057	D0570013	210.09	18,950	18,950	19,350	19,350
01251	Erythropoietin(EPO)	Hp Plasma	누057	D0570013	210.09	18,950	18,950	19,350	19,350
30040	ESR	EDTA Blood	누010	D0100013	11.16	1,010	1,010	1,030	1,030
00433	Estradiol (E2) (ECLIA)	SST Serum	누371	D3710023	141.67	12,780	12,780	13,050	13,050
00450	Estrogen	SST Serum	누371주	D3711037	162.88	14,690	14,690	15,000	15,000
81318	Estrogen Receptor (ER)(IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
26660	ETV6/RUNX1 (TEL/AML1) rearran	EDTA Blood	나583나(1)	C583103C	1352.44	121,990	121,990	124,560	124,560
65725	Everolimus	EDTA Blood	누532다(4)	D534932C	571.84	51,580	51,580	52,670	52,670
29100	EWS-FLI1/ERG rearrangement	Block	나583나(1)	C583104F	1376.6	124,170	124,170	126,780	126,780
31130	F11 gene, mutation (factor 11 de	EDTA Blood	나580다(3)	C580842C	4637.14	418,270	418,270	427,080	427,080
26978	F12 gene, mutation(factor 12 de	EDTA Blood	나580다(3)	C580878C	4637.14	418,270	418,270	427,080	427,080
31141	F7 gene, mutation (factor VII def	EDTA Blood	나580다(2)	C580707C	3166.78	285,640	285,640	291,660	291,660
31150	F8 gene, mutation (factor VIII de	EDTA Blood	나580다(4)	C580928C	7255.9	654,480	654,480	668,270	668,270
31140	F9 gene, mutation (hemophilia B	EDTA Blood	나580다(2)	C580708C	3166.78	285,640	285,640	291,660	291,660

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
30650	Factor 5 Leiden(FV:Q506)	EDTA Blood	나580나(2)(가)	C580203C	512.75	46,250	46,250	47,220	47,220
30480	Factor Ab VIII	SC Plasma	누104	D104001C	173.06	15,610	15,610	15,940	15,940
30490	Factor Ab IX	SC Plasma	누104	D104002C	173.06	15,610	15,610	15,940	15,940
30570	Factor Assay VII	SC Plasma	누113가	D113103C	142.21	12,830	12,830	13,100	13,100
30580	Factor Assay VIII	SC Plasma	누113가	D113104C	142.21	12,830	12,830	13,100	13,100
30590	Factor Assay IX	SC Plasma	누113가	D113105C	142.21	12,830	12,830	13,100	13,100
30520	Factor Assay II	SC Plasma	누113가	D113101C	142.21	12,830	12,830	13,100	13,100
30550	Factor Assay V	SC Plasma	누113가	D113102C	142.21	12,830	12,830	13,100	13,100
30600	Factor Assay X	SC Plasma	누113가	D113106C	142.21	12,830	12,830	13,100	13,100
30620	Factor Assay X II	SC Plasma	누113가	D113108C	142.21	12,830	12,830	13,100	13,100
30611	Factor XI (functional)	SC Plasma	누113가	D113107C	142.21	12,830	12,830	13,100	13,100
30621	Factor X III screen	SC Plasma	누113가	D113109C	142.21	12,830	12,830	13,100	13,100
25607	FAH gene mutation	EDTA Blood	나580다(3)	C580806C	4637.14	418,270	418,270	427,080	427,080
25337	Familial mutation	EDTA Blood	나580다주	C580500C	1992.83	179,750	179,750	183,540	183,540
27810	Fanconi Anemia Study	복수검체	나600가	CY69200C외	-	368,600	368,600	376,360	376,360
27811	Fanconi Anemia Study	Hp Blood	나600가(2)(나)	CY69200C	2385.21	215,150	215,150	219,680	219,680
52585	Fasciola hepatica(간질)	SST Serum	누641나(1)	D264205C	225.14	20,310	20,310	20,740	20,740
12940	Fat 조성 검사	Stool	누031나	D0312003	18.69	1,690	1,690	1,720	1,720
30890	FDP 정량	SC Plasma	누108다	D1083003	112.01	10,100	10,100	10,320	10,320
01585	Ferritin (ECLIA)	SST Serum	누052나	D0522013	103.21	9,310	9,310	9,510	9,510
27558	FGFR1 gene mutation	EDTA Blood	나580다(3)	C580807C	4637.14	418,270	418,270	427,080	427,080
27557	FGFR1 sequencing	EDTA Blood	나580다(3)	C580807C	4637.14	418,270	418,270	427,080	427,080
27555	FGFR2	EDTA Blood	나580다(3)	C580808C	4637.14	418,270	418,270	427,080	427,080
27554	FGFR2 gene mutation	EDTA Blood	나580다(3)	C580808C	4637.14	418,270	418,270	427,080	427,080
27551	FGFR3 gene mutation (hypocho	EDTA Blood	나580다(3)	C580843C	4637.14	418,270	418,270	427,080	427,080
27550	FGFR3 gene, Common mutation	EDTA Blood	나580다(1)	C580618C	1992.83	179,750	179,750	183,540	183,540
30640	Fibrinogen	SC Plasma	누100마	D1005003	32.83	2,960	2,960	3,020	3,020
70770	Filariae	Blood Smear	누640자	D640900C	60.17	5,430	5,430	5,540	5,540
27742	FISH, 19q	Tissue	나583라(3)외	C584113F외	-	320,720	320,720	327,470	327,470
27741	FISH, 1p	Tissue	나583라(3)외	C584108F외	-	320,720	320,720	327,470	327,470
27749	FISH_1p/19q deletion	Tissue	나583라외	C584108F외	-	641,440	641,440	654,940	654,940
27901	FISH_1p32/1q21	Bone Marrow	나583라(3)	C584109C	2411.47	217,510	217,510	222,100	222,100
28250	FISH_1p36 deletion	Block	나583라(3)	C584108F	2454.53	221,400	221,400	226,060	226,060
26531	FISH_20q12	Bone Marrow	나583라(3)	C584114C	2411.47	217,510	217,510	222,100	222,100
27911	FISH_5q31	Bone Marrow	나583라(3)	C584110C	2411.47	217,510	217,510	222,100	222,100
27921	FISH_7q22/7q31	Bone Marrow	나583라(3)	C584111C	2411.47	217,510	217,510	222,100	222,100
28045	FISH_ALK Gene	Tissue	나583외	C584101C외	-	315,090	315,090	321,730	321,730
28040	FISH_ALK gene rearrangement	Hp Blood	나583라(3)	C584101C	2411.47	217,510	217,510	222,100	222,100
28044	FISH_ALK t(2;5)	Tissue	나583라외	C584101F외	-	320,720	320,720	327,470	327,470
28023	FISH_AML Panel	Bone Marrow	나583외	C584105C외	-	870,040	870,040	888,400	888,400
28036	FISH_AML Panel	Bone Marrow	나583라외	C584105C외	-	870,040	870,040	888,400	888,400
28028	FISH_AMLL panel	Bone Marrow	나583외	C584104C외	-	435,020	435,020	444,200	444,200
28291	FISH_ATM Gene	Bone Marrow	나583라(3)	C584103C	2411.47	217,510	217,510	222,100	222,100
26151	FISH_BCR/ABL1 Fusion Gene	Bone Marrow	나583라(3)	C584104C	2411.47	217,510	217,510	222,100	222,100
26481	FISH_CBFB/MYH11 Fusion Gene	Bone Marrow	나583라(3)	C584105C	2411.47	217,510	217,510	222,100	222,100
26571	FISH_CCND1	Block	나583라외	C584120F외	-	320,720	320,720	327,470	327,470
28301	FISH_Centromere 12	Bone Marrow	나583라(3)	C584107C	2411.47	217,510	217,510	222,100	222,100
27951	FISH_Centromere 8	Bone Marrow	나583라(3)	C584106C	2411.47	217,510	217,510	222,100	222,100
28027	FISH_CLL Panel	Bone Marrow	나583외	C584112C외	-	1,087,550	1,087,550	1,110,500	1,110,500
26540	FISH_D7S522, 7q31	Hp Blood	나583라(3)	C584111C	2411.47	217,510	217,510	222,100	222,100
26466	FISH_del(13q14.3)	Bone Marrow	나583라(3)	C584112C	2411.47	217,510	217,510	222,100	222,100
28031	FISH_ETV6/RUNX1 (TEL/AML1) F	Bone Marrow	나583라(3)	C584115C	2411.47	217,510	217,510	222,100	222,100
26652	FISH_FGFR1	Bone Marrow	나583라(3)	C584116C	2411.47	217,510	217,510	222,100	222,100
27751	FISH_FIP1L1/PDGFR(4q12)	Bone Marrow	나583라(3)	C584117C	2411.47	217,510	217,510	222,100	222,100
26581	FISH_FIP1L1/PDGFR Fusion Ger	Bone Marrow	나583라(3)	C584117C	2411.47	217,510	217,510	222,100	222,100
27761	FISH_FL,t(14;18)	Tissue	나583라외	C584119F외	-	320,720	320,720	327,470	327,470

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
26184	FISH_Her2/neu	Other	나583라외	C584102F외	-	320,720	320,720	327,470	327,470
26563	FISH_IGH Gene	Bone Marrow	나583라(3)	C584118C	2411.47	217,510	217,510	222,100	222,100
26654	FISH_IGH/BCL2	Bone Marrow	나583라(3)	C584119C	2411.47	217,510	217,510	222,100	222,100
26572	FISH_IGH/CCND1 Fusion Gene	Bone Marrow	나583라(3)	C584120C	2411.47	217,510	217,510	222,100	222,100
27991	FISH_IGH/FGFR3 Fusion Gene	Bone Marrow	나583라(3)	C584121C	2411.47	217,510	217,510	222,100	222,100
28005	FISH_IGH/MAF Fusion Gene	Bone Marrow	나583라(3)	C584122C	2411.47	217,510	217,510	222,100	222,100
28004	FISH_IGH/MAFB Fusion Gene	Bone Marrow	나583라(3)	C584123C	2411.47	217,510	217,510	222,100	222,100
27630	FISH_KMT2A (MLL) Gene	Bone Marrow	나583라(3)	C584124C	2411.47	217,510	217,510	222,100	222,100
27968	FISH_MCL, t(11;14)	Tissue	나583라외	C584120F외	-	320,720	320,720	327,470	327,470
26575	FISH_MDS AA Panel	Bone Marrow	나583라(3)	C584110C외	-	1,087,550	1,087,550	1,110,500	1,110,500
28026	FISH_MDS/AA Panel	Bone Marrow	나583외	C584114C외	-	870,040	870,040	888,400	888,400
27631	FISH_MLL Gene	Hp Blood	나583라(3)	C584124C	2411.47	217,510	217,510	222,100	222,100
28025	FISH_MM Panel	Bone Marrow	나583외	C584118C외	-	1,522,570	1,522,570	1,554,700	1,554,700
26655	FISH_MYC	Bone Marrow	나583라(3)	C584125C	2411.47	217,510	217,510	222,100	222,100
26452	FISH_Myeloma Profile	Bone Marrow	나583라외	C584109C외	-	1,522,570	1,522,570	1,554,700	1,554,700
26582	FISH_PDGFRB Gene	Bone Marrow	나583라(3)	C584126C	2411.47	217,510	217,510	222,100	222,100
26600	FISH_PML/RARA Fusion Gene	Bone Marrow	나583라(3)	C584127C	2411.47	217,510	217,510	222,100	222,100
26602	FISH_PML-RARA	Hp Blood	나583라(3)	C584127C	2411.47	217,510	217,510	222,100	222,100
25750	FISH_Rb gene	Bone Marrow	나583라(3)	C584112C	2411.47	217,510	217,510	222,100	222,100
28313	FISH_RB1, 13q14.2	Bone Marrow	나583라(3)	C584112C	2411.47	217,510	217,510	222,100	222,100
27080	FISH_RUNX1-RUNX1T1 (AML1/E	Bone Marrow	나583라(3)	C584129C	2411.47	217,510	217,510	222,100	222,100
28022	FISH_TP53 Gene	Bone Marrow	나583라(3)	C584130C	2411.47	217,510	217,510	222,100	222,100
28320	FISH_TP53 Gene	Hp Blood	나583라(3)	C584130C	2411.47	217,510	217,510	222,100	222,100
28021	FISH_TP53 gene, deletion	Bone Marrow	나583라(3)	C584130C	2411.47	217,510	217,510	222,100	222,100
65582	FK-506	EDTA Blood	누532나(2)	D5333423	188.13	16,970	16,970	17,330	17,330
65581	FK-506 (LC-MS/MS)	EDTA Blood	누532다(4)	D534984C	571.84	51,580	51,580	52,670	52,670
29576	FLCN sequencing	EDTA Blood	나580다(3)	C580844C	4637.14	418,270	418,270	427,080	427,080
26247	FLT3 ITD/TKD mutation	EDTA Blood	나583외	C583209C외	-	398,580	398,580	406,970	406,970
11286	Folate	SST Serum	누490나	D4902143	116.21	10,480	10,480	10,700	10,700
26738	FOXP3 gene mutation	EDTA Blood	나580다(3)	C580845C	4637.14	418,270	418,270	427,080	427,080
25450	Fragile X	EDTA Blood	나580나(2)(나)	C580312C	1274.65	114,970	114,970	117,400	117,400
00765	Free Cortisol	24hr Urine	누350나	D3502133	150.97	13,620	13,620	13,900	13,900
00766	Free Cortisol	Random Urin	누350나	D3502133	150.97	13,620	13,620	13,900	13,900
11090	Free Fatty Acid(NEFA)	SST Serum	누260라	D2264003	41.04	3,700	3,700	3,780	3,780
11091	Free Fatty Acid(NEFA)	Other	누260라	D2264003	41.04	3,700	3,700	3,780	3,780
25861	Free Kappa light chain	SST Serum	누442가(1)	D442104C	378.97	34,180	34,180	34,900	34,900
25862	Free Kappa light chain(U)	Random Urin	누442가(1)	D442103C	378.97	34,180	34,180	34,900	34,900
25867	Free Kappa/Free Lambda ratio	SST Serum	누442가	D442104C외	-	68,360	68,360	69,800	69,800
25868	Free Kappa/Free Lambda ratio(U)	Random Urin	누442가	D442103C외	-	68,360	68,360	69,800	69,800
25863	Free Lambda light chain	SST Serum	누442가(1)	D442102C	378.97	34,180	34,180	34,900	34,900
25864	Free Lambda light chain(U)	Random Urin	누442가(1)	D442101C	378.97	34,180	34,180	34,900	34,900
01682	Free PSA (ECLIA)	SST Serum	누430	D4300013	148.93	13,430	13,430	13,720	13,720
01686	Free PSA/PSA ratio(ECLIA)	SST Serum	누430외	D4300033외	-	26,860	26,860	27,440	27,440
00216	Free T3 (ECLIA)	SST Serum	누323	D3230013	121.62	10,970	10,970	11,200	11,200
00226	Free T4 (ECLIA)	SST Serum	누323	D3230053	121.62	10,970	10,970	11,200	11,200
00235	Free thyroxine index	SST Serum	누323외	D3230023외	-	21,940	21,940	22,400	22,400
00170	Free α-Subunit	SST Serum	누345	D3450007	394.3	35,570	35,570	36,320	36,320
29011	Friedreich's ataxia	EDTA Blood	나580라	C581103C	1185.74	106,950	106,950	109,210	109,210
20460	Fructosamine	SST Serum	누304	D3040003	72.33	6,520	6,520	6,660	6,660
00092	FSH (ECLIA)	SST Serum	누370나	D3702023	120.66	10,880	10,880	11,110	11,110
50960	FTA-ABS IgG	SST Serum	누692라	D692400C	168.95	15,240	15,240	15,560	15,560
50961	FTA-ABS IgG	CSF	누692라	D692400C	168.95	15,240	15,240	15,560	15,560
50975	FTA-ABS IgM	SST Serum	누692라	D692400C	168.95	15,240	15,240	15,560	15,560
50976	FTA-ABS IgM	CSF	누692라	D692400C	168.95	15,240	15,240	15,560	15,560
70780	Fungus Culture	Other	누581나	D5820003	171.31	15,450	15,450	15,780	15,780
70800	Fungus Culture(MIC)	Sputum	누581마(2)	D5854003	210.7	19,010	19,010	19,410	19,410

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
12991	G-1-P Uridyltransferase	EDTA Blood	누517나	D517201C	1284.43	115,860	115,860	118,300	118,300
29420	G6PC gene mutation	EDTA Blood	나580다(2)	C580709C	3166.78	285,640	285,640	291,660	291,660
10531	G-6-PDH	EDTA Blood	누055	D0550013	107.47	9,690	9,690	9,900	9,900
27522	GAA gene, mutation	EDTA Blood	나580다(4)	C580910C	7255.9	654,480	654,480	668,270	668,270
12992	Galactokinase	EDTA Blood	누517나	D517202C	1284.43	115,860	115,860	118,300	118,300
12990	Galactose-1-Phosphate	EDTA Blood	누517가(1)	D517101C	656.2	59,190	59,190	60,440	60,440
12998	Galactosemia 확진검사(3종)	EDTA Blood	누517가	D517101C외	-	290,910	290,910	297,040	297,040
12999	Galactosemia 확진검사(4종)	EDTA Blood	누517가	D517101C외	-	406,770	406,770	415,340	415,340
27619	GALC gene, mutation (Krabbe di	EDTA Blood	나580다(3)	C580810C	4637.14	418,270	418,270	427,080	427,080
42715	Gardnerella vaginalis PCR	분비물	누591가	D591105C	389.36	35,120	35,120	35,860	35,860
00999	Gastrin	SST Serum	누381	D3810013	119.68	10,800	10,800	11,020	11,020
27523	GBE1 gene, mutation	EDTA Blood	나580다(3)	C580846C	4637.14	418,270	418,270	427,080	427,080
71210	GBS Culture&Sensitivity (Disk)	분비물	누581마(1)	D5851003	199.45	17,990	17,990	18,370	18,370
71211	GBS Culture&Sensitivity (MIC)	분비물	누581마(2)	D5854003	210.7	19,010	19,010	19,410	19,410
29150	GCH1 gene mutation	EDTA Blood	나580다(2)	C580712C	3166.78	285,640	285,640	291,660	291,660
29151	GCH1 gene mutation	EDTA Blood	나580다(2)	C580712C	3166.78	285,640	285,640	291,660	291,660
51858	Gene rearrangements, acute leu	EDTA Blood	나583나(1)	C583101C외	-	731,940	731,940	747,360	747,360
65260	Gentamicin	Plain Serum	누532나(2)	D5333193	188.13	16,970	16,970	17,330	17,330
27521	GFAP gene, mutation (Alexander	EDTA Blood	나580다(2)	C580713C	3166.78	285,640	285,640	291,660	291,660
10905	GFR (신사구체여과율)	SST Serum	누228가	D2280003	18.22	1,640	1,640	1,680	1,680
10904	GFR-Cystatin C	SST Serum	누233	D2330003	68.44	6,170	6,170	6,300	6,300
00062	GH (CLIA)	SST Serum	누342	D3420003	132.05	11,910	11,910	12,160	12,160
27595	GJB1 gene mutation (CMTX)	EDTA Blood	나580다(1)	C580604C	1992.83	179,750	179,750	183,540	183,540
10010	Globulin	SST Serum	누188 외	D1880003외	-	2,880	2,880	2,940	2,940
10011	Globulin(Fluid)	Body Fluid	누184외	D1840003외	-	2,880	2,880	2,940	2,940
01001	Glucagon (RIA)	EDTA Plasma	누381주	D3811027	97.32	8,780	8,780	8,960	8,960
10540	Glucose	NaF Plasma	누302나	D3022003	14.42	1,300	1,300	1,330	1,330
10541	Glucose	SST Serum	누302나	D3022003	14.42	1,300	1,300	1,330	1,330
10543	Glucose	Body Fluid	누302나	D3022003	14.42	1,300	1,300	1,330	1,330
10550	Glucose tolerance test	NaF Plasma	누302나	D3022003외	-	5,200	5,200	5,320	5,320
10542	Glucose(24hr Urine)	24hr Urine	누302나	D3022003	14.42	1,300	1,300	1,330	1,330
10720	Glycated Albumin	SST Serum	누309	D3090003	112.18	10,120	10,120	10,330	10,330
27340	GNAS gene mutation	EDTA Blood	나580다(3)	C580848C	4637.14	418,270	418,270	427,080	427,080
27341	GNAS gene mutation	EDTA Blood	나580다(3)	C580848C	4637.14	418,270	418,270	427,080	427,080
25682	GNE gene mutation	EDTA Blood	나580다(3)	C580849C	4637.14	418,270	418,270	427,080	427,080
80618	Gomori's trichrome stain	Tissue	나563	C5630008	196.47	17,720	17,720	18,090	18,090
27361	Gorlin-Goltz syndrome(PTCH1 G	EDTA Blood	나580다(4)	C580936C	7255.9	654,480	654,480	668,270	668,270
70100	Gram Stain	Smear Slide	누580나	D5802023	30.18	2,720	2,720	2,780	2,780
71160	Gram stain (cytospin)	Other	누580나주	D5803003	24.92	2,250	2,250	2,300	2,300
71072	H.pylori Ag	Stool	누589다(2)	D5899003	41.71	3,760	3,760	3,840	3,840
50771	H.pylori IgG (CLIA)	SST Serum	누589나(1)	D5894003	141.9	12,800	12,800	13,070	13,070
50780	H.pylori IgM	SST Serum	누589나(1)	D5894003	141.9	12,800	12,800	13,070	13,070
42379	H.pylori PCR	Tissue	누591나	D591203C	520.33	46,930	46,930	47,920	47,920
42385	H.Pylori PCR+클라리스로마이신 내	Tissue	누591외	D591203C외	-	98,210	98,210	100,280	100,280
42383	H.Pylori 클라리스로마이신 내성 돌	Tissue	누591다	D591301C	568.53	51,280	51,280	52,360	52,360
42382	H.Pylori 클라리스로마이신 내성 돌	Tissue	누589마	D589700C	1059.71	95,590	95,590	97,600	97,600
42735	Haemophilus ducreyi PCR	분비물	누591가	D591106C	389.36	35,120	35,120	35,860	35,860
30193	Hale's Colloidal Iron	Tissue	나563	C5630008	196.47	17,720	17,720	18,090	18,090
65071	Haloperidol	Plain Serum	누532다(4)	D534936C	571.84	51,580	51,580	52,670	52,670
12060	Ham test	복수검체	누053가	D053101C	72.62	6,550	6,550	6,690	6,690
27852	Hantaan & Seoul virus PCR	SST Serum	누658라	D658402C	815.29	73,540	73,540	75,090	75,090
41590	Hantaan Virus Ab	SST Serum	누653나	D6531253	102.11	9,210	9,210	9,400	9,400
41666	Hantaan virus Ab (IFA)	SST Serum	누655나	D6552013	163.15	14,720	14,720	15,030	15,030
20180	Haptoglobin	SST Serum	누470	D4700033	79.73	7,190	7,190	7,340	7,340
20181	Haptoglobin	EDTA Plasma	누470	D4700033	79.73	7,190	7,190	7,340	7,340
50016	HAV IgG	SST Serum	누701가	D7011013	169.62	15,300	15,300	15,620	15,620

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
50025	HAV IgM	SST Serum	누701가	D7011023	169.62	15,300	15,300	15,620	15,620
26976	HAX1 gene mutation	EDTA Blood	나580다(2)	C580715C	3166.78	285,640	285,640	291,660	291,660
26977	HAX1 gene mutation	EDTA Blood	나580다(2)	C580715C	3166.78	285,640	285,640	291,660	291,660
25773	HBA1/HBA2 gene mutation	EDTA Blood	나580다외	C580605C외	-	359,500	359,500	367,080	367,080
25772	HBB gene mutation (β-Thalassem	EDTA Blood	나580다(1)	C580607C	1992.83	179,750	179,750	183,540	183,540
50055	HBc Ab IgM	SST Serum	누701마	D7020023	155.57	14,030	14,030	14,330	14,330
50045	HBc Ab, Total	SST Serum	누701마	D7020013	155.57	14,030	14,030	14,330	14,330
50076	HBe Ab	SST Serum	누701사	D7024003	189.4	17,080	17,080	17,440	17,440
50075	HBe Ag	SST Serum	누701바	D7022003	187.53	16,920	16,920	17,270	17,270
01271	HBNP	EDTA Plasma	누406나	D4062023	524.1	47,270	47,270	48,270	48,270
50116	HBs Ab	SST Serum	누701라	D7018003	142.81	12,880	12,880	13,150	13,150
50115	HBs Ag	SST Serum	누701다(1)	D7015003	134.04	12,090	12,090	12,350	12,350
50119	HBs Ag 경량(ECLIA)	SST Serum	누701다(2)	D7017013	326.5	29,450	29,450	30,070	30,070
50140	HBV DNA (PCR)	SST Serum	누704가	D704101C	389.36	35,120	35,120	35,860	35,860
52179	HBV DNA 경량(real-timePCR)	SST Serum	누704라	D704403C	792.13	71,450	71,450	72,960	72,960
50209	HBV Drug mutation	SST Serum	누705가	D705101C	1899.6	171,340	171,340	174,950	174,950
01970	hCG (정성)	Random Urin	누570가	D5701003	18.36	1,660	1,660	1,690	1,690
50230	HCV (RT-PCR+Hybrid)	SST Serum	누704다	D704301C	628.86	56,720	56,720	57,920	57,920
50231	HCV (RT-PCR+Hybrid.)	EDTA Plasma	누704다	D704301C	628.86	56,720	56,720	57,920	57,920
52377	HCV 1b NS5A L31/Y93 억제내성	SST Serum	누705가	D705102C	1899.6	171,340	171,340	174,950	174,950
50215	HCV Ab	SST Serum	누701아	D7026003	166.09	14,980	14,980	15,300	15,300
52360	HCV Genotype (Sequencing)	SST Serum	누705나	D705201C	1893.23	170,770	170,770	174,370	174,370
50242	HCV RNA 경량(real-timePCR)	SST Serum	누704마	D704502C	1350.4	121,810	121,810	124,370	124,370
25606	HD gene mutation (Huntington)	EDTA Blood	나580나(2)(나)	C580309C	1274.65	114,970	114,970	117,400	117,400
11100	HDL Cholesterol	SST Serum	누261다(1)	D2613003	69.37	6,260	6,260	6,390	6,390
50271	HDV RT- PCR	SST Serum	누704다	D704303C	628.86	56,720	56,720	57,920	57,920
01473	HE4	SST Serum	누437	D4370003	224.75	20,270	20,270	20,700	20,700
70810	Heinz body	EDTA Blood	누058	D058000C	45.9	4,140	4,140	4,230	4,230
30004	Hematocrit(Hct)	EDTA Blood	누000나	D0002043	11.31	1,020	1,020	1,040	1,040
26441	Hemochromatosis(C282Y/H63D)	EDTA Blood	나580나외	C580209C외	-	92,500	92,500	94,440	94,440
10731	Hemoglobin A1c	EDTA Blood	누306다	D3063003	79.32	7,150	7,150	7,310	7,310
20490	Hemoglobin E.P	EDTA Blood	누060	D060000C	109.64	9,890	9,890	10,100	10,100
30003	Hemoglobin(Hb)	EDTA Blood	누000나	D0002053	11.31	1,020	1,020	1,040	1,040
70040	Hemosiderin	Random Urin	누222	D2220003	32.93	2,970	2,970	3,030	3,030
81321	Her-2/C-erbB2 (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
25392	Hereditary multiple osteochondr	EDTA Blood	나580다(3)	C580840C	4637.14	418,270	418,270	427,080	427,080
50280	HEV Ab IgG	SST Serum	누701차	D7030013	85.79	7,740	7,740	7,900	7,900
50290	HEV Ab IgM	SST Serum	누701차	D7030023	85.79	7,740	7,740	7,900	7,900
50301	HEV RT- PCR	SST Serum	누704나	D704202C	520.33	46,930	46,930	47,920	47,920
10380	Hexosaminidase A	Hp Blood	누517가(1)	D517114C	656.2	59,190	59,190	60,440	60,440
42520	HHV type 6 DNA(PCR)	SST Serum	누658가	D658105C	389.36	35,120	35,120	35,860	35,860
42521	HHV type 6 DNA(PCR)	CSF	누658가	D658105C	389.36	35,120	35,120	35,860	35,860
30823	HHV-8 PCR	EDTA Blood	누658가	D658105C	389.36	35,120	35,120	35,860	35,860
42525	HHV-8 PCR	Tissue	누658가	D658105F	396.31	35,750	35,750	36,500	36,500
42527	HHV-8 PCR	Tissue	누658가	D658105F	396.31	35,750	35,750	36,500	36,500
51670	Histone Ab	SST Serum	누785나	D785210C	335.78	30,290	30,290	30,930	30,930
41335	HIV Ag/Ab	SST Serum	누721나	D7212003	119.35	10,770	10,770	10,990	10,990
29543	HIV drug resistance mutation	EDTA Plasma	누724가	D724101C	1899.6	171,340	171,340	174,950	174,950
42404	HIV RNA 경량	EDTA Plasma	누723나	D723202C	1350.4	121,810	121,810	124,370	124,370
25470	HLA A Typing (High)	EDTA Blood	누840라	D840401C	3549.44	320,160	320,160	326,900	326,900
25477	HLA A Typing (Low)	EDTA Blood	누840나	D840201C	1666.83	150,350	150,350	153,520	153,520
25480	HLA B Typing (High)	EDTA Blood	누840라	D840401C	3549.44	320,160	320,160	326,900	326,900
25487	HLA B Typing (Low)	EDTA Blood	누840나	D840201C	1666.83	150,350	150,350	153,520	153,520
25500	HLA B27	EDTA Blood	누841다	D841302C	774.28	69,840	69,840	71,310	71,310
25490	HLA C Typing (High)	EDTA Blood	누840라	D840401C	3549.44	320,160	320,160	326,900	326,900
25491	HLA C Typing (Low)	EDTA Blood	누840나	D840201C	1666.83	150,350	150,350	153,520	153,520

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
25535	HLA DQB1 Typing (High)	EDTA Blood	누840라	D840402C	3549.44	320,160	320,160	326,900	326,900
25537	HLA DQB1 Typing (Low)	EDTA Blood	누840나	D840202C	1666.83	150,350	150,350	153,520	153,520
25560	HLA DR Typing (High)	EDTA Blood	누840라	D840403C	3549.44	320,160	320,160	326,900	326,900
25550	HLA DR Typing (Low)	EDTA Blood	누840나	D840203C	1666.83	150,350	150,350	153,520	153,520
25512	HLA-B*5801 genotyping	EDTA Blood	누841다	D841303C	774.28	69,840	69,840	71,310	71,310
26421	hMLH1 mutation identification test	EDTA Blood	나580다(3)	C580819C	4637.14	418,270	418,270	427,080	427,080
26431	hMSH2 mutation identification test	EDTA Blood	나580다(3)	C580820C	4637.14	418,270	418,270	427,080	427,080
81624	HMWCK (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
01055	HOMA of insulin resistance	복수검체	누305외	D3050023외	-	12,640	12,640	12,910	12,910
01057	HOMA B-cell	복수검체	누305외	D3050023외	-	12,640	12,640	12,910	12,910
12090	Homocysteine	SST Serum	누514나	D5142033	140.81	12,700	12,700	12,970	12,970
12091	Homocysteine	EDTA Plasma	누514나	D5142033	140.81	12,700	12,700	12,970	12,970
26940	HPRT1 gene mutation	EDTA Blood	나580다(2)	C580716C	3166.78	285,640	285,640	291,660	291,660
42430	HPV 16	분비물	누658가	D658109C	389.36	35,120	35,120	35,860	35,860
42440	HPV 18	분비물	누658가	D658109C	389.36	35,120	35,120	35,860	35,860
42462	HPV genotyping (NGS)	분비물	누660나	D660201C	1893.23	170,770	170,770	174,370	174,370
42444	HPV genotyping (Real-time PCR)	분비물	누658바	D658604C	598.35	53,970	53,970	55,110	55,110
42420	HPV Screening	분비물	누658가	D658109C	389.36	35,120	35,120	35,860	35,860
42495	HPV(Condyloma)	분비물	누658가	D658109C	389.36	35,120	35,120	35,860	35,860
29592	HSP(유전성 하지마비)	EDTA Blood	나580다외	C580833C외	-	836,540	836,540	854,160	854,160
42155	HSV culture	Other	누652가	D652100C	578.61	52,190	52,190	53,290	53,290
42156	HSV culture (조직)	Tissue	누652가	D652100C	578.61	52,190	52,190	53,290	53,290
41380	HSV IgG	SST Serum	누654나(1)	D654209C	199.61	18,000	18,000	18,380	18,380
41381	HSV IgG	CSF	누654나(1)	D654209C	199.61	18,000	18,000	18,380	18,380
41390	HSV IgM	SST Serum	누654나(2)	D654309C	179.14	16,160	16,160	16,500	16,500
41391	HSV IgM	CSF	누654나(2)	D654309C	179.14	16,160	16,160	16,500	16,500
43080	HSV Type 1 IgG	SST Serum	누654나(1)	D654209C	199.61	18,000	18,000	18,380	18,380
43081	HSV Type 1 IgG	CSF	누654나(1)	D654209C	199.61	18,000	18,000	18,380	18,380
43543	HSV Type 1 IgM	SST Serum	누654나(2)	D654309C	179.14	16,160	16,160	16,500	16,500
41440	HSV Type 2 IgG	SST Serum	누654나(1)	D654209C	199.61	18,000	18,000	18,380	18,380
41441	HSV Type 2 IgG	CSF	누654나(1)	D654209C	199.61	18,000	18,000	18,380	18,380
43544	HSV Type 2 IgM	SST Serum	누654나(2)	D654309C	179.14	16,160	16,160	16,500	16,500
42500	HSV Type I(PCR)	EDTA Blood	누658가	D658104C	389.36	35,120	35,120	35,860	35,860
42510	HSV Type II(PCR)	분비물	누658가	D658104C	389.36	35,120	35,120	35,860	35,860
41478	HTLV-1 DNA, detection	EDTA Blood	누658다	D658301C	628.86	56,720	56,720	57,920	57,920
41475	HTLV-I/II Ab	SST Serum	누654나(1)	D654222C	199.61	18,000	18,000	18,380	18,380
41477	HTLV-I/II Ab	EDTA Plasma	누654나(1)	D654222C	199.61	18,000	18,000	18,380	18,380
41479	HTLV-I/II Ab (CSF)	CSF	누654나(1)	D654222C	199.61	18,000	18,000	18,380	18,380
25603	Huntington's disease	EDTA Blood	나580나(2)(나)	C580309C	1274.65	114,970	114,970	117,400	117,400
11713	HVA 경량 (24hr U)	24hr Urine	누351라	D351403C	447.2	40,340	40,340	41,190	41,190
00866	HVA 경량(HPLC)	Random Urine	누351라	D351403C	447.2	40,340	40,340	41,190	41,190
00861	HVA 경량(Plasma)	EDTA Plasma	누351라	D351403C	447.2	40,340	40,340	41,190	41,190
29079	IDH1 gene mutation	Block	나583나(1)	C583125F	1376.6	124,170	124,170	126,780	126,780
29556	IDH1 돌연변이 염기서열	Tissue	나583다(1)	C583307F	1441.34	130,010	130,010	132,750	132,750
29557	IDH2 돌연변이 염기서열	Tissue	나583다(1)	C583309F	1441.34	130,010	130,010	132,750	132,750
29094	IDH2 유전자 돌연변이 염기서열	Tissue	나583다(1)	C583309F	1441.34	130,010	130,010	132,750	132,750
29290	ID5 gene mutation (mucopolysaccharide)	EDTA Blood	나580다(2)	C580717C	3166.78	285,640	285,640	291,660	291,660
20628	IFEP + PEP (24h urine)	24hr Urine	누475외	D475201C외	-	57,430	57,430	58,640	58,640
20629	IFEP + PEP (Random Urine)	Random Urine	누475외	D475201C외	-	57,430	57,430	58,640	58,640
20627	IFEP + PEP (Serum)	SST Serum	누475외	D475101C외	-	54,660	54,660	55,810	55,810
20200	IgA	SST Serum	누741	D7410013	94.9	8,560	8,560	8,740	8,740
20201	IgA	EDTA Plasma	누741	D7410013	94.9	8,560	8,560	8,740	8,740
20212	IgD	SST Serum	누741	D7410023	94.9	8,560	8,560	8,740	8,740
60003	IgE (ECLIA)	SST Serum	누743나	D7430003	158.75	14,320	14,320	14,620	14,620
62582	IgE MAST 108종&IgE (ECLIA)	SST Serum	누743외	D7430003외	-	121,020	121,020	123,570	123,570
63315	IgE-12종(식품알레르기/아토피피부)	SST Serum	누744외	D7440013외	-	198,000	198,000	202,200	202,200

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
63316	IgE-12종(천명/비염)(3세미만)	SST Serum	누744외	D7440013외	-	198,000	198,000	202,200	202,200
63317	IgE-12종(천명/비염)(3세이상)	SST Serum	누744외	D7440013외	-	198,000	198,000	202,200	202,200
63313	IgE-6종(계란, 밀, 땅콩 심화)	SST Serum	누744외	D7440013외	-	99,000	99,000	101,100	101,100
63331	IgE-6종(복-여름 호흡기)	SST Serum	누744외	D7440013외	-	99,000	99,000	101,100	101,100
63320	IgE-6종(식품/환경알레르기)	SST Serum	누744외	D7440013외	-	99,000	99,000	101,100	101,100
63310	IgE-6종(식품알레르기1)	SST Serum	누744외	D7440013외	-	99,000	99,000	101,100	101,100
63311	IgE-6종(식품알레르기2)	SST Serum	누744외	D7440013외	-	99,000	99,000	101,100	101,100
63332	IgE-6종(여름-가을 호흡기)	SST Serum	누744외	D7440013외	-	99,000	99,000	101,100	101,100
63312	IgE-6종(우유, 계란 심화)	SST Serum	누744외	D7440013외	-	99,000	99,000	101,100	101,100
63330	IgE-6종(통년성 호흡기)	SST Serum	누744외	D7440013외	-	99,000	99,000	101,100	101,100
63300	IgE-6종(환경알레르기1)	SST Serum	누744외	D7440013외	-	99,000	99,000	101,100	101,100
63301	IgE-6종(환경알레르기2)	SST Serum	누744외	D7440013외	-	99,000	99,000	101,100	101,100
62740	IgE-Abalone:F346	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60360	IgE-Acarus siro:D70	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61180	IgE-Alder:T2	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60370	IgE-Almond:F20	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60380	IgE-Alternaria alternata:M6	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62861	IgE-Amoxicilloyl:C6	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62850	IgE-Ampicilloyl:C5	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63211	IgE-Anchovy:F313	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60391	IgE-Anisakis:P4	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60400	IgE-Apple:F49	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60420	IgE-Aspergillus fumigatus:M3	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63244	IgE-Avocado:F96	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60480	IgE-Banana:F92	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60490	IgE-Barley:F6	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60500	IgE-Beech:T5	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60510	IgE-Beef:F27	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60530	IgE-Bermuda Grass:G2	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60105	IgE-Birch:T3	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60562	IgE-Blue Mussel:F37	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60563	IgE-Blueberry:F288	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62630	IgE-Broccoli:F260	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60590	IgE-Buckwheat:F11	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63139	IgE-Cabbage:F216	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60620	IgE-Cacao:F93	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60630	IgE-Candida albicans:M5	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60650	IgE-Carrot:F31	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60670	IgE-Casein:F78	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60574	IgE-Cashew nut:F202	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60685	IgE-Cat Dander:E1	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62870	IgE-Cefaclor:C7	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60690	IgE-Celery:F85	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60700	IgE-Cheddar Cheese:F81	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60392	IgE-Cherry : F242	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60705	IgE-Chestnut:F299	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60719	IgE-Chicken Feathers:E85	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60710	IgE-Chicken meat:F83	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61490	IgE-Chub mackerel: F50	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60750	IgE-Cladosporium herbarum:M2	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62640	IgE-Clam:F207	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60775	IgE-Cockroach:I6	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61790	IgE-Cocksfoot: G3	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60789	IgE-Coconut:F36	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60800	IgE-Codfish:F3	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60820	IgE-Common Ragweed:W1	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
60829	IgE-Common Reed:G7	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61500	IgE-Corn:F8	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60840	IgE-Cottonwood:T14	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60860	IgE-Crab:F23	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62798	IgE-Cucumber:F244	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62379	IgE-Cultivated wheat:G15	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60920	IgE-Dandelion:W8	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60905	IgE-Dermatophagoides farinae:D	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62931	IgE-Dermatophagoides microcer	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60915	IgE-Dermatophagoides pteronyss	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60935	IgE-Dog dander:E5	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60950	IgE-Duck feathers:E86	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60995	IgE-Egg white:F1	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61005	IgE-Egg yolk:F75	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62801	IgE-Egg:F245	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63101	IgE-Elder:T205	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60161	IgE-Elm:T8	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63180	IgE-Epidermals & animal proteins	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62729	IgE-Fire Ant:I70	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63050	IgE-Foods mixes:Fx5	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62970	IgE-Formaldehyde:K80	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62701	IgE-Fusarium proliferatum:M9	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61101	IgE-Garlic:F47	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62889	IgE-Gelatin bovine:C74	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61091	IgE-Giant ragweed:W3	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63234	IgE-Gliadin: F98	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61110	IgE-Gluten:F79	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63121	IgE-Goat milk:F300	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61151	IgE-Goldenrod:W12	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61431	IgE-Goosefoot, Lamb's quarters:	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61170	IgE-Grape fruit:F209	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62679	IgE-Grape:F259	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60531	IgE-Grass pollens mixes: Gx1	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62750	IgE-Grass pollens mixes:Gx2	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61221	IgE-Hamster epithelium:E84	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61240	IgE-Hazel Nut:F17	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61229	IgE-Hazel:T4	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61958	IgE-Herring:F205	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61250	IgE-Honey Bee Venom:I1	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61259	IgE-Horse dander:E3	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62820	IgE-House dust mixes:Hx2	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61270	IgE-House dust1:H1	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61281	IgE-House dust2:H2	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62831	IgE-Insulin human:C73	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61333	IgE-Isocyanate HDI:K77	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61332	IgE-Isocyanate MDI:K76	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61331	IgE-Isocyanate TDI:K75	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61360	IgE-Japanese cedar:T17	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61370	IgE-Japanese hop:W22	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61415	IgE-Kiwi:F84	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61440	IgE-Latex:K82	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61444	IgE-Lemon:F208	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61120	IgE-Lepidoglyphus destructor:D7	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61461	IgE-Lobster:F80	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60571	IgE-Macadamia nut:F345	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63245	IgE-Macadamia nut:F345	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
61491	IgE-Mackerel:F206	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61335	IgE-Malassezia spp.: M227	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61519	IgE-Mango:F91	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62260	IgE-Maple leaf sycamore, London	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61539	IgE-Marguerite, Ox-eye daisy:W7	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62583	IgE-MAST 108종	SST Serum	누745나	D746000C	1182.97	106,700	106,700	108,950	108,950
61550	IgE-Meadow fescue:G4	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63054	IgE-Meat mixes:Fx73	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61580	IgE-Melon:F87	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62791	IgE-Milk, boiled:F231	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61605	IgE-Milk:F2	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63190	IgE-Mix Tree Pollen:Tx1	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61624	IgE-Mold cheese:F82	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62760	IgE-Mold mixes:Mx1	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63107	IgE-Molds&Yeasts mixes:Mx2	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61640	IgE-Mosquito(속):I71	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61661	IgE-Mountain juniper:T6	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63106	IgE-Mouse epithelium:E71	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62649	IgE-Mucor racemosus:M4	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61680	IgE-Mugwort:W6	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63171	IgE-Mushroom(champignon):F2	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61701	IgE-Mustard:F89	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61419	IgE-Mutton:F88	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61795	IgE-nGal d 1 Ovomucoid, Egg:F2	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61883	IgE-nGal d 3 Conalbumin, Egg:F	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63201	IgE-nGal-alpha-1,3-Gal: O215	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61874	IgE-nGly m 5 (β-conglycinin), Soy	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61875	IgE-nGly m 6 (Glycinin), Soy:F432	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61720	IgE-Oak:T7	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61749	IgE-Octopus:F59	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63150	IgE-Omega-5 Gliadin:F416	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61770	IgE-Onion:F48	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61780	IgE-Orange:F33	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61015	IgE-Ovalbumin:F232	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62711	IgE-Oyster:F290	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60891	IgE-Pacific Squid:F58	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61810	IgE-Paper wasp venom:I4	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61195	IgE-Pea:F12	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61850	IgE-Peach:F95	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61860	IgE-Peanut:F13	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61870	IgE-Pear:F94	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61890	IgE-Penicillium chrysogenum:M1	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61900	IgE-Penicilloyl G:C1	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61910	IgE-Penicilloyl V:C2	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62011	IgE-persimmon:F301	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62671	IgE-Pine nuts:F253	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63218	IgE-Pine:T213	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62620	IgE-Pineapple:F210	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61956	IgE-Pistachio:F203	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61961	IgE-Plaice:F254	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61964	IgE-Plum:F255	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61970	IgE-Pork:F26	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61981	IgE-Potato:F35	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61991	IgE-Pumpkin:F225	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61999	IgE-Rabbit epithelium:E82	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61878	IgE-rApi m 1 phospholipase A2,	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
61871	IgE-rAra h 1, Peanut:F422	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60405	IgE-rAra h 2, Peanut:F423	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61872	IgE-rAra h 3, Peanut:F424	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61885	IgE-rAra h 8 PR-10, Peanut:F352	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61873	IgE-rAra h 9 (LTP), Peanut:F427	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61864	IgE-rAsp f 3, Aspergillus fumigat	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61868	IgE-rBet v 1 PR-10, Birch:T215	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61869	IgE-rBet v 2 Profilin, Birch:T216	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63215	IgE-rDer p10 Tropomyosin, Hous	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60559	IgE-Red kidney bean:F287	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63212	IgE-rFel d 1 Cat:E94	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61886	IgE-rGly m 4 PR-10, Soy:F353	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63009	IgE-Rhizopus nigricans:M11	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62050	IgE-Rice:F9	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61876	IgE-rJug r 1, Walnut:F441	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61877	IgE-rJug r 3 LTP, Walnut:F442	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61884	IgE-rPen a 1 Tropomyosin, Shrim	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63202	IgE-rPhl p 12 Profilin, Timothy: G	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61867	IgE-rPol d 5 paper wasp:I210	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61887	IgE-rPru p 1 PR-10, Peach:F419	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61888	IgE-rPru p 3 LTP, Peach:F420	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61889	IgE-rPru p 4 Profilin, Peach:F421	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63235	IgE-rTri a 14 LTP, Wheat : F433	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61879	IgE-rVes v 5 Common wasp:I209	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61921	IgE-Rye Grass:G5	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62080	IgE-Rye:F5	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61863	IgE-S. enterotoxin TSST:M226	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62110	IgE-Salmon:F41	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62100	IgE-Sardine, Japanese Pilchard: F	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
61782	IgE-Scallops:F338	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62135	IgE-Sesame seed:F10	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62150	IgE-Shrimp:F24	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62185	IgE-Soybean:F14	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62189	IgE-Spinach:F214	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63041	IgE-Squid:F258	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60644	IgE-Staphylococcal enterotoxin A	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60643	IgE-Staphylococcal enterotoxin B	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62210	IgE-Strawberry:F44	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62239	IgE-Sweet potato:F54	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62231	IgE-Sweet vernal grass:G1	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62280	IgE-Timothy grass:G6	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62300	IgE-Tomato:F25	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62770	IgE-Tree pollens mixes:Tx5	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62840	IgE-Tree pollens mixes:Tx9	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62720	IgE-Trichophyton rubrum:M205	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62320	IgE-Tuna:F40	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62270	IgE-Tyrophagus putrescentiae:D	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62810	IgE-Walnut:F256	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62350	IgE-Walnut:T10	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62354	IgE-Watermelon:F329	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60091	IgE-Weed pollens mixes:Wx1	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
63030	IgE-Weed pollens mixes:Wx5	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62360	IgE-Western Ragweed:W2	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62370	IgE-Wheat:F4	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62391	IgE-White ash:T15	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62411	IgE-White bean:F15	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
62401	IgE-White faced hornet venom:I2	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
60960	IgE-White pine:T16	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62431	IgE-Willow:T12	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62461	IgE-Yeast:F45	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62829	IgE-Yellow hornet:I5	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62481	IgE-Yellow jacket:I3	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62495	IgE-α-lactoalbumin:F76	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
62505	IgE-β-lactoglobulin:F77	SST Serum	누744	D7440013	182.96	16,500	16,500	16,850	16,850
01295	IGFBP-3 (CLIA)	SST Serum	누344	D3440023	217.29	19,600	19,600	20,010	20,010
20220	IgG	SST Serum	누741	D7410043	94.9	8,560	8,560	8,740	8,740
20221	IgG	CSF	누741	D7410043	94.9	8,560	8,560	8,740	8,740
80511	IgG-Fibrinogen	Tissue	나564외	C5640008외	-	195,600	195,600	199,740	199,740
25802	IgH gene rearrangement	Block	나583나(2)	C583206F	3056.35	275,680	275,680	281,490	281,490
29083	IgH gene rearrangement	Tissue	나583나(2)	C583206F	3056.35	275,680	275,680	281,490	281,490
25801	IgH gene rearrangement	Tissue	나583나(2)	C583206F	3056.35	275,680	275,680	281,490	281,490
29088	Ig-Kappa gene rearrangement	Tissue	나583나(2)	C583207F	3056.35	275,680	275,680	281,490	281,490
29089	Ig-Lambda gene rearrangement	Tissue	나583나(2)	C583208F	3056.35	275,680	275,680	281,490	281,490
20270	IgM	SST Serum	누741	D7410053	94.9	8,560	8,560	8,740	8,740
20271	IgM	Hp Plasma	누741	D7410053	94.9	8,560	8,560	8,740	8,740
28270	IKBKG (NEMO) gene, mutation (EDTA Blood	나580다(2)	C580747C	3166.78	285,640	285,640	291,660	291,660
65624	Imipramine + Desipramine	Plain Serum	누532다(4)	D534938C	571.84	51,580	51,580	52,670	52,670
20611	Immuno Fixation E.P	Random Urin	누475나	D475201C	497.01	44,830	44,830	45,770	45,770
20610	Immuno Fixation E.P (Serum)	SST Serum	누475가	D475101C	478.9	43,200	43,200	44,110	44,110
20613	Immuno Fixation E.P IgD,IgE(S)	SST Serum	누475가	D475101C	478.9	43,200	43,200	44,110	44,110
20614	Immuno Fixation E.P IgD,IgE(U)	Random Urin	누475나	D475201C	497.01	44,830	44,830	45,770	45,770
20612	Immuno Fixation E.P(24h urine)	24hr Urine	누475나	D475201C	497.01	44,830	44,830	45,770	45,770
20228	Immunoglobulin G Index	복수검체	누188외	D1880003외	-	36,130	36,130	36,890	36,890
70820	India ink prep.	CSF	누580다	D5804013	54.26	4,890	4,890	5,000	5,000
70821	India ink prep.	Other	누580다	D5804013	54.26	4,890	4,890	5,000	5,000
10060	Indirect Bilirubin	SST Serum	누183외	D1830003외	-	2,430	2,430	2,480	2,480
10061	Indirect Bilirubin	Capillary	누183외	D1830003외	-	2,430	2,430	2,480	2,480
30330	Indirect Coombs	SST Serum	누154나	D154205C	78.3	7,060	7,060	7,210	7,210
12141	Indocyanine Green(R15)	SST Serum	누196가	D196100C	352.31	31,780	31,780	32,450	32,450
12140	Indocyanine Green정체율	SST Serum	누196가	D196100C	352.31	31,780	31,780	32,450	32,450
65130	Infliximab 경량	SST Serum	누532나(2)	D5333503	188.13	16,970	16,970	17,330	17,330
42165	Influenza A Culture	Other	누652가	D652100C	578.61	52,190	52,190	53,290	53,290
42175	Influenza B Culture	Other	누652가	D652100C	578.61	52,190	52,190	53,290	53,290
42280	Influenza virus A&B Ag	Sputum	누655가	D655106C외	-	28,920	28,920	29,520	29,520
01864	Inhibin-A	SST Serum	누573	D5730003	318.58	28,740	28,740	29,340	29,340
01024	Insulin	NaF Plasma	누305	D3050023	125.74	11,340	11,340	11,580	11,580
01025	Insulin	SST Serum	누305	D3050023	125.74	11,340	11,340	11,580	11,580
01026	Insulin	EDTA Plasma	누305	D3050023	125.74	11,340	11,340	11,580	11,580
01049	Insulin Ab(ELISA)	SST Serum	누801	D8010003	139.24	12,560	12,560	12,820	12,820
01040	Insulin Ab(RIA)	SST Serum	누801추	D8011007	159.79	14,410	14,410	14,720	14,720
02061	Integrated 2nd (Quad)	SST Serum	누421나외	D2420023외	-	62,020	62,020	63,320	63,320
51831	Interleukin 6	SST Serum	누749	D7490003	329.06	29,680	29,680	30,310	30,310
13152	Iodine	Random Urin	누320외	D3200013외	-	5,570	5,570	5,690	5,690
30113	IRF SET	EDTA Blood	누050나외	D0502023외	-	3,340	3,340	3,420	3,420
12730	Iron (Fe)	SST Serum	누052가	D0521033	27.85	2,510	2,510	2,560	2,560
30140	Iron Stain	Bone Marrow	누084	D084106C	103.23	9,310	9,310	9,510	9,510
30153	Iron stain	Bone Marrow	누084	D084106C	103.23	9,310	9,310	9,510	9,510
27772	JAK2 gene exon12 mutation	EDTA Blood	나583다(1)	C583303C	1416.05	127,730	127,730	130,420	130,420
27796	JAK2 gene exon12 mutation	EDTA Blood	나583다(1)	C583303C	1416.05	127,730	127,730	130,420	130,420
27797	JAK2 gene V617F mutation	EDTA Blood	나583가	C583003C	1179.27	106,370	106,370	108,610	108,610
42683	JC Virus PCR	Random Urin	누658가	D658106C	389.36	35,120	35,120	35,860	35,860
71034	Joint fluid analysis(편광현미경검사)	Joint Fluid	나568	C5680003	135.5	12,220	12,220	12,480	12,480

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
81302	Kappa light chain (In situ)	Tissue	나583라(2)	C584001F	1006.55	90,790	90,790	92,700	92,700
29217	KCNH2 gene mutation	EDTA Blood	나580다(3)	C580851C	4637.14	418,270	418,270	427,080	427,080
29222	KCNH2 Gene mutation	EDTA Blood	나580다(3)	C580851C	4637.14	418,270	418,270	427,080	427,080
27169	KCNJ11 gene mutation	EDTA Blood	나580다(1)	C580620C	1992.83	179,750	179,750	183,540	183,540
26963	KCNJ11 gene mutation	EDTA Blood	나580다(1)	C580620C	1992.83	179,750	179,750	183,540	183,540
29220	KCNQ1 (Long QT syndrome)	EDTA Blood	나580다(3)	C580852C	4637.14	418,270	418,270	427,080	427,080
29219	KCNQ1 gene mutation	EDTA Blood	나580다(3)	C580852C	4637.14	418,270	418,270	427,080	427,080
29221	KCNQ1 gene mutation	EDTA Blood	나580다(3)	C580852C	4637.14	418,270	418,270	427,080	427,080
12200	Ketone Body 3분획	EDTA Plasma	누301다	D301300C	236.41	21,320	21,320	21,770	21,770
12201	Ketone Body 3분획	Random Urin	누301다	D301300C	236.41	21,320	21,320	21,770	21,770
12210	Ketone Body 3분획	SST Serum	누301다	D301300C	236.41	21,320	21,320	21,770	21,770
12170	Ketone Body 경성	Random Urin	누301가	D3011003	56.09	5,060	5,060	5,170	5,170
12171	Ketone Body 경성	SST Serum	누301가	D3011003	56.09	5,060	5,060	5,170	5,170
81322	Ki-67 (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
13061	KL-6	SST Serum	누016	D0160003	599.17	54,050	54,050	55,180	55,180
26964	KMT2D gene mutation	EDTA Blood	나580다(5)	C581016C	11030.45	994,950	994,950	1,015,900	1,015,900
70830	KOH Mount	Other	누620가	D6201003	29.94	2,700	2,700	2,760	2,760
41650	Korea virus	SST Serum	누584외	D1582123외	-	20,030	20,030	20,460	20,460
27698	K-RAS exon 2,3,4 PNA Clamp 유	Tissue	나583나(1)	C583120F	1376.6	124,170	124,170	126,780	126,780
27165	K-RAS Exon2,3,4	Tissue	나583다(2)	C583401F	1686.37	152,110	152,110	155,310	155,310
27661	K-RAS gene mutation	Tissue	나583다(2)	C583401C	1656.78	149,440	149,440	152,590	152,590
27164	K-RAS gene mutation (Real-time	Tissue	나583나(1)	C583120F	1376.6	124,170	124,170	126,780	126,780
27659	K-RAS 유전자돌연변이	Tissue	나583나(1)	C583120F	1376.6	124,170	124,170	126,780	126,780
27676	K-RAS 전체돌연변이[Sequencing]	Tissue	나583다(2)	C583401F	1686.37	152,110	152,110	155,310	155,310
51890	L.E. Cell	Plain Blood	누780	D780000C	73.38	6,620	6,620	6,760	6,760
30930	LAC confirm	SC Plasma	누111나	D111200C	379.67	34,250	34,250	34,970	34,970
30935	LAC screen	SC Plasma	누111가	D1111003	142.14	12,820	12,820	13,090	13,090
00067	Lacosamide	Plain Serum	누532다(4)	D5349A3C	571.84	51,580	51,580	52,670	52,670
10742	Lactic Acid	Other	누511	D5110003	55.8	5,030	5,030	5,140	5,140
10741	Lactic Acid(CSF)	CSF	누511	D5110003	55.8	5,030	5,030	5,140	5,140
10740	Lactic Acid(NaF P)	NaF Plasma	누511	D5110003	55.8	5,030	5,030	5,140	5,140
81303	Lambda light chain (In situ)	Tissue	나583라(2)	C584002F	1006.55	90,790	90,790	92,700	92,700
65782	Lamotrigine	Plain Serum	누532다(4)	D534943C	571.84	51,580	51,580	52,670	52,670
10390	LAP	SST Serum	누251가	D2510043	30.77	2,780	2,780	2,830	2,830
30380	LAP Score	Blood Smear	누084	D084101C	103.23	9,310	9,310	9,510	9,510
11261	L-carnitine (S)	SST Serum	누490다	D4904123	495.67	44,710	44,710	45,650	45,650
10410	LDH	SST Serum	누251가	D2510053	30.77	2,780	2,780	2,830	2,830
10411	LDH	Body Fluid	누251가	D2510053	30.77	2,780	2,780	2,830	2,830
20640	LDH Isoenzyme	SST Serum	누254나	D254202C	177.13	15,980	15,980	16,310	16,310
20641	LDH Isoenzyme	Body Fluid	누254나	D254202C	177.13	15,980	15,980	16,310	16,310
11110	LDL Cholesterol	SST Serum	누261라	D2614003	69.63	6,280	6,280	6,410	6,410
28312	LDLR gene mutation	EDTA Blood	나580다(3)	C580853C	4637.14	418,270	418,270	427,080	427,080
28314	LDLR gene mutation	EDTA Blood	나580다(3)	C580853C	4637.14	418,270	418,270	427,080	427,080
12757	Lead (Pb)(특검)	Random Urin	누550나(1)	D5511153	325.17	29,330	29,330	29,950	29,950
12758	Lead (Pb)(특검)	Trace EDTA B	누550나(1)	D5511153	325.17	29,330	29,330	29,950	29,950
12752	Lead(Pb)	Trace EDTA B	누550나(1)	D5511153	325.17	29,330	29,330	29,950	29,950
12753	Lead(Pb)	24hr Urine	누550나(1)	D5511153	325.17	29,330	29,330	29,950	29,950
12754	Lead(Pb)	Random Urin	누550나(1)	D5511153	325.17	29,330	29,330	29,950	29,950
71140	Legionella Ag	Random Urin	누584다	D1584013	99.86	9,010	9,010	9,200	9,200
43570	Legionella pneumophila PCR	Sputum	누591가	D591108C	389.36	35,120	35,120	35,860	35,860
41612	Leptospira Ab (MAT)	SST Serum	누587나(1)	D587209C	160.85	14,510	14,510	14,810	14,810
26135	Leukemia marker study	Bone Marrow	누080외	D080300C외	-	743,560	743,560	759,150	759,150
82014	Level A	Tissue	나560가	C5601008	255.68	23,060	23,060	23,550	23,550
82015	Level B	Tissue	나560나	C5602008	383.53	34,590	34,590	35,320	35,320
82069	Level C 양성종양 + 탈회(Decalcific	Tissue	나560	C5603008외	-	59,080	59,080	60,330	60,330
82017	Level C 양성종양 10개이상	Tissue	나560다(2)	C5604008	767.06	69,190	69,190	70,650	70,650

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
82016	Level C 양성종양 1-9개	Tissue	나560다(1)	C5603008	596.61	53,810	53,810	54,950	54,950
82036	Level D 악성 10-15개	Tissue	나560라(2)	C5606008	1626.87	146,740	146,740	149,830	149,830
82037	Level D 악성 16개이상	Tissue	나560라(3)	C5607008	1898.35	171,230	171,230	174,840	174,840
82035	Level D 악성 1-9개	Tissue	나560라(1)	C5605008	1291.33	116,480	116,480	118,930	118,930
65681	Levetiracetam	Plain Serum	누532다(4)	D534944C	571.84	51,580	51,580	52,670	52,670
00106	LH (ECLIA)	SST Serum	누370나	D3702033	120.66	10,880	10,880	11,110	11,110
25646	LHON 3460,11778,14484,1525	EDTA Blood	나580다(1)	C580623C	1992.83	179,750	179,750	183,540	183,540
25645	LHON 3460,4171,11778,14484	EDTA Blood	나580나(2)(가)	C580211C	512.75	46,250	46,250	47,220	47,220
10425	Lipase	SST Serum	누380가	D3800013	30.27	2,730	2,730	2,790	2,790
10426	Lipase(Fluid)	Body Fluid	누380가	D3800013	30.27	2,730	2,730	2,790	2,790
11116	Lipid profile	SST Serum	누261외	D2611003외	-	11,490	11,490	11,730	11,730
20650	Lipoprotein E.P	SST Serum	누265	D265000C	158.82	14,330	14,330	14,630	14,630
20651	Lipoprotein E.P	Body Fluid	누265	D265000C	158.82	14,330	14,330	14,630	14,630
12860	Lipoprotein(a)	SST Serum	누262	D2620003	114.97	10,370	10,370	10,590	10,590
12763	Lithium(Li)	SST Serum	누550가(2)	D5503103	90.26	8,140	8,140	8,310	8,310
26133	LLM Acute Panel	Bone Marrow	누081나외	D081200C외	-	810,890	810,890	827,890	827,890
28172	LMNA gene mutation(LGMD 1B)	EDTA Blood	나580다(3)	C580816C	4637.14	418,270	418,270	427,080	427,080
13300	Lymphocyte subset 2종 I	EDTA Blood	누081나	D081200C외	-	87,820	87,820	89,660	89,660
13301	Lymphocyte subset 2종 II	EDTA Blood	누081나	D081200C외	-	87,820	87,820	89,660	89,660
13302	Lymphocyte subset 2종 III	EDTA Blood	누081나	D081200C외	-	87,820	87,820	89,660	89,660
13303	Lymphocyte subset 2종 IV	EDTA Blood	누081나	D081200C외	-	87,820	87,820	89,660	89,660
13304	Lymphocyte subset 3종 I	EDTA Blood	누081나	D081200C외	-	131,730	131,730	134,490	134,490
13305	Lymphocyte subset 3종 II	EDTA Blood	누081나	D081200C외	-	131,730	131,730	134,490	134,490
13320	Lymphocyte subset 3종 IV	EDTA Blood	누081나	D081200C외	-	131,730	131,730	134,490	134,490
26115	Lymphocyte subset 4종	EDTA Blood	누081나외	D081200C외	-	175,640	175,640	179,320	179,320
13306	Lymphocyte subset 4종 I	EDTA Blood	누081나	D081200C외	-	175,640	175,640	179,320	179,320
13307	Lymphocyte subset 4종 II	EDTA Blood	누081나	D081200C외	-	175,640	175,640	179,320	179,320
13308	Lymphocyte subset 5종	EDTA Blood	누081나	D081200C외	-	219,550	219,550	224,150	224,150
71234	M.h & U.u 배양및약제-Mycoview	Other	누582	D582105C	418.25	37,730	37,730	38,520	38,520
71230	M.h & U.u 배양및약제감수성	Other	누582	D582105C	418.25	37,730	37,730	38,520	38,520
52339	M2BPGi	SST Serum	누198	D1980003	599.17	54,050	54,050	55,180	55,180
12222	MA+PGA(특검)	Random Urin	누540다(2)	D5423063	254.59	22,960	22,960	23,450	23,450
10120	Magnesium (Mg)	SST Serum	누280	D2800013	17.95	1,620	1,620	1,650	1,650
10122	Magnesium (Mg)	Random Urin	누280	D2800013	17.95	1,620	1,620	1,650	1,650
10121	Magnesium (Mg)(24hr U)	24hr Urine	누280	D2800013	17.95	1,620	1,620	1,650	1,650
70840	Malaria	Blood Smear	누640자	D640900C	60.17	5,430	5,430	5,540	5,540
70851	Malaria (Rapid)	EDTA Blood	누643가	D6431003	116.81	10,540	10,540	10,760	10,760
42551	Malaria P.falciparum PCR	EDTA Blood	누642가	D642101C	389.36	35,120	35,120	35,860	35,860
42553	Malaria P.malariae PCR	EDTA Blood	누642가	D642101C	389.36	35,120	35,120	35,860	35,860
42554	Malaria P.ovale PCR	EDTA Blood	누642가	D642101C	389.36	35,120	35,120	35,860	35,860
42552	Malaria P.vivax PCR	EDTA Blood	누642가	D642101C	389.36	35,120	35,120	35,860	35,860
42540	Malaria PCR	EDTA Blood	누642가	D642101C	389.36	35,120	35,120	35,860	35,860
42545	Malaria PCR 2종	EDTA Blood	누642가	D642101C외	-	70,240	70,240	71,720	71,720
42555	Malaria PCR 4종	EDTA Blood	누642가	D642101C외	-	140,480	140,480	143,440	143,440
12770	Manganese (Mn)	Trace EDTA B	누550나(1)	D5511133	325.17	29,330	29,330	29,950	29,950
12771	Manganese (Mn)	24hr Urine	누550나(1)	D5511133	325.17	29,330	29,330	29,950	29,950
12772	Manganese (Mn)	Random Urin	누550나(1)	D5511133	325.17	29,330	29,330	29,950	29,950
29006	MAPT gene mutation	EDTA Blood	나580다(3)	C580854C	4637.14	418,270	418,270	427,080	427,080
26911	Marfan, FBN1 gene mutation	EDTA Blood	나580다(5)	C581011C	11030.45	994,950	994,950	1,015,900	1,015,900
25404	MATN3 gene, Mutation (Epiphys	EDTA Blood	나580다(2)	C580719C	3166.78	285,640	285,640	291,660	291,660
41680	Measles virus IgG	SST Serum	누654나(1)	D654211C	199.61	18,000	18,000	18,380	18,380
41681	Measles virus IgG	CSF	누654나(1)	D654211C	199.61	18,000	18,000	18,380	18,380
41690	Measles virus IgM	SST Serum	누654나(2)	D654311C	179.14	16,160	16,160	16,500	16,500
41691	Measles virus IgM	CSF	누654나(2)	D654311C	179.14	16,160	16,160	16,500	16,500
25662	MELAS, MT-TL1 sequencing	EDTA Blood	나580다(1)	C580608C	1992.83	179,750	179,750	183,540	183,540
25661	MELAS, MT-TL1(Leigh disease)	EDTA Blood	나580다(1)	C580608C	1992.83	179,750	179,750	183,540	183,540

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
27875	MEN1 gene mutation	EDTA Blood	나580다(2)	C580721C	3166.78	285,640	285,640	291,660	291,660
29271	MEN2, RET sequencing	EDTA Blood	나580다(2)	C580726C	3166.78	285,640	285,640	291,660	291,660
12788	Mercury (Hg)(특검)	Random Urin	누550나(1)	D5511103	325.17	29,330	29,330	29,950	29,950
12789	Mercury (Hg)(특검)	Trace EDTA B	누550나(1)	D5511103	325.17	29,330	29,330	29,950	29,950
12784	Mercury(Hg)	Trace EDTA B	누550나(1)	D5511103	325.17	29,330	29,330	29,950	29,950
12785	Mercury(Hg)	24hr Urine	누550나(1)	D5511103	325.17	29,330	29,330	29,950	29,950
12786	Mercury(Hg)	Random Urin	누550나(1)	D5511103	325.17	29,330	29,330	29,950	29,950
51917	MERRF, MT-TK Gene	EDTA Blood	나580다(1)	C580624C	1992.83	179,750	179,750	183,540	183,540
51916	MERRF, MTTK sequencing	EDTA Blood	나580다(1)	C580624C	1992.83	179,750	179,750	183,540	183,540
20520	Met Hemoglobin	EDTA Blood	누530	D5300013	46.83	4,220	4,220	4,310	4,310
00885	Metanephrine 2F(HPLC)	24hr Urine	누351라외	D351404C외	-	80,680	80,680	82,380	82,380
00892	Metanephrine,Total(HPLC)	24hr Urine	누351라	D351404C	447.2	40,340	40,340	41,190	41,190
00893	Metanephrines, Plasma	EDTA Plasma	누351라외	D351404C외	-	80,680	80,680	82,380	82,380
00894	Metanephrines, Plasma	EDTA Plasma	누351라외	D351404C외	-	80,680	80,680	82,380	82,380
65430	Methamphetamine 경성	Random Urin	누532가(1)	D5321213	64.09	5,780	5,780	5,900	5,900
65640	Methotrexate(MTX)	Plain Serum	누532나(2)	D5333283	188.13	16,970	16,970	17,330	17,330
11858	Methylethylketone(MEK)(특검)	Random Urin	누540다(2)	D5423073	254.59	22,960	22,960	23,450	23,450
12231	Methylhippuric acid(특검)	Random Urin	누540다(2)	D5423083	254.59	22,960	22,960	23,450	23,450
10773	Methylmalonic acid 정량	EDTA Plasma	누515다(1)	D515301C	590.04	53,220	53,220	54,340	54,340
10774	Methylmalonic acid 정량	Random Urin	누515다(1)	D515301C	590.04	53,220	53,220	54,340	54,340
10775	Methylmalonic acid 정량	24hr Urine	누515다(1)	D515301C	590.04	53,220	53,220	54,340	54,340
26825	MFN2 gene mutation (CMT2A)	EDTA Blood	나580다(3)	C580818C	4637.14	418,270	418,270	427,080	427,080
10001	Microalbumin	24hr Urine	누300나	D3002003	193.53	17,460	17,460	17,820	17,820
10002	Microalbumin(ACR)	Random Urin	누300나	D3002003	193.53	17,460	17,460	17,820	17,820
10005	Microalbumin/creatinine	Random Urin	누300나외	D3002003외	-	19,100	19,100	19,500	19,500
50856	Micro-ELISA Test(BF)	Body Fluid	누641나(1)	D264203C외	-	81,240	81,240	82,960	82,960
50857	Micro-ELISA Test(CSF)	CSF	누641나(1)	D264203C외	-	60,930	60,930	62,220	62,220
50855	Micro-ELISA Test(S)	SST Serum	누641나(1)	D264203C외	-	81,240	81,240	82,960	82,960
30050	Mixing Test	SC Plasma	누103	D103002C	168.93	15,240	15,240	15,560	15,560
26420	MLH1 gene mutation analysis	EDTA Blood	나580다(3)	C580819C	4637.14	418,270	418,270	427,080	427,080
52103	MOG Ab(FACS live cell assay)	SST Serum	누815	D815000C	1242.32	112,060	112,060	114,420	114,420
27778	MPL gene mutation (CAMT)	EDTA Blood	나580다(3)	C580856C	4637.14	418,270	418,270	427,080	427,080
27773	MPL gene, W515K/L mutation	EDTA Blood	나583다(1)	C583308C	1416.05	127,730	127,730	130,420	130,420
27614	MPZ gene mutation (CMT1B)	EDTA Blood	나580다(2)	C580722C	3166.78	285,640	285,640	291,660	291,660
02090	MSAFP	SST Serum	누421나	D2420023	92.31	8,330	8,330	8,500	8,500
26430	MSH2 gene mutation	EDTA Blood	나580다(3)	C580820C	4637.14	418,270	418,270	427,080	427,080
27694	MSI(Microsatellite)	Block	나583나(2)	C583201C	3002.73	270,850	270,850	276,550	276,550
51401	MT-ATP6 gene Mutation	EDTA Blood	나580다(1)	C580622C	1992.83	179,750	179,750	183,540	183,540
42606	MTB & NTM PCR	Sputum	누604나	D604202C	628.86	56,720	56,720	57,920	57,920
42601	MTB PCR (결핵협회)	Sputum	누604가	D604101C	520.33	46,930	46,930	47,920	47,920
27060	MTHFR gene, C677T genotype	EDTA Blood	나580나(2)(가)	C580210C	512.75	46,250	46,250	47,220	47,220
27267	MTHFR 유전자 C677T, A1298C 변	EDTA Blood	나580나(1)	C580106C	724.4	65,340	65,340	66,720	66,720
51915	MT-TK gene, mutation (MERRF)	EDTA Blood	나580다(1)	C580624C	1992.83	179,750	179,750	183,540	183,540
71040	Mucin clot test	Joint Fluid	누032다	D0323003	14.61	1,320	1,320	1,350	1,350
10780	Mucopolysaccharidosis 선별	Random Urin	누513나	D5132003	76.18	6,870	6,870	7,020	7,020
10785	Mucopolysaccharidosis 정량(TLC)	Random Urin	누513다	D513300C	1014.6	91,520	91,520	93,440	93,440
41730	Mumps virus IgG	SST Serum	누654나(1)	D654212C	199.61	18,000	18,000	18,380	18,380
41731	Mumps virus IgG	CSF	누654나(1)	D654212C	199.61	18,000	18,000	18,380	18,380
41740	Mumps virus IgM	SST Serum	누654나(2)	D654312C	179.14	16,160	16,160	16,500	16,500
41741	Mumps virus IgM	CSF	누654나(2)	D654312C	179.14	16,160	16,160	16,500	16,500
42591	Mumps virus RNA(RT-PCR)	CSF	누658나	D658203C	520.33	46,930	46,930	47,920	47,920
26418	MUTYH gene test	EDTA Blood	나580다(3)	C580876C	4637.14	418,270	418,270	427,080	427,080
65610	Mycophenolic acid	EDTA Blood	누532다(4)	D534955C	571.84	51,580	51,580	52,670	52,670
50870	Mycoplasma Ab	SST Serum	누584나	D1582133	60.02	5,410	5,410	5,530	5,530
50871	Mycoplasma Ab	Body Fluid	누584나	D1582133	60.02	5,410	5,410	5,530	5,530
42620	Mycoplasma genitalium PCR	분비물	누591가	D591110C	389.36	35,120	35,120	35,860	35,860

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
42630	Mycoplasma hominis PCR	분비물	누591가	D591111C	389.36	35,120	35,120	35,860	35,860
52300	Mycoplasma pneumoniae IgG	SST Serum	누587나(2)	D587304C	171.92	15,510	15,510	15,830	15,830
52310	Mycoplasma pneumoniae IgM	SST Serum	누587나(3)	D587409C	171.36	15,460	15,460	15,780	15,780
52311	Mycoplasma pneumoniae IgM	CSF	누587나(3)	D587409C	171.36	15,460	15,460	15,780	15,780
42640	Mycoplasma pneumoniae PCR	Sputum	누591가	D591116C	389.36	35,120	35,120	35,860	35,860
13218	MYH7 gene mutation	EDTA Blood	나580다(4)	C580932C	7255.9	654,480	654,480	668,270	668,270
26482	MYH9 gene mutation (MYH9-re)	EDTA Blood	나580다(4)	C580911C	7255.9	654,480	654,480	668,270	668,270
01330	Myoglobin	SST Serum	누401나	D4012003	172.4	15,550	15,550	15,880	15,880
01331	Myoglobin	Random Urin	누401나	D4012003	172.4	15,550	15,550	15,880	15,880
25681	Myotonic Muscular Dystrophy	EDTA Blood	나580라	C581104C	1185.74	106,950	106,950	109,210	109,210
42650	N. gonorrhoeae PCR	분비물	누591가	D591112C	389.36	35,120	35,120	35,860	35,860
10453	N-acetyl-β-D-glucosaminidase	Random Urin	누226	D2260003	103.05	9,300	9,300	9,490	9,490
81178	NADH stain	Tissue	나566	C5660008	409.66	36,950	36,950	37,730	37,730
25383	NDP gene mutation (Norrie disea	EDTA Blood	나580다(1)	C580625C	1992.83	179,750	179,750	183,540	183,540
27782	Neurofibromatosis,NF2 gene	EDTA Blood	나580다(3)	C580861C	4637.14	418,270	418,270	427,080	427,080
27785	Neurofibromatosis,NF2 gene	EDTA Blood	나580다(3)	C580861C	4637.14	418,270	418,270	427,080	427,080
50221	NGAL quantitative test	Random Urin	누234나	D2342003	379.72	34,250	34,250	34,970	34,970
50223	NGAL quantitative test	EDTA Plasma	누234나	D2342003	379.72	34,250	34,250	34,970	34,970
12796	Nickel (Ni)(특검)	Random Urin	누550나(1)	D5511143	325.17	29,330	29,330	29,950	29,950
12793	Nickel(Ni)	Trace Serum	누550나(1)	D5511143	325.17	29,330	29,330	29,950	29,950
12794	Nickel(Ni)	Random Urin	누550나(1)	D5511143	325.17	29,330	29,330	29,950	29,950
27692	NIPBL gene mutation (CdLS)	EDTA Blood	나580다(5)	C581012C	11030.45	994,950	994,950	1,015,900	1,015,900
26262	NK 세포 활성도 검사	전용용기 혈장	누763가	D7631003	616.94	55,650	55,650	56,820	56,820
12271	N-Methylformamide(특검)	Random Urin	누540다(2)	D5423113	254.59	22,960	22,960	23,450	23,450
27541	NMP22	Random Urin	누422나	D2222023	229.77	20,730	20,730	21,160	21,160
30151	Nonspecific esterase stain	Blood Smear	누084	D084103C	103.23	9,310	9,310	9,510	9,510
30152	Nonspecific esterase stain	Bone Marrow	누084	D084103C	103.23	9,310	9,310	9,510	9,510
42571	Norovirus Ag	Stool	누654가	D654108C	160.26	14,460	14,460	14,760	14,760
29440	NPM1 mutation (A,B,D)	Bone Marrow	나583나(1)	C583121C	1352.44	121,990	121,990	124,560	124,560
29445	NPM1 mutation analysis	EDTA Blood	나583다(1)	C583305C	1416.05	127,730	127,730	130,420	130,420
29446	NPM1 유전자 염기서열	EDTA Blood	나583다(1)	C583305C	1416.05	127,730	127,730	130,420	130,420
27166	NR0B1 gene mutation	EDTA Blood	나580다(2)	C580723C	3166.78	285,640	285,640	291,660	291,660
27180	N-RAS gene mutation	Tissue	나583다(2)	C583402C	1656.78	149,440	149,440	152,590	152,590
27699	N-RAS PNA Clamp(대장암) 유전자	Tissue	나583나(1)	C583127F	1376.6	124,170	124,170	126,780	126,780
27689	N-RAS 전체돌연변이(exon2,3,4)	Tissue	나583다(2)	C583402F	1686.37	152,110	152,110	155,310	155,310
25621	NSD1 gene mutation	EDTA Blood	나580다(4)	C580913C	7255.9	654,480	654,480	668,270	668,270
01615	NSE (ECLIA)	SST Serum	누438	D4381003	212.35	19,150	19,150	19,560	19,560
30192	NSE(ANBE) stain	Bone Marrow	누084	D084103C	103.23	9,310	9,310	9,510	9,510
70606	NTM Identification	균주	누604가	D604102C	520.33	46,930	46,930	47,920	47,920
70501	NTM Sensitivity (결핵협회)	균주	누601나(2)	D6015003	477.81	43,100	43,100	44,010	44,010
01350	NT-pro BNP	SST Serum	누406나	D4062013	524.1	47,270	47,270	48,270	48,270
12280	NTx	Random Urin	누501	D5010023	151.31	13,650	13,650	13,940	13,940
41630	O. tsutsugamushi Ab	SST Serum	누584나	D1582253	60.02	5,410	5,410	5,530	5,530
41631	O. tsutsugamushi IgG (IFA)	SST Serum	누587나(2)	D587308C	171.92	15,510	15,510	15,830	15,830
41632	O. tsutsugamushi IgM (IFA)	SST Serum	누587나(3)	D587408C	171.36	15,460	15,460	15,780	15,780
12809	o-cresol(특검)	Random Urin	누540다(2)	D5423123	254.59	22,960	22,960	23,450	23,450
20320	Oligoclonal band	CSF	누474	D474000C	217.56	19,620	19,620	20,040	20,040
29110	OPA1 gene mutation	EDTA Blood	나580다(4)	C580934C	7255.9	654,480	654,480	668,270	668,270
29119	OPA1 gene, mutation (optic atrop	EDTA Blood	나580다(4)	C580934C	7255.9	654,480	654,480	668,270	668,270
12290	Organic Acid	Random Urin	누515다(2)	D515400C	2232.13	201,340	201,340	205,580	205,580
12291	Organic Acid	EDTA Plasma	누515다(2)	D515400C	2232.13	201,340	201,340	205,580	205,580
12320	Osmolality	SST Serum	누282	D2820003	45.73	4,120	4,120	4,210	4,210
12322	Osmolality	Random Urin	누282	D2820003	45.73	4,120	4,120	4,210	4,210
12321	Osmolality(24hr U)	24hr Urine	누282	D2820003	45.73	4,120	4,120	4,210	4,210
12330	Osmotic fragility	복수검체	누054가	D054103C	108.14	9,750	9,750	9,960	9,960
01925	Osteocalcin (ECLIA)	SST Serum	누503	D5030013	182.77	16,490	16,490	16,830	16,830

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
10801	Oxalic acid	24hr Urine	누515다(1)	D515302C	590.04	53,220	53,220	54,340	54,340
65460	Oxcarbazepine & Metabolite	Plain Serum	누532다(4)	D534961C	571.84	51,580	51,580	52,670	52,670
81328	p16(IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
13009	P1NP	SST Serum	누503	D5030023	182.77	16,490	16,490	16,830	16,830
81337	p53 (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
25841	p53 gene 5개 exon5,6,7,8,9	Tissue	나580다(2)	C580733F	3223.33	290,740	290,740	296,870	296,870
81623	p63 (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
26670	PABPN1 gene mutation	EDTA Blood	나580다(1)	C580609C	1992.83	179,750	179,750	183,540	183,540
29410	PAH gene mutation	EDTA Blood	나580다(3)	C580821C	4637.14	418,270	418,270	427,080	427,080
30690	PAI-1	SC Plasma	누127나	D1272003	152.01	13,710	13,710	14,000	14,000
81327	Pan-CK (pancytokeratin) (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
10245	Pancreatic Amylase	SST Serum	누380가	D3800033	30.27	2,730	2,730	2,790	2,790
10246	Pancreatic Amylase(RU)	Random Urin	누380가	D3800033	30.27	2,730	2,730	2,790	2,790
29005	PANK2 gene mutation	EDTA Blood	나580다(2)	C580724C	3166.78	285,640	285,640	291,660	291,660
01630	PAP	SST Serum	누430	D4300023	148.93	13,430	13,430	13,720	13,720
01631	PAP	분비물	누430	D4300023	148.93	13,430	13,430	13,720	13,720
50847	Paragonimus IgG(BF)	Body Fluid	누641나(1)	D264207C	225.14	20,310	20,310	20,740	20,740
50852	Paragonimus IgG(CSF)	CSF	누641나(1)	D264207C	225.14	20,310	20,310	20,740	20,740
50843	Paragonimus IgG(S)	SST Serum	누641나(1)	D264207C	225.14	20,310	20,310	20,740	20,740
42195	Parainfluenza culture	Other	누652가	D652100C	578.61	52,190	52,190	53,290	53,290
43560	Parainfluenza V.Ag	Other	누655가	D655110C	160.26	14,460	14,460	14,760	14,760
12345	Paraquat	Random Urin	누532다(2)	D5343593	311.4	28,090	28,090	28,680	28,680
12340	Paraquat (gramoxone)	SST Serum	누532다(2)	D5343593	311.4	28,090	28,090	28,680	28,680
29120	Parkinson's disease(PARK2)	EDTA Blood	나580다(3)	C580822C	4637.14	418,270	418,270	427,080	427,080
42660	Parvo virus B19 DNA	SST Serum	누658가	D658110C	389.36	35,120	35,120	35,860	35,860
30160	PAS Stain	Bone Marrow	누084	D084102C	103.23	9,310	9,310	9,510	9,510
30155	PAS(periodic acid stain)	Bone Marrow	누084	D084102C	103.23	9,310	9,310	9,510	9,510
29087	PDGFRA exon12,14,18 유전자돌이	Tissue	나583다(3)	C583501F	1931.4	174,210	174,210	177,880	177,880
29086	PDGFRA(12,14,18)	Tissue	나583다(3)	C583501F	1931.4	174,210	174,210	177,880	177,880
30080	PDW	EDTA Blood	누000나	D0002063	11.31	1,020	1,020	1,040	1,040
31085	PEG Coombs Anti IgG	EDTA Blood	누154나	D154203C	78.3	7,060	7,060	7,210	7,210
29360	Pendred syndrome, SLC26A4	EDTA Blood	나580다(3)	C580868C	4637.14	418,270	418,270	427,080	427,080
02036	Pepsinogen I/II	SST Serum	누427	D4270003외	-	26,800	26,800	27,360	27,360
11827	Perampanel	Plain Serum	누532다(4)	D5349A4C	571.84	51,580	51,580	52,670	52,670
26085	Perforin profile, FCM	EDTA Blood	누081외	D081200C외	-	131,730	131,730	134,490	134,490
30154	Peroxidase stain	Bone Marrow	누084	D084108C	103.23	9,310	9,310	9,510	9,510
30170	Peroxidase stain	Bone Marrow	누084	D084108C	103.23	9,310	9,310	9,510	9,510
65290	Phenobarbital	SST Serum	누532나(2)	D5333343	188.13	16,970	16,970	17,330	17,330
12805	Phenol	Random Urin	누540다(2)	D5423143	254.59	22,960	22,960	23,450	23,450
12804	Phenol(특검)	Random Urin	누540다(2)	D5423143	254.59	22,960	22,960	23,450	23,450
65300	Phenytoin	SST Serum	누532나(2)	D5333363	188.13	16,970	16,970	17,330	17,330
26966	PHEX gene mutation	EDTA Blood	나580다(4)	C580917C	7255.9	654,480	654,480	668,270	668,270
27693	PHEX gene mutation	EDTA Blood	나580다(4)	C580917C	7255.9	654,480	654,480	668,270	668,270
27524	PHKA2 gene, mutation	EDTA Blood	나580다(4)	C580935C	7255.9	654,480	654,480	668,270	668,270
10130	Phosphate(Pi)	SST Serum	누280	D2800043	17.95	1,620	1,620	1,650	1,650
10132	Phosphate(Pi)	Random Urin	누280	D2800043	17.95	1,620	1,620	1,650	1,650
10131	Phosphate(Pi)(24hr U)	24hr Urine	누280	D2800043	17.95	1,620	1,620	1,650	1,650
11160	Phospholipid	SST Serum	누260가	D2261003	28.72	2,590	2,590	2,650	2,650
11161	Phospholipid(Fluid)	Body Fluid	누260가	D2261003	28.72	2,590	2,590	2,650	2,650
11720	Phytanic acid	EDTA Plasma	누518	D518002C	1337.91	120,680	120,680	123,220	123,220
01640	PIVKA-2	SST Serum	누426	D4260003	157.18	14,180	14,180	14,480	14,480
27880	PKD1 gene mutation	EDTA Blood	나580다(5)	C581017C	11030.45	994,950	994,950	1,015,900	1,015,900
27883	PKD1 gene mutation	EDTA Blood	나580다(5)	C581017C	11030.45	994,950	994,950	1,015,900	1,015,900
27881	PKD2 gene mutation	EDTA Blood	나580다(3)	C580864C	4637.14	418,270	418,270	427,080	427,080
27884	PKD2 gene mutation	EDTA Blood	나580다(3)	C580864C	4637.14	418,270	418,270	427,080	427,080
27885	PKHD1 gene mutation	EDTA Blood	나580다(5)	C581019C	11030.45	994,950	994,950	1,015,900	1,015,900

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
20530	Plasma Hb	EDTA Plasma	누059	D0590003	47.98	4,330	4,330	4,420	4,420
30710	Plasminogen	SC Plasma	누126가	D1261003	119.43	10,770	10,770	11,000	11,000
30005	Platelet	EDTA Blood	누000나	D0002073	11.31	1,020	1,020	1,040	1,040
51920	Platelet Associated Ab	EDTA Blood	누792다	D792300C	230.63	20,800	20,800	21,240	21,240
25713	PML-RARa (real-time PCR)	EDTA Blood	나583나(1)	C583122C	1352.44	121,990	121,990	124,560	124,560
25710	PML-RARa (RT-Nested-PCR)	EDTA Blood	나583나(1)	C583108C	1352.44	121,990	121,990	124,560	124,560
27613	PMP22 gene mutation (CMT1E)	EDTA Blood	나580다(1)	C580610C	1992.83	179,750	179,750	183,540	183,540
42670	Pneumocystis jirovecii PCR	Sputum	누623가	D623102C	389.36	35,120	35,120	35,860	35,860
26166	PNH test	EDTA Blood	누053다	D053300C외	-	217,200	217,200	221,800	221,800
42680	Polyomavirus(BK,JC) PCR	Random Urin	누658가	D658102C외	-	70,240	70,240	71,720	71,720
11772	Porphobilinogen 경량	Random Urin	누516나	D5163003	178.16	16,070	16,070	16,410	16,410
11773	Porphobilinogen 경량	24hr Urine	누516나	D5163003	178.16	16,070	16,070	16,410	16,410
11760	Porphobilinogen 경성	Random Urin	누516가(1)	D5161003	13.62	1,230	1,230	1,250	1,250
65822	Posaconazole	Plain Serum	누532다(4)	D534968C	571.84	51,580	51,580	52,670	52,670
25737	post-BMT	EDTA Blood	나583나(2)	C583202C	3002.73	270,850	270,850	276,550	276,550
25738	post-BMT	EDTA Blood	나583나(2)	C583202C	3002.73	270,850	270,850	276,550	276,550
10140	Potassium(K)	SST Serum	누280	D2800063	17.95	1,620	1,620	1,650	1,650
10142	Potassium(K)	Random Urin	누280	D2800063	17.95	1,620	1,620	1,650	1,650
10141	Potassium(K)(24hr U)	24hr Urine	누280	D2800063	17.95	1,620	1,620	1,650	1,650
25693	PRA 동경(Class I)	SST Serum	누843나(2)	D843400C	1227.05	110,680	110,680	113,010	113,010
25694	PRA 동경(Class II)	SST Serum	누843나(2)	D843400C	1227.05	110,680	110,680	113,010	113,010
25691	PRA 선별(Class I)	SST Serum	누843나(1)	D843300C	752.18	67,850	67,850	69,280	69,280
25692	PRA 선별(Class II)	SST Serum	누843나(1)	D843300C	752.18	67,850	67,850	69,280	69,280
20330	Prealbumin	SST Serum	누471	D4710023	83.63	7,540	7,540	7,700	7,700
25727	pre-BMT	복수검체	나583나(2)	C583202C	3002.73	270,850	270,850	276,550	276,550
25726	pre-BMT	복수검체	나583나(2)	C583202C	3002.73	270,850	270,850	276,550	276,550
65513	Pregabalin	Plain Serum	누532다(4)	D5349A5C	571.84	51,580	51,580	52,670	52,670
26916	PRF1 gene mutation	EDTA Blood	나580다(2)	C580725C	3166.78	285,640	285,640	291,660	291,660
27612	PROC gene mutation	EDTA Blood	나580다(2)	C580750C	3166.78	285,640	285,640	291,660	291,660
01891	Procalcitonin	SST Serum	누014나	D0142003	329.06	29,680	29,680	30,310	30,310
00512	Progesterone (ECLIA)	SST Serum	누371	D3710083	141.67	12,780	12,780	13,050	13,050
81319	Progesterone Receptor (PR) (IHC	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
01549	ProGRP	EDTA Plasma	누441	D4410003	314.9	28,400	28,400	29,000	29,000
00133	Prolactin (ECLIA)	SST Serum	누341	D3410003	120.26	10,850	10,850	11,080	11,080
27611	PROS1 gene mutation	EDTA Blood	나580다(3)	C580865C	4637.14	418,270	418,270	427,080	427,080
30730	Protein C Activity	SC Plasma	누114가	D1141003	149.19	13,460	13,460	13,740	13,740
30740	Protein C Antigen	SC Plasma	누114나	D1142003	165.6	14,940	14,940	15,250	15,250
20711	Protein E.P(24h urine)	24hr Urine	누473나	D473201C	139.7	12,600	12,600	12,870	12,870
20716	Protein E.P(CSF)	CSF	누473나	D473201C	139.7	12,600	12,600	12,870	12,870
20713	Protein E.P(Random urine)	Random Urin	누473나	D473201C	139.7	12,600	12,600	12,870	12,870
20710	Protein E.P(Serum)	SST Serum	누473가	D473101C	127.05	11,460	11,460	11,700	11,700
30750	Protein S Activity	SC Plasma	누115가	D1151003	142.56	12,860	12,860	13,130	13,130
30760	Protein S Ag(free)	SC Plasma	누115나	D1152003	157.12	14,170	14,170	14,470	14,470
30770	Protein S Ag(total)	SC Plasma	누115나	D1152003	157.12	14,170	14,170	14,470	14,470
10035	Protein/creatinine ratio	Random Urin	누184외	D1840003외	-	2,970	2,970	3,030	3,030
27894	Prothrombin G20210A Mutation	EDTA Blood	나580나(1)	C580104C	724.4	65,340	65,340	66,720	66,720
30950	Prothrombin Time	SC Plasma	누100다	D1003003	21.84	1,970	1,970	2,010	2,010
70860	Protozoa	Stool	누640마	D6405003	31.25	2,820	2,820	2,880	2,880
25651	PRRT2 gene mutation	EDTA Blood	나580다(2)	C580751C	3166.78	285,640	285,640	291,660	291,660
01675	PSA (ECLIA)	SST Serum	누430	D4300033	148.93	13,430	13,430	13,720	13,720
29310	PTEN gene mutation	EDTA Blood	나580다(2)	C580752C	3166.78	285,640	285,640	291,660	291,660
01967	PTH-Intact (ECLIA)	SST Serum	누502	D5020013	182.77	16,490	16,490	16,830	16,830
01968	PTH-Intact (ECLIA)	EDTA Plasma	누502	D5020013	182.77	16,490	16,490	16,830	16,830
26961	PTPN11 gene mutation	EDTA Blood	나580다(3)	C580827C	4637.14	418,270	418,270	427,080	427,080
26962	PTPN11 gene mutation	EDTA Blood	나580다(3)	C580827C	4637.14	418,270	418,270	427,080	427,080
26960	PTPN11 gene mutation(Noonan)	EDTA Blood	나580다(3)	C580827C	4637.14	418,270	418,270	427,080	427,080

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
27617	PTS gene mutation	EDTA Blood	나580다(2)	C580764C	3166.78	285,640	285,640	291,660	291,660
10810	Pyruvic Acid	제단백액	누515가	D5151033	184.02	16,600	16,600	16,950	16,950
10811	Pyruvic Acid	CSF	누515가	D5151033	184.02	16,600	16,600	16,950	16,950
27407	Q-EGFR	Tissue	나583나(1)	C583119F	1376.6	124,170	124,170	126,780	126,780
02060	Quad Test	SST Serum	누421나외	D2420023외	-	62,020	62,020	63,320	63,320
51930	R.A Factor	SST Serum	누781가(1)	D7811003	20.68	1,870	1,870	1,900	1,900
51931	R.A Factor	Body Fluid	누781가(1)	D7811003	20.68	1,870	1,870	1,900	1,900
51940	R.A Factor 경량	SST Serum	누781나	D7813003	95.9	8,650	8,650	8,830	8,830
51941	R.A Factor 경량	Body Fluid	누781나	D7813003	95.9	8,650	8,650	8,830	8,830
29090	RB1 gene point mutation	EDTA Blood	나580다(4)	C580918C	7255.9	654,480	654,480	668,270	668,270
30002	RBC	EDTA Blood	누000나	D0002033	11.31	1,020	1,020	1,040	1,040
11291	RBC Folate	EDTA Blood	누490나	D4902143	116.21	10,480	10,480	10,700	10,700
30090	RDW	EDTA Blood	누000나	D0002023	11.31	1,020	1,020	1,040	1,040
01370	Renin Activity	EDTA Plasma	누354가주	D3541007	171.23	15,440	15,440	15,770	15,770
42257	Respiratory V.Ag Screening 5종	Other	누655가	D655111C	160.26	14,460	14,460	14,760	14,760
29272	RET gene mutation	EDTA Blood	나580다(2)	C580726C	3166.78	285,640	285,640	291,660	291,660
80519	Reticulin Stain	Tissue	나563	C5630008	196.47	17,720	17,720	18,090	18,090
30111	Reticulocyte Count	EDTA Blood	누050나	D0502013	18.55	1,670	1,670	1,710	1,710
27580	Rett Syndrome,MECP2 Sequenci	EDTA Blood	나580다(2)	C580720C	3166.78	285,640	285,640	291,660	291,660
30420	Rh Ab Titer	SST Serum	누157	D157000C	93.33	8,420	8,420	8,600	8,600
30390	Rh(D) Typing	EDTA Blood	누151나	D1512003	40.02	3,610	3,610	3,690	3,690
30400	Rh-Hr Subgroup	EDTA Blood	누151다	D151300C	117.08	10,560	10,560	10,780	10,780
51216	Ribosomal P protein IgG Ab	SST Serum	누785나	D785203C	335.78	30,290	30,290	30,930	30,930
41641	Rickettsia 2 type Ab	SST Serum	누587나(2)	D587308C외	-	31,020	31,020	31,660	31,660
25656	RNF213 gene R4810K mutation	EDTA Blood	나580다(1)	C580629C	1992.83	179,750	179,750	183,540	183,540
25633	RNF213 gene, R4810K mutation	EDTA Blood	나580다(1)	C580629C	1992.83	179,750	179,750	183,540	183,540
25609	RNF213 gene, R4810K mutation	EDTA Blood	나580다(1)	C580629C	1992.83	179,750	179,750	183,540	183,540
01474	ROMA 난소암 위험도	SST Serum	누437외	D4370003외	-	34,770	34,770	35,500	35,500
29093	ROS1 gene, Fusion	Tissue	나583나(1)	C583129C	1352.44	121,990	121,990	124,560	124,560
29092	ROS1, gene Fusion	Tissue	나583나(1)	C583129F	1376.6	124,170	124,170	126,780	126,780
42290	Rotavirus Ag	Stool	누654가	D654110C	160.26	14,460	14,460	14,760	14,760
27509	RPE65 gene, mutation (retinitis p	EDTA Blood	나580다(3)	C580829C	4637.14	418,270	418,270	427,080	427,080
50935	RPR 정밀	SST Serum	누691다	D6913003	20.75	1,870	1,870	1,910	1,910
25387	RS1 gene mutation	EDTA Blood	나580다(2)	C580753C	3166.78	285,640	285,640	291,660	291,660
42225	RSV Culture	Other	누652가	D652100C	578.61	52,190	52,190	53,290	53,290
41940	Rubella IgG	SST Serum	누654나(1)	D654218C	199.61	18,000	18,000	18,380	18,380
41941	Rubella IgG	CSF	누654나(1)	D654218C	199.61	18,000	18,000	18,380	18,380
43520	Rubella IgG avidity	SST Serum	누654나(1)주	D654401C	469.77	42,370	42,370	43,270	43,270
41950	Rubella IgM	SST Serum	누654나(2)	D654318C	179.14	16,160	16,160	16,500	16,500
41951	Rubella IgM	CSF	누654나(2)	D654318C	179.14	16,160	16,160	16,500	16,500
42690	Rubella Virus RT-PCR	EDTA Blood	누658나	D658204C	520.33	46,930	46,930	47,920	47,920
81338	S-100 protein (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
00930	S-100 Protein Quantification	SST Serum	누476	D476000C	599.4	54,070	54,070	55,200	55,200
42700	Salmonella PCR	EDTA Blood	누591가	D591113C	389.36	35,120	35,120	35,860	35,860
42296	SARS-CoV-2	복수검체	누658다	D658305C외	-	113,440	113,440	115,840	115,840
42326	SARS-CoV-2 Ab (N)	SST Serum	누654나(1)	D654226C	199.61	18,000	18,000	18,380	18,380
42327	SARS-CoV-2 Ab (S1)	SST Serum	누654나(1)	D654226C	199.61	18,000	18,000	18,380	18,380
42294	SARS-CoV-2(상기도)	구인두,비인두	누658다	D658305C	628.86	56,720	56,720	57,920	57,920
42302	SARS-CoV-2(상기도)(입원환자/시	구인두,비인두	누658다	D658397C	628.86	56,720	56,720	57,920	57,920
42299	SARS-CoV-2(취합,개별2단계)	구인두,비인두	누658라	D658997C	611.48	55,160	55,160	56,320	56,320
42298	SARS-CoV-2(취합,그룹1단계,입원	구인두,비인두	누658라	D658897C외	-	91,950	91,950	93,850	93,850
42295	SARS-CoV-2(하기도)	Sputum	누658다	D658305C	628.86	56,720	56,720	57,920	57,920
42329	SARS-CoV-2/Influenza/RSV	구인두,비인두	누680가	D680113C	793.36	71,560	71,560	73,070	73,070
29264	SBDS gene mutation	EDTA Blood	나580다(1)	C580631C	1992.83	179,750	179,750	183,540	183,540
26981	SBMA (Kennedy disease)	EDTA Blood	나580나(2)(나)	C580301C	1274.65	114,970	114,970	117,400	117,400
26980	SBMA, AR gene	EDTA Blood	나580나(2)(나)	C580301C	1274.65	114,970	114,970	117,400	117,400

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
27001	SCA panel (SCA 1,2,3,6,7)	EDTA Blood	나580나(2)	C580303C외	-	574,850	574,850	587,000	587,000
01690	SCA-1	EDTA Blood	나580나(2)(나)	C580303C	1274.65	114,970	114,970	117,400	117,400
27003	SCA-1,2,3,6,7,8	EDTA Blood	나580나외	C580303C외	-	689,820	689,820	704,400	704,400
02082	SCA-17	EDTA Blood	나580나(2)(나)	C580310C	1274.65	114,970	114,970	117,400	117,400
27015	SCA-17	EDTA Blood	나580나(2)(나)	C580310C	1274.65	114,970	114,970	117,400	117,400
01700	SCA-2	EDTA Blood	나580나(2)(나)	C580304C	1274.65	114,970	114,970	117,400	117,400
01710	SCA-3	EDTA Blood	나580나(2)(나)	C580305C	1274.65	114,970	114,970	117,400	117,400
02070	SCA-6	EDTA Blood	나580나(2)(나)	C580308C	1274.65	114,970	114,970	117,400	117,400
02080	SCA-7	EDTA Blood	나580나(2)(나)	C580306C	1274.65	114,970	114,970	117,400	117,400
02081	SCA-8	EDTA Blood	나580나(2)(나)	C580307C	1274.65	114,970	114,970	117,400	117,400
27010	SCA-8 gene, mutation (spinocer)	EDTA Blood	나580나(2)(나)	C580307C	1274.65	114,970	114,970	117,400	117,400
01723	SCC Ag	SST Serum	누439	D4390003	215.83	19,470	19,470	19,880	19,880
29227	SCN1A gene mutation	EDTA Blood	나580다(4)	C580938C	7255.9	654,480	654,480	668,270	668,270
29226	SCN4A gene mutation	EDTA Blood	나580다(4)	C580919C	7255.9	654,480	654,480	668,270	668,270
29218	SCN5A gene mutation	EDTA Blood	나580다(4)	C580939C	7255.9	654,480	654,480	668,270	668,270
29225	SCN5A gene mutation	EDTA Blood	나580다(4)	C580939C	7255.9	654,480	654,480	668,270	668,270
11022	SD LDL Cholesterol	SST Serum	누264	D2640003	791.74	71,410	71,410	72,920	72,920
27345	SDHB gene mutation	EDTA Blood	나580다(2)	C580755C	3166.78	285,640	285,640	291,660	291,660
27347	SDHB gene mutation	EDTA Blood	나580다(2)	C580755C	3166.78	285,640	285,640	291,660	291,660
27346	SDHD gene mutation	EDTA Blood	나580다(1)	C580632C	1992.83	179,750	179,750	183,540	183,540
20357	Selectivity Index	복수검체	누232나	D2322003	198.79	17,930	17,930	18,310	18,310
12810	Selenium	Trace EDTA B	누550나(1)	D5511173	325.17	29,330	29,330	29,950	29,950
12811	Selenium	Random Urin	누550나(1)	D5511173	325.17	29,330	29,330	29,950	29,950
12814	Selenium	Trace Serum	누550나(1)	D5511173	325.17	29,330	29,330	29,950	29,950
02062	Sequential 2nd (Quad)	SST Serum	누421나외	D2420023외	-	62,020	62,020	63,320	63,320
00908	Serotonin(LC/MS/MS)	SST Serum	누444나(2)	D444300C	447.2	40,340	40,340	41,190	41,190
00907	Serotonin(PFP)(LC/MS/MS)	EDTA Plasma	누444나(2)	D444300C	447.2	40,340	40,340	41,190	41,190
00909	Serotonin(S)	SST Serum	누444나(1)	D4442003	172.06	15,520	15,520	15,850	15,850
63226	sFlt-1/PIGF ratio (전자간증위험도)	SST Serum	누574	D5740003	1017.57	91,780	91,780	93,720	93,720
42270	SFTS(중증열성혈소판감소증후군)	EDTA Blood	누658라	D658401C	815.29	73,540	73,540	75,090	75,090
29140	SGCE gene mutation	EDTA Blood	나580다(3)	C580867C	4637.14	418,270	418,270	427,080	427,080
65720	Sirolimus(Rapamycin)	EDTA Blood	누532다(4)	D534978C	571.84	51,580	51,580	52,670	52,670
26182	SISH_Her-2/neu(breast,gastric)	Tissue	나583라(3)	C584102F	2454.53	221,400	221,400	226,060	226,060
26985	SLC12A3 gene mutation	EDTA Blood	나580다(4)	C580940C	7255.9	654,480	654,480	668,270	668,270
26973	SLC22A12 (URAT1)	EDTA Blood	나580다(2)	C580727C	3166.78	285,640	285,640	291,660	291,660
25622	SLC25A13 gene mutation (citrin)	EDTA Blood	나580다(3)	C580831C	4637.14	418,270	418,270	427,080	427,080
25130	SLC2A1 gene mutation	EDTA Blood	나580다(2)	C580728C	3166.78	285,640	285,640	291,660	291,660
26972	SLC37A4 gene mutation	EDTA Blood	나580다(2)	C580729C	3166.78	285,640	285,640	291,660	291,660
81549	SMA (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
29580	SMAD4 gene mutation	EDTA Blood	나580다(3)	C580869C	4637.14	418,270	418,270	427,080	427,080
51984	SMN1 gene mutation	EDTA Blood	나580다(2)	C580730C	3166.78	285,640	285,640	291,660	291,660
27031	SOD1 gene mutation	EDTA Blood	나580다(1)	C580611C	1992.83	179,750	179,750	183,540	183,540
10150	Sodium(Na)	SST Serum	누280	D2800023	17.95	1,620	1,620	1,650	1,650
10152	Sodium(Na)	Random Urin	누280	D2800023	17.95	1,620	1,620	1,650	1,650
10151	Sodium(Na)(24hr U)	24hr Urine	누280	D2800023	17.95	1,620	1,620	1,650	1,650
12603	Soluble ST2	SST Serum	누405나	D4050003	334.44	30,170	30,170	30,800	30,800
00156	Somatomedin-C (CLIA)	SST Serum	누344	D3440013	217.29	19,600	19,600	20,010	20,010
00152	Somatomedin-C (RIA)	SST Serum	누344주	D3441017	214.38	19,340	19,340	19,740	19,740
25619	SOX9 gene mutation	EDTA Blood	나580다(2)	C580756C	3166.78	285,640	285,640	291,660	291,660
50848	Sparganum IgG(BF)	Body Fluid	누641나(1)	D264209C	225.14	20,310	20,310	20,740	20,740
50853	Sparganum IgG(CSF)	CSF	누641나(1)	D264209C	225.14	20,310	20,310	20,740	20,740
50844	Sparganum IgG(S)	SST Serum	누641나(1)	D264209C	225.14	20,310	20,310	20,740	20,740
29591	SPAST gene mutation	EDTA Blood	나580다(3)	C580832C	4637.14	418,270	418,270	427,080	427,080
29594	Spastic paraplasia (SPG4)	EDTA Blood	나580다(3)	C580832C	4637.14	418,270	418,270	427,080	427,080
29593	Spastic paraplasia(SPG3A)	EDTA Blood	나580다(3)	C580833C	4637.14	418,270	418,270	427,080	427,080
82080	Special Stain	Tissue	나563	C5630008	196.47	17,720	17,720	18,090	18,090

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
63270	Specific IgG4 D1 (D. pteronyssini)	SST Serum	누744	D7440023	182.96	16,500	16,500	16,850	16,850
63271	Specific IgG4 D2 (D. farinae)	SST Serum	누744	D7440023	182.96	16,500	16,500	16,850	16,850
63272	Specific IgG4 E1 (Cat dander)	SST Serum	누744	D7440023	182.96	16,500	16,500	16,850	16,850
63273	Specific IgG4 E5 (Dog dander)	SST Serum	누744	D7440023	182.96	16,500	16,500	16,850	16,850
63274	Specific IgG4 F1 (Egg white)	SST Serum	누744	D7440023	182.96	16,500	16,500	16,850	16,850
63275	Specific IgG4 F13 (Peanut)	SST Serum	누744	D7440023	182.96	16,500	16,500	16,850	16,850
63276	Specific IgG4 F233 (Ovomucoid)	SST Serum	누744	D7440023	182.96	16,500	16,500	16,850	16,850
63277	Specific IgG4 F78 (Casein)	SST Serum	누744	D7440023	182.96	16,500	16,500	16,850	16,850
63232	Specific IgG4 W6(Mugwort(sage))	SST Serum	누744	D7440023	182.96	16,500	16,500	16,850	16,850
29590	SPG3 gene mutation (ATL1 gene)	EDTA Blood	나580다(3)	C580833C	4637.14	418,270	418,270	427,080	427,080
51977	Spinal muscular atrophy	EDTA Blood	나580나(2)(가)	C580214C	512.75	46,250	46,250	47,220	47,220
27000	Spinocerebellar ataxia, Profile (SCA)	EDTA Blood	나580나외	C580303C외	-	804,790	804,790	821,800	821,800
25637	SRD5A2 gene, mutation	EDTA Blood	나580다(1)	C580612C	1992.83	179,750	179,750	183,540	183,540
25686	STAT3 gene mutation (Hyper IgE)	EDTA Blood	나580다(4)	C580921C	7255.9	654,480	654,480	668,270	668,270
43653	STD 12종(Multiplex Real-time PCR)	분비물	누680나	D680208C	894.4	80,670	80,670	82,370	82,370
43656	STD 12종(Multiplex-PCR)	분비물	누680나	D680208C	894.4	80,670	80,670	82,370	82,370
43650	STD 6종(Multiplex Real-time PCR)	분비물	누680가	D680108C	793.36	71,560	71,560	73,070	73,070
43655	STD 6종(Multiplex-PCR)	분비물	누680가	D680108C	793.36	71,560	71,560	73,070	73,070
43658	STD 검사(13종)	분비물	누680나	D680208C	894.4	80,670	80,670	82,370	82,370
27870	STK11 gene point mutation	EDTA Blood	나580다(2)	C580731C	3166.78	285,640	285,640	291,660	291,660
12464	Stone analysis (physical)	Stone	누030가	D030101C	280.17	25,270	25,270	25,800	25,800
12460	Stone Analysis 경성	Stone	누030가	D030102C	280.17	25,270	25,270	25,800	25,800
70870	Stool Microscopy	Stool	누031나	D0312003	18.69	1,690	1,690	1,720	1,720
71250	Stool OB 경량	Stool	누031라(3)	D0320003	60.32	5,440	5,440	5,560	5,560
70895	Stool pH	Stool	누031가	D0311003	7.44	670	670	690	690
70890	Stool WBC	Stool	누031다	D0313003	13.09	1,180	1,180	1,210	1,210
71150	Streptococcus pneumoniae urine	Random Urin	누584다	D1584023	99.86	9,010	9,010	9,200	9,200
20243	Subclass IgG II	SST Serum	누742	D7420023	88.71	8,000	8,000	8,170	8,170
20253	Subclass IgG III	SST Serum	누742	D7420033	88.71	8,000	8,000	8,170	8,170
20263	Subclass IgG IV	SST Serum	누742	D7420043	88.71	8,000	8,000	8,170	8,170
20233	Subclass IgG I	SST Serum	누742	D7420013	88.71	8,000	8,000	8,170	8,170
11730	Succinylacetone	Random Urin	누515다(1)	D515303C	590.04	53,220	53,220	54,340	54,340
12870	Sucrose hemolysis	복수검체	누053가	D053102C	72.62	6,550	6,550	6,690	6,690
30190	Sudan black B stain	Bone Marrow	누084	D084105C	103.23	9,310	9,310	9,510	9,510
29020	Surface Ig(Cytoplasmic Ig)	EDTA Blood	누081나	D081200C	486.76	43,910	43,910	44,830	44,830
81324	Synaptophysin (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
29001	SYT/SSX gene rearrangement	Block	나583나(1)	C583114F	1376.6	124,170	124,170	126,780	126,780
29009	SYT-SSX gene rearrangement	Block	나583가	C583004F	1200.33	108,270	108,270	110,550	110,550
65831	t,t-muconic acid (특검)	Random Urin	누540다(2)	D5423103	254.59	22,960	22,960	23,450	23,450
00296	T3 (ECLIA)	SST Serum	누323	D3230063	121.62	10,970	10,970	11,200	11,200
00305	T3-Uptake (ECLIA)	SST Serum	누323	D3230023	121.62	10,970	10,970	11,200	11,200
00316	T4 (ECLIA)	SST Serum	누323	D3230043	121.62	10,970	10,970	11,200	11,200
00320	TBG (RIA)	SST Serum	누321나주1	D3213027	179.46	16,190	16,190	16,530	16,530
12574	TCA_1,1,1-TCE(특검)	Random Urin	누540다(2)	D5423183	254.59	22,960	22,960	23,450	23,450
12575	TCA_PCE(특검)	Random Urin	누540다(2)	D5423183	254.59	22,960	22,960	23,450	23,450
12573	TCA_TCE(특검)	Random Urin	누540다(2)	D5423183	254.59	22,960	22,960	23,450	23,450
25604	TCOF1 gene mutaion	EDTA Blood	나580다(4)	C580941C	7255.9	654,480	654,480	668,270	668,270
25608	TCOF1 gene mutation	EDTA Blood	나580다(4)	C580941C	7255.9	654,480	654,480	668,270	668,270
25874	TCR β gene rearrangement	Block	나583나(2)	C583205F	3056.35	275,680	275,680	281,490	281,490
25876	TCR β gene rearrangement	Bone Marrow	나583나(2)	C583205C	3002.73	270,850	270,850	276,550	276,550
25872	TCR γ gene rearrangement	Block	나583나(2)	C583203F	3056.35	275,680	275,680	281,490	281,490
25877	TCR γ gene rearrangement	Bone Marrow	나583나(2)	C583203C	3002.73	270,850	270,850	276,550	276,550
25878	TCR δ gene rearrangement	Bone Marrow	나583나(2)	C583204C	3002.73	270,850	270,850	276,550	276,550
25879	TCR δ gene rearrangement	Block	나583나(2)	C583204F	3056.35	275,680	275,680	281,490	281,490
65331	Teicoplanin	Plain Serum	누532다(4)	D534986C	571.84	51,580	51,580	52,670	52,670
00523	Testosterone (ECLIA)	SST Serum	누371	D3710063	141.67	12,780	12,780	13,050	13,050

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
00530	Testosterone, Free	SST Serum	누371	D3710057	144.45	13,030	13,030	13,300	13,300
27167	TGFBR1 gene mutation (Loeys-D	EDTA Blood	나580다(2)	C580760C	3166.78	285,640	285,640	291,660	291,660
27168	TGFBR2 gene mutation (Loeys-D	EDTA Blood	나580다(3)	C580870C	4637.14	418,270	418,270	427,080	427,080
65140	Theophylline	SST Serum	누532나(2)	D5333433	188.13	16,970	16,970	17,330	17,330
29180	THRB gene mutation	EDTA Blood	나580다(2)	C580761C	3166.78	285,640	285,640	291,660	291,660
30970	Thrombin Time	SC Plasma	누100바	D1006003	20.34	1,830	1,830	1,870	1,870
00355	Thyroglobulin (ECLIA)	SST Serum	누425가	D4250003	145.79	13,150	13,150	13,430	13,430
00345	Thyroglobulin Ab (ECLIA)	SST Serum	누324	D3240003	177.84	16,040	16,040	16,380	16,380
12830	TIBC	SST Serum	누052가	D0521043	27.85	2,510	2,510	2,560	2,560
01775	Tissue polypeptide Ag(TPA)	SST Serum	누440	D4400003	228.72	20,630	20,630	21,070	21,070
27825	TKI 약제내성(major BCR/ABL1)	EDTA Blood	나583다(6)	C583801C	2980.79	268,870	268,870	274,530	274,530
65340	Tobramycin	Plain Serum	누532나(2)	D5333443	188.13	16,970	16,970	17,330	17,330
65711	Topiramate	Plain Serum	누532다(4)	D534990C	571.84	51,580	51,580	52,670	52,670
65712	Topiramate	Plain Serum	누532다(4)	D534990C	571.84	51,580	51,580	52,670	52,670
27173	TOR1A gene, mutation(DYT1)	EDTA Blood	나580다(1)	C580634C	1992.83	179,750	179,750	183,540	183,540
42750	TORCH Test	SST Serum	누654외	D654220C외	-	143,100	143,100	146,120	146,120
10040	Total Bilirubin	SST Serum	누183가	D1830003	13.86	1,250	1,250	1,280	1,280
10041	Total Bilirubin	Capillary	누183가	D1830003	13.86	1,250	1,250	1,280	1,280
11020	Total Cholesterol	SST Serum	누261가(1)	D2611003	17.1	1,540	1,540	1,570	1,570
11021	Total Cholesterol	Body Fluid	누261가(1)	D2611003	17.1	1,540	1,540	1,570	1,570
60005	Total IgE (Unicap)	SST Serum	누743나	D7430003	158.75	14,320	14,320	14,620	14,620
11780	Total Porphyrin 경성	Random Urin	누516가(1)	D5161003	13.62	1,230	1,230	1,250	1,250
10030	Total Protein	SST Serum	누184가	D1840003	14.69	1,330	1,330	1,350	1,350
10033	Total Protein	Body Fluid	누184가	D1840003	14.69	1,330	1,330	1,350	1,350
10031	Total Protein(24hr U)	24hr Urine	누184가	D1840003	14.69	1,330	1,330	1,350	1,350
10032	Total Protein(CSF)	CSF	누184가	D1840003	14.69	1,330	1,330	1,350	1,350
10034	Total Protein(RU)	Random Urin	누184가	D1840003	14.69	1,330	1,330	1,350	1,350
12576	Total Trichloride(특검)	Random Urin	누540다(2)	D5423173	254.59	22,960	22,960	23,450	23,450
12577	Total Trichloroethanol(특검)	Random Urin	누540다(2)	D5423193	254.59	22,960	22,960	23,450	23,450
52271	Toxocara canis IgG	SST Serum	누641나(1)	D264212C	225.14	20,310	20,310	20,740	20,740
52597	Toxocara canis(개회충)	SST Serum	누641나(1)	D264212C	225.14	20,310	20,310	20,740	20,740
43510	Toxoplasma DNA PCR	EDTA Blood	누642가	D642102C	389.36	35,120	35,120	35,860	35,860
50903	Toxoplasma IgG	SST Serum	누641나(1)	D264210C	225.14	20,310	20,310	20,740	20,740
50904	Toxoplasma IgG	CSF	누641나(1)	D264210C	225.14	20,310	20,310	20,740	20,740
50913	Toxoplasma IgM	SST Serum	누641나(2)	D264304C	225.14	20,310	20,310	20,740	20,740
50914	Toxoplasma IgM	CSF	누641나(2)	D264304C	225.14	20,310	20,310	20,740	20,740
26772	TP53 gene mutation	EDTA Blood	나580다(2)	C580733C	3166.78	285,640	285,640	291,660	291,660
50955	TPLA 정밀	SST Serum	누692다	D6923003	92.88	8,380	8,380	8,550	8,550
27472	TPMT genotyping	EDTA Blood	나580다(1)	C580635C	1992.83	179,750	179,750	183,540	183,540
20360	Transferrin	SST Serum	누471	D4710013	83.63	7,540	7,540	7,700	7,700
20370	Transferrin saturation	SST Serum	누052외	D0521033외	-	5,020	5,020	5,120	5,120
42720	Treponema pallidum PCR	분비물	누693가	D693101C	389.36	35,120	35,120	35,860	35,860
52589	Trichinella spiralis(선모충)	SST Serum	누641나(1)	D264211C	225.14	20,310	20,310	20,740	20,740
42655	Trichomonas vaginalis PCR	분비물	누642가	D642103C	389.36	35,120	35,120	35,860	35,860
11190	Triglyceride	SST Serum	누260다	D2263003	40.9	3,690	3,690	3,770	3,770
11191	Triglyceride	Body Fluid	누260다	D2263003	40.9	3,690	3,690	3,770	3,770
01870	Triple marker	SST Serum	누372외	D3720003외	-	33,280	33,280	33,980	33,980
12591	Troponin I	SST Serum	누402다	D4023013	103.79	9,360	9,360	9,560	9,560
12600	Troponin T	SST Serum	누402다	D4023023	103.79	9,360	9,360	9,560	9,560
01117	Tryptase	SST Serum	누751	D7510003	603.84	54,470	54,470	55,610	55,610
27651	TSC1 (Tuberous sclerosis1)	EDTA Blood	나580다(4)	C580922C	7255.9	654,480	654,480	668,270	668,270
27652	TSC2 (Tuberous sclerosis2)	EDTA Blood	나580다(5)	C581013C	11030.45	994,950	994,950	1,015,900	1,015,900
00366	TSH (ECLIA)	SST Serum	누325가	D3250013	169.07	15,250	15,250	15,570	15,570
00385	TSH-R-Ab(ECLIA)	SST Serum	누321나	D3212013	150.67	13,590	13,590	13,880	13,880
29575	TTR gene mutation	EDTA Blood	나580다(1)	C580613C	1992.83	179,750	179,750	183,540	183,540
29160	TYR gene mutation (oculocutan	EDTA Blood	나580다(2)	C580734C	3166.78	285,640	285,640	291,660	291,660

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
12993	UDP-Galactose-4-Epimerase	EDTA Blood	누517나	D517207C	1284.43	115,860	115,860	118,300	118,300
27450	UGT1A1 (hyperbilirubinemia) ge	EDTA Blood	나580다(2)	C580735C	3166.78	285,640	285,640	291,660	291,660
12840	UIBC	SST Serum	누052가	D0521013	27.85	2,510	2,510	2,560	2,560
26915	UNC13D gene mutation	EDTA Blood	나580다(4)	C580923C	7255.9	654,480	654,480	668,270	668,270
42733	Ureaplasma parvum PCR	분비물	누591가	D591114C	389.36	35,120	35,120	35,860	35,860
42734	Ureaplasma parvum PCR	분비물	누591나	D591204C	520.33	46,930	46,930	47,920	47,920
42730	Ureaplasma urealyticum PCR	분비물	누591가	D591114C	389.36	35,120	35,120	35,860	35,860
42736	Ureaplasma urealyticum PCR	분비물	누591나	D591204C	520.33	46,930	46,930	47,920	47,920
10930	Uric Acid	SST Serum	누231가	D2310003	23.51	2,120	2,120	2,170	2,170
10932	Uric Acid	Random Urin	누231가	D2310003	23.51	2,120	2,120	2,170	2,170
10931	Uric Acid(24hr U)	24hr Urine	누231가	D2310003	23.51	2,120	2,120	2,170	2,170
10160	Urinary Ca	복수검체	누280외	D2800053외	-	4,900	4,900	5,010	5,010
70002	Urine Glucose	Random Urin	누225가	D2251003	8.36	750	750	770	770
70001	Urine Protein	Random Urin	누225가	D2251003	8.36	750	750	770	770
70050	Urine RBC morphology	Random Urin	누221나	D221200C	36.55	3,300	3,300	3,370	3,370
11790	Uroporphyrin 경성	Random Urin	누516가(1)	D5161003	13.62	1,230	1,230	1,250	1,250
65350	Valproic Acid	SST Serum	누532나(2)	D5333453	188.13	16,970	16,970	17,330	17,330
65370	Vancomycin	SST Serum	누532나(2)	D5333473	188.13	16,970	16,970	17,330	17,330
42230	Varicella-Zoster Culture	Other	누652가	D652100C	578.61	52,190	52,190	53,290	53,290
42231	Varicella-Zoster culture (조직)	Tissue	누652가	D652100C	578.61	52,190	52,190	53,290	53,290
42740	Varicella-Zoster DNA(PCR)	EDTA Blood	누658가	D658107C	389.36	35,120	35,120	35,860	35,860
42050	Varicella-Zoster IgG	SST Serum	누654나(1)	D654219C	199.61	18,000	18,000	18,380	18,380
42051	Varicella-Zoster IgG	CSF	누654나(1)	D654219C	199.61	18,000	18,000	18,380	18,380
42060	Varicella-Zoster IgM	SST Serum	누654나(2)	D654319C	179.14	16,160	16,160	16,500	16,500
42061	Varicella-Zoster IgM	CSF	누654나(2)	D654319C	179.14	16,160	16,160	16,500	16,500
50926	VDRL 경량	CSF	누691나	D6912003	32.06	2,890	2,890	2,950	2,950
50925	VDRL 경성	CSF	누691가	D6911003	17.02	1,540	1,540	1,570	1,570
11205	Very long chain fatty acid	Hp Plasma	누518	D5180013	1218.45	109,900	109,900	112,220	112,220
27283	VHL gene mutation analysis	EDTA Blood	나580다(1)	C580614C	1992.83	179,750	179,750	183,540	183,540
71215	Vibrio Culture&Sensitivity (Disk)	Stool	누581마(1)	D5851003	199.45	17,990	17,990	18,370	18,370
71216	Vibrio Culture&Sensitivity (MIC)	Stool	누581마(2)	D5854003	210.7	19,010	19,010	19,410	19,410
81356	Vimentin (IHC)	Tissue	나567가	C567300F	670.17	60,450	60,450	61,720	61,720
11340	Vitamin A	SST Serum	누490다	D4904023	495.67	44,710	44,710	45,650	45,650
11360	Vitamin B1	EDTA Blood	누490다	D490403C	544.26	49,090	49,090	50,130	50,130
11396	Vitamin B12	SST Serum	누490나	D4902053	116.21	10,480	10,480	10,700	10,700
11370	Vitamin B2	EDTA Blood	누490다	D490404C	544.26	49,090	49,090	50,130	50,130
11387	Vitamin B6 profile	EDTA Plasma	누490다	D490405C	544.26	49,090	49,090	50,130	50,130
11386	Vitamin B6(PLP)	EDTA Plasma	누490다	D490405C	544.26	49,090	49,090	50,130	50,130
11410	Vitamin C	Hp Plasma	누490다	D490406C	544.26	49,090	49,090	50,130	50,130
11415	Vitamin C	SST Serum	누490다	D490406C	544.26	49,090	49,090	50,130	50,130
11420	Vitamin E	SST Serum	누490다	D490409C	544.26	49,090	49,090	50,130	50,130
11421	Vitamin E profile	SST Serum	누490다	D490409C	544.26	49,090	49,090	50,130	50,130
27512	VKORC1 genotyping	EDTA Blood	나580다(1)	C580637C	1992.83	179,750	179,750	183,540	183,540
00920	VMA 경량	24hr Urine	누351라	D351407C	447.2	40,340	40,340	41,190	41,190
00910	VMA 경성	Random Urin	누351가	D3511023	17.37	1,570	1,570	1,600	1,600
80627	Von Kossa stain	Tissue	나563	C5630008	196.47	17,720	17,720	18,090	18,090
30830	von-Willebrand's Antigen	SC Plasma	누110나	D2111003	154.85	13,970	13,970	14,260	14,260
65820	Voriconazole	Plain Serum	누532다(4)	D534997C	571.84	51,580	51,580	52,670	52,670
70178	VRE Cul.&Sensi.(DISK)	Stool	누581마(1)	D5851003	199.45	17,990	17,990	18,370	18,370
70182	VRE Cul.&Sensi.(MIC)	Stool	누581마(2)	D5854003	210.7	19,010	19,010	19,410	19,410
30822	vWF gene mutation (von Willebr	EDTA Blood	나580다(5)	C581014C	11030.45	994,950	994,950	1,015,900	1,015,900
30821	VWF(Ristocetin Cofactor)	SC Plasma	누110가	D2110003	190.77	17,210	17,210	17,570	17,570
27610	WAS gene mutation (Wiskott-Al	EDTA Blood	나580다(3)	C580871C	4637.14	418,270	418,270	427,080	427,080
30001	WBC	EDTA Blood	누000나	D0002013	11.31	1,020	1,020	1,040	1,040
70960	Wet Smear	Other	누220나췌	D2203003	10.98	990	990	1,010	1,010
50980	Widal Test	SST Serum	누586	D5860003	27.76	2,500	2,500	2,560	2,560

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
50990	Widal Test (Para A B)	SST Serum	누586	D5860003	27.76	2,500	2,500	2,560	2,560
26273	Wilson disease, ATP7B	EDTA Blood	나580다(4)	C580904C	7255.9	654,480	654,480	668,270	668,270
29261	WT1 gene	EDTA Blood	나583나(1)	C583124C	1352.44	121,990	121,990	124,560	124,560
25760	Y-Chromosome(SRY gene)	EDTA Blood	나580가	C580003C	724.4	65,340	65,340	66,720	66,720
71091	Yersinia Culture	Stool	누582	D582104C	418.25	37,730	37,730	38,520	38,520
42271	Zika Virus Real-time PCR(급여)	Random Urin	누658다	D658302C	628.86	56,720	56,720	57,920	57,920
11811	Zinc Protoporphyrin(ZPP)	EDTA Blood	누052가	D0521023	27.85	2,510	2,510	2,560	2,560
11812	Zinc Protoporphyrin(ZPP)(특검)	EDTA Blood	누052가	D0521023	27.85	2,510	2,510	2,560	2,560
12855	Zinc(Zn)	Trace Serum	누550나(1)	D5511183	325.17	29,330	29,330	29,950	29,950
12856	Zinc(Zn)	24hr Urine	누550나(1)	D5511183	325.17	29,330	29,330	29,950	29,950
65380	Zonisamide	Plain Serum	누532다(4)	D534999C	571.84	51,580	51,580	52,670	52,670
20400	α1-Antitrypsin	SST Serum	누470	D4700023	79.73	7,190	7,190	7,340	7,340
20405	α1-Antitrypsin	Stool	누470	D4700023	79.73	7,190	7,190	7,340	7,340
20406	α1-Antitrypsin clearance	복수검체	누470	D4700023외	-	14,380	14,380	14,680	14,680
20404	α1-Antitrypsin(serum)	SST Serum	누470	D4700023	79.73	7,190	7,190	7,340	7,340
13200	α-Galactosidase (Fabry)	EDTA Blood	누517가(1)	D517107C	656.2	59,190	59,190	60,440	60,440
01425	β2-Microglobulin	SST Serum	누423	D4230003	127.27	11,480	11,480	11,720	11,720
01426	β2-Microglobulin(RU)	Random Urin	누423	D4230003	127.27	11,480	11,480	11,720	11,720
01428	β2-Microglobulin(특검)	Random Urin	누423	D4230003	127.27	11,480	11,480	11,720	11,720
13080	β-Galactosidase	Hp Blood	누517가(1)	D517104C	656.2	59,190	59,190	60,440	60,440
13180	β-Glucosidase (Gaucher) enzyme	EDTA Blood	누517가(1)	D517113C	656.2	59,190	59,190	60,440	60,440
13181	β-Glucosidase (Gaucher's)	Hp Blood	누517가(1)	D517113C	656.2	59,190	59,190	60,440	60,440
02005	β-hCG(ECLIA)	SST Serum	누372가	D3720003	134.94	12,170	12,170	12,430	12,430
11210	β-Lipoprotein	SST Serum	누263	D2630013	79.66	7,190	7,190	7,340	7,340
10500	γ- GTP	SST Serum	누189가	D1890003	37.49	3,380	3,380	3,450	3,450
11822	δ-ALA	Random Urin	누532다(4)	D5349A1C	571.84	51,580	51,580	52,670	52,670
11823	δ-ALA	24hr Urine	누532다(4)	D5349A1C	571.84	51,580	51,580	52,670	52,670
11824	δ-ALA(특검)	Random Urin	누532다(4)	D5349A1C	571.84	51,580	51,580	52,670	52,670
01418	간세포암 선별검사	SST Serum	누426외	D4260003외	-	31,720	31,720	32,390	32,390
42625	결핵균 및 리팜핀 내성검사(Xpert)	Sputum	누604다	D604301C	815.29	73,540	73,540	75,090	75,090
52389	결핵균 특이항원자극 IFN-γ (QTB-pl)	전용용기	누602	D602000C	524.24	47,290	47,290	48,280	48,280
52393	결핵균특이항원자극인터페론감마	전용용기	누602	D602000C	524.24	47,290	47,290	48,280	48,280
30130	골수검사(도말&생검조직절편)	Bone Marrow	누083가외	D083100C외	-	120,220	120,220	122,750	122,750
30131	골수검사(도말검사)	Bone Marrow	누083가	D083100C	674.56	60,850	60,850	62,130	62,130
42583	급성설사 원인균 선별검사	Stool	누680나	D680202C	894.4	80,670	80,670	82,370	82,370
42581	급성설사 원인바이러스 선별검사	Stool	누680가	D680101C	793.36	71,560	71,560	73,070	73,070
80000	부인과적 세포검사	Cervix	나562가(1)	C5621008	118.13	10,660	10,660	10,880	10,880
70970	분변충란검사	Stool	누640나	D6402003	25.82	2,330	2,330	2,380	2,380
13071	선천성 대사이상 선별검사	Blood Paper	누519	D519000C	1182.72	106,680	106,680	108,930	108,930
27590	선천성난청유전자(GJB2)	EDTA Blood	나580다(1)	C580619C	1992.83	179,750	179,750	183,540	183,540
27591	선천성난청유전자(GJB2)	Blood Paper	나580다(1)	C580619C	1992.83	179,750	179,750	183,540	183,540
42585	세균성뇌수막염검사 PCR 5종	CSF	누680가	D680103C	793.36	71,560	71,560	73,070	73,070
80720	액상자궁경부세포-C	Cervix	나562나(1)	C5624008	453.03	40,860	40,860	41,720	41,720
80700	액상자궁경부세포검사	Cervix	나562나(1)	C5624008	453.03	40,860	40,860	41,720	41,720
80130	액상체액세포병리검사	Random Urin	나562나(2)	C5625008	466.81	42,110	42,110	42,990	42,990
80761	액상흡인세포검사 (갑상선/림프절)	Thyroid	나562나(3)	C5626008	405.4	36,570	36,570	37,340	37,340
70006	요일반검사 4종	Random Urin	누225가	D2251003	8.36	750	750	770	770
70005	요일반검사 7종	Random Urin	누225나	D2252003	12.64	1,140	1,140	1,160	1,160
70000	요일반검사10종	Random Urin	누225다	D2253003	21.32	1,920	1,920	1,960	1,960
71010	요충란검사(Scotch tape)	Other	누640다	D6403003	23.68	2,140	2,140	2,180	2,180
70015	요침사검사	Random Urin	누220가	D2201013	13.98	1,260	1,260	1,290	1,290
27581	유전성 난청 유전자검사(급여)	EDTA Blood	나580나(1)주	C158101C	1102.95	99,490	99,490	101,580	101,580
10640	임신성당뇨(100g)부하시험	NaF Plasma	누302나	D3022003외	-	5,200	5,200	5,320	5,320
10650	임신성당뇨(50+100)부하시험	NaF Plasma	누302나	D3022003외	-	6,500	6,500	6,650	6,650
82042	조직 Level A Slide 판독	Tissue	나560주4가	C1561008	51.14	4,610	4,610	4,710	4,710
82041	조직 Level B Slide 판독	Tissue	나560주4나	C1562008	76.71	6,920	6,920	7,060	7,060

SML 검사코드	검사명	검체명	분류번호	보험코드	상대가치점수	2022년		2023년	
						보험가	의뢰가	보험가	의뢰가
82044	조직 Level C 10개 이상 Slide 판독	Tissue	나560주4다(2)	C1564008	153.41	13,840	13,840	14,130	14,130
82043	조직 Level C 1-9개 Slide 판독	Tissue	나560주4다(1)	C1563008	119.32	10,760	10,760	10,990	10,990
80020	체액세포병리검사	Sputum	나562가(2)	C5622008	138.3	12,470	12,470	12,740	12,740
80021	체액세포병리검사(Cytospin)	Random Urin	나562가(2)주	C5627008	144.05	12,990	12,990	13,270	13,270
80112	체액세포병리검사(Cytospin)(특검)	Random Urin	나562가(2)주	C5627008	144.05	12,990	12,990	13,270	13,270
80111	체액세포병리검사(특검)	Sputum	나562가(2)	C5622008	138.3	12,470	12,470	12,740	12,740
82070	탈회(Decalcification)	Tissue	나560주3	C5600008	58.45	5,270	5,270	5,380	5,380
42318	폐렴 원인균 선별검사	Sputum	누680가	D680104C	793.36	71,560	71,560	73,070	73,070
52114	항 ENA 및 항 DNA 항체 선별검사	SST Serum	누784-1	D7840003	155.9	14,060	14,060	14,360	14,360
31160	혈액점도검사 (Scanning 모세관법)	EDTA Blood	누400나	D400100C	289.34	26,100	26,100	26,650	26,650
30261	혈액형 아형검사	복수검체	누150외	D1502003외	-	35,940	35,940	36,710	36,710
70700	혈기성 배양	Other	누581나	D5820003	171.31	15,450	15,450	15,780	15,780
42252	호흡기바이러스 culture 2종	Other	누652가	D652100C외	-	104,380	104,380	106,580	106,580
42253	호흡기바이러스 culture 3종	Other	누652가	D652100C외	-	156,570	156,570	159,870	159,870
42254	호흡기바이러스 culture 4종	Other	누652가	D652100C외	-	208,760	208,760	213,160	213,160
42255	호흡기바이러스 culture 5종	Other	누652가	D652100C외	-	260,950	260,950	266,450	266,450
42317	호흡기바이러스 PCR	비인후/인후도	누680나	D680206C	894.4	80,670	80,670	82,370	82,370
80030	흡인세포병리검사	흡인세포병리	나562가(3)	C5623008	207.17	18,690	18,690	19,080	19,080
71100	흡충란검사 (Trematodes)	Stool	누640라	D6404003	47.9	4,320	4,320	4,410	4,410