

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
11230	1,25-(OH)2 Vitamin D	SST Serum	RIA	너153마	CY705		109.88	7,180	7,180	149.00	9,920	9,920	▲
20000	1,5-Anhydroglucitol	SST Serum	Enzyme	너273	CX273		239.26	15,620	15,620	187.00	12,450	12,450	▼
00540	11-Deoxy cortisol	SST Serum	RIA			국외	-	-	156,230	-	-	160,920	▲
00550	11-Deoxycorticosterone	SST Serum	RIA			국외	-	-	156,230	-	-	160,920	▲
00560	11-OHCS	SST Serum	형광법			국외	-	-	31,350	-	-	32,290	▲
60030	12종 흡인성Allergen	SST Serum	FEIA			국외	-	-	48,070	-	-	49,510	▲
11670	17a-OH Progesterone	Blood Paper	FIA	나347	C3470		157.16	10,260	10,260	154.55	10,290	10,290	▲
00590	17-KS	24hr Urine	Spectrophotomet	나324나(3)	C3247		139.77	9,130	9,130	131.05	8,730	8,730	▼
00610	17-OHCS	24hr Urine	Spectrophotomet	나324나(2)	C3246		138.18	9,020	9,020	128.94	8,590	8,590	▼
00400	17α-OH Pregnenolone	SST Serum	RIA	노207	CZ207	국외	-	-	124,980	-	-	128,730	▲
00410	17α-OH-Progesterone	SST Serum	RIA	나347주	C7347		151.71	9,910	9,910	150.12	10,000	10,000	▲
00411	17α-OH-Progesterone	EDTA Plasma	RIA	나347주	C7347		151.71	9,910	9,910	150.12	10,000	10,000	▲
00621	18-OH Corticosterone	SST Serum	LC/MS/MS			국외	-	-	288,500	-	-	297,160	▲
00630	18-OH Deoxycorticosterone	SST Serum	RIA			국외	-	-	156,230	-	-	160,920	▲
11830	2,5-Hexanedione	Random Urine	GC/NPD	나451나(3)	CY373290		399.40	26,080	26,080	281.02	18,720	18,720	▼
50000	2-5A합성효소활성	SST Serum	RIA			국외	-	-	76,810	-	-	79,110	▲
11250	25-OH Vitamin D	SST Serum	CLIA	너153마	CY155		109.88	7,180	7,180	90.15	6,000	6,000	▼
81350	3D-HDRA	Other		노480	CZ480		-	-	490,000	-	-	504,700	▲
00421	5-a-dihydrotestosterone	SST Serum	RIA			국외	-	-	109,730	-	-	113,020	▲
00825	5-HIAA 정량	24hr Urine	ELISA	나322나(2)	C3223		219.10	14,310	14,310	226.68	15,100	15,100	▲
00826	5-HIAA 정량	Random Urine	ELISA	나322나(2)	C3223		219.10	14,310	14,310	226.68	15,100	15,100	▲
00820	5-HIAA 정량(Plasma)	EDTA Plasma	HPLC			국외	-	-	42,060	-	-	43,320	▲
84801	5-HIAA 정량(Plasma)	EDTA Plasma	HPLC			국외	-	-	42,060	-	-	43,320	▲
00810	5-HIAA 정성	Random Urine	Colorimetry	나322가	C3221		18.97	1,240	1,240	17.44	1,160	1,160	▼
01130	간세포종식인자(HGF)	SST Serum	ELISA			국외	-	-	156,230	-	-	160,920	▲
12920	갈락토스혈증	Blood Paper	ECA	너341가	CY411		26.86	1,750	1,750	18.42	1,230	1,230	▼
11535	광범위선천성대사이상 MS/MS	Blood Paper	Tandem MS	노338	CZ338		-	-	60,090	-	-	61,890	▲
13070	광범위선천성대사이상검사 I	Blood Paper					-	-	60,090	-	-	61,890	▲
27825	글리백내성유전자(Sequencin	EDTA Blood	Sequencing	노596	CZ817		-	-	264,390	-	-	272,320	▲
27820	글리백내성유전자돌연변이	EDTA Blood	Maldi-Tof	노596가(20)	CZ817		-	-	264,390	-	-	272,320	▲
52580	기생충 항체 6종(1) CSF	CSF	ELISA				-	-	23,000	-	-	23,000	
52595	기생충 항체 검사 10종	SST Serum	ELISA				-	-	47,000	-	-	47,000	
52560	기생충 항체 검사 5종 (1)	SST Serum	ELISA				-	-	17,000	-	-	17,000	
52561	기생충 항체 검사 5종 (2)	SST Serum	ELISA				-	-	17,000	-	-	17,000	
52563	기생충 항체 검사 5종 (4)	SST Serum	ELISA				-	-	17,000	-	-	17,000	
52564	기생충 항체 검사 5종 (5)	SST Serum	ELISA				-	-	17,000	-	-	17,000	
52565	기생충 항체 검사 5종 (6)	SST Serum	ELISA				-	-	17,000	-	-	17,000	
52566	기생충 항체 검사 6종 (1)	SST Serum	ELISA				-	-	23,000	-	-	23,000	
52567	기생충 항체 검사 6종 (2)	SST Serum	ELISA				-	-	23,000	-	-	23,000	
52568	기생충 항체 검사 6종 (3)	SST Serum	ELISA				-	-	23,000	-	-	23,000	
52569	기생충 항체 검사 6종 (4)	SST Serum	ELISA				-	-	23,000	-	-	23,000	

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
52572	기생충 항체 검사 6종 (5)	SST Serum	ELISA				-	-	23,000	-	-	23,000	
52570	기생충 항체 검사 7종 (1)	SST Serum	ELISA				-	-	29,000	-	-	29,000	
52571	기생충 항체 검사 7종 (2)	SST Serum	ELISA				-	-	29,000	-	-	29,000	
52590	기생충 항체 검사 9종(1)	SST Serum	ELISA				-	-	41,000	-	-	41,000	
70990	기생충성충	Other	검경법				-	-	10,000	-	-	10,000	
12891	단풍당뇨증(ECA)	Blood Paper	ECA	나443나1	CY441		36.46	2,380	2,380	27.23	1,810	1,810	▼
12640	모발분석	모발					-	-	70,000	-	-	70,000	
42570	바이러스성 설사 4종	Stool	Sequencing				-	-	0	-	-	0	
50491	백일해 검사 (NIH)	Other					-	-	0	-	-	0	
50490	백일해 항체	SST Serum	PA			국외	-	-	33,650	-	-	34,660	▲
80000	부인과적 세포검사	Cervix	Pap stain	나592	C5920		90.27	5,890	5,890	89.65	5,970	5,970	▲
70970	분변충란검사	Stool	검경법	나61다	B0613		20.99	1,370	1,370	21.40	1,430	1,430	▲
27590	선천성난청유전자(GJB2)	EDTA Blood	Sequencing	노595	CZ623		-	-	60,090	-	-	61,890	▲
27591	선천성난청유전자(GJB2)	Blood Paper	Sequencing	노595	CZ623		-	-	60,090	-	-	61,890	▲
80067	세포 Slide 결과판독	Other					-	-	5,000	-	-	5,000	
80065	세포 Slide 제작	Other					-	-	30,000	-	-	30,000	
80662	수술시응급 동결절편(>7)	Tissue		나551다	C5513		801.60	52,340	52,340	800.95	53,340	53,340	▲
80290	수술시응급 동결절편(1-2)	Tissue		나551가	C5511		388.98	25,400	25,400	384.70	25,620	25,620	▲
80649	수술시응급 동결절편(3-6)	Tissue		나551나	C5512		576.87	37,670	37,670	568.26	37,850	37,850	▲
80015	액상자궁경부세포검사	Cervix		너541	CX541		368.41	24,060	24,060	368.46	24,540	24,540	▲
80700	액상자궁경부세포검사	Cervix	Pap stain	너541	CX541		368.41	24,060	24,060	368.46	24,540	24,540	▲
80720	액상자궁경부세포-Cytofast	Cervix	Pap stain	너541	CX541		368.41	24,060	24,060	368.46	24,540	24,540	▲
70006	요일반검사 4종	Random Urine	Strip	나1	B0010		10.45	680	680	12.06	800	800	▲
70005	요일반검사 7종	Random Urine	Strip	나2	B0020		13.05	850	850	14.70	980	980	▲
70000	요일반검사10종	Random Urine	Strip	나3	B0030		20.17	1,320	1,320	24.21	1,610	1,610	▲
71010	요충란검사(Scotch tape)	Other	검경법	나62	B0620		16.12	1,050	1,050	16.42	1,090	1,090	▲
70015	요침사현미경검사	Random Urine	검경법	나4	B0041		11.12	730	730	11.21	750	750	▲
25367	유방암 유전자 가족검사	EDTA Blood	Sequencing				-	-	100,000	-	-	103,000	▲
10690	임신성당뇨(100g)-120min	NaF Plasma	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10700	임신성당뇨(100g)-180min	NaF Plasma	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10680	임신성당뇨(100g)-60min	NaF Plasma	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10670	임신성당뇨(100g)-PBS	NaF Plasma	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10660	임신성당뇨(50g)-60min	NaF Plasma	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10640	임신성당뇨100g부하시험	NaF Plasma	Enzyme	나371나	C3711		20.32	5,320	5,320	18.81	5,000	5,000	▼
10650	임신성당뇨50+100부하시험	NaF Plasma	Enzyme	나371나	C3711		20.32	6,650	6,650	18.81	6,250	6,250	▼
81316	전자현미경검사	Tissue		나555	C5550		1280.59	83,620	83,620	1197.53	79,760	79,760	▼
11220	전자질 중 지방산분획	SST Serum	GC			국외	-	-	180,790	-	-	186,210	▲
82018	조직 (≥13)	Tissue		나550가(5)	C5915		687.25	44,880	44,880	687.25	45,770	45,770	▲
82017	조직 (10-12)	Tissue		나550가(4)	C5914		589.09	38,470	38,470	589.09	39,230	39,230	▲
82014	조직 (1-3)	Tissue		나550가(1)	C5911		282.35	18,440	18,440	282.35	18,800	18,800	▲
82015	조직 (4-6)	Tissue		나550가(2)	C5912		380.51	24,850	24,850	380.51	25,340	25,340	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
82016	조직 (7-9)	Tissue		나550가(3)	C5913		478.66	31,260	31,260	478.66	31,880	31,880	▲
82037	조직 악성(≤15)	Tissue		나550다(1)	C5500		783.64	51,170	51,170	783.64	52,190	52,190	▲
82035	조직 악성(≤20)	Tissue		나550다(1)	C5918		1072.19	70,010	70,010	1072.19	71,410	71,410	▲
82038	조직 악성(≥16)	Tissue		나550다(2)	C5504		1096.92	71,630	71,630	1096.92	73,050	73,050	▲
82036	조직 악성(≥21)	Tissue		나550다(2)	C5919		1602.34	104,630	104,630	1602.34	106,720	106,720	▲
82024	조직 절편(≤6)	Tissue		나550나(1)	C5916		445.87	29,120	29,120	445.87	29,690	29,690	▲
82211	조직 절편(≤6)+ 절편(≥7)	Tissue		나550	C5916+C5917		-	70,710	70,710	-	72,100	72,100	▲
82205	조직 절편(≤6)×2	Tissue		나550나(1)	C5916×2		445.87	58,240	58,240	445.87	59,380	59,380	▲
82025	조직 절편(≥7)	Tissue		나550나(2)	C5917		636.85	41,590	41,590	636.85	42,410	42,410	▲
80063	조직 Block 제작	Other					-	-	5,000	-	-	5,000	
82137	조직 slide제작(Recut)≤2장	Tissue					-	-	5,000	-	-	5,000	
82138	조직 slide제작(Recut)≥3장	Tissue					-	-	10,000	-	-	10,000	
82089	조직(≥13)+ Stain	Tissue		나550+나	C5915+C5533		-	52,870	52,870	-	53,970	53,970	▲
82088	조직(10-12)+ Stain	Tissue		나550+나	C5914+C5533		-	46,460	46,460	-	47,430	47,430	▲
82200	조직(1-3)+ 악성(≤20)	Tissue		나550	C5911+C5918		-	88,450	88,450	-	90,210	90,210	▲
82190	조직(1-3)+ 절편(≤6)	Tissue		나550	C5911+C5916		-	47,560	47,560	-	48,490	48,490	▲
82085	조직(1-3)+ Stain	Tissue		나550+C553	C5911+C5533		-	26,430	26,430	-	27,000	27,000	▲
82191	조직(1-3)×2	Tissue		나550가(1)	C5911×2		282.35	36,880	36,880	282.35	37,600	37,600	▲
82086	조직(4-6)+ Stain	Tissue		나550+나	C5912+C5533		-	32,840	32,840	-	33,540	33,540	▲
82087	조직(7-9)+ Stain	Tissue		나550+나	C5913+C5533		-	39,250	39,250	-	40,080	40,080	▲
80240	조직구축학적검사	Tissue		나550라(1)	C5505		1658.74	108,320	108,320	1658.74	110,470	110,470	▲
82050	조직구축학적검사	Tissue		나550라(1)	C5505		1658.74	108,320	108,320	1658.74	110,470	110,470	▲
80681	조직내호르몬수용체×2	Tissue		나559	C5590		517.64	67,600	67,600	473.77	63,100	63,100	▼
80680	조직내호르몬수용체검사	Other		나559	C5590		517.64	33,800	33,800	473.77	31,550	31,550	▼
80660	조직면역형광현미경검사	Other		나554가	C5541		288.58	18,840	18,840	269.27	17,930	17,930	▼
80670	조직전자현미경검사	Other		나555	C5550		1280.59	83,620	83,620	1197.53	79,760	79,760	▼
80672	조직전자현미경검사	Other		나555	C5550		1280.59	83,620	83,620	1197.53	79,760	79,760	▼
80671	조직전자현미경검사 사본	Other					-	-	6,600	-	-	6,800	▲
80020	체액세포병리검사	Sputum	Pap stain	나593가	C5930		101.11	6,600	6,600	96.93	6,460	6,460	▼
80025	체액세포병리검사	Other	Pap stain	나593가	C5930		101.11	6,600	6,600	96.93	6,460	6,460	▼
80021	체액세포병리검사(Cytospin)	Sputum	Pap stain	나593나	C5931		104.57	6,830	6,830	101.16	6,740	6,740	▼
13190	총심연화물(TTC)	Random Urine	GC/ECD	나451나(3)	CY373290		399.40	26,080	26,080	281.02	18,720	18,720	▼
25701	친자확인 검사대상자1인추가	EDTA Blood					-	-	220,000	-	-	220,000	
25700	친자확인(부or모+자)24시간	EDTA Blood					-	-	440,000	-	-	440,000	
82070	탈회(Decalcification)	Tissue		나550주1	C5509		51.69	3,380	3,380	49.30	3,280	3,280	▼
70755	투석용수 미생물배양검사	Water	Culture				-	-	10,000	-	-	12,380	▲
12645	투석용수 미세물질24종검사	Water	ICP/MS				-	-	261,250	-	-	269,090	▲
70762	투석용수 Endotoxin	Water	Kinetic turbidimetric method				-	-	42,060	-	-	43,320	▲
12881	페닐케톤뇨증(ECA)	Blood Paper	ECA	나443나1	C4411		29.56	1,930	1,930	27.24	1,810	1,810	▼
30231	혈액형 동정검사	복수검체		나206나	B2062006		218.05	14,240	14,240	230.57	15,360	15,360	▲
30261	혈액형 아형검사	복수검체		나201가외	B2000 외		-	18,890	18,890	-	19,190	19,190	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
70700	협기성 배양	Other		나405가	B4051		158.13	10,330	10,330	163.15	10,870	10,870	▲
12910	호모시스틴뇨증	Blood Paper	Bioassay	나443나1	CX342		36.46	2,380	2,380	27.23	1,810	1,810	▼
42305	호흡기바이러스 12종 PCR	Sputum	Multiplex-PCR	노598러	CZ981~4		-	-	156,720	-	-	156,720	
42306	호흡기바이러스 6종 PCR	Sputum	Multiplex-PCR	노598러	CZ981~4		-	-	132,690	-	-	136,670	▲
42252	호흡기바이러스 culture 2종	Other	Shell Vial Culture	나416	B4160006		546.65	71,400	71,400	560.25	74,620	74,620	▲
42253	호흡기바이러스 culture 3종	Other	Shell Vial Culture	나416	B4160006		546.65	107,100	107,100	560.25	111,930	111,930	▲
42254	호흡기바이러스 culture 4종	Other	Shell Vial Culture	나416	B4160006		546.65	142,800	142,800	560.25	149,240	149,240	▲
42255	호흡기바이러스 culture 5종	Other	Shell Vial Culture	나416	B4160006		546.65	178,500	178,500	560.25	186,550	186,550	▲
42256	호흡기바이러스 culture 6종	Other	Culture	나416	B4160006		546.65	214,200	214,200	560.25	223,860	223,860	▲
80030	흡인세포병리검사	Thyroid	Pap stain	나594-1	C5941		176.82	11,550	11,550	178.74	11,900	11,900	▲
80035	흡인세포병리검사	Other	Pap stain	나594-1	C5941		176.82	11,550	11,550	178.74	11,900	11,900	▲
80038	흡인세포병리검사	Other	Pap stain	나594-1	C5941		176.82	11,550	11,550	178.74	11,900	11,900	▲
80039	흡인세포병리검사 판독	Other		나594-1	C5941009		35.36	2,310	2,310	35.75	2,380	2,380	▲
80036	흡인세포병리검사 조직절편	Other		나594-1	C5942		239.09	15,610	15,610	239.59	15,960	15,960	▲
71100	흡충란검사 (Trematodes)	Stool	검경법	나64	B0641		51.62	3,370	3,370	51.32	3,420	3,420	▲
30210	A,B전이효소검사	SST Serum		노91	BZ091		-	-	100,000	-	-	103,000	▲
10840	A/CCR	복수검체	계산법	나261+C375	B2611+C3750		-	8,020	8,020	-	7,940	7,940	▼
10020	A/G ratio	SST Serum	계산법	나220+C221	C2200+C2210		-	0	2,970	-	2,850	2,850	▼
10021	A/G ratio	Body Fluid	계산법	나220+C230	C2200+C2302		-	0	14,560	-	14,790	14,790	▲
30290	Ab Elution	EDTA Blood		나211	B2110006		61.56	4,020	4,020	55.95	3,730	3,730	▼
30230	Ab Identification Test	복수검체		나206나	B2062006외		-	24,450	24,450	-	26,180	26,180	▲
30220	Ab Screening test	SST Serum	Column	나206가	B2061006		95.43	6,230	6,230	99.48	6,630	6,630	▲
25285	ABO genotyping	EDTA Blood	Sequencing	노597	CZ897		-	-	87,000	-	-	89,610	▲
27840	ABO subgroup sequencing	EDTA Blood	Sequencing				-	-	180,000	-	-	185,400	▲
30253	ABO(Back)Typing	SST Serum	Manual	나201나	B2010		13.26	870	870	13.87	920	920	▲
30250	ABO(Front)Typing	EDTA Blood	Manual	나201가	B2000		13.03	850	850	13.87	920	920	▲
30251	ABO(Front)Typing	Capillary	Manual	나201가	B2000		13.03	850	850	13.87	920	920	▲
30252	ABO(Front)Typing	Cord Blood	Manual	나201가	B2000		13.03	850	850	13.87	920	920	▲
10190	ACE	SST Serum	Colorimetry	나273	B2731		277.92	18,150	18,150	250.42	16,680	16,680	▼
10191	ACE	Other	Colorimetry	나273	B2731		277.92	18,150	18,150	250.42	16,680	16,680	▼
65490	Acetaminophen	SST Serum	Enzyme	나450나(1)	C4503390		144.47	9,430	9,430	134.68	8,970	8,970	▼
65160	Acetazolamide	SST Serum	HPLC			국외	-	-	72,110	-	-	74,270	▲
12650	Acetone 정량	Random Urine	GC			국외	-	-	47,030	-	-	48,440	▲
12660	Acetone 정량	SST Serum	GC			국외	-	-	47,030	-	-	48,440	▲
25000	Acetylcholinesterase	Amniotic Fluid	Electrophoresis	노173	BZ173		-	-	180,260	-	-	185,670	▲
25010	Acetylcholinesterase	Amniotic Fluid	Electrophoresis	노173	BZ173		-	-	172,500	-	-	172,500	
25310	Achondroplasia	Amniotic Fluid	PCR-RFLP	너562바	CY626006		416.68	54,420	54,420	466.42	62,120	62,120	▲
25315	Achondroplasia familystudy	EDTA Blood	PCR-RFLP				-	-	30,310	-	-	31,220	▲
27550	Achondroplasia,FGFR3 major	EDTA Blood	Sequencing	노595	CZ694		-	-	91,000	-	-	93,730	▲
01140	Ach-r-Binding Ab	SST Serum	RIA	너450주	CX747		133.69	8,730	8,730	137.40	9,150	9,150	▲
01150	Ach-r-Blocking Ab	SST Serum	RIA				-	-	116,000	-	-	119,480	▲



삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
30120	Acid phosphatase stain	Bone Marrow Slide	Stain	나118가	B1182006		84.01	5,490	5,490	83.61	5,570	5,570	▲
13177	Acid-α-glucosidase(pompe)	EDTA Blood	Fluorometry	노331	CZ331		-	-	72,110	-	-	71,070	
10200	ACP	SST Serum	Colorimetry	나260가	B2601		22.00	1,440	1,440	20.14	1,340	1,340	▼
10201	ACP	분비물	Colorimetry	나260가	B2601		22.00	1,440	1,440	20.14	1,340	1,340	▼
00015	ACTH (ECLIA)	EDTA Plasma	ECLIA	나359	C3590		196.95	12,860	12,860	193.42	12,880	12,880	▲
80860	ACTH (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
00041	ACTH-10회	EDTA Plasma	ECLIA	나359	C3590		196.95	12,860	12,860	193.42	12,880	12,880	▲
00042	ACTH-11회	EDTA Plasma	ECLIA	나359	C3590		196.95	12,860	12,860	193.42	12,880	12,880	▲
00043	ACTH-12회	EDTA Plasma	ECLIA	나359	C3590		196.95	12,860	12,860	193.42	12,880	12,880	▲
00044	ACTH-13회	EDTA Plasma	ECLIA	나359	C3590		196.95	12,860	12,860	193.42	12,880	12,880	▲
00045	ACTH-14회	EDTA Plasma	ECLIA	나359	C3590		196.95	12,860	12,860	193.42	12,880	12,880	▲
00046	ACTH-15회	EDTA Plasma	ECLIA	나359	C3590		196.95	12,860	12,860	193.42	12,880	12,880	▲
00021	ACTH-1회	EDTA Plasma	ECLIA	나359	C3590		196.95	12,860	12,860	193.42	12,880	12,880	▲
00022	ACTH-2회	EDTA Plasma	ECLIA	나359	C3590		196.95	12,860	12,860	193.42	12,880	12,880	▲
00023	ACTH-3회	EDTA Plasma	ECLIA	나359	C3590		196.95	12,860	12,860	193.42	12,880	12,880	▲
00024	ACTH-4회	EDTA Plasma	ECLIA	나359	C3590		196.95	12,860	12,860	193.42	12,880	12,880	▲
00025	ACTH-5회	EDTA Plasma	ECLIA	나359	C3590		196.95	12,860	12,860	193.42	12,880	12,880	▲
00026	ACTH-6회	EDTA Plasma	ECLIA	나359	C3590		196.95	12,860	12,860	193.42	12,880	12,880	▲
00027	ACTH-7회	EDTA Plasma	ECLIA	나359	C3590		196.95	12,860	12,860	193.42	12,880	12,880	▲
00028	ACTH-8회	EDTA Plasma	ECLIA	나359	C3590		196.95	12,860	12,860	193.42	12,880	12,880	▲
00029	ACTH-9회	EDTA Plasma	ECLIA	나359	C3590		196.95	12,860	12,860	193.42	12,880	12,880	▲
30960	Activated PTT	SC Plasma	Clot-based	나153	B1530		42.77	2,790	2,790	43.76	2,910	2,910	▲
26234	Acute Leukemia panel	Bone Marrow	Flow Cytometry	나512	C5120006		447.99	526,500	526,500	449.61	538,920	538,920	▲
10210	ADA	SST Serum	Colorimetry	나272	B2721		167.07	10,910	10,910	165.68	11,030	11,030	▲
10211	ADA	CSF	Colorimetry	나272	B2721		167.07	10,910	10,910	165.68	11,030	11,030	▲
10212	ADA	Body Fluid	Colorimetry	나272	B2721		167.07	10,910	10,910	165.68	11,030	11,030	▲
28050	ADAMTS 13	SC Plasma				국외	-	-	365,750	-	-	376,720	▲
28051	ADAMTS 13	복수검체	Western blot				-	-	100,000	-	-	100,000	
71240	Addis count	Random Urine	검경법	나6	B0060		27.23	1,780	1,780	27.13	1,810	1,810	▲
42815	Adenovirus Ag(DFA)	Other	DFA	나469	C4690516		203.10	13,260	13,260	203.16	13,530	13,530	▲
42105	Adenovirus culture	Other	Shell Vial Culture	나416	B4160006		546.65	35,700	35,700	560.25	37,310	37,310	▲
42106	Adenovirus culture(tissue)	Tissue	Culture	나416	B4160006		546.65	35,700	35,700	560.25	37,310	37,310	▲
42320	Adenovirus DNA	Sputum	Nested PCR	노598	CZ972		-	-	65,840	-	-	67,820	▲
40255	Adenovirus IgG	SST Serum	ELISA	나468나(1)	C4682516		266.76	17,420	17,420	270.11	17,990	17,990	▲
40256	Adenovirus IgG	CSF	ELISA	나468나(1)	C4682516		266.76	17,420	17,420	270.11	17,990	17,990	▲
40260	Adenovirus IgM	SST Serum	EIA	나468나(2)	C4683516		259.16	16,920	16,920	259.99	17,320	17,320	▲
40261	Adenovirus IgM	CSF	EIA	나468나(2)	C4683516		259.16	16,920	16,920	259.99	17,320	17,320	▲
42107	Adenovirus rapid culture	Other	Culture	나416	B4160006		546.65	35,700	35,700	560.25	37,310	37,310	▲
40000	Adenovirus(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
40001	Adenovirus(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
40010	Adenovirus,Type 1(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲

# 삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
40011	Adenovirus,Type 1(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40110	Adenovirus,Type 11(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40111	Adenovirus,Type 11(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40190	Adenovirus,Type 19(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40191	Adenovirus,Type 19(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40020	Adenovirus,Type 2(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40021	Adenovirus,Type 2(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40210	Adenovirus,Type 21(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40211	Adenovirus,Type 21(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40030	Adenovirus,Type 3(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40031	Adenovirus,Type 3(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40370	Adenovirus,Type 37(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40371	Adenovirus,Type 37(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40040	Adenovirus,Type 4(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40041	Adenovirus,Type 4(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40050	Adenovirus,Type 5(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40051	Adenovirus,Type 5(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40060	Adenovirus,Type 6(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40061	Adenovirus,Type 6(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40070	Adenovirus,Type 7(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40071	Adenovirus,Type 7(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40080	Adenovirus,Type 8(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40081	Adenovirus,Type 8(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
00030	ADH	EDTA Plasma	RIA	나365주	C7365		160.33	10,470	10,470	122.68	8,170	8,170	▼
00035	ADH	Random Urine	RIA			국외	-	-	78,380	-	-	80,730	▲
00729	Adrenal 21-hydroxylase Ab	SST Serum				국외	-	-	174,250	-	-	179,480	▲
27690	Adrenoleukodystrophy-ABCD1	EDTA Blood	PCR				-	-	147,000	-	-	151,410	▲
25020	AFAFP	Amniotic Fluid		나421나	C4212		172.86	11,290	11,290	172.24	11,470	11,470	▲
25030	AFAFP	Amniotic Fluid		나421나	C4212		172.86	11,290	11,290	172.24	11,470	11,470	▲
25040	AFAFP	Amniotic Fluid		나421나	C4212		172.86	11,290	11,290	172.24	11,470	11,470	▲
70410	AFB Culture	Sputum	Culture	나405나(1)	B4054		192.40	12,560	12,560	192.40	12,810	12,810	▲
70420	AFB Culture	Sputum	Culture	나405나(1)	B4054		192.40	12,560	12,560	192.40	12,810	12,810	▲
70450	AFB Culture(액체+고체배지)	Sputum	Culture	나405나	B4054+B4055		-	25,120	25,120	-	25,620	25,620	▲
70441	AFB Culture(액체배지)	Sputum	Culture	나405나	B4055		192.40	12,560	12,560	192.40	12,810	12,810	▲
70605	AFB Identification	균주	PRA	너562너	CY636006		416.68	27,210	27,210	484.26	32,250	32,250	▲
70607	AFB Identification	균주	PRA	너562너	CY636006		416.68	27,210	27,210	484.26	32,250	32,250	▲
70430	AFB Sensitivity	균주	절대농도법	나406다(2)	B4064		522.61	34,130	34,130	543.31	36,180	36,180	▲
70500	AFB Sensitivity (결핵협회)	균주	절대농도법	나406다(2)	B4064		522.61	34,130	34,130	543.31	36,180	36,180	▲
70512	AFB Sensitivity (INH)	Sputum	Hybridization	나595-1나2	CY752006		581.83	37,990	37,990	626.96	41,760	41,760	▲
70511	AFB Sensitivity (RFP)	Sputum	Hybridization	나595-1나1	CY751006		581.83	37,990	37,990	626.96	41,760	41,760	▲
70510	AFB Sensitivity (RFP,INH)	Sputum	Hybridization	나595-1나	CY751006외		-	75,980	75,980	-	83,520	83,520	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
70515	AFB Sensitivity (Sequence)	Sputum	Sequencing	노598	CZ985~6		-	-	87,780	-	-	87,780	
70320	AFB Stain	Sputum		나402	B4021		48.30	3,150	3,150	47.40	3,160	3,160	▲
70321	AFB Stain	Other		나402	B4021		48.30	3,150	3,150	47.40	3,160	3,160	▲
82090	AFB Stain	Tissue		나553다	C5533		122.36	7,990	7,990	123.07	8,200	8,200	▲
70400	AFB Stain & Culture	Sputum		너304+나	BX304+B4054		-	16,760	16,760	-	17,680	17,680	▲
70330	AFB Stain(형광법)	Sputum	형광 염색법	너304	BX304		64.27	4,200	4,200	73.12	4,870	4,870	▲
80606	AFB Stain(T&C)	Tissue		나553나	C5533		122.36	7,990	7,990	123.07	8,200	8,200	▲
80602	AFB Stain(Tissue)	Tissue		나553다	C5533		122.36	7,990	7,990	123.07	8,200	8,200	▲
01410	AFP (정성)	SST Serum	ICA	나421가	C4211		61.14	3,990	3,990	55.48	3,690	3,690	▼
01405	AFP (ECLIA)	SST Serum	ECLIA	나421나	C4212		172.86	11,290	11,290	172.24	11,470	11,470	▲
01406	AFP (ECLIA)	EDTA Plasma	ECLIA	나421나	C4212		172.86	11,290	11,290	172.24	11,470	11,470	▲
01407	AFP (ECLIA)	Body Fluid	ECLIA	나421나	C4212		172.86	11,290	11,290	172.24	11,470	11,470	▲
81560	AFP (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
01415	AFP(CLIA)	SST Serum	CLIA	나421나	C4212		172.86	11,290	11,290	172.24	11,470	11,470	▲
10000	Albumin	SST Serum	Colorimetry	나221	C2210		25.33	1,650	1,650	23.88	1,590	1,590	▼
10001	Albumin	24hr Urine	TIA	나230나	C2302		202.83	13,240	13,240	203.09	13,530	13,530	▲
10002	Albumin	Random Urine	TIA	나230나	C2302		202.83	13,240	13,240	203.09	13,530	13,530	▲
10003	Albumin	CSF	TIA	나230나	C2302		202.83	13,240	13,240	203.09	13,530	13,530	▲
10004	Albumin	Body Fluid	Colorimetry	나230나	C2302		202.83	13,240	13,240	203.09	13,530	13,530	▲
82120	Alcian Blue(mucin) Stain	Tissue		나553다	C5533		122.36	7,990	7,990	123.07	8,200	8,200	▲
11890	Alcohol	SST Serum	Enzyme	나450나(1)	C4503390		144.47	9,430	9,430	134.68	8,970	8,970	▼
11891	Alcohol	EDTA Plasma	Enzyme	나450나(1)	C4503390		144.47	9,430	9,430	134.68	8,970	8,970	▼
11892	Alcohol	Random Urine	Enzyme	나450나(1)	C4503390		144.47	9,430	9,430	134.68	8,970	8,970	▼
10220	Aldolase	SST Serum	Enzyme	나269	B2690		68.93	4,500	4,500	60.89	4,060	4,060	▼
00650	Aldosterone (RIA)	SST Serum	RIA	나358주	C7358		177.58	11,600	11,600	142.14	9,470	9,470	▼
00651	Aldosterone (RIA)	EDTA Plasma	RIA	나358주	C7358		177.58	11,600	11,600	142.14	9,470	9,470	▼
00655	Aldosterone (RIA)	24hr Urine	RIA	나358주	C7358		177.58	11,600	11,600	142.14	9,470	9,470	▼
00661	Aldosterone 1호	SST Serum	RIA	나358주	C7358		177.58	11,600	11,600	142.14	9,470	9,470	▼
00662	Aldosterone 2호	SST Serum	RIA	나358주	C7358		177.58	11,600	11,600	142.14	9,470	9,470	▼
00663	Aldosterone 3호	SST Serum	RIA	나358주	C7358		177.58	11,600	11,600	142.14	9,470	9,470	▼
00664	Aldosterone 4호	SST Serum	RIA	나358주	C7358		177.58	11,600	11,600	142.14	9,470	9,470	▼
00665	Aldosterone 5호	SST Serum	RIA	나358주	C7358		177.58	11,600	11,600	142.14	9,470	9,470	▼
00666	Aldosterone 6호	SST Serum	RIA	나358주	C7358		177.58	11,600	11,600	142.14	9,470	9,470	▼
10230	ALP	SST Serum	Enzyme	나260나	B2602		24.03	1,570	1,570	22.06	1,470	1,470	▼
10231	ALP	Body Fluid	Enzyme	나260나	B2602		24.03	1,570	1,570	22.06	1,470	1,470	▼
20560	ALP Isoenzyme	SST Serum	Electrophoresis	나305	B3050006		177.08	11,560	11,560	177.65	11,830	11,830	▲
12670	Aluminium(Al)	Trace Serum	AAS	나452나(2)	C4523990		306.17	19,990	19,990	309.81	20,630	20,630	▲
12671	Aluminium(Al)	24hr Urine	AAS	나452나(2)	C4523990		306.17	19,990	19,990	309.81	20,630	20,630	▲
00675	AMH	SST Serum	ELISA	노214	CZ214		-	-	52,250	-	-	53,820	▲
65170	Amikacin	SST Serum	FPIA	나450나(2)	C4504390		243.15	15,880	15,880	247.78	16,500	16,500	▲
13015	Amino Acid 분석	Hp Plasma	LC/MS/MS	나443나(3)	C4433006		1142.52	74,610	74,610	1173.22	78,140	78,140	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
13016	Amino Acid 분석	EDTA Plasma	LC/MS/MS	나443나(3)	C4433006		1142.52	74,610	74,610	1173.22	78,140	78,140	▲
13017	Amino Acid 분석	Random Urine	LC/MS/MS	나443나(3)	C4433006		1142.52	74,610	74,610	1173.22	78,140	78,140	▲
13018	Amino Acid 분석	CSF	LC/MS/MS	나443나(3)	C4433006		1142.52	74,610	74,610	1173.22	78,140	78,140	▲
65500	Amiodarone	SST Serum	LC/MS/MS	나450나(2)	C4504390		243.15	15,880	15,880	247.78	16,500	16,500	▲
65511	Amitriptyline	Plain Blood	LC/MS/MS	나450나(4)	CX375696		542.51	35,430	35,430	570.54	38,000	38,000	▲
29320	AML1/ETO (FISH)	Bone Marrow	FISH	노598	CZ967		-	-	200,000	-	-	206,000	▲
25320	AML1/ETO (nested RT-PCR)	EDTA Blood	Nested RT-PCR	나597마	C5975006		1573.83	102,770	102,770	1601.91	106,690	106,690	▲
25321	AML1/ETO (nested RT-PCR)	Bone Marrow	Nested RT-PCR	나597마	C5975006		1573.83	102,770	102,770	1601.91	106,690	106,690	▲
25325	AML1/ETO (real-time PCR)	EDTA Blood	real time PCR	노596	CZ808		-	-	144,210	-	-	148,540	▲
25326	AML1/ETO (real-time PCR)	Bone Marrow	real time PCR	노596	CZ808		-	-	144,210	-	-	148,540	▲
10850	Ammonia (NH3)	EDTA Plasma	Enzyme	나387	C3870		66.37	4,330	4,330	64.58	4,300	4,300	▼
65390	Amphetamine	Random Urine	ICA	나450가(2)	C4502390		124.57	8,130	8,130	118.13	7,870	7,870	▼
10240	Amylase	SST Serum	Enzyme	나261가	B2611		41.67	2,720	2,720	41.29	2,750	2,750	▲
10241	Amylase	Random Urine	Enzyme	나261가	B2611		41.67	2,720	2,720	41.29	2,750	2,750	▲
10242	Amylase	24hr Urine	Enzyme	나261가	B2611		41.67	2,720	2,720	41.29	2,750	2,750	▲
10243	Amylase	Body Fluid	Enzyme	나261가	B2611		41.67	2,720	2,720	41.29	2,750	2,750	▲
10250	Amylase clearance	복수검체	계산법	나261 외	B2611 외		-	0	8,020	-	7,940	7,940	▼
20570	Amylase Isoenzyme	SST Serum	Electrophoresis	나306	B3060006		152.41	9,950	9,950	144.53	9,630	9,630	▼
20571	Amylase Isoenzyme	Body Fluid	Electrophoresis	나306	B3060006		152.41	9,950	9,950	144.53	9,630	9,630	▼
10510	Amyloid A	SST Serum	Latex	노242	CZ242	국외	-	-	108,160	-	-	111,400	▲
51030	ANA (IFA)	SST Serum	IFA	나491나	C4912006		148.85	9,720	9,720	153.05	10,190	10,190	▲
51031	ANA (IFA)	Body Fluid	IFA	나491나	C4912006		148.85	9,720	9,720	153.05	10,190	10,190	▲
51040	ANA 정량	SST Serum	IFA	나491나주	C4913006		278.33	18,170	18,170	280.30	18,670	18,670	▲
51041	ANA 정량	Body Fluid	IFA	나491나주	C4913006		278.33	18,170	18,170	280.30	18,670	18,670	▲
51061	ANCA (MPO) 정량	SST Serum	ELISA	너447나	CY472006		234.99	15,340	15,340	216.90	14,450	14,450	▼
51062	ANCA (PR3) 정량	SST Serum	ELISA	너447가	CY471006		234.99	15,340	15,340	216.90	14,450	14,450	▼
51060	ANCA 정량	SST Serum	ELISA	너447주1	CY471~2006		-	30,680	30,680	-	28,900	28,900	▼
51050	ANCA 정성	SST Serum	ELISA	나499	C4991006		161.99	10,580	10,580	162.66	10,830	10,830	▲
00670	Androstenedione	SST Serum	IRMA	노196	CZ196		-	-	80,000	-	-	82,400	▲
00680	Androsterone	SST Serum	RIA	노197	CZ197	국외	-	-	169,450	-	-	174,530	▲
01170	Angiotensin I	EDTA Plasma	RIA			국외	-	-	72,110	-	-	74,270	▲
01180	AngiotensinII	EDTA Plasma	RIA			국외	-	-	72,110	-	-	74,270	▲
12930	Anion GAP	SST Serum	계산법	나379+C381	C3791~3+C38		-	0	6,440	-	6,350	6,350	▼
51070	Anti Adrenal CortexAb	SST Serum	IFA			국외	-	-	234,340	-	-	241,370	▲
51100	Anti Cardiolipin IgA	SST Serum	ELISA	나503나(3)	C5034		248.90	16,250	16,250	255.56	17,020	17,020	▲
51080	Anti Cardiolipin IgG	SST Serum	ELISA	나503나(1)	C5032		248.90	16,250	16,250	255.56	17,020	17,020	▲
51090	Anti Cardiolipin IgM	SST Serum	ELISA	나503나(2)	C5033		248.90	16,250	16,250	255.56	17,020	17,020	▲
51110	Anti cardiolipinB2 gly 1 com	SST Serum	ELISA			국외	-	-	104,500	-	-	107,640	▲
51120	Anti CCP Ab	SST Serum	EIA	노432	CZ432		-	-	36,050	-	-	37,130	▲
51121	Anti CCP Ab	EDTA Plasma	EIA	노432	CZ432		-	-	36,050	-	-	37,130	▲
51130	Anti centromere Ab	SST Serum	IFA	너443사	CY449006		616.68	40,270	40,270	547.71	36,480	36,480	▼



삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
51145	Anti centromere Ab(EIA)	SST Serum	EIA	너443사	CY449006		616.68	40,270	40,270	547.71	36,480	36,480	▼
52400	Anti collagen- II Ab IgG	SST Serum	ELISA			국외	-	-	216,840	-	-	223,350	▲
50340	Anti Diphtheria Ab	SST Serum	EIA			국외	-	-	264,390	-	-	272,320	▲
50415	Anti DNase B Ab	SST Serum	Nephelometry			국외	-	-	154,790	-	-	159,430	▲
51150	Anti dsDNA Ab (CLIA)	SST Serum	CLIA	나492나	C4922		250.42	16,350	16,350	252.56	16,820	16,820	▲
51151	Anti dsDNA Ab (CLIA)	Body Fluid	CLIA	나492나	C4922		250.42	16,350	16,350	252.56	16,820	16,820	▲
51152	Anti dsDNA Ab (IRMA)	SST Serum	IRMA	나492나	C7492		235.83	15,400	15,400	236.52	15,750	15,750	▲
51160	Anti dsDNA IgG	SST Serum	ELISA	나492나	C4922		250.42	16,350	16,350	252.56	16,820	16,820	▲
51170	Anti dsDNA IgM	SST Serum	ELISA	나492나	C4922		250.42	16,350	16,350	252.56	16,820	16,820	▲
51171	Anti dsDNA IgM	EDTA Plasma	ELISA	나492나	C4922		250.42	16,350	16,350	252.56	16,820	16,820	▲
51200	Anti ENA Ab	SST Serum	PA	너443차	CY452006		616.68	40,270	40,270	549.30	36,580	36,580	▼
70795	Anti fungal susceptibility	Other	MIC	나406나	B4062		174.96	11,420	11,420	178.35	11,880	11,880	▲
51220	Anti GAD Ab	SST Serum	RIA	너441주	CX744		868.56	56,720	56,720	572.74	38,140	38,140	▼
51221	Anti GAD Ab	CSF	RIA	너441주	CX744		868.56	56,720	56,720	572.74	38,140	38,140	▼
51230	Anti GBM Ab	SST Serum	ELISA	너451	CX451		122.08	7,970	7,970	125.21	8,340	8,340	▲
52040	Anti GD1b IgG	SST Serum	EIA				-	-	48,070	-	-	49,510	▲
52041	Anti GD1b IgG	CSF	EIA				-	-	48,070	-	-	49,510	▲
52042	Anti GD1b IgG	EDTA Plasma	EIA				-	-	48,070	-	-	49,510	▲
52050	Anti GD1b IgM	SST Serum	EIA	노425	CZ425		-	-	48,070	-	-	49,510	▲
52051	Anti GD1b IgM	CSF	EIA	노425	CZ425		-	-	48,070	-	-	49,510	▲
52052	Anti GD1b IgM	EDTA Plasma	EIA	노425	CZ425		-	-	48,070	-	-	49,510	▲
30300	Anti globulin Test	EDTA Blood		나204가주	B2047006		60.90	3,980	3,980	62.90	4,190	4,190	▲
52060	Anti GM1 IgG	SST Serum	EIA	노426	CZ261		-	-	48,070	-	-	49,510	▲
52061	Anti GM1 IgG	CSF	EIA	노426	CZ261		-	-	48,070	-	-	49,510	▲
52070	Anti GM1 IgM	SST Serum	EIA	노426	CZ262		-	-	48,070	-	-	49,510	▲
52071	Anti GM1 IgM	CSF	EIA	노426	CZ262		-	-	48,070	-	-	49,510	▲
52090	Anti GQ1b Ab	SST Serum	ELISA			국외	-	-	360,530	-	-	371,350	▲
52095	Anti GQ1b IgG	SST Serum	EIA				-	-	48,070	-	-	49,510	▲
52096	Anti GQ1b IgG	CSF	EIA				-	-	48,070	-	-	49,510	▲
52097	Anti GQ1b IgM	SST Serum	EIA				-	-	48,070	-	-	49,510	▲
52098	Anti GQ1b IgM	CSF	EIA				-	-	48,070	-	-	49,510	▲
51245	Anti growth hormone Ab	SST Serum				국외	-	-	154,140	-	-	158,760	▲
52340	Anti IA-2 Ab (ICA 512 Ab)	SST Serum	RIA			국외	-	-	122,550	-	-	126,230	▲
51270	Anti intrinsic factor Ab	SST Serum	EIA	너452	CX452		122.07	7,970	7,970	121.18	8,070	8,070	▲
51330	Anti Jo-1 Ab	SST Serum	Ouchterlony			국외	-	-	48,070	-	-	49,510	▲
51320	Anti Jo-1 Ab(EIA)	SST Serum	EIA	너443바	CY448006		616.68	40,270	40,270	570.41	37,990	37,990	▼
50360	Anti Legionella Ab (NIH)	SST Serum	IFA				-	-	0	-	-	0	
51360	Anti LKM Ab	SST Serum	IFA	너455	CX455		393.15	25,670	25,670	347.72	23,160	23,160	▼
51370	Anti lymphocyte Ab	SST Serum				국외	-	-	93,740	-	-	96,550	▲
50370	Anti M.tuberculosis Ab	SST Serum	ICA	나466가	C4661190		123.13	8,040	8,040	118.09	7,860	7,860	▼
52100	Anti MAG Ab	SST Serum	IFA	노427	CZ427		-	-	48,070	-	-	49,510	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
52101	Anti MAG Ab	CSF	IFA	노427	CZ427		-	-	48,070	-	-	49,510	▲
01885	Anti Microsome(TPO) Ab	SST Serum	ECLIA	나495나	C4952		213.03	13,910	13,910	218.30	14,540	14,540	▲
51380	Anti Mitochondrial Ab(IFA)	SST Serum	IFA	나496나	C4962		131.18	8,570	8,570	131.82	8,780	8,780	▲
51400	Anti mitochondrial M2 Ab	SST Serum	ELISA			국외	-	-	81,720	-	-	84,170	▲
52640	Anti neutrophil Ab	EDTA Blood	Flow Cytometry	나505	C5050		100.01	6,530	6,530	92.10	6,130	6,130	▼
52480	Anti NMO IgG	SST Serum	IFA	노422-4	CZ422-4		-	-	97,000	-	-	99,910	▲
52481	Anti NMO IgG	CSF	IFA	노422-4	CZ422-4		-	-	97,000	-	-	99,910	▲
51420	Anti Parietal cell Ab	SST Serum	IFA	나504	C5040		98.45	6,430	6,430	88.24	5,880	5,880	▼
52610	Anti PE Ab	SST Serum	EIA				-	-	754,090	-	-	767,440	▲
51450	Anti Phospholipid IgG	SC Plasma	ELISA	나498나(1)	C4982006		265.30	17,320	17,320	269.80	17,970	17,970	▲
51451	Anti Phospholipid IgG	SST Serum	ELISA	나498나(1)	C4982006		265.30	17,320	17,320	269.80	17,970	17,970	▲
51460	Anti Phospholipid IgM	SC Plasma	ELISA	나498나(2)	C4983006		265.75	17,350	17,350	270.40	18,010	18,010	▲
51461	Anti Phospholipid IgM	SST Serum	ELISA	나498나(2)	C4983006		265.75	17,350	17,350	270.40	18,010	18,010	▲
51431	Anti PI Ab	SST Serum	EIA			국외	-	-	653,750	-	-	673,360	▲
51470	Anti Pituitary Ab	SST Serum	IFA			국외	-	-	144,210	-	-	148,540	▲
51480	Anti Platelet Ab	SST Serum	IFA	나501나	C5012006		242.40	15,830	15,830	246.92	16,440	16,440	▲
51440	Anti PS IgG	SST Serum	ELISA			국외	-	-	125,400	-	-	129,160	▲
51500	Anti Reticulin Ab	SST Serum	IFA			국외	-	-	216,320	-	-	222,810	▲
51520	Anti RNP Ab	SST Serum	EIA	너443나	CY444006		407.02	26,580	26,580	401.82	26,760	26,760	▲
51521	Anti RNP Ab	EDTA Plasma	EIA	너443나	CY444006		407.02	26,580	26,580	401.82	26,760	26,760	▲
51530	Anti Scl-70 Ab	SST Serum	Ouchterlony			국외	-	-	47,030	-	-	48,440	▲
51535	Anti Scl-70 Ab(EIA)	SST Serum	EIA	너443마	CY447006		616.68	40,270	40,270	594.69	39,610	39,610	▼
51540	Anti Skeletal Muscle Ab	SST Serum	IFA			국외	-	-	209,000	-	-	215,270	▲
51550	Anti Sm Ab	SST Serum	EIA	너443가	CY443006		407.02	26,580	26,580	410.82	27,360	27,360	▲
51560	Anti Smooth Muscle Ab(IFA)	SST Serum	IFA	나497나	C4972		130.35	8,510	8,510	130.71	8,710	8,710	▲
51565	Anti Smooth Muscle Ab정량	SST Serum	IFA				-	-	26,130	-	-	26,130	
51570	Anti sperm Ab	SST Serum	IBT	나735나	E7352		266.15	17,380	17,380	154.87	10,310	10,310	▼
51580	Anti SS-A/Ro Ab	SST Serum	EIA	너443다	CY445006		407.02	26,580	26,580	410.83	27,360	27,360	▲
51590	Anti SS-B/La Ab	SST Serum	EIA	너443라	CY446006		407.02	26,580	26,580	410.85	27,360	27,360	▲
51180	Anti ss-DNA IgG	SST Serum	ELISA			국외	-	-	41,380	-	-	42,620	▲
51190	Anti ss-DNA IgM	SST Serum	ELISA			국외	-	-	62,700	-	-	64,580	▲
50380	Anti Streptokinase Ab	SST Serum	PA			국외	-	-	9,410	-	-	9,690	▲
50395	Anti Tetanus Ab	SST Serum	ICA	나466나	C4662196		203.46	13,290	13,290	203.63	13,560	13,560	▲
50390	Anti Tetanus Ab	SST Serum	EIA			국외	-	-	240,350	-	-	247,560	▲
30870	Anti thrombin III(%)	SC Plasma	Chromogenic	나158	B1580		111.28	7,270	7,270	111.50	7,430	7,430	▲
51620	Anti TS Ab	SST Serum	Bio-assay	노213	CZ213		-	-	72,110	-	-	74,270	▲
51630	Anti TSB Ab	SST Serum	RIA			국외	-	-	240,350	-	-	247,560	▲
31120	Anti Xa LMWH test(Heparin)	SC Plasma		나163-1나	B1634		173.83	11,350	11,350	180.33	12,010	12,010	▲
52030	Anti β2-GP1 IgG Ab	SST Serum	ELISA	나506가	C5061		228.16	14,900	14,900	255.56	17,020	17,020	▲
52035	Anti β2-GP1 IgM Ab	SST Serum	ELISA	나506가	C5062		228.16	14,900	14,900	255.56	17,020	17,020	▲
30850	Antiplasmin(α2-PI)	SC Plasma	Chromogenic assay			국외	-	-	39,190	-	-	40,370	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
30860	Antithrombin III	SC Plasma	TIA	나158	B1580		111.28	7,270	7,270	111.50	7,430	7,430	▲
26410	APC gene mutation analysis	EDTA Blood	Sequencing	노596	CZ802		-	-	784,300	-	-	807,830	▲
31100	APCR	SC Plasma	Clot-based	너89	BX089		278.89	18,210	18,210	330.08	21,980	21,980	▲
10940	Apolipoprotein A I	SST Serum	TIA	나246가	C2461		102.08	6,670	6,670	102.32	6,810	6,810	▲
10950	Apolipoprotein AII	SST Serum	TIA	나246가	C2461		102.08	6,670	6,670	102.32	6,810	6,810	▲
10960	Apolipoprotein B	SST Serum	TIA	나246나	C2462		104.12	6,800	6,800	105.27	7,010	7,010	▲
10970	Apolipoprotein CII	SST Serum	TIA	나246다	C2463		105.92	6,920	6,920	107.67	7,170	7,170	▲
10980	Apolipoprotein CIII	SST Serum	TIA	나246다	C2463		105.92	6,920	6,920	107.67	7,170	7,170	▲
10990	Apolipoprotein E	SST Serum	TIA	나246라	C2464		105.31	6,880	6,880	106.86	7,120	7,120	▲
25330	Apolipoprotein E Genotype	EDTA Blood	PCR	너572	CX572006		833.29	54,410	54,410	906.44	60,370	60,370	▲
65005	Aprindine	SST Serum	HPLC			국외	-	-	39,710	-	-	40,900	▲
65006	Aprindine	Hp Blood	HPLC			국외	-	-	39,710	-	-	40,900	▲
20430	Apt test	Stool	Colorimetry	나124	B1240		7.82	510	510	11.51	770	770	▲
20431	Apt test	Other	Colorimetry	나124	B1240		7.82	510	510	11.51	770	770	▲
29390	ARSA gene (MLD)	EDTA Blood	Sequencing				-	-	147,000	-	-	151,410	▲
12681	Arsenic(AS)	24hr Urine	AAS	나452나(2)	C4523990		306.17	19,990	19,990	309.81	20,630	20,630	▲
12682	Arsenic(AS)	Random Urine	AAS	나452나(2)	C4523990		306.17	19,990	19,990	309.81	20,630	20,630	▲
10265	Arylsulfatase A	EDTA Blood	Enzyme	노327	CZ327		-	-	93,740	-	-	96,550	▲
10260	Arylsulfatase A	Hp Blood	Spectrophotometry	노327	CZ327		-	-	45,000	-	-	46,350	▲
50410	ASO 정량	SST Serum	TIA	나463나	C4633		105.61	6,900	6,900	106.53	7,090	7,090	▲
50400	ASO(Latex)	SST Serum	TIA	나463가	C4631		33.76	2,200	2,200	31.27	2,080	2,080	▼
50411	ASO(Titer)	Body Fluid	TIA	나463나	C4633		105.61	6,900	6,900	106.53	7,090	7,090	▲
50440	Aspergillus Ab	SST Serum	Immuno-diffusion			국외	-	-	120,180	-	-	123,790	▲
50445	Aspergillus Ab IgG	SST Serum	EIA	나467나	C4672236		195.36	12,760	12,760	192.85	12,840	12,840	▲
50455	Aspergillus Aq	SST Serum	EIA	나475나	C4752996		293.16	19,140	19,140	300.61	20,020	20,020	▲
80070	Aspiration cell cyto&block	Other		나594-1	C5942		239.09	15,610	15,610	239.59	15,960	15,960	▲
65520	Aspirin (Salicylic acid)	SST Serum	TDX	나450나(1)	C4503390		144.47	9,430	9,430	134.68	8,970	8,970	▼
65760	Aspirin Resistance Assay	Blood		노71-1	BZ071		-	-	69,000	-	-	71,070	▲
27673	ATP기반 항암제 감수성 검사	Other		노481	CZ481		-	-	466,700	-	-	480,700	▲
11925	Auto hemolysis test	복수검체	Colorimetry	나114	B1140006		120.99	7,900	7,900	120.24	8,010	8,010	▲
29170	Avellino corneal dystrophy	Other	Sequencing	노595	CZ661		-	-	52,250	-	-	53,820	▲
29430	AVPR2 gene mutation	EDTA Blood	Sequencing				-	-	147,000	-	-	151,410	▲
27570	B cell confirm test	EDTA Blood	Flow Cytometry	나512	C5120006		447.99	117,000	117,000	449.61	119,760	119,760	▲
10890	B/C ratio	SST Serum	계산법	나373+C375	C3730+C3750		-	0	2,890	-	2,750	2,750	▼
50460	Bacterial Aq	CSF	Latex	나408	B4080		90.90	29,700	29,700	85.21	28,350	28,350	▼
65180	Barbiturate	Random Urine	ICA	나450가(2)	C4502070		124.57	8,130	8,130	118.13	7,870	7,870	▼
52540	Bartonella Ab (NIH)	SST Serum	IFA				-	-	0	-	-	0	
01430	Basic fetoprotein(BFP)	SST Serum	EIA			국외	-	-	54,080	-	-	55,700	▲
01440	BCA225	SST Serum	EIA			국외	-	-	48,070	-	-	49,510	▲
25900	B-Cell Stain(CD20)(IHC)	Blood Smear Slide	IFA	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
81070	BCL2 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
81071	BCL2 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81080	BCL6 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
27566	bcr-abl (real-time PCR)	EDTA Blood	real time PCR	노596	CZ809		-	-	144,210	-	-	148,540	▲
27567	bcr-abl (real-time PCR)	Bone Marrow	real time PCR	노596	CZ809		-	-	144,210	-	-	148,540	▲
27568	bcr-abl gene mutation	EDTA Blood	Sequencing	노596	CZ817		-	-	187,000	-	-	192,610	▲
70030	Bence-Jones Protein 정성	Random Urine	Precipitation	나227가	C2271		16.17	1,060	1,060	14.75	980	980	▼
65190	Benzodiazepine	Random Urine	ICA	나450가(2)	C4502080		124.57	8,130	8,130	118.13	7,870	7,870	▼
11930	Bile Acid	SST Serum	Enzyme	너272	CX272		239.28	15,620	15,620	176.71	11,770	11,770	▼
11931	Bile Acid	Bile	Enzyme	너272	CX272		239.28	15,620	15,620	176.71	11,770	11,770	▼
80209	Biopsy (≥13)	Tissue		나550가(5)	C5915		687.25	44,880	44,880	687.25	45,770	45,770	▲
80208	Biopsy (10-12)	Tissue		나550가(4)	C5914		589.09	38,470	38,470	589.09	39,230	39,230	▲
80205	Biopsy (1-3)	Tissue		나550가(1)	C5911		282.35	18,440	18,440	282.35	18,800	18,800	▲
80211	Biopsy (1-3)×2	Tissue		나550가(1)	C5911		282.35	36,880	36,880	282.35	37,600	37,600	▲
80206	Biopsy (4-6)	Tissue		나550가(2)	C5912		380.51	24,850	24,850	380.51	25,340	25,340	▲
80207	Biopsy (7-9)	Tissue		나550가(3)	C5913		478.66	31,260	31,260	478.66	31,880	31,880	▲
80231	Biopsy 악성(≤15)	Tissue		나550다(1)	C5500		783.64	51,170	51,170	783.64	52,190	52,190	▲
80221	Biopsy 악성(≤20)	Tissue		나550다(1)	C5918		1072.19	70,010	70,010	1072.19	71,410	71,410	▲
80570	Biopsy 악성(≤20)+호르몬*2	Tissue		나550+나	C5918+C5590		-	137,610	137,610	-	134,510	134,510	▼
80232	Biopsy 악성(≥16)	Tissue		나550다(2)	C5504		1096.92	71,630	71,630	1096.92	73,050	73,050	▲
80222	Biopsy 악성(≥21)	Tissue		나550다(2)	C5919		1602.34	104,630	104,630	1602.34	106,720	106,720	▲
80571	Biopsy 악성(≥21)+호르몬*2	Tissue		나550+나	C5919+C5590		-	172,230	172,230	-	169,820	169,820	▼
80213	Biopsy 절편(≤6)	Tissue		나550나(1)	C5916		445.87	29,120	29,120	445.87	29,690	29,690	▲
80215	Biopsy 절편(≤6)×2	Tissue		나550나(1)	C5916		445.87	58,240	58,240	445.87	59,380	59,380	▲
80214	Biopsy 절편(≥7)	Tissue		나550나(2)	C5917		636.85	41,590	41,590	636.85	42,410	42,410	▲
80630	Biopsy(≥13)+Stain	Tissue		나550외	C5915+C5533		-	52,870	52,870	-	53,970	53,970	▲
80629	Biopsy(10-12)+Stain	Tissue		나550외	C5914+C5533		-	46,460	46,460	-	47,430	47,430	▲
80625	Biopsy(1-3)+조직호르몬×2	Tissue		나550+나	C5911+C5590		-	86,040	86,040	-	81,900	81,900	▼
80621	Biopsy(1-3)+Stain	Tissue		나550+나	C5911+C5533		-	26,430	26,430	-	27,000	27,000	▲
80622	Biopsy(1-3)+Stain*2	Tissue		나550+나	C5911+C5533		-	34,420	34,420	-	35,200	35,200	▲
80623	Biopsy(1-3)+Stain*3	Tissue		나550+나	C5911+C5533		-	42,410	42,410	-	43,400	43,400	▲
80624	Biopsy(1-3)+Stain*4	Tissue		나550+나	C5911+C5533		-	50,400	50,400	-	51,600	51,600	▲
80626	Biopsy(4-6)+Stain	Tissue		나550외	C5912+C5533		-	32,840	32,840	-	33,540	33,540	▲
80628	Biopsy(7-9)+Stain	Tissue		나550외	C5913+C5533		-	39,250	39,250	-	40,080	40,080	▲
80645	biopsy구축학적검사(1)	Tissue		나550라(1)	C5505		1658.74	108,320	108,320	1658.74	110,470	110,470	▲
80646	biopsy구축학적검사(2)	Tissue		나550라(2)	C5508		1128.59	73,700	73,700	1128.59	75,160	75,160	▲
80635	Biopsy절편(≤6)+호르몬×2	Tissue		나550+나	C5916+C5590		-	96,720	96,720	-	92,790	92,790	▼
80631	Biopsy절편(≤6)+Stain	Tissue		나550+나	C5916+C5533		-	37,110	37,110	-	37,890	37,890	▲
80632	Biopsy절편(≤6)+Stain×2	Tissue		나550+나	C5916+C5533		-	45,100	45,100	-	46,090	46,090	▲
80633	Biopsy절편(≤6)+Stain×3	Tissue		나550+나	C5916+C5533		-	53,090	53,090	-	54,290	54,290	▲
80634	Biopsy절편(≤6)+Stain×4	Tissue		나550+나	C5916+C5533		-	61,080	61,080	-	62,490	62,490	▲
80520	Biopsy탈회과정(S)	Tissue		나550	C5509외		-	21,820	21,820	-	22,080	22,080	▲



삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
80530	Biosy(EM)	Tissue					-	-	100,000	-	-	103,000	▲
11680	Biotinidase 정량	EDTA Plasma	Spectrophotometry	노333	CZ333		-	-	120,180	-	-	123,790	▲
50470	Blastomyces Ab	SST Serum	Immuno-diffusion			국외	-	-	110,750	-	-	274,200	▲
30010	Blood Cell Morphology	EDTA Blood	Manual	나110	B1100006		68.66	4,480	4,480	72.09	4,800	4,800	▲
70230	Blood Culture	Blood	Culture	나405가	B4051		158.13	10,330	10,330	163.15	10,870	10,870	▲
71020	Body Fluid Analysis	Body Fluid	Manual	나51	B0510		49.02	3,200	3,200	50.45	3,360	3,360	▲
71021	Body Fluid Analysis(Joint)	Joint Fluid	Manual	나51	B0510		49.02	3,200	3,200	50.45	3,360	3,360	▲
71060	Body Fluid Cell count	Body Fluid	Manual	나51	B0510		49.02	3,200	3,200	50.45	3,360	3,360	▲
11941	Bone ALP	SST Serum	CLIA	나398	C3980		125.07	8,170	8,170	108.23	7,210	7,210	▼
30135	Bone Marrow Consultant	Bone Marrow Slide		나111가주1	B1113		443.74	28,980	28,980	478.35	31,860	31,860	▲
30130	Bone Marrow Examination	Bone Marrow Slide	Manual	나111가주1	B1113		443.74	28,980	28,980	478.35	31,860	31,860	▲
80550	Bone Section	Tissue		나552	C5520		377.12	24,630	24,630	361.88	24,100	24,100	▼
29071	BRAF gene mutation	Block	Sequencing	노595	CZ684		-	-	80,000	-	-	82,400	▲
29070	BRAF V600E gene mutation	Tissue	Sequencing	노595	CZ684		-	-	52,250	-	-	53,820	▲
25350	BRCA1	EDTA Blood	DHPLC	나599나(4)	CY713006		5911.54	386,020	386,020	7282.19	484,990	484,990	▲
25360	BRCA2	EDTA Blood	DHPLC	나599나(4)	CY714006		5911.54	386,020	386,020	7282.19	484,990	484,990	▲
65791	Brodifacoum	SST Serum	HPLC			국외	-	-	398,020	-	-	409,960	▲
65680	Bromide	SST Serum	ICA			국외	-	-	180,260	-	-	185,670	▲
50510	Brucella Ab (NIH)	SST Serum					-	-	0	-	-	0	
29080	BTK gene mutation	EDTA Blood	Sequencing	노595	CZ664		-	-	497,000	-	-	511,910	▲
10860	BUN	SST Serum	Enzyme	나373	C3730		24.46	1,600	1,600	22.98	1,530	1,530	▼
10861	BUN	24hr Urine	Enzyme	나373	C3730		24.46	1,600	1,600	22.98	1,530	1,530	▼
10862	BUN	Random Urine	Enzyme	나373	C3730		24.46	1,600	1,600	22.98	1,530	1,530	▼
70727	C. difficile culture	Stool	Culture	너302가	BY021		154.65	10,100	10,100	176.14	11,730	11,730	▲
70725	C. difficile toxin A,B	Stool	ELFA	너302나	BY022		122.08	7,970	7,970	131.94	8,790	8,790	▲
20010	C1 inactivator	SST Serum	RID	노111	CZ111		-	-	54,080	-	-	55,700	▲
30880	C1 inactivator activity	SC Plasma	발색성합성기질법	노111	CZ111	국외	-	-	120,180	-	-	123,790	▲
20020	C1q	SST Serum	RID	나226사	C2267		105.21	6,870	6,870	106.72	7,110	7,110	▲
20030	C2	SST Serum	RID			국외	-	-	235,130	-	-	242,180	▲
20031	C2	EDTA Plasma	RID			국외	-	-	235,130	-	-	242,180	▲
20040	C3	SST Serum	TIA	나226가	C2261		105.13	6,860	6,860	106.61	7,100	7,100	▲
20050	C3a	EDTA Plasma	RIA			국외	-	-	209,940	-	-	216,240	▲
20070	C4	SST Serum	TIA	나226나	C2262		104.10	6,800	6,800	105.25	7,010	7,010	▲
20090	C5	SST Serum	RID			국외	-	-	235,130	-	-	242,180	▲
20110	C6	SST Serum	RID			국외	-	-	235,130	-	-	242,180	▲
20120	C7	SST Serum	RID			국외	-	-	235,130	-	-	242,180	▲
20150	C9	SST Serum	RID			국외	-	-	235,130	-	-	242,180	▲
01510	CA 54/61	SST Serum	ELISA			국외	-	-	72,110	-	-	74,270	▲
01520	CA 602	SST Serum	ELISA			국외	-	-	72,110	-	-	74,270	▲
01485	CA 72-4	SST Serum	RIA	나426주	C7426		224.38	14,650	14,650	268.60	17,890	17,890	▲
01482	CA 72-4 (ECLIA)	SST Serum	ECLIA	나426	C4260		281.68	18,390	18,390	280.83	18,700	18,700	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
10090	Ca++	SST Serum	Electrode	나379바	C3796		78.36	5,120	5,120	79.70	5,310	5,310	▲
10091	Ca++	Hp Plasma	Electrode	나379바	C3796		78.36	5,120	5,120	79.70	5,310	5,310	▲
01495	CA125 (ECLIA)	SST Serum	ECLIA	나424	C4240		253.45	16,550	16,550	253.45	16,880	16,880	▲
80900	CA125 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
01455	CA15-3 (ECLIA)	SST Serum	ECLIA	나433	C4330		252.22	16,470	16,470	251.81	16,770	16,770	▲
01465	CA19-9 (ECLIA)	SST Serum	ECLIA	나423	C4230		261.22	17,060	17,060	262.29	17,470	17,470	▲
01466	CA19-9 (ECLIA)	Body Fluid	ECLIA	나423	C4230		261.22	17,060	17,060	262.29	17,470	17,470	▲
28180	CACNA1S gene mutation	EDTA Blood	Sequencing	노595	CZ656		-	-	166,000	-	-	170,980	▲
26790	CADASIL (NOTCH3)	EDTA Blood	Sequencing	노595	CZ619		-	-	203,000	-	-	209,090	▲
12692	Cadmium(Cd)	Trace EDTA Blood	ICP/MS	나452나(2)	C4523650		306.17	19,990	19,990	309.81	20,630	20,630	▲
12693	Cadmium(Cd)	24hr Urine	ICP/MS	나452나(2)	C4523650		306.17	19,990	19,990	309.81	20,630	20,630	▲
28080	CAG repeats of Androgen R	EDTA Blood	PCR Fragment	너573마	CY539006		953.51	62,260	62,260	1150.44	76,620	76,620	▲
01900	Calcitonin	SST Serum	RIA	나356주	C7356		200.18	13,070	13,070	165.18	11,000	11,000	▼
81190	Calcitonin(IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
01911	Calcitonin-1회	SST Serum	RIA	나356주	C7356		200.18	13,070	13,070	165.18	11,000	11,000	▼
01912	Calcitonin-2회	SST Serum	RIA	나356주	C7356		200.18	13,070	13,070	165.18	11,000	11,000	▼
01913	Calcitonin-3회	SST Serum	RIA	나356주	C7356		200.18	13,070	13,070	165.18	11,000	11,000	▼
01914	Calcitonin-4회	SST Serum	RIA	나356주	C7356		200.18	13,070	13,070	165.18	11,000	11,000	▼
01915	Calcitonin-5회	SST Serum	RIA	나356주	C7356		200.18	13,070	13,070	165.18	11,000	11,000	▼
01916	Calcitonin-6회	SST Serum	RIA	나356주	C7356		200.18	13,070	13,070	165.18	11,000	11,000	▼
01917	Calcitonin-7회	SST Serum	RIA	나356주	C7356		200.18	13,070	13,070	165.18	11,000	11,000	▼
01918	Calcitonin-8회	SST Serum	RIA	나356주	C7356		200.18	13,070	13,070	165.18	11,000	11,000	▼
10070	Calcium (Ca)	SST Serum	Colorimetry	나379마	C3795		18.00	1,180	1,180	16.96	1,130	1,130	▼
10071	Calcium (Ca)	24hr Urine	Colorimetry	나379마	C3795		18.00	1,180	1,180	16.96	1,130	1,130	▼
10072	Calcium (Ca)	Random Urine	Colorimetry	나379마	C3795		18.00	1,180	1,180	16.96	1,130	1,130	▼
01195	C-AMP	EDTA Plasma	RIA	노205	CZ205	국외	-	-	62,490	-	-	64,360	▲
01196	C-AMP	24hr Urine	RIA	노205	CZ205	국외	-	-	62,490	-	-	64,360	▲
01197	C-AMP	Random Urine	RIA			국외	-	-	62,490	-	-	64,360	▲
71050	Campylobacter Culture	Stool	Culture	너301라	BY309006		363.17	23,720	23,720	403.18	26,850	26,850	▲
50520	Campylobacter jejuni Ab	SST Serum	ELISA			국외	-	-	261,250	-	-	269,090	▲
50530	Candida Ab	SST Serum	Immuno-diffusion			국외	-	-	219,450	-	-	226,030	▲
50540	Candida Ag	SST Serum	Latex			국외	-	-	37,620	-	-	38,750	▲
50541	Candida Ag	CSF	Latex			국외	-	-	37,620	-	-	38,750	▲
50542	Candida Aq 정성	SST Serum	Latex	나408	B4080		90.90	5,940	5,940	85.21	5,670	5,670	▼
42695	Candida albicans PCR	분비물	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
65400	Cannabinoids 정성	Random Urine	ICA	나450가(2)	C4502390		124.57	8,130	8,130	118.13	7,870	7,870	▼
01800	CAR autoantibodies	SST Serum	Western blot			국외	-	-	600,880	-	-	618,910	▲
65200	Carbamazepine	SST Serum	FPA	나450나(2)	C4504030		243.15	15,880	15,880	247.78	16,500	16,500	▲
65210	Carbamazepine,Free	Plain Serum	EMIT			국외	-	-	189,880	-	-	195,580	▲
20440	Carboxy Hemoglobin	EDTA Blood	Oximeter	나382다	C3823		53.71	3,510	3,510	53.93	3,590	3,590	▲
11010	Cardiac Risk Factor	SST Serum	계산법	나241+C242	C2411+C2420		-	0	6,940	-	6,950	6,950	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
11265	Carnitine(Vitamin BT)	SST Serum	LC/MS/MS	너154	CY544		399.40	52,160	52,160	317.04	42,220	42,220	▼
11260	Carnitine(Vitamin BT)	SST Serum	Enzyme			국외	-	-	104,500	-	-	107,640	▲
11270	Carotene	SST Serum	Spectrophotomet	나255	C2550		57.58	3,760	3,760	54.33	3,620	3,620	▼
02043	Catecholamine 2F	EDTA Plasma	HPLC/ECD	너228			-	40520	40520	-	43,700	43,700	▲
02045	Catecholamine 2F	24hr Urine	HPLC	너228			-	40520	40520	-	43,700	43,700	▲
02053	Catecholamine 3F	EDTA Plasma	HPLC/ECD	너228			-	60780	60780	-	65,550	65,550	▲
02056	Catecholamine 3F	24hr Urine	HPLC	너228			-	60780	60780	-	65,550	65,550	▲
86400	CBC (Cow)	EDTA Blood					-	-	12,000	-	-	12,360	▲
26220	CD 14	Bone Marrow	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
26256	CD 16 + CD 56	EDTA Blood	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
26250	CD 16 + CD 56 (NK cell)	EDTA Blood	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
25990	CD 19 (B cell)	EDTA Blood	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
25991	CD 19 (B cell)	Bone Marrow	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
25995	CD 19 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
25910	CD 2	EDTA Blood	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
26000	CD 20	EDTA Blood	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
26005	CD 20	EDTA Blood	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
80850	CD 21 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
27460	CD 25	Bone Marrow		나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
25925	CD 3 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
25926	CD 3 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
80840	CD 3 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80841	CD 3 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80843	CD 3 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
25920	CD 3 (T3)	EDTA Blood	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
25921	CD 3 (T3)	Bone Marrow	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
26025	CD 34	EDTA Blood	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
26020	CD 34 (Stem cell)	EDTA Blood	Flow Cytometry	나514	C5140006		724.53	70,970	70,970	737.42	73,670	73,670	▲
25935	CD 4 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
25936	CD 4 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
25930	CD 4 (T4)	EDTA Blood	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
25931	CD 4 (T4)	Bone Marrow	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
26030	CD 45	EDTA Blood		나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
80915	CD 5 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
51853	CD 68	Other		나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
25965	CD 8 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
25966	CD 8 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
25960	CD 8 (T8)	EDTA Blood	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
25961	CD 8 (T8)	Bone Marrow	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
81030	CD10 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
26190	CD117 (IHC)	Block	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
26195	CD117 (IHC)	Block	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81580	CD138 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80880	CD15 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80881	CD15 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81210	CD1a(IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80930	CD20 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81240	CD20(IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80931	CD21 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80920	CD25 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81185	CD30 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81186	CD30 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81180	CD31(IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81181	CD31(IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81130	CD34(IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81132	CD34(IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81100	CD35 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81105	CD35 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81230	CD4(IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81250	CD45,LCA(IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81260	CD45,RO(IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80910	CD5 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81090	CD56 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81091	CD56 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80950	CD68 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80890	CD79a (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
26690	CDH1 mutation	EDTA Blood	Sequencing	노595	CZ601		-	-	732,000	-	-	753,960	▲
20741	CDT	SST Serum	Nephelometry				-	-	29,000	-	-	29,870	▲
01535	CEA (ECLIA)	SST Serum	ECLIA	나422	C4220		230.65	15,060	15,060	230.54	15,350	15,350	▲
01536	CEA (ECLIA)	Body Fluid	ECLIA	나422	C4220		230.65	15,060	15,060	230.54	15,350	15,350	▲
81500	CEA (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80045	Cell block after Cyto Exam	Other		나594	C5940		145.11	9,480	9,480	133.42	8,890	8,890	▼
82150	Cell block after Cyto Exam	Other		나594	C5940		145.11	9,480	9,480	133.42	8,890	8,890	▼
27620	Cell culture (AF)	Amniotic Fluid	Culture	나498	CX498		366.25	23,920	23,920	472.91	31,500	31,500	▲
80980	C-erb B2(IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
20160	Ceruloplasmin	SST Serum	TIA	나235	C2350		107.19	7,000	7,000	110.51	7,360	7,360	▲
20161	Ceruloplasmin	Hp Plasma	TIA	나235	C2350		107.19	7,000	7,000	110.51	7,360	7,360	▲
27740	CFTR Gene mutation	EDTA Blood	Sequencing	노595	CZ631		-	-	963,000	-	-	991,890	▲
01200	C-GMP	EDTA Plasma	RIA			국외	-	-	62,700	-	-	64,580	▲
01205	C-GMP	24hr Urine	RIA			국외	-	-	62,700	-	-	64,580	▲
51640	CH50	SST Serum	Enzyme	나225	C2250		118.16	7,720	7,720	111.44	7,420	7,420	▼
50580	Chlamydia pneumonia IgA	SST Serum	ELISA			국외	-	-	48,070	-	-	49,510	▲



삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
50560	Chlamydia pneumonia IgG	SST Serum	IFA	나474나(1)	C4742816		205.72	13,430	13,430	206.65	13,760	13,760	▲
50570	Chlamydia pneumonia IgM	SST Serum	IFA	나474나(2)	C4743816		204.59	13,360	13,360	205.15	13,660	13,660	▲
42340	Chlamydia pneumonia PCR	Other	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
50590	Chlamydia psittaci Ab(CF)	SST Serum	CF			국외	-	-	18,810	-	-	19,370	▲
50591	Chlamydia psittaci Ab(CF)	CSF	CF			국외	-	-	18,810	-	-	19,370	▲
50600	Chlamydia psittaci IgG	SST Serum	FA			국외	-	-	78,110	-	-	80,450	▲
50601	Chlamydia psittaci IgG	CSF	FA			국외	-	-	78,110	-	-	80,450	▲
50610	Chlamydia psittaci IgM	SST Serum	FA			국외	-	-	78,110	-	-	80,450	▲
50611	Chlamydia psittaci IgM	CSF	FA			국외	-	-	78,110	-	-	80,450	▲
42345	Chlamydia psittaciPCR(NIH)	Sputum	PCR				-	-	0	-	-	0	
42240	Chlamydia trachomatis Ag	분비물	ELFA	나475나	C4752816		293.16	19,140	19,140	300.61	20,020	20,020	▲
50650	Chlamydia trachomatis IgA	SST Serum	ELISA				-	-	24,040	-	-	24,760	▲
50630	Chlamydia trachomatis IgG	SST Serum	EIA	나474나(1)	C4742816		205.72	13,430	13,430	206.65	13,760	13,760	▲
50640	Chlamydia trachomatis IgM	SST Serum	ELISA	나474나(2)	C4743816		204.59	13,360	13,360	205.15	13,660	13,660	▲
42330	Chlamydia trachomatis PCR	분비물	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
10100	Chloride(Cl)	SST Serum	ISE	나379다	C3793		17.42	1,140	1,140	16.05	1,070	1,070	▼
10101	Chloride(Cl)	24hr Urine	ISE	나379다	C3793		17.42	1,140	1,140	16.05	1,070	1,070	▼
10102	Chloride(Cl)	Random Urine	ISE	나379다	C3793		17.42	1,140	1,140	16.05	1,070	1,070	▼
65540	Chlorpromazine	SST Serum	GC			국외	-	-	282,150	-	-	290,610	▲
11060	Cholesterol	EDTA Plasma	GC/MS			국외	-	-	312,500	-	-	321,880	▲
11050	Cholesterol Ester 정량	SST Serum	계산법	나241나	C2412		20.79	1,360	1,360	18.86	1,260	1,260	▼
11051	Cholesterol Ester 정량	Body Fluid	계산법	나241나	C2412		20.79	1,360	1,360	18.86	1,260	1,260	▼
10280	Cholinesterase(Pseudo)	SST Serum	Colorimetry	나270	B2700		50.75	3,310	3,310	45.32	3,020	3,020	▼
10290	Cholinesterase(RBC activity)	EDTA Blood	Enzyme	나270	B2700		50.75	3,310	3,310	45.32	3,020	3,020	▼
02180	Cholyglycine	SST Serum	RIA			국외	-	-	36,580	-	-	37,680	▲
12700	Chromium(Cr)	Trace EDTA Blood	AAS	나452나(2)	C4523990		306.17	19,990	19,990	309.81	20,630	20,630	▲
12701	Chromium(Cr)	24hr Urine	AAS	나452나(2)	C4523990		306.17	19,990	19,990	309.81	20,630	20,630	▲
12702	Chromium(Cr)	Other	AAS	나452나(2)	C4523990		306.17	19,990	19,990	309.81	20,630	20,630	▲
81410	Chromoglanin (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
25103	Chromosome Analysis	Other	Culture				-	-	432,630	-	-	445,610	▲
25101	Chromosome Analysis(AF)	Amniotic Fluid	Culture				-	-	432,630	-	-	445,610	▲
25102	Chromosome Analysis(BM)	Bone Marrow	Culture	나600-1	C6005006		1554.58	101,510	101,510	1606.12	106,970	106,970	▲
25104	Chromosome Analysis(CB)	Cord Blood	Culture	나600	C6001006		1135.28	74,130	74,130	1210.58	80,620	80,620	▲
25110	Chromosome analysis(Leukemia)	Hp Blood	Culture	나600-1	C6005006		1554.58	101,510	101,510	1606.12	106,970	106,970	▲
25100	Chromosome Analysis(PB)	Hp Blood	Culture	나600	C6001006		1135.28	74,130	74,130	1210.58	80,620	80,620	▲
25105	Chromosome Analysis(Stem)	Stem cell	Culture				-	-	216,320	-	-	222,810	▲
25123	Chromosome Test	수태산물					-	-	360,000	-	-	360,000	
25121	Chromosome Test(AF)	Amniotic Fluid					-	-	360,000	-	-	360,000	
25122	Chromosome Test(BM)	Bone Marrow		나600-1	C6005006		1554.58	101,510	101,510	1606.12	106,970	106,970	▲
25124	Chromosome Test(CB)	Hp Blood		나600	C6001006		1135.28	74,130	74,130	1210.58	80,620	80,620	▲
25150	Chromosome Test(leukemiaB)	Hp Blood		나600-1	C6005006		1554.58	101,510	101,510	1606.12	106,970	106,970	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
25120	Chromosome Test(PB)	Hp Blood		나600	C6001006		1135.28	74,130	74,130	1210.58	80,620	80,620	▲
25176	Chromosome(Direct)	Chorion					-	-	100,000	-	-	103,000	▲
25175	Chromosome(Direct+Long)	Chorion	Culture				-	-	540,790	-	-	557,010	▲
25170	Chromosome(Direct+Long)	Chorion					-	-	450,000	-	-	450,000	
25192	Chromosome(High Resolution)	Bone Marrow	Culture	나600-2	C6006006		1590.33	103,850	103,850	1590.33	105,920	105,920	▲
25190	Chromosome(High Resolution)	Hp Blood	Culture	나600-2	C6006006		1590.33	103,850	103,850	1590.33	105,920	105,920	▲
25191	Chromosome(High Resolution)	Amniotic Fluid	Culture				-	-	432,630	-	-	445,610	▲
25180	Chromosome(High Resolution)	Hp Blood					-	-	180,000	-	-	180,000	
25181	Chromosome(High Resolution)	Amniotic Fluid					-	-	414,000	-	-	414,000	
25165	Chromosome(Long Term)	Chorion	Culture				-	-	456,670	-	-	470,370	▲
25160	Chromosome(Long Term)	Chorion					-	-	380,000	-	-	380,000	
26235	Chronic Leukemia panel	Bone Marrow	Flow Cytometry	나512	C5120006		447.99	526,500	526,500	449.61	538,920	538,920	▲
65010	Cisplatin (Free)	SST Serum	AAS				-	-	156,750	-	-	161,450	▲
65020	Cisplatin (Total)	SST Serum	AAS			국외	-	-	62,700	-	-	64,580	▲
65030	Cisplatin (Urine)	Random Urine	AAS				-	-	62,700	-	-	64,580	▲
10520	Citrate	24hr Urine	Enzyme	너345가(2)	CY342		339.91	22,200	22,200	229.50	15,280	15,280	▼
10525	Citrate	SST Serum	UV	너345가(2)	CY342		339.91	22,200	22,200	229.50	15,280	15,280	▼
81060	CK (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81064	CK (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81062	CK 20 (Cytokeratin20)(IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81061	CK 7 (Cytokeratin 7) (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81015	CK HMW(CK 1,5,10,14)(IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81065	CK7 (Cytokeratin7)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
10316	CK-BB	SST Serum	Electrophoresis	나304	B3040006		167.97	10,970	10,970	165.79	11,040	11,040	▲
81140	C-kit (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81630	c-kit (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
27671	C-kit analysis	Other		노595(31)	CZ625		-	-	142,900	-	-	142,900	
29250	c-kit gene mutation(exon1)	Block	Sequencing	노595	CZ625		-	-	130,000	-	-	133,900	▲
29251	c-kit gene mutation(exon2)	Block	Sequencing	노595	CZ625		-	-	170,000	-	-	175,100	▲
29252	c-kit gene mutation(exon3)	Block	Sequencing	노595	CZ625		-	-	240,000	-	-	247,200	▲
29253	c-kit gene mutation(exon4)	Block	Sequencing	노595	CZ625		-	-	310,000	-	-	319,300	▲
10310	CK-MB 정량	SST Serum	ECLIA	나264	B2640		150.40	9,820	9,820	151.70	10,100	10,100	▲
10315	CK-MM	SST Serum	Electrophoresis	나304	B3040006		167.97	10,970	10,970	165.79	11,040	11,040	▲
65221	Clonazepam	Plain Blood	LC/MS/MS	나450	CX375696		542.51	35,430	35,430	570.54	38,000	38,000	▲
65220	Clonazepam	SST Serum	HPLC			국외	-	-	72,110	-	-	74,270	▲
50849	Clonorchis IgG(BF)	Body Fluid	Micro-ELISA	나472나(1)	C4722796		271.19	17,710	17,710	270.18	17,990	17,990	▲
50845	Clonorchis IgG(S)	SST Serum	Micro-ELISA	나472나(1)	C4722796		271.19	17,710	17,710	270.18	17,990	17,990	▲
65770	Clozapine	SST Serum	LC/MS/MS	나450나(4)	CX375696		542.51	35,430	35,430	570.54	38,000	38,000	▲
25370	CML-major PCR	EDTA Blood	Nested RT-PCR	나597가	C5971006		1570.83	102,580	102,580	1597.93	106,420	106,420	▲
25371	CML-major PCR	Bone Marrow	Nested RT-PCR	나597가	C5971006		1570.83	102,580	102,580	1597.93	106,420	106,420	▲
25380	CML-minor PCR	EDTA Blood	Nested RT-PCR	나597나	C5972006		1573.83	102,770	102,770	1601.91	106,690	106,690	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
25381	CML-minor PCR	Bone Marrow	Nested RT-PCR	나597나	C5972006		1573.83	102,770	102,770	1601.91	106,690	106,690	▲
26810	CMT1A, PMP22 mutation	EDTA Blood	MLPA				-	-	382,000	-	-	393,460	▲
26825	CMT2A, MFN2 mutation	EDTA Blood	Sequencing	노595	CZ646		-	-	613,000	-	-	631,390	▲
81510	CMV (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
42356	CMV 정량 (Real-time PCR)	EDTA Blood	real time PCR	노598마	CZ963		-	-	96,140	-	-	99,020	▲
42135	CMV culture	Other	Shell Vial Culture	나416	B4160006		546.65	35,700	35,700	560.25	37,310	37,310	▲
42350	CMV DNA(PCR)	EDTA Blood	PCR	나595가	C5951006		409.65	26,750	26,750	417.78	27,820	27,820	▲
40305	CMV IgG	SST Serum	CMIA	나468나(1)	C4682426		266.76	17,420	17,420	270.11	17,990	17,990	▲
40306	CMV IgG	CSF	CMIA	나468나(1)	C4682426		266.76	17,420	17,420	270.11	17,990	17,990	▲
40315	CMV IgM	SST Serum	CMIA	나468나(2)	C4683426		259.16	16,920	16,920	259.99	17,320	17,320	▲
40316	CMV IgM	CSF	CMIA	나468나(2)	C4683426		259.16	16,920	16,920	259.99	17,320	17,320	▲
40270	CMV(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
40271	CMV(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
40272	CMV(CF)	Body Fluid	CF			국외	-	-	15,680	-	-	16,150	▲
10110	CO2,Total	SST Serum	Enzyme	나381나	C3812		45.04	2,940	2,940	45.02	3,000	3,000	▲
12710	Cobalt(Co)	Trace EDTA Blood	AAS	나452나(2)	C4523990		306.17	19,990	19,990	309.81	20,630	20,630	▲
12711	Cobalt(Co)	24hr Urine	AAS	나452나(2)	C4523990		306.17	19,990	19,990	309.81	20,630	20,630	▲
65410	Cocaine 정성	Random Urine	ICA	나450가(2)	C4502390		124.57	8,130	8,130	118.13	7,870	7,870	▼
50525	Coccidioidomycosis Ab(NIH)	SST Serum	Immuno-diffusion				-	-	0	-	-	0	
50710	Cold Agglutin	SST Serum	HA	나209	B2090006		64.61	4,220	4,220	59.10	3,940	3,940	▼
11955	Collagen Type IV	SST Serum	Latex			국외	-	-	47,810	-	-	49,240	▲
11960	Collagen Type IV.7S	SST Serum	RIA			국외	-	-	76,910	-	-	79,220	▲
30000	Complete Blood Count 8종	EDTA Blood	자동혈구계산법				-	4040	4040	-	4,150	4,150	▲
20506	Co-oximeter	EDTA Blood	Oximeter	나370	C3700		156.27	10,200	10,200	158.21	10,540	10,540	▲
12722	Copper(Cu)	Tissue	AAS	나452나(2)	C4527620		607.56	39,670	39,670	613.25	40,840	40,840	▲
12725	Copper(Cu)	Trace Serum	ICP/MS	나452나(2)	C4523620		306.17	19,990	19,990	309.81	20,630	20,630	▲
12726	Copper(Cu)	24hr Urine	ICP/MS	나452나(2)	C4523620		306.17	19,990	19,990	309.81	20,630	20,630	▲
11750	Coproporphyrin 정량	24hr Urine	Spectrophotomet	나389나(2)	C3893		175.41	11,450	11,450	177.74	11,840	11,840	▲
11740	Coproporphyrin 정성	Random Urine	Fluorometry	나389가	C3891		11.03	720	720	10.45	700	700	▼
29171	Corneal dystrophy, TGFBI	Other	Sequencing	노595	CZ661		-	-	150,000	-	-	151,410	▲
10075	corrected Ca	SST Serum	계산법	나221 외	C2210 외		-	0	2,830	-	2,720	2,720	▼
00690	Corticosterone	SST Serum	RIA			국외	-	-	144,210	-	-	148,540	▲
00707	Cortisol (ECLIA)	SST Serum	ECLIA	나324나(4)	C3248		137.95	9,010	9,010	128.62	8,570	8,570	▼
00751	Cortisol 1회 (RIA)	SST Serum	RIA	나324나(4)	C7322		146.13	9,540	9,540	121.38	8,080	8,080	▼
00752	Cortisol 2회 (RIA)	SST Serum	RIA	나324나(4)	C7322		146.13	9,540	9,540	121.38	8,080	8,080	▼
00753	Cortisol 3회 (RIA)	SST Serum	RIA	나324나(4)	C7322		146.13	9,540	9,540	121.38	8,080	8,080	▼
00754	Cortisol 4회 (RIA)	SST Serum	RIA	나324나(4)	C7322		146.13	9,540	9,540	121.38	8,080	8,080	▼
00721	Cortisol-10회	SST Serum	ECLIA	나324나(4)	C3248		137.95	9,010	9,010	128.62	8,570	8,570	▼
00722	Cortisol-11회	SST Serum	ECLIA	나324나(4)	C3248		137.95	9,010	9,010	128.62	8,570	8,570	▼
00723	Cortisol-12회	SST Serum	ECLIA	나324나(4)	C3248		137.95	9,010	9,010	128.62	8,570	8,570	▼
00724	Cortisol-13회	SST Serum	ECLIA	나324나(4)	C3248		137.95	9,010	9,010	128.62	8,570	8,570	▼

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
00725	Cortisol-14호	SST Serum	ECLIA	나324나(4)	C3248		137.95	9,010	9,010	128.62	8,570	8,570	▼
00726	Cortisol-15호	SST Serum	ECLIA	나324나(4)	C3248		137.95	9,010	9,010	128.62	8,570	8,570	▼
00711	Cortisol-1호	SST Serum	ECLIA	나324나(4)	C3248		137.95	9,010	9,010	128.62	8,570	8,570	▼
00712	Cortisol-2호	SST Serum	ECLIA	나324나(4)	C3248		137.95	9,010	9,010	128.62	8,570	8,570	▼
00713	Cortisol-3호	SST Serum	ECLIA	나324나(4)	C3248		137.95	9,010	9,010	128.62	8,570	8,570	▼
00714	Cortisol-4호	SST Serum	ECLIA	나324나(4)	C3248		137.95	9,010	9,010	128.62	8,570	8,570	▼
00715	Cortisol-5호	SST Serum	ECLIA	나324나(4)	C3248		137.95	9,010	9,010	128.62	8,570	8,570	▼
00716	Cortisol-6호	SST Serum	ECLIA	나324나(4)	C3248		137.95	9,010	9,010	128.62	8,570	8,570	▼
00717	Cortisol-7호	SST Serum	ECLIA	나324나(4)	C3248		137.95	9,010	9,010	128.62	8,570	8,570	▼
00718	Cortisol-8호	SST Serum	ECLIA	나324나(4)	C3248		137.95	9,010	9,010	128.62	8,570	8,570	▼
00719	Cortisol-9호	SST Serum	ECLIA	나324나(4)	C3248		137.95	9,010	9,010	128.62	8,570	8,570	▼
00720	Cortisone	SST Serum	RIA			국외	-	-	162,240	-	-	167,110	▲
11970	Cotinine 정성	Random Urine	ICA				-	-	24,040	-	-	24,760	▲
40500	Coxsackievirus A type 10(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40501	Coxsackievirus A type 10(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40560	Coxsackievirus A type 16(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40561	Coxsackievirus A type 16(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40420	Coxsackievirus A type 2(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40421	Coxsackievirus A type 2(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40430	Coxsackievirus A type 3(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40431	Coxsackievirus A type 3(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40440	Coxsackievirus A type 4(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40441	Coxsackievirus A type 4(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40450	Coxsackievirus A type 5(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40451	Coxsackievirus A type 5(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40460	Coxsackievirus A type 6(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40461	Coxsackievirus A type 6(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40470	Coxsackievirus A type 7(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40471	Coxsackievirus A type 7(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40590	Coxsackievirus A type 9(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
40591	Coxsackievirus A type 9(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
40490	Coxsackievirus A type 9(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40491	Coxsackievirus A type 9(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40710	Coxsackievirus B type 1(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
40711	Coxsackievirus B type 1(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
40610	Coxsackievirus B type 1(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40611	Coxsackievirus B type 1(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40720	Coxsackievirus B type 2(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
40721	Coxsackievirus B type 2(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
40620	Coxsackievirus B type 2(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40621	Coxsackievirus B type 2(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲



삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
40730	Coxsackievirus B type 3(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
40731	Coxsackievirus B type 3(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
40630	Coxsackievirus B type 3(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40631	Coxsackievirus B type 3(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40740	Coxsackievirus B type 4(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
40741	Coxsackievirus B type 4(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
40640	Coxsackievirus B type 4(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40641	Coxsackievirus B type 4(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40750	Coxsackievirus B type 5(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
40751	Coxsackievirus B type 5(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
40652	Coxsackievirus B type 5(NT)	Body Fluid	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40650	Coxsackievirus B type 5(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40651	Coxsackievirus B type 5(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40760	Coxsackievirus B type 6(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
40761	Coxsackievirus B type 6(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
40660	Coxsackievirus B type 6(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40661	Coxsackievirus B type 6(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
42120	Coxsackievirus culture	Other	Culture	나416	B4160006		546.65	35,700	35,700	560.25	37,310	37,310	▲
00965	C-peptide (ECLIA)	SST Serum	ECLIA	나343	C3430		196.42	12,830	12,830	199.48	13,290	13,290	▲
00966	C-peptide (ECLIA)	24hr Urine	ECLIA	나343	C3430		196.42	12,830	12,830	199.48	13,290	13,290	▲
00983	C-Peptide-10회	SST Serum	ECLIA	나343	C3430		196.42	12,830	12,830	199.48	13,290	13,290	▲
00984	C-Peptide-11회	SST Serum	ECLIA	나343	C3430		196.42	12,830	12,830	199.48	13,290	13,290	▲
00985	C-Peptide-12회	SST Serum	ECLIA	나343	C3430		196.42	12,830	12,830	199.48	13,290	13,290	▲
00986	C-Peptide-13회	SST Serum	ECLIA	나343	C3430		196.42	12,830	12,830	199.48	13,290	13,290	▲
00987	C-Peptide-14회	SST Serum	ECLIA	나343	C3430		196.42	12,830	12,830	199.48	13,290	13,290	▲
00988	C-Peptide-15회	SST Serum	ECLIA	나343	C3430		196.42	12,830	12,830	199.48	13,290	13,290	▲
00971	C-Peptide-1회	SST Serum	ECLIA	나343	C3430		196.42	12,830	12,830	199.48	13,290	13,290	▲
00972	C-Peptide-2회	SST Serum	ECLIA	나343	C3430		196.42	12,830	12,830	199.48	13,290	13,290	▲
00973	C-Peptide-3회	SST Serum	ECLIA	나343	C3430		196.42	12,830	12,830	199.48	13,290	13,290	▲
00974	C-Peptide-4회	SST Serum	ECLIA	나343	C3430		196.42	12,830	12,830	199.48	13,290	13,290	▲
00975	C-Peptide-5회	SST Serum	ECLIA	나343	C3430		196.42	12,830	12,830	199.48	13,290	13,290	▲
00976	C-Peptide-6회	SST Serum	ECLIA	나343	C3430		196.42	12,830	12,830	199.48	13,290	13,290	▲
00977	C-Peptide-7회	SST Serum	ECLIA	나343	C3430		196.42	12,830	12,830	199.48	13,290	13,290	▲
00978	C-Peptide-8회	SST Serum	ECLIA	나343	C3430		196.42	12,830	12,830	199.48	13,290	13,290	▲
00979	C-Peptide-9회	SST Serum	ECLIA	나343	C3430		196.42	12,830	12,830	199.48	13,290	13,290	▲
10300	CPK	SST Serum	Enzyme	나263	B2630		55.91	3,650	3,650	55.93	3,720	3,720	▲
10301	CPK	Body Fluid	Enzyme	나263	B2630		55.91	3,650	3,650	55.93	3,720	3,720	▲
20580	CPK Isoenzyme	SST Serum	Electrophoresis	나304	B3040006		167.97	10,970	10,970	165.79	11,040	11,040	▲
20581	CPK Isoenzyme	Body Fluid		나304	B3040006		167.97	10,970	10,970	165.79	11,040	11,040	▲
27600	CRA(Chemotherapy response)	Other					-	-	490,000	-	-	490,000	
10900	Crea.Clearance Test	복수검체	계산법	나376	C3760		51.40	3,360	3,360	47.86	3,190	3,190	▼

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
10870	Creatine	SST Serum	Colorimetry	나377	C3770		24.20	1,580	1,580	21.68	1,440	1,440	▼
10871	Creatine	24hr Urine	Colorimetry	나377	C3770		24.20	1,580	1,580	21.68	1,440	1,440	▼
10872	Creatine	Random Urine	Colorimetry	나377	C3770		24.20	1,580	1,580	21.68	1,440	1,440	▼
10880	Creatinine	SST Serum	Enzyme	나375	C3750		19.77	1,290	1,290	18.25	1,220	1,220	▼
10881	Creatinine	24hr Urine	Enzyme	나375	C3750		19.77	1,290	1,290	18.25	1,220	1,220	▼
10882	Creatinine	Random Urine	Enzyme	나375	C3750		19.77	1,290	1,290	18.25	1,220	1,220	▼
29200	Creutzfeldt-Jakob D(NIH)	복수검체	Western blot				-	-	0	-	-	0	
31091	Cross matching	복수검체	Column	나205	B2050		47.30	3,090	3,090	49.31	3,280	3,280	▲
31090	Cross matching SET	복수검체	Column				-	10990	10990	-	11,710	11,710	▲
50720	CRP	SST Serum	TIA	나224가	C2241		24.17	1,580	1,580	21.79	1,450	1,450	▼
50721	CRP	CSF	TIA	나224가	C2241		24.17	1,580	1,580	21.79	1,450	1,450	▼
50730	CRP정량(HS-CRP)	SST Serum	TIA	나224나	C2243		105.01	6,860	6,860	105.73	7,040	7,040	▲
50731	CRP정량(HS-CRP)	CSF	TIA	나224나	C2243		105.01	6,860	6,860	105.73	7,040	7,040	▲
20170	Cryoglobulin 정성	SST Serum	Manual	나500가	C5001		31.28	2,040	2,040	31.26	2,080	2,080	▲
50740	Cryptococcus Aq	SST Serum	Latex	나408	B4080		90.90	5,940	5,940	85.21	5,670	5,670	▼
50741	Cryptococcus Aq	CSF	Latex	나408	B4080		90.90	5,940	5,940	85.21	5,670	5,670	▼
28160	CTLN2 gene mutation	EDTA Blood	Sequencing				-	-	147,000	-	-	151,410	▲
13010	CTx	SST Serum	ECLIA	나393-2	C3932		199.38	13,020	13,020	190.27	12,670	12,670	▼
70110	Culture	Other		나405가	B4051		158.13	10,330	10,330	163.15	10,870	10,870	▲
70120	Culture & Sensitivity	Other		나405가	B4051		158.13	10,330	10,330	163.15	10,870	10,870	▲
70150	Culture & Sensitivity(MIC)	Other	MIC	나405가	B4051		158.13	10,330	10,330	163.15	10,870	10,870	▲
80985	CXCL13 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
65700	Cyanide	EDTA Blood	Colorimetry			국외	-	-	299,130	-	-	308,100	▲
81020	Cyclin D1 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
65550	Cyclosporin	EDTA Blood	RIA	나450나(2)	C7451150		206.42	13,480	13,480	215.72	14,370	14,370	▲
65551	Cyclosporin (LC-MS/MS)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696		542.51	35,430	35,430	570.54	38,000	38,000	▲
01545	CYFRA 21-1 (ECLIA)	SST Serum	ECLIA	노285	CZ285		-	-	36,050	-	-	37,130	▲
28150	CYP21A2 gene mutation	EDTA Blood	Sequencing	노595	CZ608		-	-	292,000	-	-	300,760	▲
28151	CYP21A2 gene mutation	EDTA Blood	Sequencing	노595	CZ608		-	-	321,000	-	-	330,630	▲
27730	CYP2C19 Genotyping	EDTA Blood	Sequencing	노597	CZ900		-	-	323,000	-	-	332,690	▲
27790	CYP2C19 major polymorphism	EDTA Blood	Sequencing	노597	CZ900		-	-	76,000	-	-	78,280	▲
27510	CYP2C9 major polymorphism	EDTA Blood	Sequencing	노597	CZ905		-	-	78,000	-	-	80,340	▲
12980	Cystatin C	SST Serum	TIA	너131	CX131		85.83	5,600	5,600	106.91	7,120	7,120	▲
50846	Cysticercus IgG(BF)	Body Fluid	Micro-ELISA	나472나(1)	C4722796		271.19	17,710	17,710	270.18	17,990	17,990	▲
50851	Cysticercus IgG(CSF)	CSF	Micro-ELISA	나472나(1)	C4722796		271.19	17,710	17,710	270.18	17,990	17,990	▲
50842	Cysticercus IgG(S)	SST Serum	Micro-ELISA	나472나(1)	C4722796		271.19	17,710	17,710	270.18	17,990	17,990	▲
80055	Cytospin체액세포병리검사	Other	Pap stain	나593나	C5931		104.57	6,830	6,830	101.16	6,740	6,740	▼
27675	DCC암억제유전자-LOH	Other	PCR Fragment ana	노596가(8)	CZ803		-	-	52,500	-	-	54,080	▲
30680	D-dimer 정량	SC Plasma	TIA	나172나	B1723		157.10	10,260	10,260	166.65	11,100	11,100	▲
31060	D-dimer 정성	SC Plasma	TIA	나172가	B1721		45.53	2,970	2,970	43.21	2,880	2,880	▼
52350	Dengue virus IgG/IgM (NIH)	SST Serum	ICA				-	-	0	-	-	0	

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
12380	Deoxy pyridinoline	Random Urine	RIA	나393	C3930		200.03	13,060	13,060	191.36	12,740	12,740	▼
65561	Desipramine	Plain Blood	LC/MS/MS	나450나(4)	CX375696		542.51	35,430	35,430	570.54	38,000	38,000	▲
81270	Desmin(IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
00730	DHEA	SST Serum	RIA	노199	CZ199		-	-	132,190	-	-	136,160	▲
00746	DHEA-S (ECLIA)	SST Serum	ECLIA	나364	C3640		250.06	16,330	16,330	254.48	16,950	16,950	▲
65230	Diazepam (HPLC)	SST Serum	HPLC			국외	-	-	78,380	-	-	80,730	▲
65235	Diazepam (LC-MS/MS)	SST Serum	LC/MS/MS	나450나(4)	CX375016		542.51	35,430	35,430	570.54	38,000	38,000	▲
65792	Difenacoum	SST Serum	HPLC			국외	-	-	344,850	-	-	355,200	▲
30020	Differential Count	EDTA Blood	자동혈구계산법	나109가	B1091		25.53	1,670	1,670	25.43	1,690	1,690	▲
29340	DiGeorge-Velocardio (FISH)	Hp Blood	FISH	노598	CZ967		-	-	210,000	-	-	216,300	▲
65040	Digitoxin	SST Serum	EIA			국외	-	-	78,380	-	-	80,730	▲
65051	Digoxin (ECLIA)	SST Serum	ECLIA	나450나(2)	C4504090		243.15	15,880	15,880	247.78	16,500	16,500	▲
71290	Diphtheria culture (NIH)	Other	Culture				-	-	0	-	-	0	
10050	Direct Bilirubin	SST Serum	Colorimetry	나372나	C3721		20.06	1,310	1,310	18.80	1,250	1,250	▼
10051	Direct Bilirubin	Capillary	Colorimetry	나372나	C3721		20.06	1,310	1,310	18.80	1,250	1,250	▼
30320	Direct Coombs	EDTA Blood	Column	나204가주	B2041006		34.97	2,280	2,280	35.19	2,340	2,340	▲
31080	Direct Coombs Anti 4종	EDTA Blood		나204가	B2047106~406		-	15,920	15,920	-	16,760	16,760	▲
31070	Direct Coombs Anti C3d,IgG	EDTA Blood		나204가	B20471+406		-	7,960	7,960	-	8,380	8,380	▲
65060	Disopyramide	SST Serum	EIA			국외	-	-	60,090	-	-	61,890	▲
65061	Disopyramide	Hp Plasma	EIA			국외	-	-	60,090	-	-	61,890	▲
25390	DMD/BMD	EDTA Blood	Multiplex-PCR	노596	CZ811		-	-	192,280	-	-	198,050	▲
25396	DMD/BMD carrier test	EDTA Blood		노596	CZ812		-	-	350,000	-	-	360,500	▲
25395	DMD/BMD exon deletion test	EDTA Blood	Multiplex-PCR	노596	CZ811		-	-	350,000	-	-	360,500	▲
25397	DMD/BMD linkage test	EDTA Blood		노596	CZ813		-	-	500,000	-	-	515,000	▲
26210	DNA Floidy(DNA 배수성검사)	Block	Flow Cytometry	너551가	CY551006		678.99	44,340	44,340	675.46	44,990	44,990	▲
50715	Donath Landsteiner test	SST Serum		나210	B2100006		46.35	3,030	3,030	43.10	2,870	2,870	▼
00853	Dopamine	EDTA Plasma	HPLC/ECD	너228다	CY283006		310.20	20,260	20,260	328.04	21,850	21,850	▲
00855	Dopamine	24hr Urine	HPLC	너228다	CY283006		310.20	20,260	20,260	328.04	21,850	21,850	▲
25211	DR-70	SST Serum	EIA				-	-	72,110	-	-	74,270	▲
27480	DRPLA	EDTA Blood	PCR-RFLP	너573다	CY533006		953.51	62,260	62,260	1150.44	76,620	76,620	▲
26840	DRPLA gene mutation	EDTA Blood		너573다	CY533006		953.51	62,260	62,260	1150.44	76,620	76,620	▲
65571	Drug profiling test	Random Urine	LC/MS/MS	나450가(4)	CX373		378.82	24,740	24,740	295.04	19,650	19,650	▼
30410	Du (Weak D) Test	EDTA Blood	Column	나202다	B2023		46.09	3,010	3,010	44.27	2,950	2,950	▼
30431	Duffy A 혈액형검사	EDTA Blood	Tube	나203	B2030006		77.45	5,060	5,060	73.81	4,920	4,920	▼
30432	Duffy B 혈액형검사	EDTA Blood	Tube	나203	B2030006		77.45	5,060	5,060	73.81	4,920	4,920	▼
01550	DUPAN-2	SST Serum	EIA	노286	CZ286	국외	-	-	60,090	-	-	61,890	▲
29060	DYT1 (Dystonia I, torsion)	EDTA Blood	PCR-RFLP	너562	CY635006		416.68	27,210	27,210	460.19	30,650	30,650	▲
71220	E.coli O157 Culture	Other	Culture	너301라	BY309006		363.17	23,720	23,720	403.18	26,850	26,850	▲
70740	E.coli O157 PCR	Stool	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
50465	E.coli(Latex)	CSF	Latex	나408	B4080		90.90	5,940	5,940	85.21	5,670	5,670	▼
29350	E2A-PBX1 rearrangement	EDTA Blood	Nested RT-PCR	나597	C5974006		1573.83	102,770	102,770	1601.91	106,690	106,690	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
42935	EBV 정량 (Real-time PCR)	EDTA Blood	real time PCR	노598	CZ965		-	-	96,140	-	-	99,020	▲
42875	EBV EA-DR IgG	SST Serum	EIA	나468나(1)	C4682446		266.76	17,420	17,420	270.11	17,990	17,990	▲
42876	EBV EA-DR IgG	CSF	EIA	나468나(1)	C4682446		266.76	17,420	17,420	270.11	17,990	17,990	▲
42895	EBV EA-DR IgM	SST Serum	EIA	나468나(2)	C4683446		259.16	16,920	16,920	259.99	17,320	17,320	▲
42896	EBV EA-DR IgM	CSF	EIA	나468나(2)	C4683446		259.16	16,920	16,920	259.99	17,320	17,320	▲
42900	EBV EBNA IgG	SST Serum	EIA	나468나(1)	C4682456		266.76	17,420	17,420	270.11	17,990	17,990	▲
42901	EBV EBNA IgG	EDTA Plasma	EIA	나468나(1)	C4682456		266.76	17,420	17,420	270.11	17,990	17,990	▲
42902	EBV EBNA IgG	CSF	EIA	나468나(1)	C4682456		266.76	17,420	17,420	270.11	17,990	17,990	▲
42910	EBV EBNA IgM	SST Serum	EIA	나468나(2)	C4683456		259.16	16,920	16,920	259.99	17,320	17,320	▲
42911	EBV EBNA IgM	EDTA Plasma	EIA	나468나(2)	C4683456		259.16	16,920	16,920	259.99	17,320	17,320	▲
42912	EBV EBNA IgM	CSF	EIA	나468나(2)	C4683456		259.16	16,920	16,920	259.99	17,320	17,320	▲
42920	EBV PCR	EDTA Blood	Nested PCR	나595마	C5955006		385.98	25,200	25,200	386.27	25,730	25,730	▲
40835	EBV VCA IgG	SST Serum	EIA	나468나(1)	C4682436		266.76	17,420	17,420	270.11	17,990	17,990	▲
40836	EBV VCA IgG	CSF	EIA	나468나(1)	C4682436		266.76	17,420	17,420	270.11	17,990	17,990	▲
40845	EBV VCA IgM	SST Serum	EIA	나468나(2)	C4683436		259.16	16,920	16,920	259.99	17,320	17,320	▲
40846	EBV VCA IgM	CSF	EIA	나468나(2)	C4683436		259.16	16,920	16,920	259.99	17,320	17,320	▲
50750	EBV(in situ)	Other		너567다	CY673006		604.71	39,490	39,490	568.99	37,890	37,890	▼
50755	EBV(in situ)	Other	Insitu	너567다	CY673006		604.71	39,490	39,490	568.99	37,890	37,890	▼
50760	EBV(in situ)	Other	Insitu	너567다	CY673006		604.71	39,490	39,490	568.99	37,890	37,890	▼
80830	EBV-LMP1 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80831	EBV-LMP1 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80820	E-Cadherin (IHC)	Smear Slide	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
42770	Echovirus Culture	Other	Culture	나416	B4160006		546.65	35,700	35,700	560.25	37,310	37,310	▲
41310	Echovirus Type 11(HI)	SST Serum	HI			국외	-	-	15,680	-	-	16,150	▲
41311	Echovirus Type 11(HI)	CSF	HI			국외	-	-	15,680	-	-	16,150	▲
41110	Echovirus Type 11(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41111	Echovirus Type 11(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41320	Echovirus Type 12(HI)	SST Serum	HI			국외	-	-	15,680	-	-	16,150	▲
41321	Echovirus Type 12(HI)	CSF	HI			국외	-	-	15,680	-	-	16,150	▲
41120	Echovirus Type 12(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41121	Echovirus Type 12(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41130	Echovirus Type 13(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41131	Echovirus Type 13(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41160	Echovirus Type 16(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41161	Echovirus Type 16(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41170	Echovirus Type 17(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41171	Echovirus Type 17(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41180	Echovirus Type 18(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41181	Echovirus Type 18(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41190	Echovirus Type 19(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41191	Echovirus Type 19(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲



# 삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
41210	Echovirus Type 21(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41211	Echovirus Type 21(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41220	Echovirus Type 22(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41221	Echovirus Type 22(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41240	Echovirus Type 24(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41241	Echovirus Type 24(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41250	Echovirus Type 25(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41251	Echovirus Type 25(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41030	Echovirus Type 3(HI)	SST Serum	HI			국외	-	-	15,680	-	-	16,150	▲
41031	Echovirus Type 3(HI)	CSF	HI			국외	-	-	15,680	-	-	16,150	▲
40930	Echovirus Type 3(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40931	Echovirus Type 3(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41300	Echovirus Type 30(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41301	Echovirus Type 30(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40940	Echovirus Type 4(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40941	Echovirus Type 4(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40950	Echovirus Type 5(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40951	Echovirus Type 5(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40960	Echovirus Type 6(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40961	Echovirus Type 6(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41070	Echovirus Type 7(HI)	SST Serum	HI			국외	-	-	15,680	-	-	16,150	▲
41071	Echovirus Type 7(HI)	CSF	HI			국외	-	-	15,680	-	-	16,150	▲
40970	Echovirus Type 7(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40971	Echovirus Type 7(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40990	Echovirus Type 9(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40991	Echovirus Type 9(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40910	Echovirus,Type 1(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
40911	Echovirus,Type 1(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
01220	ECP	SST Serum	ELISA	노114	CZ114		-	-	96,140	-	-	99,020	▲
01221	ECP	Random Urine	ELISA	노114	CZ114		-	-	96,140	-	-	99,020	▲
01225	ECP (Unicap)	SST Serum	FEIA	노114	CZ114		-	-	96,140	-	-	99,020	▲
27664	EGFR gene mutation	Tissue	Sequencing	노595	CZ626		-	-	260,000	-	-	260,000	
27670	EGFR유전자돌연변이염기서열	Other	Sequencing	노595	CZ626		-	-	120,000	-	-	120,000	
70980	Egg count, EPG	Stool	검경법	나68	B0680		31.85	2,080	2,080	30.46	2,030	2,030	▼
01560	Elastase 1	SST Serum	라텍스응집비탁법	노155	BZ155	국외	-	-	72,110	-	-	74,270	▲
52380	Endomysial IgA	SST Serum	IFA			국외	-	-	341,610	-	-	351,860	▲
50335	Entamoeba histolytica IgG	SST Serum	EIA	나472가	C4722626		271.19	17,710	17,710	270.18	17,990	17,990	▲
50336	Entamoeba histolytica IgG	Body Fluid	EIA	나472가	C4722626		271.19	17,710	17,710	270.18	17,990	17,990	▲
42140	Entero Virus Culture	Other	Culture	나416	B4160006		546.65	35,700	35,700	560.25	37,310	37,310	▲
42760	Entero Virus Culture 3종	Other	Culture	나416	B4160006		546.65	107,100	107,100	560.25	111,930	111,930	▲
42370	Entero virus RNA(PCR)	CSF	real time PCR	나596나	C5962006		575.08	37,550	37,550	595.55	39,660	39,660	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
71110	Enterovirus (NIH)	Other					-	-	0	-	-	0	
41000	Enterovirus Type 70(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41001	Enterovirus Type 70(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41010	Enterovirus Type 71(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41011	Enterovirus Type 71(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41012	Enterovirus Type 71(NT)	Body Fluid	Neutralization			국외	-	-	62,700	-	-	64,580	▲
30030	Eosinophil Count	EDTA Blood	Manual	나107가	B1070		12.58	820	820	12.49	830	830	▲
30031	Eosinophil Count	Smear Slide	Manual	나107나	B1071		14.87	970	970	14.27	950	950	▼
12993	Epimerase	EDTA Blood	Enzyme	노337	CZ040		-	-	78,110	-	-	80,450	▲
00833	Epinephrine	EDTA Plasma	HPLC/ECD	너228가	CY281006		310.20	20,260	20,260	328.04	21,850	21,850	▲
00835	Epinephrine	24hr Urine	HPLC	너228가	CY281006		310.20	20,260	20,260	328.04	21,850	21,850	▲
01570	ER/PR Receptor	Tissue	Stain	나559	C5590		517.64	67,600	67,600	473.77	63,100	63,100	▼
81520	ERCC1 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
01250	Erythropoietin(EPO)	SST Serum	CLIA	나357	C3570		270.70	17,680	17,680	256.00	17,050	17,050	▼
01251	Erythropoietin(EPO)	Hp Plasma	CLIA	나357	C3570		270.70	17,680	17,680	256.00	17,050	17,050	▼
30040	ESR	EDTA Blood	Manual	나103가	B1033		11.09	720	720	10.68	710	710	▼
00435	Estradiol (E2)	24hr Urine	RIA			국외	-	-	82,560	-	-	85,040	▲
00433	Estradiol (E2) (ECLIA)	SST Serum	ECLIA	나326	C3260		185.63	12,120	12,120	188.29	12,540	12,540	▲
00440	Estriol (E3)	SST Serum	RIA	나327주	C7327		163.31	10,660	10,660	212.59	14,160	14,160	▲
00445	Estriol (E3)	24hr Urine	RIA			국외	-	-	82,560	-	-	85,040	▲
00450	Estrogen	SST Serum	RIA	나325주	C7325		106.40	6,950	6,950	88.69	5,910	5,910	▼
00456	Estrogen	24hr Urine	RIA			국외	-	-	125,400	-	-	129,160	▲
00475	Estrone(E1)	SST Serum	RIA				-	-	90,130	-	-	92,830	▲
00476	Estrone(E1)	EDTA Plasma	RIA				-	-	90,130	-	-	92,830	▲
65240	Ethosuximide	SST Serum	EIA			국외	-	-	78,380	-	-	80,730	▲
29105	EWS-FLT1	Block	RT-PCR	나596라	C5969006		612.12	39,970	39,970	644.86	42,950	42,950	▲
29100	EWS-FLT1/ERG rearrangement	Block	Nested RT-PCR	나597자	C5979006		1669.92	109,050	109,050	1729.88	115,210	115,210	▲
27863	Express QF-PCR 21&culture	Amniotic Fluid					-	-	528,770	-	-	544,630	▲
27862	Express QF-PCR 3종&culture	Amniotic Fluid					-	-	600,880	-	-	618,910	▲
27860	Express QF-PCR 5종&culture	Amniotic Fluid					-	-	672,980	-	-	693,170	▲
27832	Express QF-PCR(21)	Amniotic Fluid	QF-PCR				-	-	125,400	-	-	129,160	▲
27837	Express QF-PCR(21)단독	Amniotic Fluid	QF-PCR				-	-	125,400	-	-	129,160	▲
27831	Express QF-PCR(21,18,13)	Amniotic Fluid	QF-PCR				-	-	188,100	-	-	193,740	▲
27836	Express QF-PCR(3종)단독	Amniotic Fluid	QF-PCR				-	-	188,100	-	-	193,740	▲
27830	Express QF-PCR(5종)	Amniotic Fluid	QF-PCR				-	-	312,460	-	-	321,830	▲
27835	Express QF-PCR(5종)단독	Amniotic Fluid	QF-PCR				-	-	312,460	-	-	321,830	▲
27686	Express study13/18/21&Culture	Amniotic Fluid	QF-PCR				-	-	600,880	-	-	600,880	
25425	Express study-13Chromosome	Amniotic Fluid	QF-PCR				-	-	184,000	-	-	184,000	
25402	Express study-18	Amniotic Fluid	FISH	노598	CZ967		-	-	192,280	-	-	216,300	▲
25400	Express study-18 Chromosome	Amniotic Fluid	QF-PCR				-	-	184,000	-	-	184,000	
27685	Express study18/21&Culture	Amniotic Fluid	QF-PCR				-	-	598,000	-	-	598,000	

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
25401	Express study-18Chromosome	Amniotic Fluid	FISH	노598	CZ967		-	-	192,280	-	-	216,300	▲
25416	Express study-21	Amniotic Fluid	FISH	노598	CZ967		-	-	192,280	-	-	216,300	▲
25410	Express study-21 Chromosome	Amniotic Fluid	QF-PCR				-	-	184,000	-	-	184,000	
25415	Express study-21Chromosome	Amniotic Fluid	FISH	노598	CZ967		-	-	192,280	-	-	216,300	▲
30650	Factor 5 Leiden(FV:Q506)	EDTA Blood	PCR-RFLP	너562파	CY633006		416.68	27,210	27,210	453.38	30,200	30,200	▲
30480	Factor Ab VIII	SC Plasma	Clot-based	나178가	B1780006		207.67	13,560	13,560	208.52	13,890	13,890	▲
30490	Factor Ab IX	SC Plasma	Clot-based	나178나	B1781006		210.85	13,770	13,770	212.74	14,170	14,170	▲
30570	Factor Assay VII	SC Plasma	Clot-based	나169가(3)	B1693006		168.60	11,010	11,010	174.49	11,620	11,620	▲
30580	Factor Assay VIII	SC Plasma	Clot-based	나169가(4)	B1694006		171.28	11,180	11,180	178.87	11,910	11,910	▲
30590	Factor Assay IX	SC Plasma	Clot-based	나169가(5)	B1695006		170.18	11,110	11,110	177.39	11,810	11,810	▲
30520	Factor AssayII	SC Plasma	Clot-based	나169가(1)	B1691006		164.31	10,730	10,730	168.76	11,240	11,240	▲
30550	Factor AssayV	SC Plasma	Clot-based	나169가(2)	B1692006		163.09	10,650	10,650	167.09	11,130	11,130	▲
30600	Factor AssayX	SC Plasma	Clot-based	나169가(6)	B1696006		161.28	10,530	10,530	165.00	10,990	10,990	▲
30610	Factor AssayX I	SC Plasma	Clot-based	나169가(7)	B1697006		161.73	10,560	10,560	165.59	11,030	11,030	▲
30620	Factor AssayX II	SC Plasma	Clot-based	나169가(8)	B1698006		155.39	10,150	10,150	157.05	10,460	10,460	▲
30630	Factor AssayX III	SC Plasma	Urea 용해시험	나169가(9)	B1699006		161.69	10,560	10,560	165.59	11,030	11,030	▲
31140	Factor IX gene analysis	EDTA Blood	Sequencing				-	-	342,000	-	-	352,260	▲
31130	Factor XI gene analysis	EDTA Blood	Sequencing				-	-	342,000	-	-	352,260	▲
27701	Family Mutation,Auto Domin	EDTA Blood	Sequencing				-	-	70,000	-	-	72,100	▲
27702	Family Mutation,Auto Reces	EDTA Blood	Sequencing				-	-	84,000	-	-	86,520	▲
27703	Family,X-link/Mitochondria	EDTA Blood	Sequencing				-	-	65,000	-	-	66,950	▲
27810	Fanconi Anemia Study	복수검체					-	-	175,300	-	-	180,560	▲
12940	Fat 정성 검사	Stool	Sudan III	나67	B0670		12.63	820	820	13.27	880	880	▲
11080	Fatty Acid 4 Fraction	Hp Plasma	GC			국외	-	-	91,960	-	-	94,720	▲
30890	FDP	SC Plasma	TIA	나161나	B1613		136.94	8,940	8,940	138.83	9,250	9,250	▲
31110	FDP 정성	SC Plasma	TIA	나161가	B1611		51.80	3,380	3,380	51.57	3,430	3,430	▲
11690	Ferric Chloride	Random Urine	Colorimetry	나440	C4400		14.64	960	960	12.49	830	830	▼
01585	Ferritin (ECLIA)	SST Serum	ECLIA	나252	C2520		167.93	10,970	10,970	172.81	11,510	11,510	▲
20450	Fetal hemoglobin	EDTA Blood	HPLC	나382라	C3824		65.55	4,280	4,280	66.14	4,400	4,400	▲
27555	FGFR2	EDTA Blood	Sequencing	노595	CZ693		-	-	160,000	-	-	164,800	▲
30640	Fibrinogen	SC Plasma	Clot-based	나160가	B1601		38.69	2,530	2,530	39.22	2,610	2,610	▲
30900	Fibronectin	SC Plasma	Colorimetry				-	-	78,110	-	-	80,450	▲
70770	Filariae	Blood Smear Slide	Manual	나115	B1150006		45.57	2,980	2,980	46.68	3,110	3,110	▲
27750	FISH_1p/19q deletion	Tissue	FISH	노598	CZ967		-	-	453,000	-	-	466,590	▲
28250	FISH_1p36 deletion	Block	FISH	노598	CZ967		-	-	250,000	-	-	257,500	▲
27900	FISH_1q21/8p21	Hp Blood	FISH	노598	CZ967		-	-	252,370	-	-	259,940	▲
27910	FISH_5q31	Hp Blood	FISH	노598	CZ967		-	-	219,450	-	-	226,030	▲
27920	FISH_7q22/7q35	Hp Blood	FISH	노598	CZ967		-	-	252,370	-	-	259,940	▲
27930	FISH_파라핀 pretreatment	Tissue	FISH				-	-	114,000	-	-	117,420	▲
28042	FISH_ALK (Tissue)	Tissue	FISH	노598	CZ967		-	-	250,000	-	-	257,500	▲
28041	FISH_ALKgene rearrangement	Bone Marrow	FISH	노598	CZ967		-	-	219,000	-	-	225,570	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
28040	FISH_ALKgene rearrangement	Hp Blood	FISH	ㄴ598	CZ967		-	-	250,000	-	-	257,500	▲
27080	FISH_AML1/ETO, t(8;21)	Hp Blood	FISH	ㄴ598	CZ967		-	-	291,000	-	-	299,730	▲
26151	FISH_bcr/abl1rearrangement	Bone Marrow	FISH	ㄴ598	CZ967		-	-	280,000	-	-	288,400	▲
26455	FISH_CATCH22	Hp Blood	FISH	ㄴ598	CZ967		-	-	263,000	-	-	270,890	▲
26480	FISH_CFBF gene, 16q22	Hp Blood	FISH	ㄴ598	CZ967		-	-	252,370	-	-	259,940	▲
27950	FISH_CEP8	Hp Blood	FISH	ㄴ598	CZ967		-	-	252,370	-	-	259,940	▲
27960	FISH_C-myc,8p24	Hp Blood	FISH	ㄴ598	CZ967		-	-	229,000	-	-	235,870	▲
26510	FISH_D13S25 Locus, 13q14.3	Hp Blood	FISH	ㄴ598	CZ967		-	-	250,000	-	-	257,500	▲
26530	FISH_D20S108 Locus, 20q12	Hp Blood	FISH	ㄴ598	CZ967		-	-	252,370	-	-	259,940	▲
26540	FISH_D7S522, 7q31	Hp Blood	FISH	ㄴ598	CZ967		-	-	244,000	-	-	251,320	▲
26451	FISH_DigeorgeI,catch22	Hp Blood	FISH	ㄴ598	CZ967		-	-	252,370	-	-	259,940	▲
26595	FISH_EGFR	Tissue	FISH	ㄴ598	CZ967		-	-	320,000	-	-	329,600	▲
28240	FISH_EGFR amplificataion	Hp Blood	FISH	ㄴ598	CZ967		-	-	320,000	-	-	329,600	▲
28130	FISH_EWSR1 (22q12)	Hp Blood	FISH	ㄴ598	CZ967		-	-	250,000	-	-	257,500	▲
27751	FISH_FIP1L1/PDGFR(4q12)	Bone Marrow	FISH	ㄴ598	CZ967		-	-	289,000	-	-	297,670	▲
26180	FISH_Her2/neu	Other	FISH	ㄴ598	CZ967		-	-	540,000	-	-	556,200	▲
26560	FISH_IGH, 14q32.3	Hp Blood	FISH	ㄴ598	CZ967		-	-	219,450	-	-	226,030	▲
27980	FISH_IGH/BCL2 trans.	Hp Blood	FISH	ㄴ598	CZ967		-	-	260,000	-	-	267,800	▲
26570	FISH_IGH/CCND1	Hp Blood	FISH	ㄴ598	CZ967		-	-	260,000	-	-	267,800	▲
27990	FISH_IGH/FGFR3,t(4;14)	Hp Blood	FISH	ㄴ598	CZ967		-	-	252,370	-	-	259,940	▲
28000	FISH_IGH/MAF,t(14;16)	Hp Blood	FISH	ㄴ598	CZ967		-	-	252,370	-	-	259,940	▲
28110	FISH_Kallman Syndrome	Hp Blood	FISH	ㄴ598	CZ967		-	-	210,000	-	-	216,300	▲
28261	FISH_MALT1	Hp Blood	FISH	ㄴ598	CZ967		-	-	250,000	-	-	257,500	▲
28260	FISH_MALT1 translocation	Block	FISH	ㄴ598	CZ967		-	-	250,000	-	-	257,500	▲
26620	FISH_Miller-Dieker	Hp Plasma	FISH	ㄴ598	CZ967		-	-	210,000	-	-	216,300	▲
27630	FISH_MLL(11q23)	Hp Blood	FISH	ㄴ598	CZ967		-	-	252,370	-	-	259,940	▲
26590	FISH_N-MYC Amplipication	Tissue	FISH	ㄴ598	CZ967		-	-	229,000	-	-	235,870	▲
28010	FISH_p16	Hp Blood	FISH	ㄴ598	CZ967		-	-	252,370	-	-	259,940	▲
26581	FISH_PDGFRFA	Bone Marrow	FISH	ㄴ598	CZ967		-	-	252,370	-	-	259,940	▲
26583	FISH_PDGFRFA	Bone Marrow	FISH	ㄴ598	CZ967		-	-	289,000	-	-	297,670	▲
26582	FISH_PDGFRFB	Bone Marrow	FISH	ㄴ598	CZ967		-	-	252,370	-	-	259,940	▲
26600	FISH_PML/RARA, t(15;17)	Hp Blood	FISH	ㄴ598	CZ967		-	-	281,000	-	-	289,430	▲
25741	FISH_Prader willi/Angelman	Hp Blood	FISH	ㄴ598	CZ967		-	-	252,370	-	-	259,940	▲
25740	FISH_Prader-Willi syndrome	Hp Blood	FISH	ㄴ598	CZ967		-	-	263,000	-	-	270,890	▲
25742	FISH_Prader-Willi syndrome	Hp Blood	FISH	ㄴ598	CZ967		-	-	200,000	-	-	206,000	▲
25745	FISH_Prader-Willi syndrome	Chorion	FISH	ㄴ598	CZ967		-	-	630,000	-	-	630,000	
25750	FISH_Rb gene	Bone Marrow	FISH	ㄴ598	CZ967		-	-	192,000	-	-	197,760	▲
25751	FISH_Rb gene	Hp Blood	FISH	ㄴ598	CZ967		-	-	192,000	-	-	197,760	▲
28210	FISH_SYT translocation	Block	FISH	ㄴ598	CZ967		-	-	250,000	-	-	257,500	▲
28030	FISH_TEL/AML1 12;21	Hp Blood	FISH	ㄴ598	CZ967		-	-	219,450	-	-	226,030	▲
28020	FISH_TP53,17p13	Hp Blood	FISH	ㄴ598	CZ967		-	-	219,450	-	-	226,030	▲



삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
28021	FISH_TP53,17p13(Tissue)	Tissue	FISH	노598	CZ967		-	-	306,000	-	-	315,180	▲
28120	FISH_Trisony 1q (1q25)	Hp Blood	FISH	노598	CZ967		-	-	230,000	-	-	236,900	▲
26295	FISH_Williams syndrome	Hp Blood	FISH	노598	CZ967		-	-	263,000	-	-	270,890	▲
26290	FISH_William's syndrome	Amniotic Fluid	FISH	노598	CZ967		-	-	231,460	-	-	231,460	
28140	FISH_Wolf-Hirschhorn	Hp Blood	FISH	노598	CZ967		-	-	200,000	-	-	206,000	▲
26650	FISH_X/Y	Hp Blood	FISH	노598	CZ967		-	-	252,370	-	-	259,940	▲
25435	FISH-Chromosome (AF)	Amniotic Fluid	FISH	노598	CZ967		-	-	160,000	-	-	160,000	
65582	FK-506	EDTA Blood	CMIA	나450나(2)	C4504390		243.15	15,880	15,880	247.78	16,500	16,500	▲
65580	FK-506 (HPLC)	EDTA Blood	HPLC	나450나(4)	CX375696		542.51	35,430	35,430	570.54	38,000	38,000	▲
65581	FK-506 (LC-MS/MS)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696		542.51	35,430	35,430	570.54	38,000	38,000	▲
20752	FLC Panel (Random Urine)	Random Urine		나300외	B3001006외		-	70,700	70,700	-	72,370	72,370	▲
20750	FLC Panel (Serum)	SST Serum		나300외	B3000006외		-	70,090	70,090	-	71,790	71,790	▲
20751	FLC(RU)+PEP(24h U)	복수검체		나300외	B3001006외		-	70,700	70,700	-	72,370	72,370	▲
29380	FLCN gene mutation	EDTA Blood	Sequencing				-	-	402,000	-	-	414,060	▲
26245	FLT3 ITD/TKD	EDTA Blood	Sequencing	노595	CZ634+CZ635		-	-	72,110	-	-	74,270	▲
26240	FLT3 ITD/TKD PCR	Bone Marrow	Nested PCR	너563	CY059006		497.16	32,460	32,460	575.61	38,340	38,340	▲
11286	Folate (ECLIA)	SST Serum	ECLIA	나254	C2540		221.10	14,440	14,440	221.94	14,780	14,780	▲
25450	Fragile X	EDTA Blood	PCR Fragment	너573마	CY539006		953.51	62,260	62,260	1150.44	76,620	76,620	▲
27271	Fragile X 정밀(양수)배양전	Amniotic Fluid	Southern blot	나598+너	C5987006+CY		-	125,710	125,710	-	140,150	140,150	▲
27281	Fragile X 정밀(양수)배양후	Amniotic Fluid	Southern blot	나598+너	C5987006+CY		-	125,710	125,710	-	140,150	140,150	▲
27270	Fragile X 정밀검사 (혈액)	EDTA Blood	Southern blot	나598	C5980006		1010.77	66,000	66,000	1005.93	66,990	66,990	▲
27280	FragileX정밀(양수)+culture	Amniotic Fluid					-	149,630	149,630	-	171,650	171,650	▲
11040	Free cholesterol	SST Serum	Enzyme				-	-	3,660	-	-	3,440	
00765	Free Cortisol (CLIA)	24hr Urine	CLIA	나324나(5)	C3249		136.38	8,910	8,910	126.54	8,430	8,430	▼
00766	Free Cortisol (CLIA)	Random Urine	CLIA	나324나(5)	C3249		136.38	8,910	8,910	126.54	8,430	8,430	▼
11090	Free Fatty Acid(NEFA)	SST Serum	Enzyme	나245	C2450		42.76	2,790	2,790	38.53	2,570	2,570	▼
11091	Free Fatty Acid(NEFA)	Other	Enzyme	나245	C2450		42.76	2,790	2,790	38.53	2,570	2,570	▼
25891	Free Kappa light chain	SST Serum	비탁법	나237가(1)	C2371006		474.18	30,960	30,960	474.18	31,580	31,580	▲
25896	Free Kappa light chain	Random Urine	비탁법	나237나(1)	C2381006		474.18	30,960	30,960	474.18	31,580	31,580	▲
25615	Free Lambda light chain	SST Serum	비탁법	나237가(2)	C2372006		474.18	30,960	30,960	474.18	31,580	31,580	▲
25616	Free Lambda light chain	Random Urine	비탁법	나237나(2)	C2382006		474.18	30,960	30,960	474.18	31,580	31,580	▲
01682	Free PSA (ECLIA)	SST Serum	ECLIA	너321	CX321		173.78	11,350	11,350	179.99	11,990	11,990	▲
01686	Free PSA/PSA ratio(ECLIA)	SST Serum	ECLIA	나428외	C4280+CX321		-	0	27100	-	0	28,040	▲
00215	Free T3 (ECLIA)	SST Serum	ECLIA	나330	C3300		150.44	9,820	9,820	149.24	9,940	9,940	▲
00225	Free T4 (ECLIA)	SST Serum	ECLIA	나334	C3340		171.51	11,200	11,200	172.44	11,480	11,480	▲
00235	Free thyroxine index	SST Serum	계산법	나331+나	C3310+C3330		-	20,550	20,550	-	20,870	20,870	▲
00235	Free thyroxine index	SST Serum	계산법	나331+나	C3310+C3330		-	20,550	20,550	-	20,870	20,870	▲
01842	free β-hCG	SST Serum	RIA				-	-	24,040	-	-	24,760	▲
29010	Friedreich's ataxia	EDTA Blood	Southern blot	너573마	CY539006 외		-	128,260	128,260	-	143,610	143,610	▲
29011	Friedreich's ataxia	EDTA Blood	PCR Fragment	너573마	CY539006		963.51	62,260	62,260	1150.44	76,620	76,620	▲
20460	Fructosamine	SST Serum	Colorimetry	나397	C3970		112.20	7,330	7,330	99.83	6,650	6,650	▼

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
00092	FSH (ECLIA)	SST Serum	ECLIA	나350	C3500		162.39	10,600	10,600	160.84	10,710	10,710	▲
00051	FSH-1회	SST Serum	ECLIA	나350	C3500		162.39	10,600	10,600	160.84	10,710	10,710	▲
00052	FSH-2회	SST Serum	ECLIA	나350	C3500		162.39	10,600	10,600	160.84	10,710	10,710	▲
00053	FSH-3회	SST Serum	ECLIA	나350	C3500		162.39	10,600	10,600	160.84	10,710	10,710	▲
00054	FSH-4회	SST Serum	ECLIA	나350	C3500		162.39	10,600	10,600	160.84	10,710	10,710	▲
00055	FSH-5회	SST Serum	ECLIA	나350	C3500		162.39	10,600	10,600	160.84	10,710	10,710	▲
00056	FSH-6회	SST Serum	ECLIA	나350	C3500		162.39	10,600	10,600	160.84	10,710	10,710	▲
00057	FSH-7회	SST Serum	ECLIA	나350	C3500		162.39	10,600	10,600	160.84	10,710	10,710	▲
00058	FSH-8회	SST Serum	ECLIA	나350	C3500		162.39	10,600	10,600	160.84	10,710	10,710	▲
27330	FSHD, D4Z4 analysis	복수검체	Southern blot	노596	CZ820		-	-	424,000	-	-	436,720	▲
50960	FTA-ABS IgG	SST Serum	IFA	나462	C4620006		155.84	10,180	10,180	157.07	10,460	10,460	▲
50961	FTA-ABS IgG	CSF	IFA	나462	C4620006		155.84	10,180	10,180	157.07	10,460	10,460	▲
50975	FTA-ABS IgM	SST Serum	EIA	나462	C4620006		155.84	10,180	10,180	157.07	10,460	10,460	▲
50976	FTA-ABS IgM	CSF	EIA	나462	C4620006		155.84	10,180	10,180	157.07	10,460	10,460	▲
70780	Fungus Culture	Other		나405가	B4051		158.13	10,330	10,330	163.15	10,870	10,870	▲
65800	Furosemide(Lasix)	Plain Serum	HPLC			국외	-	-	264,390	-	-	272,320	▲
12991	G-1-P Uridyltransferase	EDTA Blood	Enzyme	노337	CZ039		-	-	66,100	-	-	68,080	▲
29420	G6PC gene mutation	EDTA Blood	Sequencing	너562차	CY630006		416.68	108,840	108,840	469.80	125,160	125,160	▲
10530	G-6-PDH	EDTA Blood	Colorimetry	나274	B2741		103.33	6,750	6,750	95.85	6,380	6,380	▼
12992	Galactokinase	EDTA Blood	Enzyme	노337	CZ038		-	-	60,090	-	-	61,890	▲
12990	Galactose-1-Phosphate	EDTA Blood	Enzyme	노337	CZ041		-	-	66,100	-	-	68,080	▲
11700	Galactose정밀검사	Blood Paper		노337	CZ041외		-	-	60,000	-	-	61,800	▲
42715	Gardnerella vaginalis PCR	분비물	PCR				-	-	26,330	-	-	27,250	▲
00980	Gastrin (RIA)	SST Serum	RIA	나345주	C7345		144.75	9,450	9,450	78.40	5,220	5,220	▼
00981	Gastrin (RIA)	EDTA Plasma	RIA	나345주	C7345		144.75	9,450	9,450	78.40	5,220	5,220	▼
02195	Gastrin 17	SST Serum	ELISA	나345	C3450		159.14	10,390	10,390	147.58	9,830	9,830	▼
00991	Gastrin-1회	SST Serum	RIA	나345주	C7345		144.75	9,450	9,450	78.40	5,220	5,220	▼
00992	Gastrin-2회	SST Serum	RIA	나345주	C7345		144.75	9,450	9,450	78.40	5,220	5,220	▼
00993	Gastrin-3회	SST Serum	RIA	나345주	C7345		144.75	9,450	9,450	78.40	5,220	5,220	▼
00994	Gastrin-4회	SST Serum	RIA	나345주	C7345		144.75	9,450	9,450	78.40	5,220	5,220	▼
00995	Gastrin-5회	SST Serum	RIA	나345주	C7345		144.75	9,450	9,450	78.40	5,220	5,220	▼
00996	Gastrin-6회	SST Serum	RIA	나345주	C7345		144.75	9,450	9,450	78.40	5,220	5,220	▼
00997	Gastrin-7회	SST Serum	RIA	나345주	C7345		144.75	9,450	9,450	78.40	5,220	5,220	▼
00998	Gastrin-8회	SST Serum	RIA	나345주	C7345		144.75	9,450	9,450	78.40	5,220	5,220	▼
02190	Gastro-Gastrin 17	SST Serum	ELISA	나345	C3450		159.14	10,390	10,390	147.58	9,830	9,830	▼
50775	Gastro-H.pylori IgG	SST Serum	ELISA	나465	C4650		195.51	12,770	12,770	199.17	13,260	13,260	▲
02200	Gastro-Panel(4종)	SST Serum	ELISA	나362외	C3620외		-	56,600	56,600	-	53,250	53,250	▼
02015	Gastro-Pepsinogen I	SST Serum	ELISA	나362	C3620		256.10	16,720	16,720	226.41	15,080	15,080	▼
02025	Gastro-Pepsinogen II	SST Serum	ELISA	나362	C3620		256.10	16,720	16,720	226.41	15,080	15,080	▼
29210	GATA-1 gene mutation	EDTA Blood	Sequencing				-	-	221,000	-	-	227,630	▲
71210	GBS Culture	Other	Culture	나405가	B4051		158.13	10,330	10,330	163.15	10,870	10,870	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
29150	GCH1 gene mutation	EDTA Blood	Sequencing	노595	CZ650		-	-	280,000	-	-	288,400	▲
29151	GCH1 gene mutation	EDTA Blood	Sequencing	노595	CZ650		-	-	240,000	-	-	247,200	▲
12020	G-CSF	SST Serum	EIA			국외	-	-	264,390	-	-	272,320	▲
65260	Gentamicin	SST Serum	FPIA	나450나(2)	C4504120		243.15	15,880	15,880	247.78	16,500	16,500	▲
10905	GFR (신사구체여과율)	SST Serum	계산법	나375	C3750		19.77	1,290	1,290	18.25	1,220	1,220	▼
00062	GH (CLIA)	SST Serum	CLIA	나342	C3420		181.93	11,880	11,880	180.26	12,010	12,010	▲
00065	GH(Urine)	Random Urine	EIA			국외	-	-	66,100	-	-	68,080	▲
00080	GH-10회	SST Serum	CLIA	나342	C3420		181.93	11,880	11,880	180.26	12,010	12,010	▲
00081	GH-11회	SST Serum	CLIA	나342	C3420		181.93	11,880	11,880	180.26	12,010	12,010	▲
00082	GH-12회	SST Serum	CLIA	나342	C3420		181.93	11,880	11,880	180.26	12,010	12,010	▲
00083	GH-13회	SST Serum	CLIA	나342	C3420		181.93	11,880	11,880	180.26	12,010	12,010	▲
00084	GH-14회	SST Serum	CLIA	나342	C3420		181.93	11,880	11,880	180.26	12,010	12,010	▲
00085	GH-15회	SST Serum	CLIA	나342	C3420		181.93	11,880	11,880	180.26	12,010	12,010	▲
00086	GH-16회	SST Serum	CLIA	나342	C3420		181.93	11,880	11,880	180.26	12,010	12,010	▲
00071	GH-1회	SST Serum	CLIA	나342	C3420		181.93	11,880	11,880	180.26	12,010	12,010	▲
00072	GH-2회	SST Serum	CLIA	나342	C3420		181.93	11,880	11,880	180.26	12,010	12,010	▲
00073	GH-3회	SST Serum	CLIA	나342	C3420		181.93	11,880	11,880	180.26	12,010	12,010	▲
00074	GH-4회	SST Serum	CLIA	나342	C3420		181.93	11,880	11,880	180.26	12,010	12,010	▲
00075	GH-5회	SST Serum	CLIA	나342	C3420		181.93	11,880	11,880	180.26	12,010	12,010	▲
00076	GH-6회	SST Serum	CLIA	나342	C3420		181.93	11,880	11,880	180.26	12,010	12,010	▲
00077	GH-7회	SST Serum	CLIA	나342	C3420		181.93	11,880	11,880	180.26	12,010	12,010	▲
00078	GH-8회	SST Serum	CLIA	나342	C3420		181.93	11,880	11,880	180.26	12,010	12,010	▲
00079	GH-9회	SST Serum	CLIA	나342	C3420		181.93	11,880	11,880	180.26	12,010	12,010	▲
80157	Giemsa(H.Pylori) Stain	Tissue		나553다	C5533		122.36	7,990	7,990	123.07	8,200	8,200	▲
82140	Giemsa(H.Pylori) Stain	Tissue		나553다	C5533		122.36	7,990	7,990	123.07	8,200	8,200	▲
52290	Gliadin IgG, IgA	SST Serum	ELISA			국외	-	-	373,900	-	-	385,120	▲
10010	Globulin	SST Serum	계산법	나220 외	C2200 외		-	0	2,970	-	2,850	2,850	▼
10011	Globulin	Body Fluid	계산법	나220+나	C2200+C2302		-	0	14,560	-	14,790	14,790	▲
01000	Glucagon (RIA)	EDTA Plasma	RIA	나344주	C7344		165.17	10,790	10,790	83.34	5,550	5,550	▼
01011	Glucagon-1회	EDTA Plasma	RIA	나344주	C7344		165.17	10,790	10,790	83.34	5,550	5,550	▼
01012	Glucagon-2회	EDTA Plasma	RIA	나344주	C7344		165.17	10,790	10,790	83.34	5,550	5,550	▼
01013	Glucagon-3회	EDTA Plasma	RIA	나344주	C7344		165.17	10,790	10,790	83.34	5,550	5,550	▼
01014	Glucagon-4회	EDTA Plasma	RIA	나344주	C7344		165.17	10,790	10,790	83.34	5,550	5,550	▼
01015	Glucagon-5회	EDTA Plasma	RIA	나344주	C7344		165.17	10,790	10,790	83.34	5,550	5,550	▼
01016	Glucagon-6회	EDTA Plasma	RIA	나344주	C7344		165.17	10,790	10,790	83.34	5,550	5,550	▼
01017	Glucagon-7회	EDTA Plasma	RIA	나344주	C7344		165.17	10,790	10,790	83.34	5,550	5,550	▼
01018	Glucagon-8회	EDTA Plasma	RIA	나344주	C7344		165.17	10,790	10,790	83.34	5,550	5,550	▼
10540	Glucose	NaF Plasma	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10541	Glucose	SST Serum	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10542	Glucose	24hr Urine	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10543	Glucose	Body Fluid	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
10550	Glucose tolerance test	NaF Plasma		나371나	C3711		20.32	5,320	5,320	18.81	5,000	5,000	▼
10600	Glucose-120 MIN	NaF Plasma	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10601	Glucose-120 MIN	SST Serum	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10610	Glucose-150 MIN	NaF Plasma	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10611	Glucose-150 MIN	SST Serum	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10620	Glucose-3 hr	NaF Plasma	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10621	Glucose-3 hr	SST Serum	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10570	Glucose-30 MIN	NaF Plasma	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10571	Glucose-30 MIN	SST Serum	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10630	Glucose-4 hr	NaF Plasma	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10631	Glucose-4 hr	SST Serum	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10580	Glucose-60 MIN	NaF Plasma	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10581	Glucose-60 MIN	SST Serum	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10590	Glucose-90 MIN	NaF Plasma	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10591	Glucose-90 MIN	SST Serum	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10560	Glucose-Fasting	NaF Plasma	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10561	Glucose-Fasting	SST Serum	Enzyme	나371나	C3711		20.32	1,330	1,330	18.81	1,250	1,250	▼
10720	Glycoalbumin	SST Serum	Enzyme	노241	CZ241		-	-	22,000	-	-	22,660	▲
01260	Glycocholic Acid	SST Serum	RIA			국외	-	-	27,170	-	-	27,990	▲
13175	Glycogen 정량	EDTA Blood	Photometry				-	-	54,080	-	-	55,700	▲
12030	GM-CSF	Media Supernatant	ELISA			국외	-	-	288,420	-	-	297,070	▲
10350	GOT(AST)	SST Serum	Enzyme	나257	B2570		25.48	1,660	1,660	24.52	1,630	1,630	▼
10351	GOT(AST)	Body Fluid	Enzyme	나257	B2570		25.48	1,660	1,660	24.52	1,630	1,630	▼
10340	GOT-m	SST Serum	Protease			국외	-	-	21,630	-	-	22,280	▲
10360	GPT(ALT)	SST Serum	Enzyme	나258	B2580		25.24	1,650	1,650	24.12	1,610	1,610	▼
10361	GPT(ALT)	Body Fluid	Enzyme	나258	B2580		25.24	1,650	1,650	24.12	1,610	1,610	▼
70090	Gram Stain	Other		나400가	B4101		20.27	1,320	1,320	20.51	1,370	1,370	▲
70100	Gram Stain	Smear Slide	Gram stain	나400가	B4101		20.27	1,320	1,320	20.51	1,370	1,370	▲
71160	Gram stain (cytospin)	Other		나400주	B4112		23.60	1,540	1,540	24.29	1,620	1,620	▲
28070	GSD1a Mutation Analysis	EDTA Blood	Sequencing	너562	CY630006		416.68	108,840	108,840	469.80	125,160	125,160	▲
10370	Guanase	SST Serum	Enzyme			국외	-	-	14,630	-	-	15,070	▲
81172	H&E stain	Tissue		나550가(1)	C5911		320.56	20,930	20,930	282.35	18,800	18,800	▼
81171	H&E stain	Tissue					-	-	4,300	-	-	4,430	▲
81176	H&E stain- Block	Tissue					-	-	10,030	-	-	10,330	▲
81175	H&E stain- Gross	Tissue					-	-	18,810	-	-	19,370	▲
81173	H&E Stain(염색만)	Tissue					-	-	3,760	-	-	3,870	▲
81170	H&N stain 판독	Tissue	Immunohistoche	나550가(1)	C5911009		64.11	4,190	4,190	56.47	3,760	3,760	▼
50463	H. influenza	CSF	Latex	나408	B4080		90.90	5,940	5,940	85.21	5,670	5,670	▼
71070	H. pylori Aq	Stool	ELISA	나415다	B4157		245.38	16,020	16,020	273.75	18,230	18,230	▲
50771	H. pylori IgG (CLIA)	SST Serum	CLIA	나465	C4650		195.51	12,770	12,770	199.17	13,260	13,260	▲
50780	H. pylori IgM	SST Serum	ELISA	나465	C4650		195.51	12,770	12,770	199.17	13,260	13,260	▲



삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
42380	H. pylori PCR	Tissue	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
42735	Haemophilus ducreyi PCR	분비물	PCR				-	-	26,330	-	-	27,250	▲
65071	Haloperidol (Haldol)	Plain Serum	LC/MS/MS	나450나(4)	CX375066		542.51	35,430	35,430	570.54	38,000	38,000	▲
12060	Ham's test	복수검체	Colorimetry	나120	B1200006		59.35	3,880	3,880	59.98	3,990	3,990	▲
41590	Hantaan Virus Ab	SST Serum	ICA	나468가	C4681470		149.73	9,780	9,780	134.97	8,990	8,990	▼
41666	Hantaan virus Ab 정량(IFA)	SST Serum	IFA	나468나(1)	C4682476		266.76	17,420	17,420	270.11	17,990	17,990	▲
41600	Hantaan Virus Ab Titer	SST Serum	ICA	나468가	C4681470		149.73	9,780	9,780	134.97	8,990	8,990	▼
41665	Hantaan virus IgG/IgM(NIH)	SST Serum	IFA				-	-	0	-	-	0	
27850	Hantaan Virus PCR	SST Serum	PCR	나597사	C5977006		1567.36	102,350	102,350	1593.30	106,110	106,110	▲
41661	HantaanVirus Ab Titer(IFA)	SST Serum	IFA	나468나(1)	C4682476		266.76	17,420	17,420	270.11	17,990	17,990	▲
20180	Haptoglobin	SST Serum	TIA	나234	C2340		116.74	7,620	7,620	118.71	7,910	7,910	▲
20181	Haptoglobin	EDTA Plasma	TIA	나234	C2340		116.74	7,620	7,620	118.71	7,910	7,910	▲
50015	HAV Ab	SST Serum	ECLIA	나486가	C4861		172.26	11,250	11,250	168.34	11,210	11,210	▼
50035	HAV genotyping	SST Serum	Sequencing				-	-	96,140	-	-	99,020	▲
50016	HAV IgG	SST Serum	CMIA	나486가	C4861		172.26	11,250	11,250	168.34	11,210	11,210	▼
50025	HAV IgM	SST Serum	ECLIA	나486나	C4862		253.05	16,520	16,520	245.54	16,350	16,350	▼
50030	HAV RT-PCR	SST Serum	RT-PCR				-	-	39,970	-	-	41,170	▲
50055	HBc Ab IgM(ECLIA)	SST Serum	ECLIA	나484나	C4842		218.08	14,240	14,240	207.54	13,820	13,820	▼
50045	HBc Ab(ECLIA)	SST Serum	ECLIA	나484가	C4841		197.73	12,910	12,910	204.55	13,620	13,620	▲
50076	HBe Ab(ECLIA)	SST Serum	ECLIA	나483나	C4832		213.38	13,930	13,930	210.63	14,030	14,030	▲
50075	HBe Ag(ECLIA)	SST Serum	ECLIA	나482나	C4822		211.55	13,810	13,810	209.20	13,930	13,930	▲
81490	HBME-1 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
01271	HBNP	EDTA Plasma	CMIA	나368	CZ204		605.25	39,520	39,520	605.25	40,310	40,310	▲
50116	HBs Ab(ECLIA)	SST Serum	ECLIA	나481나	C4812		153.07	10,000	10,000	150.84	10,050	10,050	▲
50091	HBs Ab(ICA)	SST Serum	ICA	나481가	C4811		46.28	3,020	3,020	43.07	2,870	2,870	▼
50115	HBs Ag(ECLIA)	SST Serum	ECLIA	나480나	C4802		138.76	9,060	9,060	138.51	9,220	9,220	▲
50090	HBs Ag(ICA)	SST Serum	ICA	나480가	C4801		39.80	2,600	2,600	37.75	2,510	2,510	▼
50140	HBV DNA (PCR)	SST Serum	PCR	나595라	C5954006		386.27	25,220	25,220	386.64	25,750	25,750	▲
50160	HBV DNA 정량 (b-DNA)	SST Serum	b DNA	나485다	C4853006		542.70	35,440	35,440	544.09	36,240	36,240	▲
50150	HBV DNA 정량 (CMHA)	SST Serum	CMHA	나485나	C4852006		539.81	35,250	35,250	540.25	35,980	35,980	▲
52178	HBV DNA 정량(real-timePCR)	SST Serum	real time PCR	나485마	C4854006		894.88	58,440	58,440	894.88	59,600	59,600	▲
50180	HBV DNA Polymerase	SST Serum	RA			국외	-	-	88,830	-	-	91,490	▲
50204	HBV Drug mutation	SST Serum	Sequencing	나599-17가	C5993006		1666.46	108,820	108,820	1666.46	110,990	110,990	▲
50190	HBV Pre core	SST Serum	PCR-RFLP				-	-	66,100	-	-	66,100	
50195	HBV Pre core(RFMP)	SST Serum	RFMP				-	-	66,100	-	-	68,080	▲
01970	hCG (정성)	Random Urine	ICA	나26	B0260		25.51	1,670	1,670	25.89	1,720	1,720	▲
81360	hCG (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
50230	HCV (RT-PCR+Hybrid.)	SST Serum	RT-PCR+Hybrid	나596-17가	C6081006		833.92	54,450	54,450	862.27	57,430	57,430	▲
50231	HCV (RT-PCR+Hybrid.)	Other	RT-PCR+Hybrid	나596-17가	C6081006		833.92	54,450	54,450	862.27	57,430	57,430	▲
50215	HCV Ab(EIA)	SST Serum	EIA	나487나	C4872		201.29	13,140	13,140	204.22	13,600	13,600	▲
50220	HCV Ab(RIBA III)	SST Serum		나487다	C4873006		553.50	36,140	36,140	556.05	37,030	37,030	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
50255	HCV Genotype (PCR+hybrid)	SST Serum	RT-PCR+Hybrid	나596-1나	CZ961006		1698.27	110,900	110,900	1698.27	113,100	113,100	▲
52365	HCV Genotype (PCR-RFMP)	SST Serum	RFMP	나596-2	C6092006		1704.75	111,320	111,320	1704.75	113,540	113,540	▲
52360	HCV Genotype (Sequencing)	SST Serum	Sequencing				-	-	144,210	-	-	148,540	▲
50241	HCV RNA 정량	SST Serum	real time PCR	너424다	C4424006		1127.20	73,610	73,610	1127.20	75,070	75,070	▲
11100	HDL-Cholesterol	SST Serum	Enzyme	나242	C2420		81.98	5,350	5,350	81.15	5,400	5,400	▲
20600	HDL-Cholesterol E.P	SST Serum	Electrophoresis	나302	B3020006		142.95	9,330	9,330	132.22	8,810	8,810	▼
50265	HDV Ab (IgG)	SST Serum	EIA	너421	CX421		264.37	17,260	17,260	185.97	12,390	12,390	▼
50270	HDV RT- PCR	SST Serum	Nested RT-PCR	노598	CZ959		-	-	90,130	-	-	90,130	
70810	Heinz body	EDTA Blood		나116	B1160006		32.55	2,130	2,130	34.09	2,270	2,270	▲
30004	Hematocrit(Hct)	EDTA Blood	자동혈구계산법	나102	B1020		10.71	700	700	10.82	720	720	▲
51855	hemavision 28종	Bone Marrow	PCR				-	526,220	526,220	-	550,220	550,220	▲
26440	Hemochromatosis, HFE gene	EDTA Blood	Sequencing	너562사	CY627006		416.68	54,420	54,420	460.26	61,300	61,300	▲
10731	Hemoglobin A1c	EDTA Blood	TIA	나382마	C3825		102.58	6,700	6,700	103.04	6,860	6,860	▲
20490	Hemoglobin E.P	EDTA Blood	Electrophoresis	나307	B3070006		97.47	6,360	6,360	100.27	6,680	6,680	▲
30003	Hemoglobin(Hb)	EDTA Blood	자동혈구계산법	나101	B1010		16.85	1,100	1,100	16.90	1,130	1,130	▲
65590	Hemopexin	SST Serum	SRID			국외	-	-	48,070	-	-	49,510	▲
70040	Hemosiderin	Random Urine	검경법	나7	B0070		27.47	1,790	1,790	27.46	1,830	1,830	▲
30910	Hepaplastin	SC Plasma				국외	-	-	12,540	-	-	12,920	▲
30660	Heparin	SC Plasma	발색성합성기질법			국외	-	-	28,220	-	-	29,070	▲
81420	Hepatocyte (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
65420	Heroin	Random Urine	ICA	나450가(2)	C4502390		124.57	8,130	8,130	118.13	7,870	7,870	▼
50791	Heterophil Ab	SST Serum	Latex	나470가	C4701		81.86	5,350	5,350	81.41	5,420	5,420	▲
50280	HEV Ab IgG	SST Serum	EIA	너422가	CY431		175.99	11,490	11,490	136.32	9,080	9,080	▼
50290	HEV Ab IgM	SST Serum	EIA	너422나	CY432		175.99	11,490	11,490	136.32	9,080	9,080	▼
50300	HEV RT- PCR	SST Serum	Nested RT-PCR	나596라	C5969006		612.12	39,970	39,970	644.86	42,950	42,950	▲
10380	Hexosaminidase A	Hp Blood	Fluorometry	노326	CZ326		-	-	57,000	-	-	58,710	▲
12997	HGPRT enzyme test	EDTA Blood	Enzyme				-	-	120,180	-	-	123,790	▲
50310	HGV RT-PCR	SST Serum	Nested RT-PCR	노598	CZ958		-	-	72,110	-	-	74,270	▲
42525	HHV-8 PCR	Block	PCR	나595바	CY561006		384.04	25,080	25,080	390.35	26,000	26,000	▲
42526	HHV-8 PCR	Block	PCR+Hybridizatio	나595-1	C6029006		668.00	43,660	43,660	696.95	46,420	46,420	▲
12080	Hippuric acid	Random Urine	HPLC	나451나(3)	CY373030		399.40	26,080	26,080	281.02	18,720	18,720	▼
65600	Histamine	EDTA Plasma	EIA			국외	-	-	105,110	-	-	108,260	▲
51670	Histone Ab	SST Serum	ELISA	너443아	CY450006		616.68	40,270	40,270	549.30	36,580	36,580	▼
50806	Histoplasma Ab Confirm	SST Serum	CF			국외	-	-	282,150	-	-	290,610	▲
50805	Histoplasma Ab Screen	SST Serum	ELISA			국외	-	-	195,990	-	-	201,870	▲
41345	HIV 약제내성검사 PCR (NIH)	EDTA Plasma	PCR				-	-	0	-	-	0	
41335	HIV Ab (CMIA)	SST Serum	CMIA	나471나	C4712		124.88	8,150	8,150	128.42	8,550	8,550	▲
41337	HIV Ab (Stem cell)	Stem cell	CMIA	나471나	C4712		124.88	8,150	8,150	128.42	8,550	8,550	▲
42260	HIV Aq(AIDS Aq)	SST Serum	ELFA	너394	CX394		188.85	12,330	12,330	217.82	14,510	14,510	▲
42404	HIV RNA 정량	EDTA Plasma	real time PCR	너396	CY396006		2310.10	150,850	150,850	2316.23	154,260	154,260	▲
42391	HIV RT-PCR 정성	SST Serum	Nested RT-PCR	나597자	C5979006		1669.92	109,050	109,050	1729.88	115,210	115,210	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
41340	HIV Western blot (NIH)	SST Serum	Western blot				-	-	0	-	-	0	
42410	HIV-I PCR 정성	EDTA Blood	Nested RT-PCR	나597자	C5979006		1669.92	109,050	109,050	1729.88	115,210	115,210	▲
41360	HIV-I(W.B)	SST Serum	Western blot			국외	-	-	282,150	-	-	290,610	▲
41370	HIV-II(W.B)	SST Serum	Western blot			국외	-	-	313,500	-	-	322,910	▲
25470	HLA A Typing (High)	EDTA Blood	PCR-SBT	너494나	CY916006		3459.57	225,910	225,910	3806.45	253,510	253,510	▲
26360	HLA A Typing (Low)	EDTA Blood	PCR-SSP	너494가	CY915006		2320.24	151,510	151,510	2131.35	141,950	141,950	▼
26361	HLA A Typing (Low)	Bone Marrow	PCR-SSP	너494가	CY915006		2320.24	151,510	151,510	2131.35	141,950	141,950	▼
25497	HLA A,B 조혈모이식1차	EDTA Blood	PCR-SBT	너494나	CY916006		3459.57	451,820	451,820	3806.45	507,020	507,020	▲
25499	HLA A,B,C,DR 조혈모 수여	EDTA Blood	PCR-SBT	너494나	CY914006 외		-	867,630	867,630	-	989,270	989,270	▲
25480	HLA B Typing (High)	EDTA Blood	PCR-SBT	너494나	CY916006		3459.57	225,910	225,910	3806.45	253,510	253,510	▲
26370	HLA B Typing (Low)	EDTA Blood	PCR-SSP	너494가	CY915006		2320.24	151,510	151,510	2131.35	141,950	141,950	▼
26371	HLA B Typing (Low)	Bone Marrow	PCR-SSP	너494가	CY915006		2320.24	151,510	151,510	2131.35	141,950	141,950	▼
25500	HLA B27-PCR	EDTA Blood	PCR	너495가	CY917006		563.99	36,830	36,830	758.98	50,550	50,550	▲
25510	HLA B51 typing	EDTA Blood	DNA Typing	노597	CZ909		-	-	48,070	-	-	49,510	▲
25490	HLA C Typing (High)	EDTA Blood	PCR-SBT	너494나	CY916006		3459.57	225,910	225,910	3806.45	253,510	253,510	▲
26380	HLA C Typing (Low)	EDTA Blood	PCR-SSP	너494가	CY915006		2320.24	151,510	151,510	2131.35	141,950	141,950	▼
26381	HLA C Typing (Low)	Bone Marrow	PCR-SSP	너494가	CY915006		2320.24	151,510	151,510	2131.35	141,950	141,950	▼
25498	HLA C,DR 조혈모이식2차	EDTA Blood	PCR-SBT	너494나	CY914006 외		-	415,810	415,810	-	482,250	482,250	▲
27720	HLA DPA1 Typing(High)	EDTA Blood	PCR-SBT				-	-	250,000	-	-	257,500	▲
27710	HLA DPB1 Typing(High)	EDTA Blood	PCR-SBT				-	-	250,000	-	-	257,500	▲
26390	HLA DQ Typing (Low)	EDTA Blood	PCR-SSP	너492가	CY911006		1973.40	128,860	128,860	2079.25	138,480	138,480	▲
26391	HLA DQ Typing (Low)	Bone Marrow	PCR-SSP	너492가	CY911006		1973.40	128,860	128,860	2079.25	138,480	138,480	▲
25520	HLA DQA1 (Low)	EDTA Blood	PCR-SSP	너492가	CY911006		1973.40	128,860	128,860	2079.25	138,480	138,480	▲
25521	HLA DQA1 Typing(High)	EDTA Blood	PCR-SBT	너492나	CY912006		2908.15	189,900	189,900	3376.41	224,870	224,870	▲
25530	HLA DQB1 (Low)	EDTA Blood	PCR-SSP	너492가	CY911006		1973.40	128,860	128,860	2079.25	138,480	138,480	▲
25535	HLA DQB1 Typing (High)	EDTA Blood	PCR-SBT	너492나	CY912006		2908.15	189,900	189,900	3376.41	224,870	224,870	▲
25550	HLA DR Typing (Low)	EDTA Blood	PCR	너493가	CY913006		1973.40	128,860	128,860	2079.28	138,480	138,480	▲
25551	HLA DR Typing (Low)	Bone Marrow	PCR	너493가	CY913006		1973.40	128,860	128,860	2079.28	138,480	138,480	▲
25560	HLA DR Typing(High)	EDTA Blood	PCR-SBT	너493나	CY914006		2908.15	189,900	189,900	3434.56	228,740	228,740	▲
25570	HLA RA(DRB1*0405)	EDTA Blood	DNA Typing	너496	CX496006		1206.58	78,790	78,790	1392.44	92,740	92,740	▲
81390	HMB45 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
29280	HMBS gene mutation	EDTA Blood	Sequencing				-	-	441,000	-	-	454,230	▲
81610	hMLH1 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81615	hMSH2 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
26890	HNPP, PMP22 gene mutation	EDTA Blood	Southern blot	노595	CZ616		-	-	332,000	-	-	341,960	▲
01055	HOMA of insulin resistance	복수검체	계산법	나341외	C3410외		-	0	12800	-	0	13,080	▲
12090	Homocysteine	SST Serum	Enzyme	노133	CZ133		-	-	24,040	-	-	24,760	▲
12091	Homocysteine	EDTA Plasma	Enzyme	노133	CZ133		-	-	24,040	-	-	24,760	▲
01590	Homogentistic acid	Random Urine	GC/MSD				-	-	96,140	-	-	99,020	▲
80659	Hormone Receptor×2+IHC	Other		나559+나	C5590+C5575		-	98,090	98,090	-	94,000	94,000	▼
80657	Hormone Receptor×2+IHC×2	Other		나559+나	C5590+C5575		-	128,580	128,580	-	124,900	124,900	▼

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
80661	Hormone Receptor×2+IHC×3	Other		나559+나	C5590+C5575		-	159,070	159,070	-	155,800	155,800	▼
81380	HPL (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
01990	HPL(Human Plasental Lactogen	SST Serum	Latex	노193	CZ193	국외	-	-	66,100	-	-	68,080	▲
42430	HPV 16	분비물	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
42480	HPV 16	분비물	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
42440	HPV 18	분비물	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
42490	HPV 18	분비물	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
42450	HPV DNA Chip	분비물	DNA Chip	나595-2	C5959006		698.13	45,590	45,590	698.13	46,500	46,500	▲
42457	HPV DNA Chip(Tissue)	Tissue	DNA Chip	나595-2	C5959006		698.13	45,590	45,590	698.13	46,500	46,500	▲
42455	HPV genotyping(microarray)	분비물		나595-2	C5959006		698.13	45,590	45,590	698.13	46,500	46,500	▲
42420	HPV Screening	분비물	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
42470	HPV Screening	분비물	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
42425	HPV Screening (Tissue)	Tissue	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
42460	HPV Screening (Type 16,18)	분비물		나595아	C5956006		403.21	52,660	52,660	409.20	54,500	54,500	▲
26170	HSALP	SST Serum	Enzyme				-	-	6,270	-	-	6,460	▲
42155	HSV culture	Other	Shell Vial Culture	나416	B4160006		546.65	35,700	35,700	560.25	37,310	37,310	▲
41380	HSV IgG	SST Serum	ELISA	나468나(1)	C4682466		266.76	17,420	17,420	270.11	17,990	17,990	▲
41381	HSV IgG	CSF	ELISA	나468나(1)	C4682466		266.76	17,420	17,420	270.11	17,990	17,990	▲
41390	HSV IgM	SST Serum	ELISA	나468나(2)	C4683466		259.16	16,920	16,920	259.99	17,320	17,320	▲
41391	HSV IgM	CSF	ELISA	나468나(2)	C4683466		259.16	16,920	16,920	259.99	17,320	17,320	▲
43541	HSV Type 1 IgM	SST Serum	IFA			국외	-	-	43,890	-	-	45,210	▲
43540	HSV Type 1/2 IgM	SST Serum	IFA			국외	-	-	87,780	-	-	90,420	▲
41440	HSV Type 2 IgG	SST Serum	EIA	나468나(1)	C4682466		266.76	17,420	17,420	270.11	17,990	17,990	▲
41441	HSV Type 2 IgG	CSF	EIA	나468나(1)	C4682466		266.76	17,420	17,420	270.11	17,990	17,990	▲
43542	HSV Type 2 IgM	SST Serum	IFA			국외	-	-	43,890	-	-	45,210	▲
42520	HSV type 6 DNA(PCR)	SST Serum	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
42521	HSV type 6 DNA(PCR)	CSF	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
43580	HSV Type 6 IgG	SST Serum	IFA			국외	-	-	177,650	-	-	182,980	▲
43420	HSV type 6 PCR	SST Serum	Nested PCR	너563사	CY059006		497.16	32,460	32,460	575.61	38,340	38,340	▲
42500	HSV Type I(PCR)	EDTA Blood	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
42510	HSV Type II(PCR)	EDTA Blood	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
41420	HSV Type I (NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41421	HSV Type I (NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
43080	HSV type I IgG	SST Serum	EIA	나468나(1)	C4682466		266.76	17,420	17,420	270.11	17,990	17,990	▲
43081	HSV type I IgG	CSF	EIA	나468나(1)	C4682466		266.76	17,420	17,420	270.11	17,990	17,990	▲
41430	HSV Type II(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41431	HSV Type II(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41460	HTLV-1(W.B)	SST Serum	Western blot			국외	-	-	180,260	-	-	185,670	▲
41475	HTLV-I/II Ab (EIA)	SST Serum	EIA	나468나(1)	C4682596		266.76	17,420	17,420	270.11	17,990	17,990	▲
41476	HTLV-I/II Ab (EIA)	CSF	EIA	나468나(1)	C4682596		266.76	17,420	17,420	270.11	17,990	17,990	▲
41477	HTLV-I/II Ab (EIA)	EDTA Plasma	EIA	나468나(1)	C4682596		266.76	17,420	17,420	270.11	17,990	17,990	▲



삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
01810	Hu autoantibodies	SST Serum	Western blot			국외	-	-	781,140	-	-	804,570	▲
01811	Hu autoantibodies	CSF	Western blot			국외	-	-	781,140	-	-	804,570	▲
25605	Huntington's disease	EDTA Blood	PCR Fragment	너573가	CY531006		953.51	62,260	62,260	1150.44	76,620	76,620	▲
00868	HVA 정량	CSF	GC/MSD	너225나	CY251006		310.20	20,260	20,260	343.48	22,880	22,880	▲
00861	HVA 정량 (Plasma)	EDTA Plasma	GC/MSD	너225나	CY251006		310.20	20,260	20,260	343.48	22,880	22,880	▲
00865	HVA 정량(HPLC)	24hr Urine	HPLC	너225나	CY251006		310.20	20,260	20,260	343.48	22,880	22,880	▲
00866	HVA 정량(HPLC)	Random Urine	HPLC	너225나	CY251006		310.20	20,260	20,260	343.48	22,880	22,880	▲
00860	HVA 정량(Plasma)	EDTA Plasma	HPLC			국외	-	-	42,060	-	-	43,320	▲
12105	Hyaluronic Acid	SST Serum	TIA	너345가(3)	CY343		339.91	22,200	22,200	229.50	15,280	15,280	▼
12120	Hydroxyproline Free	24hr Urine	HPLC	노244	CZ244		-	-	108,160	-	-	111,400	▲
12110	Hydroxyproline Total	24hr Urine	HPLC	노244	CZ244	국외	-	-	115,000	-	-	118,450	▲
13020	I.C Hyperbilirubinemias	24hr Urine	HPLC			국외	-	-	264,390	-	-	272,320	▲
20190	IAP	SST Serum	Nephelometry			국외	-	-	132,220	-	-	136,190	▲
12130	ICTP(type I collagen)	SST Serum	RIA			국외	-	-	78,110	-	-	80,450	▲
20200	IgA	SST Serum	TIA	나228나	C2282		135.23	8,830	8,830	137.53	9,160	9,160	▲
20201	IgA	EDTA Plasma	TIA	나228나	C2282		135.23	8,830	8,830	137.53	9,160	9,160	▲
81110	IgA (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
20210	IgD	SST Serum	SRID	나228라	C2284		132.95	8,680	8,680	134.49	8,960	8,960	▲
60003	IgE (ECLIA)	SST Serum	ECLIA	나229	C2290		232.23	15,160	15,160	234.98	15,650	15,650	▲
62585	IgE MAST-식이성 42종	SST Serum	Immunoblot	나232	C2320006		1336.58	87,280	87,280	1339.80	89,230	89,230	▲
62595	IgE MAST-흡입성 42종	SST Serum	Immunoblot	나232	C2320006		1336.58	87,280	87,280	1339.80	89,230	89,230	▲
62640	IgE Clam:F207	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
63313	IgE-6종(계란,밀,땅콩 심화)	SST Serum	FEIA	나231	C2310		205.85	80,640	80,640	214.74	85,800	85,800	▲
63331	IgE-6종(봄-여름 호흡기)	SST Serum	FEIA	나231	C2310		205.85	80,640	80,640	214.74	85,800	85,800	▲
63320	IgE-6종(식품/환경알레르기)	SST Serum	FEIA	나231	C2310		205.85	80,640	80,640	214.74	85,800	85,800	▲
63310	IgE-6종(식품알레르기1)	SST Serum	FEIA	나231	C2310		205.85	80,640	80,640	214.74	85,800	85,800	▲
63311	IgE-6종(식품알레르기2)	SST Serum	FEIA	나231	C2310		205.85	80,640	80,640	214.74	85,800	85,800	▲
63332	IgE-6종(여름-가을 호흡기)	SST Serum	FEIA	나231	C2310		205.85	80,640	80,640	214.74	85,800	85,800	▲
63312	IgE-6종(우유,계란 심화)	SST Serum	FEIA	나231	C2310		205.85	80,640	80,640	214.74	85,800	85,800	▲
63330	IgE-6종(통년성 호흡기)	SST Serum	FEIA	나231	C2310		205.85	80,640	80,640	214.74	85,800	85,800	▲
63300	IgE-6종(환경알레르기1)	SST Serum	FEIA	나231	C2310		205.85	80,640	80,640	214.74	85,800	85,800	▲
63301	IgE-6종(환경알레르기2)	SST Serum	FEIA	나231	C2310		205.85	80,640	80,640	214.74	85,800	85,800	▲
60290	IgE- 잉고혈청단백:E79	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
60380	IgE-A.Tenuis:M6	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62740	IgE-Abalone:F346	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60350	IgE-Acacia:T19	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
60360	IgE-Acarus Siro:D70	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61180	IgE-Alder:T2	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60370	IgE-Almond:F20	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62860	IgE-Amoxycilloyl:C6	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62850	IgE-Ampicilloyl:C5	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
60390	IgE-Anisakis:P4	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60400	IgE-Apple:F49	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60410	IgE-Ascaris:P1	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
60420	IgE-Asp.Fumigatus:M3	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60440	IgE-Avocado:F96	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
60450	IgE-Bahia Grass:G17	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
60460	IgE-Bamboo sprout:F51	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60480	IgE-Banana:F92	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60490	IgE-Barley:F6	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60500	IgE-Beech:T5	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60510	IgE-Beef:F27	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62460	IgE-Beer Yeast:F45	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60530	IgE-Bermuda Grass:G2	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60105	IgE-Birch:T3	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60560	IgE-Blue Mussel:F37	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
63000	IgE-Botrytis cinerea:M7	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61530	IgE-Box Elder:T1	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60570	IgE-Brazil Nut:F18	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
62630	IgE-Broccoli:F260	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60590	IgE-Buckwheat:F11	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60640	IgE-C.pityrosporum:M70	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
63140	IgE-Cabbage:F216	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
60620	IgE-Cacao:F93	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62870	IgE-Cafaclor:C7	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60630	IgE-Candida Albicans:M5	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60650	IgE-Carrot:F31	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60670	IgE-Casein:F78	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60685	IgE-Cat Epithelium:E1	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60690	IgE-Celery:F85	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60700	IgE-Cheddar Cheese:F81	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60705	IgE-Chestnut:F299	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
60710	IgE-Chicken meat:F83	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60720	IgE-Chiken Feathers:E85	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62900	IgE-Chymopapain:C209	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60750	IgE-Cl.Herbarum:M2	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60775	IgE-Cockroach:I6	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60790	IgE-Coconut:F36	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
60800	IgE-Codfish:F3	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60820	IgE-Common Ragweed:W1	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60830	IgE-Common Reed:G7	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61500	IgE-Corn:F8	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
60840	IgE-Cottonwood:T14	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60850	IgE-Cow Dander:E4	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60860	IgE-Crab:F23	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60905	IgE-D.Farinae:D2	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62930	IgE-D.microceras:D3	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60915	IgE-D.Pteronyssinus:D1	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60920	IgE-Dandelion:W8	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60935	IgE-Doq dander:E5	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60950	IgE-Duck Feathers:E86	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60980	IgE-Echinococcus:P2	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
60995	IgE-Egg White:F1	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61005	IgE-Egg Yolk:F75	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62800	IgE-Egg:F245	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60160	IgE-Elm:T8	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61020	IgE-English Plantain:W9	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61040	IgE-Ethylene oxide:K78	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61050	IgE-Eucalyptus:T18	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62660	IgE-False ragweed:W4	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
62730	IgE-Fire Ant:I70	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
63051	IgE-Food Mix:Fx1	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
63052	IgE-Food Mix:Fx10	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
63050	IgE-Food Mix:Fx5	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
63053	IgE-Food Mix:Fx74	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62970	IgE-Formaldehyde:K80	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61610	IgE-Foxtail Millet:F56	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
62700	IgE-Fusarium proliferat:M9	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61200	IgE-G.Pig Epithelium:E6	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61100	IgE-Garlic:F47	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62890	IgE-Gelatin bovine:C74	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61090	IgE-Giant Ragweed:W3	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61110	IgE-Gluten:F79	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61130	IgE-Goat Epithelium:E80	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
63120	IgE-Goat milk:RF300	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61150	IgE-Goldenrod:W12	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61160	IgE-Goose Feathers:E70	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61170	IgE-Grape fruit:F209	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62680	IgE-Grape:F259	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61210	IgE-H.halodes:M8	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61220	IgE-Hamster epithelium:E84	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61240	IgE-Hazel Nut:F17	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61230	IgE-Hazel:T4	SST Serum	FPIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲

# 삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
61250	IgE-Honey Bee Venom:I1	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61260	IgE-Horse Dander:E3	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60300	IgE-Horse mackerel:F60	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61270	IgE-House dust1:H1	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61280	IgE-House dust2:H2	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61310	IgE-Insulin Bovine:C71	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
62880	IgE-Insulin human:C73	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61320	IgE-Insuline Porcine:C70	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61330	IgE-Isocyanate HDI:K77	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61340	IgE-Isocyanate MDI:K76	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61345	IgE-Isocyanate MDI:K76-RIA	SST Serum	IRMA	나231주2	C7231		222.88	14,550	14,550	199.38	13,280	13,280	▼
61350	IgE-Isocyanate TDI:K75	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61355	IgE-Isocyanate TDI:K75-RIA	SST Serum	IRMA	나231주2	C7231		222.88	14,550	14,550	199.38	13,280	13,280	▼
61470	IgE-Ispaghula:K72	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61360	IgE-Japanes cedar:T17	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61370	IgE-Japanese hop:W22	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62540	IgE-Japanese linden:T24	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
60470	IgE-Japanese millet: F57	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61380	IgE-Johnson Grass:G10	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61390	IgE-June Kentucky blue:G8	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61415	IgE-Kiwi:F84	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61120	IgE-L.Destructor:D71	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61430	IgE-Lamb's Quarters:W10	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61440	IgE-Latex:K82	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61445	IgE-Lemon:F208	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61460	IgE-Lobster:F80	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61490	IgE-Mackerel:F50	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61510	IgE-Malt:F90	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61520	IgE-Mango:F91	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61540	IgE-Marguerite:W7	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61550	IgE-Meadow Fescue:G4	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61560	IgE-Meadow Foxtail:G16	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61580	IgE-Melon:F87	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61590	IgE-Mesquite(RIA):T20	SST Serum	IRMA	나231주2	C7231		222.88	14,550	14,550	199.38	13,280	13,280	▼
61630	IgE-Midge(성충):I7	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
62790	IgE-Milk,boiled:F231	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61605	IgE-Milk:F2	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62750	IgE-Mix grass pollen:Gx2	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62820	IgE-Mix house dust:Hx2	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62770	IgE-Mix tree pollen:Tx5	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
63180	IgE-Mixed epithelia:Ex1	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲



삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
61625	IgE-Mold Cheese:F82	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62760	IgE-Mold mix:Mx1	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61640	IgE-Mosquito(숙):I71	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61650	IgE-Moth:I8	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61660	IgE-Mountain Juniper:T6	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61670	IgE-Mouse epithelium:E88	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
86300	IgE-MRA	SST Serum	FEIA				-	-	104,500	-	-	107,640	▲
62650	IgE-Mucor racemosus:M4	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61680	IgE-Mugwort:W6	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
63170	IgE-Mushroom:RF212	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61700	IgE-Mustard:F89	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61420	IgE-Mutton:F88	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61715	IgE-Nettle:W20	SST Serum		나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61720	IgE-Oak:T7	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61740	IgE-Oat Pollen:G14	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61730	IgE-Oat:F7	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61750	IgE-Octopus:F59	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61760	IgE-Olive:T9	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
63150	IgE-Omega-5 Gliadine:F416	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61770	IgE-Onion:F48	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61780	IgE-Orange:F33	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61790	IgE-Orchard Grass:G3	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61795	IgE-Ovomucoid:F233	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62710	IgE-Oyster:F290	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61810	IgE-P.Wasp Venom:I4	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60890	IgE-Pacific Squid:F58	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61820	IgE-Parrot droppings:E77	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61830	IgE-Parrot feathers:E78	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61840	IgE-Parsley:F86	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61195	IgE-Pea:F12	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61850	IgE-Peach:F95	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61860	IgE-Peanut:F13	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61870	IgE-Pear:F94	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61880	IgE-Pecan nut:F201	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61890	IgE-Penicillium notatum:M1	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61900	IgE-Penicilloyl G:C1	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61910	IgE-Penicilloyl V:C2	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
63130	IgE-Phadiatop	SST Serum	FEIA	노113	CZ113		-	-	41,800	-	-	43,050	▲
63160	IgE-Phadiatop Infant	SST Serum	FEIA	노113	CZ113		-	-	41,800	-	-	43,050	▲
62010	IgE-Phthalic anhydride:K79	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61940	IgE-Pigeon Droppings:E7	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
62670	IgE-Pine nuts:F253	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62620	IgE-Pineapple:F210	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61955	IgE-Pistachio:F203	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61960	IgE-Plaice:F254	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61965	IgE-Plum:F255	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61970	IgE-Pork:F26	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61980	IgE-Potato:F35	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62920	IgE-Protamine:RC207	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
61990	IgE-Pumpkin:F225	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62000	IgE-Rabbit epithelium:E82	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60405	IgE-rAra h2:F423	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62780	IgE-Rat epithelium:E73	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
60320	IgE-Rat epithelium:E87	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
62020	IgE-Red top Grass:G9	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
63010	IgE-Rhizo.nigricans:M11	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
62050	IgE-Rice:F9	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
61920	IgE-Rye Grass:G5	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62090	IgE-Rye Pollen(RIA):G12	SST Serum	IRMA	나231주2	C7231		222.88	14,550	14,550	199.38	13,280	13,280	▼
62080	IgE-Rye:F5	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62100	IgE-Sadine:F61	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62110	IgE-Salmon:F41	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62135	IgE-Sesame Seed:F10	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62140	IgE-Sheep epithelium:E81	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62170	IgE-Sheep Sorrel:W18	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
62150	IgE-Shrimp:F24	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62160	IgE-Silk:K74	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
62185	IgE-Soybean:F14	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62190	IgE-Spinach:F214	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
63040	IgE-Squid:RF258	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
63060	IgE-Stemphylium h.:M10	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
62210	IgE-Strawberry:F44	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62230	IgE-Sweat Vernal:G1	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62240	IgE-Sweet potato:F54	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
62250	IgE-Swine Epithelium:E83	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
62260	IgE-Sycamore:T11	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62270	IgE-T.Putre Scintiae:D72	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62910	IgE-T.toxoid:C208	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62280	IgE-Timothy Grass:G6	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62300	IgE-Tomato:F25	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62840	IgE-Tree mixture:Tx9	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62720	IgE-Trichophyton:M205	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
62320	IgE-Tuna:F40	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62950	IgE-Turkey meat:F284	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
62330	IgE-Velvet Grass(RIA):G13	SST Serum	IRMA	나231주2	C7231		222.88	14,550	14,550	199.38	13,280	13,280	▼
62350	IgE-Walnut pollen:T10	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62810	IgE-Walnut:F256	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
63030	IgE-Weed Mix:Wx5	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62360	IgE-Western Ragweed:W2	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62380	IgE-Wheat Pollen:G15	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
62370	IgE-Wheat:F4	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62390	IgE-White Ash:T15	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62410	IgE-White bean:F15	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
62400	IgE-White faced hornet:I2	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
60960	IgE-White Pine:T16	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62430	IgE-Willow:T12	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62440	IgE-Wormwood:W5	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62830	IgE-Yellow hornet:I5	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62480	IgE-Yellow J.WaspVenom:I3	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62495	IgE-αLactalbumin:F76	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
62505	IgE-βLactoglobulin:F77	SST Serum	FEIA	나231	C2310		205.85	13,440	13,440	214.74	14,300	14,300	▲
01295	IGFBP-3 (CLIA)	SST Serum	CLIA	너231	CX231		345.13	22,540	22,540	265.33	17,670	17,670	▼
20220	IgG	SST Serum	TIA	나228가	C2281		134.92	8,810	8,810	137.11	9,130	9,130	▲
20221	IgG	CSF	TIA	나228가	C2281		134.92	8,810	8,810	137.11	9,130	9,130	▲
80945	IgG (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
20225	IgG, Low Conc	CSF	TIA	나228가	C2281		134.92	8,810	8,810	137.11	9,130	9,130	▲
20230	IgG I Subclass	SST Serum	SRID	너181가	BY181		183.11	11,960	11,960	145.34	9,680	9,680	▼
20240	IgG IISubclass	SST Serum	SRID	너181나	BY182		183.11	11,960	11,960	145.34	9,680	9,680	▼
20250	IgG IIISubclass	SST Serum	SRID	너181다	BY183		183.11	11,960	11,960	145.34	9,680	9,680	▼
80946	IgG4 (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
20260	IgGIVSubclass	SST Serum	SRID	너181라	BY184		183.11	11,960	11,960	145.34	9,680	9,680	▼
63090	IgG-Broccoli:F260G	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
63070	IgG-D. pteronys.:D1G	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
63100	IgG-Grape:F259G	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
63110	IgG-Tuna:F40G	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
62940	IgG-Walnut:F256G	SST Serum	FEIA			국외	-	-	20,900	-	-	21,530	▲
25885	IgH gene rearrangement	Block	PCR+Hybridizatio	나595-1다	C6029006		668.68	43,660	43,660	696.95	46,420	46,420	▲
25886	IgH gene rearrangement	Block	Southern	너563바	CY056006		497.26	32,470	32,470	587.11	39,100	39,100	▲
20270	IgM	SST Serum	TIA	나228다	C2283		135.26	8,830	8,830	137.57	9,160	9,160	▲
20271	IgM	Hp Plasma	TIA	나228다	C2283		135.26	8,830	8,830	137.57	9,160	9,160	▲
80940	IgM (IHC)	Tissue	Immunohistoche	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80653	IHC	Other		나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80663	IHC	Other		나557	C5575		424.49	27,720	27,720	421.72	28,090	28,090	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
81431	IHC 판독	Tissue					-	-	7,550	-	-	7,780	▲
80658	IHC×2	Other		나557	C5575006		466.94	60,980	60,980	463.89	30,900	30,900	▼
80654	IHC×4	Other		나557	C5575006		466.94	121,960	121,960	463.89	123,600	123,600	▲
80655	IHC×5	Other		나557	C5575006		466.94	152,450	152,450	463.89	154,500	154,500	▲
65621	Imipramine	Plain Blood	LC/MS/MS	나450나(4)	CX375696		542.51	35,430	35,430	570.54	38,000	38,000	▲
51700	Immune Complex(c1q)	SST Serum	ELISA			국외	-	-	57,480	-	-	59,200	▲
51710	Immune Complex(RF)	SST Serum	EIA			국외	-	-	57,480	-	-	59,200	▲
20621	Immuno E.P (24h urine)	24hr Urine	Electrophoresis	나308나	B3083006		439.56	28,700	28,700	448.07	29,840	29,840	▲
20625	Immuno E.P (IgG,M,A,D,E)	SST Serum	Electrophoresis	나308가	B3081006		385.86	25,200	25,200	392.35	26,130	26,130	▲
20623	Immuno E.P (Random urine)	Random Urine	Electrophoresis	나308나	B3083006		439.56	28,700	28,700	448.07	29,840	29,840	▲
20620	Immuno E.P (Serum)	SST Serum	Electrophoresis	나308가	B3081006		385.86	25,200	25,200	392.35	26,130	26,130	▲
20626	Immuno E.P(IgG,M,A,D,E)(U)	Random Urine	Electrophoresis	나308가	B3081006		385.86	25,200	25,200	392.35	26,130	26,130	▲
20611	Immuno Fixation EP	Random Urine	Electrophoresis	나308나주	B3084006		584.69	38,180	38,180	599.93	39,960	39,960	▲
20610	Immuno Fixation EP (Serum)	SST Serum	Electrophoresis	나308가주	B3082006		517.20	33,770	33,770	530.84	35,350	35,350	▲
20731	Immunoglobulin E.P (24U)	24hr Urine	Electrophoresis	나308나	B3083006		439.56	28,700	28,700	448.07	29,840	29,840	▲
20730	Immunoglobulin E.P (Serum)	SST Serum	Electrophoresis	나308가	B3081006		385.86	25,200	25,200	392.35	26,130	26,130	▲
20733	Immunoglobulin E.P (U)	Random Urine	Electrophoresis	나308나	B3083006		439.56	28,700	28,700	448.07	29,840	29,840	▲
20228	Immunoglobulin G Index	SST Serum	계산법				-	0	32510	-	0	33,380	▲
26565	Immunoglobulin heavy chain	Tissue	Southern Hybridization	나598다	C5983006		962.26	62,840	62,840	941.31	62,690	62,690	▼
80650	Immunohistochemistry	Smear Slide		나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80651	Immunohistochemistry	Block		나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80652	Immunohistochemistry	Other		나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80656	Immunohistochemistry	Smear Slide		나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
70820	India ink prep.	CSF		나401	B4010		29.12	1,900	1,900	27.19	1,810	1,810	▼
70821	India ink prep.	Other		나401	B4010		29.12	1,900	1,900	27.19	1,810	1,810	▼
10060	Indirect Bilirubin	SST Serum	계산법	나372	C3720+C3721		-	0	2,610	-	2,490	2,490	▼
10061	Indirect Bilirubin	Capillary	계산법	나372 외	C3720 외		-	0	2,610	-	2,490	2,490	▼
30330	Indirect Coombs	SST Serum	Column	나204나주	B2042006		34.96	2,280	2,280	35.18	2,340	2,340	▲
12150	Indocyanine Green소실율	SST Serum	Colorimetry	나399나	C3992006		572.50	37,380	37,380	437.42	29,130	29,130	▼
12140	Indocyanine Green정체율	SST Serum	Colorimetry	나399가	C3991006		381.69	24,920	24,920	273.00	18,180	18,180	▼
42165	Influenza A Culture	Other	Shell Vial Culture	나416	B4160006		546.65	35,700	35,700	560.25	37,310	37,310	▲
42283	Influenza A&B PCR	비인후/인후도찰물	RT-PCR	노598러	CZ983		-	-	109,050	-	-	112,320	▲
42175	Influenza B Culture	Other	Shell Vial Culture	나416	B4160006		546.65	35,700	35,700	560.25	37,310	37,310	▲
42280	Influenza virus A & B Aq	Sputum	DFA	나469	C4690596		203.10	26,520	26,520	203.16	27,060	27,060	▲
42281	Influenza virus A Aq	Sputum	DFA	나469	C4690596		203.10	13,260	13,260	203.16	13,530	13,530	▲
42282	Influenza virus B Aq	Sputum	DFA	나469	C4690596		203.10	13,260	13,260	203.16	13,530	13,530	▲
41490	Influenza virus Type A(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
41491	Influenza virus Type A(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
41510	Influenza virus Type A(HI)	SST Serum	HI			국외	-	-	15,680	-	-	16,150	▲
41511	Influenza virus Type A(HI)	CSF	HI			국외	-	-	15,680	-	-	16,150	▲



삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
41500	Influenza virus Type B(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
41501	Influenza virus Type B(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
41520	Influenza virus Type B(HI)	SST Serum	HI			국외	-	-	15,680	-	-	16,150	▲
41521	Influenza virus Type B(HI)	CSF	HI			국외	-	-	15,680	-	-	16,150	▲
01864	Inhibin-A	SST Serum	CLIA	나369	CZ211		350.82	22,910	22,910	350.82	23,360	23,360	▲
81570	INI-1 (IHC)	Block	Immunohistoche mistrv	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
01025	Insulin (ECLIA)	SST Serum	ECLIA	나341	C3410		175.61	11,470	11,470	177.60	11,830	11,830	▲
01026	Insulin (ECLIA)	EDTA Plasma	ECLIA	나341	C3410		175.61	11,470	11,470	177.60	11,830	11,830	▲
01047	Insulin A/C	SST Serum	ECLIA	나341주	C7341		141.40	9,230	9,230	168.18	11,200	11,200	▲
01040	Insulin Ab(RIA)	SST Serum	RIA	나444주	CX745		224.58	14,670	14,670	143.86	9,580	9,580	▼
01048	Insulin P/C	SST Serum	ECLIA	나341주	C7341		141.40	9,230	9,230	168.18	11,200	11,200	▲
01050	Insulin Receptor Ab	SST Serum	RRA	노210	CZ210	국외	-	-	324,470	-	-	334,200	▲
01041	Insulin-10호	SST Serum	ECLIA	나341	C3410		175.61	11,470	11,470	177.60	11,830	11,830	▲
01042	Insulin-11호	SST Serum	ECLIA	나341	C3410		175.61	11,470	11,470	177.60	11,830	11,830	▲
01043	Insulin-12호	SST Serum	ECLIA	나341	C3410		175.61	11,470	11,470	177.60	11,830	11,830	▲
01044	Insulin-13호	SST Serum	ECLIA	나341	C3410		175.61	11,470	11,470	177.60	11,830	11,830	▲
01045	Insulin-14호	SST Serum	ECLIA	나341	C3410		175.61	11,470	11,470	177.60	11,830	11,830	▲
01046	Insulin-15호	SST Serum	ECLIA	나341	C3410		175.61	11,470	11,470	177.60	11,830	11,830	▲
01031	Insulin-1호	SST Serum	ECLIA	나341	C3410		175.61	11,470	11,470	177.60	11,830	11,830	▲
01032	Insulin-2호	SST Serum	ECLIA	나341	C3410		175.61	11,470	11,470	177.60	11,830	11,830	▲
01033	Insulin-3호	SST Serum	ECLIA	나341	C3410		175.61	11,470	11,470	177.60	11,830	11,830	▲
01034	Insulin-4호	SST Serum	ECLIA	나341	C3410		175.61	11,470	11,470	177.60	11,830	11,830	▲
01035	Insulin-5호	SST Serum	ECLIA	나341	C3410		175.61	11,470	11,470	177.60	11,830	11,830	▲
01036	Insulin-6호	SST Serum	ECLIA	나341	C3410		175.61	11,470	11,470	177.60	11,830	11,830	▲
01037	Insulin-7호	SST Serum	ECLIA	나341	C3410		175.61	11,470	11,470	177.60	11,830	11,830	▲
01038	Insulin-8호	SST Serum	ECLIA	나341	C3410		175.61	11,470	11,470	177.60	11,830	11,830	▲
01039	Insulin-9호	SST Serum	ECLIA	나341	C3410		175.61	11,470	11,470	177.60	11,830	11,830	▲
01847	Integrated 1st_PAPP-A	SST Serum	RIA	노212	CZ212		-	-	24,040	-	-	29,280	▲
01848	Integrated 1st_PAPP-A,NT	SST Serum	RIA	노212	CZ212		-	-	24,040	-	-	29,280	▲
02061	Integrated 2nd (Quad)	SST Serum		나421 외	C7421외		-	55,650	55,650	-	61,120	61,120	▲
01849	Integrated_free β-hCG	SST Serum	RIA				-	-	24,040	-	-	24,760	▲
51770	Interleukin 1 R. antagonist	EDTA Plasma	ELISA			국외	-	-	300,440	-	-	309,450	▲
51860	Interleukin 10	SST Serum	ELISA			국외	-	-	300,440	-	-	309,450	▲
51760	Interleukin 1β	SST Serum	ELISA			국외	-	-	300,440	-	-	309,450	▲
51780	Interleukin 2	SST Serum	ELISA			국외	-	-	300,440	-	-	309,450	▲
51790	Interleukin 2 receptor,Solub	SST Serum	ELISA			국외	-	-	300,440	-	-	309,450	▲
51800	Interleukin 3	Media Supernatant	ELISA			국외	-	-	300,440	-	-	309,450	▲
51810	Interleukin 4	SST Serum	ELISA			국외	-	-	300,440	-	-	309,450	▲
51820	Interleukin 5	SST Serum	ELISA			국외	-	-	300,440	-	-	309,450	▲
51830	Interleukin 6	SST Serum	ELISA			국외	-	-	300,440	-	-	309,450	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
51850	Interleukin 8	EDTA Plasma	ELISA			국외	-	-	300,440	-	-	309,450	▲
51851	Interleukin 8	Media Supernatant	ELISA			국외	-	-	300,440	-	-	309,450	▲
13150	Iodide	Random Urine		너234	CX234		81.41	5,320	5,320	61.89	4,120	4,120	▼
30140	Iron Stain	Bone Marrow Slide	Stain	나118다	B1185006		86.53	5,650	5,650	86.96	5,790	5,790	▲
12730	Iron (Fe)	SST Serum	Colorimetry	나249	C2490		36.95	2,410	2,410	34.94	2,330	2,330	▼
12732	Iron (Fe)(Tissue)	Tissue	AAS	나452	C4527990		607.56	39,670	39,670	613.25	40,840	40,840	▲
51880	Islet cell Ab	SST Serum	IFA	너446	CX446006		134.29	8,770	8,770	123.93	8,250	8,250	▼
30370	Isoagglutinin test	복수검체		나208	B2080006		113.54	7,410	7,410	106.48	7,090	7,090	▼
27770	JAK2 Gene V617F Mutation	Bone Marrow	Sequencing	노595	CZ647		-	-	158,000	-	-	162,740	▲
27775	JAK2 V617F mutation	EDTA Blood	Sequencing	노595	CZ647		-	-	118,970	-	-	122,540	▲
41560	JBE Virus (NIH)	SST Serum					-	-	0	-	-	0	
41561	JBE Virus (NIH)	CSF					-	-	0	-	-	0	
43500	JEV Ab (HI)(NIH)	SST Serum	HI				-	-	0	-	-	0	
41570	JEV Ab(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
41571	JEV Ab(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
41580	JEV Ab(HI)	SST Serum	HI			국외	-	-	15,680	-	-	16,150	▲
41581	JEV Ab(HI)	CSF	HI			국외	-	-	15,680	-	-	16,150	▲
42530	JEV RT-PCR	CSF	RT-PCR			국외	-	-	360,530	-	-	371,350	▲
42531	JEV RT-PCR	SST Serum	RT-PCR			국외	-	-	360,530	-	-	371,350	▲
71030	Joint fluid analysis	Joint Fluid		나51	B0510		49.02	3,200	3,200	50.45	3,360	3,360	▲
71031	Joint fluid analysis	Body Fluid		나51	B0510		49.02	3,200	3,200	50.45	3,360	3,360	▲
25890	Kappa light chain	SST Serum	Nephelometry	나228가	C2281		134.92	8,810	8,810	137.11	9,130	9,130	▲
25893	Kappa light chain	Random Urine	Nephelometry	나554자	C5548		288.58	18,840	18,840	269.27	17,930	17,930	▼
29220	KCNQ1 (Long QT syndrome)	EDTA Blood	Sequencing	노595	CZ658		-	-	560,000	-	-	576,800	▲
12200	Ketone body 3분획	EDTA Plasma	GC/MSD	너271	CX271006		263.21	17,190	17,190	179.61	11,960	11,960	▼
12201	Ketone body 3분획	Random Urine	GC/MSD	너271	CX271006		263.21	17,190	17,190	179.61	11,960	11,960	▼
12210	Ketone Body 3분획	SST Serum	GC/MSD	너271	CX271006		263.21	17,190	17,190	179.61	11,960	11,960	▼
12180	Ketone Body 3F (Arterial)	Arterial Serum	Enzyme			국외	-	-	21,950	-	-	22,610	▲
12190	Ketone Body 3F (Venous)	SST Serum	Enzyme			국외	-	-	18,810	-	-	19,370	▲
12170	Ketone body 정성	Random Urine	Colorimetry	나386	C3860		74.94	4,890	4,890	75.42	5,020	5,020	▲
12171	Ketone body 정성	SST Serum	Colorimetry	나386	C3860		74.94	4,890	4,890	75.42	5,020	5,020	▲
81340	Ki-1(CD30) (IHC)	Tissue	Immunohistochemistrv	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81050	Ki-67 (IHC)	Tissue	Immunohistochemistrv	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81052	Ki-67 (IHC)	Tissue	Immunohistochemistrv	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
30441	Kidd A 혈액형검사	EDTA Blood	Tube	나203	B2030006		77.45	5,060	5,060	73.81	4,920	4,920	▼
30442	Kidd B 혈액형검사	EDTA Blood	Tube	나203	B2030006		77.45	5,060	5,060	73.81	4,920	4,920	▼
81300	Kidney bx처방 21종	Tissue					-	-	360,000	-	-	370,800	▲
13060	KL-6	SST Serum	ECLIA			국외	-	-	35,530	-	-	36,600	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
70830	KOH Mount	Other		나400마	B4102		19.38	1,270	1,270	19.33	1,290	1,290	▲
41650	Korea virus I	SST Serum					-	22330	22330	-	21,150	21,150	▼
41660	Korea VirusⅢ	SST Serum					-	52320	52320	-	53,370	53,370	▲
41663	Korea VirusⅢ,CSF	CSF					-	52320	52320	-	53,370	53,370	▲
27676	K-ras 전체돌연변이	Other	Sequencing	노595	CZ605		-	-	360,530	-	-	371,350	▲
27672	K-ras analysis	Other	Sequencing	노595(11)	CZ605		-	-	62,900	-	-	64,790	▲
27661	K-ras gene mutation	Tissue	Sequencing	노595(11)	CZ605		-	-	140,000	-	-	161,450	▲
51890	L.E. Cell	Plain Blood	Manual	나112	B1120006		56.12	3,660	3,660	55.53	3,700	3,700	▲
11120	L/S Ratio	Amniotic Fluid	TLC	나55	B0550006		168.65	11,010	11,010	169.31	11,280	11,280	▲
81040	L26(CD20) (IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
30930	LAC confirm	SC Plasma	Colorimetry	나171나	B1712006		297.97	19,460	19,460	303.93	20,240	20,240	▲
30935	LAC screen	SC Plasma	Colorimetry	나171가	B1711		191.56	12,510	12,510	199.40	13,280	13,280	▲
10740	Lactic Acid	NaF Plasma	Enzyme	너345가(5)	CY345		339.91	22,200	22,200	229.50	15,280	15,280	▼
10741	Lactic Acid	CSF	Enzyme	너345가(5)	CY345		339.91	22,200	22,200	229.50	15,280	15,280	▼
10742	Lactic Acid	Other	Enzyme	너345가(5)	CY345		339.91	22,200	22,200	229.50	15,280	15,280	▼
25610	Lambda light chain	SST Serum	Nephelometry	나228가	C2281		134.92	8,810	8,810	137.11	9,130	9,130	▲
25613	Lambda light chain	Random Urine	Nephelometry	나554자	C5548		288.58	18,840	18,840	269.27	17,930	17,930	▼
65781	Lamotrigine	Random Urine		나450가(4)	CX372690		378.82	24,740	24,740	295.04	19,650	19,650	▼
65782	Lamotrigine	Plain Serum	HPLC	나450가(3)	CX374690		262.87	17,170	17,170	313.25	20,860	20,860	▲
10390	LAP	SST Serum	Enzyme	나267	B2670		47.87	3,130	3,130	44.30	2,950	2,950	▼
30380	LAP Score	Blood Smear Slide		나126	B1260006		86.77	5,670	5,670	87.29	5,810	5,810	▲
81640	LCA (IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
10400	L-CAT	SST Serum	Enzyme			국외	-	-	28,220	-	-	29,070	▲
10410	LDH	SST Serum	Enzyme	나259	B2590		36.92	2,410	2,410	33.47	2,230	2,230	▼
10411	LDH	Body Fluid	Enzyme	나259	B2590		36.92	2,410	2,410	33.47	2,230	2,230	▼
20640	LDH Isoenzyme	SST Serum	Electrophoresis	나303	B3030006		175.56	11,460	11,460	175.89	11,710	11,710	▲
20641	LDH Isoenzyme	Body Fluid	Electrophoresis	나303	B3030006		175.56	11,460	11,460	175.89	11,710	11,710	▲
11110	LDL-Cholesterol	SST Serum	Enzyme	나243	C2430		90.26	5,890	5,890	89.39	5,950	5,950	▲
00870	L-Dopa	EDTA Plasma	HPLC			국외	-	-	90,130	-	-	92,830	▲
12752	Lead(Pb)	Trace EDTA Blood	ICP/MS	나452나(2)	C4523630		306.17	19,990	19,990	309.81	20,630	20,630	▲
12753	Lead(Pb)	24hr Urine	ICP/MS	나452나(2)	C4523630		306.17	19,990	19,990	309.81	20,630	20,630	▲
71140	Legionella Ag	Random Urine	ICA	나475나	C4752996		293.16	19,140	19,140	300.61	20,020	20,020	▲
71120	Legionella culture (NIH)	Other	Culture				-	-	0	-	-	0	
43570	Legionella pneumophilaPCR	Sputum	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
01300	Leptin	SST Serum	RIA				-	-	36,050	-	-	37,130	▲
41621	Leptospira Ab Titer(ICA)	SST Serum	ICA	나466가	C4661020		123.13	8,040	8,040	118.09	7,860	7,860	▼
41611	Leptospira Ab(ICA)	SST Serum	ICA	나466가	C4661020		123.13	8,040	8,040	118.09	7,860	7,860	▼
41615	Leptospira Ab(NIH)	SST Serum					-	-	0	-	-	0	
71200	Leptospira culture (NIH)	Random Urine	Culture				-	-	0	-	-	0	

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
41662	Leptospirosis(응집법)	SST Serum	PHA	나466가	C4661020		123.13	8,040	8,040	118.09	7,860	7,860	▼
41668	Leptospirosis(PHA)	SST Serum	PHA	나466가	C4661020		123.13	8,040	8,040	118.09	7,860	7,860	▼
26130	Leukemia marker study	EDTA Blood	IFA	나512+나513	C512~30006		-	424,600	424,600	-	433,970	433,970	▲
26131	Leukemia marker study	Bone Marrow	IFA	나512+나513	C512~30006		-	424,600	424,600	-	433,970	433,970	▲
26135	Leukemia marker study	Bone Marrow	Flow Cytometry	나511~3	C5111006외		-	497,180	497,180	-	508,070	508,070	▲
00106	LH (ECLIA)	SST Serum	ECLIA	나348	C3480		156.51	10,220	10,220	154.54	10,290	10,290	▲
00111	LH-1회	SST Serum	ECLIA	나348	C3480		156.51	10,220	10,220	154.54	10,290	10,290	▲
00112	LH-2회	SST Serum	ECLIA	나348	C3480		156.51	10,220	10,220	154.54	10,290	10,290	▲
00113	LH-3회	SST Serum	ECLIA	나348	C3480		156.51	10,220	10,220	154.54	10,290	10,290	▲
00114	LH-4회	SST Serum	ECLIA	나348	C3480		156.51	10,220	10,220	154.54	10,290	10,290	▲
00115	LH-5회	SST Serum	ECLIA	나348	C3480		156.51	10,220	10,220	154.54	10,290	10,290	▲
00116	LH-6회	SST Serum	ECLIA	나348	C3480		156.51	10,220	10,220	154.54	10,290	10,290	▲
00117	LH-7회	SST Serum	ECLIA	나348	C3480		156.51	10,220	10,220	154.54	10,290	10,290	▲
00118	LH-8회	SST Serum	ECLIA	나348	C3480		156.51	10,220	10,220	154.54	10,290	10,290	▲
25620	LHON 11778	EDTA Blood	PCR-RFLP	너562나	CY622006		416.68	27,210	27,210	460.19	30,650	30,650	▲
25630	LHON 14484	EDTA Blood	PCR-RFLP	너562나	CY622006		416.68	27,210	27,210	460.19	30,650	30,650	▲
26460	LHON 3460	EDTA Blood	PCR-RFLP	너562나	CY622006		416.68	27,210	27,210	460.19	30,650	30,650	▲
25640	LHON 3460,11778,14484	EDTA Blood	PCR-RFLP	너562나	CY622006		416.68	81,630	81,630	460.19	91,950	91,950	▲
25645	LHON 3460,4171,11778,14484	EDTA Blood	PCR-RFLP	너562나	CY622006		416.68	108,840	108,840	460.19	122,600	122,600	▲
25635	LHON 4171	EDTA Blood	PCR-RFLP	너562나	CY622006		416.68	27,210	27,210	460.19	30,650	30,650	▲
25646	LHON3460,11778,14484,15257	EDTA Blood	Sequencing	노595	CZ609		-	-	166,000	-	-	170,980	▲
65085	Lidocaine	SST Serum	EIA			국외	-	-	78,380	-	-	80,730	▲
10425	Lipase	SST Serum	Colorimetry	나262	B2621		60.41	3,940	3,940	60.09	4,000	4,000	▲
10426	Lipase	Body Fluid	Colorimetry	나262	B2621		60.41	3,940	3,940	60.09	4,000	4,000	▲
11116	Lipid profile	SST Serum	계산법	나241 외	C2411 외		-	10,060	10,060	-	10,100	10,100	▲
20650	Lipoprotein E.P	SST Serum	Electrophoresis	나301	B3010006		138.58	9,050	9,050	130.06	8,660	8,660	▼
20651	Lipoprotein E.P	Body Fluid	Electrophoresis	나301	B3010006		138.58	9,050	9,050	130.06	8,660	8,660	▼
20660	Lipoprotein lipase	Hp Plasma	ELISA	노151	BZ151	국외	-	-	78,110	-	-	80,450	▲
12860	Lipoprotein(a)	SST Serum	TIA	나248	C2480		160.49	10,480	10,480	160.82	10,710	10,710	▲
71170	Listeria culture	Other	Culture	나405가	B4051		158.13	10,330	10,330	163.15	10,870	10,870	▲
12765	Lithium(Li)	SST Serum	AAS	나452나(2)	C4523610		306.17	19,990	19,990	309.81	20,630	20,630	▲
29120	LRRK2 gene mutation	EDTA Blood	MLPA	노595	CZ620		-	-	535,000	-	-	551,050	▲
50820	Lyme disease (NIH)	SST Serum					-	-	0	-	-	0	
50821	Lyme disease (NIH)	CSF					-	-	0	-	-	0	
26090	Lymphocyte subset 3종	EDTA Blood		나512	C5120006		447.99	87,750	87,750	449.61	89,820	89,820	▲
26091	Lymphocyte subset 3종	Bone Marrow		나512	C5120006		447.99	87,750	87,750	449.61	89,820	89,820	▲
26100	Lymphocyte subset 4종	EDTA Blood		나512	C5120006		447.99	117,000	117,000	449.61	119,760	119,760	▲
26101	Lymphocyte subset 4종	Bone Marrow		나512	C5120006		447.99	117,000	117,000	449.61	119,760	119,760	▲
26110	Lymphocyte subset 4종	EDTA Blood		나512	C5120006		447.99	117,000	117,000	449.61	119,760	119,760	▲



삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
26115	Lymphocyte subset 4종	EDTA Blood		나512	C5120006		447.99	117,000	117,000	449.61	119,760	119,760	▲
10430	Lysozyme	SST Serum	비탁법			국외	-	-	31,250	-	-	32,190	▲
30451	M 혈액형검사	EDTA Blood	Tube	나203	B2030006		77.45	5,060	5,060	73.81	4,920	4,920	▼
71230	M.h & U.u 배양및약제감수성	Other	Culture	너301	BY301+3006		-	47,440	47,440	-	54,000	54,000	▲
52130	MAG autoantibodies	SST Serum	ELISA			국외	-	-	661,490	-	-	681,330	▲
10120	Magnesium (Mg)	SST Serum	Colorimetry	나379사	C3797		25.94	1,690	1,690	24.96	1,660	1,660	▼
10121	Magnesium (Mg)	24hr Urine	Colorimetry	나379사	C3797		25.94	1,690	1,690	24.96	1,660	1,660	▼
10122	Magnesium (Mg)	Random Urine	Colorimetry	나379사	C3797		25.94	1,690	1,690	24.96	1,660	1,660	▼
70840	Malaria	Blood Smear Slide	Manual	나115	B1150006		45.57	2,980	2,980	46.68	3,110	3,110	▲
70850	Malaria (Rapid)	EDTA Blood	ICA				-	-	24,040	-	-	24,760	▲
42551	Malaria P. falciparum PCR	EDTA Blood	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
42553	Malaria P. malariae PCR	EDTA Blood	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
42554	Malaria P. ovale PCR	EDTA Blood	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
42552	Malaria P. vivax PCR	EDTA Blood	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
42540	Malaria PCR	EDTA Blood	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
42545	Malaria PCR 2종	EDTA Blood	PCR	나595아	C5956006		403.21	52,660	52,660	409.20	54,500	54,500	▲
42555	Malaria PCR 4종	EDTA Blood	PCR	나595아	C5956006		403.21	105,320	105,320	409.20	109,000	109,000	▲
52500	Malaria(NIH)	EDTA Blood					-	-	0	-	-	0	
12220	Mandelic acid	Random Urine	HPLC	나451나(3)	CY373020		399.40	26,080	26,080	281.02	18,720	18,720	▼
12770	Mangane(Mn)	Trace EDTA Blood	AAS	나452나(2)	C4523660		306.17	19,990	19,990	309.81	20,630	20,630	▲
12771	Mangane(Mn)	24hr Urine	AAS	나452나(2)	C4523660		306.17	19,990	19,990	309.81	20,630	20,630	▲
12772	Mangane(Mn)	Random Urine	AAS	나452나(2)	C4523660		306.17	19,990	19,990	309.81	20,630	20,630	▲
26910	Marfan, FBN1 gene mutation	EDTA Blood	Sequencing	노595	CZ613		-	-	991,000	-	-	1,020,730	▲
82110	Massons Trichrome Stain	Tissue		나553나	C5532		122.36	7,990	7,990	123.07	8,200	8,200	▲
11150	MDA(Malonedialdehyde)	EDTA Plasma	Colorimetry				-	-	36,050	-	-	37,130	▲
65690	MDMA (Ecstasy)	Random Urine	ICA	나450가(2)	C4502390		124.57	8,130	8,130	118.13	7,870	7,870	▼
41680	Measles virus IgG(ELISA)	SST Serum	ELISA	나468나(1)	C4682486		266.76	17,420	17,420	270.11	17,990	17,990	▲
41681	Measles virus IgG(ELISA)	CSF	ELISA	나468나(1)	C4682486		266.76	17,420	17,420	270.11	17,990	17,990	▲
41690	Measles virus IgM(ELISA)	SST Serum	ELISA	나468나(2)	C4683486		259.16	16,920	16,920	259.99	17,320	17,320	▲
41691	Measles virus IgM(ELISA)	CSF	ELISA	나468나(2)	C4683486		259.16	16,920	16,920	259.99	17,320	17,320	▲
42560	Measles virus RNA	CSF	Nephelometry			국외	-	-	300,960	-	-	309,990	▲
41720	Measles virus(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41721	Measles virus(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
81540	Melan A (IHC)	Tissue	Immunohistoche mistrv	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
25660	MELAS, MT-TL1 sequencing	EDTA Blood	Sequencing	노595	CZ610		-	-	100,000	-	-	103,000	▲
26730	MEN2(FMTC), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006		2955.94	193,020	193,020	3875.61	258,120	258,120	▲
26740	MEN2(MEN2A), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006		2955.94	193,020	193,020	3875.61	258,120	258,120	▲
26750	MEN2(MEN2B), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006		2955.94	193,020	193,020	3875.61	258,120	258,120	▲
12783	Mercury(Hg)	Other	AAS	나452	C4527640		607.56	39,670	39,670	613.25	40,840	40,840	▲
12784	Mercury(Hg)	Trace EDTA Blood	ICP/MS	나452나(2)	C4523640		306.17	19,990	19,990	309.81	20,630	20,630	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
12785	Mercury(Hg)	24hr Urine	ICP/MS	나452나(2)	C4523640		306.17	19,990	19,990	309.81	20,630	20,630	▲
12786	Mercury(Hg)	Random Urine	ICP/MS	나452나(2)	C4523640		306.17	19,990	19,990	309.81	20,630	20,630	▲
51915	MERRF Major Mutation	EDTA Blood	Sequencing	노595	CZ611		-	-	56,000	-	-	57,680	▲
51916	MERRF, MT-TK sequencing	EDTA Blood	Sequencing	노595	CZ611		-	-	100,000	-	-	103,000	▲
20520	Met Hemoglobin	EDTA Blood	Oximeter	나382가	C3821		50.52	3,300	3,300	49.68	3,310	3,310	▲
00885	Metanephrine 2F(HPLC)	24hr Urine	HPLC	너228			-	40520	40520	-	43,700	43,700	▲
00886	Metanephrine(HPLC)	24hr Urine	HPLC	너228라	CY284006		310.20	20,260	20,260	328.04	21,850	21,850	▲
00892	Metanephrine, Total(HPLC)	24hr Urine	HPLC	너228라	CY284006		310.20	20,260	20,260	328.04	21,850	21,850	▲
65430	Methamphetamine 정성	Random Urine	ICA	나450가(2)	C4502390		124.57	8,130	8,130	118.13	7,870	7,870	▼
10750	Methanol	Random Urine	GC			국외	-	-	155,180	-	-	159,840	▲
65640	Methotrexate(MTX)	SST Serum	FPIA	나450나(2)	C4504130		243.15	15,880	15,880	247.78	16,500	16,500	▲
12230	Methylhippuric acid	Random Urine	HPLC	나451나(3)	CY373040		399.40	26,080	26,080	281.02	18,720	18,720	▼
12235	Methylhippuric acid (아산)	Random Urine	HPLC	나451나(3)	CY373040		399.40	26,080	26,080	281.02	18,720	18,720	▼
10760	Methylmalonic Acid	Random Urine	GC/MSD	노340	CZ340		-	-	36,050	-	-	37,130	▲
10761	Methylmalonic Acid	24hr Urine	GC/MSD	노340	CZ340		-	-	36,050	-	-	37,130	▲
10770	Methylmalonic acid 정량	24hr Urine	GC/MSD	노340	CZ340		-	-	30,000	-	-	30,900	▲
10771	Methylmalonic acid 정량	Random Urine	GC/MSD	노340	CZ340		-	-	30,000	-	-	30,900	▲
10772	Methylmalonic acid 정량	EDTA Plasma	GC/MSD	노340	CZ340		-	-	30,000	-	-	30,900	▲
29075	MGMT gene mutation	Block	Methylation PCR	노596	CZ815		-	-	190,000	-	-	195,700	▲
20280	Microalbumin	24hr Urine	RIA	나230나주	C7230		146.73	9,580	9,580	192.27	12,810	12,810	▲
20281	Microalbumin	Random Urine	RIA	나230나주	C7230		146.73	9,580	9,580	192.27	12,810	12,810	▲
20290	Microalbumin 정성	Random Urine	Strip	나230가	C2301		12.12	790	790	11.39	760	760	▼
50856	Micro-ELISA Test(BF)	Body Fluid	Micro-ELISA	나472나(1)	C4722796		271.19	70,840	70,840	270.18	71,960	71,960	▲
50857	Micro-ELISA Test(CSF)	CSF	Micro-ELISA	나472나(1)	C4722796		271.10	53,130	53,130	270.18	53,970	53,970	▲
50855	Micro-ELISA Test(S)	SST Serum	Micro-ELISA	나472나(1)	C4722796		271.19	70,840	70,840	270.18	71,960	71,960	▲
51900	Mitochondrial DNA MELAS	EDTA Blood	PCR-RFLP	너562다	CY623006		416.68	81,630	81,630	460.66	92,040	92,040	▲
51910	Mitochondrial DNA MERRF	EDTA Blood	PCR-RFLP	너562라	CY624006		416.68	27,210	27,210	470.37	31,330	31,330	▲
30050	Mixing Test	SC Plasma	Clot-based	나177	B1770006		194.23	12,680	12,680	190.62	12,700	12,700	▲
26420	MLH1 gene mutation analysis	EDTA Blood	Sequencing	나599나(2)	CY711006		5911.54	386,020	386,020	7289.60	485,490	485,490	▲
29400	MLL gene, rearrangement	Bone Marrow	RT-PCR	나597	C5979006		1669.92	109,050	109,050	1729.88	115,210	115,210	▲
28060	MODY3 Mutation Analysis	EDTA Blood	Sequencing	노595	CZ644		-	-	383,000	-	-	394,490	▲
65440	Morphine	Random Urine	ICA	나450가(2)	C4502390		124.57	8,130	8,130	118.13	7,870	7,870	▼
29290	MPS2, IDS gene mutation	EDTA Blood	Sequencing	노595	CZ648		-	-	364,000	-	-	374,920	▲
30060	MPV	EDTA Blood	자동혈구계산법				-	-	1,460	-	-	1,500	▲
02090	MSAFP	SST Serum	RIA	나421나주	C7421		164.31	10,730	10,730	158.82	10,580	10,580	▼
01861	MS-AFP	SST Serum	RIA	나421나주	C7421		164.31	10,730	10,730	158.82	10,580	10,580	▼
26430	MSH2 gene mutation	EDTA Blood	Sequencing	나599나(2)	CY712006		5911.54	386,020	386,020	7289.60	485,490	485,490	▲
01862	MS-hCG	SST Serum	RIA	나352주	C7352		173.76	11,350	11,350	195.53	13,020	13,020	▲
27674	MSI Test	Block	PCR Fragment analysis	너574	CX574006		2596.61	169,560	169,560	3013.24	200,680	200,680	▲
27679	MSI(Microsatellite) test	Block		너574	CX574006		2596.61	169,560	169,560	3013.24	200,680	200,680	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
01863	MS-uE3	SST Serum	RIA	나327주	C7327		163.31	10,660	10,660	212.59	14,160	14,160	▲
29190	MTATP6 (Leigh disease)	EDTA Blood	Sequencing	노595	CZ698		-	-	97,000	-	-	99,910	▲
42606	MTB & NTM PCR	Sputum	PCR+Hybridization	나595-1가	C6021006		636.81	41,580	41,580	654.51	43,590	43,590	▲
42611	MTB PCR (조직)	Tissue	Nested PCR	너563사	CY059006		497.16	32,460	32,460	575.61	38,340	38,340	▲
27265	MTHFR(C677T)	EDTA Blood	PCR-RFLP	너562아	CY628006		416.68	27,210	27,210	463.98	30,900	30,900	▲
27060	MTHFR(C677T) genotyping	EDTA Blood		너562아	CY628006		416.68	27,210	27,210	463.98	30,900	30,900	▲
71040	Mucin clot test	Joint Fluid	Manual	나54	B0540		11.26	740	740	11.41	760	760	▲
10795	Mucopolysaccharide 정성	Random Urine		나444가	C4441		27.10	1,770	1,770	24.85	1,660	1,660	▼
10780	Mucopolysaccharidosis 선별	Random Urine		나444나	C4442		66.37	4,330	4,330	62.85	4,190	4,190	▼
20310	Mucoprotein	SST Serum				국외	-	-	172,430	-	-	177,600	▲
60040	Multi Allergens-Epidermals	SST Serum	FEIA			국외	-	-	36,580	-	-	37,680	▲
60050	Multi Allergens-Food child	SST Serum	FEIA			국외	-	-	36,580	-	-	37,680	▲
60060	Multi Allergens-Foods	SST Serum	FEIA			국외	-	-	36,580	-	-	37,680	▲
60070	Multi Allergens-Grasses	SST Serum	FEIA			국외	-	-	36,580	-	-	37,680	▲
60080	Multi Allergens-Molds	SST Serum	FEIA			국외	-	-	36,580	-	-	37,680	▲
60090	Multi Allergens-Weeds	SST Serum	FEIA			국외	-	-	36,580	-	-	37,680	▲
42180	Mumps Culture	Random Urine	Culture	나416	B4160006		546.65	35,700	35,700	560.25	37,310	37,310	▲
41730	Mumps virus IgG (ELISA)	SST Serum	ELISA	나468나(1)	C4682506		266.76	17,420	17,420	270.11	17,990	17,990	▲
41731	Mumps virus IgG (ELISA)	CSF	ELISA	나468나(1)	C4682506		266.76	17,420	17,420	270.11	17,990	17,990	▲
41740	Mumps virus IgM (ELISA)	SST Serum	ELISA	나468나(2)	C4683506		259.16	16,920	16,920	259.99	17,320	17,320	▲
41741	Mumps virus IgM (ELISA)	CSF	ELISA	나468나(2)	C4683506		259.16	16,920	16,920	259.99	17,320	17,320	▲
42590	Mumps virus RNA(RT-PCR)	CSF	RT-PCR	나596라	C5969006		612.12	39,970	39,970	644.86	42,950	42,950	▲
41750	Mumps virus(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
41751	Mumps virus(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
41760	Mumps virus(HI)	SST Serum	HI			국외	-	-	15,680	-	-	16,150	▲
41761	Mumps virus(HI)	CSF	HI			국외	-	-	15,680	-	-	16,150	▲
41770	Mumps virus(NT)	SST Serum	Neutralization			국외	-	-	15,680	-	-	16,150	▲
41771	Mumps virus(NT)	CSF	Neutralization			국외	-	-	15,680	-	-	16,150	▲
80695	Muscle Biopsy	Tissue					-	-	77,580	-	-	79,910	▲
52631	MuSK Ab	SST Serum	RIA			국외	-	-	1,187,750	-	-	1,223,380	▲
50870	Mycoplasma Ab	SST Serum	PA	나474가	C4741820		69.03	4,510	4,510	64.49	4,300	4,300	▼
50871	Mycoplasma Ab	Body Fluid	PA	나474가	C4741820		69.03	4,510	4,510	64.49	4,300	4,300	▼
42620	Mycoplasma genitalium PCR	분비물	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
71190	Mycoplasma hominis culture	Other	Culture	너301가	BY301006		363.17	23,720	23,720	405.47	27,000	27,000	▲
42630	Mycoplasma hominis PCR	Other	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
52300	Mycoplasma pneumoniae IgG	SST Serum	EIA	나474나(1)	C4742826		205.72	13,430	13,430	206.65	13,760	13,760	▲
52310	Mycoplasma pneumoniae IgM	SST Serum	EIA	나474나(2)	C4743826		204.59	13,360	13,360	205.15	13,660	13,660	▲
52311	Mycoplasma pneumoniae IgM	CSF	EIA	나474나(2)	C4743826		204.59	13,360	13,360	205.15	13,660	13,660	▲
42640	Mycoplasma pneumoniae PCR	Sputum	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
01325	Myelin basic protein	CSF	EIA	노428	CZ428	국외	-	-	240,350	-	-	247,560	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
01330	Myoglobin	SST Serum	CLIA	나384나	C3842		232.25	15,170	15,170	233.09	15,520	15,520	▲
01331	Myoglobin	Random Urine	CLIA	나384나	C3842		232.25	15,170	15,170	233.09	15,520	15,520	▲
01340	Myosin light chain 1	SST Serum	EIA			국외	-	-	64,790	-	-	66,730	▲
25681	Myotonic Muscular Dystroph	EDTA Blood	Southern blot	나598카	C5980006		1010.77	66,000	66,000	1005.93	66,990	66,990	▲
25680	Myotonic Muscular Dystrophy	복수검체	Southern blot	너573+나598	CY539006+C59870		-	125,710	125,710	-	140,150	140,150	▲
30452	N 혈액형검사	EDTA Blood	Tube	나203	B2030006		77.45	5,060	5,060	73.81	4,920	4,920	▼
71080	N. gonorrhoeae Culture	Other	Culture	나405가	B4051		158.13	10,330	10,330	163.15	10,870	10,870	▲
50464	N. meningitis	CSF	Latex	나408	B4080		90.90	5,940	5,940	85.21	5,670	5,670	▼
65090	N-Acetylprocainamide	SST Serum	EIA			국외	-	-	71,060	-	-	73,190	▲
65091	N-Acetylprocainamide	Hp Plasma	EIA			국외	-	-	71,060	-	-	73,190	▲
12240	N-acetyl-aspartic acid	Random Urine	GC/MSD				-	-	60,090	-	-	61,890	▲
10450	NAG	24hr Urine	Colorimetry			국외	-	-	25,240	-	-	26,000	▲
10451	NAG	Random Urine	Colorimetry			국외	-	-	25,240	-	-	26,000	▲
01600	NCC-ST-439	SST Serum	EIA			국외	-	-	55,280	-	-	56,940	▲
11685	Neonatal Biotinidase	Blood Paper	FIA	노333	CZ333		-	-	24,040	-	-	24,760	▲
00240	Neonatal Free T4	Blood Paper	EIA	나334	C3340		171.51	11,200	11,200	172.44	11,480	11,480	▲
11705	Neonatal GALT	Blood Paper	FIA	노337	CZ039		-	-	24,040	-	-	24,760	▲
11717	Neonatal HVA	Urine Paper	EIA	너225가	CY250		85.45	5,580	5,580	87.98	5,860	5,860	▲
00250	Neonatal T4	Blood Paper	FIA	나333	C3330		164.39	10,730	10,730	164.15	10,930	10,930	▲
11716	Neonatal VMA	Urine Paper	EIA	나321나(2)	C3213		211.71	13,820	13,820	216.83	14,440	14,440	▲
00260	Neonatal-TSH	Blood Paper	FIA	나336	C3360		215.39	14,060	14,060	220.13	14,660	14,660	▲
12250	Neopterin	SST Serum	HPLC	노288	CZ288	국외	-	-	168,250	-	-	173,300	▲
12251	Neopterin	Random Urine	HPLC	노288	CZ288	국외	-	-	168,250	-	-	173,300	▲
12255	Neopterin/Biopterin	Random Urine	HPLC	노288	CZ288		-	-	96,140	-	-	99,020	▲
81575	NEU-N (IHC)	Block	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
11715	Neuroblastoma Test(Screen)	Urine Paper	EIA	나321+너225	C3213+CY250		-	19,400	19,400	-	20,300	20,300	▲
27783	Neurofibromatosis,NF1 gene	EDTA Blood	Sequencing	노595	CZ629		-	-	1,015,000	-	-	1,045,450	▲
27781	Neurofibromatosis,NF1 gene	EDTA Blood	Sequencing	노595	CZ629		-	-	1,051,000	-	-	1,082,530	▲
27780	Neurofibromatosis,NF2 gene	EDTA Blood	Sequencing	노595	CZ598		-	-	700,000	-	-	721,000	▲
27782	Neurofibromatosis,NF2 gene	EDTA Blood	Sequencing	노595	CZ598		-	-	381,000	-	-	392,430	▲
81120	Neurofilament (IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
30021	Neutrophil Seq	EDTA Blood	자동혈구계산법	나109가	B1091		25.53	1,670	1,670	25.43	1,690	1,690	▲
12792	Nickel(Ni)	Trace Serum	AAS	나452나(2)	C4523990		306.17	19,990	19,990	309.81	20,630	20,630	▲
11981	Nicotine 정량 (S)	SST Serum	CLIA				-	-	20,000	-	-	20,600	▲
11982	Nicotine 정량 (U)	Random Urine	CLIA				-	-	20,000	-	-	20,600	▲
11300	Nicotinic acid(Niacin)	Hp Blood	Bioassay			국외	-	-	282,150	-	-	290,610	▲
65280	Nitrazepam	SST Serum	HPLC			국외	-	-	52,250	-	-	53,820	▲



삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
12275	N-methyl formamide(아산)	Random Urine	GC/NPD	나451나(3)	CY373060		399.40	26,080	26,080	281.02	18,720	18,720	▼
12270	N-methyl formamide(NMF)	Random Urine	GC/MSD	나451나(3)	CY373060		399.40	26,080	26,080	281.02	18,720	18,720	▼
65740	N-methylacetamide(NMAC)	Random Urine	GC/MSD	나451나(3)	CY373290		399.40	26,080	26,080	281.02	18,720	18,720	▼
27540	NMP22	Random Urine	ELISA	너322다	CY323		283.39	18,510	18,510	301.48	20,080	20,080	▲
25790	N-myc	복수검체	PCR	나598아	C5988006		970.13	63,350	63,350	951.81	63,390	63,390	▲
30150	Nonspecific esterase stain	Bone Marrow Slide	Stain	나118바	B1188006		85.01	5,550	5,550	84.94	5,660	5,660	▲
30151	Nonspecific esterase stain	Blood Smear Slide	Stain	나118바	B1188006		85.01	5,550	5,550	84.94	5,660	5,660	▲
30152	Nonspecific esterase stain	Bone Marrow Slide	Stain	나118바	B1188006		85.01	5,550	5,550	84.94	5,660	5,660	▲
26960	Noonan Syndrome, PTPN11	EDTA Blood	Sequencing	노595	CZ621		-	-	321,000	-	-	330,630	▲
00843	Norepinephrine	EDTA Plasma	HPLC/ECD	너228나	CY282006		310.20	20,260	20,260	328.04	21,850	21,850	▲
00845	Norepinephrine	24hr Urine	HPLC	너228나	CY282006		310.20	20,260	20,260	328.04	21,850	21,850	▲
00887	Normetanephine(HPLC)	24hr Urine	HPLC	너228마	CY285006		310.20	20,260	20,260	328.04	21,850	21,850	▲
65661	Nortriptyline	Plain Blood	LC/MS/MS	나450나(4)	CX375696		542.51	35,430	35,430	570.54	38,000	38,000	▲
01615	NSE (ECLIA)	SST Serum	ECLIA	나431	C4310		309.76	20,230	20,230	310.19	20,660	20,660	▲
81280	NSE(IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
70501	NTM Sensitivity (결핵협회)	균주	Microdilution	나406다(2)	B4064		522.61	34,130	34,130	543.31	36,180	36,180	▲
01350	NT-pro BNP	SST Serum	ECLIA	나368-2	CZ208		608.98	39,770	39,770	608.98	40,560	40,560	▲
12280	NTx	Random Urine	ELISA	나393-1	C3931		199.17	13,010	13,010	189.78	12,640	12,640	▼
30180	Oil red stain	Bone Marrow Slide	Stain	나118아	B1189006		84.36	5,510	5,510	84.07	5,600	5,600	▲
20320	Oligoclonal IgG band	CSF	Electrophoresis	너182	BX182006		215.52	14,070	14,070	223.85	14,910	14,910	▲
29110	OPA1 gene mutation	EDTA Blood	Sequencing	노595	CZ691		-	-	1,100,000	-	-	1,133,000	▲
65450	Opiates	Random Urine	CLIA	나450가(2)	C4502390		124.57	8,130	8,130	118.13	7,870	7,870	▼
12290	Organic Acid	Random Urine	GC/MSD	너345다	CY348006		3333.25	217,660	217,660	2683.70	178,730	178,730	▼
12291	Organic Acid	EDTA Plasma	GC/MSD	너345다	CY348006		3333.25	217,660	217,660	2683.70	178,730	178,730	▼
12310	Orotic acid	24hr Urine	Spectrophotometry	너345가(6)	CY349		339.91	22,200	22,200	229.50	15,280	15,280	▼
12320	Osmolality	SST Serum	Osmometer	나380	C3800		53.70	3,510	3,510	54.08	3,600	3,600	▲
12321	Osmolality	24hr Urine	Osmometer	나380	C3800		53.70	3,510	3,510	54.08	3,600	3,600	▲
12322	Osmolality	Random Urine	Osmometer	나380	C3800		53.70	3,510	3,510	54.08	3,600	3,600	▲
12335	Osmolality(S)-10회	SST Serum	Osmometer	나380	C3800		53.70	3,510	3,510	54.08	3,600	3,600	▲
12336	Osmolality(S)-11회	SST Serum	Osmometer	나380	C3800		53.70	3,510	3,510	54.08	3,600	3,600	▲
12337	Osmolality(S)-12회	SST Serum	Osmometer	나380	C3800		53.70	3,510	3,510	54.08	3,600	3,600	▲
12338	Osmolality(S)-13회	SST Serum	Osmometer	나380	C3800		53.70	3,510	3,510	54.08	3,600	3,600	▲
12339	Osmolality(S)-14회	SST Serum	Osmometer	나380	C3800		53.70	3,510	3,510	54.08	3,600	3,600	▲
12325	Osmolality(S)-1회	SST Serum	Osmometer	나380	C3800		53.70	3,510	3,510	54.08	3,600	3,600	▲
12326	Osmolality(S)-2회	SST Serum	Osmometer	나380	C3800		53.70	3,510	3,510	54.08	3,600	3,600	▲
12327	Osmolality(S)-3회	SST Serum	Osmometer	나380	C3800		53.70	3,510	3,510	54.08	3,600	3,600	▲
12328	Osmolality(S)-4회	SST Serum	Osmometer	나380	C3800		53.70	3,510	3,510	54.08	3,600	3,600	▲
12329	Osmolality(S)-5회	SST Serum	Osmometer	나380	C3800		53.70	3,510	3,510	54.08	3,600	3,600	▲
12331	Osmolality(S)-6회	SST Serum	Osmometer	나380	C3800		53.70	3,510	3,510	54.08	3,600	3,600	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
12332	Osmolality(S)-7회	SST Serum	Osmometer	나380	C3800		53.70	3,510	3,510	54.08	3,600	3,600	▲
12333	Osmolality(S)-8회	SST Serum	Osmometer	나380	C3800		53.70	3,510	3,510	54.08	3,600	3,600	▲
12334	Osmolality(S)-9회	SST Serum	Osmometer	나380	C3800		53.70	3,510	3,510	54.08	3,600	3,600	▲
12330	Osmotic fragility	복수검체	Colorimetry	나113	B1131006		88.79	5,800	5,800	89.98	5,990	5,990	▲
01925	Osteocalcin (ECLIA)	SST Serum	ECLIA	나363	C3630		175.33	11,450	11,450	177.22	11,800	11,800	▲
30470	Other blood typing	EDTA Blood	Tube	나203	B2030006		77.45	5,060	5,060	73.81	4,920	4,920	▼
81220	Other(IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
10800	Oxalic acid	24hr Urine	Enzyme	노339	CZ339		-	-	43,260	-	-	44,560	▲
65460	Oxcarbazepine & Metabolite	SST Serum	HPLC	나450나(3)	CX374690		262.87	17,170	17,170	313.25	20,860	20,860	▲
00120	Oxytocin	전용용기 혈장	RIA	노201	CZ201	국외	-	-	96,140	-	-	99,020	▲
81600	p53 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
25840	p53 exon 4(LOH)	Tissue	PCR-RFLP	노596가	CZ804		-	-	96,140	-	-	99,020	▲
81620	p63 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
29410	PAH gene mutation	EDTA Blood	Sequencing				-	-	416,000	-	-	428,480	▲
30690	PAI-1	SC Plasma	ELISA	너80나	BY802		170.91	11,160	11,160	179.54	11,960	11,960	▲
10245	Pancreatic Amylase	SST Serum	Enzyme	나261나	B2612		53.98	3,520	3,520	53.64	3,570	3,570	▲
10246	Pancreatic Amylase	Random Urine	Enzyme	나261나	B2612		53.98	3,520	3,520	53.64	3,570	3,570	▲
29005	PANK2 gene mutation	EDTA Blood	Sequencing				-	-	233,000	-	-	239,990	▲
01630	PAP	SST Serum	CLIA	나429	C4290		178.88	11,680	11,680	159.45	10,620	10,620	▼
01631	PAP	분비물	CLIA	나429	C4290		178.88	11,680	11,680	159.45	10,620	10,620	▼
80005	Pap smear	Cervix	Pap stain	나592	C5920		90.27	5,890	5,890	89.65	5,970	5,970	▲
80006	Pap smear(A)	Cervix	Pap stain	나592	C5920		90.27	5,890	5,890	89.65	5,970	5,970	▲
80007	Pap smear(T)	Cervix	Pap stain	나592	C5920		90.27	5,890	5,890	89.65	5,970	5,970	▲
01841	PAPP-A	SST Serum	RIA	노212	CZ212		-	-	24,040	-	-	29,280	▲
50847	Paragonimus IgG(BF)	Body Fluid	Micro-ELISA	나472나(1)	C4722796		271.19	17,710	17,710	270.18	17,990	17,990	▲
50852	Paragonimus IgG(CSF)	CSF	Micro-ELISA	나472나(1)	C4722796		271.19	17,710	17,710	270.18	17,990	17,990	▲
50843	Paragonimus IgG(S)	SST Serum	Micro-ELISA	나472나(1)	C4722796		271.19	17,710	17,710	270.18	17,990	17,990	▲
42195	Parainfluenza culture	Other	Shell Vial Culture	나416	B4160006		546.65	35,700	35,700	560.25	37,310	37,310	▲
43560	Parainfluenza V. Ag(DFA)	Other	DFA	나469	C4690596		203.10	13,260	13,260	203.16	13,530	13,530	▲
41810	Parainfluenza V. Type 1(HI)	SST Serum	HI			국외	-	-	15,680	-	-	16,150	▲
41811	Parainfluenza V. Type 1(HI)	CSF	HI			국외	-	-	15,680	-	-	16,150	▲
41820	Parainfluenza V. Type 2(HI)	SST Serum	HI			국외	-	-	15,680	-	-	16,150	▲
41821	Parainfluenza V. Type 2(HI)	CSF	HI			국외	-	-	15,680	-	-	16,150	▲
41830	Parainfluenza V. Type 3(HI)	SST Serum	HI			국외	-	-	15,680	-	-	16,150	▲
41831	Parainfluenza V. Type 3(HI)	CSF	HI			국외	-	-	15,680	-	-	16,150	▲
41840	Parainfluenza V. Type 4(HI)	SST Serum	HI			국외	-	-	15,680	-	-	16,150	▲
41841	Parainfluenza V. Type 4(HI)	CSF	HI			국외	-	-	15,680	-	-	16,150	▲
52190	Paraneoplastic antibody	SST Serum	IFA	노422-4	CZ422-4		-	-	97,000	-	-	99,910	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
52191	Paraneoplastic antibody	CSF	IFA	노422-4	CZ422-4		-	-	97,000	-	-	99,910	▲
12345	Paraquat	Random Urine	HPLC	나450나(3)	CX374040		262.87	17,170	17,170	313.25	20,860	20,860	▲
12340	Paraquat (Gramoxone)	SST Serum	HPLC	나450나(3)	CX374040		262.87	17,170	17,170	313.25	20,860	20,860	▲
29130	PARK2 gene mutation	EDTA Blood	Sequencing	노595	CZ620		-	-	641,000	-	-	660,230	▲
65623	Paroxetine	Plain Serum	LC/MS/MS	나450	CX375696		542.51	35,430	35,430	570.54	38,000	38,000	▲
42660	Parvo virus B19 DNA	SST Serum	PCR	나595나	C5952006		389.38	25,430	25,430	390.79	26,030	26,030	▲
41780	Parvo virus B19 IgG	SST Serum	ELISA	나468나(1)	C4682596		266.76	17,420	17,420	270.11	17,990	17,990	▲
41781	Parvo virus B19 IgG	Body Fluid	ELISA	나468나(1)	C4682596		266.76	17,420	17,420	270.11	17,990	17,990	▲
41790	Parvo virus B19 IgM	SST Serum	ELISA	나468나(2)	C4683596		259.16	16,920	16,920	259.99	17,320	17,320	▲
41791	Parvo virus B19 IgM	Body Fluid	ELISA	나468나(2)	C4683596		259.16	16,920	16,920	259.99	17,320	17,320	▲
30160	PAS Stain	Bone Marrow Slide	Stain	나118마	B1187006		85.90	5,610	5,610	86.13	5,740	5,740	▲
30161	PAS Stain	Blood Smear Slide	Stain	나118마	B1187006		85.90	5,610	5,610	86.13	5,740	5,740	▲
82100	PAS Stain	Tissue		나553다	C5533		122.36	7,990	7,990	123.07	8,200	8,200	▲
12806	p-Cresol	Random Urine	GC/MS	나451나(3)	CY373290		399.40	26,080	26,080	281.02	18,720	18,720	▼
30070	PCT	EDTA Blood	자동혈구계산법				-	-	1,460	-	-	1,500	▲
30080	PDW	EDTA Blood	자동혈구계산법	나123	B1230		5.80	380	380	5.79	390	390	▲
31085	PEG Coombs Anti IgG	EDTA Blood		나204나주	B2048106		67.38	4,400	4,400	71.52	4,760	4,760	▲
29360	Pendred syndrome, SLC26A4	EDTA Blood	Sequencing	노595	CZ614		-	-	660,000	-	-	679,800	▲
02036	Pepsinogen I/II	SST Serum	LTIA	나362	C3620×2		256.10	33,440	33,440	226.41	30,160	30,160	▼
30170	Peroxidase stain	Bone Marrow Slide	Stain	나118라	B1186006		83.92	5,480	5,480	83.48	5,560	5,560	▲
30171	Peroxidase stain	Blood Smear Slide	Stain	나118라	B1186006		83.92	5,480	5,480	83.48	5,560	5,560	▲
65470	Phencyclidine 정성	Random Urine	ICA	나450가(2)	C4502390		124.57	8,130	8,130	118.13	7,870	7,870	▼
65290	Phenobarbital	SST Serum	FPA	나450나(2)	C4504020		243.15	15,880	15,880	247.78	16,500	16,500	▲
12805	Phenol	Random Urine	GC/MS	나451나(3)	CY373290		399.40	26,080	26,080	281.02	18,720	18,720	▼
65300	Phenytoin	SST Serum	FPA	나450나(2)	C4504050		243.15	15,880	15,880	247.78	16,500	16,500	▲
65310	Phenytoin, Free	SST Serum	FPIA	나450나(2)	C4504050		243.15	15,880	15,880	247.78	16,500	16,500	▲
10130	Phosphate(Pi)	SST Serum	Colorimetry	나379라	C3794		17.62	1,150	1,150	16.38	1,090	1,090	▼
10131	Phosphate(Pi)	24hr Urine	Colorimetry	나379라	C3794		17.62	1,150	1,150	16.38	1,090	1,090	▼
10132	Phosphate(Pi)	Random Urine	Colorimetry	나379라	C3794		17.62	1,150	1,150	16.38	1,090	1,090	▼
01070	Phospholipase A2	SST Serum	RIA			국외	-	-	111,820	-	-	115,170	▲
11160	Phospholipid	SST Serum	Enzyme	나244나	C2442		37.92	2,480	2,480	33.79	2,250	2,250	▼
11161	Phospholipid	Body Fluid	Enzyme	나244나	C2442		37.92	2,480	2,480	33.79	2,250	2,250	▼
11720	Phytanic acid	EDTA Plasma	GC/MSD	노332	CZ332		-	-	84,120	-	-	86,640	▲
30700	PIC TEST	SC Plasma				국외	-	-	41,800	-	-	43,050	▲
01640	PIVKA-2	SST Serum	EIA	너78	BX078		170.91	11,160	11,160	186.20	12,400	12,400	▲
01641	PIVKA-2	EDTA Plasma	EIA	너78	BX078		170.91	11,160	11,160	186.20	12,400	12,400	▲
81370	PLAP (IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
20530	Plasma Hb	EDTA Plasma	Colorimetry	나383	C3830		49.62	3,240	3,240	50.02	3,330	3,330	▲
30710	Plasminogen	SC Plasma	Colorimetry	나188가	B1881		154.95	10,120	10,120	159.22	10,600	10,600	▲
30005	Platelet	EDTA Blood	자동혈구계산법	나106	B1060		12.81	840	840	12.90	860	860	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
51920	Platelet Associated Ab	EDTA Blood	IFA	나502나	C5022006		242.40	15,830	15,830	246.92	16,440	16,440	▲
29330	PML/RARA (FISH)	Bone Marrow	FISH	노598	CZ967		-	-	200,000	-	-	206,000	▲
25710	PML-RARa (nested RT-PCR)	EDTA Blood	Nested RT-PCR	나597다	C5973006		1573.83	102,770	102,770	1601.91	106,690	106,690	▲
25712	PML-RARa (nested RT-PCR)	Bone Marrow	Nested RT-PCR	나597다	C5973006		1573.83	102,770	102,770	1601.91	106,690	106,690	▲
25713	PML-RARa (real-time PCR)	EDTA Blood	real time PCR	노596	CZ807		-	-	144,210	-	-	148,540	▲
25714	PML-RARa (real-time PCR)	Bone Marrow	real time PCR	노596	CZ807		-	-	144,210	-	-	148,540	▲
41880	Pneumocystis carinii Aq	Sputum	DFA	나475나	C4752996		293.16	19,140	19,140	300.61	20,020	20,020	▲
42670	Pneumocystis carinii PCR	Sputum	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
26161	PNH test	EDTA Blood	Flow Cytometry	너42나	BY422006		447.99	112,320	112,320	440.69	117,400	117,400	▲
26165	PNH test	EDTA Blood	Flow Cytometry	나512	C5120006		447.99	58,500	58,500	449.61	59,880	59,880	▲
41910	Poliovirus Type 1(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
41911	Poliovirus Type 1(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
42010	Poliovirus Type 1(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
42011	Poliovirus Type 1(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41920	Poliovirus Type 2(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
41921	Poliovirus Type 2(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
42020	Poliovirus Type 2(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
42021	Poliovirus Type 2(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41930	Poliovirus Type 3(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
41931	Poliovirus Type 3(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
42030	Poliovirus Type 3(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
42031	Poliovirus Type 3(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
42205	Polyomavirus culture	BAL fluid	Culture	나416	B4160006		546.65	35,700	35,700	560.25	37,310	37,310	▲
42685	Polyomavirus(BK) PCR QN	EDTA Plasma	real time PCR	노598	CZ966		-	-	102,000	-	-	102,000	
42686	Polyomavirus(BK) PCR QN	Random Urine	real time PCR	노598	CZ966		-	-	102,000	-	-	102,000	
42680	Polyomavirus(BK,JC) PCR	EDTA Blood	Nested PCR	너563사	CY059006		497.16	32,460	32,460	575.61	38,340	38,340	▲
42681	Polyomavirus(BK,JC) PCR	BAL fluid	Nested PCR	너563사	CY059006		497.16	32,460	32,460	575.61	38,340	38,340	▲
11770	Porphobilinogen 정량	Random Urine	Spectrophotomet rv	나389나(2)	C3893		175.41	11,450	11,450	177.74	11,840	11,840	▲
11771	Porphobilinogen 정량	24hr Urine	Spectrophotomet rv	나389나(2)	C3893		175.41	11,450	11,450	177.74	11,840	11,840	▲
11760	Porphobilinogen 정성	Random Urine	Colorimetry	나389가	C3891		11.03	720	720	10.45	700	700	▼
25730	post-BMT	EDTA Blood		너571나(1)	CY575006		2596.64	169,560	169,560	2723.42	181,380	181,380	▲
25731	post-BMT	Bone Marrow		너571나(1)	CY575006		2596.64	169,560	169,560	2723.42	181,380	181,380	▲
25737	post-BMT	EDTA Blood		너571나(1)	CY575006		2596.64	169,560	169,560	2723.42	181,380	181,380	▲
10140	Potassium(K)	SST Serum	ISE	나379나	C3792		18.33	1,200	1,200	17.59	1,170	1,170	▼
10141	Potassium(K)	24hr Urine	ISE	나379나	C3792		18.33	1,200	1,200	17.59	1,170	1,170	▼
10142	Potassium(K)	Random Urine	ISE	나379나	C3792		18.33	1,200	1,200	17.59	1,170	1,170	▼
25690	PRA class I identification	SST Serum	Luminex	나522나	C5222006		1299.13	84,830	84,830	1303.16	86,790	86,790	▲
26265	PRA class I screening	SST Serum	Luminex	나522가	C5221006		735.02	48,000	48,000	743.64	49,530	49,530	▲
25695	PRA classII identification	SST Serum	Luminex	나522나	C5222006		1299.13	84,830	84,830	1303.16	86,790	86,790	▲



삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
26266	PRA classⅡ screening	SST Serum	Luminex	나522가	C5221006		735.02	48,000	48,000	743.64	49,530	49,530	▲
25746	Prader-Willi syndrome	EDTA Blood	Methylation PCR	노596	CZ832		-	-	160,000	-	-	164,800	▲
25748	Prader-Willi syndrome	EDTA Blood	Methylation PCR	노596	CZ832		-	-	163,000	-	-	167,890	▲
25747	Prader-Willi/Angelman	EDTA Blood	Methylation PCR	노596	CZ832		-	-	128,000	-	-	131,840	▲
20330	Prealbumin	SST Serum	TIA	나221-1	C2215		144.60	9,440	9,440	147.64	9,830	9,830	▲
25720	pre-BMT	복수검체		너571가(1)	CY573006		3739.19	244,170	244,170	3918.12	260,950	260,950	▲
25725	pre-BMT	복수검체	DNA Typing	너571가(1)	CY573006		3739.19	244,170	244,170	3918.12	260,950	260,950	▲
25727	pre-BMT	복수검체		너571가(1)	CY573006		3739.19	244,170	244,170	3918.12	260,950	260,950	▲
00480	Pregnanediol(Urine)	24hr Urine	GC			국외	-	-	78,380	-	-	80,730	▲
00490	Pregnanetriol	24hr Urine	GC	노194	CZ198	국외	-	-	109,730	-	-	113,020	▲
00500	Pregnenolone	SST Serum	RIA			국외	-	-	144,210	-	-	148,540	▲
65320	Primidone	SST Serum	HPLC	나450나(3)	CX374690		262.87	17,170	17,170	313.25	20,860	20,860	▲
65100	Procainamide	SST Serum	FPIA			국외	-	-	84,120	-	-	86,640	▲
01890	Procalcitonin	SST Serum	EIA	노115	CZ115		-	-	55,000	-	-	56,650	▲
12360	Procollagen Ⅲ peptide	SST Serum	RIA			국외	-	-	60,090	-	-	61,890	▲
00512	Progesterone (ECLIA)	SST Serum	ECLIA	나346	C3460		155.72	10,170	10,170	153.03	10,190	10,190	▲
01081	Proinsulin	SST Serum	RIA	노206	CZ206		-	-	29,260	-	-	30,140	▲
84601	Proinsulin	SST Serum	RIA	노206	CZ206		-	-	28,000	-	-	28,840	▲
00133	Prolactin (ECLIA)	SST Serum	ECLIA	나351	C3510		168.16	10,980	10,980	167.09	11,130	11,130	▲
00141	Prolactin-1호	SST Serum	ECLIA	나351	C3510		168.16	10,980	10,980	167.09	11,130	11,130	▲
00142	Prolactin-2호	SST Serum	ECLIA	나351	C3510		168.16	10,980	10,980	167.09	11,130	11,130	▲
00143	Prolactin-3호	SST Serum	ECLIA	나351	C3510		168.16	10,980	10,980	167.09	11,130	11,130	▲
00144	Prolactin-4호	SST Serum	ECLIA	나351	C3510		168.16	10,980	10,980	167.09	11,130	11,130	▲
00145	Prolactin-5호	SST Serum	ECLIA	나351	C3510		168.16	10,980	10,980	167.09	11,130	11,130	▲
00146	Prolactin-6호	SST Serum	ECLIA	나351	C3510		168.16	10,980	10,980	167.09	11,130	11,130	▲
00147	Prolactin-7호	SST Serum	ECLIA	나351	C3510		168.16	10,980	10,980	167.09	11,130	11,130	▲
00148	Prolactin-8호	SST Serum	ECLIA	나351	C3510		168.16	10,980	10,980	167.09	11,130	11,130	▲
65110	Propranolol	SST Serum	HPLC			국외	-	-	88,830	-	-	91,490	▲
65111	Propranolol	Hp Plasma	HPLC			국외	-	-	88,830	-	-	91,490	▲
31021	Prostaglandin E2	24hr Urine	RIA			국외	-	-	600,880	-	-	618,910	▲
30730	Protein C Activity	SC Plasma	Clot-based	나183가	B1831		190.07	12,410	12,410	198.83	13,240	13,240	▲
30740	Protein C Antigen	SC Plasma	ELISA	나183나	B1832		176.05	11,500	11,500	179.26	11,940	11,940	▲
20711	Protein E.P(24h urine)	24hr Urine	Electrophoresis	나300나	B3001006		134.46	8,780	8,780	138.33	9,210	9,210	▲
20713	Protein E.P(Random urine)	Random Urine	Electrophoresis	나300나	B3001006		134.46	8,780	8,780	138.33	9,210	9,210	▲
20710	Protein E.P(Serum)	SST Serum	Electrophoresis	나300가	B3000006		125.13	8,170	8,170	129.56	8,630	8,630	▲
30750	Protein S Activity	SC Plasma	Clot-based	나184가	B1841		185.97	12,140	12,140	193.49	12,890	12,890	▲
30760	Protein S Aq(free)	SC Plasma	ELISA	나184나	B1842		173.90	11,360	11,360	176.40	11,750	11,750	▲
30770	Protein S Aq(total)	SC Plasma	ELISA	나184나	B1842		173.90	11,360	11,360	176.40	11,750	11,750	▲
10035	Protein/creatinine ratio	Random Urine	계산법	나220 외	C2200 외		-	2,610	2,610	-	2,480	2,480	▼
27895	Prothrombin G20210A Mutati	EDTA Blood	PCR-RFLP	노597	CZ898		-	-	27,610	-	-	28,440	▲
30950	Prothrombin Time	SC Plasma	Clot-based	나154	B1540		26.62	1,740	1,740	27.16	1,810	1,810	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
70860	Protozoa	Stool	검경법	나63	B0630		23.91	1,560	1,560	23.92	1,590	1,590	▲
01675	PSA (ECLIA)	SST Serum	ECLIA	나428	C4280		241.13	15,750	15,750	241.01	16,050	16,050	▲
81000	PSA (IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
29000	PSEN1 gene analysis	EDTA Blood	Sequencing				-	-	420,000	-	-	432,600	▲
01090	PSTI	SST Serum	RIA			국외	-	-	38,460	-	-	39,610	▲
31050	PT 20210A mutation	EDTA Blood	PCR-RFLP	노597	CZ898		-	-	82,000	-	-	84,460	▲
29310	PTEN gene major mutation	EDTA Blood	Sequencing	노595(71)	CZ665		-	-	289,000	-	-	297,670	▲
01930	PTH	SST Serum	RIA	나340주	C7340		229.83	15,010	15,010	273.93	18,240	18,240	▲
01931	PTH	EDTA Plasma	RIA	나340주	C7340		229.83	15,010	15,010	273.93	18,240	18,240	▲
01940	PTH related peptide	전용용기 혈장	IRMA	노192	CZ192	국외	-	-	78,110	-	-	80,450	▲
01950	PTH-C	SST Serum	RIA			국외	-	-	31,350	-	-	32,290	▲
01967	PTH-Intact (ECLIA)	SST Serum	ECLIA	나340	C3400		284.05	18,550	18,550	289.09	19,250	19,250	▲
01968	PTH-Intact (ECLIA)	EDTA Plasma	ECLIA	나340	C3400		284.05	18,550	18,550	289.09	19,250	19,250	▲
10175	Pyrimidine 5-nucleotidase	EDTA Blood	Spectrophotometry	너185	BX185		258.57	16,880	16,880	176.16	11,730	11,730	▼
70766	Pyrogen (Endotoxin)	Other	검경법	너303	BY032006		140.99	9,210	9,210	128.96	8,590	8,590	▼
10810	Pyruvic Acid	제단백액	Enzyme	너345가(1)	CY341		339.91	22,200	22,200	229.50	15,280	15,280	▼
10811	Pyruvic Acid	CSF	Enzyme	너345가(1)	CY341		339.91	22,200	22,200	229.50	15,280	15,280	▼
50890	Q-fever (C. burnetti)(NIH)	SST Serum	IFA				-	-	0	-	-	0	
02060	Quad Test	SST Serum		나421 외	C7421외		-	55,650	55,650	-	61,120	61,120	▲
52390	QuantiFERON-TB	전용용기	ELISA	나477	CZ393006		1162.62	75,920	75,920	1162.62	77,430	77,430	▲
65622	Quetiapine	Plain Serum	LC/MS/MS	나450	CX375696		542.51	35,430	35,430	570.54	38,000	38,000	▲
65135	Quinidine	SST Serum	FPIA			국외	-	-	73,150	-	-	75,340	▲
41637	R. (Rickettsia) 2 type Ab	SST Serum	IFA	나474나(1)	C4742836		205.72	26,860	26,860	206.65	27,520	27,520	▲
51930	R.A Factor	SST Serum	TIA	나490가	C4901		24.63	1,610	1,610	22.41	1,490	1,490	▼
51931	R.A Factor	Body Fluid	TIA	나490가	C4901		24.63	1,610	1,610	22.41	1,490	1,490	▼
51940	R.A Factor 정량	SST Serum	TIA	나490나	C4903		104.08	6,800	6,800	104.49	6,960	6,960	▲
51941	R.A Factor 정량	Body Fluid	TIA	나490나	C4903		104.08	6,800	6,800	104.49	6,960	6,960	▲
41636	R.tsutsugamushi Ab(NIH)	SST Serum	IFA				-	-	0	-	-	0	
41630	R.tsutsugamushi(ICA)	SST Serum	ICA	나474가	C4741830		69.03	4,510	4,510	64.49	4,300	4,300	▼
41635	R.tsutsugamushi(IFA)	SST Serum	IFA	나474나(1)	C4742836		205.72	13,430	13,430	206.65	13,760	13,760	▲
41638	R.tsutsugamushi(IFA)	CSF	IFA	나474나(1)	C4742836		205.72	13,430	13,430	206.65	13,760	13,760	▲
51960	RA Factor IgA	SST Serum	EIA	노421	CZ421		-	-	24,040	-	-	24,760	▲
51950	RA Factor IgG	SST Serum	ELISA	노421	CZ421		-	-	24,040	-	-	24,760	▲
52510	Rabies virus(공수병) (NIH)	복수검체					-	-	0	-	-	0	
29090	RB1 gene point mutation	EDTA Blood	Sequencing	노595	CZ600		-	-	987,000	-	-	1,016,610	▲
30002	RBC	EDTA Blood	자동혈구계산법	나104	B1040		10.72	700	700	10.84	720	720	▲
10470	RBC Enzyme	EDTA Blood					-	-	400,000	-	-	412,000	▲
11290	RBC Folate	EDTA Blood	RIA	나254주	C7254		176.88	11,550	11,550	201.10	13,390	13,390	▲
12390	RBC membrane	복수검체		노33	BZ033		-	-	400,000	-	-	412,000	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
30090	RDW	EDTA Blood	자동혈구계산법	나122	B1220		5.80	380	380	5.79	390	390	▲
01381	Renin 1회	EDTA Plasma	RIA	나360주	C7360		168.36	10,990	10,990	165.22	11,000	11,000	▲
01382	Renin 2회	EDTA Plasma	RIA	나360주	C7360		168.36	10,990	10,990	165.22	11,000	11,000	▲
01383	Renin 3회	EDTA Plasma	RIA	나360주	C7360		168.36	10,990	10,990	165.22	11,000	11,000	▲
01384	Renin 4회	EDTA Plasma	RIA	나360주	C7360		168.36	10,990	10,990	165.22	11,000	11,000	▲
01385	Renin 5회	EDTA Plasma	RIA	나360주	C7360		168.36	10,990	10,990	165.22	11,000	11,000	▲
01386	Renin 6회	EDTA Plasma	RIA	나360주	C7360		168.36	10,990	10,990	165.22	11,000	11,000	▲
01370	Renin Activity	EDTA Plasma	RIA	나360주	C7360		168.36	10,990	10,990	165.22	11,000	11,000	▲
41800	REO virus(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
41801	REO virus(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
42257	Respi.V.Aq Screening 5종	Other	IFA	나469	C4690536		203.10	13,260	13,260	203.16	13,530	13,530	▲
29270	RET gene mutation	EDTA Blood	Sequencing	나599나(3)	CY571006		2955.94	193,020	193,020	3875.61	258,120	258,120	▲
82180	Reticulin Stain	Tissue		나553가	C5531		122.36	7,990	7,990	123.07	8,200	8,200	▲
30111	Reticulocyte Count	EDTA Blood	Flow Cytometry	나108나	B1081		20.39	1,330	1,330	20.29	1,350	1,350	▲
11320	Retinol Binding Protein	SST Serum	라텍스응집비탁법			국외	-	-	94,050	-	-	96,870	▲
27580	Rett Syndrome,MECP2 Sequen	EDTA Blood	Sequencing	노595	CZ642		-	-	380,000	-	-	391,400	▲
30420	Rh Ab Titer	SST Serum	Tube	나208	B2080006		113.54	7,410	7,410	106.48	7,090	7,090	▼
30390	Rh(D) Typing	EDTA Blood	SLIDE	나202가	B2021		12.53	820	820	13.17	880	880	▲
30391	Rh(D) Typing	Capillary	Manual	나202가	B2021		12.53	820	820	13.17	880	880	▲
30392	Rh(D) Typing	Cord Blood	Manual	나202가	B2021		12.53	820	820	13.17	880	880	▲
30400	Rh-Hr Subgroup	EDTA Blood	Tube	나202나	B2022006		111.64	7,290	7,290	104.83	6,980	6,980	▼
42210	Rhino Virus Culture	Other	Culture	나416	B4160006		546.65	35,700	35,700	560.25	37,310	37,310	▲
42215	Rhino virus PCR	Other	Nested RT-PCR	나596	C5969006		612.12	39,970	39,970	644.86	42,950	42,950	▲
01820	Ri autoantibodies	SST Serum	Western blot			국외	-	-	709,560	-	-	730,850	▲
01821	Ri autoantibodies	CSF	Western blot			국외	-	-	709,560	-	-	730,850	▲
51215	Ribosomal P protein IgG Ab	SST Serum	EIA			국외	-	-	209,000	-	-	215,270	▲
41850	Rotavirus Ab (CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
41851	Rotavirus Ab (CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
42290	Rotavirus Aq	Stool	ICA	나469	C4690526		203.10	13,260	13,260	203.16	13,530	13,530	▲
50935	RPR 정밀	SST Serum	라텍스응집비탁법	나460-1	C4602		25.73	1,680	1,680	25.73	1,710	1,710	▲
41871	RS virus(NT)	CSF	Neutralization			국외	-	-	62,700	-	-	64,580	▲
41860	RSV Ab (CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
41861	RSV Ab (CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
41862	RSV Ab (CF)	Pleural Fluid	CF			국외	-	-	15,680	-	-	16,150	▲
41870	RSV Ab(NT)	SST Serum	Neutralization			국외	-	-	62,700	-	-	64,580	▲
42300	RSV Aq (DFA)	Other	DFA	나469	C4690536		203.10	13,260	13,260	203.16	13,530	13,530	▲
42225	RSV Culture	Other	Shell Vial Culture	나416	B4160006		546.65	35,700	35,700	560.25	37,310	37,310	▲
42820	RSV IgG(IFA)	SST Serum	IFA	나468나(1)	C4682536		266.76	17,420	17,420	270.11	17,990	17,990	▲
42830	RSV IgM(IFA)	SST Serum	IFA	나468나(2)	C4683536		259.16	16,920	16,920	259.99	17,320	17,320	▲
43520	Rubella IgG avidity	SST Serum	EIA	노395	CZ395		-	-	30,040	-	-	30,940	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
41940	Rubella IgG(CLIA)	SST Serum	CLIA	나468나(1)	C4682416		266.76	17,420	17,420	270.11	17,990	17,990	▲
41941	Rubella IgG(CLIA)	CSF	CLIA	나468나(1)	C4682416		266.76	17,420	17,420	270.11	17,990	17,990	▲
41950	Rubella IgM(CLIA)	SST Serum	CLIA	나468나(2)	C4683416		259.16	16,920	16,920	259.99	17,320	17,320	▲
41951	Rubella IgM(CLIA)	CSF	CLIA	나468나(2)	C4683416		259.16	16,920	16,920	259.99	17,320	17,320	▲
42690	Rubella Virus RT-PCR	EDTA Blood	RT-PCR	나596라	C5969006		612.12	39,970	39,970	644.86	42,950	42,950	▲
30461	S 혈액형검사	EDTA Blood	Tube	나203	B2030006		77.45	5,060	5,060	73.81	4,920	4,920	▼
30462	s 혈액형검사	EDTA Blood	Tube	나203	B2030006		77.45	5,060	5,060	73.81	4,920	4,920	▼
52221	S.pneumoniae Aq test	CSF	Latex	나408	B4080		90.90	5,940	5,940	85.21	5,670	5,670	▼
71150	S.pneumoniae urinary Aq	Random Urine	ICA	나475나	C4752996		293.16	19,140	19,140	300.61	20,020	20,020	▲
81150	S-100(IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81152	S-100(IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
52165	Saccharomyces cerevisiaeAb	SST Serum	EIA				-	-	120,180	-	-	123,790	▲
42700	Salmonella PCR	EDTA Blood	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
42710	Salmonella PCR	CSF	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
26980	SBMA, AR gene	EDTA Blood	PCR	너573나	CY532006		953.51	62,260	62,260	1150.44	76,620	76,620	▲
27000	SCA profile (1,2,3,6,7,8)	EDTA Blood		너573	CY535~40006		-	373,560	373,560	-	459,720	459,720	▲
01690	SCA-1	EDTA Blood		너573라	CY535006		953.51	62,260	62,260	1150.44	76,620	76,620	▲
27015	SCA-17	EDTA Blood		너573마	CY539006		953.51	62,260	62,260	1150.44	76,620	76,620	▲
01700	SCA-2	EDTA Blood		너573라	CY536006		953.51	62,260	62,260	1150.44	76,620	76,620	▲
01710	SCA-3	EDTA Blood		너573라	CY537006		953.51	62,260	62,260	1150.44	76,620	76,620	▲
02070	SCA-6	EDTA Blood		너573라	CY538006		953.51	62,260	62,260	1150.44	76,620	76,620	▲
02080	SCA-7	EDTA Blood		너573라	CY540006		953.51	62,260	62,260	1150.44	76,620	76,620	▲
27010	SCA-8	EDTA Blood					-	-	62,260	-	-	76,620	▲
01720	SCC	SST Serum	RIA	나430주	C7430		320.24	20,910	20,910	315.55	21,020	21,020	▲
01721	SCC	Body Fluid	RIA	나430주	C7430		320.24	20,910	20,910	315.55	21,020	21,020	▲
11022	SD LDL Cholesterol	SST Serum	Electrophoresis	노134	CZ134		-	-	96,140	-	-	99,020	▲
20350	Selectivity Index	Other	계산법	나392	C3920		277.32	18,110	18,110	283.63	18,890	18,890	▲
12810	Selenium	Trace EDTA Blood	AAS	나452나(2)	C4523990		306.17	19,990	19,990	309.81	20,630	20,630	▲
12811	Selenium	Random Urine	AAS	나452나(2)	C4523990		306.17	19,990	19,990	309.81	20,630	20,630	▲
12400	Semen Analysis	Semen	검경법	나730	E7300		62.17	4,060	4,060	56.22	3,740	3,740	▼
12410	Semen fructose	Semen	Spectrophotometry	너893	EX893		79.87	5,220	5,220	61.06	4,070	4,070	▼
02062	Sequential 2nd (Quad)	Other		나421 외	C7421외		-	55,650	55,650	-	61,120	61,120	▲
00902	Serotonin	SST Serum	HPLC	나367	C3670		147.35	9,620	9,620	136.99	9,120	9,120	▼
00900	Serotonin	EDTA Blood	HPLC			국외	-	-	52,250	-	-	53,820	▲
00901	Serotonin	EDTA Plasma	HPLC			국외	-	-	52,250	-	-	53,820	▲
00903	Serotonin (PFP)	EDTA Plasma	HPLC	나367	C3670		147.35	9,620	9,620	136.99	9,120	9,120	▼
10841	Serum Amylase	SST Serum	Enzyme	나261가	B2611		41.67	2,720	2,720	41.29	2,750	2,750	▲
10843	Serum Creatinine	SST Serum	Colorimetry	나375	C3750		19.77	1,290	1,290	18.25	1,220	1,220	▼



삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
30780	SFMC	SC Plasma	응집법			국외	-	-	118,090	-	-	121,630	▲
29140	SGCE gene mutation	EDTA Blood	Sequencing	노595	CZ701		-	-	441,000	-	-	454,230	▲
12425	SHBG (ECLIA)	SST Serum	ECLIA	노202	CZ202		-	-	48,070	-	-	49,510	▲
10820	Sialic acid	SST Serum	Enzyme			국외	-	-	12,540	-	-	12,920	▲
12820	Silicate	Water	Spectrophotometry				-	-	48,070	-	-	49,510	▲
65720	Sirolimus(Rafamycin)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696		542.51	35,430	35,430	570.54	38,000	38,000	▲
01730	SLX	SST Serum	RIA			국외	-	-	66,100	-	-	68,080	▲
81160	SMA(IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81162	SMA(IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
51985	SMA(SMN1 7&8, NAIP 4&5)	EDTA Blood	PCR-RFLP	너562마	CY625006		416.68	27,210	27,210	469.80	31,290	31,290	▲
51986	SMA(SMN1 7&8, NAIP 5&13)	EDTA Blood	PCR-RFLP	너562마	CY625006		416.68	27,210	27,210	469.80	31,290	31,290	▲
81550	Smooth Muscle Actin(SMA)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
10150	Sodium(Na)	SST Serum	ISE	나379가	C3791		17.83	1,160	1,160	16.73	1,110	1,110	▼
10151	Sodium(Na)	24hr Urine	ISE	나379가	C3791		17.83	1,160	1,160	16.73	1,110	1,110	▼
10152	Sodium(Na)	Random Urine	ISE	나379가	C3791		17.83	1,160	1,160	16.73	1,110	1,110	▼
12430	soluble ELAM - 1	SST Serum	ELISA			국외	-	-	216,320	-	-	222,810	▲
12440	soluble ICAM - 1	SST Serum	ELISA			국외	-	-	216,320	-	-	222,810	▲
52620	Soluble IL-2 receptor	SST Serum	EIA			국외	-	-	300,440	-	-	309,450	▲
52460	Soluble Liver Ag Auto Ab	SST Serum	EIA			국외	-	-	334,400	-	-	344,430	▲
12450	soluble VCAM - 1	SST Serum	ELISA			국외	-	-	216,320	-	-	222,810	▲
00155	Somatomedin-C (CLIA)	SST Serum	CLIA	너230	CX230		322.92	21,090	21,090	223.84	14,910	14,910	▼
01740	Span-1	SST Serum	RIA			국외	-	-	52,250	-	-	53,820	▲
50848	Sparqanum IqG(BF)	Body Fluid	Micro-ELISA	나472나(1)	C4722796		271.19	17,710	17,710	270.18	17,990	17,990	▲
50853	Sparqanum IqG(CSF)	CSF	Micro-ELISA	나472나(1)	C4722796		271.19	17,710	17,710	270.18	17,990	17,990	▲
50844	Sparqanum IqG(S)	SST Serum	Micro-ELISA	나472나(1)	C4722796		271.19	17,710	17,710	270.18	17,990	17,990	▲
80605	Special Stain	Tissue		나553다	C5533		122.36	7,990	7,990	123.07	8,200	8,200	▲
82080	Special Stain	Tissue		나553다	C5533		122.36	7,990	7,990	123.07	8,200	8,200	▲
80616	Special stain 메드플랜	Tissue		나553다	C5533		122.36	7,990	7,990	123.07	8,200	8,200	▲
29051	SPG3A gene mutation	EDTA Blood	Sequencing	노595	CZ630		-	-	491,000	-	-	505,730	▲
29050	SPG4 gene mutation	EDTA Blood	Sequencing	노595	CZ615		-	-	422,000	-	-	434,660	▲
28170	SPINK1, PRSS1 mutation	EDTA Blood	Sequencing	노595	CZ703		-	-	345,000	-	-	355,350	▲
52530	SRP auto Ab	SST Serum				국외	-	-	201,690	-	-	207,740	▲
27870	STK11 Gene Point mutation	EDTA Blood	Sequencing	노595	CZ602		-	-	394,000	-	-	405,820	▲
01750	STN	SST Serum	RIA			국외	-	-	62,490	-	-	64,360	▲
12460	Stone Analysis 정성	Stone	Colorimetry	나391	C3910006		82.64	5,400	5,400	81.27	5,410	5,410	▲
12465	Stone Analysis(physical)	Stone	FT-IR	너274	CX274006		451.18	29,460	29,460	418.14	27,850	27,850	▼
70870	Stool Microscopy	Stool	검경법	나67	B0670		12.63	820	820	13.27	880	880	▲
71250	Stool OB 정량	Stool	Colorimetry	나65-1	B0653		62.16	4,060	4,060	63.98	4,260	4,260	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
70895	Stool pH	Stool		나69	B0690		7.55	490	490	7.72	510	510	▲
70890	Stool WBC	Stool	검경법	나67-1	B0675		10.11	660	660	9.93	660	660	▼
42580	Strep. Group B PCR	Random Urine	PCR				-	-	29,260	-	-	30,140	▲
50462	Strep.Group B	CSF	Latex	나408	B4080		90.90	5,940	5,940	85.21	5,670	5,670	▼
50461	Strep.Pneumoniae	CSF	Latex	나408	B4080		90.90	5,940	5,940	85.21	5,670	5,670	▼
11730	Succinylacetone	Random Urine	GC/MSD	너345가(6)	CY349		339.91	22,200	22,200	229.50	15,280	15,280	▼
12870	Sucrose hemolysis	복수검체	Colorimetry	나121	B1210006		47.41	3,100	3,100	48.16	3,210	3,210	▲
30190	Sudan black B stain	Bone Marrow Slide	Stain	나118나	B1183006		84.38	5,510	5,510	84.11	5,600	5,600	▲
30191	Sudan black B stain	Blood Smear Slide	Stain	나118나	B1183006		84.38	5,510	5,510	84.11	5,600	5,600	▲
52140	Sulfatide autoantibodies	SST Serum	ELISA			국외	-	-	709,560	-	-	730,850	▲
20540	Sulf-Hemoglobin	EDTA Blood	Colorimetry	나382나	C3822		53.92	3,520	3,520	54.21	3,610	3,610	▲
29020	Surface Ig(Cytoplasmic Ig)	EDTA Blood	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
29021	Surface Ig-κ light chain	EDTA Blood	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
29022	Surface Ig-λ light chain	EDTA Blood	Flow Cytometry	나512	C5120006		447.99	29,250	29,250	449.61	29,940	29,940	▲
12470	Surfactant protein-A(SP-A)	SST Serum	EIA			국외	-	-	60,090	-	-	61,890	▲
13050	Surfactant protein-D(SP-D)	SST Serum	EIA			국외	-	-	62,700	-	-	64,580	▲
81163	SV40 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
81400	Synaptophysin (IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
29001	SYT/SSX gene rearrangement	Block	Nested RT-PCR	나597자	C5979006		1669.92	109,050	109,050	1729.88	115,210	115,210	▲
29002	SYT/SSX gene rearrangement	Block	RT-PCR	나596다	CX564006		512.04	33,440	33,440	608.88	40,550	40,550	▲
00295	T3 (ECLIA)	SST Serum	ECLIA	나329	C3290		169.41	11,060	11,060	171.02	11,390	11,390	▲
00305	T3-Uptake (ECLIA)	SST Serum	ECLIA	나331	C3310		150.38	9,820	9,820	149.27	9,940	9,940	▲
00315	T4 (ECLIA)	SST Serum	ECLIA	나333	C3330		164.39	10,730	10,730	164.15	10,930	10,930	▲
30200	Tartrate resistant acid phos	Bone Marrow Slide		나118가	B1182006		84.01	5,490	5,490	83.61	5,570	5,570	▲
30790	TAT	SC Plasma	EIA			국외	-	-	44,830	-	-	46,170	▲
00320	TBG (RIA)	SST Serum	RIA	나338주	C7338		220.50	14,400	14,400	187.11	12,460	12,460	▼
65480	TBPE	Random Urine	Colorimetry	나450가(1)	C4501390		77.12	5,040	5,040	73.25	4,880	4,880	▼
25875	T-cell Receptor rearrangem	Block	PCR+Hybridization	나595-1다	C6029006		668.68	43,660	43,660	696.95	46,420	46,420	▲
25870	T-cell Receptor γchain	Block	PCR	나598바	C5986006		971.66	63,450	63,450	953.84	63,530	63,530	▲
25871	T-cell Receptor γchain	Block	Southern Hybridization	나598바	C5986006		971.66	63,450	63,450	953.84	63,530	63,530	▲
81650	TdT (IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
65330	Teicoplanin	SST Serum	FPIA			국외	-	-	117,770	-	-	121,300	▲
26660	TEL/AML1 rearrangement	EDTA Blood	Nested RT-PCR	나597자	C5979006		1669.92	109,050	109,050	1729.88	115,210	115,210	▲
00523	Testosterone (ECLIA)	SST Serum	ECLIA	나353	C3530		178.24	11,640	11,640	175.15	11,660	11,660	▲
00530	Testosterone, Free	SST Serum	RIA	너232	CX232		181.05	11,820	11,820	173.36	11,550	11,550	▼
65140	Theophylline	SST Serum	FPA	나450나(2)	C4504110		243.15	15,880	15,880	247.78	16,500	16,500	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
29180	THRB gene mutation	EDTA Blood	Sequencing				-	-	147,000	-	-	151,410	▲
30970	Thrombin Time	SC Plasma	Clot-based	나156	B1560		25.20	1,650	1,650	25.19	1,680	1,680	▲
30800	Thrombomodulin	SST Serum	EIA	너76	BX076		170.91	11,160	11,160	199.17	13,260	13,260	▲
30801	Thrombomodulin	EDTA Plasma	EIA	너76	BX076		170.91	11,160	11,160	199.17	13,260	13,260	▲
31040	Thromboxane B2	전용용기 혈장	RIA			국외	-	-	156,750	-	-	161,450	▲
01760	Thymidine Kinase	SST Serum				국외	-	-	90,130	-	-	92,830	▲
00355	Thyroglobulin (ECLIA)	SST Serum	ECLIA	나335	C3350		198.22	12,940	12,940	197.02	13,120	13,120	▲
00345	Thyroglobulin Ab (ECLIA)	SST Serum	ECLIA	나494	C4940		196.96	12,860	12,860	183.14	12,200	12,200	▼
81200	Thyroglobulin(IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
80986	TIA1 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		46.94	30,490	30,490	463.89	30,900	30,900	▲
12830	TIBC	SST Serum	계산법	나250	C2500		40.76	2,660	2,660	39.03	2,600	2,600	▼
28190	TNFRSF13B gene mutation	EDTA Blood	Sequencing				-	-	187,000	-	-	192,610	▲
51990	TNF-α	SST Serum	ELISA			국외	-	-	299,920	-	-	308,920	▲
51991	TNF-α	Media Supernatant				국외	-	-	299,920	-	-	308,920	▲
65340	Tobramycin	SST Serum	FPIA	나450나(2)	C4504390		243.15	15,880	15,880	247.78	16,500	16,500	▲
65711	Topiramate	Plain Serum	LC/MS/MS	나450나(4)	CX375696		542.51	35,430	35,430	570.54	38,000	38,000	▲
42750	TORCH Test	SST Serum					-	138,440	138,440	-	141,910	141,910	▲
10040	Total Bilirubin	SST Serum	Colorimetry	나372가	C3720		19.95	1,300	1,300	18.62	1,240	1,240	▼
10041	Total Bilirubin	Capillary	Colorimetry	나372가	C3720		19.95	1,300	1,300	18.62	1,240	1,240	▼
11020	Total Cholesterol	SST Serum	Enzyme	나241가	C2411		24.39	1,590	1,590	23.20	1,550	1,550	▼
11021	Total Cholesterol	Body Fluid	Enzyme	나241가	C2411		24.39	1,590	1,590	23.20	1,550	1,550	▼
02005	Total hCG(ECLIA)	SST Serum	ECLIA	나352	C3520		206.95	13,510	13,510	209.75	13,970	13,970	▲
60005	Total IgE (Unicap)	SST Serum	FEIA	나229	C2290		232.23	15,160	15,160	234.98	15,650	15,650	▲
11180	Total Lipid	SST Serum	Colorimetry	나244가	C2441		39.60	2,590	2,590	36.17	2,410	2,410	▼
11181	Total Lipid	Body Fluid	Colorimetry	나244가	C2441		39.60	2,590	2,590	36.17	2,410	2,410	▼
11780	Total Porphyrin 정성	Random Urine	Colorimetry	나389가	C3891		11.03	720	720	10.45	700	700	▼
10030	Total Protein	SST Serum	Colorimetry	나220	C2200		20.14	1,320	1,320	18.91	1,260	1,260	▼
10031	Total Protein	24hr Urine	TIA	나220	C2200		20.14	1,320	1,320	18.91	1,260	1,260	▼
10032	Total Protein	CSF	TIA	나220	C2200		20.14	1,320	1,320	18.91	1,260	1,260	▼
10033	Total Protein	Body Fluid	Colorimetry	나220	C2200		20.14	1,320	1,320	18.91	1,260	1,260	▼
10034	Total Protein	Random Urine	TIA	나220	C2200		20.14	1,320	1,320	18.91	1,260	1,260	▼
52271	Toxocariasis Ab IgG	SST Serum	ELISA	나472나(1)	C4722796		271.19	17,710	17,710	270.18	17,990	17,990	▲
52272	Toxocariasis Ab IgG	Body Fluid	ELISA	나472나(1)	C4722796		271.19	17,710	17,710	270.18	17,990	17,990	▲
43510	Toxoplasma DNA PCR	Other	PCR				-	-	26,330	-	-	26,330	
50903	Toxoplasma IgG	SST Serum	ECLIA	나472나(1)	C4722616		271.19	17,710	17,710	270.18	17,990	17,990	▲
50904	Toxoplasma IgG	CSF	ECLIA	나472나(1)	C4722616		271.19	17,710	17,710	270.18	17,990	17,990	▲
50913	Toxoplasma IgM	SST Serum	ECLIA	나472나(2)	C4723616		271.19	17,710	17,710	270.18	17,990	17,990	▲
50914	Toxoplasma IgM	CSF	ECLIA	나472나(2)	C4723616		271.19	17,710	17,710	270.18	17,990	17,990	▲
50942	TP Ab	CSF	CMIA	나461-1	C4612		123.74	8,080	8,080	123.74	8,240	8,240	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
26770	TP53 gene	EDTA Blood	Sequencing	노595	CZ596		-	-	710,000	-	-	731,300	▲
01770	TPA	SST Serum	RIA	나432주	C7432		279.76	18,270	18,270	309.37	20,600	20,600	▲
01771	TPA	EDTA Plasma	RIA	나432주	C7432		279.76	18,270	18,270	309.37	20,600	20,600	▲
01772	TPA	Body Fluid	RIA	나432주	C7432		279.76	18,270	18,270	309.37	20,600	20,600	▲
30810	t-PA	SC Plasma	ELISA	너83	BX083		170.90	11,160	11,160	183.63	12,230	12,230	▲
50955	TPLA 정밀	SST Serum	라텍스응집비탁법	나461-1	C4612		123.74	8,080	8,080	123.74	8,240	8,240	▲
27471	TPMT gene mutation	EDTA Blood	Sequencing	노597	CZ904		-	-	172,430	-	-	177,600	▲
27470	TPMT genotyping	EDTA Blood	DNA Typing	노597	CZ904		-	-	190,000	-	-	195,700	▲
20360	Transferrin	SST Serum	TIA	나233	C2330		105.31	6,880	6,880	106.86	7,120	7,120	▲
80617	Transferrin receptor Stain	Bone Marrow Slide	Stain	나556바	C5566		320.13	20,900	20,900	308.77	20,560	20,560	▼
20370	Transferrin saturation	SST Serum	계산법	나249+나250	C2490+C2500		-	0	5,070	-	4,930	4,930	▼
52370	Transglutaminase IgA	SST Serum	EIA			국외	-	-	366,800	-	-	377,800	▲
30185	TRAP stain	Blood Smear Slide	Stain	나118아	B1189006		84.36	5,510	5,510	84.07	5,600	5,600	▲
30186	TRAP stain	Bone Marrow Slide	Stain	나118아	B1189006		84.36	5,510	5,510	84.07	5,600	5,600	▲
42720	Treponema pallidum PCR	EDTA Blood	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
12540	Trichloride, Total	Random Urine	Colorimetry	나451나(1)	C4513460		162.26	10,600	10,600	158.38	10,550	10,550	▼
12580	Trichloroacetic acid	Random Urine	GC/ECD	나451나(3)	CY373290		399.40	26,080	26,080	281.02	18,720	18,720	▼
13040	Trichloroacetic acid	Random Urine	Colorimetry	나451나(1)	C4513590		162.26	10,600	10,600	158.38	10,550	10,550	▼
12560	Trichloroethanol	Random Urine	GC	나451나(3)	CY373290		399.40	26,080	26,080	281.02	18,720	18,720	▼
42655	Trichomonas vaginalis PCR	분비물	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
11190	Triglyceride	SST Serum	Enzyme	나244다	C2443		47.74	3,120	3,120	47.30	3,150	3,150	▲
11191	Triglyceride	Body Fluid	Enzyme	나244다	C2443		47.74	3,120	3,120	47.30	3,150	3,150	▲
65150	Trimethadione	SST Serum	GC			국외	-	-	168,250	-	-	173,300	▲
01870	Triple marker	SST Serum	RIA				-	32740	32740	-	37,760	37,760	▲
12591	Troponin I	SST Serum	ECLIA	나394나	C3942		168.82	11,020	11,020	166.51	11,090	11,090	▲
12600	Troponin T	SST Serum	ECLIA	나394가	C3941		167.90	10,960	10,960	165.26	11,010	11,010	▲
01110	Trypsin (RIA)	SST Serum	RIA			국외	-	-	84,120	-	-	86,640	▲
27651	TSC1 (Tuberous sclerosis)	EDTA Blood	Sequencing	노595	CZ638		-	-	859,000	-	-	884,770	▲
27652	TSC2 (Tuberous sclerosis)	EDTA Blood	Sequencing	노595	CZ639		-	-	1,388,000	-	-	1,429,640	▲
00365	TSH (ECLIA)	SST Serum	ECLIA	나336	C3360		215.39	14,060	14,060	220.13	14,660	14,660	▲
00371	TSH-1회	SST Serum	ECLIA	나336	C3360		215.39	14,060	14,060	220.13	14,660	14,660	▲
00372	TSH-2회	SST Serum	ECLIA	나336	C3360		215.39	14,060	14,060	220.13	14,660	14,660	▲
00373	TSH-3회	SST Serum	ECLIA	나336	C3360		215.39	14,060	14,060	220.13	14,660	14,660	▲
00374	TSH-4회	SST Serum	ECLIA	나336	C3360		215.39	14,060	14,060	220.13	14,660	14,660	▲
00375	TSH-5회	SST Serum	ECLIA	나336	C3360		215.39	14,060	14,060	220.13	14,660	14,660	▲
00376	TSH-6회	SST Serum	ECLIA	나336	C3360		215.39	14,060	14,060	220.13	14,660	14,660	▲
00377	TSH-7회	SST Serum	ECLIA	나336	C3360		215.39	14,060	14,060	220.13	14,660	14,660	▲
00378	TSH-8회	SST Serum	ECLIA	나336	C3360		215.39	14,060	14,060	220.13	14,660	14,660	▲
00385	TSH-R-Ab(TBII)(ECLIA)	SST Serum	ECLIA	나339	C3390		227.98	14,890	14,890	229.01	15,250	15,250	▲



삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
81430	TTF1 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
29160	TYR gene (Albinism type I)	EDTA Blood	Sequencing	노595	CZ668		-	-	309,000	-	-	318,270	▲
70900	Tzanck Smear	Other	IFA	나718	E7180		36.77	2,400	2,400	27.83	1,850	1,850	▼
70910	Tzanck Smear	Other		나718	E7180		36.77	2,400	2,400	27.83	1,850	1,850	▼
71180	U.urealyticum culture	Other	Culture	너301다	BY303006		363.17	23,720	23,720	405.47	27,000	27,000	▲
27450	UGT1a1 genotyping	EDTA Blood	Sequencing	노597	CZ903		-	-	435,000	-	-	448,050	▲
12840	UIBC	SST Serum	Colorimetry	나251	C2510		41.05	2,680	2,680	39.37	2,620	2,620	▼
82171	unstained slide ≤3장	Tissue					-	-	10,000	-	-	10,000	
80064	Unstained Slide 제작	Other					-	-	3,000	-	-	3,000	
42730	Ureaplasma urealyticum PCR	분비물	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
10930	Uric Acid	SST Serum	Enzyme	나378	C3780		20.27	1,320	1,320	19.07	1,270	1,270	▼
10931	Uric Acid	24hr Urine	Enzyme	나378	C3780		20.27	1,320	1,320	19.07	1,270	1,270	▼
10932	Uric Acid	Random Urine	Enzyme	나378	C3780		20.27	1,320	1,320	19.07	1,270	1,270	▼
02110	Urinary Bladder Cancer Ag	Random Urine	IRMA	너322가	CY321		283.39	18,510	18,510	301.48	20,080	20,080	▲
10160	Urinary Ca	복수검체	계산법	나379 외	C3795 외		-	0	3,760	-	3,570	3,570	▼
10842	Urine Amylase	24hr Urine	Enzyme	나261가	B2611		41.67	2,720	2,720	41.29	2,750	2,750	▲
10844	Urine Creatinine	24hr Urine	Colorimetry	나375	C3750		19.77	1,290	1,290	18.25	1,220	1,220	▼
70002	Urine Glucose	Random Urine	Strip	나1	B0010		10.45	680	680	12.06	800	800	▲
70001	Urine Protein	Random Urine	Strip	나1	B0010		10.45	680	680	12.06	800	800	▲
70050	Urine RBC morphology	Random Urine	검경법	너1	BX001006		26.86	1,750	1,750	29.50	1,960	1,960	▲
11800	Uroporphyrin 정량	Random Urine	HPLC			국외	-	-	18,030	-	-	35,600	▲
11790	Uroporphyrin 정성	Random Urine	Fluorometry	나389가	C3891		11.03	720	720	10.45	700	700	▼
65350	Valproic Acid	SST Serum	FPA	나450나(2)	C4504060		243.15	15,880	15,880	247.78	16,500	16,500	▲
65360	Valproic acid,Free	SST Serum	EIA			국외	-	-	59,570	-	-	61,360	▲
27430	van 유전자 (VRE)(NIH)	균주	Multiplex-PCR				-	-	0	-	-	0	
80608	Van Giesons Stain	Tissue		나553다	C5533		122.36	7,990	7,990	123.07	8,200	8,200	▲
65370	Vancomycin	SST Serum	FPA	나450나(2)	C4504160		243.15	15,880	15,880	247.78	16,500	16,500	▲
42230	Varicella-Zoster Culture	Other	Shell Vial Culture	나416	B4160006		546.65	35,700	35,700	560.25	37,310	37,310	▲
42740	Varicella-Zoster DNA(PCR)	EDTA Blood	PCR				-	-	26,330	-	-	27,250	▲
42050	Varicella-Zoster IgG(ELISA)	SST Serum	ELISA	나468나(1)	C4682496		266.76	17,420	17,420	270.11	17,990	17,990	▲
42051	Varicella-Zoster IgG(ELISA)	CSF	ELISA	나468나(1)	C4682496		266.76	17,420	17,420	270.11	17,990	17,990	▲
42060	Varicella-Zoster IgM(ELISA)	SST Serum	ELISA	나468나(2)	C4683496		259.16	16,920	16,920	259.99	17,320	17,320	▲
42061	Varicella-Zoster IgM(ELISA)	CSF	ELISA	나468나(2)	C4683496		259.16	16,920	16,920	259.99	17,320	17,320	▲
42090	Varicella-Zoster(CF)	SST Serum	CF			국외	-	-	15,680	-	-	16,150	▲
42091	Varicella-Zoster(CF)	CSF	CF			국외	-	-	15,680	-	-	16,150	▲
50925	VDRL	SST Serum		나460	C4600		17.88	1,170	1,170	18.11	1,210	1,210	▲
50926	VDRL 정량	SST Serum		나460주	C4601		33.57	2,190	2,190	33.30	2,220	2,220	▲
80609	Verhoeff Stain	Tissue		나553다	C5533		122.36	7,990	7,990	123.07	8,200	8,200	▲
11205	Very long chain fatty acid	Hp Plasma	GC/MSD	나445	C4450		1120.18	73,150	73,150	1124.06	74,860	74,860	▲
11200	Very long chain fatty acid	Hp Plasma	GC/MSD			국외	-	-	261,250	-	-	269,090	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
29230	VHL exon deletion	EDTA Blood	MLPA	노595	CZ828		-	-	416,000	-	-	428,480	▲
27283	VHL gene mutation analysis	EDTA Blood	Sequencing	노595	CZ595		-	-	250,000	-	-	257,500	▲
51000	Vi Aq	SST Serum	IFA	나466나	C4662066		203.46	13,290	13,290	203.63	13,560	13,560	▲
70930	Vibrio Culture	Stool		나405가	B4051		158.13	10,330	10,330	163.15	10,870	10,870	▲
81290	Vimentin(IHC)	Tissue	Immunohistoche mistrv	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
01120	VIP	전용용기 혈장	RIA	노200	CZ200	국외	-	-	360,530	-	-	371,350	▲
11340	Vitamin A	SST Serum	HPLC	너153자	CY169006		439.34	28,690	28,690	441.06	29,370	29,370	▲
11360	Vitamin B1	EDTA Blood	HPLC	너153	CY160006		439.34	28,690	28,690	441.06	29,370	29,370	▲
11396	Vitamin B12 (ECLIA)	SST Serum	ECLIA	나253나	C2532		231.61	15,120	15,120	238.41	15,880	15,880	▲
11400	Vitamin B12 Binding capacity	SST Serum	RIA			국외	-	-	250,800	-	-	258,320	▲
11370	Vitamin B2	EDTA Blood	HPLC/FLD	너153나주1	CY161006		439.34	28,690	28,690	441.06	29,370	29,370	▲
11386	Vitamin B6 (PLP)	EDTA Plasma	HPLC/FLD	너153다	CY162006		439.34	28,690	28,690	441.06	29,370	29,370	▲
11410	Vitamin C	Hp Plasma	HPLC	너153자	CY169006		439.34	28,690	28,690	441.06	29,370	29,370	▲
11415	Vitamin C	SST Serum	HPLC	너153자	CY169006		439.34	28,690	28,690	441.06	29,370	29,370	▲
11420	Vitamin E	SST Serum	HPLC	너153바	CY166006		439.34	28,690	28,690	441.06	29,370	29,370	▲
11430	Vitamin E Fraction	SST Serum	HPLC			국외	-	-	313,500	-	-	322,910	▲
11440	Vitamin K Fraction	SC Plasma	HPLC			국외	-	-	152,150	-	-	156,710	▲
00920	VMA 정량	24hr Urine	HPLC	나321나(2)	CX223006		310.20	20,260	20,260	335.52	22,350	22,350	▲
00925	VMA 정량	EDTA Plasma	HPLC			국외	-	-	34,490	-	-	35,520	▲
00910	VMA 정성	Random Urine	Colorimetry	나321가	C3211		14.96	980	980	13.68	910	910	▼
80607	Von Kossa Stain	Tissue		나553다	C5533		122.36	7,990	7,990	123.07	8,200	8,200	▲
30820	von Willebrand F.Activity	SC Plasma	ELISA	나187나	B1872		204.66	13,360	13,360	206.49	13,750	13,750	▲
30830	von-Willebrand's Antigen	SC Plasma	ELISA	나187가	B1871		176.96	11,560	11,560	175.55	11,690	11,690	▲
30845	vWF multimer analysis	SC Plasma	Electrophoresis	너88	BX088006		497.07	32,460	32,460	484.97	32,300	32,300	▼
42231	VZV culture (조직)	Tissue	Culture	나416	B4160006		546.65	35,700	35,700	560.25	37,310	37,310	▲
65790	Warfarin	EDTA Plasma	LC/MS/MS	나450나(4)	CX375696		542.51	35,430	35,430	570.54	38,000	38,000	▲
30001	WBC	EDTA Blood	자동혈구계산법	나105	B1050		10.73	700	700	10.86	720	720	▲
52511	West nile virus (NIH)	SST Serum					-	-	0	-	-	0	
70960	Wet Smear	Other		나4주	B0042		9.82	640	640	9.48	630	630	▼
50980	Widal Test	SST Serum	응집법	나464	C4640		39.41	2,570	2,570	40.83	2,720	2,720	▲
50990	Widal test (Para A B)	SST Serum	응집법	나464	C4640		39.41	2,570	2,570	40.83	2,720	2,720	▲
26270	Wilson disease, ATP7B gene	EDTA Blood	Sequencing	노595	CZ612		-	-	276,000	-	-	284,280	▲
26271	Wilson disease, ATP7B gene	EDTA Blood	Sequencing	노595	CZ612		-	-	650,000	-	-	669,500	▲
26272	Wilson disease,ATP7B whole	EDTA Blood	Sequencing	노595	CZ612		-	-	869,000	-	-	895,070	▲
27610	Wiskott-Aldrich syndrome	EDTA Blood	Sequencing	노595	CZ633		-	-	534,000	-	-	550,020	▲
29260	WT1 gene: Wilms tumor	EDTA Blood	Sequencing				-	-	385,000	-	-	396,550	▲
25760	Y-Chromosome(SRY gene)	EDTA Blood	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
25761	Y-Chromosome(SRY gene)	Bone Marrow	PCR	나595아	C5956006		403.21	26,330	26,330	409.20	27,250	27,250	▲
71090	Yersinia Culture	Stool	Culture	너301라	BY309006		363.17	23,720	23,720	403.18	26,850	26,850	▲
51010	Yersinia Enterocolitica O3 Ab	SST Serum	PA	나466가	C4661030		123.13	8,040	8,040	118.09	7,860	7,860	▼

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
51011	Yersinia Enterocolitica O3 Ab	Amniotic Fluid	PA	나466가	C4661030		123.13	8,040	8,040	118.09	7,860	7,860	▼
51020	Yersinia Pseudotuberculosis	SST Serum	PA	나466가	C4661030		123.13	8,040	8,040	118.09	7,860	7,860	▼
51021	Yersinia Pseudotuberculosis	Amniotic Fluid	PA	나466가	C4661030		123.13	8,040	8,040	118.09	7,860	7,860	▼
01830	Yo autoantibodies	SST Serum	Western blot			국외	-	-	600,880	-	-	618,910	▲
01831	Yo autoantibodies	CSF	Western blot			국외	-	-	600,880	-	-	618,910	▲
12855	Zinc(Zn)	Trace Serum	ICP/MS	나452나(2)	C4523670		306.17	19,990	19,990	309.81	20,630	20,630	▲
12856	Zinc(Zn)	24hr Urine	ICP/MS	나452나(2)	C4523670		306.17	19,990	19,990	309.81	20,630	20,630	▲
11810	Zinc-Protoporphyrin	EDTA Blood		너43	BX043		29.30	1,910	1,910	28.47	1,900	1,900	▼
65380	Zonisamide	Plain Serum	HPLC	나450나(3)	CX374690		262.87	17,170	17,170	313.25	20,860	20,860	▲
10480	ZTT(Zinc Sulfate Turbidity)	SST Serum	TIA				-	-	1,570	-	-	1,620	▲
01390	α- ANP	전용용기 혈장	CLIA	노195	CZ195	국외	-	-	90,130	-	-	92,830	▲
20380	α1-Acidglycoprotein	SST Serum	Nephelometry			국외	-	-	60,090	-	-	61,890	▲
84802	α1-Acidglycoprotein	SST Serum	Nephelometry			국외	-	-	60,090	-	-	60,090	
20400	α1-Antitrypsin	SST Serum	TIA	나222	C2220		119.12	7,780	7,780	121.47	8,090	8,090	▲
20405	α1-Antitrypsin	Stool	Nephelometry	나222	C2220		119.12	7,780	7,780	121.47	8,090	8,090	▲
20406	α1-antitrypsin clearance	복수검체	Nephelometry	나222	C2220		119.12	15,560	15,560	121.47	16,180	16,180	▲
20410	α1-Microglobulin	SST Serum	Latex			국외	-	-	47,030	-	-	48,440	▲
20411	α1-Microglobulin	Random Urine	Latex			국외	-	-	47,030	-	-	48,440	▲
20420	α2-Macroglobulin	SST Serum	Nephelometry			국외	-	-	51,680	-	-	53,230	▲
13200	α-Galactosidase	EDTA Blood	Fluorometry	노329	CZ329		-	-	120,180	-	-	123,790	▲
13205	α-Galactosidase A (Fabry)	Hp Blood	Fluorometry	노329	CZ329		-	-	60,000	-	-	61,800	▲
29370	α-Galactosidase A (Fabry)	EDTA Blood	Sequencing				-	-	92,000	-	-	94,760	▲
00170	α-Subunit	SST Serum	RIA	노203	CZ203		-	-	47,030	-	-	48,440	▲
01420	β2-Microglobulin	SST Serum	RIA	나223주	C7223		152.78	9,980	9,980	161.12	10,730	10,730	▲
01421	β2-Microglobulin	Random Urine	RIA	나223주	C7223		152.78	9,980	9,980	161.12	10,730	10,730	▲
20365	β2-transferrin	Other	Electrophoresis			국외	-	-	545,540	-	-	561,910	▲
11450	β-Carotene	SST Serum	HPLC			국외	-	-	198,290	-	-	204,240	▲
81530	β-catenin(IHC)	Tissue	Immunohistochemistry	나557	C5575006		466.94	30,490	30,490	463.89	30,900	30,900	▲
13080	β-Galactosidase	Hp Blood	Fluorometry	노323	CZ323		-	-	45,700	-	-	47,070	▲
13180	β-Glucosidase(Gaucher's)	EDTA Blood	Enzyme	노324	CZ324		-	-	60,090	-	-	61,890	▲
02000	β-hCG (RIA)	SST Serum	RIA	나352주	C7352		173.76	11,350	11,350	195.53	13,020	13,020	▲
11210	β-Lipoprotein	SST Serum	Enzyme	나247	C2470		107.52	7,020	7,020	108.60	7,230	7,230	▲
25770	β-Thalassemia	EDTA Blood	Sequencing	나599	C5991~2006		-	187,590	187,590	-	192,300	192,300	▲
25771	β-Thalassemia	Bone Marrow	Sequencing	나599	C5991006외		-	187,590	187,590	-	192,300	192,300	▲
25772	β-Thalassemia	EDTA Blood	Sequencing	나599나(1)	C5992006		1986.42	129,710	129,710	1992.19	132,680	132,680	▲
30980	β-Thromboglobulin	전용용기 혈장	EIA			국외	-	-	56,950	-	-	58,660	▲
10500	γ- GTP	SST Serum	Enzyme	나271	B2710		43.93	2,870	2,870	43.42	2,890	2,890	▲
12630	γ-Aminobutylic acid	Hp Plasma	HPLC			국외	-	-	91,960	-	-	94,720	▲
20720	γ-GTP isoenzyme	SST Serum	Electrophoresis			국외	-	-	28,840	-	-	29,710	▲
01790	γ-Sm	SST Serum	EIA			국외	-	-	84,120	-	-	86,640	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2010년 수가			2011년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
11820	δ-ALA	Random Urine	Colorimetry	나450나(1)	C4503390		144.47	9,430	9,430	134.68	8,970	8,970	▼
11821	δ-ALA	24hr Urine	Colorimetry	나450나(1)	C4503390		144.47	9,430	9,430	134.68	8,970	8,970	▼