

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
11230	1,25-(OH) ₂ Vitamin D	SST Serum	RIA	너153마	CY705	109.88	7,180	7,180	149	9,920	9,920	▲
20000	1,5-Anhydroglucitol	SST Serum	Enzyme	너273	CX273	239.26	15,620	15,620	187	12,450	12,450	▼
11670	17a-OH Progesterone	Blood Paper	FIA	나347	C3470	157.16	10,260	10,260	154.55	10,290	10,290	▲
00590	17-KS	24hr Urine	Spectrophotomet	나324나(3)	C3247	139.77	9,130	9,130	131.05	8,730	8,730	▼
00610	17-OHCS	24hr Urine	Spectrophotomet	나324나(2)	C3246	138.18	9,020	9,020	128.94	8,590	8,590	▼
00410	17α-OH-Progesterone	SST Serum	RIA	나347주	C7347	151.71	9,910	9,910	150.12	10,000	10,000	▲
00411	17α-OH-Progesterone	EDTA Plasma	RIA	나347주	C7347	151.71	9,910	9,910	150.12	10,000	10,000	▲
11830	2,5-Hexanedione	Random Urine	GC/NPD	나451나(3)	CY373290	399.4	26,080	26,080	281.02	18,720	18,720	▼
11250	25-OH Vitamin D	SST Serum	CLIA	너153마	CY155	109.88	7,180	7,180	90.15	6,000	6,000	▼
00825	5-HIAA 정량	24hr Urine	ELISA	나322나(2)	C3223	219.1	14,310	14,310	226.68	15,100	15,100	▲
00826	5-HIAA 정량	Random Urine	ELISA	나322나(2)	C3223	219.1	14,310	14,310	226.68	15,100	15,100	▲
00810	5-HIAA 정성	Random Urine	Colorimetry	나322가	C3221	18.97	1,240	1,240	17.44	1,160	1,160	▼
12920	갈락토스혈증	Blood Paper	ECA	너341가	CY411	26.86	1,750	1,750	18.42	1,230	1,230	▼
12891	단풍당뇨증(ECA)	Blood Paper	ECA	나443나1	CY441	36.46	2,380	2,380	27.23	1,810	1,810	▼
80000	부인과적 세포검사	Cervix	Pap stain	나592	C5920	90.27	5,890	5,890	89.65	5,970	5,970	▲
70970	분변충란검사	Stool	검경법	나61다	B0613	20.99	1,370	1,370	21.4	1,430	1,430	▲
80662	수술시응급 동결절편(>7)	Tissue		나551다	C5513	801.6	52,340	52,340	800.95	53,340	53,340	▲
80290	수술시응급 동결절편(1-2)	Tissue		나551가	C5511	388.98	25,400	25,400	384.7	25,620	25,620	▲
80649	수술시응급 동결절편(3-6)	Tissue		나551나	C5512	576.87	37,670	37,670	568.26	37,850	37,850	▲
80015	액상자궁경부세포검사	Cervix		너541	CX541	368.41	24,060	24,060	368.46	24,540	24,540	▲
80700	액상자궁경부세포검사	Cervix	Pap stain	너541	CX541	368.41	24,060	24,060	368.46	24,540	24,540	▲
80720	액상자궁경부세포-Cytofast	Cervix	Pap stain	너541	CX541	368.41	24,060	24,060	368.46	24,540	24,540	▲
70006	요일반검사 4종	Random Urine	Strip	나1	B0010	10.45	680	680	12.06	800	800	▲
70005	요일반검사 7종	Random Urine	Strip	나2	B0020	13.05	850	850	14.7	980	980	▲
70000	요일반검사10종	Random Urine	Strip	나3	B0030	20.17	1,320	1,320	24.21	1,610	1,610	▲
71010	요충란검사(Scotch tape)	Other	검경법	나62	B0620	16.12	1,050	1,050	16.42	1,090	1,090	▲
70015	요침사현미경검사	Random Urine	검경법	나4	B0041	11.12	730	730	11.21	750	750	▲
10690	임신성당뇨(100g)-120min	NaF Plasma	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10700	임신성당뇨(100g)-180min	NaF Plasma	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10680	임신성당뇨(100g)-60min	NaF Plasma	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10670	임신성당뇨(100g)-PBS	NaF Plasma	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10660	임신성당뇨(50g)-60min	NaF Plasma	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10640	임신성당뇨100g부하시험	NaF Plasma	Enzyme	나371나	C3711	20.32	5,320	5,320	18.81	5,000	5,000	▼
10650	임신성당뇨50+100부하시험	NaF Plasma	Enzyme	나371나	C3711	20.32	6,650	6,650	18.81	6,250	6,250	▼
81316	전자현미경검사	Tissue		나555	C5550	1280.59	83,620	83,620	1197.53	79,760	79,760	▼
82018	조직 (≥13)	Tissue		나550가(5)	C5915	687.25	44,880	44,880	687.25	45,770	45,770	▲
82017	조직 (10-12)	Tissue		나550가(4)	C5914	589.09	38,470	38,470	589.09	39,230	39,230	▲
82014	조직 (1-3)	Tissue		나550가(1)	C5911	282.35	18,440	18,440	282.35	18,800	18,800	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2010년 수가			2011년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
82015	조직 (4-6)	Tissue		나550가(2)	C5912	380.51	24,850	24,850	380.51	25,340	25,340	▲
82016	조직 (7-9)	Tissue		나550가(3)	C5913	478.66	31,260	31,260	478.66	31,880	31,880	▲
82037	조직 악성(≤15)	Tissue		나550다(1)	C5500	783.64	51,170	51,170	783.64	52,190	52,190	▲
82035	조직 악성(≤20)	Tissue		나550다(1)	C5918	1072.19	70,010	70,010	1072.19	71,410	71,410	▲
82038	조직 악성(≥16)	Tissue		나550다(2)	C5504	1096.92	71,630	71,630	1096.92	73,050	73,050	▲
82036	조직 악성(≥21)	Tissue		나550다(2)	C5919	1602.34	104,630	104,630	1602.34	106,720	106,720	▲
82024	조직 절편(≤6)	Tissue		나550나(1)	C5916	445.87	29,120	29,120	445.87	29,690	29,690	▲
82211	조직 절편(≤6)+ 절편(≥7)	Tissue		나550	C5916+C5917	0	70,710	70,710	0	72,100	72,100	▲
82205	조직 절편(≤6)×2	Tissue		나550나(1)	C5916×2	445.87	58,240	58,240	445.87	59,380	59,380	▲
82025	조직 절편(≥7)	Tissue		나550나(2)	C5917	636.85	41,590	41,590	636.85	42,410	42,410	▲
82089	조직(≥13)+ Stain	Tissue		나550+나	C5915+C5533	0	52,870	52,870	0	53,970	53,970	▲
82088	조직(10-12)+ Stain	Tissue		나550+나	C5914+C5533	0	46,460	46,460	0	47,430	47,430	▲
82200	조직(1-3)+ 악성(≤20)	Tissue		나550	C5911+C5918	0	88,450	88,450	0	90,210	90,210	▲
82190	조직(1-3)+ 절편(≤6)	Tissue		나550	C5911+C5916	0	47,560	47,560	0	48,490	48,490	▲
82085	조직(1-3)+ Stain	Tissue		나550+C553	C5911+C5533	0	26,430	26,430	0	27,000	27,000	▲
82191	조직(1-3)×2	Tissue		나550가(1)	C5911×2	282.35	36,880	36,880	282.35	37,600	37,600	▲
82086	조직(4-6)+ Stain	Tissue		나550+나	C5912+C5533	0	32,840	32,840	0	33,540	33,540	▲
82087	조직(7-9)+ Stain	Tissue		나550+나	C5913+C5533	0	39,250	39,250	0	40,080	40,080	▲
80240	조직구축학적검사	Tissue		나550라(1)	C5505	1658.74	108,320	108,320	1658.74	110,470	110,470	▲
82050	조직구축학적검사	Tissue		나550라(1)	C5505	1658.74	108,320	108,320	1658.74	110,470	110,470	▲
80681	조직내호르몬수용체×2	Tissue		나559	C5590	517.64	67,600	67,600	473.77	63,100	63,100	▼
80680	조직내호르몬수용체검사	Other		나559	C5590	517.64	33,800	33,800	473.77	31,550	31,550	▼
80660	조직면역형광현미경검사	Other		나554가	C5541	288.58	18,840	18,840	269.27	17,930	17,930	▼
80670	조직전자현미경검사	Other		나555	C5550	1280.59	83,620	83,620	1197.53	79,760	79,760	▼
80672	조직전자현미경검사	Other		나555	C5550	1280.59	83,620	83,620	1197.53	79,760	79,760	▼
80020	체액세포병리검사	Sputum	Pap stain	나593가	C5930	101.11	6,600	6,600	96.93	6,460	6,460	▼
80025	체액세포병리검사	Other	Pap stain	나593가	C5930	101.11	6,600	6,600	96.93	6,460	6,460	▼
80021	체액세포병리검사(Cytospin)	Sputum	Pap stain	나593나	C5931	104.57	6,830	6,830	101.16	6,740	6,740	▼
13190	총삼염화물(TTC)	Random Urine	GC/ECD	나451나(3)	CY373290	399.4	26,080	26,080	281.02	18,720	18,720	▼
82070	탈회(Decalcification)	Tissue		나550주1	C5509	51.69	3,380	3,380	49.3	3,280	3,280	▼
12881	페닐케톤뇨증(ECA)	Blood Paper	ECA	나443나1	C4411	29.56	1,930	1,930	27.24	1,810	1,810	▼
30231	혈액형 동정검사	복수검체		나206나	B2062006	218.05	14,240	14,240	230.57	15,360	15,360	▲
30261	혈액형 아형검사	복수검체		나201가외	B2000 외	0	18,890	18,890	0	19,190	19,190	▲
70700	혈기성 배양	Other		나405가	B4051	158.13	10,330	10,330	163.15	10,870	10,870	▲
12910	호모시스틴뇨증	Blood Paper	Bioassay	나443나1	CX342	36.46	2,380	2,380	27.23	1,810	1,810	▼
42252	호흡기바이러스 culture 2종	Other	Shell Vial Culture	나416	B4160006	546.65	71,400	71,400	560.25	74,620	74,620	▲
42253	호흡기바이러스 culture 3종	Other	Shell Vial Culture	나416	B4160006	546.65	107,100	107,100	560.25	111,930	111,930	▲
42254	호흡기바이러스 culture 4종	Other	Shell Vial Culture	나416	B4160006	546.65	142,800	142,800	560.25	149,240	149,240	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
42255	호흡기바이러스 culture 5종	Other	Shell Vial Culture	나416	B4160006	546.65	178,500	178,500	560.25	186,550	186,550	▲
42256	호흡기바이러스 culture 6종	Other	Culture	나416	B4160006	546.65	214,200	214,200	560.25	223,860	223,860	▲
80030	흡인세포 병리검사	Thyroid	Pap stain	나594-1	C5941	176.82	11,550	11,550	178.74	11,900	11,900	▲
80035	흡인세포 병리검사	Other	Pap stain	나594-1	C5941	176.82	11,550	11,550	178.74	11,900	11,900	▲
80038	흡인세포 병리검사	Other	Pap stain	나594-1	C5941	176.82	11,550	11,550	178.74	11,900	11,900	▲
80039	흡인세포 병리검사 판독	Other		나594-1	C5941009	35.36	2,310	2,310	35.75	2,380	2,380	▲
80036	흡인세포 병리검사_조직절편	Other		나594-1	C5942	239.09	15,610	15,610	239.59	15,960	15,960	▲
71100	흡충란검사 (Trematodes)	Stool	검경법	나64	B0641	51.62	3,370	3,370	51.32	3,420	3,420	▲
10840	A/CCR	복수검체	계산법	나261+C375	B2611+C3750	0	8,020	8,020	0	7,940	7,940	▼
10020	A/G ratio	SST Serum	계산법	나220+C221	C2200+C2210	0	0	2,970	0	2,850	2,850	▼
10021	A/G ratio	Body Fluid	계산법	나220+C230	C2200+C2302	0	0	14,560	0	14,790	14,790	▲
30290	Ab Elution	EDTA Blood		나211	B2110006	61.56	4,020	4,020	55.95	3,730	3,730	▼
30230	Ab Identification Test	복수검체		나206나	B2062006외	0	24,450	24,450	0	26,180	26,180	▲
30220	Ab Screening test	SST Serum	Column	나206가	B2061006	95.43	6,230	6,230	99.48	6,630	6,630	▲
30253	ABO(Back)Typing	SST Serum	Manual	나201나	B2010	13.26	870	870	13.87	920	920	▲
30250	ABO(Front)Typing	EDTA Blood	Manual	나201가	B2000	13.03	850	850	13.87	920	920	▲
30251	ABO(Front)Typing	Capillary	Manual	나201가	B2000	13.03	850	850	13.87	920	920	▲
30252	ABO(Front)Typing	Cord Blood	Manual	나201가	B2000	13.03	850	850	13.87	920	920	▲
10190	ACE	SST Serum	Colorimetry	나273	B2731	277.92	18,150	18,150	250.42	16,680	16,680	▼
10191	ACE	Other	Colorimetry	나273	B2731	277.92	18,150	18,150	250.42	16,680	16,680	▼
65490	Acetaminophen	SST Serum	Enzyme	나450나(1)	C4503390	144.47	9,430	9,430	134.68	8,970	8,970	▼
25310	Achondroplasia	Amniotic Fluid	PCR-RFLP	너562바	CY626006	416.68	54,420	54,420	466.42	62,120	62,120	▲
01140	Ach-r-Binding Ab	SST Serum	RIA	너450주	CX747	133.69	8,730	8,730	137.4	9,150	9,150	▲
30120	Acid phosphatase stain	Bone Marrow Slide	Stain	나118가	B1182006	84.01	5,490	5,490	83.61	5,570	5,570	▲
10200	ACP	SST Serum	Colorimetry	나260가	B2601	22	1,440	1,440	20.14	1,340	1,340	▼
10201	ACP	분비물	Colorimetry	나260가	B2601	22	1,440	1,440	20.14	1,340	1,340	▼
00015	ACTH (ECLIA)	EDTA Plasma	ECLIA	나359	C3590	196.95	12,860	12,860	193.42	12,880	12,880	▲
80860	ACTH (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
00041	ACTH-10회	EDTA Plasma	ECLIA	나359	C3590	196.95	12,860	12,860	193.42	12,880	12,880	▲
00042	ACTH-11회	EDTA Plasma	ECLIA	나359	C3590	196.95	12,860	12,860	193.42	12,880	12,880	▲
00043	ACTH-12회	EDTA Plasma	ECLIA	나359	C3590	196.95	12,860	12,860	193.42	12,880	12,880	▲
00044	ACTH-13회	EDTA Plasma	ECLIA	나359	C3590	196.95	12,860	12,860	193.42	12,880	12,880	▲
00045	ACTH-14회	EDTA Plasma	ECLIA	나359	C3590	196.95	12,860	12,860	193.42	12,880	12,880	▲
00046	ACTH-15회	EDTA Plasma	ECLIA	나359	C3590	196.95	12,860	12,860	193.42	12,880	12,880	▲
00021	ACTH-1회	EDTA Plasma	ECLIA	나359	C3590	196.95	12,860	12,860	193.42	12,880	12,880	▲
00022	ACTH-2회	EDTA Plasma	ECLIA	나359	C3590	196.95	12,860	12,860	193.42	12,880	12,880	▲
00023	ACTH-3회	EDTA Plasma	ECLIA	나359	C3590	196.95	12,860	12,860	193.42	12,880	12,880	▲
00024	ACTH-4회	EDTA Plasma	ECLIA	나359	C3590	196.95	12,860	12,860	193.42	12,880	12,880	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2010년 수가			2011년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
00025	ACTH-5회	EDTA Plasma	ECLIA	나359	C3590	196.95	12,860	12,860	193.42	12,880	12,880	▲
00026	ACTH-6회	EDTA Plasma	ECLIA	나359	C3590	196.95	12,860	12,860	193.42	12,880	12,880	▲
00027	ACTH-7회	EDTA Plasma	ECLIA	나359	C3590	196.95	12,860	12,860	193.42	12,880	12,880	▲
00028	ACTH-8회	EDTA Plasma	ECLIA	나359	C3590	196.95	12,860	12,860	193.42	12,880	12,880	▲
00029	ACTH-9회	EDTA Plasma	ECLIA	나359	C3590	196.95	12,860	12,860	193.42	12,880	12,880	▲
30960	Activated PTT	SC Plasma	Clot-based	나153	B1530	42.77	2,790	2,790	43.76	2,910	2,910	▲
26234	Acute Leukemia panel	Bone Marrow	Flow Cytometry	나512	C5120006	447.99	526,500	526,500	449.61	538,920	538,920	▲
10210	ADA	SST Serum	Colorimetry	나272	B2721	167.07	10,910	10,910	165.68	11,030	11,030	▲
10211	ADA	CSF	Colorimetry	나272	B2721	167.07	10,910	10,910	165.68	11,030	11,030	▲
10212	ADA	Body Fluid	Colorimetry	나272	B2721	167.07	10,910	10,910	165.68	11,030	11,030	▲
71240	Addis count	Random Urine	검경법	나6	B0060	27.23	1,780	1,780	27.13	1,810	1,810	▲
42815	Adenovirus Ag(DFA)	Other	DFA	나469	C4690516	203.1	13,260	13,260	203.16	13,530	13,530	▲
42105	Adenovirus culture	Other	Shell Vial Culture	나416	B4160006	546.65	35,700	35,700	560.25	37,310	37,310	▲
42106	Adenovirus culture(tissue)	Tissue	Culture	나416	B4160006	546.65	35,700	35,700	560.25	37,310	37,310	▲
40255	Adenovirus IgG	SST Serum	ELISA	나468나(1)	C4682516	266.76	17,420	17,420	270.11	17,990	17,990	▲
40256	Adenovirus IgG	CSF	ELISA	나468나(1)	C4682516	266.76	17,420	17,420	270.11	17,990	17,990	▲
40260	Adenovirus IgM	SST Serum	EIA	나468나(2)	C4683516	259.16	16,920	16,920	259.99	17,320	17,320	▲
40261	Adenovirus IgM	CSF	EIA	나468나(2)	C4683516	259.16	16,920	16,920	259.99	17,320	17,320	▲
42107	Adenovirus rapid culture	Other	Culture	나416	B4160006	546.65	35,700	35,700	560.25	37,310	37,310	▲
00030	ADH	EDTA Plasma	RIA	나365주	C7365	160.33	10,470	10,470	122.68	8,170	8,170	▼
25020	AFAFP	Amniotic Fluid		나421나	C4212	172.86	11,290	11,290	172.24	11,470	11,470	▲
25030	AFAFP	Amniotic Fluid		나421나	C4212	172.86	11,290	11,290	172.24	11,470	11,470	▲
25040	AFAFP	Amniotic Fluid		나421나	C4212	172.86	11,290	11,290	172.24	11,470	11,470	▲
70410	AFB Culture	Sputum	Culture	나405나(1)	B4054	192.4	12,560	12,560	192.4	12,810	12,810	▲
70420	AFB Culture	Sputum	Culture	나405나(1)	B4054	192.4	12,560	12,560	192.4	12,810	12,810	▲
70450	AFB Culture(액체 + 고체배지)	Sputum	Culture	나405나	B4054+B4055	0	25,120	25,120	0	25,620	25,620	▲
70441	AFB Culture(액체배지)	Sputum	Culture	나405나	B4055	192.4	12,560	12,560	192.4	12,810	12,810	▲
70605	AFB Identification	균주	PRA	너562너	CY636006	416.68	27,210	27,210	484.26	32,250	32,250	▲
70607	AFB Identification	균주	PRA	너562너	CY636006	416.68	27,210	27,210	484.26	32,250	32,250	▲
70430	AFB Sensitivity	균주	절대농도법	나406다(2)	B4064	522.61	34,130	34,130	543.31	36,180	36,180	▲
70500	AFB Sensitivity (결핵협회)	균주	절대농도법	나406다(2)	B4064	522.61	34,130	34,130	543.31	36,180	36,180	▲
70512	AFB Sensitivity (INH)	Sputum	Hybridization	나595-1나2	CY752006	581.83	37,990	37,990	626.96	41,760	41,760	▲
70511	AFB Sensitivity (RFP)	Sputum	Hybridization	나595-1나1	CY751006	581.83	37,990	37,990	626.96	41,760	41,760	▲
70510	AFB Sensitivity (RFP,INH)	Sputum	Hybridization	나595-1나	CY751006외	0	75,980	75,980	0	83,520	83,520	▲
70320	AFB Stain	Sputum		나402	B4021	48.3	3,150	3,150	47.4	3,160	3,160	▲
70321	AFB Stain	Other		나402	B4021	48.3	3,150	3,150	47.4	3,160	3,160	▲
82090	AFB Stain	Tissue		나553다	C5533	122.36	7,990	7,990	123.07	8,200	8,200	▲
70400	AFB Stain & Culture	Sputum		너304+나	BX304+B4054	0	16,760	16,760	0	17,680	17,680	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
70330	AFB Stain(형광 법)	Sputum	형광 염색법	너304	BX304	64.27	4,200	4,200	73.12	4,870	4,870	▲
80606	AFB Stain(T&C)	Tissue		나553나	C5533	122.36	7,990	7,990	123.07	8,200	8,200	▲
80602	AFB Stain(Tissue)	Tissue		나553다	C5533	122.36	7,990	7,990	123.07	8,200	8,200	▲
01410	AFP (정성)	SST Serum	ICA	나421가	C4211	61.14	3,990	3,990	55.48	3,690	3,690	▼
01405	AFP (ECLIA)	SST Serum	ECLIA	나421나	C4212	172.86	11,290	11,290	172.24	11,470	11,470	▲
01406	AFP (ECLIA)	EDTA Plasma	ECLIA	나421나	C4212	172.86	11,290	11,290	172.24	11,470	11,470	▲
01407	AFP (ECLIA)	Body Fluid	ECLIA	나421나	C4212	172.86	11,290	11,290	172.24	11,470	11,470	▲
81560	AFP (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
01415	AFP(CLIA)	SST Serum	CLIA	나421나	C4212	172.86	11,290	11,290	172.24	11,470	11,470	▲
10000	Albumin	SST Serum	Colorimetry	나221	C2210	25.33	1,650	1,650	23.88	1,590	1,590	▼
10001	Albumin	24hr Urine	TIA	나230나	C2302	202.83	13,240	13,240	203.09	13,530	13,530	▲
10002	Albumin	Random Urine	TIA	나230나	C2302	202.83	13,240	13,240	203.09	13,530	13,530	▲
10003	Albumin	CSF	TIA	나230나	C2302	202.83	13,240	13,240	203.09	13,530	13,530	▲
10004	Albumin	Body Fluid	Colorimetry	나230나	C2302	202.83	13,240	13,240	203.09	13,530	13,530	▲
82120	Alcian Blue(mucin) Stain	Tissue		나553다	C5533	122.36	7,990	7,990	123.07	8,200	8,200	▲
11890	Alcohol	SST Serum	Enzyme	나450나(1)	C4503390	144.47	9,430	9,430	134.68	8,970	8,970	▼
11891	Alcohol	EDTA Plasma	Enzyme	나450나(1)	C4503390	144.47	9,430	9,430	134.68	8,970	8,970	▼
11892	Alcohol	Random Urine	Enzyme	나450나(1)	C4503390	144.47	9,430	9,430	134.68	8,970	8,970	▼
10220	Aldolase	SST Serum	Enzyme	나269	B2690	68.93	4,500	4,500	60.89	4,060	4,060	▼
00650	Aldosterone (RIA)	SST Serum	RIA	나358주	C7358	177.58	11,600	11,600	142.14	9,470	9,470	▼
00651	Aldosterone (RIA)	EDTA Plasma	RIA	나358주	C7358	177.58	11,600	11,600	142.14	9,470	9,470	▼
00655	Aldosterone (RIA)	24hr Urine	RIA	나358주	C7358	177.58	11,600	11,600	142.14	9,470	9,470	▼
00661	Aldosterone 1회	SST Serum	RIA	나358주	C7358	177.58	11,600	11,600	142.14	9,470	9,470	▼
00662	Aldosterone 2회	SST Serum	RIA	나358주	C7358	177.58	11,600	11,600	142.14	9,470	9,470	▼
00663	Aldosterone 3회	SST Serum	RIA	나358주	C7358	177.58	11,600	11,600	142.14	9,470	9,470	▼
00664	Aldosterone 4회	SST Serum	RIA	나358주	C7358	177.58	11,600	11,600	142.14	9,470	9,470	▼
00665	Aldosterone 5회	SST Serum	RIA	나358주	C7358	177.58	11,600	11,600	142.14	9,470	9,470	▼
00666	Aldosterone 6회	SST Serum	RIA	나358주	C7358	177.58	11,600	11,600	142.14	9,470	9,470	▼
10230	ALP	SST Serum	Enzyme	나260나	B2602	24.03	1,570	1,570	22.06	1,470	1,470	▼
10231	ALP	Body Fluid	Enzyme	나260나	B2602	24.03	1,570	1,570	22.06	1,470	1,470	▼
20560	ALP Isoenzyme	SST Serum	Electrophoresis	나305	B3050006	177.08	11,560	11,560	177.65	11,830	11,830	▲
12670	Aluminium(Al)	Trace Serum	AAS	나452나(2)	C4523990	306.17	19,990	19,990	309.81	20,630	20,630	▲
12671	Aluminium(Al)	24hr Urine	AAS	나452나(2)	C4523990	306.17	19,990	19,990	309.81	20,630	20,630	▲
65170	Amikacin	SST Serum	FPIA	나450나(2)	C4504390	243.15	15,880	15,880	247.78	16,500	16,500	▲
13015	Amino Acid 분석	Hp Plasma	LC/MS/MS	나443나(3)	C4433006	1142.52	74,610	74,610	1173.22	78,140	78,140	▲
13016	Amino Acid 분석	EDTA Plasma	LC/MS/MS	나443나(3)	C4433006	1142.52	74,610	74,610	1173.22	78,140	78,140	▲
13017	Amino Acid 분석	Random Urine	LC/MS/MS	나443나(3)	C4433006	1142.52	74,610	74,610	1173.22	78,140	78,140	▲
13018	Amino Acid 분석	CSF	LC/MS/MS	나443나(3)	C4433006	1142.52	74,610	74,610	1173.22	78,140	78,140	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	2010년 수가					2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
65500	Amiodarone	SST Serum	LC/MS/MS	나450나(2)	C4504390	243.15	15,880	15,880	247.78	16,500	16,500	▲
65511	Amitriptyline	Plain Blood	LC/MS/MS	나450나(4)	CX375696	542.51	35,430	35,430	570.54	38,000	38,000	▲
25320	AML1/ETO (nested RT-PCR)	EDTA Blood	Nested RT-PCR	나597마	C5975006	1573.83	102,770	102,770	1601.91	106,690	106,690	▲
25321	AML1/ETO (nested RT-PCR)	Bone Marrow	Nested RT-PCR	나597마	C5975006	1573.83	102,770	102,770	1601.91	106,690	106,690	▲
10850	Ammonia (NH3)	EDTA Plasma	Enzyme	나387	C3870	66.37	4,330	4,330	64.58	4,300	4,300	▼
65390	Amphetamine	Random Urine	ICA	나450가(2)	C4502390	124.57	8,130	8,130	118.13	7,870	7,870	▼
10240	Amylase	SST Serum	Enzyme	나261가	B2611	41.67	2,720	2,720	41.29	2,750	2,750	▲
10241	Amylase	Random Urine	Enzyme	나261가	B2611	41.67	2,720	2,720	41.29	2,750	2,750	▲
10242	Amylase	24hr Urine	Enzyme	나261가	B2611	41.67	2,720	2,720	41.29	2,750	2,750	▲
10243	Amylase	Body Fluid	Enzyme	나261가	B2611	41.67	2,720	2,720	41.29	2,750	2,750	▲
10250	Amylase clearance	복수검체	계산법	나261 외	B2611 외	0	0	8,020	0	7,940	7,940	▼
20570	Amylase Isoenzyme	SST Serum	Electrophoresis	나306	B3060006	152.41	9,950	9,950	144.53	9,630	9,630	▼
20571	Amylase Isoenzyme	Body Fluid	Electrophoresis	나306	B3060006	152.41	9,950	9,950	144.53	9,630	9,630	▼
51030	ANA (IFA)	SST Serum	IFA	나491나	C4912006	148.85	9,720	9,720	153.05	10,190	10,190	▲
51031	ANA (IFA)	Body Fluid	IFA	나491나	C4912006	148.85	9,720	9,720	153.05	10,190	10,190	▲
51040	ANA 정량	SST Serum	IFA	나491나주	C4913006	278.33	18,170	18,170	280.3	18,670	18,670	▲
51041	ANA 정량	Body Fluid	IFA	나491나주	C4913006	278.33	18,170	18,170	280.3	18,670	18,670	▲
51061	ANCA (MPO) 정량	SST Serum	ELISA	너447나	CY472006	234.99	15,340	15,340	216.9	14,450	14,450	▼
51062	ANCA (PR3) 정량	SST Serum	ELISA	너447가	CY471006	234.99	15,340	15,340	216.9	14,450	14,450	▼
51060	ANCA 정량	SST Serum	ELISA	너447주1	CY471~2006	0	30,680	30,680	0	28,900	28,900	▼
51050	ANCA 정성	SST Serum	ELISA	나499	C4991006	161.99	10,580	10,580	162.66	10,830	10,830	▲
12930	Anion GAP	SST Serum	계산법	나379+C381	C3791~3+C38	0	0	6,440	0	6,350	6,350	▼
51100	Anti Cardiolipin IgA	SST Serum	ELISA	나503나(3)	C5034	248.9	16,250	16,250	255.56	17,020	17,020	▲
51080	Anti Cardiolipin IgG	SST Serum	ELISA	나503나(1)	C5032	248.9	16,250	16,250	255.56	17,020	17,020	▲
51090	Anti Cardiolipin IgM	SST Serum	ELISA	나503나(2)	C5033	248.9	16,250	16,250	255.56	17,020	17,020	▲
51130	Anti centromere Ab	SST Serum	IFA	너443사	CY449006	616.68	40,270	40,270	547.71	36,480	36,480	▼
51145	Anti centromere Ab(EIA)	SST Serum	EIA	너443사	CY449006	616.68	40,270	40,270	547.71	36,480	36,480	▼
51150	Anti dsDNA Ab (CLIA)	SST Serum	CLIA	나492나	C4922	250.42	16,350	16,350	252.56	16,820	16,820	▲
51151	Anti dsDNA Ab (CLIA)	Body Fluid	CLIA	나492나	C4922	250.42	16,350	16,350	252.56	16,820	16,820	▲
51152	Anti dsDNA Ab (IRMA)	SST Serum	IRMA	나492나	C7492	235.83	15,400	15,400	236.52	15,750	15,750	▲
51160	Anti dsDNA IgG	SST Serum	ELISA	나492나	C4922	250.42	16,350	16,350	252.56	16,820	16,820	▲
51170	Anti dsDNA IgM	SST Serum	ELISA	나492나	C4922	250.42	16,350	16,350	252.56	16,820	16,820	▲
51171	Anti dsDNA IgM	EDTA Plasma	ELISA	나492나	C4922	250.42	16,350	16,350	252.56	16,820	16,820	▲
51200	Anti ENA Ab	SST Serum	PA	너443차	CY452006	616.68	40,270	40,270	549.3	36,580	36,580	▼
70795	Anti fungal susceptibility	Other	MIC	나406나	B4062	174.96	11,420	11,420	178.35	11,880	11,880	▲
51220	Anti GAD Ab	SST Serum	RIA	너441주	CX744	868.56	56,720	56,720	572.74	38,140	38,140	▼
51221	Anti GAD Ab	CSF	RIA	너441주	CX744	868.56	56,720	56,720	572.74	38,140	38,140	▼
51230	Anti GBM Ab	SST Serum	ELISA	너451	CX451	122.08	7,970	7,970	125.21	8,340	8,340	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
30300	Anti globulin Test	EDTA Blood		나204가주	B2047006	60.9	3,980	3,980	62.9	4,190	4,190	▲
51270	Anti intrinsic factor Ab	SST Serum	EIA	너452	CX452	122.07	7,970	7,970	121.18	8,070	8,070	▲
51320	Anti Jo-1 Ab(EIA)	SST Serum	EIA	너443바	CY448006	616.68	40,270	40,270	570.41	37,990	37,990	▼
51360	Anti LKM Ab	SST Serum	IFA	너455	CX455	393.15	25,670	25,670	347.72	23,160	23,160	▼
50370	Anti M.tuberculosis Ab	SST Serum	ICA	나466가	C4661190	123.13	8,040	8,040	118.09	7,860	7,860	▼
01885	Anti Microsome(TPO) Ab	SST Serum	ECLIA	나495나	C4952	213.03	13,910	13,910	218.3	14,540	14,540	▲
51380	Anti Mitochondrial Ab(IFA)	SST Serum	IFA	나496나	C4962	131.18	8,570	8,570	131.82	8,780	8,780	▲
52640	Anti neutrophil Ab	EDTA Blood	Flow Cytometry	나505	C5050	100.01	6,530	6,530	92.1	6,130	6,130	▼
51420	Anti Parietal cell Ab	SST Serum	IFA	나504	C5040	98.45	6,430	6,430	88.24	5,880	5,880	▼
51450	Anti Phospholipid IgG	SC Plasma	ELISA	나498나(1)	C4982006	265.3	17,320	17,320	269.8	17,970	17,970	▲
51451	Anti Phospholipid IgG	SST Serum	ELISA	나498나(1)	C4982006	265.3	17,320	17,320	269.8	17,970	17,970	▲
51460	Anti Phospholipid IgM	SC Plasma	ELISA	나498나(2)	C4983006	265.75	17,350	17,350	270.4	18,010	18,010	▲
51461	Anti Phospholipid IgM	SST Serum	ELISA	나498나(2)	C4983006	265.75	17,350	17,350	270.4	18,010	18,010	▲
51480	Anti Platelet Ab	SST Serum	IFA	나501나	C5012006	242.4	15,830	15,830	246.92	16,440	16,440	▲
51520	Anti RNP Ab	SST Serum	EIA	너443나	CY444006	407.02	26,580	26,580	401.82	26,760	26,760	▲
51521	Anti RNP Ab	EDTA Plasma	EIA	너443나	CY444006	407.02	26,580	26,580	401.82	26,760	26,760	▲
51535	Anti Scl-70 Ab(EIA)	SST Serum	EIA	너443마	CY447006	616.68	40,270	40,270	594.69	39,610	39,610	▼
51550	Anti Sm Ab	SST Serum	EIA	너443가	CY443006	407.02	26,580	26,580	410.82	27,360	27,360	▲
51560	Anti Smooth Muscle Ab(IFA)	SST Serum	IFA	나497나	C4972	130.35	8,510	8,510	130.71	8,710	8,710	▲
51570	Anti sperm Ab	SST Serum	IBT	나735나	E7352	266.15	17,380	17,380	154.87	10,310	10,310	▼
51580	Anti SS-A/Ro Ab	SST Serum	EIA	너443다	CY445006	407.02	26,580	26,580	410.83	27,360	27,360	▲
51590	Anti SS-B/La Ab	SST Serum	EIA	너443라	CY446006	407.02	26,580	26,580	410.85	27,360	27,360	▲
50395	Anti Tetanus Ab	SST Serum	ICA	나466나	C4662196	203.46	13,290	13,290	203.63	13,560	13,560	▲
30870	Anti thrombin III(%)	SC Plasma	Chromogenic	나158	B1580	111.28	7,270	7,270	111.5	7,430	7,430	▲
31120	Anti Xa LMWH test(Heparin)	SC Plasma		나163-1나	B1634	173.83	11,350	11,350	180.33	12,010	12,010	▲
52030	Anti β2-GP1 IgG Ab	SST Serum	ELISA	나506가	C5061	228.16	14,900	14,900	255.56	17,020	17,020	▲
52035	Anti β2-GP1 IgM Ab	SST Serum	ELISA	나506가	C5062	228.16	14,900	14,900	255.56	17,020	17,020	▲
30860	Antithrombin III	SC Plasma	TIA	나158	B1580	111.28	7,270	7,270	111.5	7,430	7,430	▲
31100	APCR	SC Plasma	Clot-based	너89	BX089	278.89	18,210	18,210	330.08	21,980	21,980	▲
10940	Apolipoprotein A I	SST Serum	TIA	나246가	C2461	102.08	6,670	6,670	102.32	6,810	6,810	▲
10950	Apolipoprotein AII	SST Serum	TIA	나246가	C2461	102.08	6,670	6,670	102.32	6,810	6,810	▲
10960	Apolipoprotein B	SST Serum	TIA	나246나	C2462	104.12	6,800	6,800	105.27	7,010	7,010	▲
10970	Apolipoprotein CII	SST Serum	TIA	나246다	C2463	105.92	6,920	6,920	107.67	7,170	7,170	▲
10980	Apolipoprotein CIII	SST Serum	TIA	나246다	C2463	105.92	6,920	6,920	107.67	7,170	7,170	▲
10990	Apolipoprotein E	SST Serum	TIA	나246라	C2464	105.31	6,880	6,880	106.86	7,120	7,120	▲
25330	Apolipoprotein E Genotype	EDTA Blood	PCR	너572	CX572006	833.29	54,410	54,410	906.44	60,370	60,370	▲
20430	Apt test	Stool	Colorimetry	나124	B1240	7.82	510	510	11.51	770	770	▲
20431	Apt test	Other	Colorimetry	나124	B1240	7.82	510	510	11.51	770	770	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
12681	Arsenic(AS)	24hr Urine	AAS	나452나(2)	C4523990	306.17	19,990	19,990	309.81	20,630	20,630	▲
12682	Arsenic(AS)	Random Urine	AAS	나452나(2)	C4523990	306.17	19,990	19,990	309.81	20,630	20,630	▲
50410	ASO 정량	SST Serum	TIA	나463나	C4633	105.61	6,900	6,900	106.53	7,090	7,090	▲
50400	ASO(Latex)	SST Serum	TIA	나463가	C4631	33.76	2,200	2,200	31.27	2,080	2,080	▼
50411	ASO(Titer)	Body Fluid	TIA	나463나	C4633	105.61	6,900	6,900	106.53	7,090	7,090	▲
50445	Aspergillus Ab IgG	SST Serum	EIA	나467나	C4672236	195.36	12,760	12,760	192.85	12,840	12,840	▲
50455	Aspergillus Ag	SST Serum	EIA	나475나	C4752996	293.16	19,140	19,140	300.61	20,020	20,020	▲
80070	Aspiration cell cyto&block	Other		나594-1	C5942	239.09	15,610	15,610	239.59	15,960	15,960	▲
65520	Aspirin (Salicylic acid)	SST Serum	TDX	나450나(1)	C4503390	144.47	9,430	9,430	134.68	8,970	8,970	▼
11925	Auto hemolysis test	복수검체	Colorimetry	나114	B1140006	120.99	7,900	7,900	120.24	8,010	8,010	▲
27570	B cell confirm test	EDTA Blood	Flow Cytometry	나512	C5120006	447.99	117,000	117,000	449.61	119,760	119,760	▲
10890	B/C ratio	SST Serum	계산법	나373+C375	C3730+C3750	0	0	2,890	0	2,750	2,750	▼
50460	Bacterial Ag	CSF	Latex	나408	B4080	90.9	29,700	29,700	85.21	28,350	28,350	▼
65180	Barbiturate	Random Urine	ICA	나450가(2)	C4502070	124.57	8,130	8,130	118.13	7,870	7,870	▼
25900	B-Cell Stain(CD20)(IHC)	Blood Smear Slide	IFA	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
81070	BCL2 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81071	BCL2 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81080	BCL6 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
70030	Bence-Jones Protein 정성	Random Urine	Precipitation	나227가	C2271	16.17	1,060	1,060	14.75	980	980	▼
65190	Benzodiazepine	Random Urine	ICA	나450가(2)	C4502080	124.57	8,130	8,130	118.13	7,870	7,870	▼
11930	Bile Acid	SST Serum	Enzyme	너272	CX272	239.28	15,620	15,620	176.71	11,770	11,770	▼
11931	Bile Acid	Bile	Enzyme	너272	CX272	239.28	15,620	15,620	176.71	11,770	11,770	▼
80209	Biopsy (≥13)	Tissue		나550가(5)	C5915	687.25	44,880	44,880	687.25	45,770	45,770	▲
80208	Biopsy (10-12)	Tissue		나550가(4)	C5914	589.09	38,470	38,470	589.09	39,230	39,230	▲
80205	Biopsy (1-3)	Tissue		나550가(1)	C5911	282.35	18,440	18,440	282.35	18,800	18,800	▲
80211	Biopsy (1-3)×2	Tissue		나550가(1)	C5911	282.35	36,880	36,880	282.35	37,600	37,600	▲
80206	Biopsy (4-6)	Tissue		나550가(2)	C5912	380.51	24,850	24,850	380.51	25,340	25,340	▲
80207	Biopsy (7-9)	Tissue		나550가(3)	C5913	478.66	31,260	31,260	478.66	31,880	31,880	▲
80231	Biopsy 악성(≤15)	Tissue		나550다(1)	C5500	783.64	51,170	51,170	783.64	52,190	52,190	▲
80221	Biopsy 악성(≤20)	Tissue		나550다(1)	C5918	1072.19	70,010	70,010	1072.19	71,410	71,410	▲
80570	Biopsy 악성(≤20)+호르몬*2	Tissue		나550+나	C5918+C5590	0	137,610	137,610	0	134,510	134,510	▼
80232	Biopsy 악성(≥16)	Tissue		나550다(2)	C5504	1096.92	71,630	71,630	1096.92	73,050	73,050	▲
80222	Biopsy 악성(≥21)	Tissue		나550다(2)	C5919	1602.34	104,630	104,630	1602.34	106,720	106,720	▲
80571	Biopsy 악성(≥21)+호르몬*2	Tissue		나550+나	C5919+C5590	0	172,230	172,230	0	169,820	169,820	▼
80213	Biopsy 절편(≤6)	Tissue		나550나(1)	C5916	445.87	29,120	29,120	445.87	29,690	29,690	▲
80215	Biopsy 절편(≤6)×2	Tissue		나550나(1)	C5916	445.87	58,240	58,240	445.87	59,380	59,380	▲
80214	Biopsy 절편(≥7)	Tissue		나550나(2)	C5917	636.85	41,590	41,590	636.85	42,410	42,410	▲
80630	Biopsy(≥13)+Stain	Tissue		나550외	C5915+C5533	0	52,870	52,870	0	53,970	53,970	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
80629	Biopsy(10-12)+Stain	Tissue		나550외	C5914+C5533	0	46,460	46,460	0	47,430	47,430	▲
80625	Biopsy(1-3)+조직호르몬×2	Tissue		나550+나	C5911+C5590	0	86,040	86,040	0	81,900	81,900	▼
80621	Biopsy(1-3)+Stain	Tissue		나550+나	C5911+C5533	0	26,430	26,430	0	27,000	27,000	▲
80622	Biopsy(1-3)+Stain*2	Tissue		나550+나	C5911+C5533	0	34,420	34,420	0	35,200	35,200	▲
80623	Biopsy(1-3)+Stain*3	Tissue		나550+나	C5911+C5533	0	42,410	42,410	0	43,400	43,400	▲
80624	Biopsy(1-3)+Stain*4	Tissue		나550+나	C5911+C5533	0	50,400	50,400	0	51,600	51,600	▲
80626	Biopsy(4-6)+Stain	Tissue		나550외	C5912+C5533	0	32,840	32,840	0	33,540	33,540	▲
80628	Biopsy(7-9)+Stain	Tissue		나550외	C5913+C5533	0	39,250	39,250	0	40,080	40,080	▲
80645	biopsy구축학적검사(1)	Tissue		나550라(1)	C5505	1658.74	108,320	108,320	1658.74	110,470	110,470	▲
80646	biopsy구축학적검사(2)	Tissue		나550라(2)	C5508	1128.59	73,700	73,700	1128.59	75,160	75,160	▲
80635	Biopsy절편(≤6)+호르몬×2	Tissue		나550+나	C5916+C5590	0	96,720	96,720	0	92,790	92,790	▼
80631	Biopsy절편(≤6)+Stain	Tissue		나550+나	C5916+C5533	0	37,110	37,110	0	37,890	37,890	▲
80632	Biopsy절편(≤6)+Stain×2	Tissue		나550+나	C5916+C5533	0	45,100	45,100	0	46,090	46,090	▲
80633	Biopsy절편(≤6)+Stain×3	Tissue		나550+나	C5916+C5533	0	53,090	53,090	0	54,290	54,290	▲
80634	Biopsy절편(≤6)+Stain×4	Tissue		나550+나	C5916+C5533	0	61,080	61,080	0	62,490	62,490	▲
80520	Biopsy탈회과정(S)	Tissue		나550	C5509외	0	21,820	21,820	0	22,080	22,080	▲
30010	Blood Cell Morphology	EDTA Blood	Manual	나110	B1100006	68.66	4,480	4,480	72.09	4,800	4,800	▲
70230	Blood Culture	Blood	Culture	나405가	B4051	158.13	10,330	10,330	163.15	10,870	10,870	▲
71020	Body Fluid Analysis	Body Fluid	Manual	나51	B0510	49.02	3,200	3,200	50.45	3,360	3,360	▲
71021	Body Fluid Analysis(Joint)	Joint Fluid	Manual	나51	B0510	49.02	3,200	3,200	50.45	3,360	3,360	▲
71060	Body Fluid Cell count	Body Fluid	Manual	나51	B0510	49.02	3,200	3,200	50.45	3,360	3,360	▲
11941	Bone ALP	SST Serum	CLIA	나398	C3980	125.07	8,170	8,170	108.23	7,210	7,210	▼
30135	Bone Marrow Consultant	Bone Marrow Slide		나111가주1	B1113	443.74	28,980	28,980	478.35	31,860	31,860	▲
30130	Bone Marrow Examination	Bone Marrow Slide	Manual	나111가주1	B1113	443.74	28,980	28,980	478.35	31,860	31,860	▲
80550	Bone Section	Tissue		나552	C5520	377.12	24,630	24,630	361.88	24,100	24,100	▼
25350	BRCA1	EDTA Blood	DHPLC	나599나(4)	CY713006	5911.54	386,020	386,020	7282.19	484,990	484,990	▲
25360	BRCA2	EDTA Blood	DHPLC	나599나(4)	CY714006	5911.54	386,020	386,020	7282.19	484,990	484,990	▲
10860	BUN	SST Serum	Enzyme	나373	C3730	24.46	1,600	1,600	22.98	1,530	1,530	▼
10861	BUN	24hr Urine	Enzyme	나373	C3730	24.46	1,600	1,600	22.98	1,530	1,530	▼
10862	BUN	Random Urine	Enzyme	나373	C3730	24.46	1,600	1,600	22.98	1,530	1,530	▼
70727	C. difficile culture	Stool	Culture	너302가	BY021	154.65	10,100	10,100	176.14	11,730	11,730	▲
70725	C. difficile toxin A,B	Stool	ELFA	너302나	BY022	122.08	7,970	7,970	131.94	8,790	8,790	▲
20020	C1q	SST Serum	RID	나226사	C2267	105.21	6,870	6,870	106.72	7,110	7,110	▲
20040	C3	SST Serum	TIA	나226가	C2261	105.13	6,860	6,860	106.61	7,100	7,100	▲
20070	C4	SST Serum	TIA	나226나	C2262	104.1	6,800	6,800	105.25	7,010	7,010	▲
01485	CA 72-4	SST Serum	RIA	나426주	C7426	224.38	14,650	14,650	268.6	17,890	17,890	▲
01482	CA 72-4 (ECLIA)	SST Serum	ECLIA	나426	C4260	281.68	18,390	18,390	280.83	18,700	18,700	▲
10090	Ca++	SST Serum	Electrode	나379바	C3796	78.36	5,120	5,120	79.7	5,310	5,310	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2010년 수가			2011년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
10091	Ca++	Hp Plasma	Electrode	나379바	C3796	78.36	5,120	5,120	79.7	5,310	5,310	▲
01495	CA125 (ECLIA)	SST Serum	ECLIA	나424	C4240	253.45	16,550	16,550	253.45	16,880	16,880	▲
80900	CA125 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
01455	CA15-3 (ECLIA)	SST Serum	ECLIA	나433	C4330	252.22	16,470	16,470	251.81	16,770	16,770	▲
01465	CA19-9 (ECLIA)	SST Serum	ECLIA	나423	C4230	261.22	17,060	17,060	262.29	17,470	17,470	▲
01466	CA19-9 (ECLIA)	Body Fluid	ECLIA	나423	C4230	261.22	17,060	17,060	262.29	17,470	17,470	▲
12692	Cadmium(Cd)	Trace EDTA Blood	ICP/MS	나452나(2)	C4523650	306.17	19,990	19,990	309.81	20,630	20,630	▲
12693	Cadmium(Cd)	24hr Urine	ICP/MS	나452나(2)	C4523650	306.17	19,990	19,990	309.81	20,630	20,630	▲
28080	CAG repeats of Androgen R	EDTA Blood	PCR Fragment	너573마	CY539006	953.51	62,260	62,260	1150.44	76,620	76,620	▲
01900	Calcitonin	SST Serum	RIA	나356주	C7356	200.18	13,070	13,070	165.18	11,000	11,000	▼
81190	Calcitonin(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
01911	Calcitonin-1회	SST Serum	RIA	나356주	C7356	200.18	13,070	13,070	165.18	11,000	11,000	▼
01912	Calcitonin-2회	SST Serum	RIA	나356주	C7356	200.18	13,070	13,070	165.18	11,000	11,000	▼
01913	Calcitonin-3회	SST Serum	RIA	나356주	C7356	200.18	13,070	13,070	165.18	11,000	11,000	▼
01914	Calcitonin-4회	SST Serum	RIA	나356주	C7356	200.18	13,070	13,070	165.18	11,000	11,000	▼
01915	Calcitonin-5회	SST Serum	RIA	나356주	C7356	200.18	13,070	13,070	165.18	11,000	11,000	▼
01916	Calcitonin-6회	SST Serum	RIA	나356주	C7356	200.18	13,070	13,070	165.18	11,000	11,000	▼
01917	Calcitonin-7회	SST Serum	RIA	나356주	C7356	200.18	13,070	13,070	165.18	11,000	11,000	▼
01918	Calcitonin-8회	SST Serum	RIA	나356주	C7356	200.18	13,070	13,070	165.18	11,000	11,000	▼
10070	Calcium (Ca)	SST Serum	Colorimetry	나379마	C3795	18	1,180	1,180	16.96	1,130	1,130	▼
10071	Calcium (Ca)	24hr Urine	Colorimetry	나379마	C3795	18	1,180	1,180	16.96	1,130	1,130	▼
10072	Calcium (Ca)	Random Urine	Colorimetry	나379마	C3795	18	1,180	1,180	16.96	1,130	1,130	▼
71050	Campylobacter Culture	Stool	Culture	너301라	BY309006	363.17	23,720	23,720	403.18	26,850	26,850	▲
50542	Candida Aq 정성	SST Serum	Latex	나408	B4080	90.9	5,940	5,940	85.21	5,670	5,670	▼
42695	Candida albicans PCR	분비물	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
65400	Cannabinoids 정성	Random Urine	ICA	나450가(2)	C4502390	124.57	8,130	8,130	118.13	7,870	7,870	▼
65200	Carbamazepine	SST Serum	FPA	나450나(2)	C4504030	243.15	15,880	15,880	247.78	16,500	16,500	▲
20440	Carboxy Hemoglobin	EDTA Blood	Oximeter	나382다	C3823	53.71	3,510	3,510	53.93	3,590	3,590	▲
11010	Cardiac Risk Factor	SST Serum	계산법	나241+C242	C2411+C2420	0	0	6,940	0	6,950	6,950	▲
11265	Carnitine(Vitamin BT)	SST Serum	LC/MS/MS	너154	CY544	399.4	52,160	52,160	317.04	42,220	42,220	▼
11270	Carotene	SST Serum	Spectrophotomet	나255	C2550	57.58	3,760	3,760	54.33	3,620	3,620	▼
02043	Catecholamine 2F	EDTA Plasma	HPLC/ECD	너228		0	40520	40520	0	43,700	43,700	▲
02045	Catecholamine 2F	24hr Urine	HPLC	너228		0	40520	40520	0	43,700	43,700	▲
02053	Catecholamine 3F	EDTA Plasma	HPLC/ECD	너228		0	60780	60780	0	65,550	65,550	▲
02056	Catecholamine 3F	24hr Urine	HPLC	너228		0	60780	60780	0	65,550	65,550	▲
26220	CD 14	Bone Marrow	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
26256	CD 16 + CD 56	EDTA Blood	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
26250	CD 16 + CD 56 (NK cell)	EDTA Blood	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
25990	CD 19 (B cell)	EDTA Blood	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
25991	CD 19 (B cell)	Bone Marrow	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
25995	CD 19 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
25910	CD 2	EDTA Blood	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
26000	CD 20	EDTA Blood	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
26005	CD 20	EDTA Blood	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
80850	CD 21 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
27460	CD 25	Bone Marrow		나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
25925	CD 3 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
25926	CD 3 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
80840	CD 3 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80841	CD 3 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80843	CD 3 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
25920	CD 3 (T3)	EDTA Blood	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
25921	CD 3 (T3)	Bone Marrow	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
26025	CD 34	EDTA Blood	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
26020	CD 34 (Stem cell)	EDTA Blood	Flow Cytometry	나514	C5140006	724.53	70,970	70,970	737.42	73,670	73,670	▲
25935	CD 4 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
25936	CD 4 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
25930	CD 4 (T4)	EDTA Blood	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
25931	CD 4 (T4)	Bone Marrow	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
26030	CD 45	EDTA Blood		나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
80915	CD 5 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
51853	CD 68	Other		나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
25965	CD 8 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
25966	CD 8 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
25960	CD 8 (T8)	EDTA Blood	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
25961	CD 8 (T8)	Bone Marrow	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
81030	CD10 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
26190	CD117 (IHC)	Block	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
26195	CD117 (IHC)	Block	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81580	CD138 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80880	CD15 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80881	CD15 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81210	CD1a(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80930	CD20 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81240	CD20(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80931	CD21 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
80920	CD25 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81185	CD30 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81186	CD30 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81180	CD31(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81181	CD31(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81130	CD34(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81132	CD34(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81100	CD35 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81105	CD35 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81230	CD4(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81250	CD45,LCA(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81260	CD45,RO(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80910	CD5 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81090	CD56 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81091	CD56 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80950	CD68 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80890	CD79a (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
01535	CEA (ECLIA)	SST Serum	ECLIA	나422	C4220	230.65	15,060	15,060	230.54	15,350	15,350	▲
01536	CEA (ECLIA)	Body Fluid	ECLIA	나422	C4220	230.65	15,060	15,060	230.54	15,350	15,350	▲
81500	CEA (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80045	Cell block after Cyto Exam	Other		나594	C5940	145.11	9,480	9,480	133.42	8,890	8,890	▼
82150	Cell block after Cyto Exam	Other		나594	C5940	145.11	9,480	9,480	133.42	8,890	8,890	▼
27620	Cell culture (AF)	Amniotic Fluid	Culture	나498	CX498	366.25	23,920	23,920	472.91	31,500	31,500	▲
80980	C-erb B2(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
20160	Ceruloplasmin	SST Serum	TIA	나235	C2350	107.19	7,000	7,000	110.51	7,360	7,360	▲
20161	Ceruloplasmin	Hp Plasma	TIA	나235	C2350	107.19	7,000	7,000	110.51	7,360	7,360	▲
51640	CH50	SST Serum	Enzyme	나225	C2250	118.16	7,720	7,720	111.44	7,420	7,420	▼
50560	Chlamydia pneumonia IgG	SST Serum	IFA	나474나(1)	C4742816	205.72	13,430	13,430	206.65	13,760	13,760	▲
50570	Chlamydia pneumonia IgM	SST Serum	IFA	나474나(2)	C4743816	204.59	13,360	13,360	205.15	13,660	13,660	▲
42340	Chlamydia pneumonia PCR	Other	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
42240	Chlamydia trachomatis Ag	분비물	ELFA	나475나	C4752816	293.16	19,140	19,140	300.61	20,020	20,020	▲
50630	Chlamydia trachomatis IgG	SST Serum	EIA	나474나(1)	C4742816	205.72	13,430	13,430	206.65	13,760	13,760	▲
50640	Chlamydia trachomatis IgM	SST Serum	ELISA	나474나(2)	C4743816	204.59	13,360	13,360	205.15	13,660	13,660	▲
42330	Chlamydia trachomatis PCR	분비물	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
10100	Chloride(Cl)	SST Serum	ISE	나379다	C3793	17.42	1,140	1,140	16.05	1,070	1,070	▼
10101	Chloride(Cl)	24hr Urine	ISE	나379다	C3793	17.42	1,140	1,140	16.05	1,070	1,070	▼
10102	Chloride(Cl)	Random Urine	ISE	나379다	C3793	17.42	1,140	1,140	16.05	1,070	1,070	▼
11050	Cholesterol Ester 정량	SST Serum	계산법	나241나	C2412	20.79	1,360	1,360	18.86	1,260	1,260	▼

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2010년 수가			2011년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
11051	Cholesterol Ester 정량	Body Fluid	계산법	나241나	C2412	20.79	1,360	1,360	18.86	1,260	1,260	▼
10280	Cholinesterase(Pseudo)	SST Serum	Colorimetry	나270	B2700	50.75	3,310	3,310	45.32	3,020	3,020	▼
10290	Cholinesterase(RBC activity)	EDTA Blood	Enzyme	나270	B2700	50.75	3,310	3,310	45.32	3,020	3,020	▼
12700	Chromium(Cr)	Trace EDTA Blood	AAS	나452나(2)	C4523990	306.17	19,990	19,990	309.81	20,630	20,630	▲
12701	Chromium(Cr)	24hr Urine	AAS	나452나(2)	C4523990	306.17	19,990	19,990	309.81	20,630	20,630	▲
12702	Chromium(Cr)	Other	AAS	나452나(2)	C4523990	306.17	19,990	19,990	309.81	20,630	20,630	▲
81410	Chromoglanin (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
25102	Chromosome Analysis(BM)	Bone Marrow	Culture	나600-1	C6005006	1554.58	101,510	101,510	1606.12	106,970	106,970	▲
25104	Chromosome Analysis(CB)	Cord Blood	Culture	나600	C6001006	1135.28	74,130	74,130	1210.58	80,620	80,620	▲
25110	Chromosome analysis(Leukemia	Hp Blood	Culture	나600-1	C6005006	1554.58	101,510	101,510	1606.12	106,970	106,970	▲
25100	Chromosome Analysis(PB)	Hp Blood	Culture	나600	C6001006	1135.28	74,130	74,130	1210.58	80,620	80,620	▲
25122	Chromosome Test(BM)	Bone Marrow		나600-1	C6005006	1554.58	101,510	101,510	1606.12	106,970	106,970	▲
25124	Chromosome Test(CB)	Hp Blood		나600	C6001006	1135.28	74,130	74,130	1210.58	80,620	80,620	▲
25150	Chromosome Test(leukemiaB)	Hp Blood		나600-1	C6005006	1554.58	101,510	101,510	1606.12	106,970	106,970	▲
25120	Chromosome Test(PB)	Hp Blood		나600	C6001006	1135.28	74,130	74,130	1210.58	80,620	80,620	▲
25192	Chromosome(High Resolution	Bone Marrow	Culture	나600-2	C6006006	1590.33	103,850	103,850	1590.33	105,920	105,920	▲
25190	Chromosome(High Resolution)	Hp Blood	Culture	나600-2	C6006006	1590.33	103,850	103,850	1590.33	105,920	105,920	▲
26235	Chronic Leukemia panel	Bone Marrow	Flow Cytometry	나512	C5120006	447.99	526,500	526,500	449.61	538,920	538,920	▲
10520	Citrate	24hr Urine	Enzyme	나345가(2)	CY342	339.91	22,200	22,200	229.5	15,280	15,280	▼
10525	Citrate	SST Serum	UV	나345가(2)	CY342	339.91	22,200	22,200	229.5	15,280	15,280	▼
81060	CK (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81064	CK (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81062	CK 20 (Cytokeratin20)(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81061	CK 7 (Cytokeratin 7) (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81015	CK HMW(CK 1,5,10,14)(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81065	CK7 (Cytokeratin7)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
10316	CK-BB	SST Serum	Electrophoresis	나304	B3040006	167.97	10,970	10,970	165.79	11,040	11,040	▲
81140	C-kit (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81630	c-kit (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
10310	CK-MB 정량	SST Serum	ECLIA	나264	B2640	150.4	9,820	9,820	151.7	10,100	10,100	▲
10315	CK-MM	SST Serum	Electrophoresis	나304	B3040006	167.97	10,970	10,970	165.79	11,040	11,040	▲
65221	Clonazepam	Plain Blood	LC/MS/MS	나450	CX375696	542.51	35,430	35,430	570.54	38,000	38,000	▲
50849	Clonorchis IgG(BF)	Body Fluid	Micro-ELISA	나472나(1)	C4722796	271.19	17,710	17,710	270.18	17,990	17,990	▲
50845	Clonorchis IgG(S)	SST Serum	Micro-ELISA	나472나(1)	C4722796	271.19	17,710	17,710	270.18	17,990	17,990	▲
65770	Clozapine	SST Serum	LC/MS/MS	나450나(4)	CX375696	542.51	35,430	35,430	570.54	38,000	38,000	▲
25370	CML-major PCR	EDTA Blood	Nested RT-PCR	나597가	C5971006	1570.83	102,580	102,580	1597.93	106,420	106,420	▲
25371	CML-major PCR	Bone Marrow	Nested RT-PCR	나597가	C5971006	1570.83	102,580	102,580	1597.93	106,420	106,420	▲
25380	CML-minor PCR	EDTA Blood	Nested RT-PCR	나597나	C5972006	1573.83	102,770	102,770	1601.91	106,690	106,690	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
25381	CML-minor PCR	Bone Marrow	Nested RT-PCR	나597나	C5972006	1573.83	102,770	102,770	1601.91	106,690	106,690	▲
81510	CMV (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
42135	CMV culture	Other	Shell Vial Culture	나416	B4160006	546.65	35,700	35,700	560.25	37,310	37,310	▲
42350	CMV DNA(PCR)	EDTA Blood	PCR	나595가	C5951006	409.65	26,750	26,750	417.78	27,820	27,820	▲
40305	CMV IgG	SST Serum	CMIA	나468나(1)	C4682426	266.76	17,420	17,420	270.11	17,990	17,990	▲
40306	CMV IgG	CSF	CMIA	나468나(1)	C4682426	266.76	17,420	17,420	270.11	17,990	17,990	▲
40315	CMV IgM	SST Serum	CMIA	나468나(2)	C4683426	259.16	16,920	16,920	259.99	17,320	17,320	▲
40316	CMV IgM	CSF	CMIA	나468나(2)	C4683426	259.16	16,920	16,920	259.99	17,320	17,320	▲
10110	CO2>Total	SST Serum	Enzyme	나381나	C3812	45.04	2,940	2,940	45.02	3,000	3,000	▲
12710	Cobalt(Co)	Trace EDTA Blood	AAS	나452나(2)	C4523990	306.17	19,990	19,990	309.81	20,630	20,630	▲
12711	Cobalt(Co)	24hr Urine	AAS	나452나(2)	C4523990	306.17	19,990	19,990	309.81	20,630	20,630	▲
65410	Cocaine 정성	Random Urine	ICA	나450가(2)	C4502390	124.57	8,130	8,130	118.13	7,870	7,870	▼
50710	Cold Agglutin	SST Serum	HA	나209	B2090006	64.61	4,220	4,220	59.1	3,940	3,940	▼
30000	Complete Blood Count 8종	EDTA Blood	자동혈구계산법			0	4040	4040	0	4,150	4,150	▲
20506	Co-oximeter	EDTA Blood	Oximeter	나370	C3700	156.27	10,200	10,200	158.21	10,540	10,540	▲
12722	Copper(Cu)	Tissue	AAS	나452나(2)	C4527620	607.56	39,670	39,670	613.25	40,840	40,840	▲
12725	Copper(Cu)	Trace Serum	ICP/MS	나452나(2)	C4523620	306.17	19,990	19,990	309.81	20,630	20,630	▲
12726	Copper(Cu)	24hr Urine	ICP/MS	나452나(2)	C4523620	306.17	19,990	19,990	309.81	20,630	20,630	▲
11750	Coproporphyrin 정량	24hr Urine	Spectrophotomet	나389나(2)	C3893	175.41	11,450	11,450	177.74	11,840	11,840	▲
11740	Coproporphyrin 정성	Random Urine	Fluorometry	나389가	C3891	11.03	720	720	10.45	700	700	▼
10075	corrected Ca	SST Serum	계산법	나221 외	C2210 외	0	0	2,830	0	2,720	2,720	▼
00707	Cortisol (ECLIA)	SST Serum	ECLIA	나324나(4)	C3248	137.95	9,010	9,010	128.62	8,570	8,570	▼
00751	Cortisol 1회 (RIA)	SST Serum	RIA	나324나(4)	C7322	146.13	9,540	9,540	121.38	8,080	8,080	▼
00752	Cortisol 2회 (RIA)	SST Serum	RIA	나324나(4)	C7322	146.13	9,540	9,540	121.38	8,080	8,080	▼
00753	Cortisol 3회 (RIA)	SST Serum	RIA	나324나(4)	C7322	146.13	9,540	9,540	121.38	8,080	8,080	▼
00754	Cortisol 4회 (RIA)	SST Serum	RIA	나324나(4)	C7322	146.13	9,540	9,540	121.38	8,080	8,080	▼
00721	Cortisol-10회	SST Serum	ECLIA	나324나(4)	C3248	137.95	9,010	9,010	128.62	8,570	8,570	▼
00722	Cortisol-11회	SST Serum	ECLIA	나324나(4)	C3248	137.95	9,010	9,010	128.62	8,570	8,570	▼
00723	Cortisol-12회	SST Serum	ECLIA	나324나(4)	C3248	137.95	9,010	9,010	128.62	8,570	8,570	▼
00724	Cortisol-13회	SST Serum	ECLIA	나324나(4)	C3248	137.95	9,010	9,010	128.62	8,570	8,570	▼
00725	Cortisol-14회	SST Serum	ECLIA	나324나(4)	C3248	137.95	9,010	9,010	128.62	8,570	8,570	▼
00726	Cortisol-15회	SST Serum	ECLIA	나324나(4)	C3248	137.95	9,010	9,010	128.62	8,570	8,570	▼
00711	Cortisol-1회	SST Serum	ECLIA	나324나(4)	C3248	137.95	9,010	9,010	128.62	8,570	8,570	▼
00712	Cortisol-2회	SST Serum	ECLIA	나324나(4)	C3248	137.95	9,010	9,010	128.62	8,570	8,570	▼
00713	Cortisol-3회	SST Serum	ECLIA	나324나(4)	C3248	137.95	9,010	9,010	128.62	8,570	8,570	▼
00714	Cortisol-4회	SST Serum	ECLIA	나324나(4)	C3248	137.95	9,010	9,010	128.62	8,570	8,570	▼
00715	Cortisol-5회	SST Serum	ECLIA	나324나(4)	C3248	137.95	9,010	9,010	128.62	8,570	8,570	▼
00716	Cortisol-6회	SST Serum	ECLIA	나324나(4)	C3248	137.95	9,010	9,010	128.62	8,570	8,570	▼

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2010년 수가			2011년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
00717	Cortisol-7회	SST Serum	ECLIA	나324나(4)	C3248	137.95	9,010	9,010	128.62	8,570	8,570	▼
00718	Cortisol-8회	SST Serum	ECLIA	나324나(4)	C3248	137.95	9,010	9,010	128.62	8,570	8,570	▼
00719	Cortisol-9회	SST Serum	ECLIA	나324나(4)	C3248	137.95	9,010	9,010	128.62	8,570	8,570	▼
42120	Coxsackievirus culture	Other	Culture	나416	B4160006	546.65	35,700	35,700	560.25	37,310	37,310	▲
00965	C-peptide (ECLIA)	SST Serum	ECLIA	나343	C3430	196.42	12,830	12,830	199.48	13,290	13,290	▲
00966	C-peptide (ECLIA)	24hr Urine	ECLIA	나343	C3430	196.42	12,830	12,830	199.48	13,290	13,290	▲
00983	C-Peptide-10회	SST Serum	ECLIA	나343	C3430	196.42	12,830	12,830	199.48	13,290	13,290	▲
00984	C-Peptide-11회	SST Serum	ECLIA	나343	C3430	196.42	12,830	12,830	199.48	13,290	13,290	▲
00985	C-Peptide-12회	SST Serum	ECLIA	나343	C3430	196.42	12,830	12,830	199.48	13,290	13,290	▲
00986	C-Peptide-13회	SST Serum	ECLIA	나343	C3430	196.42	12,830	12,830	199.48	13,290	13,290	▲
00987	C-Peptide-14회	SST Serum	ECLIA	나343	C3430	196.42	12,830	12,830	199.48	13,290	13,290	▲
00988	C-Peptide-15회	SST Serum	ECLIA	나343	C3430	196.42	12,830	12,830	199.48	13,290	13,290	▲
00971	C-Peptide-1회	SST Serum	ECLIA	나343	C3430	196.42	12,830	12,830	199.48	13,290	13,290	▲
00972	C-Peptide-2회	SST Serum	ECLIA	나343	C3430	196.42	12,830	12,830	199.48	13,290	13,290	▲
00973	C-Peptide-3회	SST Serum	ECLIA	나343	C3430	196.42	12,830	12,830	199.48	13,290	13,290	▲
00974	C-Peptide-4회	SST Serum	ECLIA	나343	C3430	196.42	12,830	12,830	199.48	13,290	13,290	▲
00975	C-Peptide-5회	SST Serum	ECLIA	나343	C3430	196.42	12,830	12,830	199.48	13,290	13,290	▲
00976	C-Peptide-6회	SST Serum	ECLIA	나343	C3430	196.42	12,830	12,830	199.48	13,290	13,290	▲
00977	C-Peptide-7회	SST Serum	ECLIA	나343	C3430	196.42	12,830	12,830	199.48	13,290	13,290	▲
00978	C-Peptide-8회	SST Serum	ECLIA	나343	C3430	196.42	12,830	12,830	199.48	13,290	13,290	▲
00979	C-Peptide-9회	SST Serum	ECLIA	나343	C3430	196.42	12,830	12,830	199.48	13,290	13,290	▲
10300	CPK	SST Serum	Enzyme	나263	B2630	55.91	3,650	3,650	55.93	3,720	3,720	▲
10301	CPK	Body Fluid	Enzyme	나263	B2630	55.91	3,650	3,650	55.93	3,720	3,720	▲
20580	CPK Isoenzyme	SST Serum	Electrophoresis	나304	B3040006	167.97	10,970	10,970	165.79	11,040	11,040	▲
20581	CPK Isoenzyme	Body Fluid		나304	B3040006	167.97	10,970	10,970	165.79	11,040	11,040	▲
10900	Crea.Clearance Test	복수검체	계산법	나376	C3760	51.4	3,360	3,360	47.86	3,190	3,190	▼
10870	Creatine	SST Serum	Colorimetry	나377	C3770	24.2	1,580	1,580	21.68	1,440	1,440	▼
10871	Creatine	24hr Urine	Colorimetry	나377	C3770	24.2	1,580	1,580	21.68	1,440	1,440	▼
10872	Creatine	Random Urine	Colorimetry	나377	C3770	24.2	1,580	1,580	21.68	1,440	1,440	▼
10880	Creatinine	SST Serum	Enzyme	나375	C3750	19.77	1,290	1,290	18.25	1,220	1,220	▼
10881	Creatinine	24hr Urine	Enzyme	나375	C3750	19.77	1,290	1,290	18.25	1,220	1,220	▼
10882	Creatinine	Random Urine	Enzyme	나375	C3750	19.77	1,290	1,290	18.25	1,220	1,220	▼
31091	Cross matching	복수검체	Column	나205	B2050	47.3	3,090	3,090	49.31	3,280	3,280	▲
31090	Cross matching SET	복수검체	Column			0	10990	10990	0	11,710	11,710	▲
50720	CRP	SST Serum	TIA	나224가	C2241	24.17	1,580	1,580	21.79	1,450	1,450	▼
50721	CRP	CSF	TIA	나224가	C2241	24.17	1,580	1,580	21.79	1,450	1,450	▼
50730	CRP정량(HS-CRP)	SST Serum	TIA	나224나	C2243	105.01	6,860	6,860	105.73	7,040	7,040	▲
50731	CRP정량(HS-CRP)	CSF	TIA	나224나	C2243	105.01	6,860	6,860	105.73	7,040	7,040	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	2010년 수가			2011년 수가			증감		
				분류번호	보험기호	점수	보험가	의뢰가	점수		보험가	의뢰가
20170	Cryoglobulin 정성	SST Serum	Manual	나500가	C5001	31.28	2,040	2,040	31.26	2,080	2,080	▲
50740	Cryptococcus Ag	SST Serum	Latex	나408	B4080	90.9	5,940	5,940	85.21	5,670	5,670	▼
50741	Cryptococcus Ag	CSF	Latex	나408	B4080	90.9	5,940	5,940	85.21	5,670	5,670	▼
13010	CTx	SST Serum	ECLIA	나393-2	C3932	199.38	13,020	13,020	190.27	12,670	12,670	▼
70110	Culture	Other		나405가	B4051	158.13	10,330	10,330	163.15	10,870	10,870	▲
70120	Culture & Sensitivity	Other		나405가	B4051	158.13	10,330	10,330	163.15	10,870	10,870	▲
70150	Culture & Sensitivity(MIC)	Other	MIC	나405가	B4051	158.13	10,330	10,330	163.15	10,870	10,870	▲
80985	CXCL13 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81020	Cyclin D1 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
65550	Cyclosporin	EDTA Blood	RIA	나450나(2)	C7451150	206.42	13,480	13,480	215.72	14,370	14,370	▲
65551	Cyclosporin (LC-MS/MS)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696	542.51	35,430	35,430	570.54	38,000	38,000	▲
12980	Cystatin C	SST Serum	TIA	너131	CX131	85.83	5,600	5,600	106.91	7,120	7,120	▲
50846	Cysticercus IgG(BF)	Body Fluid	Micro-ELISA	나472나(1)	C4722796	271.19	17,710	17,710	270.18	17,990	17,990	▲
50851	Cysticercus IgG(CSF)	CSF	Micro-ELISA	나472나(1)	C4722796	271.19	17,710	17,710	270.18	17,990	17,990	▲
50842	Cysticercus IgG(S)	SST Serum	Micro-ELISA	나472나(1)	C4722796	271.19	17,710	17,710	270.18	17,990	17,990	▲
80055	Cytospin체액세포병리검사	Other	Pap stain	나593나	C5931	104.57	6,830	6,830	101.16	6,740	6,740	▼
30680	D-dimer 정량	SC Plasma	TIA	나172나	B1723	157.1	10,260	10,260	166.65	11,100	11,100	▲
31060	D-dimer 정성	SC Plasma	TIA	나172가	B1721	45.53	2,970	2,970	43.21	2,880	2,880	▼
12380	Deoxypyridinoline	Random Urine	RIA	나393	C3930	200.03	13,060	13,060	191.36	12,740	12,740	▼
65561	Desipramine	Plain Blood	LC/MS/MS	나450나(4)	CX375696	542.51	35,430	35,430	570.54	38,000	38,000	▲
81270	Desmin(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
00746	DHEA-S (ECLIA)	SST Serum	ECLIA	나364	C3640	250.06	16,330	16,330	254.48	16,950	16,950	▲
65235	Diazepam (LC-MS/MS)	SST Serum	LC/MS/MS	나450나(4)	CX375016	542.51	35,430	35,430	570.54	38,000	38,000	▲
30020	Differential Count	EDTA Blood	자동혈구계산법	나109가	B1091	25.53	1,670	1,670	25.43	1,690	1,690	▲
65051	Digoxin (ECLIA)	SST Serum	ECLIA	나450나(2)	C4504090	243.15	15,880	15,880	247.78	16,500	16,500	▲
10050	Direct Bilirubin	SST Serum	Colorimetry	나372나	C3721	20.06	1,310	1,310	18.8	1,250	1,250	▼
10051	Direct Bilirubin	Capillary	Colorimetry	나372나	C3721	20.06	1,310	1,310	18.8	1,250	1,250	▼
30320	Direct Coombs	EDTA Blood	Column	나204가주	B2041006	34.97	2,280	2,280	35.19	2,340	2,340	▲
31080	Direct Coombs Anti 4종	EDTA Blood		나204가	B2047106~406	0	15,920	15,920	0	16,760	16,760	▲
31070	Direct Coombs Anti C3d,IgG	EDTA Blood		나204가	B20471+406	0	7,960	7,960	0	8,380	8,380	▲
26210	DNA Floidy(DNA 배수성검사)	Block	Flow Cytometry	너551가	CY551006	678.99	44,340	44,340	675.46	44,990	44,990	▲
50715	Donath Landsteiner test	SST Serum		나210	B2100006	46.35	3,030	3,030	43.1	2,870	2,870	▼
00853	Dopamine	EDTA Plasma	HPLC/ECD	너228다	CY283006	310.2	20,260	20,260	328.04	21,850	21,850	▲
00855	Dopamine	24hr Urine	HPLC	너228다	CY283006	310.2	20,260	20,260	328.04	21,850	21,850	▲
27480	DRPLA	EDTA Blood	PCR-RFLP	너573다	CY533006	953.51	62,260	62,260	1150.44	76,620	76,620	▲
26840	DRPLA gene mutation	EDTA Blood		너573다	CY533006	953.51	62,260	62,260	1150.44	76,620	76,620	▲
65571	Drug profiling test	Random Urine	LC/MS/MS	나450가(4)	CX373	378.82	24,740	24,740	295.04	19,650	19,650	▼
30410	Du (Weak D) Test	EDTA Blood	Column	나202다	B2023	46.09	3,010	3,010	44.27	2,950	2,950	▼

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
30431	Duffy A 혈액형검사	EDTA Blood	Tube	나203	B2030006	77.45	5,060	5,060	73.81	4,920	4,920	▼
30432	Duffy B 혈액형검사	EDTA Blood	Tube	나203	B2030006	77.45	5,060	5,060	73.81	4,920	4,920	▼
29060	DYT1 (Dystonia I, torsion)	EDTA Blood	PCR-RFLP	너562	CY635006	416.68	27,210	27,210	460.19	30,650	30,650	▲
71220	E.coli O157 Culture	Other	Culture	너301라	BY309006	363.17	23,720	23,720	403.18	26,850	26,850	▲
70740	E.coli O157 PCR	Stool	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
50465	E.coli(Latex)	CSF	Latex	나408	B4080	90.9	5,940	5,940	85.21	5,670	5,670	▼
29350	E2A-PBX1 rearrangement	EDTA Blood	Nested RT-PCR	나597	C5974006	1573.83	102,770	102,770	1601.91	106,690	106,690	▲
42875	EBV EA-DR IgG	SST Serum	EIA	나468나(1)	C4682446	266.76	17,420	17,420	270.11	17,990	17,990	▲
42876	EBV EA-DR IgG	CSF	EIA	나468나(1)	C4682446	266.76	17,420	17,420	270.11	17,990	17,990	▲
42895	EBV EA-DR IgM	SST Serum	EIA	나468나(2)	C4683446	259.16	16,920	16,920	259.99	17,320	17,320	▲
42896	EBV EA-DR IgM	CSF	EIA	나468나(2)	C4683446	259.16	16,920	16,920	259.99	17,320	17,320	▲
42900	EBV EBNA IgG	SST Serum	EIA	나468나(1)	C4682456	266.76	17,420	17,420	270.11	17,990	17,990	▲
42901	EBV EBNA IgG	EDTA Plasma	EIA	나468나(1)	C4682456	266.76	17,420	17,420	270.11	17,990	17,990	▲
42902	EBV EBNA IgG	CSF	EIA	나468나(1)	C4682456	266.76	17,420	17,420	270.11	17,990	17,990	▲
42910	EBV EBNA IgM	SST Serum	EIA	나468나(2)	C4683456	259.16	16,920	16,920	259.99	17,320	17,320	▲
42911	EBV EBNA IgM	EDTA Plasma	EIA	나468나(2)	C4683456	259.16	16,920	16,920	259.99	17,320	17,320	▲
42912	EBV EBNA IgM	CSF	EIA	나468나(2)	C4683456	259.16	16,920	16,920	259.99	17,320	17,320	▲
42920	EBV PCR	EDTA Blood	Nested PCR	나595마	C5955006	385.98	25,200	25,200	386.27	25,730	25,730	▲
40835	EBV VCA IgG	SST Serum	EIA	나468나(1)	C4682436	266.76	17,420	17,420	270.11	17,990	17,990	▲
40836	EBV VCA IgG	CSF	EIA	나468나(1)	C4682436	266.76	17,420	17,420	270.11	17,990	17,990	▲
40845	EBV VCA IgM	SST Serum	EIA	나468나(2)	C4683436	259.16	16,920	16,920	259.99	17,320	17,320	▲
40846	EBV VCA IgM	CSF	EIA	나468나(2)	C4683436	259.16	16,920	16,920	259.99	17,320	17,320	▲
50750	EBV(in situ)	Other		너567다	CY673006	604.71	39,490	39,490	568.99	37,890	37,890	▼
50755	EBV(in situ)	Other	Insitu	너567다	CY673006	604.71	39,490	39,490	568.99	37,890	37,890	▼
50760	EBV(in situ)	Other	Insitu	너567다	CY673006	604.71	39,490	39,490	568.99	37,890	37,890	▼
80830	EBV-LMP1 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80831	EBV-LMP1 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80820	E-Cadherin (IHC)	Smear Slide	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
42770	Echovirus Culture	Other	Culture	나416	B4160006	546.65	35,700	35,700	560.25	37,310	37,310	▲
70980	Egg count, EPG	Stool	검경법	나68	B0680	31.85	2,080	2,080	30.46	2,030	2,030	▼
50335	Entamoeba histolytica IgG	SST Serum	EIA	나472가	C4722626	271.19	17,710	17,710	270.18	17,990	17,990	▲
50336	Entamoeba histolytica IgG	Body Fluid	EIA	나472가	C4722626	271.19	17,710	17,710	270.18	17,990	17,990	▲
42140	Enterovirus Culture	Other	Culture	나416	B4160006	546.65	35,700	35,700	560.25	37,310	37,310	▲
42760	Enterovirus Culture 3종	Other	Culture	나416	B4160006	546.65	107,100	107,100	560.25	111,930	111,930	▲
42370	Enterovirus RNA(PCR)	CSF	real time PCR	나596나	C5962006	575.08	37,550	37,550	595.55	39,660	39,660	▲
30030	Eosinophil Count	EDTA Blood	Manual	나107가	B1070	12.58	820	820	12.49	830	830	▲
30031	Eosinophil Count	Smear Slide	Manual	나107나	B1071	14.87	970	970	14.27	950	950	▼
00833	Epinephrine	EDTA Plasma	HPLC/ECD	너228가	CY281006	310.2	20,260	20,260	328.04	21,850	21,850	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2010년 수가			2011년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
00835	Epinephrine	24hr Urine	HPLC	너228가	CY281006	310.2	20,260	20,260	328.04	21,850	21,850	▲
01570	ER/PR Receptor	Tissue	Stain	나559	C5590	517.64	67,600	67,600	473.77	63,100	63,100	▼
81520	ERCC1 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
01250	Erythropoietin(EPO)	SST Serum	CLIA	나357	C3570	270.7	17,680	17,680	256	17,050	17,050	▼
01251	Erythropoietin(EPO)	Hp Plasma	CLIA	나357	C3570	270.7	17,680	17,680	256	17,050	17,050	▼
30040	ESR	EDTA Blood	Manual	나103가	B1033	11.09	720	720	10.68	710	710	▼
00433	Estradiol (E2) (ECLIA)	SST Serum	ECLIA	나326	C3260	185.63	12,120	12,120	188.29	12,540	12,540	▲
00440	Estriol (E3)	SST Serum	RIA	나327주	C7327	163.31	10,660	10,660	212.59	14,160	14,160	▲
00450	Estrogen	SST Serum	RIA	나325주	C7325	106.4	6,950	6,950	88.69	5,910	5,910	▼
29105	EWS-FLT1	Block	RT-PCR	나596라	C5969006	612.12	39,970	39,970	644.86	42,950	42,950	▲
29100	EWS-FLT1/ERG rearrangement	Block	Nested RT-PCR	나597자	C5979006	1669.92	109,050	109,050	1729.88	115,210	115,210	▲
30650	Factor 5 Leiden(FV:Q506)	EDTA Blood	PCR-RFLP	너562파	CY633006	416.68	27,210	27,210	453.38	30,200	30,200	▲
30480	Factor Ab VIII	SC Plasma	Clot-based	나178가	B1780006	207.67	13,560	13,560	208.52	13,890	13,890	▲
30490	Factor Ab IX	SC Plasma	Clot-based	나178나	B1781006	210.85	13,770	13,770	212.74	14,170	14,170	▲
30570	Factor Assay VII	SC Plasma	Clot-based	나169가(3)	B1693006	168.6	11,010	11,010	174.49	11,620	11,620	▲
30580	Factor Assay VIII	SC Plasma	Clot-based	나169가(4)	B1694006	171.28	11,180	11,180	178.87	11,910	11,910	▲
30590	Factor Assay IX	SC Plasma	Clot-based	나169가(5)	B1695006	170.18	11,110	11,110	177.39	11,810	11,810	▲
30520	Factor Assay II	SC Plasma	Clot-based	나169가(1)	B1691006	164.31	10,730	10,730	168.76	11,240	11,240	▲
30550	Factor Assay V	SC Plasma	Clot-based	나169가(2)	B1692006	163.09	10,650	10,650	167.09	11,130	11,130	▲
30600	Factor Assay X	SC Plasma	Clot-based	나169가(6)	B1696006	161.28	10,530	10,530	165	10,990	10,990	▲
30610	Factor Assay X I	SC Plasma	Clot-based	나169가(7)	B1697006	161.73	10,560	10,560	165.59	11,030	11,030	▲
30620	Factor Assay X II	SC Plasma	Clot-based	나169가(8)	B1698006	155.39	10,150	10,150	157.05	10,460	10,460	▲
30630	Factor Assay X III	SC Plasma	Urea 용해시험	나169가(9)	B1699006	161.69	10,560	10,560	165.59	11,030	11,030	▲
12940	Fat 정성 검사	Stool	Sudan III	나67	B0670	12.63	820	820	13.27	880	880	▲
30890	FDP	SC Plasma	TIA	나161나	B1613	136.94	8,940	8,940	138.83	9,250	9,250	▲
31110	FDP 정성	SC Plasma	TIA	나161가	B1611	51.8	3,380	3,380	51.57	3,430	3,430	▲
11690	Ferric Chloride	Random Urine	Colorimetry	나440	C4400	14.64	960	960	12.49	830	830	▼
01585	Ferritin (ECLIA)	SST Serum	ECLIA	나252	C2520	167.93	10,970	10,970	172.81	11,510	11,510	▲
20450	Fetal hemoglobin	EDTA Blood	HPLC	나382라	C3824	65.55	4,280	4,280	66.14	4,400	4,400	▲
30640	Fibrinogen	SC Plasma	Clot-based	나160가	B1601	38.69	2,530	2,530	39.22	2,610	2,610	▲
70770	Filariae	Blood Smear Slide	Manual	나115	B1150006	45.57	2,980	2,980	46.68	3,110	3,110	▲
65582	FK-506	EDTA Blood	CMIA	나450나(2)	C4504390	243.15	15,880	15,880	247.78	16,500	16,500	▲
65580	FK-506 (HPLC)	EDTA Blood	HPLC	나450나(4)	CX375696	542.51	35,430	35,430	570.54	38,000	38,000	▲
65581	FK-506 (LC-MS/MS)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696	542.51	35,430	35,430	570.54	38,000	38,000	▲
20752	FLC Panel (Random Urine)	Random Urine		나300외	B3001006외	0	70,700	70,700	0	72,370	72,370	▲
20750	FLC Panel (Serum)	SST Serum		나300외	B3000006외	0	70,090	70,090	0	71,790	71,790	▲
20751	FLC(RU)+PEP(24h U)	복수검체		나300외	B3001006외	0	70,700	70,700	0	72,370	72,370	▲
26240	FLT3 ITD/TKD PCR	Bone Marrow	Nested PCR	너563	CY059006	497.16	32,460	32,460	575.61	38,340	38,340	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
11286	Folate (ECLIA)	SST Serum	ECLIA	나254	C2540	221.1	14,440	14,440	221.94	14,780	14,780	▲
25450	Fragile X	EDTA Blood	PCR Fragment	너573마	CY539006	953.51	62,260	62,260	1150.44	76,620	76,620	▲
27271	Fragile X 정밀(양수)배양전	Amniotic Fluid	Southern blot	나598+너	C5987006+CY5	0	125,710	125,710	0	140,150	140,150	▲
27281	Fragile X 정밀(양수)배양후	Amniotic Fluid	Southern blot	나598+너	C5987006+CY5	0	125,710	125,710	0	140,150	140,150	▲
27270	Fragile X 정밀검사 (혈액)	EDTA Blood	Southern blot	나598	C5980006	1010.77	66,000	66,000	1005.93	66,990	66,990	▲
27280	FragileX정밀(양수)+culture	Amniotic Fluid				0	149,630	149,630	0	171,650	171,650	▲
00765	Free Cortisol (CLIA)	24hr Urine	CLIA	나324나(5)	C3249	136.38	8,910	8,910	126.54	8,430	8,430	▼
00766	Free Cortisol (CLIA)	Random Urine	CLIA	나324나(5)	C3249	136.38	8,910	8,910	126.54	8,430	8,430	▼
11090	Free Fatty Acid(NEFA)	SST Serum	Enzyme	나245	C2450	42.76	2,790	2,790	38.53	2,570	2,570	▼
11091	Free Fatty Acid(NEFA)	Other	Enzyme	나245	C2450	42.76	2,790	2,790	38.53	2,570	2,570	▼
25891	Free Kappa light chain	SST Serum	비탁법	나237가(1)	C2371006	474.18	30,960	30,960	474.18	31,580	31,580	▲
25896	Free Kappa light chain	Random Urine	비탁법	나237나(1)	C2381006	474.18	30,960	30,960	474.18	31,580	31,580	▲
25615	Free Lambda light chain	SST Serum	비탁법	나237가(2)	C2372006	474.18	30,960	30,960	474.18	31,580	31,580	▲
25616	Free Lambda light chain	Random Urine	비탁법	나237나(2)	C2382006	474.18	30,960	30,960	474.18	31,580	31,580	▲
01682	Free PSA (ECLIA)	SST Serum	ECLIA	너321	CX321	173.78	11,350	11,350	179.99	11,990	11,990	▲
01686	Free PSA/PSA ratio(ECLIA)	SST Serum	ECLIA	나428외	C4280+CX321	0	0	27100	0	0	28,040	▲
00215	Free T3 (ECLIA)	SST Serum	ECLIA	나330	C3300	150.44	9,820	9,820	149.24	9,940	9,940	▲
00225	Free T4 (ECLIA)	SST Serum	ECLIA	나334	C3340	171.51	11,200	11,200	172.44	11,480	11,480	▲
00235	Free thyroxine index	SST Serum	계산법	나331+나	C3310+C3330	0	20,550	20,550	0	20,870	20870	▲
00235	Free thyroxine index	SST Serum	계산법	나331+나	C3310+C3330	0	20,550	20,550	0	20,870	20,870	▲
29010	Friedreich's ataxia	EDTA Blood	Southern blot	너573마	CY539006 외	0	128,260	128,260	0	143,610	143,610	▲
29011	Friedreich's ataxia	EDTA Blood	PCR Fragment	너573마	CY539006	963.51	62,260	62,260	1150.44	76,620	76,620	▲
20460	Fructosamine	SST Serum	Colorimetry	나397	C3970	112.2	7,330	7,330	99.83	6,650	6,650	▼
00092	FSH (ECLIA)	SST Serum	ECLIA	나350	C3500	162.39	10,600	10,600	160.84	10,710	10,710	▲
00051	FSH-1회	SST Serum	ECLIA	나350	C3500	162.39	10,600	10,600	160.84	10,710	10,710	▲
00052	FSH-2회	SST Serum	ECLIA	나350	C3500	162.39	10,600	10,600	160.84	10,710	10,710	▲
00053	FSH-3회	SST Serum	ECLIA	나350	C3500	162.39	10,600	10,600	160.84	10,710	10,710	▲
00054	FSH-4회	SST Serum	ECLIA	나350	C3500	162.39	10,600	10,600	160.84	10,710	10,710	▲
00055	FSH-5회	SST Serum	ECLIA	나350	C3500	162.39	10,600	10,600	160.84	10,710	10,710	▲
00056	FSH-6회	SST Serum	ECLIA	나350	C3500	162.39	10,600	10,600	160.84	10,710	10,710	▲
00057	FSH-7회	SST Serum	ECLIA	나350	C3500	162.39	10,600	10,600	160.84	10,710	10,710	▲
00058	FSH-8회	SST Serum	ECLIA	나350	C3500	162.39	10,600	10,600	160.84	10,710	10,710	▲
50960	FTA-ABS IgG	SST Serum	IFA	나462	C4620006	155.84	10,180	10,180	157.07	10,460	10,460	▲
50961	FTA-ABS IgG	CSF	IFA	나462	C4620006	155.84	10,180	10,180	157.07	10,460	10,460	▲
50975	FTA-ABS IgM	SST Serum	EIA	나462	C4620006	155.84	10,180	10,180	157.07	10,460	10,460	▲
50976	FTA-ABS IgM	CSF	EIA	나462	C4620006	155.84	10,180	10,180	157.07	10,460	10,460	▲
70780	Fungus Culture	Other		나405가	B4051	158.13	10,330	10,330	163.15	10,870	10,870	▲
29420	G6PC gene mutation	EDTA Blood	Sequencing	너562차	CY630006	416.68	108,840	108,840	469.8	125,160	125,160	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2010년 수가			2011년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
10530	G-6-PDH	EDTA Blood	Colorimetry	나274	B2741	103.33	6,750	6,750	95.85	6,380	6,380	▼
00980	Gastrin (RIA)	SST Serum	RIA	나345주	C7345	144.75	9,450	9,450	78.4	5,220	5,220	▼
00981	Gastrin (RIA)	EDTA Plasma	RIA	나345주	C7345	144.75	9,450	9,450	78.4	5,220	5,220	▼
02195	Gastrin 17	SST Serum	ELISA	나345	C3450	159.14	10,390	10,390	147.58	9,830	9,830	▼
00991	Gastrin-1호	SST Serum	RIA	나345주	C7345	144.75	9,450	9,450	78.4	5,220	5,220	▼
00992	Gastrin-2호	SST Serum	RIA	나345주	C7345	144.75	9,450	9,450	78.4	5,220	5,220	▼
00993	Gastrin-3호	SST Serum	RIA	나345주	C7345	144.75	9,450	9,450	78.4	5,220	5,220	▼
00994	Gastrin-4호	SST Serum	RIA	나345주	C7345	144.75	9,450	9,450	78.4	5,220	5,220	▼
00995	Gastrin-5호	SST Serum	RIA	나345주	C7345	144.75	9,450	9,450	78.4	5,220	5,220	▼
00996	Gastrin-6호	SST Serum	RIA	나345주	C7345	144.75	9,450	9,450	78.4	5,220	5,220	▼
00997	Gastrin-7호	SST Serum	RIA	나345주	C7345	144.75	9,450	9,450	78.4	5,220	5,220	▼
00998	Gastrin-8호	SST Serum	RIA	나345주	C7345	144.75	9,450	9,450	78.4	5,220	5,220	▼
02190	Gastro-Gastrin 17	SST Serum	ELISA	나345	C3450	159.14	10,390	10,390	147.58	9,830	9,830	▼
50775	Gastro-H.pylori IgG	SST Serum	ELISA	나465	C4650	195.51	12,770	12,770	199.17	13,260	13,260	▲
02200	Gastro-Panel(4종)	SST Serum	ELISA	나362외	C3620외	0	56,600	56,600	0	53,250	53,250	▼
02015	Gastro-Pepsinogen I	SST Serum	ELISA	나362	C3620	256.1	16,720	16,720	226.41	15,080	15,080	▼
02025	Gastro-Pepsinogen II	SST Serum	ELISA	나362	C3620	256.1	16,720	16,720	226.41	15,080	15,080	▼
71210	GBS Culture	Other	Culture	나405가	B4051	158.13	10,330	10,330	163.15	10,870	10,870	▲
65260	Gentamicin	SST Serum	FPIA	나450나(2)	C4504120	243.15	15,880	15,880	247.78	16,500	16,500	▲
10905	GFR (신사구체여과율)	SST Serum	계산법	나375	C3750	19.77	1,290	1,290	18.25	1,220	1,220	▼
00062	GH (CLIA)	SST Serum	CLIA	나342	C3420	181.93	11,880	11,880	180.26	12,010	12,010	▲
00080	GH-10호	SST Serum	CLIA	나342	C3420	181.93	11,880	11,880	180.26	12,010	12,010	▲
00081	GH-11호	SST Serum	CLIA	나342	C3420	181.93	11,880	11,880	180.26	12,010	12,010	▲
00082	GH-12호	SST Serum	CLIA	나342	C3420	181.93	11,880	11,880	180.26	12,010	12,010	▲
00083	GH-13호	SST Serum	CLIA	나342	C3420	181.93	11,880	11,880	180.26	12,010	12,010	▲
00084	GH-14호	SST Serum	CLIA	나342	C3420	181.93	11,880	11,880	180.26	12,010	12,010	▲
00085	GH-15호	SST Serum	CLIA	나342	C3420	181.93	11,880	11,880	180.26	12,010	12,010	▲
00086	GH-16호	SST Serum	CLIA	나342	C3420	181.93	11,880	11,880	180.26	12,010	12,010	▲
00071	GH-1호	SST Serum	CLIA	나342	C3420	181.93	11,880	11,880	180.26	12,010	12,010	▲
00072	GH-2호	SST Serum	CLIA	나342	C3420	181.93	11,880	11,880	180.26	12,010	12,010	▲
00073	GH-3호	SST Serum	CLIA	나342	C3420	181.93	11,880	11,880	180.26	12,010	12,010	▲
00074	GH-4호	SST Serum	CLIA	나342	C3420	181.93	11,880	11,880	180.26	12,010	12,010	▲
00075	GH-5호	SST Serum	CLIA	나342	C3420	181.93	11,880	11,880	180.26	12,010	12,010	▲
00076	GH-6호	SST Serum	CLIA	나342	C3420	181.93	11,880	11,880	180.26	12,010	12,010	▲
00077	GH-7호	SST Serum	CLIA	나342	C3420	181.93	11,880	11,880	180.26	12,010	12,010	▲
00078	GH-8호	SST Serum	CLIA	나342	C3420	181.93	11,880	11,880	180.26	12,010	12,010	▲
00079	GH-9호	SST Serum	CLIA	나342	C3420	181.93	11,880	11,880	180.26	12,010	12,010	▲
80157	Giemsa(H.Pylori) Stain	Tissue		나553다	C5533	122.36	7,990	7,990	123.07	8,200	8,200	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
82140	Giemsa(H.Pylori) Stain	Tissue		나553다	C5533	122.36	7,990	7,990	123.07	8,200	8,200	▲
10010	Globulin	SST Serum	계산법	나220 외	C2200 외	0	0	2,970	0	2,850	2,850	▼
10011	Globulin	Body Fluid	계산법	나220+나	C2200+C2302	0	0	14,560	0	14,790	14,790	▲
01000	Glucagon (RIA)	EDTA Plasma	RIA	나344주	C7344	165.17	10,790	10,790	83.34	5,550	5,550	▼
01011	Glucagon-1회	EDTA Plasma	RIA	나344주	C7344	165.17	10,790	10,790	83.34	5,550	5,550	▼
01012	Glucagon-2회	EDTA Plasma	RIA	나344주	C7344	165.17	10,790	10,790	83.34	5,550	5,550	▼
01013	Glucagon-3회	EDTA Plasma	RIA	나344주	C7344	165.17	10,790	10,790	83.34	5,550	5,550	▼
01014	Glucagon-4회	EDTA Plasma	RIA	나344주	C7344	165.17	10,790	10,790	83.34	5,550	5,550	▼
01015	Glucagon-5회	EDTA Plasma	RIA	나344주	C7344	165.17	10,790	10,790	83.34	5,550	5,550	▼
01016	Glucagon-6회	EDTA Plasma	RIA	나344주	C7344	165.17	10,790	10,790	83.34	5,550	5,550	▼
01017	Glucagon-7회	EDTA Plasma	RIA	나344주	C7344	165.17	10,790	10,790	83.34	5,550	5,550	▼
01018	Glucagon-8회	EDTA Plasma	RIA	나344주	C7344	165.17	10,790	10,790	83.34	5,550	5,550	▼
10540	Glucose	NaF Plasma	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10541	Glucose	SST Serum	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10542	Glucose	24hr Urine	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10543	Glucose	Body Fluid	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10550	Glucose tolerance test	NaF Plasma		나371나	C3711	20.32	5,320	5,320	18.81	5,000	5,000	▼
10600	Glucose-120 MIN	NaF Plasma	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10601	Glucose-120 MIN	SST Serum	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10610	Glucose-150 MIN	NaF Plasma	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10611	Glucose-150 MIN	SST Serum	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10620	Glucose-3 hr	NaF Plasma	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10621	Glucose-3 hr	SST Serum	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10570	Glucose-30 MIN	NaF Plasma	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10571	Glucose-30 MIN	SST Serum	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10630	Glucose-4 hr	NaF Plasma	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10631	Glucose-4 hr	SST Serum	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10580	Glucose-60 MIN	NaF Plasma	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10581	Glucose-60 MIN	SST Serum	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10590	Glucose-90 MIN	NaF Plasma	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10591	Glucose-90 MIN	SST Serum	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10560	Glucose-Fasting	NaF Plasma	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10561	Glucose-Fasting	SST Serum	Enzyme	나371나	C3711	20.32	1,330	1,330	18.81	1,250	1,250	▼
10350	GOT(AST)	SST Serum	Enzyme	나257	B2570	25.48	1,660	1,660	24.52	1,630	1,630	▼
10351	GOT(AST)	Body Fluid	Enzyme	나257	B2570	25.48	1,660	1,660	24.52	1,630	1,630	▼
10360	GPT(ALT)	SST Serum	Enzyme	나258	B2580	25.24	1,650	1,650	24.12	1,610	1,610	▼
10361	GPT(ALT)	Body Fluid	Enzyme	나258	B2580	25.24	1,650	1,650	24.12	1,610	1,610	▼
70090	Gram Stain	Other		나400가	B4101	20.27	1,320	1,320	20.51	1,370	1,370	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
70100	Gram Stain	Smear Slide	Gram stain	나400가	B4101	20.27	1,320	1,320	20.51	1,370	1,370	▲
71160	Gram stain (cytospin)	Other		나400주	B4112	23.6	1,540	1,540	24.29	1,620	1,620	▲
28070	GSD1a Mutation Analysis	EDTA Blood	Sequencing	너562	CY630006	416.68	108,840	108,840	469.8	125,160	125,160	▲
81172	H&E stain	Tissue		나550가(1)	C5911	320.56	20,930	20,930	282.35	18,800	18,800	▼
81170	H&N stain 판독	Tissue	Immunohistoche	나550가(1)	C5911009	64.11	4,190	4,190	56.47	3,760	3,760	▼
50463	H. influenza	CSF	Latex	나408	B4080	90.9	5,940	5,940	85.21	5,670	5,670	▼
71070	H. pylori Ag	Stool	ELISA	나415다	B4157	245.38	16,020	16,020	273.75	18,230	18,230	▲
50771	H. pylori IgG (CLIA)	SST Serum	CLIA	나465	C4650	195.51	12,770	12,770	199.17	13,260	13,260	▲
50780	H. pylori IgM	SST Serum	ELISA	나465	C4650	195.51	12,770	12,770	199.17	13,260	13,260	▲
42380	H. pylori PCR	Tissue	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
65071	Haloperidol (Haldol)	Plain Serum	LC/MS/MS	나450나(4)	CX375066	542.51	35,430	35,430	570.54	38,000	38,000	▲
12060	Ham's test	복수검체	Colorimetry	나120	B1200006	59.35	3,880	3,880	59.98	3,990	3,990	▲
41590	Hantaan Virus Ab	SST Serum	ICA	나468가	C4681470	149.73	9,780	9,780	134.97	8,990	8,990	▼
41666	Hantaan virus Ab 정량(IFA)	SST Serum	IFA	나468나(1)	C4682476	266.76	17,420	17,420	270.11	17,990	17,990	▲
41600	Hantaan Virus Ab Titer	SST Serum	ICA	나468가	C4681470	149.73	9,780	9,780	134.97	8,990	8,990	▼
27850	Hantaan Virus PCR	SST Serum	PCR	나597사	C5977006	1567.36	102,350	102,350	1593.3	106,110	106,110	▲
41661	HantaanVirus Ab Titer(IFA)	SST Serum	IFA	나468나(1)	C4682476	266.76	17,420	17,420	270.11	17,990	17,990	▲
20180	Haptoglobin	SST Serum	TIA	나234	C2340	116.74	7,620	7,620	118.71	7,910	7,910	▲
20181	Haptoglobin	EDTA Plasma	TIA	나234	C2340	116.74	7,620	7,620	118.71	7,910	7,910	▲
50015	HAV Ab	SST Serum	ECLIA	나486가	C4861	172.26	11,250	11,250	168.34	11,210	11,210	▼
50016	HAV IgG	SST Serum	CMIA	나486가	C4861	172.26	11,250	11,250	168.34	11,210	11,210	▼
50025	HAV IgM	SST Serum	ECLIA	나486나	C4862	253.05	16,520	16,520	245.54	16,350	16,350	▼
50055	HBc Ab IgM(ECLIA)	SST Serum	ECLIA	나484나	C4842	218.08	14,240	14,240	207.54	13,820	13,820	▼
50045	HBc Ab(ECLIA)	SST Serum	ECLIA	나484가	C4841	197.73	12,910	12,910	204.55	13,620	13,620	▲
50076	HBe Ab(ECLIA)	SST Serum	ECLIA	나483나	C4832	213.38	13,930	13,930	210.63	14,030	14,030	▲
50075	HBe Ag(ECLIA)	SST Serum	ECLIA	나482나	C4822	211.55	13,810	13,810	209.2	13,930	13,930	▲
81490	HBME-1 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
01271	HBNP	EDTA Plasma	CMIA	나368	CZ204	605.25	39,520	39,520	605.25	40,310	40,310	▲
50116	HBs Ab(ECLIA)	SST Serum	ECLIA	나481나	C4812	153.07	10,000	10,000	150.84	10,050	10,050	▲
50091	HBs Ab(ICA)	SST Serum	ICA	나481가	C4811	46.28	3,020	3,020	43.07	2,870	2,870	▼
50115	HBs Ag(ECLIA)	SST Serum	ECLIA	나480나	C4802	138.76	9,060	9,060	138.51	9,220	9,220	▲
50090	HBs Ag(ICA)	SST Serum	ICA	나480가	C4801	39.8	2,600	2,600	37.75	2,510	2,510	▼
50140	HBV DNA (PCR)	SST Serum	PCR	나595라	C5954006	386.27	25,220	25,220	386.64	25,750	25,750	▲
50160	HBV DNA 정량 (b-DNA)	SST Serum	b DNA	나485다	C4853006	542.7	35,440	35,440	544.09	36,240	36,240	▲
50150	HBV DNA 정량 (CMHA)	SST Serum	CMHA	나485나	C4852006	539.81	35,250	35,250	540.25	35,980	35,980	▲
52178	HBV DNA 정량(real-timePCR)	SST Serum	real time PCR	나485마	C4854006	894.88	58,440	58,440	894.88	59,600	59,600	▲
50204	HBV Drug mutation	SST Serum	Sequencing	나599-1가	C5993006	1666.46	108,820	108,820	1666.46	110,990	110,990	▲
01970	hCG (정성)	Random Urine	ICA	나26	B0260	25.51	1,670	1,670	25.89	1,720	1,720	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
81360	hCG (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
50230	HCV (RT-PCR+Hybrid.)	SST Serum	RT-PCR+Hybrid	나596-1가	C6081006	833.92	54,450	54,450	862.27	57,430	57,430	▲
50231	HCV (RT-PCR+Hybrid.)	Other	RT-PCR+Hybrid	나596-1가	C6081006	833.92	54,450	54,450	862.27	57,430	57,430	▲
50215	HCV Ab(EIA)	SST Serum	EIA	나487나	C4872	201.29	13,140	13,140	204.22	13,600	13,600	▲
50220	HCV Ab(RIBA III)	SST Serum		나487다	C4873006	553.5	36,140	36,140	556.05	37,030	37,030	▲
50255	HCV Genotype (PCR+hybrid)	SST Serum	RT-PCR+Hybrid	나596-1나	CZ961006	1698.27	110,900	110,900	1698.27	113,100	113,100	▲
52365	HCV Genotype (PCR-RFMP)	SST Serum	RFMP	나596-2	C6092006	1704.75	111,320	111,320	1704.75	113,540	113,540	▲
50241	HCV RNA 정량	SST Serum	real time PCR	나424다	C4424006	1127.2	73,610	73,610	1127.2	75,070	75,070	▲
11100	HDL-Cholesterol	SST Serum	Enzyme	나242	C2420	81.98	5,350	5,350	81.15	5,400	5,400	▲
20600	HDL-Cholesterol E.P	SST Serum	Electrophoresis	나302	B3020006	142.95	9,330	9,330	132.22	8,810	8,810	▼
50265	HDV Ab (IgG)	SST Serum	EIA	나421	CX421	264.37	17,260	17,260	185.97	12,390	12,390	▼
70810	Heinz body	EDTA Blood		나116	B1160006	32.55	2,130	2,130	34.09	2,270	2,270	▲
30004	Hematocrit(Hct)	EDTA Blood	자동혈구계산법	나102	B1020	10.71	700	700	10.82	720	720	▲
51855	hemavision 28종	Bone Marrow	PCR			0	526220	526220	0	550,220	550,220	▲
26440	Hemochromatosis, HFE gene	EDTA Blood	Sequencing	나562사	CY627006	416.68	54,420	54,420	460.26	61,300	61,300	▲
10731	Hemoglobin A1c	EDTA Blood	TIA	나382마	C3825	102.58	6,700	6,700	103.04	6,860	6,860	▲
20490	Hemoglobin E.P	EDTA Blood	Electrophoresis	나307	B3070006	97.47	6,360	6,360	100.27	6,680	6,680	▲
30003	Hemoglobin(Hb)	EDTA Blood	자동혈구계산법	나101	B1010	16.85	1,100	1,100	16.9	1,130	1,130	▲
70040	Hemosiderin	Random Urine	검경법	나7	B0070	27.47	1,790	1,790	27.46	1,830	1,830	▲
81420	Hepatocyte (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
65420	Heroin	Random Urine	ICA	나450가(2)	C4502390	124.57	8,130	8,130	118.13	7,870	7,870	▼
50791	Heterophil Ab	SST Serum	Latex	나470가	C4701	81.86	5,350	5,350	81.41	5,420	5,420	▲
50280	HEV Ab IgG	SST Serum	EIA	나422가	CY431	175.99	11,490	11,490	136.32	9,080	9,080	▼
50290	HEV Ab IgM	SST Serum	EIA	나422나	CY432	175.99	11,490	11,490	136.32	9,080	9,080	▼
50300	HEV RT- PCR	SST Serum	Nested RT-PCR	나596라	C5969006	612.12	39,970	39,970	644.86	42,950	42,950	▲
42525	HHV-8 PCR	Block	PCR	나595바	CY561006	384.04	25,080	25,080	390.35	26,000	26,000	▲
42526	HHV-8 PCR	Block	PCR+Hybridizatio	나595-1	C6029006	668	43,660	43,660	696.95	46,420	46,420	▲
12080	Hippuric acid	Random Urine	HPLC	나451나(3)	CY373030	399.4	26,080	26,080	281.02	18,720	18,720	▼
51670	Histone Ab	SST Serum	ELISA	나443아	CY450006	616.68	40,270	40,270	549.3	36,580	36,580	▼
41335	HIV Ab (CMIA)	SST Serum	CMIA	나471나	C4712	124.88	8,150	8,150	128.42	8,550	8,550	▲
41337	HIV Ab (Stem cell)	Stem cell	CMIA	나471나	C4712	124.88	8,150	8,150	128.42	8,550	8,550	▲
42260	HIV Ag(AIDS Ag)	SST Serum	ELFA	나394	CX394	188.85	12,330	12,330	217.82	14,510	14,510	▲
42404	HIV RNA 정량	EDTA Plasma	real time PCR	나396	CY396006	2310.1	150,850	150,850	2316.23	154,260	154,260	▲
42391	HIV RT-PCR 정성	SST Serum	Nested RT-PCR	나597자	C5979006	1669.92	109,050	109,050	1729.88	115,210	115,210	▲
42410	HIV-I PCR 정성	EDTA Blood	Nested RT-PCR	나597자	C5979006	1669.92	109,050	109,050	1729.88	115,210	115,210	▲
25470	HLA A Typing (High)	EDTA Blood	PCR-SBT	나494나	CY916006	3459.57	225,910	225,910	3806.45	253,510	253,510	▲
26360	HLA A Typing (Low)	EDTA Blood	PCR-SSP	나494가	CY915006	2320.24	151,510	151,510	2131.35	141,950	141,950	▼
26361	HLA A Typing (Low)	Bone Marrow	PCR-SSP	나494가	CY915006	2320.24	151,510	151,510	2131.35	141,950	141,950	▼

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	2010년 수가			2011년 수가			증감		
				분류번호	보험기호	점수	보험가	의뢰가	점수		보험가	의뢰가
25497	HLA A,B 조혈모이식1차	EDTA Blood	PCR-SBT	너494나	CY916006	3459.57	451,820	451,820	3806.45	507,020	507,020	▲
25499	HLA A,B,C,DR 조혈모 수여	EDTA Blood	PCR-SBT	너494나	CY914006 외	0	867,630	867,630	0	989,270	989,270	▲
25480	HLA B Typing (High)	EDTA Blood	PCR-SBT	너494나	CY916006	3459.57	225,910	225,910	3806.45	253,510	253,510	▲
26370	HLA B Typing (Low)	EDTA Blood	PCR-SSP	너494가	CY915006	2320.24	151,510	151,510	2131.35	141,950	141,950	▼
26371	HLA B Typing (Low)	Bone Marrow	PCR-SSP	너494가	CY915006	2320.24	151,510	151,510	2131.35	141,950	141,950	▼
25500	HLA B27-PCR	EDTA Blood	PCR	너495가	CY917006	563.99	36,830	36,830	758.98	50,550	50,550	▲
25490	HLA C Typing (High)	EDTA Blood	PCR-SBT	너494나	CY916006	3459.57	225,910	225,910	3806.45	253,510	253,510	▲
26380	HLA C Typing (Low)	EDTA Blood	PCR-SSP	너494가	CY915006	2320.24	151,510	151,510	2131.35	141,950	141,950	▼
26381	HLA C Typing (Low)	Bone Marrow	PCR-SSP	너494가	CY915006	2320.24	151,510	151,510	2131.35	141,950	141,950	▼
25498	HLA C,DR 조혈모이식2차	EDTA Blood	PCR-SBT	너494나	CY914006 외	0	415,810	415,810	0	482,250	482,250	▲
26390	HLA DQ Typing (Low)	EDTA Blood	PCR-SSP	너492가	CY911006	1973.4	128,860	128,860	2079.25	138,480	138,480	▲
26391	HLA DQ Typing (Low)	Bone Marrow	PCR-SSP	너492가	CY911006	1973.4	128,860	128,860	2079.25	138,480	138,480	▲
25520	HLA DQA1 (Low)	EDTA Blood	PCR-SSP	너492가	CY911006	1973.4	128,860	128,860	2079.25	138,480	138,480	▲
25521	HLA DQA1 Typing(High)	EDTA Blood	PCR-SBT	너492나	CY912006	2908.15	189,900	189,900	3376.41	224,870	224,870	▲
25530	HLA DQB1 (Low)	EDTA Blood	PCR-SSP	너492가	CY911006	1973.4	128,860	128,860	2079.25	138,480	138,480	▲
25535	HLA DQB1 Typing (High)	EDTA Blood	PCR-SBT	너492나	CY912006	2908.15	189,900	189,900	3376.41	224,870	224,870	▲
25550	HLA DR Typing (Low)	EDTA Blood	PCR	너493가	CY913006	1973.4	128,860	128,860	2079.28	138,480	138,480	▲
25551	HLA DR Typing (Low)	Bone Marrow	PCR	너493가	CY913006	1973.4	128,860	128,860	2079.28	138,480	138,480	▲
25560	HLA DR Typing(High)	EDTA Blood	PCR-SBT	너493나	CY914006	2908.15	189,900	189,900	3434.56	228,740	228,740	▲
25570	HLA RA(DRB1*0405)	EDTA Blood	DNA Typing	너496	CX496006	1206.58	78,790	78,790	1392.44	92,740	92,740	▲
81390	HMB45 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81610	hMLH1 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81615	hMSH2 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
01055	HOMA of insulin resistance	복수검체	계산법	나341외	C3410외	0	0	12800	0	0	13,080	▲
80659	Hormone Receptor×2+IHC	Other		나559+나	C5590+C55750	0	98,090	98,090	0	94,000	94,000	▼
80657	Hormone Receptor×2+IHC×2	Other		나559+나	C5590+C55750	0	128,580	128,580	0	124,900	124,900	▼
80661	Hormone Receptor×2+IHC×3	Other		나559+나	C5590+C55750	0	159,070	159,070	0	155,800	155,800	▼
81380	HPL (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
42430	HPV 16	분비물	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
42480	HPV 16	분비물	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
42440	HPV 18	분비물	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
42490	HPV 18	분비물	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
42450	HPV DNA Chip	분비물	DNA Chip	나595-2	C5959006	698.13	45,590	45,590	698.13	46,500	46,500	▲
42457	HPV DNA Chip(Tissue)	Tissue	DNA Chip	나595-2	C5959006	698.13	45,590	45,590	698.13	46,500	46,500	▲
42455	HPV genotyping(microarray)	분비물		나595-2	C5959006	698.13	45,590	45,590	698.13	46,500	46,500	▲
42420	HPV Screening	분비물	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
42470	HPV Screening	분비물	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
42425	HPV Screening (Tissue)	Tissue	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
42460	HPV Screening (Type 16,18)	분비물		나595아	C5956006	403.21	52,660	52,660	409.2	54,500	54,500	▲
42155	HSV culture	Other	Shell Vial Culture	나416	B4160006	546.65	35,700	35,700	560.25	37,310	37,310	▲
41380	HSV IgG	SST Serum	ELISA	나468나(1)	C4682466	266.76	17,420	17,420	270.11	17,990	17,990	▲
41381	HSV IgG	CSF	ELISA	나468나(1)	C4682466	266.76	17,420	17,420	270.11	17,990	17,990	▲
41390	HSV IgM	SST Serum	ELISA	나468나(2)	C4683466	259.16	16,920	16,920	259.99	17,320	17,320	▲
41391	HSV IgM	CSF	ELISA	나468나(2)	C4683466	259.16	16,920	16,920	259.99	17,320	17,320	▲
41440	HSV Type 2 IgG	SST Serum	EIA	나468나(1)	C4682466	266.76	17,420	17,420	270.11	17,990	17,990	▲
41441	HSV Type 2 IgG	CSF	EIA	나468나(1)	C4682466	266.76	17,420	17,420	270.11	17,990	17,990	▲
42520	HSV type 6 DNA(PCR)	SST Serum	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
42521	HSV type 6 DNA(PCR)	CSF	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
43420	HSV type 6 PCR	SST Serum	Nested PCR	너563사	CY059006	497.16	32,460	32,460	575.61	38,340	38,340	▲
42500	HSV Type I(PCR)	EDTA Blood	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
42510	HSV Type II(PCR)	EDTA Blood	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
43080	HSV type I IgG	SST Serum	EIA	나468나(1)	C4682466	266.76	17,420	17,420	270.11	17,990	17,990	▲
43081	HSV type I IgG	CSF	EIA	나468나(1)	C4682466	266.76	17,420	17,420	270.11	17,990	17,990	▲
41475	HTLV-I/II Ab (EIA)	SST Serum	EIA	나468나(1)	C4682596	266.76	17,420	17,420	270.11	17,990	17,990	▲
41476	HTLV-I/II Ab (EIA)	CSF	EIA	나468나(1)	C4682596	266.76	17,420	17,420	270.11	17,990	17,990	▲
41477	HTLV-I/II Ab (EIA)	EDTA Plasma	EIA	나468나(1)	C4682596	266.76	17,420	17,420	270.11	17,990	17,990	▲
25605	Huntington's disease	EDTA Blood	PCR Fragment	너573가	CY531006	953.51	62,260	62,260	1150.44	76,620	76,620	▲
00868	HVA 정량	CSF	GC/MSD	너225나	CY251006	310.2	20,260	20,260	343.48	22,880	22,880	▲
00861	HVA 정량 (Plasma)	EDTA Plasma	GC/MSD	너225나	CY251006	310.2	20,260	20,260	343.48	22,880	22,880	▲
00865	HVA 정량(HPLC)	24hr Urine	HPLC	너225나	CY251006	310.2	20,260	20,260	343.48	22,880	22,880	▲
00866	HVA 정량(HPLC)	Random Urine	HPLC	너225나	CY251006	310.2	20,260	20,260	343.48	22,880	22,880	▲
12105	Hyaluronic Acid	SST Serum	TIA	너345가(3)	CY343	339.91	22,200	22,200	229.5	15,280	15,280	▼
20200	IgA	SST Serum	TIA	나228나	C2282	135.23	8,830	8,830	137.53	9,160	9,160	▲
20201	IgA	EDTA Plasma	TIA	나228나	C2282	135.23	8,830	8,830	137.53	9,160	9,160	▲
81110	IgA (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
20210	IgD	SST Serum	SRID	나228라	C2284	132.95	8,680	8,680	134.49	8,960	8,960	▲
60003	IgE (ECLIA)	SST Serum	ECLIA	나229	C2290	232.23	15,160	15,160	234.98	15,650	15,650	▲
62585	IgE MAST-식이성 42종	SST Serum	Immunoblot	나232	C2320006	1336.58	87,280	87,280	1339.8	89,230	89,230	▲
62595	IgE MAST-흡입성 42종	SST Serum	Immunoblot	나232	C2320006	1336.58	87,280	87,280	1339.8	89,230	89,230	▲
62640	IgE_Clam:F207	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
63313	IgE-6종(계란,밀,땅콩 심화)	SST Serum	FEIA	나231	C2310	205.85	80,640	80,640	214.74	85,800	85,800	▲
63331	IgE-6종(봄-여름 호흡기)	SST Serum	FEIA	나231	C2310	205.85	80,640	80,640	214.74	85,800	85,800	▲
63320	IgE-6종(식품/환경알레르기)	SST Serum	FEIA	나231	C2310	205.85	80,640	80,640	214.74	85,800	85,800	▲
63310	IgE-6종(식품알레르기1)	SST Serum	FEIA	나231	C2310	205.85	80,640	80,640	214.74	85,800	85,800	▲
63311	IgE-6종(식품알레르기2)	SST Serum	FEIA	나231	C2310	205.85	80,640	80,640	214.74	85,800	85,800	▲
63332	IgE-6종(여름-가을 호흡기)	SST Serum	FEIA	나231	C2310	205.85	80,640	80,640	214.74	85,800	85,800	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
63312	IgE-6종(우유,계란 심화)	SST Serum	FEIA	나231	C2310	205.85	80,640	80,640	214.74	85,800	85,800	▲
63330	IgE-6종(통년성 호흡기)	SST Serum	FEIA	나231	C2310	205.85	80,640	80,640	214.74	85,800	85,800	▲
63300	IgE-6종(환경알레르기1)	SST Serum	FEIA	나231	C2310	205.85	80,640	80,640	214.74	85,800	85,800	▲
63301	IgE-6종(환경알레르기2)	SST Serum	FEIA	나231	C2310	205.85	80,640	80,640	214.74	85,800	85,800	▲
60380	IgE-A.Tenuis:M6	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62740	IgE-Abalone:F346	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60360	IgE-Acarus Siro:D70	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61180	IgE-Alder:T2	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60370	IgE-Almond:F20	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62860	IgE-Amoxycilloyl:C6	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62850	IgE-Ampicilloyl:C5	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60390	IgE-Anisakis:P4	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60400	IgE-Apple:F49	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60420	IgE-Asp.Fumigatus:M3	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60460	IgE-Bamboo sprout:F51	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60480	IgE-Banana:F92	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60490	IgE-Barley:F6	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60500	IgE-Beech:T5	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60510	IgE-Beef:F27	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62460	IgE-Beer Yeast:F45	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60530	IgE-Bermuda Grass:G2	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60105	IgE-Birch:T3	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60560	IgE-Blue Mussel:F37	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61530	IgE-Box Elder:T1	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62630	IgE-Broccoli:F260	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60590	IgE-Buckwheat:F11	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60640	IgE-C.pityrosporum:M70	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60620	IgE-Cacao:F93	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62870	IgE-Cafactor:C7	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60630	IgE-Candida Albicans:M5	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60650	IgE-Carrot:F31	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60670	IgE-Casein:F78	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60685	IgE-Cat Epithelium:E1	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60690	IgE-Celery:F85	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60700	IgE-Cheddar Cheese:F81	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60710	IgE-Chicken meat:F83	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60720	IgE-Chiken Feathers:E85	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62900	IgE-Chymopapain:C209	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
60750	IgE-Cl.Herbarum:M2	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60775	IgE-Cockroach:I6	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60800	IgE-Codfish:F3	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60820	IgE-Common Ragweed:W1	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61500	IgE-Corn:F8	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60840	IgE-Cottonwood:T14	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60850	IgE-Cow Dander:E4	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60860	IgE-Crab:F23	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60905	IgE-D.Farinae:D2	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62930	IgE-D.microceras:D3	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60915	IgE-D.Pteronyssinus:D1	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60920	IgE-Dandelion:W8	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60935	IgE-Dog dander:E5	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60950	IgE-Duck Feathers:E86	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60995	IgE-Egg White:F1	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61005	IgE-Egg Yolk:F75	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62800	IgE-Egg:F245	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61050	IgE-Eucalyptus:T18	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
63051	IgE-Food Mix:Fx1	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
63052	IgE-Food Mix:Fx10	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
63050	IgE-Food Mix:Fx5	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
63053	IgE-Food Mix:Fx74	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62970	IgE-Formaldehyde:K80	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61100	IgE-Garlic:F47	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62890	IgE-Gelatin bovine:C74	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61090	IgE-Giant Ragweed:W3	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61110	IgE-Gluten:F79	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61150	IgE-Goldenrod:W12	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61170	IgE-Grape fruit:F209	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61240	IgE-Hazel Nut:F17	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61230	IgE-Hazel:T4	SST Serum	FPIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61250	IgE-Honey Bee Venom:I1	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61260	IgE-Horse Dander:E3	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60300	IgE-Horse mackerel:F60	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61270	IgE-House dust1:H1	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61280	IgE-House dust2:H2	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61330	IgE-Isocyanate HDI:K77	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61340	IgE-Isocyanate MDI:K76	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
61345	IgE-Isocyanate MDI:K76-RIA	SST Serum	IRMA	나231주2	C7231	222.88	14,550	14,550	199.38	13,280	13,280	▼
61350	IgE-Isocyanate TDI:K75	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61355	IgE-Isocyanate TDI:K75-RIA	SST Serum	IRMA	나231주2	C7231	222.88	14,550	14,550	199.38	13,280	13,280	▼
61360	IgE-Japanes cedar:T17	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61370	IgE-Japanese hop:W22	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61415	IgE-Kiwi:F84	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61120	IgE-L.Destructor:D71	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61440	IgE-Latex:K82	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61460	IgE-Lobster:F80	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61490	IgE-Mackerel:F50	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61540	IgE-Marguerite:W7	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61550	IgE-Meadow Fescue:G4	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61580	IgE-Melon:F87	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61590	IgE-Mesquite(RIA):T20	SST Serum	IRMA	나231주2	C7231	222.88	14,550	14,550	199.38	13,280	13,280	▼
61605	IgE-Milk:F2	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62750	IgE-Mix grass pollen:Gx2	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62820	IgE-Mix house dust:Hx2	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62770	IgE-Mix tree pollen:Tx5	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
63180	IgE-Mixed epithelia:Ex1	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61625	IgE-Mold Cheese:F82	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62760	IgE-Mold mix:Mx1	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61640	IgE-Mosquito(속):I71	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62650	IgE-Mucor racemosus:M4	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61680	IgE-Mugwort:W6	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61715	IgE-Nettle:W20	SST Serum		나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61720	IgE-Oak:T7	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
63150	IgE-Omega-5 Gliadine:F416	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61770	IgE-Onion:F48	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61780	IgE-Orange:F33	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61790	IgE-Orchard Grass:G3	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61795	IgE-Ovomucoid:F233	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62710	IgE-Oyster:F290	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61810	IgE-P.Wasp Venom:I4	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61195	IgE-Pea:F12	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61850	IgE-Peach:F95	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61860	IgE-Peanut:F13	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61870	IgE-Pear:F94	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61890	IgE-Penicillium notatum:M1	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
61900	IgE-Penicilloyl G:C1	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61910	IgE-Penicilloyl V:C2	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61940	IgE-Pigeon Droppings:E7	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62670	IgE-Pine nuts:F253	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62620	IgE-Pineapple:F210	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61970	IgE-Pork:F26	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61980	IgE-Potato:F35	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61990	IgE-Pumpkin:F225	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62000	IgE-Rabbit epithelium:E82	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60405	IgE-rAra h2:F423	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62050	IgE-Rice:F9	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
61920	IgE-Rye Grass:G5	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62090	IgE-Rye Pollen(RIA):G12	SST Serum	IRMA	나231주2	C7231	222.88	14,550	14,550	199.38	13,280	13,280	▼
62080	IgE-Rye:F5	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62100	IgE-Sadine:F61	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62110	IgE-Salmon:F41	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62135	IgE-Sesame Seed:F10	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62140	IgE-Sheep epithelium:E81	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62150	IgE-Shrimp:F24	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62185	IgE-Soybean:F14	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62190	IgE-Spinach:F214	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62210	IgE-Strawberry:F44	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62230	IgE-Sweat Vernal:G1	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62260	IgE-Sycamore:T11	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62270	IgE-T.Putre Scentiae:D72	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62910	IgE-T.toxoid:C208	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62280	IgE-Timothy Grass:G6	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62300	IgE-Tomato:F25	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62840	IgE-Tree mixture:Tx9	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62720	IgE-Trichophyton:M205	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62320	IgE-Tuna:F40	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62330	IgE-Velvet Grass(RIA):G13	SST Serum	IRMA	나231주2	C7231	222.88	14,550	14,550	199.38	13,280	13,280	▼
62350	IgE-Walnut pollen:T10	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62810	IgE-Walnut:F256	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
63030	IgE-Weed Mix:Wx5	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62360	IgE-Western Ragweed:W2	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62370	IgE-Wheat:F4	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62390	IgE-White Ash:T15	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
62400	IgE-White faced hornet:I2	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
60960	IgE-White Pine:T16	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62430	IgE-Willow:T12	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62440	IgE-Wormwood:W5	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62830	IgE-Yellow hornet:I5	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62480	IgE-Yellow J.WaspVenom:I3	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62495	IgE-αLactoalbumin:F76	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
62505	IgE-βLactoglobulin:F77	SST Serum	FEIA	나231	C2310	205.85	13,440	13,440	214.74	14,300	14,300	▲
01295	IGFBP-3 (CLIA)	SST Serum	CLIA	너231	CX231	345.13	22,540	22,540	265.33	17,670	17,670	▼
20220	IgG	SST Serum	TIA	나228가	C2281	134.92	8,810	8,810	137.11	9,130	9,130	▲
20221	IgG	CSF	TIA	나228가	C2281	134.92	8,810	8,810	137.11	9,130	9,130	▲
80945	IgG (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
20225	IgG, Low Conc	CSF	TIA	나228가	C2281	134.92	8,810	8,810	137.11	9,130	9,130	▲
20230	IgG I Subclass	SST Serum	SRID	너181가	BY181	183.11	11,960	11,960	145.34	9,680	9,680	▼
20240	IgGII Subclass	SST Serum	SRID	너181나	BY182	183.11	11,960	11,960	145.34	9,680	9,680	▼
20250	IgGIIISubclass	SST Serum	SRID	너181다	BY183	183.11	11,960	11,960	145.34	9,680	9,680	▼
80946	IgG4 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
20260	IgGIVSubclass	SST Serum	SRID	너181라	BY184	183.11	11,960	11,960	145.34	9,680	9,680	▼
25885	IgH gene rearrangement	Block	PCR+Hybridizatio	나595-1다	C6029006	668.68	43,660	43,660	696.95	46,420	46,420	▲
25886	IgH gene rearrangement	Block	Southern	너563바	CY056006	497.26	32,470	32,470	587.11	39,100	39,100	▲
20270	IgM	SST Serum	TIA	나228다	C2283	135.26	8,830	8,830	137.57	9,160	9,160	▲
20271	IgM	Hp Plasma	TIA	나228다	C2283	135.26	8,830	8,830	137.57	9,160	9,160	▲
80940	IgM (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80653	IHC	Other		나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80663	IHC	Other		나557	C5575	424.49	27,720	27,720	421.72	28,090	28,090	▲
80658	IHC×2	Other		나557	C5575006	466.94	60,980	60,980	463.89	30,900	30,900	▼
80654	IHC×4	Other		나557	C5575006	466.94	121,960	121,960	463.89	123,600	123,600	▲
80655	IHC×5	Other		나557	C5575006	466.94	152,450	152,450	463.89	154,500	154,500	▲
65621	Imipramine	Plain Blood	LC/MS/MS	나450나(4)	CX375696	542.51	35,430	35,430	570.54	38,000	38,000	▲
20621	Immuno E.P (24h urine)	24hr Urine	Electrophoresis	나308나	B3083006	439.56	28,700	28,700	448.07	29,840	29,840	▲
20625	Immuno E.P (IgG,M,A,D,E)	SST Serum	Electrophoresis	나308가	B3081006	385.86	25,200	25,200	392.35	26,130	26,130	▲
20623	Immuno E.P (Random urine)	Random Urine	Electrophoresis	나308나	B3083006	439.56	28,700	28,700	448.07	29,840	29,840	▲
20620	Immuno E.P (Serum)	SST Serum	Electrophoresis	나308가	B3081006	385.86	25,200	25,200	392.35	26,130	26,130	▲
20626	Immuno E.P(IgG,M,A,D,E)(U)	Random Urine	Electrophoresis	나308가	B3081006	385.86	25,200	25,200	392.35	26,130	26,130	▲
20611	Immuno Fixation EP	Random Urine	Electrophoresis	나308나주	B3084006	584.69	38,180	38,180	599.93	39,960	39,960	▲
20610	Immuno Fixation EP (Serum)	SST Serum	Electrophoresis	나308가주	B3082006	517.2	33,770	33,770	530.84	35,350	35,350	▲
20731	Immunoglobulin E.P (24U)	24hr Urine	Electrophoresis	나308나	B3083006	439.56	28,700	28,700	448.07	29,840	29,840	▲
20730	Immunoglobulin E.P (Serum)	SST Serum	Electrophoresis	나308가	B3081006	385.86	25,200	25,200	392.35	26,130	26,130	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	2010년 수가					2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
20733	Immunoglobulin E.P (U)	Random Urine	Electrophoresis	나308나	B3083006	439.56	28,700	28,700	448.07	29,840	29,840	▲
20228	Immunoglobulin G Index	SST Serum	계산법			0	0	32510	0	0	33,380	▲
26565	Immunoglobulin heavy chain	Tissue	Southern	나598다	C5983006	962.26	62,840	62,840	941.31	62,690	62,690	▼
80650	Immunohistochemistry	Smear Slide		나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80651	Immunohistochemistry	Block		나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80652	Immunohistochemistry	Other		나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80656	Immunohistochemistry	Smear Slide		나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
70820	India ink prep.	CSF		나401	B4010	29.12	1,900	1,900	27.19	1,810	1,810	▼
70821	India ink prep.	Other		나401	B4010	29.12	1,900	1,900	27.19	1,810	1,810	▼
10060	Indirect Bilirubin	SST Serum	계산법	나372	C3720+C3721	0	0	2,610	0	2,490	2,490	▼
10061	Indirect Bilirubin	Capillary	계산법	나372 외	C3720 외	0	0	2,610	0	2,490	2,490	▼
30330	Indirect Coombs	SST Serum	Column	나204나주	B2042006	34.96	2,280	2,280	35.18	2,340	2,340	▲
12150	Indocyanine Green소실율	SST Serum	Colorimetry	나399나	C3992006	572.5	37,380	37,380	437.42	29,130	29,130	▼
12140	Indocyanine Green정체율	SST Serum	Colorimetry	나399가	C3991006	381.69	24,920	24,920	273	18,180	18,180	▼
42165	Influenza A Culture	Other	Shell Vial Culture	나416	B4160006	546.65	35,700	35,700	560.25	37,310	37,310	▲
42175	Influenza B Culture	Other	Shell Vial Culture	나416	B4160006	546.65	35,700	35,700	560.25	37,310	37,310	▲
42280	Influenza virus A & B Ag	Sputum	DFA	나469	C4690596	203.1	26,520	26,520	203.16	27,060	27,060	▲
42281	Influenza virus A Ag	Sputum	DFA	나469	C4690596	203.1	13,260	13,260	203.16	13,530	13,530	▲
42282	Influenza virus B Ag	Sputum	DFA	나469	C4690596	203.1	13,260	13,260	203.16	13,530	13,530	▲
01864	Inhibin-A	SST Serum	CLIA	나369	CZ211	350.82	22,910	22,910	350.82	23,360	23,360	▲
81570	INI-1 (IHC)	Block	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
01025	Insulin (ECLIA)	SST Serum	ECLIA	나341	C3410	175.61	11,470	11,470	177.6	11,830	11,830	▲
01026	Insulin (ECLIA)	EDTA Plasma	ECLIA	나341	C3410	175.61	11,470	11,470	177.6	11,830	11,830	▲
01047	Insulin A/C	SST Serum	ECLIA	나341주	C7341	141.4	9,230	9,230	168.18	11,200	11,200	▲
01040	Insulin Ab(RIA)	SST Serum	RIA	너444주	CX745	224.58	14,670	14,670	143.86	9,580	9,580	▼
01048	Insulin P/C	SST Serum	ECLIA	나341주	C7341	141.4	9,230	9,230	168.18	11,200	11,200	▲
01041	Insulin-10회	SST Serum	ECLIA	나341	C3410	175.61	11,470	11,470	177.6	11,830	11,830	▲
01042	Insulin-11회	SST Serum	ECLIA	나341	C3410	175.61	11,470	11,470	177.6	11,830	11,830	▲
01043	Insulin-12회	SST Serum	ECLIA	나341	C3410	175.61	11,470	11,470	177.6	11,830	11,830	▲
01044	Insulin-13회	SST Serum	ECLIA	나341	C3410	175.61	11,470	11,470	177.6	11,830	11,830	▲
01045	Insulin-14회	SST Serum	ECLIA	나341	C3410	175.61	11,470	11,470	177.6	11,830	11,830	▲
01046	Insulin-15회	SST Serum	ECLIA	나341	C3410	175.61	11,470	11,470	177.6	11,830	11,830	▲
01031	Insulin-1회	SST Serum	ECLIA	나341	C3410	175.61	11,470	11,470	177.6	11,830	11,830	▲
01032	Insulin-2회	SST Serum	ECLIA	나341	C3410	175.61	11,470	11,470	177.6	11,830	11,830	▲
01033	Insulin-3회	SST Serum	ECLIA	나341	C3410	175.61	11,470	11,470	177.6	11,830	11,830	▲
01034	Insulin-4회	SST Serum	ECLIA	나341	C3410	175.61	11,470	11,470	177.6	11,830	11,830	▲
01035	Insulin-5회	SST Serum	ECLIA	나341	C3410	175.61	11,470	11,470	177.6	11,830	11,830	▲
01036	Insulin-6회	SST Serum	ECLIA	나341	C3410	175.61	11,470	11,470	177.6	11,830	11,830	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
01037	Insulin-7회	SST Serum	ECLIA	나341	C3410	175.61	11,470	11,470	177.6	11,830	11,830	▲
01038	Insulin-8회	SST Serum	ECLIA	나341	C3410	175.61	11,470	11,470	177.6	11,830	11,830	▲
01039	Insulin-9회	SST Serum	ECLIA	나341	C3410	175.61	11,470	11,470	177.6	11,830	11,830	▲
02061	Integrated 2nd (Quad)	SST Serum		나421 외	C7421외	0	55,650	55,650	0	61,120	61,120	▲
13150	Iodide	Random Urine		너234	CX234	81.41	5,320	5,320	61.89	4,120	4,120	▼
30140	Iron Stain	Bone Marrow Slide	Stain	나118다	B1185006	86.53	5,650	5,650	86.96	5,790	5,790	▲
12730	Iron (Fe)	SST Serum	Colorimetry	나249	C2490	36.95	2,410	2,410	34.94	2,330	2,330	▼
12732	Iron (Fe)(Tissue)	Tissue	AAS	나452	C4527990	607.56	39,670	39,670	613.25	40,840	40,840	▲
51880	Islet cell Ab	SST Serum	IFA	너446	CX446006	134.29	8,770	8,770	123.93	8,250	8,250	▼
30370	Isoagglutinin test	복수검체		나208	B2080006	113.54	7,410	7,410	106.48	7,090	7,090	▼
71030	Joint fluid analysis	Joint Fluid		나51	B0510	49.02	3,200	3,200	50.45	3,360	3,360	▲
71031	Joint fluid analysis	Body Fluid		나51	B0510	49.02	3,200	3,200	50.45	3,360	3,360	▲
25890	Kappa light chain	SST Serum	Nephelometry	나228가	C2281	134.92	8,810	8,810	137.11	9,130	9,130	▲
25893	Kappa light chain	Random Urine	Nephelometry	나554자	C5548	288.58	18,840	18,840	269.27	17,930	17,930	▼
12200	Ketone body 3분획	EDTA Plasma	GC/MSD	너271	CX271006	263.21	17,190	17,190	179.61	11,960	11,960	▼
12201	Ketone body 3분획	Random Urine	GC/MSD	너271	CX271006	263.21	17,190	17,190	179.61	11,960	11,960	▼
12210	Ketone Body 3분획	SST Serum	GC/MSD	너271	CX271006	263.21	17,190	17,190	179.61	11,960	11,960	▼
12170	Ketone body 정성	Random Urine	Colorimetry	나386	C3860	74.94	4,890	4,890	75.42	5,020	5,020	▲
12171	Ketone body 정성	SST Serum	Colorimetry	나386	C3860	74.94	4,890	4,890	75.42	5,020	5,020	▲
81340	Ki-1(CD30) (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81050	Ki-67 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81052	Ki-67 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
30441	Kidd A 혈액형검사	EDTA Blood	Tube	나203	B2030006	77.45	5,060	5,060	73.81	4,920	4,920	▼
30442	Kidd B 혈액형검사	EDTA Blood	Tube	나203	B2030006	77.45	5,060	5,060	73.81	4,920	4,920	▼
70830	KOH Mount	Other		나400마	B4102	19.38	1,270	1,270	19.33	1,290	1,290	▲
41650	Korea virus I	SST Serum				0	22330	22330	0	21,150	21,150	▼
41660	Korea VirusⅢ	SST Serum				0	52320	52320	0	53,370	53,370	▲
41663	Korea VirusⅢ,CSF	CSF				0	52320	52320	0	53,370	53,370	▲
51890	L.E. Cell	Plain Blood	Manual	나112	B1120006	56.12	3,660	3,660	55.53	3,700	3,700	▲
11120	L/S Ratio	Amniotic Fluid	TLC	나55	B0550006	168.65	11,010	11,010	169.31	11,280	11,280	▲
81040	L26(CD20) (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
30930	LAC confirm	SC Plasma	Colorimetry	나171나	B1712006	297.97	19,460	19,460	303.93	20,240	20,240	▲
30935	LAC screen	SC Plasma	Colorimetry	나171가	B1711	191.56	12,510	12,510	199.4	13,280	13,280	▲
10740	Lactic Acid	NaF Plasma	Enzyme	너345가(5)	CY345	339.91	22,200	22,200	229.5	15,280	15,280	▼
10741	Lactic Acid	CSF	Enzyme	너345가(5)	CY345	339.91	22,200	22,200	229.5	15,280	15,280	▼
10742	Lactic Acid	Other	Enzyme	너345가(5)	CY345	339.91	22,200	22,200	229.5	15,280	15,280	▼
25610	Lambda light chain	SST Serum	Nephelometry	나228가	C2281	134.92	8,810	8,810	137.11	9,130	9,130	▲
25613	Lambda light chain	Random Urine	Nephelometry	나554자	C5548	288.58	18,840	18,840	269.27	17,930	17,930	▼

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
65781	Lamotrigine	Random Urine		나450가(4)	CX372690	378.82	24,740	24,740	295.04	19,650	19,650	▼
65782	Lamotrigine	Plain Serum	HPLC	나450가(3)	CX374690	262.87	17,170	17,170	313.25	20,860	20,860	▲
10390	LAP	SST Serum	Enzyme	나267	B2670	47.87	3,130	3,130	44.3	2,950	2,950	▼
30380	LAP Score	Blood Smear Slide		나126	B1260006	86.77	5,670	5,670	87.29	5,810	5,810	▲
81640	LCA (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
10410	LDH	SST Serum	Enzyme	나259	B2590	36.92	2,410	2,410	33.47	2,230	2,230	▼
10411	LDH	Body Fluid	Enzyme	나259	B2590	36.92	2,410	2,410	33.47	2,230	2,230	▼
20640	LDH Isoenzyme	SST Serum	Electrophoresis	나303	B3030006	175.56	11,460	11,460	175.89	11,710	11,710	▲
20641	LDH Isoenzyme	Body Fluid	Electrophoresis	나303	B3030006	175.56	11,460	11,460	175.89	11,710	11,710	▲
11110	LDL-Cholesterol	SST Serum	Enzyme	나243	C2430	90.26	5,890	5,890	89.39	5,950	5,950	▲
12752	Lead(Pb)	Trace EDTA Blood	ICP/MS	나452나(2)	C4523630	306.17	19,990	19,990	309.81	20,630	20,630	▲
12753	Lead(Pb)	24hr Urine	ICP/MS	나452나(2)	C4523630	306.17	19,990	19,990	309.81	20,630	20,630	▲
71140	Legionella Ag	Random Urine	ICA	나475나	C4752996	293.16	19,140	19,140	300.61	20,020	20,020	▲
43570	Legionella pneumophilaPCR	Sputum	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
41621	Leptospira Ab Titer(ICA)	SST Serum	ICA	나466가	C4661020	123.13	8,040	8,040	118.09	7,860	7,860	▼
41611	Leptospira Ab(ICA)	SST Serum	ICA	나466가	C4661020	123.13	8,040	8,040	118.09	7,860	7,860	▼
41662	Leptospirosis(응집법)	SST Serum	PHA	나466가	C4661020	123.13	8,040	8,040	118.09	7,860	7,860	▼
41668	Leptospirosis(PHA)	SST Serum	PHA	나466가	C4661020	123.13	8,040	8,040	118.09	7,860	7,860	▼
26130	Leukemia marker study	EDTA Blood	IFA	나512+나	C512~30006	0	424,600	424,600	0	433,970	433,970	▲
26131	Leukemia marker study	Bone Marrow	IFA	나512+나	C512~30006	0	424,600	424,600	0	433,970	433,970	▲
26135	Leukemia marker study	Bone Marrow	Flow Cytometry	나511~3	C5111006외	0	497,180	497,180	0	508,070	508,070	▲
00106	LH (ECLIA)	SST Serum	ECLIA	나348	C3480	156.51	10,220	10,220	154.54	10,290	10,290	▲
00111	LH-1호	SST Serum	ECLIA	나348	C3480	156.51	10,220	10,220	154.54	10,290	10,290	▲
00112	LH-2호	SST Serum	ECLIA	나348	C3480	156.51	10,220	10,220	154.54	10,290	10,290	▲
00113	LH-3호	SST Serum	ECLIA	나348	C3480	156.51	10,220	10,220	154.54	10,290	10,290	▲
00114	LH-4호	SST Serum	ECLIA	나348	C3480	156.51	10,220	10,220	154.54	10,290	10,290	▲
00115	LH-5호	SST Serum	ECLIA	나348	C3480	156.51	10,220	10,220	154.54	10,290	10,290	▲
00116	LH-6호	SST Serum	ECLIA	나348	C3480	156.51	10,220	10,220	154.54	10,290	10,290	▲
00117	LH-7호	SST Serum	ECLIA	나348	C3480	156.51	10,220	10,220	154.54	10,290	10,290	▲
00118	LH-8호	SST Serum	ECLIA	나348	C3480	156.51	10,220	10,220	154.54	10,290	10,290	▲
25620	LHON 11778	EDTA Blood	PCR-RFLP	너562나	CY622006	416.68	27,210	27,210	460.19	30,650	30,650	▲
25630	LHON 14484	EDTA Blood	PCR-RFLP	너562나	CY622006	416.68	27,210	27,210	460.19	30,650	30,650	▲
26460	LHON 3460	EDTA Blood	PCR-RFLP	너562나	CY622006	416.68	27,210	27,210	460.19	30,650	30,650	▲
25640	LHON 3460,11778,14484	EDTA Blood	PCR-RFLP	너562나	CY622006	416.68	81,630	81,630	460.19	91,950	91,950	▲
25645	LHON 3460,4171,11778,14484	EDTA Blood	PCR-RFLP	너562나	CY622006	416.68	108,840	108,840	460.19	122,600	122,600	▲
25635	LHON 4171	EDTA Blood	PCR-RFLP	너562나	CY622006	416.68	27,210	27,210	460.19	30,650	30,650	▲
10425	Lipase	SST Serum	Colorimetry	나262	B2621	60.41	3,940	3,940	60.09	4,000	4,000	▲
10426	Lipase	Body Fluid	Colorimetry	나262	B2621	60.41	3,940	3,940	60.09	4,000	4,000	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2010년 수가			2011년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
11116	Lipid profile	SST Serum	계산법	나241 외	C2411 외	0	10,060	10,060	0	10,100	10,100	▲
20650	Lipoprotein E.P	SST Serum	Electrophoresis	나301	B3010006	138.58	9,050	9,050	130.06	8,660	8,660	▼
20651	Lipoprotein E.P	Body Fluid	Electrophoresis	나301	B3010006	138.58	9,050	9,050	130.06	8,660	8,660	▼
12860	Lipoprotein(a)	SST Serum	TIA	나248	C2480	160.49	10,480	10,480	160.82	10,710	10,710	▲
71170	Listeria culture	Other	Culture	나405가	B4051	158.13	10,330	10,330	163.15	10,870	10,870	▲
12765	Lithium(Li)	SST Serum	AAS	나452나(2)	C4523610	306.17	19,990	19,990	309.81	20,630	20,630	▲
26090	Lymphocyte subset 3종	EDTA Blood		나512	C5120006	447.99	87,750	87,750	449.61	89,820	89,820	▲
26091	Lymphocyte subset 3종	Bone Marrow		나512	C5120006	447.99	87,750	87,750	449.61	89,820	89,820	▲
26100	Lymphocyte subset 4종	EDTA Blood		나512	C5120006	447.99	117,000	117,000	449.61	119,760	119,760	▲
26101	Lymphocyte subset 4종	Bone Marrow		나512	C5120006	447.99	117,000	117,000	449.61	119,760	119,760	▲
26110	Lymphocyte subset 4종	EDTA Blood		나512	C5120006	447.99	117,000	117,000	449.61	119,760	119,760	▲
26115	Lymphocyte subset 4종	EDTA Blood		나512	C5120006	447.99	117,000	117,000	449.61	119,760	119,760	▲
30451	M 혈액형검사	EDTA Blood	Tube	나203	B2030006	77.45	5,060	5,060	73.81	4,920	4,920	▼
71230	M.h & U.u 배양및약제감수성	Other	Culture	너301	BY301+3006	0	47,440	47,440	0	54,000	54,000	▲
10120	Magnesium (Mg)	SST Serum	Colorimetry	나379사	C3797	25.94	1,690	1,690	24.96	1,660	1,660	▼
10121	Magnesium (Mg)	24hr Urine	Colorimetry	나379사	C3797	25.94	1,690	1,690	24.96	1,660	1,660	▼
10122	Magnesium (Mg)	Random Urine	Colorimetry	나379사	C3797	25.94	1,690	1,690	24.96	1,660	1,660	▼
70840	Malaria	Blood Smear Slide	Manual	나115	B1150006	45.57	2,980	2,980	46.68	3,110	3,110	▲
42551	Malaria P. falciparum PCR	EDTA Blood	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
42553	Malaria P. malariae PCR	EDTA Blood	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
42554	Malaria P. ovale PCR	EDTA Blood	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
42552	Malaria P. vivax PCR	EDTA Blood	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
42540	Malaria PCR	EDTA Blood	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
42545	Malaria PCR 2종	EDTA Blood	PCR	나595아	C5956006	403.21	52,660	52,660	409.2	54,500	54,500	▲
42555	Malaria PCR 4종	EDTA Blood	PCR	나595아	C5956006	403.21	105,320	105,320	409.2	109,000	109,000	▲
12220	Mandelic acid	Random Urine	HPLC	나451나(3)	CY373020	399.4	26,080	26,080	281.02	18,720	18,720	▼
12770	Mangane(Mn)	Trace EDTA Blood	AAS	나452나(2)	C4523660	306.17	19,990	19,990	309.81	20,630	20,630	▲
12771	Mangane(Mn)	24hr Urine	AAS	나452나(2)	C4523660	306.17	19,990	19,990	309.81	20,630	20,630	▲
12772	Mangane(Mn)	Random Urine	AAS	나452나(2)	C4523660	306.17	19,990	19,990	309.81	20,630	20,630	▲
82110	Massons Trichrome Stain	Tissue		나553나	C5532	122.36	7,990	7,990	123.07	8,200	8,200	▲
65690	MDMA (Ecstasy)	Random Urine	ICA	나450가(2)	C4502390	124.57	8,130	8,130	118.13	7,870	7,870	▼
41680	Measles virus IgG(ELISA)	SST Serum	ELISA	나468나(1)	C4682486	266.76	17,420	17,420	270.11	17,990	17,990	▲
41681	Measles virus IgG(ELISA)	CSF	ELISA	나468나(1)	C4682486	266.76	17,420	17,420	270.11	17,990	17,990	▲
41690	Measles virus IgM(ELISA)	SST Serum	ELISA	나468나(2)	C4683486	259.16	16,920	16,920	259.99	17,320	17,320	▲
41691	Measles virus IgM(ELISA)	CSF	ELISA	나468나(2)	C4683486	259.16	16,920	16,920	259.99	17,320	17,320	▲
81540	Melan A (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
26730	MEN2(FMTC), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006	2955.94	193,020	193,020	3875.61	258,120	258,120	▲
26740	MEN2(MEN2A), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006	2955.94	193,020	193,020	3875.61	258,120	258,120	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
26750	MEN2(MEN2B), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006	2955.94	193,020	193,020	3875.61	258,120	258,120	▲
12783	Mercury(Hg)	Other	AAS	나452	C4527640	607.56	39,670	39,670	613.25	40,840	40,840	▲
12784	Mercury(Hg)	Trace EDTA Blood	ICP/MS	나452나(2)	C4523640	306.17	19,990	19,990	309.81	20,630	20,630	▲
12785	Mercury(Hg)	24hr Urine	ICP/MS	나452나(2)	C4523640	306.17	19,990	19,990	309.81	20,630	20,630	▲
12786	Mercury(Hg)	Random Urine	ICP/MS	나452나(2)	C4523640	306.17	19,990	19,990	309.81	20,630	20,630	▲
20520	Met Hemoglobin	EDTA Blood	Oximeter	나382가	C3821	50.52	3,300	3,300	49.68	3,310	3,310	▲
00885	Metanephrine 2F(HPLC)	24hr Urine	HPLC	너228		0	40520	40520	0	43,700	43,700	▲
00886	Metanephrine(HPLC)	24hr Urine	HPLC	너228라	CY284006	310.2	20,260	20,260	328.04	21,850	21,850	▲
00892	Metanephrine,Total(HPLC)	24hr Urine	HPLC	너228라	CY284006	310.2	20,260	20,260	328.04	21,850	21,850	▲
65430	Methamphetamine 정성	Random Urine	ICA	나450가(2)	C4502390	124.57	8,130	8,130	118.13	7,870	7,870	▼
65640	Methotrexate(MTX)	SST Serum	FPIA	나450나(2)	C4504130	243.15	15,880	15,880	247.78	16,500	16,500	▲
12230	Methylhippuric acid	Random Urine	HPLC	나451나(3)	CY373040	399.4	26,080	26,080	281.02	18,720	18,720	▼
12235	Methylhippuric acid (아산)	Random Urine	HPLC	나451나(3)	CY373040	399.4	26,080	26,080	281.02	18,720	18,720	▼
20280	Microalbumin	24hr Urine	RIA	나230나주	C7230	146.73	9,580	9,580	192.27	12,810	12,810	▲
20281	Microalbumin	Random Urine	RIA	나230나주	C7230	146.73	9,580	9,580	192.27	12,810	12,810	▲
20290	Microalbumin 정성	Random Urine	Strip	나230가	C2301	12.12	790	790	11.39	760	760	▼
50856	Micro-ELISA Test(BF)	Body Fluid	Micro-ELISA	나472나(1)	C4722796	271.19	70,840	70,840	270.18	71,960	71,960	▲
50857	Micro-ELISA Test(CSF)	CSF	Micro-ELISA	나472나(1)	C4722796	271.1	53,130	53,130	270.18	53,970	53,970	▲
50855	Micro-ELISA Test(S)	SST Serum	Micro-ELISA	나472나(1)	C4722796	271.19	70,840	70,840	270.18	71,960	71,960	▲
51900	Mitochondrial DNA MELAS	EDTA Blood	PCR-RFLP	너562다	CY623006	416.68	81,630	81,630	460.66	92,040	92,040	▲
51910	Mitochondrial DNA MERRF	EDTA Blood	PCR-RFLP	너562라	CY624006	416.68	27,210	27,210	470.37	31,330	31,330	▲
30050	Mixing Test	SC Plasma	Clot-based	나177	B1770006	194.23	12,680	12,680	190.62	12,700	12,700	▲
26420	MLH1gene mutation analysis	EDTA Blood	Sequencing	나599나(2)	CY711006	5911.54	386,020	386,020	7289.6	485,490	485,490	▲
29400	MLL gene, rearrangement	Bone Marrow	RT-PCR	나597	C5979006	1669.92	109,050	109,050	1729.88	115,210	115,210	▲
65440	Morphine	Random Urine	ICA	나450가(2)	C4502390	124.57	8,130	8,130	118.13	7,870	7,870	▼
02090	MSAFP	SST Serum	RIA	나421나주	C7421	164.31	10,730	10,730	158.82	10,580	10,580	▼
01861	MS-AFP	SST Serum	RIA	나421나주	C7421	164.31	10,730	10,730	158.82	10,580	10,580	▼
26430	MSH2 gene mutation	EDTA Blood	Sequencing	나599나(2)	CY712006	5911.54	386,020	386,020	7289.6	485,490	485,490	▲
01862	MS-hCG	SST Serum	RIA	나352주	C7352	173.76	11,350	11,350	195.53	13,020	13,020	▲
27674	MSI Test	Block	PCR Fragment	너574	CX574006	2596.61	169,560	169,560	3013.24	200,680	200,680	▲
27679	MSI(Microsatellite) test	Block		너574	CX574006	2596.61	169,560	169,560	3013.24	200,680	200,680	▲
01863	MS-uE3	SST Serum	RIA	나327주	C7327	163.31	10,660	10,660	212.59	14,160	14,160	▲
42606	MTB & NTM PCR	Sputum	PCR+Hybridizatio	나595-1가	C6021006	636.81	41,580	41,580	654.51	43,590	43,590	▲
42611	MTB PCR (조직)	Tissue	Nested PCR	너563사	CY059006	497.16	32,460	32,460	575.61	38,340	38,340	▲
27265	MTHFR(C677T)	EDTA Blood	PCR-RFLP	너562아	CY628006	416.68	27,210	27,210	463.98	30,900	30,900	▲
27060	MTHFR(C677T) genotyping	EDTA Blood		너562아	CY628006	416.68	27,210	27,210	463.98	30,900	30,900	▲
71040	Mucin clot test	Joint Fluid	Manual	나54	B0540	11.26	740	740	11.41	760	760	▲
10795	Mucopolysaccharide 정성	Random Urine		나444가	C4441	27.1	1,770	1,770	24.85	1,660	1,660	▼

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
10780	Mucopolysaccharidosis 선별	Random Urine		나444나	C4442	66.37	4,330	4,330	62.85	4,190	4,190	▼
42180	Mumps Culture	Random Urine	Culture	나416	B4160006	546.65	35,700	35,700	560.25	37,310	37,310	▲
41730	Mumps virus IgG (ELISA)	SST Serum	ELISA	나468나(1)	C4682506	266.76	17,420	17,420	270.11	17,990	17,990	▲
41731	Mumps virus IgG (ELISA)	CSF	ELISA	나468나(1)	C4682506	266.76	17,420	17,420	270.11	17,990	17,990	▲
41740	Mumps virus IgM (ELISA)	SST Serum	ELISA	나468나(2)	C4683506	259.16	16,920	16,920	259.99	17,320	17,320	▲
41741	Mumps virus IgM (ELISA)	CSF	ELISA	나468나(2)	C4683506	259.16	16,920	16,920	259.99	17,320	17,320	▲
42590	Mumps virus RNA(RT-PCR)	CSF	RT-PCR	나596라	C5969006	612.12	39,970	39,970	644.86	42,950	42,950	▲
50870	Mycoplasma Ab	SST Serum	PA	나474가	C4741820	69.03	4,510	4,510	64.49	4,300	4,300	▼
50871	Mycoplasma Ab	Body Fluid	PA	나474가	C4741820	69.03	4,510	4,510	64.49	4,300	4,300	▼
42620	Mycoplasma genitalium PCR	분비물	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
71190	Mycoplasma hominis culture	Other	Culture	너301가	BY301006	363.17	23,720	23,720	405.47	27,000	27,000	▲
42630	Mycoplasma hominis PCR	Other	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
52300	Mycoplasma pneumoniae IgG	SST Serum	EIA	나474나(1)	C4742826	205.72	13,430	13,430	206.65	13,760	13,760	▲
52310	Mycoplasma pneumoniae IgM	SST Serum	EIA	나474나(2)	C4743826	204.59	13,360	13,360	205.15	13,660	13,660	▲
52311	Mycoplasma pneumoniae IgM	CSF	EIA	나474나(2)	C4743826	204.59	13,360	13,360	205.15	13,660	13,660	▲
42640	Mycoplasma pneumoniae PCR	Sputum	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
01330	Myoglobin	SST Serum	CLIA	나384나	C3842	232.25	15,170	15,170	233.09	15,520	15,520	▲
01331	Myoglobin	Random Urine	CLIA	나384나	C3842	232.25	15,170	15,170	233.09	15,520	15,520	▲
25681	Myotonic Muscular Dystroph	EDTA Blood	Southern blot	나598가	C5980006	1010.77	66,000	66,000	1005.93	66,990	66,990	▲
25680	Myotonic Muscular Dystrophy	복수검체	Southern blot	너573+나	CY539006+C59	0	125,710	125,710	0	140,150	140,150	▲
30452	N 혈액형검사	EDTA Blood	Tube	나203	B2030006	77.45	5,060	5,060	73.81	4,920	4,920	▼
71080	N. gonorrhoeae Culture	Other	Culture	나405가	B4051	158.13	10,330	10,330	163.15	10,870	10,870	▲
50464	N. meningitis	CSF	Latex	나408	B4080	90.9	5,940	5,940	85.21	5,670	5,670	▼
00240	Neonatal Free T4	Blood Paper	EIA	나334	C3340	171.51	11,200	11,200	172.44	11,480	11,480	▲
11717	Neonatal HVA	Urine Paper	EIA	너225가	CY250	85.45	5,580	5,580	87.98	5,860	5,860	▲
00250	Neonatal T4	Blood Paper	FIA	나333	C3330	164.39	10,730	10,730	164.15	10,930	10,930	▲
11716	Neonatal VMA	Urine Paper	EIA	나321나(2)	C3213	211.71	13,820	13,820	216.83	14,440	14,440	▲
00260	Neonatal-TSH	Blood Paper	FIA	나336	C3360	215.39	14,060	14,060	220.13	14,660	14,660	▲
81575	NEU-N (IHC)	Block	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
11715	Neuroblastoma Test(Screen)	Urine Paper	EIA	나321+너	C3213+CY250	0	19,400	19,400	0	20,300	20,300	▲
81120	Neurofilament (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
30021	Neutrophil Seg	EDTA Blood	자동혈구계산법	나109가	B1091	25.53	1,670	1,670	25.43	1,690	1,690	▲
12792	Nickel(Ni)	Trace Serum	AAS	나452나(2)	C4523990	306.17	19,990	19,990	309.81	20,630	20,630	▲
12275	N-methyl formamide(아산)	Random Urine	GC/NPD	나451나(3)	CY373060	399.4	26,080	26,080	281.02	18,720	18,720	▼
12270	N-methyl formamide(NMF)	Random Urine	GC/MSD	나451나(3)	CY373060	399.4	26,080	26,080	281.02	18,720	18,720	▼
65740	N-methylacetamide(NMAC)	Random Urine	GC/MSD	나451나(3)	CY373290	399.4	26,080	26,080	281.02	18,720	18,720	▼
27540	NMP22	Random Urine	ELISA	너322다	CY323	283.39	18,510	18,510	301.48	20,080	20,080	▲
25790	N-myc	복수검체	PCR	나598아	C5988006	970.13	63,350	63,350	951.81	63,390	63,390	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2010년 수가			2011년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
30150	Nonspecific esterase stain	Bone Marrow Slide	Stain	나118바	B1188006	85.01	5,550	5,550	84.94	5,660	5,660	▲
30151	Nonspecific esterase stain	Blood Smear Slide	Stain	나118바	B1188006	85.01	5,550	5,550	84.94	5,660	5,660	▲
30152	Nonspecific esterase stain	Bone Marrow Slide	Stain	나118바	B1188006	85.01	5,550	5,550	84.94	5,660	5,660	▲
00843	Norepinephrine	EDTA Plasma	HPLC/ECD	너228나	CY282006	310.2	20,260	20,260	328.04	21,850	21,850	▲
00845	Norepinephrine	24hr Urine	HPLC	너228나	CY282006	310.2	20,260	20,260	328.04	21,850	21,850	▲
00887	Normetanephrine(HPLC)	24hr Urine	HPLC	너228마	CY285006	310.2	20,260	20,260	328.04	21,850	21,850	▲
65661	Nortriptyline	Plain Blood	LC/MS/MS	나450나(4)	CX375696	542.51	35,430	35,430	570.54	38,000	38,000	▲
01615	NSE (ECLIA)	SST Serum	ECLIA	나431	C4310	309.76	20,230	20,230	310.19	20,660	20,660	▲
81280	NSE(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
70501	NTM Sensitivity (결핵협회)	균주	Microdilution	나406다(2)	B4064	522.61	34,130	34,130	543.31	36,180	36,180	▲
01350	NT-pro BNP	SST Serum	ECLIA	나368-2	CZ208	608.98	39,770	39,770	608.98	40,560	40,560	▲
12280	NTx	Random Urine	ELISA	나393-1	C3931	199.17	13,010	13,010	189.78	12,640	12,640	▼
30180	Oil red stain	Bone Marrow Slide	Stain	나118아	B1189006	84.36	5,510	5,510	84.07	5,600	5,600	▲
20320	Oligoclonal IgG band	CSF	Electrophoresis	너182	BX182006	215.52	14,070	14,070	223.85	14,910	14,910	▲
65450	Opiates	Random Urine	CLIA	나450가(2)	C4502390	124.57	8,130	8,130	118.13	7,870	7,870	▼
12290	Organic Acid	Random Urine	GC/MSD	너345다	CY348006	3333.25	217,660	217,660	2683.7	178,730	178,730	▼
12291	Organic Acid	EDTA Plasma	GC/MSD	너345다	CY348006	3333.25	217,660	217,660	2683.7	178,730	178,730	▼
12310	Orotic acid	24hr Urine	Spectrophotomet	너345가(6)	CY349	339.91	22,200	22,200	229.5	15,280	15,280	▼
12320	Osmolality	SST Serum	Osmometer	나380	C3800	53.7	3,510	3,510	54.08	3,600	3,600	▲
12321	Osmolality	24hr Urine	Osmometer	나380	C3800	53.7	3,510	3,510	54.08	3,600	3,600	▲
12322	Osmolality	Random Urine	Osmometer	나380	C3800	53.7	3,510	3,510	54.08	3,600	3,600	▲
12335	Osmolality(S)-10호	SST Serum	Osmometer	나380	C3800	53.7	3,510	3,510	54.08	3,600	3,600	▲
12336	Osmolality(S)-11호	SST Serum	Osmometer	나380	C3800	53.7	3,510	3,510	54.08	3,600	3,600	▲
12337	Osmolality(S)-12호	SST Serum	Osmometer	나380	C3800	53.7	3,510	3,510	54.08	3,600	3,600	▲
12338	Osmolality(S)-13호	SST Serum	Osmometer	나380	C3800	53.7	3,510	3,510	54.08	3,600	3,600	▲
12339	Osmolality(S)-14호	SST Serum	Osmometer	나380	C3800	53.7	3,510	3,510	54.08	3,600	3,600	▲
12325	Osmolality(S)-1호	SST Serum	Osmometer	나380	C3800	53.7	3,510	3,510	54.08	3,600	3,600	▲
12326	Osmolality(S)-2호	SST Serum	Osmometer	나380	C3800	53.7	3,510	3,510	54.08	3,600	3,600	▲
12327	Osmolality(S)-3호	SST Serum	Osmometer	나380	C3800	53.7	3,510	3,510	54.08	3,600	3,600	▲
12328	Osmolality(S)-4호	SST Serum	Osmometer	나380	C3800	53.7	3,510	3,510	54.08	3,600	3,600	▲
12329	Osmolality(S)-5호	SST Serum	Osmometer	나380	C3800	53.7	3,510	3,510	54.08	3,600	3,600	▲
12331	Osmolality(S)-6호	SST Serum	Osmometer	나380	C3800	53.7	3,510	3,510	54.08	3,600	3,600	▲
12332	Osmolality(S)-7호	SST Serum	Osmometer	나380	C3800	53.7	3,510	3,510	54.08	3,600	3,600	▲
12333	Osmolality(S)-8호	SST Serum	Osmometer	나380	C3800	53.7	3,510	3,510	54.08	3,600	3,600	▲
12334	Osmolality(S)-9호	SST Serum	Osmometer	나380	C3800	53.7	3,510	3,510	54.08	3,600	3,600	▲
12330	Osmotic fragility	복수검체	Colorimetry	나113	B1131006	88.79	5,800	5,800	89.98	5,990	5,990	▲
01925	Osteocalcin (ECLIA)	SST Serum	ECLIA	나363	C3630	175.33	11,450	11,450	177.22	11,800	11,800	▲
30470	Other blood typing	EDTA Blood	Tube	나203	B2030006	77.45	5,060	5,060	73.81	4,920	4,920	▼

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	2010년 수가			2011년 수가			증감		
				분류번호	보험기호	점수	보험가	의뢰가	점수		보험가	의뢰가
81220	Other(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
65460	Oxcarbazepine & Metabolite	SST Serum	HPLC	나450나(3)	CX374690	262.87	17,170	17,170	313.25	20,860	20,860	▲
81600	p53 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81620	p63 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
30690	PAI-1	SC Plasma	ELISA	너80나	BY802	170.91	11,160	11,160	179.54	11,960	11,960	▲
10245	Pancreatic Amylase	SST Serum	Enzyme	나261나	B2612	53.98	3,520	3,520	53.64	3,570	3,570	▲
10246	Pancreatic Amylase	Random Urine	Enzyme	나261나	B2612	53.98	3,520	3,520	53.64	3,570	3,570	▲
01630	PAP	SST Serum	CLIA	나429	C4290	178.88	11,680	11,680	159.45	10,620	10,620	▼
01631	PAP	분비물	CLIA	나429	C4290	178.88	11,680	11,680	159.45	10,620	10,620	▼
80005	Pap smear	Cervix	Pap stain	나592	C5920	90.27	5,890	5,890	89.65	5,970	5,970	▲
80006	Pap smear(A)	Cervix	Pap stain	나592	C5920	90.27	5,890	5,890	89.65	5,970	5,970	▲
80007	Pap smear(T)	Cervix	Pap stain	나592	C5920	90.27	5,890	5,890	89.65	5,970	5,970	▲
50847	Paragonimus IgG(BF)	Body Fluid	Micro-ELISA	나472나(1)	C4722796	271.19	17,710	17,710	270.18	17,990	17,990	▲
50852	Paragonimus IgG(CSF)	CSF	Micro-ELISA	나472나(1)	C4722796	271.19	17,710	17,710	270.18	17,990	17,990	▲
50843	Paragonimus IgG(S)	SST Serum	Micro-ELISA	나472나(1)	C4722796	271.19	17,710	17,710	270.18	17,990	17,990	▲
42195	Parainfluenza culture	Other	Shell Vial Culture	나416	B4160006	546.65	35,700	35,700	560.25	37,310	37,310	▲
43560	Parainfluenza V. Ag(DFA)	Other	DFA	나469	C4690596	203.1	13,260	13,260	203.16	13,530	13,530	▲
12345	Paraquat	Random Urine	HPLC	나450나(3)	CX374040	262.87	17,170	17,170	313.25	20,860	20,860	▲
12340	Paraquat (Gramoxone)	SST Serum	HPLC	나450나(3)	CX374040	262.87	17,170	17,170	313.25	20,860	20,860	▲
65623	Paroxetine	Plain Serum	LC/MS/MS	나450	CX375696	542.51	35,430	35,430	570.54	38,000	38,000	▲
42660	Parvo virus B19 DNA	SST Serum	PCR	나595나	C5952006	389.38	25,430	25,430	390.79	26,030	26,030	▲
41780	Parvo virus B19 IgG	SST Serum	ELISA	나468나(1)	C4682596	266.76	17,420	17,420	270.11	17,990	17,990	▲
41781	Parvo virus B19 IgG	Body Fluid	ELISA	나468나(1)	C4682596	266.76	17,420	17,420	270.11	17,990	17,990	▲
41790	Parvo virus B19 IgM	SST Serum	ELISA	나468나(2)	C4683596	259.16	16,920	16,920	259.99	17,320	17,320	▲
41791	Parvo virus B19 IgM	Body Fluid	ELISA	나468나(2)	C4683596	259.16	16,920	16,920	259.99	17,320	17,320	▲
30160	PAS Stain	Bone Marrow Slide	Stain	나118마	B1187006	85.9	5,610	5,610	86.13	5,740	5,740	▲
30161	PAS Stain	Blood Smear Slide	Stain	나118마	B1187006	85.9	5,610	5,610	86.13	5,740	5,740	▲
82100	PAS Stain	Tissue		나553다	C5533	122.36	7,990	7,990	123.07	8,200	8,200	▲
12806	p-Cresol	Random Urine	GC/MS	나451나(3)	CY373290	399.4	26,080	26,080	281.02	18,720	18,720	▼
30080	PDW	EDTA Blood	자동혈구계산법	나123	B1230	5.8	380	380	5.79	390	390	▲
31085	PEG Coombs Anti IgG	EDTA Blood		나204나주	B2048106	67.38	4,400	4,400	71.52	4,760	4,760	▲
02036	Pepsinogen I/II	SST Serum	LTIA	나362	C3620×2	256.1	33,440	33,440	226.41	30,160	30,160	▼
30170	Peroxidase stain	Bone Marrow Slide	Stain	나118라	B1186006	83.92	5,480	5,480	83.48	5,560	5,560	▲
30171	Peroxidase stain	Blood Smear Slide	Stain	나118라	B1186006	83.92	5,480	5,480	83.48	5,560	5,560	▲
65470	Phencyclidine 정성	Random Urine	ICA	나450가(2)	C4502390	124.57	8,130	8,130	118.13	7,870	7,870	▼
65290	Phenobarbital	SST Serum	FPA	나450나(2)	C4504020	243.15	15,880	15,880	247.78	16,500	16,500	▲
12805	Phenol	Random Urine	GC/MS	나451나(3)	CY373290	399.4	26,080	26,080	281.02	18,720	18,720	▼
65300	Phenytoin	SST Serum	FPA	나450나(2)	C4504050	243.15	15,880	15,880	247.78	16,500	16,500	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	2010년 수가					2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
65310	Phenytoin,Free	SST Serum	FPIA	나450나(2)	C4504050	243.15	15,880	15,880	247.78	16,500	16,500	▲
10130	Phosphate(Pi)	SST Serum	Colorimetry	나379라	C3794	17.62	1,150	1,150	16.38	1,090	1,090	▼
10131	Phosphate(Pi)	24hr Urine	Colorimetry	나379라	C3794	17.62	1,150	1,150	16.38	1,090	1,090	▼
10132	Phosphate(Pi)	Random Urine	Colorimetry	나379라	C3794	17.62	1,150	1,150	16.38	1,090	1,090	▼
11160	Phospholipid	SST Serum	Enzyme	나244나	C2442	37.92	2,480	2,480	33.79	2,250	2,250	▼
11161	Phospholipid	Body Fluid	Enzyme	나244나	C2442	37.92	2,480	2,480	33.79	2,250	2,250	▼
01640	PIVKA-2	SST Serum	EIA	너78	BX078	170.91	11,160	11,160	186.2	12,400	12,400	▲
01641	PIVKA-2	EDTA Plasma	EIA	너78	BX078	170.91	11,160	11,160	186.2	12,400	12,400	▲
81370	PLAP (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
20530	Plasma Hb	EDTA Plasma	Colorimetry	나383	C3830	49.62	3,240	3,240	50.02	3,330	3,330	▲
30710	Plasminogen	SC Plasma	Colorimetry	나188가	B1881	154.95	10,120	10,120	159.22	10,600	10,600	▲
30005	Platelet	EDTA Blood	자동혈구계산법	나106	B1060	12.81	840	840	12.9	860	860	▲
51920	Platelet Associated Ab	EDTA Blood	IFA	나502나	C5022006	242.4	15,830	15,830	246.92	16,440	16,440	▲
25710	PML-RARa (nested RT-PCR)	EDTA Blood	Nested RT-PCR	나597다	C5973006	1573.83	102,770	102,770	1601.91	106,690	106,690	▲
25712	PML-RARa (nested RT-PCR)	Bone Marrow	Nested RT-PCR	나597다	C5973006	1573.83	102,770	102,770	1601.91	106,690	106,690	▲
41880	Pneumocystis carinii Ag	Sputum	DFA	나475나	C4752996	293.16	19,140	19,140	300.61	20,020	20,020	▲
42670	Pneumocystis carinii PCR	Sputum	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
26161	PNH test	EDTA Blood	Flow Cytometry	너42나	BY422006	447.99	112,320	112,320	440.69	117,400	117,400	▲
26165	PNH test	EDTA Blood	Flow Cytometry	나512	C5120006	447.99	58,500	58,500	449.61	59,880	59,880	▲
42205	Polyomavirus culture	BAL fluid	Culture	나416	B4160006	546.65	35,700	35,700	560.25	37,310	37,310	▲
42680	Polyomavirus(BK,JC) PCR	EDTA Blood	Nested PCR	너563사	CY059006	497.16	32,460	32,460	575.61	38,340	38,340	▲
42681	Polyomavirus(BK,JC) PCR	BAL fluid	Nested PCR	너563사	CY059006	497.16	32,460	32,460	575.61	38,340	38,340	▲
11770	Porphobilinogen 정량	Random Urine	Spectrophotomet	나389나(2)	C3893	175.41	11,450	11,450	177.74	11,840	11,840	▲
11771	Porphobilinogen 정량	24hr Urine	Spectrophotomet	나389나(2)	C3893	175.41	11,450	11,450	177.74	11,840	11,840	▲
11760	Porphobilinogen 정성	Random Urine	Colorimetry	나389가	C3891	11.03	720	720	10.45	700	700	▼
25730	post-BMT	EDTA Blood		너571나(1)	CY575006	2596.64	169,560	169,560	2723.42	181,380	181,380	▲
25731	post-BMT	Bone Marrow		너571나(1)	CY575006	2596.64	169,560	169,560	2723.42	181,380	181,380	▲
25737	post-BMT	EDTA Blood		너571나(1)	CY575006	2596.64	169,560	169,560	2723.42	181,380	181,380	▲
10140	Potassium(K)	SST Serum	ISE	나379나	C3792	18.33	1,200	1,200	17.59	1,170	1,170	▼
10141	Potassium(K)	24hr Urine	ISE	나379나	C3792	18.33	1,200	1,200	17.59	1,170	1,170	▼
10142	Potassium(K)	Random Urine	ISE	나379나	C3792	18.33	1,200	1,200	17.59	1,170	1,170	▼
25690	PRA class I identification	SST Serum	Luminex	나522나	C5222006	1299.13	84,830	84,830	1303.16	86,790	86,790	▲
26265	PRA class I screening	SST Serum	Luminex	나522가	C5221006	735.02	48,000	48,000	743.64	49,530	49,530	▲
25695	PRA classII identification	SST Serum	Luminex	나522나	C5222006	1299.13	84,830	84,830	1303.16	86,790	86,790	▲
26266	PRA classII screening	SST Serum	Luminex	나522가	C5221006	735.02	48,000	48,000	743.64	49,530	49,530	▲
20330	Prealbumin	SST Serum	TIA	나221-1	C2215	144.6	9,440	9,440	147.64	9,830	9,830	▲
25720	pre-BMT	복수검체		너571가(1)	CY573006	3739.19	244,170	244,170	3918.12	260,950	260,950	▲
25725	pre-BMT	복수검체	DNA Typing	너571가(1)	CY573006	3739.19	244,170	244,170	3918.12	260,950	260,950	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
25727	pre-BMT	복수검체		너571가(1)	CY573006	3739.19	244,170	244,170	3918.12	260,950	260,950	▲
65320	Primidone	SST Serum	HPLC	나450나(3)	CX374690	262.87	17,170	17,170	313.25	20,860	20,860	▲
00512	Progesterone (ECLIA)	SST Serum	ECLIA	나346	C3460	155.72	10,170	10,170	153.03	10,190	10,190	▲
00133	Prolactin (ECLIA)	SST Serum	ECLIA	나351	C3510	168.16	10,980	10,980	167.09	11,130	11,130	▲
00141	Prolactin-1호	SST Serum	ECLIA	나351	C3510	168.16	10,980	10,980	167.09	11,130	11,130	▲
00142	Prolactin-2호	SST Serum	ECLIA	나351	C3510	168.16	10,980	10,980	167.09	11,130	11,130	▲
00143	Prolactin-3호	SST Serum	ECLIA	나351	C3510	168.16	10,980	10,980	167.09	11,130	11,130	▲
00144	Prolactin-4호	SST Serum	ECLIA	나351	C3510	168.16	10,980	10,980	167.09	11,130	11,130	▲
00145	Prolactin-5호	SST Serum	ECLIA	나351	C3510	168.16	10,980	10,980	167.09	11,130	11,130	▲
00146	Prolactin-6호	SST Serum	ECLIA	나351	C3510	168.16	10,980	10,980	167.09	11,130	11,130	▲
00147	Prolactin-7호	SST Serum	ECLIA	나351	C3510	168.16	10,980	10,980	167.09	11,130	11,130	▲
00148	Prolactin-8호	SST Serum	ECLIA	나351	C3510	168.16	10,980	10,980	167.09	11,130	11,130	▲
30730	Protein C Activity	SC Plasma	Clot-based	나183가	B1831	190.07	12,410	12,410	198.83	13,240	13,240	▲
30740	Protein C Antigen	SC Plasma	ELISA	나183나	B1832	176.05	11,500	11,500	179.26	11,940	11,940	▲
20711	Protein E.P(24h urine)	24hr Urine	Electrophoresis	나300나	B3001006	134.46	8,780	8,780	138.33	9,210	9,210	▲
20713	Protein E.P(Random urine)	Random Urine	Electrophoresis	나300나	B3001006	134.46	8,780	8,780	138.33	9,210	9,210	▲
20710	Protein E.P(Serum)	SST Serum	Electrophoresis	나300가	B3000006	125.13	8,170	8,170	129.56	8,630	8,630	▲
30750	Protein S Activity	SC Plasma	Clot-based	나184가	B1841	185.97	12,140	12,140	193.49	12,890	12,890	▲
30760	Protein S Ag(free)	SC Plasma	ELISA	나184나	B1842	173.9	11,360	11,360	176.4	11,750	11,750	▲
30770	Protein S Ag(total)	SC Plasma	ELISA	나184나	B1842	173.9	11,360	11,360	176.4	11,750	11,750	▲
10035	Protein/creatinine ratio	Random Urine	계산법	나220 외	C2200 외	0	2,610	2,610	0	2,480	2,480	▼
30950	Prothrombin Time	SC Plasma	Clot-based	나154	B1540	26.62	1,740	1,740	27.16	1,810	1,810	▲
70860	Protozoa	Stool	검경법	나63	B0630	23.91	1,560	1,560	23.92	1,590	1,590	▲
01675	PSA (ECLIA)	SST Serum	ECLIA	나428	C4280	241.13	15,750	15,750	241.01	16,050	16,050	▲
81000	PSA (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
01930	PTH	SST Serum	RIA	나340주	C7340	229.83	15,010	15,010	273.93	18,240	18,240	▲
01931	PTH	EDTA Plasma	RIA	나340주	C7340	229.83	15,010	15,010	273.93	18,240	18,240	▲
01967	PTH-Intact (ECLIA)	SST Serum	ECLIA	나340	C3400	284.05	18,550	18,550	289.09	19,250	19,250	▲
01968	PTH-Intact (ECLIA)	EDTA Plasma	ECLIA	나340	C3400	284.05	18,550	18,550	289.09	19,250	19,250	▲
10175	Pyrimidine 5-nucleotidase	EDTA Blood	Spectrophotomet	너185	BX185	258.57	16,880	16,880	176.16	11,730	11,730	▼
70766	Pyrogen (Endotoxin)	Other	검경법	너303	BY032006	140.99	9,210	9,210	128.96	8,590	8,590	▼
10810	Pyruvic Acid	제단백액	Enzyme	너345가(1)	CY341	339.91	22,200	22,200	229.5	15,280	15,280	▼
10811	Pyruvic Acid	CSF	Enzyme	너345가(1)	CY341	339.91	22,200	22,200	229.5	15,280	15,280	▼
02060	Quad Test	SST Serum		나421 외	C7421외	0	55,650	55,650	0	61,120	61,120	▲
52390	QuantifERON-TB	전용용기	ELISA	나477	CZ393006	1162.62	75,920	75,920	1162.62	77,430	77,430	▲
65622	Quetiapine	Plain Serum	LC/MS/MS	나450	CX375696	542.51	35,430	35,430	570.54	38,000	38,000	▲
41637	R. (Rickettsia) 2 type Ab	SST Serum	IFA	나474나(1)	C4742836	205.72	26,860	26,860	206.65	27,520	27,520	▲
51930	R.A Factor	SST Serum	TIA	나490가	C4901	24.63	1,610	1,610	22.41	1,490	1,490	▼

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
51931	R.A Factor	Body Fluid	TIA	나490가	C4901	24.63	1,610	1,610	22.41	1,490	1,490	▼
51940	R.A Factor 정량	SST Serum	TIA	나490나	C4903	104.08	6,800	6,800	104.49	6,960	6,960	▲
51941	R.A Factor 정량	Body Fluid	TIA	나490나	C4903	104.08	6,800	6,800	104.49	6,960	6,960	▲
41630	R.tsutsugamushi(ICA)	SST Serum	ICA	나474가	C4741830	69.03	4,510	4,510	64.49	4,300	4,300	▼
41635	R.tsutsugamushi(IFA)	SST Serum	IFA	나474나(1)	C4742836	205.72	13,430	13,430	206.65	13,760	13,760	▲
41638	R.tsutsugamushi(IFA)	CSF	IFA	나474나(1)	C4742836	205.72	13,430	13,430	206.65	13,760	13,760	▲
30002	RBC	EDTA Blood	자동혈구계산법	나104	B1040	10.72	700	700	10.84	720	720	▲
11290	RBC Folate	EDTA Blood	RIA	나254주	C7254	176.88	11,550	11,550	201.1	13,390	13,390	▲
30090	RDW	EDTA Blood	자동혈구계산법	나122	B1220	5.8	380	380	5.79	390	390	▲
01381	Renin 1회	EDTA Plasma	RIA	나360주	C7360	168.36	10,990	10,990	165.22	11,000	11,000	▲
01382	Renin 2회	EDTA Plasma	RIA	나360주	C7360	168.36	10,990	10,990	165.22	11,000	11,000	▲
01383	Renin 3회	EDTA Plasma	RIA	나360주	C7360	168.36	10,990	10,990	165.22	11,000	11,000	▲
01384	Renin 4회	EDTA Plasma	RIA	나360주	C7360	168.36	10,990	10,990	165.22	11,000	11,000	▲
01385	Renin 5회	EDTA Plasma	RIA	나360주	C7360	168.36	10,990	10,990	165.22	11,000	11,000	▲
01386	Renin 6회	EDTA Plasma	RIA	나360주	C7360	168.36	10,990	10,990	165.22	11,000	11,000	▲
01370	Renin Activity	EDTA Plasma	RIA	나360주	C7360	168.36	10,990	10,990	165.22	11,000	11,000	▲
42257	Respi.V.Ag Screening 5종	Other	IFA	나469	C4690536	203.1	13,260	13,260	203.16	13,530	13,530	▲
29270	RET gene mutation	EDTA Blood	Sequencing	나599나(3)	CY571006	2955.94	193,020	193,020	3875.61	258,120	258,120	▲
82180	Reticulin Stain	Tissue		나553가	C5531	122.36	7,990	7,990	123.07	8,200	8,200	▲
30111	Reticulocyte Count	EDTA Blood	Flow Cytometry	나108나	B1081	20.39	1,330	1,330	20.29	1,350	1,350	▲
30420	Rh Ab Titer	SST Serum	Tube	나208	B2080006	113.54	7,410	7,410	106.48	7,090	7,090	▼
30390	Rh(D) Typing	EDTA Blood	SLIDE	나202가	B2021	12.53	820	820	13.17	880	880	▲
30391	Rh(D) Typing	Capillary	Manual	나202가	B2021	12.53	820	820	13.17	880	880	▲
30392	Rh(D) Typing	Cord Blood	Manual	나202가	B2021	12.53	820	820	13.17	880	880	▲
30400	Rh-Hr Subgroup	EDTA Blood	Tube	나202나	B2022006	111.64	7,290	7,290	104.83	6,980	6,980	▼
42210	Rhino Virus Culture	Other	Culture	나416	B4160006	546.65	35,700	35,700	560.25	37,310	37,310	▲
42215	Rhino virus PCR	Other	Nested RT-PCR	나596	C5969006	612.12	39,970	39,970	644.86	42,950	42,950	▲
42290	Rotavirus Ag	Stool	ICA	나469	C4690526	203.1	13,260	13,260	203.16	13,530	13,530	▲
50935	RPR 정밀	SST Serum	라텍스응집비탁법	나460-1	C4602	25.73	1,680	1,680	25.73	1,710	1,710	▲
42300	RSV Ag (DFA)	Other	DFA	나469	C4690536	203.1	13,260	13,260	203.16	13,530	13,530	▲
42225	RSV Culture	Other	Shell Vial Culture	나416	B4160006	546.65	35,700	35,700	560.25	37,310	37,310	▲
42820	RSV IgG(IFA)	SST Serum	IFA	나468나(1)	C4682536	266.76	17,420	17,420	270.11	17,990	17,990	▲
42830	RSV IgM(IFA)	SST Serum	IFA	나468나(2)	C4683536	259.16	16,920	16,920	259.99	17,320	17,320	▲
41940	Rubella IgG(CLIA)	SST Serum	CLIA	나468나(1)	C4682416	266.76	17,420	17,420	270.11	17,990	17,990	▲
41941	Rubella IgG(CLIA)	CSF	CLIA	나468나(1)	C4682416	266.76	17,420	17,420	270.11	17,990	17,990	▲
41950	Rubella IgM(CLIA)	SST Serum	CLIA	나468나(2)	C4683416	259.16	16,920	16,920	259.99	17,320	17,320	▲
41951	Rubella IgM(CLIA)	CSF	CLIA	나468나(2)	C4683416	259.16	16,920	16,920	259.99	17,320	17,320	▲
42690	Rubella Virus RT-PCR	EDTA Blood	RT-PCR	나596라	C5969006	612.12	39,970	39,970	644.86	42,950	42,950	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
30461	S 혈액형검사	EDTA Blood	Tube	나203	B2030006	77.45	5,060	5,060	73.81	4,920	4,920	▼
30462	s 혈액형검사	EDTA Blood	Tube	나203	B2030006	77.45	5,060	5,060	73.81	4,920	4,920	▼
52221	S.pneumoniae Ag test	CSF	Latex	나408	B4080	90.9	5,940	5,940	85.21	5,670	5,670	▼
71150	S.pneumoniae urinary Ag	Random Urine	ICA	나475나	C4752996	293.16	19,140	19,140	300.61	20,020	20,020	▲
81150	S-100(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81152	S-100(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
42700	Salmonella PCR	EDTA Blood	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
42710	Salmonella PCR	CSF	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
26980	SBMA, AR gene	EDTA Blood	PCR	너573나	CY532006	953.51	62,260	62,260	1150.44	76,620	76,620	▲
27000	SCA profile (1,2,3,6,7,8)	EDTA Blood		너573	CY535~40006	0	373,560	373,560	0	459,720	459,720	▲
01690	SCA-1	EDTA Blood		너573라	CY535006	953.51	62,260	62,260	1150.44	76,620	76,620	▲
27015	SCA-17	EDTA Blood		너573마	CY539006	953.51	62,260	62,260	1150.44	76,620	76,620	▲
01700	SCA-2	EDTA Blood		너573라	CY536006	953.51	62,260	62,260	1150.44	76,620	76,620	▲
01710	SCA-3	EDTA Blood		너573라	CY537006	953.51	62,260	62,260	1150.44	76,620	76,620	▲
02070	SCA-6	EDTA Blood		너573라	CY538006	953.51	62,260	62,260	1150.44	76,620	76,620	▲
02080	SCA-7	EDTA Blood		너573라	CY540006	953.51	62,260	62,260	1150.44	76,620	76,620	▲
01720	SCC	SST Serum	RIA	나430주	C7430	320.24	20,910	20,910	315.55	21,020	21,020	▲
01721	SCC	Body Fluid	RIA	나430주	C7430	320.24	20,910	20,910	315.55	21,020	21,020	▲
20350	Selectivity Index	Other	계산법	나392	C3920	277.32	18,110	18,110	283.63	18,890	18,890	▲
12810	Selenium	Trace EDTA Blood	AAS	나452나(2)	C4523990	306.17	19,990	19,990	309.81	20,630	20,630	▲
12811	Selenium	Random Urine	AAS	나452나(2)	C4523990	306.17	19,990	19,990	309.81	20,630	20,630	▲
12400	Semen Analysis	Semen	검경법	나730	E7300	62.17	4,060	4,060	56.22	3,740	3,740	▼
12410	Semen fructose	Semen	Spectrophotomet	너893	EX893	79.87	5,220	5,220	61.06	4,070	4,070	▼
02062	Sequential 2nd (Quad)	Other		나421 외	C7421외	0	55,650	55,650	0	61,120	61,120	▲
00902	Serotonin	SST Serum	HPLC	나367	C3670	147.35	9,620	9,620	136.99	9,120	9,120	▼
00903	Serotonin (PFP)	EDTA Plasma	HPLC	나367	C3670	147.35	9,620	9,620	136.99	9,120	9,120	▼
10841	Serum Amylase	SST Serum	Enzyme	나261가	B2611	41.67	2,720	2,720	41.29	2,750	2,750	▲
10843	Serum Creatinine	SST Serum	Colorimetry	나375	C3750	19.77	1,290	1,290	18.25	1,220	1,220	▼
65720	Sirolimus(Rafamycin)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696	542.51	35,430	35,430	570.54	38,000	38,000	▲
81160	SMA(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81162	SMA(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
51985	SMA(SMN1 7&8, NAIP 4&5)	EDTA Blood	PCR-RFLP	너562마	CY625006	416.68	27,210	27,210	469.8	31,290	31,290	▲
51986	SMA(SMN1 7&8, NAIP 5&13)	EDTA Blood	PCR-RFLP	너562마	CY625006	416.68	27,210	27,210	469.8	31,290	31,290	▲
81550	Smooth Muscle Actin(SMA)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
10150	Sodium(Na)	SST Serum	ISE	나379가	C3791	17.83	1,160	1,160	16.73	1,110	1,110	▼
10151	Sodium(Na)	24hr Urine	ISE	나379가	C3791	17.83	1,160	1,160	16.73	1,110	1,110	▼
10152	Sodium(Na)	Random Urine	ISE	나379가	C3791	17.83	1,160	1,160	16.73	1,110	1,110	▼
00155	Somatomedin-C (CLIA)	SST Serum	CLIA	너230	CX230	322.92	21,090	21,090	223.84	14,910	14,910	▼

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
50848	Sparganum IgG(BF)	Body Fluid	Micro-ELISA	나472나(1)	C4722796	271.19	17,710	17,710	270.18	17,990	17,990	▲
50853	Sparganum IgG(CSF)	CSF	Micro-ELISA	나472나(1)	C4722796	271.19	17,710	17,710	270.18	17,990	17,990	▲
50844	Sparganum IgG(S)	SST Serum	Micro-ELISA	나472나(1)	C4722796	271.19	17,710	17,710	270.18	17,990	17,990	▲
80605	Special Stain	Tissue		나553다	C5533	122.36	7,990	7,990	123.07	8,200	8,200	▲
82080	Special Stain	Tissue		나553다	C5533	122.36	7,990	7,990	123.07	8,200	8,200	▲
80616	Special stain 메드플랜	Tissue		나553다	C5533	122.36	7,990	7,990	123.07	8,200	8,200	▲
12460	Stone Analysis 정성	Stone	Colorimetry	나391	C3910006	82.64	5,400	5,400	81.27	5,410	5,410	▲
12465	Stone Analysis(physical)	Stone	FT-IR	너274	CX274006	451.18	29,460	29,460	418.14	27,850	27,850	▼
70870	Stool Microscopy	Stool	검경법	나67	B0670	12.63	820	820	13.27	880	880	▲
71250	Stool OB 정량	Stool	Colorimetry	나65-1	B0653	62.16	4,060	4,060	63.98	4,260	4,260	▲
70895	Stool pH	Stool		나69	B0690	7.55	490	490	7.72	510	510	▲
70890	Stool WBC	Stool	검경법	나67-1	B0675	10.11	660	660	9.93	660	660	▼
50462	Strep.Group B	CSF	Latex	나408	B4080	90.9	5,940	5,940	85.21	5,670	5,670	▼
50461	Strep.Pneumoniae	CSF	Latex	나408	B4080	90.9	5,940	5,940	85.21	5,670	5,670	▼
11730	Succinylacetone	Random Urine	GC/MSD	너345가(6)	CY349	339.91	22,200	22,200	229.5	15,280	15,280	▼
12870	Sucrose hemolysis	복수검체	Colorimetry	나121	B1210006	47.41	3,100	3,100	48.16	3,210	3,210	▲
30190	Sudan black B stain	Bone Marrow Slide	Stain	나118나	B1183006	84.38	5,510	5,510	84.11	5,600	5,600	▲
30191	Sudan black B stain	Blood Smear Slide	Stain	나118나	B1183006	84.38	5,510	5,510	84.11	5,600	5,600	▲
20540	Sulf-Hemoglobin	EDTA Blood	Colorimetry	나382나	C3822	53.92	3,520	3,520	54.21	3,610	3,610	▲
29020	Surface Ig(Cytoplasmic Ig)	EDTA Blood	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
29021	Surface Ig-κ light chain	EDTA Blood	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
29022	Surface Ig-λ light chain	EDTA Blood	Flow Cytometry	나512	C5120006	447.99	29,250	29,250	449.61	29,940	29,940	▲
81163	SV40 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
81400	Synaptophysin (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
29001	SYT/SSX gene rearrangement	Block	Nested RT-PCR	나597자	C5979006	1669.92	109,050	109,050	1729.88	115,210	115,210	▲
29002	SYT/SSX gene rearrangement	Block	RT-PCR	나596다	CX564006	512.04	33,440	33,440	608.88	40,550	40,550	▲
00295	T3 (ECLIA)	SST Serum	ECLIA	나329	C3290	169.41	11,060	11,060	171.02	11,390	11,390	▲
00305	T3-Uptake (ECLIA)	SST Serum	ECLIA	나331	C3310	150.38	9,820	9,820	149.27	9,940	9,940	▲
00315	T4 (ECLIA)	SST Serum	ECLIA	나333	C3330	164.39	10,730	10,730	164.15	10,930	10,930	▲
30200	Tartrate resistant acid phos	Bone Marrow Slide		나118가	B1182006	84.01	5,490	5,490	83.61	5,570	5,570	▲
00320	TBG (RIA)	SST Serum	RIA	나338주	C7338	220.5	14,400	14,400	187.11	12,460	12,460	▼
65480	TBPE	Random Urine	Colorimetry	나450가(1)	C4501390	77.12	5,040	5,040	73.25	4,880	4,880	▼
25875	T-cell Receptor rearrangem	Block	PCR+Hybridizatio	나595-1다	C6029006	668.68	43,660	43,660	696.95	46,420	46,420	▲
25870	T-cell Receptor ychain	Block	PCR	나598바	C5986006	971.66	63,450	63,450	953.84	63,530	63,530	▲
25871	T-cell Receptor ychain	Block	Southern	나598바	C5986006	971.66	63,450	63,450	953.84	63,530	63,530	▲
81650	TdT (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
26660	TEL/AML1 rearrangement	EDTA Blood	Nested RT-PCR	나597자	C5979006	1669.92	109,050	109,050	1729.88	115,210	115,210	▲
00523	Testosterone (ECLIA)	SST Serum	ECLIA	나353	C3530	178.24	11,640	11,640	175.15	11,660	11,660	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법			2010년 수가			2011년 수가			증감
				분류번호	보험기호	점수	보험가	의뢰가	점수	보험가	의뢰가	
00530	Testosterone, Free	SST Serum	RIA	너232	CX232	181.05	11,820	11,820	173.36	11,550	11,550	▼
65140	Theophylline	SST Serum	FPA	나450나(2)	C4504110	243.15	15,880	15,880	247.78	16,500	16,500	▲
30970	Thrombin Time	SC Plasma	Clot-based	나156	B1560	25.2	1,650	1,650	25.19	1,680	1,680	▲
30800	Thrombomodulin	SST Serum	EIA	너76	BX076	170.91	11,160	11,160	199.17	13,260	13,260	▲
30801	Thrombomodulin	EDTA Plasma	EIA	너76	BX076	170.91	11,160	11,160	199.17	13,260	13,260	▲
00355	Thyroglobulin (ECLIA)	SST Serum	ECLIA	나335	C3350	198.22	12,940	12,940	197.02	13,120	13,120	▲
00345	Thyroglobulin Ab (ECLIA)	SST Serum	ECLIA	나494	C4940	196.96	12,860	12,860	183.14	12,200	12,200	▼
81200	Thyroglobulin(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
80986	TIA1 (IHC)	Tissue	Immunohistoche	나557	C5575006	46.94	30,490	30,490	463.89	30,900	30,900	▲
12830	TIBC	SST Serum	계산법	나250	C2500	40.76	2,660	2,660	39.03	2,600	2,600	▼
65340	Tobramycin	SST Serum	FPIA	나450나(2)	C4504390	243.15	15,880	15,880	247.78	16,500	16,500	▲
65711	Topiramate	Plain Serum	LC/MS/MS	나450나(4)	CX375696	542.51	35,430	35,430	570.54	38,000	38,000	▲
42750	TORCH Test	SST Serum				0	138440	138440	0	141,910	141,910	▲
10040	Total Bilirubin	SST Serum	Colorimetry	나372가	C3720	19.95	1,300	1,300	18.62	1,240	1,240	▼
10041	Total Bilirubin	Capillary	Colorimetry	나372가	C3720	19.95	1,300	1,300	18.62	1,240	1,240	▼
11020	Total Cholesterol	SST Serum	Enzyme	나241가	C2411	24.39	1,590	1,590	23.2	1,550	1,550	▼
11021	Total Cholesterol	Body Fluid	Enzyme	나241가	C2411	24.39	1,590	1,590	23.2	1,550	1,550	▼
02005	Total hCG(ECLIA)	SST Serum	ECLIA	나352	C3520	206.95	13,510	13,510	209.75	13,970	13,970	▲
60005	Total IgE (Unicap)	SST Serum	FEIA	나229	C2290	232.23	15,160	15,160	234.98	15,650	15,650	▲
11180	Total Lipid	SST Serum	Colorimetry	나244가	C2441	39.6	2,590	2,590	36.17	2,410	2,410	▼
11181	Total Lipid	Body Fluid	Colorimetry	나244가	C2441	39.6	2,590	2,590	36.17	2,410	2,410	▼
11780	Total Porphyrin 정성	Random Urine	Colorimetry	나389가	C3891	11.03	720	720	10.45	700	700	▼
10030	Total Protein	SST Serum	Colorimetry	나220	C2200	20.14	1,320	1,320	18.91	1,260	1,260	▼
10031	Total Protein	24hr Urine	TIA	나220	C2200	20.14	1,320	1,320	18.91	1,260	1,260	▼
10032	Total Protein	CSF	TIA	나220	C2200	20.14	1,320	1,320	18.91	1,260	1,260	▼
10033	Total Protein	Body Fluid	Colorimetry	나220	C2200	20.14	1,320	1,320	18.91	1,260	1,260	▼
10034	Total Protein	Random Urine	TIA	나220	C2200	20.14	1,320	1,320	18.91	1,260	1,260	▼
52271	Toxocariasis Ab IgG	SST Serum	ELISA	나472나(1)	C4722796	271.19	17,710	17,710	270.18	17,990	17,990	▲
52272	Toxocariasis Ab IgG	Body Fluid	ELISA	나472나(1)	C4722796	271.19	17,710	17,710	270.18	17,990	17,990	▲
50903	Toxoplasma IgG	SST Serum	ECLIA	나472나(1)	C4722616	271.19	17,710	17,710	270.18	17,990	17,990	▲
50904	Toxoplasma IgG	CSF	ECLIA	나472나(1)	C4722616	271.19	17,710	17,710	270.18	17,990	17,990	▲
50913	Toxoplasma IgM	SST Serum	ECLIA	나472나(2)	C4723616	271.19	17,710	17,710	270.18	17,990	17,990	▲
50914	Toxoplasma IgM	CSF	ECLIA	나472나(2)	C4723616	271.19	17,710	17,710	270.18	17,990	17,990	▲
50942	TP Ab	CSF	CMIA	나461-1	C4612	123.74	8,080	8,080	123.74	8,240	8,240	▲
01770	TPA	SST Serum	RIA	나432주	C7432	279.76	18,270	18,270	309.37	20,600	20,600	▲
01771	TPA	EDTA Plasma	RIA	나432주	C7432	279.76	18,270	18,270	309.37	20,600	20,600	▲
01772	TPA	Body Fluid	RIA	나432주	C7432	279.76	18,270	18,270	309.37	20,600	20,600	▲
30810	t-PA	SC Plasma	ELISA	너83	BX083	170.9	11,160	11,160	183.63	12,230	12,230	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	2010년 수가			2011년 수가			증감		
				분류번호	보험기호	점수	보험가	의뢰가	점수		보험가	의뢰가
50955	TPLA 정밀	SST Serum	라텍스응집비탁법	나461-1	C4612	123.74	8,080	8,080	123.74	8,240	8,240	▲
20360	Transferrin	SST Serum	TIA	나233	C2330	105.31	6,880	6,880	106.86	7,120	7,120	▲
80617	Transferrin receptor Stain	Bone Marrow Slide	Stain	나556바	C5566	320.13	20,900	20,900	308.77	20,560	20,560	▼
20370	Transferrin saturation	SST Serum	계산법	나249+나	C2490+C2500	0	0	5,070	0	4,930	4,930	▼
30185	TRAP stain	Blood Smear Slide	Stain	나118아	B1189006	84.36	5,510	5,510	84.07	5,600	5,600	▲
30186	TRAP stain	Bone Marrow Slide	Stain	나118아	B1189006	84.36	5,510	5,510	84.07	5,600	5,600	▲
42720	Treponema pallidum PCR	EDTA Blood	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
12540	Trichloride,Total	Random Urine	Colorimetry	나451나(1)	C4513460	162.26	10,600	10,600	158.38	10,550	10,550	▼
12580	Trichloroacetic acid	Random Urine	GC/ECD	나451나(3)	CY373290	399.4	26,080	26,080	281.02	18,720	18,720	▼
13040	Trichloroacetic acid	Random Urine	Colorimetry	나451나(1)	C4513590	162.26	10,600	10,600	158.38	10,550	10,550	▼
12560	Trichloroethanol	Random Urine	GC	나451나(3)	CY373290	399.4	26,080	26,080	281.02	18,720	18,720	▼
42655	Trichomonas vaginalis PCR	분비물	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
11190	Triglyceride	SST Serum	Enzyme	나244다	C2443	47.74	3,120	3,120	47.3	3,150	3,150	▲
11191	Triglyceride	Body Fluid	Enzyme	나244다	C2443	47.74	3,120	3,120	47.3	3,150	3,150	▲
01870	Triple marker	SST Serum	RIA			0	32740	32740	0	37,760	37,760	▲
12591	Troponin I	SST Serum	ECLIA	나394나	C3942	168.82	11,020	11,020	166.51	11,090	11,090	▲
12600	Troponin T	SST Serum	ECLIA	나394가	C3941	167.9	10,960	10,960	165.26	11,010	11,010	▲
00365	TSH (ECLIA)	SST Serum	ECLIA	나336	C3360	215.39	14,060	14,060	220.13	14,660	14,660	▲
00371	TSH-1회	SST Serum	ECLIA	나336	C3360	215.39	14,060	14,060	220.13	14,660	14,660	▲
00372	TSH-2회	SST Serum	ECLIA	나336	C3360	215.39	14,060	14,060	220.13	14,660	14,660	▲
00373	TSH-3회	SST Serum	ECLIA	나336	C3360	215.39	14,060	14,060	220.13	14,660	14,660	▲
00374	TSH-4회	SST Serum	ECLIA	나336	C3360	215.39	14,060	14,060	220.13	14,660	14,660	▲
00375	TSH-5회	SST Serum	ECLIA	나336	C3360	215.39	14,060	14,060	220.13	14,660	14,660	▲
00376	TSH-6회	SST Serum	ECLIA	나336	C3360	215.39	14,060	14,060	220.13	14,660	14,660	▲
00377	TSH-7회	SST Serum	ECLIA	나336	C3360	215.39	14,060	14,060	220.13	14,660	14,660	▲
00378	TSH-8회	SST Serum	ECLIA	나336	C3360	215.39	14,060	14,060	220.13	14,660	14,660	▲
00385	TSH-R-Ab(TBII)(ECLIA)	SST Serum	ECLIA	나339	C3390	227.98	14,890	14,890	229.01	15,250	15,250	▲
81430	TTF1 (IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
70900	Tzanck Smear	Other	IFA	나718	E7180	36.77	2,400	2,400	27.83	1,850	1,850	▼
70910	Tzanck Smear	Other		나718	E7180	36.77	2,400	2,400	27.83	1,850	1,850	▼
71180	U.urealyticum culture	Other	Culture	너301다	BY303006	363.17	23,720	23,720	405.47	27,000	27,000	▲
12840	UIBC	SST Serum	Colorimetry	나251	C2510	41.05	2,680	2,680	39.37	2,620	2,620	▼
42730	Ureaplasma urealyticum PCR	분비물	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
10930	Uric Acid	SST Serum	Enzyme	나378	C3780	20.27	1,320	1,320	19.07	1,270	1,270	▼
10931	Uric Acid	24hr Urine	Enzyme	나378	C3780	20.27	1,320	1,320	19.07	1,270	1,270	▼
10932	Uric Acid	Random Urine	Enzyme	나378	C3780	20.27	1,320	1,320	19.07	1,270	1,270	▼
02110	Urinary Bladder Cancer Ag	Random Urine	IRMA	너322가	CY321	283.39	18,510	18,510	301.48	20,080	20,080	▲
10160	Urinary Ca	복수검체	계산법	나379 외	C3795 외	0	0	3,760	0	3,570	3,570	▼

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2010년 수가			2011년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
10842	Urine Amylase	24hr Urine	Enzyme	나261가	B2611	41.67	2,720	2,720	41.29	2,750	2,750	▲
10844	Urine Creatinine	24hr Urine	Colorimetry	나375	C3750	19.77	1,290	1,290	18.25	1,220	1,220	▼
70002	Urine Glucose	Random Urine	Strip	나1	B0010	10.45	680	680	12.06	800	800	▲
70001	Urine Protein	Random Urine	Strip	나1	B0010	10.45	680	680	12.06	800	800	▲
70050	Urine RBC morphology	Random Urine	검경법	너1	BX001006	26.86	1,750	1,750	29.5	1,960	1,960	▲
11790	Uroporphyrin 정성	Random Urine	Fluorometry	나389가	C3891	11.03	720	720	10.45	700	700	▼
65350	Valproic Acid	SST Serum	FPA	나450나(2)	C4504060	243.15	15,880	15,880	247.78	16,500	16,500	▲
80608	Van Giesons Stain	Tissue		나553다	C5533	122.36	7,990	7,990	123.07	8,200	8,200	▲
65370	Vancomycin	SST Serum	FPA	나450나(2)	C4504160	243.15	15,880	15,880	247.78	16,500	16,500	▲
42230	Varicella-Zoster Culture	Other	Shell Vial Culture	나416	B4160006	546.65	35,700	35,700	560.25	37,310	37,310	▲
42050	Varicella-Zoster IgG(ELISA)	SST Serum	ELISA	나468나(1)	C4682496	266.76	17,420	17,420	270.11	17,990	17,990	▲
42051	Varicella-Zoster IgG(ELISA)	CSF	ELISA	나468나(1)	C4682496	266.76	17,420	17,420	270.11	17,990	17,990	▲
42060	Varicella-Zoster IgM(ELISA)	SST Serum	ELISA	나468나(2)	C4683496	259.16	16,920	16,920	259.99	17,320	17,320	▲
42061	Varicella-Zoster IgM(ELISA)	CSF	ELISA	나468나(2)	C4683496	259.16	16,920	16,920	259.99	17,320	17,320	▲
50925	VDRL	SST Serum		나460	C4600	17.88	1,170	1,170	18.11	1,210	1,210	▲
50926	VDRL 정량	SST Serum		나460주	C4601	33.57	2,190	2,190	33.3	2,220	2,220	▲
80609	Verhoeff Stain	Tissue		나553다	C5533	122.36	7,990	7,990	123.07	8,200	8,200	▲
11205	Very long chain fatty acid	Hp Plasma	GC/MSD	나445	C4450	1120.18	73,150	73,150	1124.06	74,860	74,860	▲
51000	Vi Ag	SST Serum	IFA	나466나	C4662066	203.46	13,290	13,290	203.63	13,560	13,560	▲
70930	Vibrio Culture	Stool		나405가	B4051	158.13	10,330	10,330	163.15	10,870	10,870	▲
81290	Vimentin(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
11340	Vitamin A	SST Serum	HPLC	너153자	CY169006	439.34	28,690	28,690	441.06	29,370	29,370	▲
11360	Vitamin B1	EDTA Blood	HPLC	너153	CY160006	439.34	28,690	28,690	441.06	29,370	29,370	▲
11396	Vitamin B12 (ECLIA)	SST Serum	ECLIA	나253나	C2532	231.61	15,120	15,120	238.41	15,880	15,880	▲
11370	Vitamin B2	EDTA Blood	HPLC/FLD	너153나주1	CY161006	439.34	28,690	28,690	441.06	29,370	29,370	▲
11386	Vitamin B6 (PLP)	EDTA Plasma	HPLC/FLD	너153다	CY162006	439.34	28,690	28,690	441.06	29,370	29,370	▲
11410	Vitamin C	Hp Plasma	HPLC	너153자	CY169006	439.34	28,690	28,690	441.06	29,370	29,370	▲
11415	Vitamin C	SST Serum	HPLC	너153자	CY169006	439.34	28,690	28,690	441.06	29,370	29,370	▲
11420	Vitamin E	SST Serum	HPLC	너153바	CY166006	439.34	28,690	28,690	441.06	29,370	29,370	▲
00920	VMA 정량	24hr Urine	HPLC	나321나(2)	CX223006	310.2	20,260	20,260	335.52	22,350	22,350	▲
00910	VMA 정성	Random Urine	Colorimetry	나321가	C3211	14.96	980	980	13.68	910	910	▼
80607	Von Kossa Stain	Tissue		나553다	C5533	122.36	7,990	7,990	123.07	8,200	8,200	▲
30820	von Willebrand F.Activity	SC Plasma	ELISA	나187나	B1872	204.66	13,360	13,360	206.49	13,750	13,750	▲
30830	von-Willebrand's Antigen	SC Plasma	ELISA	나187가	B1871	176.96	11,560	11,560	175.55	11,690	11,690	▲
30845	vWF multimer analysis	SC Plasma	Electrophoresis	너88	BX088006	497.07	32,460	32,460	484.97	32,300	32,300	▼
42231	VZV culture (조직)	Tissue	Culture	나416	B4160006	546.65	35,700	35,700	560.25	37,310	37,310	▲
65790	Warfarin	EDTA Plasma	LC/MS/MS	나450나(4)	CX375696	542.51	35,430	35,430	570.54	38,000	38,000	▲
30001	WBC	EDTA Blood	자동혈구계산법	나105	B1050	10.73	700	700	10.86	720	720	▲

삼광의료재단 2011년 수가안내

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2010년 수가			2011년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
70960	Wet Smear	Other		나4주	B0042	9.82	640	640	9.48	630	630	▼
50980	Widal Test	SST Serum	응집법	나464	C4640	39.41	2,570	2,570	40.83	2,720	2,720	▲
50990	Widal test (Para A B)	SST Serum	응집법	나464	C4640	39.41	2,570	2,570	40.83	2,720	2,720	▲
25760	Y-Chromosome(SRY gene)	EDTA Blood	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
25761	Y-Chromosome(SRY gene)	Bone Marrow	PCR	나595아	C5956006	403.21	26,330	26,330	409.2	27,250	27,250	▲
71090	Yersinia Culture	Stool	Culture	너301라	BY309006	363.17	23,720	23,720	403.18	26,850	26,850	▲
51010	Yersinia Enterocolitica O3 Ab	SST Serum	PA	나466가	C4661030	123.13	8,040	8,040	118.09	7,860	7,860	▼
51011	Yersinia Enterocolitica O3 Ab	Amniotic Fluid	PA	나466가	C4661030	123.13	8,040	8,040	118.09	7,860	7,860	▼
51020	Yersinia Pseudotuberculosis	SST Serum	PA	나466가	C4661030	123.13	8,040	8,040	118.09	7,860	7,860	▼
51021	Yersinia Pseudotuberculosis	Amniotic Fluid	PA	나466가	C4661030	123.13	8,040	8,040	118.09	7,860	7,860	▼
12855	Zinc(Zn)	Trace Serum	ICP/MS	나452나(2)	C4523670	306.17	19,990	19,990	309.81	20,630	20,630	▲
12856	Zinc(Zn)	24hr Urine	ICP/MS	나452나(2)	C4523670	306.17	19,990	19,990	309.81	20,630	20,630	▲
11810	Zinc-Protoporphyrin	EDTA Blood		너43	BX043	29.3	1,910	1,910	28.47	1,900	1,900	▼
65380	Zonisamide	Plain Serum	HPLC	나450나(3)	CX374690	262.87	17,170	17,170	313.25	20,860	20,860	▲
20400	α1-Antitrypsin	SST Serum	TIA	나222	C2220	119.12	7,780	7,780	121.47	8,090	8,090	▲
20405	α1-Antitrypsin	Stool	Nephelometry	나222	C2220	119.12	7,780	7,780	121.47	8,090	8,090	▲
20406	α1-antitrypsin clearance	복수검체	Nephelometry	나222	C2220	119.12	15,560	15,560	121.47	16,180	16,180	▲
01420	β2-Microglobulin	SST Serum	RIA	나223주	C7223	152.78	9,980	9,980	161.12	10,730	10,730	▲
01421	β2-Microglobulin	Random Urine	RIA	나223주	C7223	152.78	9,980	9,980	161.12	10,730	10,730	▲
81530	β-catenin(IHC)	Tissue	Immunohistoche	나557	C5575006	466.94	30,490	30,490	463.89	30,900	30,900	▲
02000	β-hCG (RIA)	SST Serum	RIA	나352주	C7352	173.76	11,350	11,350	195.53	13,020	13,020	▲
11210	β-Lipoprotein	SST Serum	Enzyme	나247	C2470	107.52	7,020	7,020	108.6	7,230	7,230	▲
25770	β-Thalassemia	EDTA Blood	Sequencing	나599	C5991~2006	0	187,590	187,590	0	192,300	192,300	▲
25771	β-Thalassemia	Bone Marrow	Sequencing	나599	C5991006외	0	187,590	187,590	0	192,300	192,300	▲
25772	β-Thalassemia	EDTA Blood	Sequencing	나599나(1)	C5992006	1986.42	129,710	129,710	1992.19	132,680	132,680	▲
10500	γ- GTP	SST Serum	Enzyme	나271	B2710	43.93	2,870	2,870	43.42	2,890	2,890	▲
11820	δ-ALA	Random Urine	Colorimetry	나450나(1)	C4503390	144.47	9,430	9,430	134.68	8,970	8,970	▼
11821	δ-ALA	24hr Urine	Colorimetry	나450나(1)	C4503390	144.47	9,430	9,430	134.68	8,970	8,970	▼