

2009년 건강보험요양급여비용 개정에 따른 검사수가리스트

연번	코드	검사명	검체명	검사방법	2008년					2009년					
					분류번호	보험코드	접수	보험가	의뢰가	분류번호	보험코드	접수	보험가	의뢰가	비고
1	20740	%CDT	SST Serum	TCA				0	40,000				0	40,000	
2	11230	1,25-(OH) ₂ Vitamine D	SST Serum	RIA	너153	CY705	109.91	6,830	6,830	너153마주2	CY705	109.88	6,970	6,970	
3	20000	1,5-Anhydro-D-glucytol	SST Serum	Enzyme	너273	CX273	239.26	14,860	14,860				0	75,000	국외수탁
4	00540	11-Deoxy cortisol	SST Serum	RIA				0	130,000				0	149,500	국외수탁
5	00550	11-Deoxycorticosterone	SST Serum	RIA				0	130,000				0	149,500	국외수탁
6	00560	11-OHCS	SST Serum		나324가	C3240	86.43	5,370	5,370				0	30,000	국외수탁
7	60030	12종 흡인성Allergen	SST Serum	FEIA	노113	CZ113		0	40,000				0	46,000	국외수탁
8	11670	17a-OH Progesterone	Blood Paper	FIA	나347	C3470	160.09	9,940	9,940	나347	C3470	160.6	10,180	10,180	
9	00590	17-KS	24hr Urine	Spectrophotometry	나324나	C3247	156.97	9,750	9,750	나324나(3)	C3247	148.37	9,410	9,410	
10	00610	17-OHCS	24hr Urine	Spectrophotometry	나324나	C3246	156.44	9,710	9,710	나324나(2)	C3246	147.31	9,340	9,340	
11	00400	17α-OH Pregnenolone	SST Serum	RIA	노207	CZ207		0	104,000				0	119,600	국외수탁
12	00410	17α-OH-Progesterone	SST Serum	RIA	나347	C7347	156.95	9,750	9,750	나347주	C7347	154.33	9,780	9,780	
13	00411	17α-OH-Progesterone	EDTA Plasma	RIA	나347	C7347	156.95	9,750	9,750	나347주	C7347	154.33	9,780	9,780	
14	00620	18-OH Corticosterone	SST Serum	RIA				0	380,000				0	534,290	국외수탁
15	00630	18-OH Deoxycorticosterone	SST Serum					0	130,000				0	149,500	국외수탁
16	11830	2,5-Hexandione	Random Urine	G.C	나451나(3)	CY373290	399.4	24,800	24,800	나451나(3)	CY373290	399.4	25,320	25,320	
17	50000	2-5A합성효소활성	SST Serum	RIA	나427	C7427	248.69	15,440	15,440				0	73,500	국외수탁
18	11250	25-OH Vitamine D	SST Serum	CLIA	너153	CY155	109.91	6,830	6,830	너153마	CY155	109.88	6,970	6,970	
19	81350	3D-HDRA	Other		노480	CZ480		0	490,000	노480	CZ480		0	490,000	
20	11840	3-Methylhistidine	24hr Urine	HPLC				0	65,000				0	75,000	국외수탁
21	00421	5-a-dihydrotestosterone	SST Serum	RIA				0	120,000				0	105,000	국외수탁
22	00825	5-HIAA 정량	24hr Urine	ELISA	나322나(2)	C3223	203.48	12,640	12,640	나322나(2)	C3223	211.29	13,400	13,400	
23	00826	5-HIAA 정량	Random Urine	ELISA	나322나(2)	C3223	203.48	12,640	12,640	나322나(2)	C3223	211.29	13,400	13,400	
24	00820	5-HIAA 정량(Plasma)	EDTA Plasma	HPLC				0	35,000				0	40,250	국외수탁
25	00810	5-HIAA 정성	Random Urine	Colorimetry	나322가	C3221	21.98	1,360	1,360	나322가	C3221	20.47	1,300	1,300	
26	25706	가족(혈족)확인(부모계)1일	EDTA Blood					0	500,000				0	500,000	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
27	25702	가족(혈족)확인(부모계)3일	EDTA Blood					0	300,000				0	300,000	
28	25703	가족(혈족)확인검사 1인추가	EDTA Blood					0	150,000				0	150,000	
29	01130	간세포종식인자(HGF)	SST Serum	ELISA				0	130,000				0	149,500	국외수탁
30	12920	갈락토스혈증	Blood Paper	ECA	너341가	CY411	26.86	1,670	1,670	너341가	CY411	26.86	1,700	1,700	
31	11535	광범위선천성대사이상 MS/MS	Blood Paper		노338	CZ338		0	50,000	노338	CZ338		0	57,500	
32	13070	광범위선천성대사이상검사Ⅰ	Blood Paper					0	50,000				0	57,500	
33	13030	광범위선천성대사이상검사Ⅱ	Blood Paper					0	60,220				0	67,930	
34	13031	광범위선천성대사이상검사Ⅲ	Blood Paper					0	60,520				0	68,300	
35	11545	광범위선천성대사이상검사Ⅳ	Blood Paper					0	60,220				0	67,930	
36	26320	국적확인 유전자검사	EDTA Blood					0	400,000				0	400,000	
37	27825	글리백내성유전자(Sequencin	EDTA Blood	Sequencing	노596	CZ817		0	220,000	노596	CZ817		0	253,000	
38	27820	글리백내성유전자돌연변이	EDTA Blood	Maldi-Tof	노596가(20)	CZ817		0	220,000	노596가(20)	CZ817		0	253,000	
39	52560	기생충 항체 검사 5종 (1)	SST Serum	ELISA				0	14,000				0	14,000	
40	52561	기생충 항체 검사 5종 (2)	SST Serum	ELISA				0	14,000				0	14,000	
41	52562	기생충 항체 검사 5종 (3)	SST Serum	ELISA				0	14,000				0	14,000	
42	52566	기생충 항체 검사 6종 (1)	SST Serum	ELISA				0	19,000				0	19,000	
43	52567	기생충 항체 검사 6종 (2)	SST Serum	ELISA				0	19,000				0	19,000	
44	70990	기생충성충	Other	검경법				0	10,000				0	10,000	
45	12891	단풍당뇨증(ECA)	Blood Paper	ECA	나443나1	CY441	36.46	2,260	2,260	나443나(1)(나)	CY441	36.46	2,310	2,310	
46	25709	동일인확인(검체1개 추가)	EDTA Blood					0	250,000				0	250,000	
47	25708	동일인확인(검체1개DNA)2일	EDTA Blood					0	250,000				0	250,000	
48	25707	동일인확인(검체2개비교)1일	EDTA Blood					0	500,000				0	500,000	
49	12640	모발분석(병원급)	모발					0	70,000				0	70,000	
50	12641	모발분석(의원급)	모발					0	70,000				0	70,000	
51	42570	바이러스성 설사 4종	Stool	Sequencing				0	0				0	0	
52	50490	백일해 항체	SST Serum	PA	나466	C4661190	132.98	8,260	8,260				0	32,200	국외수탁
53	80000	부인과적 세포검사	Cervix	Pap stain	나592	C5920	91.51	5,680	5,680	나592	C5920	90.89	5,760	5,760	
54	70970	분변충란검사	Stool	검경법	나61	B0613	20.12	1,250	1,250	나61다	B0613	20.55	1,300	1,300	
55	27590	선천성난청유전자(GJB2)	EDTA Blood	Sequencing	노595	CZ623		0	50,000	노595	CZ623		0	57,500	
56	27591	선천성난청유전자(GJB2)	Blood Paper	Sequencing	노595	CZ623		0	50,000	노595	CZ623		0	57,500	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
57	11502	선천성대사이상 6종	Blood Paper					0	0				0	0	
58	11511	선천성대사이상 7종	Blood Paper					0	10,520				0	10,800	
59	11512	선천성대사이상 7종	Blood Paper					0	10,220				0	10,430	
60	80067	세포 Slide 결과판독	Other					0	5,000				0	5,000	
61	80065	세포 Slide 제작	Other					0	30,000				0	30,000	
62	52110	신경,근질환자가항체5	SST Serum					0	200,000				0	230,000	
63	52111	신경,근질환자가항체5	CSF					0	200,000				0	230,000	
64	80015	액상자궁경부세포검사	Cervix		너541	CX541	368.41	22,880	22,880	너541	CX541	368.41	23,360	23,360	
65	80700	액상자궁경부세포검사	Cervix	Pap stain	너541	CX541	368.41	22,880	22,880	너541	CX541	368.41	23,360	23,360	
66	70006	요일반검사 4종	Random Urine		나1	B0010	8.37	520	520	나1	B0010	8.26	520	520	
67	70005	요일반검사 7종	Random Urine		나2	B0020	11.1	690	690	나2	B0020	10.7	680	680	
68	70000	요일반검사10종	Random Urine		나3	B0030	14.43	900	900	나3	B0030	14.92	950	950	
69	71010	요충란검사(Scotch tape)	Other	검경법	나62	B0620	15.48	960	960	나62	B0620	15.8	1,000	1,000	
70	70015	요침사현미경검사	Random Urine		나4	B0041	10.93	680	680	나4	B0041	11.03	700	700	
71	10690	임신성당뇨(100gm)-120min	NaF Plasma	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
72	10700	임신성당뇨(100gm)-180min	NaF Plasma	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
73	10680	임신성당뇨(100gm)-60min	NaF Plasma	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
74	10670	임신성당뇨(100gm)-PBS	NaF Plasma	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
75	10660	임신성당뇨(50gm)-60min	NaF Plasma	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
76	10640	임신성당뇨100gm부하시험	NaF Plasma	Enzyme	나371나	C3711	22.4	5,560	5,560	나371나	C3711	22.25	5,640	5,640	
77	10650	임신성당뇨50+100부하시험	NaF Plasma	Enzyme	나371나	C3711	22.4	6,950	6,950	나371나	C3711	22.25	7,050	7,050	
78	11220	전지질 중 지방산분획	SST Serum					0	150,000				0	173,000	국외수탁
79	26322	정액반응검사(5시간이내)	EDTA Blood					0	150,000				0	150,000	
80	82018	조직 (≥ 13)	Tissue							나550가(5)	C5915	577.51	36,610	36,610	
81	82017	조직 (10-12)	Tissue							나550가(4)	C5914	513.01	32,520	32,520	
82	82014	조직 (1-3)	Tissue							나550가(1)	C5911	319.48	20,260	20,260	
83	82015	조직 (4-6)	Tissue							나550가(2)	C5912	383.94	24,340	24,340	
84	82016	조직 (7-9)	Tissue							나550가(3)	C5913	448.5	28,430	28,430	
85	82037	조직 악성(≤15)								나550다(2)(가)	C5500	896.68	56,850	56,850	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
86	82035	조직 악성(≤20)								나550다(1)(가)	C5918	1187.89	75,310	75,310	
87	82038	조직 악성(≥16)								나550다(2)(나)	C5504	1010.54	64,070	64,070	
88	82036	조직 악성(≥21)								나550다(2)(나)	C5919	1400.9	88,820	88,820	
89	82024	조직 절편(≤6)								나550나(1)	C5916	595.38	37,750	37,750	
90	82210	조직 절편(≤6)+악성(≤20)	Tissue		나550	C5502+C5503		97,370	97,370	나550나(1)	C5916외		113,060	113,060	
91	82025	조직 절편(≥7)								나550나(2)	C5917	702.61	44,550	44,550	
92	82160	조직 Block 대여	Tissue					0	30,000				0	34,500	
93	80063	조직 Block 제작	Other					0	5,000				0	5,000	
94	82165	조직 Block 제작	Other					0	10,000				0	11,500	
95	82136	조직 Slide 결과판독	Tissue					0	11,320				0	13,020	
96	82130	조직 Slide 원본 대여	Tissue					0	30,000				0	34,500	
97	82135	조직 Slide 제작	Tissue					0	5,000				0	5,750	
98	82200	조직(1-3)+악성(≤20)	Tissue		나550	C5501+C5503		78,550	78,550	나550가(1)	C5911외		95,570	95,570	
99	82190	조직(1-3)+절편(≤6)	Tissue		나550	C5501+C5502		58,740	58,740	나550가(1)	C5911외		58,010	58,010	
100	82085	조직(1-3)+Stain	Tissue		나550+나553	C5501+C5533		27,470	27,470	나550가(1)	C5911외		27,970	27,970	
101	82086	조직(1-3)+Stain*2	Tissue		나550+나553	C5501+C5533		34,980	34,980	나550가(1)	C5911외		35,680	35,680	
102	82087	조직(1-3)+Stain*3	Tissue		나550+나553	C5501+C5533		42,490	42,490	나550가(1)	C5911외		43,390	43,390	
103	82088	조직(1-3)+Stain*4	Tissue		나550+나553	C5501+C5533		50,000	50,000	나550가(1)	C5911외		51,100	51,100	
104	82050	조직구축학적검사	Tissue		나550	C5507	1277.54	79,340	79,340	나550라(1)	C5505	1420.49	90,060	90,060	
105	80680	조직내호르몬수용체검사	Other		나559	C5590	605.47	37,600	37,600	나559	C5590	561.55	35,600	35,600	
106	80660	조직면역형광현미경검사	Other		나554	C5541	327.24	20,320	20,320	나554가	C5541	307.9	19,520	19,520	
107	80670	조직전자현미경검사	Other		나555	C5550	1446.96	89,860	89,860	나555	C5550	1363.76	86,460	86,460	
108	80671	조직전자현미경검사 사본	Other					0	6,600				0	6,600	
109	80062	조직Block 대여	Other					0	30,000				0	30,000	
110	80080	조직Slide 결과판독	Other					0	11,320				0	11,320	
111	80082	조직Slide 결과판독(삼성)	Other		나550가	C5501009	64.28	3,990	3,990	나550가	C5911009	63.9	4,050	4,050	
112	80081	조직Slide결과판독-특수염색	Other					0	4,300				0	4,300	
113	80676	주사 전자현미경(SEM)	Other					0	95,000				0	95,000	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
114	80020	체액세포병리검사	Sputum	Pap stain	나593가	C5930	109.48	6,800	6,800	나593가	C5930	105.29	6,680	6,680	
115	80025	체액세포병리검사	Other	Pap stain	나593가	C5930	109.48	6,800	6,800	나593가	C5930	105.29	6,680	6,680	
116	80021	체액세포병리검사(Cytospin)	Sputum	Pap stain	나593나	C5931	111.41	6,920	6,920	나593나	C5931	107.99	6,850	6,850	
117	13190	총삼염화물(TTC)	Random Urine	GC/ECD	나451나(3)	CY373290	399.4	24,800	24,800	나451나(3)	CY373290	399.4	25,320	25,320	
118	80061	추가Slide	Other					0	5,000				0	5,000	
119	25699	친자확인 검사대상자 2인추가	EDTA Blood					0	300,000				0	300,000	
120	25697	친자확인 검사대상자 4인추가	EDTA Blood					0	600,000				0	600,000	
121	25701	친자확인 검사대상자1인추가	EDTA Blood					0	150,000				0	150,000	
122	25705	친자확인(부or모+자)12시간	EDTA Blood					0	500,000				0	500,000	
123	25700	친자확인(부or모+자)24시간	EDTA Blood					0	300,000				0	300,000	
124	25704	친자확인검사(특수검체)	Tissue					0	400,000				0	400,000	
125	82070	탈회(Decalcification)	Tissue		나550	C5509	56.48	3,510	3,510	나550주1	C5509	54.09	3,430	3,430	
126	80675	투과 전자현미경(TEM)	Other					0	95,000				0	95,000	
127	12881	페닐케톤뇨증(ECA)	Blood Paper	ECA	나443나1	C4411	34.16	2,120	2,120	나443나(1)(가)	C4411	31.86	2,020	2,020	
128	25650	폐암유전자검사(MAGE)	Sputum	Nested RT-PCR	나597아	CX565006	1484.88	92,210	92,210	나597아	CX565006	1484.87	94,140	94,140	
129	26323	혈액반응검사(5시간이내)	EDTA Blood					0	150,000				0	150,000	
130	70700	혐기성 배양	Other		나405가	B4051	147.78	9,180	9,180	나405가	B4051	152.96	9,700	9,700	
131	12910	호모시스틴뇨증	Blood Paper	Bioassay	나443나1	CX342	36.46	2,260	2,260	나443나(1)(다)	CX342	36.46	2,310	2,310	
132	42305	호흡기바이러스 12종 PCR	Sputum	Multiplex-PCR				0	150,000				0	150,000	
133	80030	흡인세포병리검사	Thyroid	Pap stain	나594-1	C5941	172.99	10,740	10,740	나594-1	C5941	174.9	11,090	11,090	
134	80035	흡인세포병리검사	Other	Pap stain	나594-1	C5941	172.99	10,740	10,740	나594-1	C5941	174.9	11,090	11,090	
135	80036	흡인세포병리검사_조직절편	Other		나594-1주2	C5942	238.12	14,790	14,790	나594-1주2	C5942	238.61	15,130	15,130	
136	71100	흡충란검사 (Trematodes)	Stool	검경법	나64	B0641	52.14	3,240	3,240	나64	B0641	51.88	3,290	3,290	
137	30210	A,B전이효소검사	SST Serum		노91	BZ091		0	100,000	노91	BZ091		0	100,000	
138	10840	A/CCR	복수검체	계산법	나261 외	B2611외		7,980	7,980	나261 외	B2611외		8,080	8,080	
139	10020	A/G ratio	SST Serum	계산법	나220 외	C2200 외		0	3,060	나220 외	C2200 외		0	3,100	
140	10021	A/G ratio	Body Fluid	계산법	나220 외	C2200 외		0	13,900	나220 외	C2200 외		0	14,210	
141	30290	Ab Elution	EDTA Blood		나211	B2110006	72.68	4,510	4,510	나211	B2110006	67.11	4,250	4,250	
142	30235	Ab Identification (부산)	Other		나206나	B2062006	192.59	11,960	11,960	나206나	B2062006	205.33	13,020	13,020	
143	30230	Ab Identification Test	복수검체		나206나	B2062006		20,900	20,900	나206나	B2062006외	205.33	22,540	22,540	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
144	30220	Ab Screening test	SST Serum	Column	나206가	B2061006	87.11	5,410	5,410	나206가	B2061006	91.27	5,790	5,790	
145	25280	ABO Genotyping	복수검체	PCR-RFLP	노597	CZ897		0	74,000	노597	CZ897		0	74,000	
146	25285	ABO genotyping	EDTA Blood	Sequencing	노597	CZ897		0	74,000	노597	CZ897		0	74,000	
147	27840	ABO subgroup sequencing	EDTA Blood	Sequencing				0	150,000				0	150,000	
148	30253	ABO(Back)Typing	SST Serum	Manual	나201나	B2010	11.94	740	740	나201나	B2010	12.63	800	800	
149	30250	ABO(Front)Typing	EDTA Blood	Manual	나201가	B2000	11.25	700	700	나201가	B2000	12.17	770	770	
150	30251	ABO(Front)Typing	Capillary	Manual	나201가	B2000	11.25	700	700	나201가	B2000	12.17	770	770	
151	30252	ABO(Front)Typing	Cord Blood	Manual	나201가	B2000	11.25	700	700	나201가	B2000	12.17	770	770	
152	30260	ABO,Rh,A1,H	복수검체					12,630	12,630	나201가 외	B2000 외		12,600	12,600	
153	30280	ABO혈액형정밀검사	복수검체					28,860	28,860	나201가 외	B2000 외		28,070	28,070	
154	10190	ACE	SST Serum	Colorimetry	나273	B2731	332.48	20,650	20,650	나273	B2731	305.2	19,350	19,350	
155	10191	ACE	Other	Colorimetry	나273	B2731	332.48	20,650	20,650	나273	B2731	305.2	19,350	19,350	
156	65490	Acetaminophen	SST Serum	Enzyme	나450나(1)	C4503390	163.8	10,170	10,170	나450나(1)	C4503390	154.13	9,770	9,770	
157	65160	Acetazolamide	SST Serum	HPLC				0	60,000				0	69,000	국외수탁
158	12660	Acetone 정량	SST Serum	G.C	나451나(3)	CY373080	399.4	24,800	24,800				0	45,000	국외수탁
159	25000	Acetylcholinesterase	Amniotic Fluid	Electrophoresis	노173	BZ173		0	150,000	노173	BZ173		0	172,500	
160	25010	Acetylcholinesterase	Amniotic Fluid	Electrophoresis	노173	BZ173		0	150,000	노173	BZ173		0	172,500	
161	25060	AChE+Chromosome	Amniotic Fluid					0	510,000				0	589,000	
162	25065	AChE+Chromosome	Amniotic Fluid					0	510,000				0	589,000	
163	25300	Achondroplasia	Amniotic Fluid	DNA Typing	너562바	CY626006	416.69	51,760	51,760	너562바	CY626006	416.68	52,840	52,840	
164	25310	Achondroplasia	Amniotic Fluid	PCR-RFLP	너562바	CY626006	416.69	51,760	51,760	너562바	CY626006	416.68	52,840	52,840	
165	27550	Achondroplasia,FGFR3 major	EDTA Blood	Sequencing	너562바	CY626006	416.69	25,880	25,880	너562바	CY626006	416.68	26,420	26,420	
166	01140	Ach-r-Binding Ab	SST Serum	RIA	너450	CX747	133.69	8,300	8,300	너450주	CX747	133.69	8,480	8,480	
167	01150	Ach-r-Blocking Ab	SST Serum	RIA				0	96,000				0	111,000	
168	30120	Acid phosphatase stain	Bone Marrow Slide		나118	B1182006	84.67	5,260	5,260	나118가	B1182006	84.34	5,350	5,350	
169	10200	ACP	SST Serum	Enzyme	나260	B2601	25.51	1,580	1,580	나260가	B2601	23.95	1,520	1,520	
170	10201	ACP	분비물	Enzyme	나260	B2601	25.51	1,580	1,580	나260가	B2601	23.95	1,520	1,520	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
171	00015	ACTH (ECLIA)	EDTA Plasma	ECLIA	나359	C3590	203.63	12,650	12,650	나359	C3590	200.29	12,700	12,700	
172	80860	ACTH (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
173	00041	ACTH-10회	EDTA Plasma	ECLIA	나359	C3590	203.63	12,650	12,650	나359	C3590	200.29	12,700	12,700	
174	00042	ACTH-11회	EDTA Plasma	ECLIA	나359	C3590	203.63	12,650	12,650	나359	C3590	200.29	12,700	12,700	
175	00043	ACTH-12회	EDTA Plasma	ECLIA	나359	C3590	203.63	12,650	12,650	나359	C3590	200.29	12,700	12,700	
176	00044	ACTH-13회	EDTA Plasma	ECLIA	나359	C3590	203.63	12,650	12,650	나359	C3590	200.29	12,700	12,700	
177	00045	ACTH-14회	EDTA Plasma	ECLIA	나359	C3590	203.63	12,650	12,650	나359	C3590	200.29	12,700	12,700	
178	00046	ACTH-15회	EDTA Plasma	ECLIA	나359	C3590	203.63	12,650	12,650	나359	C3590	200.29	12,700	12,700	
179	00021	ACTH-1회	EDTA Plasma	ECLIA	나359	C3590	203.63	12,650	12,650	나359	C3590	200.29	12,700	12,700	
180	00022	ACTH-2회	EDTA Plasma	ECLIA	나359	C3590	203.63	12,650	12,650	나359	C3590	200.29	12,700	12,700	
181	00023	ACTH-3회	EDTA Plasma	ECLIA	나359	C3590	203.63	12,650	12,650	나359	C3590	200.29	12,700	12,700	
182	00024	ACTH-4회	EDTA Plasma	ECLIA	나359	C3590	203.63	12,650	12,650	나359	C3590	200.29	12,700	12,700	
183	00025	ACTH-5회	EDTA Plasma	ECLIA	나359	C3590	203.63	12,650	12,650	나359	C3590	200.29	12,700	12,700	
184	00026	ACTH-6회	EDTA Plasma	ECLIA	나359	C3590	203.63	12,650	12,650	나359	C3590	200.29	12,700	12,700	
185	00027	ACTH-7회	EDTA Plasma	ECLIA	나359	C3590	203.63	12,650	12,650	나359	C3590	200.29	12,700	12,700	
186	00028	ACTH-8회	EDTA Plasma	ECLIA	나359	C3590	203.63	12,650	12,650	나359	C3590	200.29	12,700	12,700	
187	00029	ACTH-9회	EDTA Plasma	ECLIA	나359	C3590	203.63	12,650	12,650	나359	C3590	200.29	12,700	12,700	
188	30960	Activated PTT	SC Plasma	Clot-based	나153	B1530	41.14	2,550	2,550	나153	B1530	41.44	2,630	2,630	
189	26234	Acute Leukemia panel	Bone Marrow	Flow Cytometry	나512	C5120006	443.88	496,080	496,080	나512	C5120006	445.94	508,860	508,860	
190	10210	ADA	SST Serum	Colorimetry	나272	B2721	169.53	10,530	10,530	나272	B2721	168.3	10,670	10,670	
191	10211	ADA	CSF	Colorimetry	나272	B2721	169.53	10,530	10,530	나272	B2721	168.3	10,670	10,670	
192	10212	ADA	Body Fluid	Colorimetry	나272	B2721	169.53	10,530	10,530	나272	B2721	168.3	10,670	10,670	
193	28050	ADAMTS 13	SC Plasma					0	368,000				0	368,000	
194	71240	Addis count	Random Urine	검경법	나6	B0060	27.37	1,700	1,700	나6	B0060	27.3	1,730	1,730	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
195	52455	Adefovir 내성 (RFMP)	SST Serum	Maldi-Tof	노598	CZ968		0	103,490	노598	CZ968		0	103,490	
196	42815	Adenovirus Ag(DFA)	Other	DFA	나469	C4690516	202.6	12,580	12,580	나469	C4690516	202.85	12,860	12,860	
197	42105	Adenovirus culture	Other	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
198	42106	Adenovirus culture(tissue)	Tissue	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
199	42320	Adenovirus DNA	Random Urine	PCR				0	250,000				0	63,000	국외수탁
200	40255	Adenovirus IgG	SST Serum	ELISA	나468나	C4682516	259.55	16,120	16,120	나468나(1)	C4682516	263.15	16,680	16,680	
201	40256	Adenovirus IgG	CSF	ELISA	나468나	C4682516	259.55	16,120	16,120	나468나(1)	C4682516	263.15	16,680	16,680	
202	40260	Adenovirus IgM	SST Serum	EIA	나468나	C4683516	257.02	15,960	15,960	나468나(2)	C4683516	258.09	16,360	16,360	
203	40261	Adenovirus IgM	CSF	EIA	나468나	C4683516	257.02	15,960	15,960	나468나(2)	C4683516	258.09	16,360	16,360	
204	42107	Adenovirus rapid culture	Other	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
205	40000	Adenovirus(CF)	SST Serum	CF	나468가	C4681510	179.03	11,120	11,120				0	15,000	국외수탁
206	40001	Adenovirus(CF)	CSF	CF	나468가	C4681510	179.03	11,120	11,120				0	15,000	국외수탁
207	40010	Adenovirus,Type 1(NT)	SST Serum	Neutralization				0	36,910				0	60,000	국외수탁
208	40011	Adenovirus,Type 1(NT)	CSF	Neutralization				0	36,910				0	60,000	국외수탁
209	40110	Adenovirus,Type 11(NT)	SST Serum	Neutralization	나468라(1)	CY401046	594.43	36,910	36,910				0	60,000	국외수탁
210	40111	Adenovirus,Type 11(NT)	CSF	Neutralization	나468라(1)	CY401046	594.43	36,910	36,910				0	60,000	국외수탁
211	40190	Adenovirus,Type 19(NT)	SST Serum	Neutralization	나468라(1)	CY401046	594.43	36,910	36,910				0	60,000	국외수탁
212	40191	Adenovirus,Type 19(NT)	CSF	Neutralization	나468라(1)	CY401046	594.43	36,910	36,910				0	60,000	국외수탁
213	40020	Adenovirus,Type 2(NT)	SST Serum	Neutralization				0	36,910				0	60,000	국외수탁
214	40021	Adenovirus,Type 2(NT)	CSF	Neutralization				0	36,910				0	60,000	국외수탁
215	40210	Adenovirus,Type 21(NT)	SST Serum	Neutralization				0	36,910				0	60,000	국외수탁
216	40211	Adenovirus,Type 21(NT)	CSF	Neutralization				0	36,910				0	60,000	국외수탁
217	40030	Adenovirus,Type 3(NT)	SST Serum	Neutralization	나468라(1)	CY401046	594.43	36,910	36,910				0	60,000	국외수탁
218	40031	Adenovirus,Type 3(NT)	CSF	Neutralization	나468라(1)	CY401046	594.43	36,910	36,910				0	60,000	국외수탁
219	40370	Adenovirus,Type 37(NT)	SST Serum	Neutralization				0	36,910				0	60,000	국외수탁
220	40371	Adenovirus,Type 37(NT)	CSF	Neutralization				0	36,910				0	60,000	국외수탁
221	40040	Adenovirus,Type 4(NT)	SST Serum	Neutralization	나468라(1)	CY401046	594.43	36,910	36,910				0	60,000	국외수탁
222	40041	Adenovirus,Type 4(NT)	CSF	Neutralization	나468라(1)	CY401046	594.43	36,910	36,910				0	60,000	국외수탁
223	40050	Adenovirus,Type 5(NT)	SST Serum	Neutralization				0	36,910				0	60,000	국외수탁
224	40051	Adenovirus,Type 5(NT)	CSF	Neutralization				0	36,910				0	60,000	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
225	40060	Adenovirus,Type 6(NT)	SST Serum	Neutralization	나468라(1)	CY401046	594.43	36,910	36,910				0	60,000	국외수탁
226	40061	Adenovirus,Type 6(NT)	CSF	Neutralization	나468라(1)	CY401046	594.43	36,910	36,910				0	60,000	국외수탁
227	40070	Adenovirus,Type 7(NT)	SST Serum	Neutralization	나468라(1)	CY401046	594.43	36,910	36,910				0	60,000	국외수탁
228	40071	Adenovirus,Type 7(NT)	CSF	Neutralization	나468라(1)	CY401046	594.43	36,910	36,910				0	60,000	국외수탁
229	40080	Adenovirus,Type 8(NT)	SST Serum	Neutralization	나468라(1)	CY401046	594.43	36,910	36,910				0	60,000	국외수탁
230	40081	Adenovirus,Type 8(NT)	CSF	Neutralization	나468라(1)	CY401046	594.43	36,910	36,910				0	60,000	국외수탁
231	00030	ADH	EDTA Plasma	RIA	나365	C7365	172.15	10,690	10,690	나365주	C7365	166.24	10,540	10,540	
232	00035	ADH	Random Urine	RIA	나365	C7365	172.15	10,690	10,690				0	75,000	국외수탁
233	27690	Adrenoleukodystrophy-ABCD1	EDTA Blood	PCR				0	133,600				0	140,000	
234	25020	AFAFP	Amniotic Fluid		나421나	C4212	173.75	10,790	10,790	나421나	C4212	173.3	10,990	10,990	
235	25030	AFAFP	Amniotic Fluid		나421나	C4212	173.75	10,790	30,000	나421나	C4212	173.3	10,990	10,990	
236	25040	AFAFP	Amniotic Fluid		나421나	C4212	173.75	10,790	10,790	나421나	C4212	173.3	10,990	10,990	
237	25050	AFAFP+AChE	Amniotic Fluid					0	160,790				0	183,490	
238	25055	AFAFP+AChE	Amniotic Fluid					0	180,000				0	183,490	
239	25070	AFAFP+Chromosome	Amniotic Fluid					0	370,790				0	424,990	
240	25080	AFAFP+Chromosome	Amniotic Fluid					0	390,000				0	424,990	
241	25090	AFAFP+High Resol.Chromosome	Amniotic Fluid					0	370,790				0	424,990	
242	25095	AFAFP+High Resol.Chromosome	Amniotic Fluid					0	390,000				0	424,990	
243	70410	AFB Culture	Sputum		나405	B4054	192.4	11,950	11,950	나405나(1)	B4054	192.4	12,200	12,200	
244	70420	AFB Culture	Sputum		나405	B4054	192.4	11,950	11,950	나405나(1)	B4054	192.4	12,200	12,200	
245	70605	AFB Identification	균주	PRA	너562너	CY636006	416.69	25,880	25,880	너562너	CY636006	416.68	26,420	26,420	
246	70607	AFB Identification	균주	PRA	너562너	CY636006	416.69	25,880	25,880	너562너	CY636006	416.68	26,420	26,420	
247	70430	AFB Sensitivity	균주		나406다(2)	B4064	480.11	29,810	29,810	나406다(2)	B4064	501.36	31,790	31,790	
248	70500	AFB Sensitivity (결핵협회)	균주		나406다(2)	B4064	480.11	29,810	29,810	나406다(2)	B4064	501.36	31,790	31,790	
249	70512	AFB Sensitivity (INH)	Sputum	Hybridization	나595-1나	CY752006	581.85	36,130	36,130	나595-1나(2)	CY752006	581.83	36,890	36,890	
250	70511	AFB Sensitivity (RFP)	Sputum	Hybridization	나595-1나	CY751006	581.85	36,130	36,130	나595-1나(1)	CY751006	581.83	36,890	36,890	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
251	70510	AFB Sensitivity (RFP,INH)	Sputum	Hybridization	나595-1나	CY751006+ CY752006	581.85	72,260	72,260	나595-1나	CY751006외		73,780	73,780	
252	70320	AFB Stain	Sputum		나402	B4021	50.04	3,110	3,110	나402	B4021	49.17	3,120	3,120	
253	82090	AFB Stain	Tissue		나553	C5533	120.97	7,510	7,510	나553다	C5533	121.67	7,710	7,710	
254	70400	AFB Stain & Culture	Sputum		너304+나405	BX304+B4054		15,940	15,940	너304+나405	BX304+B4054		16,270	16,270	
255	70330	AFB Stain(형광법)	Sputum	형광 염색법	너304	BX304	64.27	3,990	3,990	너304	BX304	64.27	4,070	4,070	
256	80606	AFB Stain(T&C)	Tissue		나553	C5532	120.97	7,510	7,510	나553나	C5532	121.67	7,710	7,710	
257	80602	AFB Stain(Tissue)	Tissue		나553	C5533	120.97	7,510	7,510	나553다	C5533	121.67	7,710	7,710	
258	01405	AFP (ECLIA)	SST Serum	ECLIA	나421나	C4212	173.75	10,790	10,790	나421나	C4212	173.3	10,990	10,990	
259	01406	AFP (ECLIA)	EDTA Plasma	ECLIA	나421나	C4212	173.75	10,790	10,790	나421나	C4212	173.3	10,990	10,990	
260	01407	AFP (ECLIA)	Body Fluid	ECLIA	나421나	C4212	173.75	10,790	10,790	나421나	C4212	173.3	10,990	10,990	
261	01415	AFP(CLIA)	SST Serum	CLIA	나421나	C4212	173.75	10,790	10,790	나421나	C4212	173.3	10,990	10,990	
262	01410	AFP(RPHA)	SST Serum	RPHA	나421가	C4211	72.08	4,480	4,480	나421가	C4211	66.9	4,240	4,240	
263	10000	Albumin	SST Serum	Colorimetry	나221	C2210	27.39	1,700	1,700	나221	C2210	27.14	1,720	1,720	
264	10001	Albumin	24hr Urine	TIA	나230나	C2302	201.9	12,540	12,540	나230나	C2302	202.36	12,830	12,830	
265	10002	Albumin	Random Urine	TIA	나230나	C2302	201.9	12,540	12,540	나230나	C2302	202.36	12,830	12,830	
266	10003	Albumin	CSF	TIA	나230나	C2302	201.9	12,540	12,540	나230나	C2302	202.36	12,830	12,830	
267	10004	Albumin	Body Fluid	Colorimetry	나230나	C2302	201.9	12,540	12,540	나230나	C2302	202.36	12,830	12,830	
268	82120	Alcian Blue(mucin) Stain	Tissue		나553	C5533	120.97	7,510	7,510	나553다	C5533	121.67	7,710	7,710	
269	11890	Alcohol	SST Serum	Enzyme	나450나(1)	C4503390	163.8	10,170	10,170	나450나(1)	C4503390	154.13	9,770	9,770	
270	11891	Alcohol	EDTA Plasma	Enzyme	나450나(1)	C4503390	163.8	10,170	10,170	나450나(1)	C4503390	154.13	9,770	9,770	
271	10220	Aldolase	SST Serum	Enzyme	나269	B2690	83.86	5,210	5,210	나269	B2690	77.45	4,910	4,910	
272	00650	Aldosterone (RIA)	SST Serum	RIA	나358	C7358	175.71	10,910	10,910	나358주	C7358	176.65	11,200	11,200	
273	00651	Aldosterone (RIA)	EDTA Plasma	RIA	나358	C7358	175.71	10,910	10,910	나358주	C7358	176.65	11,200	11,200	
274	00655	Aldosterone (RIA)	24hr Urine	RIA	나358	C7358	175.71	10,910	10,910	나358주	C7358	176.65	11,200	11,200	
275	00661	Aldosterone 1회	SST Serum	RIA	나358	C7358	175.71	10,910	10,910	나358주	C7358	176.65	11,200	11,200	
276	00662	Aldosterone 2회	SST Serum	RIA	나358	C7358	175.71	10,910	10,910	나358주	C7358	176.65	11,200	11,200	
277	00663	Aldosterone 3회	SST Serum	RIA	나358	C7358	175.71	10,910	10,910	나358주	C7358	176.65	11,200	11,200	
278	00664	Aldosterone 4회	SST Serum	RIA	나358	C7358	175.71	10,910	10,910	나358주	C7358	176.65	11,200	11,200	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
279	00665	Aldosterone 5회	SST Serum	RIA	나358	C7358	175.71	10,910	10,910	나358주	C7358	176.65	11,200	11,200	
280	00666	Aldosterone 6회	SST Serum	RIA	나358	C7358	175.71	10,910	10,910	나358주	C7358	176.65	11,200	11,200	
281	10230	ALP	SST Serum	Enzyme	나260	B2602	26.82	1,670	1,670	나260나	B2602	26.55	1,680	1,680	
282	10231	ALP	Body Fluid	Enzyme	나260	B2601	25.51	1,580	1,580	나260가	B2601	23.95	1,520	1,520	
283	20560	ALP Isoenzyme	SST Serum	Electrophoresis	나305	B3050006	175.45	10,900	10,900	나305	B3050006	176.45	11,190	11,190	
284	12670	Aluminium(Al)	Plain Serum	AAS	나452나(2)	C4523990	298.28	18,520	18,520	나452나(2)	C4523990	302.23	19,160	19,160	
285	12671	Aluminium(Al)	24hr Urine	AAS	나452나(2)	C4523990	298.28	18,520	18,520	나452나(2)	C4523990	302.23	19,160	19,160	
286	65170	Amikacin	SST Serum	FPIA	나450나(2)	C4504390	233.4	14,490	14,490	나450나(2)	C4504390	238.27	15,110	15,110	
287	13005	Amino Acid 분석	Hp Plasma	LC/MS/MS	나443나(3)	C4433006	1078.88	67,000	67,000	나443나(3)(나)	C4433006	1110.7	70,420	70,420	
288	13006	Amino Acid 분석	EDTA Plasma	LC/MS/MS	나443나(3)	C4433006	1078.88	67,000	67,000	나443나(3)(나)	C4433006	1110.7	70,420	70,420	
289	13007	Amino Acid 분석	Random Urine	LC/MS/MS	나443나(3)	C4433006	1078.88	67,000	67,000	나443나(3)(나)	C4433006	1110.7	70,420	70,420	
290	13008	Amino Acid 분석	CSF	LC/MS/MS	나443나(3)	C4433006	1078.88	67,000	67,000	나443나(3)(나)	C4433006	1110.7	70,420	70,420	
291	13015	Amino Acid 분석	Hp Plasma	LC/MS/MS	나443나(3)	C4433006	1078.88	67,000	67,000	나443나(3)(나)	C4433006	1110.7	70,420	70,420	
292	65500	Amiodarone	SST Serum	HPLC	나450나(3)	CX374110	262.87	16,320	16,320	나450나(3)	CX374110	262.87	16,670	16,670	
293	65511	Amitriptyline	Plain Blood	LC/MS/MS	나450	CX375696	542.51	33,690	33,690	나450나(4)	CX375696	542.51	34,400	34,400	
294	25320	AML1/ETO (nested RT-PCR)	EDTA Blood	Nested RT-PCR	나597	C5975006	1514.57	94,050	94,050	나597마	C5975006	1544.19	97,900	97,900	
295	25321	AML1/ETO (nested RT-PCR)	Bone Marrow	Nested RT-PCR	나597	C5975006	1514.57	94,050	94,050	나597마	C5975006	1544.19	97,900	97,900	
296	25325	AML1/ETO (real-time PCR)	EDTA Blood	real time PCR	노596	CZ808		0	120,000	노596	CZ808		0	138,000	
297	25326	AML1/ETO (real-time PCR)	Bone Marrow	real time PCR	노596	CZ808		0	120,000	노596	CZ808		0	138,000	
298	10850	Ammonia (NH3)	EDTA Plasma	Enzyme	나387	C3870	68.78	4,270	4,270	나387	C3870	68.61	4,350	4,350	
299	50330	Amoeba Ab (HA)	SST Serum	HA	나472가	C4721620	118.37	7,350	7,350	나472가	C4721620	108.93	6,910	6,910	
300	50331	Amoeba Ab (HA)	Body Fluid	HA	나472가	C4721620	118.37	7,350	7,350	나472가	C4721620	108.93	6,910	6,910	
301	65390	Amphetamine	Random Urine	TDX	나450가(2)	C4502390	137.23	8,520	8,520	나450가(2)	C4502390	130.9	8,300	8,300	
302	10240	Amylase	SST Serum	Enzyme	나261가	B2611	42.36	2,630	2,630	나261가	B2611	42.01	2,660	2,660	
303	10241	Amylase	Random Urine	Enzyme	나261가	B2611	42.36	2,630	2,630	나261가	B2611	42.01	2,660	2,660	
304	10242	Amylase	24hr Urine	Enzyme	나261가	B2611	42.36	2,630	2,630	나261가	B2611	42.01	2,660	2,660	
305	10243	Amylase	Body Fluid	Enzyme	나261가	B2611	42.36	2,630	2,630	나261가	B2611	42.01	2,660	2,660	
306	10250	Amylase clearance	복수검체	계산법	나261 외	B2611 외		0	7,980	나261 외	B2611 외		0	8,080	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
307	20570	Amylase Isoenzyme	SST Serum	Electrophoresis	나306	B3060006	167.73	10,420	10,420	나306	B3060006	160.26	10,160	10,160	
308	10510	Amyloid A	SST Serum	Latex	노242	CZ242		0	90,000				0	103,500	국외수탁
309	51030	ANA (IFA)	SST Serum	IFA	나491나	C4912006	140.17	8,700	8,700	나491나	C4912006	144.52	9,160	9,160	
310	51031	ANA (IFA)	Body Fluid	IFA	나491나	C4912006	140.17	8,700	8,700	나491나	C4912006	144.52	9,160	9,160	
311	51040	ANA 정량	SST Serum	IFA	나491나주	C4913006	273.89	17,010	17,010	나491나주	C4913006	276.11	17,510	17,510	
312	51041	ANA 정량	Body Fluid	IFA	나491나주	C4913006	273.89	17,010	17,010	나491나주	C4913006	276.11	17,510	17,510	
313	51061	ANCA (MPO) 정량	SST Serum	ELISA	너447주1	CY472006	234.99	14,590	14,590	너447나	CY472006	234.99	14,900	14,900	
314	51062	ANCA (PR3) 정량	SST Serum	ELISA	너447주1	CY471006	234.99	14,590	14,590	너447가	CY471006	234.99	14,900	14,900	
315	51060	ANCA 정량	SST Serum	ELISA	너447주1	CY471006+ CY472006	234.99	29,180	29,180	너447주1	CY471006외		29,800	29,800	
316	51050	ANCA 정성	SST Serum	ELISA	나499	C4991006	160.36	9,960	9,960	나499	C4991006	161.17	10,220	10,220	
317	00670	Androstenedione	SST Serum	RIA	노196	CZ196		0	141,000				0	162,150	국외수탁
318	00680	Androsterone	SST Serum	RIA	노197	CZ197		0	141,000				0	162,150	국외수탁
319	01170	Angiotensin I	EDTA Plasma	RIA				0	60,000				0	69,000	국외수탁
320	01180	AngiotensinⅡ	EDTA Plasma	RIA	너226	CY726	85.45	5,310	5,310				0	69,000	국외수탁
321	12930	Anion GAP	SST Serum	계산법	나379 외	C3791 외		0	6,390	나379 외	C3791 외		0	6,510	
322	51070	Anti Adrenal CortexAb	SST Serum	IFA				0	195,000				0	224,250	국외수탁
323	51100	Anti Cardiolipin IgA	SST Serum	ELISA	나503나	C5034	235.08	14,600	14,600	나503나(3)	C5034	241.99	15,340	15,340	
324	51080	Anti Cardiolipin IgG	SST Serum	ELISA	나503나	C5032	235.08	14,600	14,600	나503나(1)	C5032	241.99	15,340	15,340	
325	51090	Anti Cardiolipin IgM	SST Serum	ELISA	나503나	C5033	235.08	14,600	14,600	나503나(2)	C5033	241.99	15,340	15,340	
326	51110	Anti cardiolipinB2 gly 1 com	SST Serum	ELISA				0	100,000				0	100,000	국외수탁
327	51120	Anti CCP Ab	SST Serum	EIA	노432	CZ432		0	30,000	노432	CZ432		0	34,500	
328	51121	Anti CCP Ab	EDTA Plasma	EIA	노432	CZ432		0	30,000	노432	CZ432		0	34,500	
329	51130	Anti centromere Ab	SST Serum	IFA	너443사	CY449006	616.68	38,300	38,300	너443사	CY449006	616.68	39,100	39,100	
330	51145	Anti centromere Ab(EIA)	SST Serum	EIA	너443사	CY449006	616.68	38,300	38,300	너443사	CY449006	616.68	39,100	39,100	
331	52400	Anti collagen-Ⅱ Ab IgG	SST Serum	ELISA				0	200,000				0	207,500	국외수탁
332	50340	Anti Diphtheria Ab	SST Serum	EIA				0	220,000				0	253,000	국외수탁
333	51150	Anti dsDNA Ab (CLIA)	SST Serum	CLIA	나492나	C4922	245.66	15,260	15,260	나492나	C4922	248.04	15,730	15,730	
334	51151	Anti dsDNA Ab (CLIA)	Body Fluid	CLIA	나492나	C4922	245.66	15,260	15,260	나492나	C4922	248.04	15,730	15,730	
335	51152	Anti dsDNA Ab (RIA)	SST Serum	RIA	나492나주2	C7492	240.79	14,950	14,950	나492나주2	C7492	238.31	15,110	15,110	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
336	51160	Anti dsDNA IgG	SST Serum	ELISA	나492나	C4922	245.66	15,260	15,260	나492나	C4922	248.04	15,730	15,730	
337	51170	Anti dsDNA IgM	SST Serum	ELISA	나492나	C4922	245.66	15,260	15,260	나492나	C4922	248.04	15,730	15,730	
338	51171	Anti dsDNA IgM	EDTA Plasma	ELISA	나492나	C4922	245.66	15,260	15,260	나492나	C4922	248.04	15,730	15,730	
339	51200	Anti ENA Ab	SST Serum	PA	너443차	CY452006	616.68	38,300	38,300	너443차	CY452006	616.68	39,100	39,100	
340	50350	Anti Endomysial IgA	SST Serum	ELISA				0	21,000				0	24,000	
341	70795	Anti fungal susceptibility	Other	MIC	나406나	B4062	167.83	31,260	31,260	나406나	B4062	171.39	21,740	21,740	
342	51220	Anti GAD Ab	SST Serum	RIA	너441	CX744	868.56	53,940	53,940	너441주	CX744	868.56	55,070	55,070	
343	51221	Anti GAD Ab	CSF	RIA	너441	CX744	868.56	53,940	53,940	너441주	CX744	868.56	55,070	55,070	
344	51230	Anti GBM Ab	SST Serum	ELISA	너451	CX451	122.08	7,580	7,580	너451	CX451	122.08	7,740	7,740	
345	52040	Anti GD1b IgG	SST Serum	EIA				0	40,000				0	46,000	
346	52041	Anti GD1b IgG	CSF	EIA				0	40,000				0	46,000	
347	52042	Anti GD1b IgG	EDTA Plasma	EIA				0	40,000				0	46,000	
348	52050	Anti GD1b IgM	SST Serum	EIA	노425	CZ425		0	40,000	노425	CZ425		0	46,000	
349	52051	Anti GD1b IgM	CSF	EIA	노425	CZ425		0	40,000	노425	CZ425		0	46,000	
350	52052	Anti GD1b IgM	EDTA Plasma	EIA	노425	CZ425		0	40,000	노425	CZ425		0	46,000	
351	30300	Anti globulin Test	복수검체		나204주	B2047006	56.79	3,530	3,530	나204가주·주	B2047006	58.85	3,730	3,730	
352	52060	Anti GM1 IgG	SST Serum	EIA	노426	CZ261		0	40,000	노426	CZ261		0	46,000	
353	52061	Anti GM1 IgG	CSF		노426	CZ261		0	40,000	노426	CZ261		0	46,000	
354	52070	Anti GM1 IgM	SST Serum	EIA	노426	CZ262		0	40,000	노426	CZ262		0	46,000	
355	52071	Anti GM1 IgM	CSF		노426	CZ262		0	40,000	노426	CZ262		0	46,000	
356	52090	Anti GQ1b Ab	SST Serum	ELISA				0	300,000				0	345,000	국외수탁
357	52095	Anti GQ1b IgG	SST Serum	EIA				0	40,000				0	46,000	
358	52096	Anti GQ1b IgG	CSF	EIA				0	40,000				0	46,000	
359	52097	Anti GQ1b IgM	SST Serum	EIA				0	40,000				0	46,000	
360	52098	Anti GQ1b IgM	CSF	EIA				0	40,000				0	46,000	
361	51245	Anti growth hormone Ab	SST Serum					0	97,500				0	147,500	국외수탁
362	52340	Anti IA-2 Ab (ICA 512 Ab)	SST Serum	RIA	너445	CX746	1888.37	117,270	117,270				0	117,270	국외수탁
363	51270	Anti intrinsic factor Ab	SST Serum	EIA	너452	CX452	122.07	7,580	7,580	너452	CX452	122.07	7,740	7,740	
364	51330	Anti Jo-1 Ab	SST Serum	Ouchterlony	너443바	CY448006	616.68	38,300	38,300				0	46,000	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
365	51320	Anti Jo-1 Ab(EIA)	SST Serum	EIA	너443바	CY448006	616.68	38,300	38,300	너443바	CY448006	616.68	39,100	39,100	
366	50360	Anti Legionella Ab (NIH)	SST Serum					0	0				0	0	
367	51360	Anti LKM Ab	SST Serum	IFA	너455	CX455	393.15	24,410	24,410	너455	CX455	393.15	24,930	24,930	
368	51370	Anti lymphocyte Ab	SST Serum					0	78,000				0	89,700	국외수탁
369	50370	Anti M.tuberculosis Ab	SST Serum	ELISA	나466나	C4662196	202.71	12,590	12,590	나466나	C4662196	203.08	12,880	12,880	
370	52100	Anti MAG Ab	SST Serum	IFA	노427	CZ427		0	40,000	노427	CZ427		0	46,000	
371	52101	Anti MAG Ab	CSF	IFA	노427	CZ427		0	40,000	노427	CZ427		0	46,000	
372	01885	Anti Microsome(TPO) Ab	SST Serum	ECLIA	나495나	C4952	202.06	12,550	12,550	나495나	C4952	207.55	13,160	13,160	
373	51380	Anti Mitochondrial Ab(IFA)	SST Serum	IFA	나496나	C4962	129.65	8,050	8,050	나496나	C4962	130.42	8,270	8,270	
374	51400	Anti mitochondrial M2 Ab	SST Serum	ELISA				0	68,000				0	78,200	국외수탁
375	52480	Anti NMO IgG	SST Serum	IFA	노422-3	CZ422-3		0	89,000	노422-3	CZ422-3		0	93,000	
376	52481	Anti NMO IgG	CSF	IFA	노422-3	CZ422-3		0	89,000	노422-3	CZ422-3		0	93,000	
377	52485	Anti NMO titer	SST Serum	IFA	노422-3	CZ422-3		0	160,000	노422-3	CZ422-3		0	168,000	
378	51420	Anti Parietal cell Ab	SST Serum	IFA	나504	C5040	118.75	7,370	7,370	나504	C5040	108.6	6,890	6,890	
379	51450	Anti Phospholipid IgG	SC Plasma	ELISA	나498나	C4982006	255.75	15,880	15,880	나498나(1)	C4982006	260.52	16,520	16,520	
380	51451	Anti Phospholipid IgG	SST Serum	ELISA	나498나	C4982006	255.75	15,880	15,880	나498나(1)	C4982006	260.52	16,520	16,520	
381	51460	Anti Phospholipid IgM	SC Plasma	ELISA	나498나	C4983006	255.9	15,890	15,890	나498나(2)	C4983006	260.82	16,540	16,540	
382	51461	Anti Phospholipid IgM	SST Serum	ELISA	나498나	C4983006	255.9	15,890	15,890	나498나(2)	C4983006	260.82	16,540	16,540	
383	51431	Anti PI Ab	SST Serum	EIA				0	625,600				0	625,600	국외수탁
384	51470	Anti Pituitary Ab	SST Serum	IFA				0	120,000				0	138,000	국외수탁
385	51480	Anti Platelet Ab	SST Serum	IFA	나501나	C5012006	232.9	14,460	14,460	나501나	C5012006	237.66	15,070	15,070	
386	51440	Anti PS IgG	SST Serum	ELISA				0	135,000				0	120,000	국외수탁
387	51500	Anti Reticulin Ab	SST Serum	IFA				0	180,000				0	207,000	국외수탁
388	51520	Anti RNP Ab	SST Serum	EIA	너443나	CY444006	407.02	25,280	25,280	너443나	CY444006	407.02	25,810	25,810	
389	51521	Anti RNP Ab	EDTA Plasma	EIA	너443나	CY444006	407.02	25,280	25,280	너443나	CY444006	407.02	25,810	25,810	
390	51530	Anti Scl-70 Ab	SST Serum		너443마	CY447006	616.68	38,300	38,300				0	45,000	국외수탁
391	51535	Anti Scl-70 Ab(EIA)	SST Serum	EIA	너443마	CY447006	616.68	38,300	38,300	너443마	CY447006	616.68	39,100	39,100	
392	51540	Anti Skeletal Muscle Ab	SST Serum	IFA	너453	CX453	122.08	7,580	7,580	너453	CX453	122.08	7,740	7,740	
393	51550	Anti Sm Ab	SST Serum	EIA	너443가	CY443006	407.02	25,280	25,280	너443가	CY443006	407.02	25,810	25,810	
394	51560	Anti Smooth Muscle Ab(IFA)	SST Serum	IFA	나497나	C4972	129.37	8,030	8,030	나497나	C4972	129.86	8,230	8,230	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
395	51565	Anti Smooth Muscle Ab정량	SST Serum	IFA				0	20,000				0	25,000	
396	51570	Anti sperm Ab	SST Serum	IBT	나735나	E7352	266.15	16,530	16,530	나735나	E7352	266.15	16,870	16,870	
397	51580	Anti SS-A/Ro Ab	SST Serum	EIA	너443다	CY445006	407.02	25,280	25,280	너443다	CY445006	407.02	25,810	25,810	
398	51590	Anti SS-B/La Ab	SST Serum	EIA	너443라	CY446006	407.02	25,280	25,280	너443라	CY446006	407.02	25,810	25,810	
399	51180	Anti ss-DNA IgG	SST Serum	ELISA	너448	CY481	133.63	8,300	8,300				0	39,600	국외수탁
400	51190	Anti ss-DNA IgM	SST Serum	ELISA	너448	CY482	133.63	8,300	8,300				0	60,000	국외수탁
401	50380	Anti Streptokinase Ab	SST Serum	PA	너392	CY921	122.02	7,580	7,580				0	9,000	국외수탁
402	50390	Anti Tetanus Ab	SST Serum	EIA				0	200,000				0	230,000	국외수탁
403	50395	Anti Tetanus Ab	SST Serum	ICA	나466나	C4662196	202.71	12,590	12,590	나466나	C4662196	203.08	12,880	12,880	
404	30860	Anti thrombin III	SC Plasma	TIA	나158	B1580	110.62	6,870	6,870	나158	B1580	110.95	7,030	7,030	
405	30870	Anti thrombin III(%)	SC Plasma	Chromogenic assay	나158	B1580	110.62	6,870	6,870	나158	B1580	110.95	7,030	7,030	
406	51620	Anti TS Ab	SST Serum		노213	CZ213		0	60,000	노213	CZ213		0	69,000	
407	51630	Anti TSB Ab	SST Serum	RIA				0	200,000				0	230,000	국외수탁
408	31120	Anti Xa LMWH test(Heparin)	SC Plasma		나163-1	B1634	160.49	9,970	9,970	나163-1나	B1634	167.16	10,600	10,600	
409	52030	Anti β2-GP1 IgG Ab	SST Serum	EIA	나506	C5061	235.08	14,600	14,600	나506가	C5061	228.16	14,470	14,470	
410	43410	Antibiotic resistant test	Other					0	100,000				0	100,000	
411	30850	Antiplasmin(α2-PI)	SC Plasma	Chromogenic assay	너81가	BY811	170.91	10,610	10,610				0	37,500	국외수탁
412	26410	APC gene mutation analysis	EDTA Blood	Sequencing	노596	CZ802		0	633,000	노596	CZ802		0	633,000	
413	31100	APCR	SC Plasma		너89	BX089	278.89	17,320	17,320	너89	BX089	278.89	17,680	17,680	
414	10940	Apolipoprotein A I	SST Serum	TIA	나246가	C2461	101.41	6,300	6,300	나246가	C2461	101.74	6,450	6,450	
415	10950	Apolipoprotein AII	SST Serum	TIA	나246가	C2461	101.41	6,300	6,300	나246가	C2461	101.74	6,450	6,450	
416	10960	Apolipoprotein B	SST Serum	TIA	나246나	C2462	101.62	6,310	6,310	나246나	C2462	102.87	6,520	6,520	
417	10970	Apolipoprotein CII	SST Serum	TIA	나246다	C2463	102.22	6,350	6,350	나246다	C2463	104.07	6,600	6,600	
418	10980	Apolipoprotein CIII	SST Serum	TIA	나246다	C2463	102.22	6,350	6,350	나246다	C2463	104.07	6,600	6,600	
419	10990	Apolipoprotein E	SST Serum	TIA	나246라	C2464	102.01	6,330	6,330	나246라	C2464	103.66	6,570	6,570	
420	25330	Apolipoprotein E Genotype	EDTA Blood	PCR	너572	CX572006	833.31	51,750	51,750	너572	CX572006	833.29	52,830	52,830	
421	65000	Aprindine	SST Serum	FPIA				0	32,400				0	38,000	국외수탁
422	65001	Aprindine	Hp Plasma	FPIA				0	32,400				0	38,000	국외수탁
423	20430	Apt test	Stool		나124	B1240	8.99	560	560	나124	B1240	8.4	530	530	
424	20431	Apt test	Other		나124	B1240	8.99	560	560	나124	B1240	8.4	530	530	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
425	12681	Arsenic(AS)	24hr Urine	AAS	나452나(2)	C4523990	298.28	18,520	18,520	나452나(2)	C4523990	302.23	19,160	19,160	
426	12682	Arsenic(AS)	Random Urine	AAS	나452나(2)	C4523990	298.28	18,520	18,520	나452나(2)	C4523990	302.23	19,160	19,160	
427	10260	Arylsulfatase A	Hp Blood	Spectrophotometry	노327	CZ327		0	35,900	노327	CZ327		0	35,900	
428	10265	Arylsulfatase A	EDTA Blood	Enzyme	노327	CZ327		0	78,000	노327	CZ327		0	89,700	
429	50410	ASO 정량	SST Serum	TIA	나463나	C4633	103.57	6,430	6,430	나463나	C4633	104.59	6,630	6,630	
430	50400	ASO(Latex)	SST Serum	TIA	나463가	C4631	38.69	2,400	2,400	나463가	C4631	36.23	2,300	2,300	
431	50411	ASO(Titer)	Body Fluid	TIA	나463나	C4633	103.57	6,430	6,430	나463나	C4633	104.59	6,630	6,630	
432	50440	Aspergillus Ab	SST Serum	Immuno-diffusion				0	100,000				0	115,000	국외수탁
433	50445	Aspergillus Ab IgG	SST Serum	EIA	나467나	C4672236	181.83	12,420	12,420	나467나	C4672236	197.68	12,530	12,530	
434	50450	Aspergillus Ag	SST Serum	ELISA	나475나	C4752996	277.66	17,240	17,240	나475나	C4752996	285.42	18,100	18,100	
435	80070	Aspiration cell cyto&block	Other		나594-1주2	C5942	238.12	14,790	14,790	나594-1주2	C5942	238.61	15,130	15,130	
436	65520	Aspirin (Salicylic acid)	SST Serum	TDX	나450나(1)	C4503390	163.8	10,170	10,170	나450나(1)	C4503390	154.13	9,770	9,770	
437	65760	Aspirin Resistance Assay	Blood		노71-1	BZ071		0	67,000	노71-1	BZ071		0	67,000	
438	27673	ATP기반 항암제 감수성 검사	Other		노481	CZ481		0	466,700	노481	CZ481		0	466,700	
439	11920	Auto hemolysis test	복수검체	Tube	나114	B1140006	122.3	7,590	7,590	나114	B1140006	121.65	7,710	7,710	
440	27570	B cell confirm test	EDTA Blood	Flow Cytometry	나512	C5120006	443.88	110,240	110,240	나512	C5120006	445.94	113,080	113,080	
441	10890	B/C ratio	SST Serum	계산법	나373 외	C3730 외		0	3,000	나373 외	C3730 외		0	3,050	
442	50460	Bacterial Ag	CSF	Latex	나408	B4080	102.14	31,700	31,700	나408	B4080	96.52	30,600	30,600	
443	65180	Barbiturate	Random Urine	ICA	나450가(2)	C4502070	137.23	8,520	8,520	나450가(2)	C4502070	130.9	8,300	8,300	
444	52540	Bartonella Ab (NIH)	SST Serum	IFA				0	0				0	0	
445	01430	Basic fetoprotein(BFP)	SST Serum	EIA				0	45,000				0	51,750	국외수탁
446	01440	BCA225	SST Serum	EIA				0	40,000				0	46,000	국외수탁
447	25900	B-Cell Stain(CD20)(IHC)	Blood Smear Slide	IFA	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
448	81070	BCL2 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
449	81080	BCL6 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
450	27566	bcr-abl (real-time PCR)	EDTA Blood	real time PCR	노596	CZ809		0	120,000	노596	CZ809		0	138,000	
451	27567	bcr-abl (real-time PCR)	Bone Marrow	real time PCR	노596	CZ809		0	120,000	노596	CZ809		0	138,000	
452	27564	bcr-abl 정량	Bone Marrow	real time PCR	노596	CZ809		0	168,000	노596	CZ809		0	172,000	
453	27568	bcr-abl gene mutation	EDTA Blood	Sequencing				0	178,000				0	178,000	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
454	70030	Bence-Jones Protein 정성	Random Urine	Precipitation	나227가	C2271	19	1,180	1,180	나227가	C2271	17.58	1,110	1,110	
455	65190	Benzodiazepine	Random Urine	ICA	나450가(2)	C4502080	137.23	8,520	8,520	나450가(2)	C4502080	130.9	8,300	8,300	
456	11930	Bile Acid	SST Serum	Enzyme	너272	CX272	239.28	14,860	14,860	너272	CX272	239.28	15,170	15,170	
457	11931	Bile Acid	Body Fluid	Enzyme	너272	CX272	239.28	14,860	14,860	너272	CX272	239.28	15,170	15,170	
458	80209	Biopsy (≥ 13)								나550가(5)	C5915	577.51	36,610	36,610	
459	80208	Biopsy (10-12)								나550가(4)	C5914	513.01	32,520	32,520	
460	80205	Biopsy (1-3)	Tissue							나550가(1)	C5911	319.48	20,260	20,260	
461	80206	Biopsy (4-6)	Tissue							나550가(2)	C5912	383.94	24,340	24,340	
462	80207	Biopsy (7-9)	Tissue							나550가(3)	C5913	448.5	28,430	28,430	
463	80101	Biopsy (S)(셀지)	Tissue		나550가	C5501	321.38	19,960	19,960	나550가(1)	C5911	319.48	20,260	20,260	
464	80231	Biopsy 악성(≤15)								나550다(2)(가)	C5500	896.68	56,850	56,850	
465	80221	Biopsy 악성(≤20)								나550다(1)(가)	C5918	1187.89	75,310	75,310	
466	80570	Biopsy 악성(≤20)+ 호르몬*2	Tissue		나550+나559	C5503+C5590		133,790	133,790	나550가(1) 외	C5918외		146,510	146,510	
467	80232	Biopsy 악성(≥16)								나550다(2)(나)	C5504	1010.54	64,070	64,070	
468	80222	Biopsy 악성(≥21)								나550다(2)(나)	C5919	1400.9	88,820	88,820	
469	80213	Biopsy 절편(≤6)								나550나(1)	C5916	595.38	37,750	37,750	
470	80631	Biopsy 절편(≤6)+Stain*1	Tissue		나550+나553	C5502+C5533		46,290	46,290	나550나(1)	C5916외		45,460	45,460	
471	80632	Biopsy 절편(≤6)+Stain*2	Tissue		나550+나553	C5502+C5533		53,800	53,800	나550나(1)	C5916외		53,170	53,170	
472	80633	Biopsy 절편(≤6)+Stain*3	Tissue		나550+나553	C5502+C5533		61,310	61,310	나550나(1)	C5916외		60,880	60,880	
473	80634	Biopsy 절편(≤6)+Stain*4	Tissue		나550+나553	C5502+C5533		68,820	68,820	나550나(1)	C5916외		68,590	68,590	
474	80214	Biopsy 절편(≥7)								나550나(2)	C5917	702.61	44,550	44,550	
475	80625	Biopsy(1-3)+ 조직내호르몬*2	Tissue		나550+나559	C5501+C5590		95,160	95,160	나550가(1)	C5911외		91,460	91,460	
476	80621	Biopsy(1-3)+Stain	Tissue		나550+나553	C5501+C5533		27,470	27,470	나550가(1)	C5911외		27,970	27,970	
477	80622	Biopsy(1-3)+Stain*2	Tissue		나550+나553	C5501+C5533		34,980	34,980	나550가(1)	C5911외		35,680	35,680	
478	80623	Biopsy(1-3)+Stain*3	Tissue		나550+나553	C5501+C5533		42,490	42,490	나550가(1)	C5911외		43,390	43,390	
479	80624	Biopsy(1-3)+Stain*4	Tissue		나550+나553	C5501+C5533		50,000	50,000	나550가(1)	C5911외		51,100	51,100	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
480	80520	Biopsy탈회과정(S)	Tissue		나550	C5509+C5501		23,470	23,470	나550	C5509외		23,710	23,710	
481	80530	Biosy(EM)	Tissue					0	100,000				0	100,000	
482	11680	Biotinidase 정량	EDTA Plasma	Spectrophotometry	노333	CZ333		0	100,000	노333	CZ333		0	115,000	
483	50470	Blastomyces Ab	SST Serum	Immuno-diffusion	나467나	C4672246	200.01	12,420	12,420				0	254,750	국외수탁
484	30010	Blood Cell Morphology	EDTA Blood	Manual	나110	B1100006	61.7	3,830	3,830	나110	B1100006	65.19	4,130	4,130	
485	70230	Blood Culture	Blood	Culture	나405가	B4051	147.78	9,180	9,180	나405가	B4051	152.96	9,700	9,700	
486	71020	Body Fluid Analysis	Body Fluid	Manual	나51	B0510	46.06	2,860	2,860	나51	B0510	47.54	3,010	3,010	
487	71021	Body Fluid Analysis(Joint)	Joint Fluid	Manual	나51	B0510	46.06	2,860	2,860	나51	B0510	47.54	3,010	3,010	
488	71060	Body Fluid Cell count	Body Fluid	Manual	나51	B0510	46.06	2,860	2,860	나51	B0510	47.54	3,010	3,010	
489	11940	Bone ALP	SST Serum	ELISA	나398	C3980	156.09	9,690	9,690	나398	C3980	143.05	9,070	9,070	
490	30135	Bone Marrow Consultant	Bone Marrow Slide		나111	B1113006	339.87	23,220	23,220	나111가주1	B1113	408.8	25,920	25,920	
491	30130	Bone Marrow Examination	Bone Marrow Slide	Manual	나111추가	B1113	373.86	23,220	23,220	나111가주1	B1113	408.8	25,920	25,920	
492	80550	Bone Section	Tissue		나552	C5520	407.65	25,320	25,320	나552	C5520	392.39	24,880	24,880	
493	82060	Bone Section	Tissue		나552	C5520	407.65	25,320	25,320	나552	C5520	392.39	24,880	24,880	
494	25350	BRCA1	EDTA Blood	DHPLC	나599나(4)	CY713006	5911.64	367,110	367,110	나599나(4)	CY713006	5911.54	374,790	374,790	
495	25360	BRCA2	EDTA Blood	DHPLC	나599나(4)	CY714006	5911.64	367,110	367,110	나599나(4)	CY714006	5911.54	374,790	374,790	
496	65791	Brodifacoum	SST Serum	HPLC				0	331,200				0	380,880	국외수탁
497	65680	Bromide	SST Serum	ICA				0	150,000				0	172,500	국외수탁
498	50510	Brucella Ab (NIH)	SST Serum					0	0				0	0	
499	10860	BUN	SST Serum	Enzyme	나373	C3730	26.38	1,640	1,640	나373	C3730	26.4	1,670	1,670	
500	10861	BUN	24hr Urine	Enzyme	나373	C3730	26.38	1,640	1,640	나373	C3730	26.4	1,670	1,670	
501	10862	BUN	Random Urine	Enzyme	나373	C3730	26.38	1,640	1,640	나373	C3730	26.4	1,670	1,670	
502	70727	C. difficile culture	Stool	Culture	너302	BY021	154.65	9,600	9,600	너302가	BY021	154.65	9,800	9,800	
503	70725	C. difficile toxin A,B	Stool	ELFA	너302나	BY022	122.08	7,580	7,580	너302나	BY022	122.08	7,740	7,740	
504	20010	C1 inactivator	SST Serum	RID	노111	CZ111		0	45,000	노111	CZ111		0	51,750	
505	30880	C1 inactivator activity	SC Plasma	발색성합성기질법				0	100,000				0	115,000	국외수탁
506	20020	C1q	SST Serum	RID	나226	C2267	101.98	6,330	6,330	나226사	C2267	103.59	6,570	6,570	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
507	20030	C2	SST Serum	RID	나226	C2264	102.24	6,350	6,350				0	225,000	국외수탁
508	20031	C2	EDTA Plasma	RID	나226	C2264	102.24	6,350	6,350				0	225,000	국외수탁
509	20040	C3	SST Serum	TIA	나226	C2261	101.95	6,330	6,330	나226가	C2261	103.54	6,560	6,560	
510	20050	C3a	EDTA Plasma	RIA				0	160,000				0	200,900	국외수탁
511	20070	C4	SST Serum	TIA	나226	C2262	101.61	6,310	6,310	나226나	C2262	102.86	6,520	6,520	
512	20090	C5	SST Serum	RID				0	195,000				0	225,000	국외수탁
513	20110	C6	SST Serum	RID	나226	C2267	101.98	6,330	195,000				0	225,000	국외수탁
514	20120	C7	SST Serum	RID	나226	C2267	101.98	6,330	195,000				0	225,000	국외수탁
515	20150	C9	SST Serum	RID	나226	C2266	101.82	6,320	195,000				0	225,000	국외수탁
516	10070	Ca	SST Serum	Colorimetry	나379마	C3795	19.41	1,210	1,210	나379마	C3795	19.32	1,220	1,220	
517	10071	Ca	24hr Urine	Colorimetry	나379마	C3795	19.41	1,210	1,210	나379마	C3795	19.32	1,220	1,220	
518	10072	Ca	Random Urine	Colorimetry	나379마	C3795	19.41	1,210	1,210	나379마	C3795	19.32	1,220	1,220	
519	01510	CA 54/61	SST Serum	ELISA				0	60,000				0	69,000	국외수탁
520	01520	CA 602	SST Serum	ELISA				0	60,000				0	69,000	국외수탁
521	01485	CA 72-4	SST Serum	RIA	나426	C7426	263.72	16,380	16,380	나426주	C7426	244.05	15,470	15,470	
522	01482	CA 72-4 (ECLIA)	SST Serum	ECLIA	나426	C4260	282.82	17,560	17,560	나426	C4260	282.25	17,890	17,890	
523	10090	Ca++	SST Serum	Electrode	나379바	C3796	75.51	4,690	4,690	나379바	C3796	76.93	4,880	4,880	
524	10091	Ca++	Hp Plasma	Electrode	나379바	C3796	75.51	4,690	4,690	나379바	C3796	76.93	4,880	4,880	
525	01495	CA125 (ECLIA)	SST Serum	ECLIA	나 424	C4240	252.96	15,710	15,710	나424	C4240	253.21	16,050	16,050	
526	80900	CA125 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
527	01455	CA15-3 (ECLIA)	SST Serum	ECLIA	나433	C4330	252.55	15,680	15,680	나433	C4330	252.38	16,000	16,000	
528	01465	CA19-9 (ECLIA)	SST Serum	ECLIA	나 423	C4230	258.56	16,060	16,060	나423	C4230	259.89	16,480	16,480	
529	01466	CA19-9 (ECLIA)	Body Fluid	ECLIA	나 423	C4230	258.56	16,060	16,060	나423	C4230	259.89	16,480	16,480	
530	28180	CACNA1S gene mutation	EDTA Blood	Sequencing	노595	CZ656		0	150,000	노595	CZ656		0	150,000	
531	26790	CADASIL (NOTCH3)	EDTA Blood	Sequencing				0	194,000				0	194,000	
532	12690	Cadmium(Cd)	Hp Blood	AAS	나452나(2)	C4523650	298.28	18,520	18,520	나452나(2)	C4523650	302.23	19,160	19,160	
533	12691	Cadmium(Cd)	24hr Urine	AAS	나452나(2)	C4523650	298.28	18,520	18,520	나452나(2)	C4523650	302.23	19,160	19,160	
534	01900	Calcitonin	SST Serum	RIA	나356	C7356	208.43	12,940	12,940	나356주	C7356	204.3	12,950	12,950	
535	81190	Calcitonin(IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
536	01911	Calcitonin-1회	SST Serum	RIA	나356	C7356	208.43	12,940	12,940	나356주	C7356	204.3	12,950	12,950	
537	01912	Calcitonin-2회	SST Serum	RIA	나356	C7356	208.43	12,940	12,940	나356주	C7356	204.3	12,950	12,950	
538	01913	Calcitonin-3회	SST Serum	RIA	나356	C7356	208.43	12,940	12,940	나356주	C7356	204.3	12,950	12,950	
539	01914	Calcitonin-4회	SST Serum	RIA	나356	C7356	208.43	12,940	12,940	나356주	C7356	204.3	12,950	12,950	
540	01915	Calcitonin-5회	SST Serum	RIA	나356	C7356	208.43	12,940	12,940	나356주	C7356	204.3	12,950	12,950	
541	01916	Calcitonin-6회	SST Serum	RIA	나356	C7356	208.43	12,940	12,940	나356주	C7356	204.3	12,950	12,950	
542	01917	Calcitonin-7회	SST Serum	RIA	나356	C7356	208.43	12,940	12,940	나356주	C7356	204.3	12,950	12,950	
543	01918	Calcitonin-8회	SST Serum	RIA	나356	C7356	208.43	12,940	12,940	나356주	C7356	204.3	12,950	12,950	
544	01195	C-AMP	EDTA Plasma	RIA	노205	CZ205		0	52,000				0	59,800	국외수탁
545	01196	C-AMP	24hr Urine	RIA	노205	CZ205		0	52,000				0	59,800	국외수탁
546	71050	Campylobacter Culture	Stool	Culture	너301라	BY309006	363.17	22,550	22,550	너301라	BY309006	363.17	23,020	23,020	
547	50520	Campylobacter jejuni Ab	SST Serum	CF				0	250,000				0	250,000	국외수탁
548	50530	Candida Ab	SST Serum	Immuno-diffusion	나467나	C4672216	200.01	12,420	140,000				0	210,000	국외수탁
549	50540	Candida Ag	SST Serum	Latex	나408	B4080	102.14	6,340	6,340				0	36,000	국외수탁
550	50541	Candida Ag	CSF	Latex	나408	B4080	102.14	6,340	6,340				0	36,000	국외수탁
551	65400	Cannabinoids 정성	Random Urine	ICA	나450가(2)	C4502390	137.23	8,520	8,520	나450가(2)	C4502390	130.9	8,300	8,300	
552	01800	CAR autoantibodies	SST Serum	Western blot				0	500,000				0	575,000	국외수탁
553	65200	Carbamazepine	SST Serum	FPA	나450나(2)	C4504030	233.4	14,490	14,490	나450나(2)	C4504030	238.27	15,110	15,110	
554	65210	Carbamazepine,Free	SST Serum	FPIA				0	80,000				0	92,000	국외수탁
555	20440	Carboxy Hemoglobin	EDTA Blood		나382다	C3823	53.16	3,300	3,300	나382다	C3823	53.44	3,390	3,390	
556	11010	Cardiac Risk Factor	SST Serum	계산법	나241 외	C2411 외		0	6,800	나241 외	C2411 외		0	6,890	
557	11260	Carnitine(Vitamin BT)	SST Serum	Enzyme	너154	CY544×3	399.4	74,400	74,400				0	100,000	국외수탁
558	11270	Carotene	SST Serum	Spectrophotometry	나255	C2550	63.99	3,970	3,970	나255	C2550	60.78	3,850	3,850	
559	10270	Catalase	SST Serum					0	20,000				0	20,000	국외수탁
560	02045	Catecholamine 2F(HPLC)	24hr Urine	HPLC	너228	CY281~2006		38,520	38,520	너228	CY281006, 282006		39,340	39,340	
561	02046	Catecholamine 2F(HPLC)	EDTA Plasma	HPLC	너228	CY281~2006		38,520	38,520	너228	CY281006, 282006		39,340	39,340	
562	02055	Catecholamine 3F(HPLC)	EDTA Plasma	HPLC	너228	CY281~3006		57,780	57,780	너228	CY281006~3		59,010	59,010	
563	02056	Catecholamine 3F(HPLC)	24hr Urine	HPLC	너228	CY281~3006		57,780	57,780	너228	CY281006~3		59,010	59,010	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
564	26220	CD 14	Bone Marrow	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
565	26255	CD 16 + CD 56 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
566	26250	CD 16 + CD 56 (NK cell)	EDTA Blood	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
567	25990	CD 19 (B cell)	EDTA Blood	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
568	25991	CD 19 (B cell)	Bone Marrow	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
569	25995	CD 19 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
570	25910	CD 2	EDTA Blood	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
571	26005	CD 20	EDTA Blood	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
572	80850	CD 21 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
573	27460	CD 25	Bone Marrow		나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
574	25925	CD 3 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
575	80840	CD 3 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
576	80841	CD 3 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
577	25920	CD 3 (T3)	EDTA Blood	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
578	25921	CD 3 (T3)	Bone Marrow	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
579	26025	CD 34	EDTA Blood	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
580	26020	CD 34 (Stem cell)	EDTA Blood	Flow Cytometry	나514	C5140006	697.29	64,950	64,950	나514	C5140006	710.91	67,610	67,610	
581	25935	CD 4 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
582	25930	CD 4 (T4)	EDTA Blood	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
583	25931	CD 4 (T4)	Bone Marrow	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
584	26030	CD 45	EDTA Blood		나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
585	80915	CD 5 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
586	26050	CD 55	EDTA Blood		나42나	BY422006	429.94	26,700	26,700	나42나	BY422006	429.94	27,260	27,260	
587	26060	CD 59	EDTA Blood		나42나	BY422006	429.94	26,700	26,700	나42나	BY422006	429.94	27,260	27,260	
588	26065	CD 59 (PNH test)	EDTA Blood	Flow Cytometry	나24나	BY422006	429.94	53,400	53,400	나42나	BY422006	429.94	54,520	54,520	
589	51853	CD 68	Other		나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
590	25965	CD 8 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
591	25960	CD 8 (T8)	EDTA Blood	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
592	25961	CD 8 (T8)	Bone Marrow	Flow Cytometry	나512	C5120006	443.88	27,560	27,560	나512	C5120006	445.94	28,270	28,270	
593	81030	CD10 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
594	80880	CD15 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
595	81210	CD1a(IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
596	81240	CD20(IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
597	80920	CD25 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
598	81185	CD30 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
599	81180	CD31(IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
600	81130	CD34(IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
601	81100	CD35 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
602	81105	CD35 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
603	81230	CD4(IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
604	81250	CD45,LCA(IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
605	81260	CD45,RO(IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
606	80910	CD5 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
607	81090	CD56 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
608	80950	CD68 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
609	80890	CD79a (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
610	01535	CEA (ECLIA)	SST Serum	ECLIA	나422	C4220	230.43	14,310	14,310	나422	C4220	230.54	14,620	14,620	
611	01536	CEA (ECLIA)	Body Fluid	ECLIA	나422	C4220	230.43	14,310	14,310	나422	C4220	230.54	14,620	14,620	
612	81500	CEA (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
613	80045	Cell block after Cyto Exam	Other		나594	C5940	168.5	10,460	10,460	나594	C5940	156.81	9,940	9,940	
614	27620	Cell culture (AF)	Amniotic Fluid	Culture	나498	CX498	366.25	22,740	22,740	나498	CX498	366.25	23,220	23,220	
615	80980	C-erb B2(IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
616	20160	Ceruloplasmin	SST Serum	TIA	나235	C2350	100.33	6,230	6,230	나235	C2350	103.76	6,580	6,580	
617	20161	Ceruloplasmin	Hp Plasma	TIA	나235	C2350	100.33	6,230	6,230	나235	C2350	103.76	6,580	6,580	
618	27740	CFTR Gene mutation	EDTA Blood	Sequencing	노595	CZ631		0	873,000	노595	CZ631		0	873,000	
619	01200	C-GMP	EDTA Plasma	RIA				0	52,000				0	60,000	국외수탁
620	01205	C-GMP	24hr Urine	RIA				0	52,000				0	60,000	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
621	51640	CH50	SST Serum	Enzyme	나225	C2250	131.4	8,160	8,160	나225	C2250	124.78	7,910	7,910	
622	71270	Chlamydia culture	Other	Culture				0	3,000				0	3,000	
623	50580	Chlamydia Pneumonia IgA	SST Serum	ELISA				0	40,000				0	46,000	국외수탁
624	50560	Chlamydia Pneumonia IgG	SST Serum	IFA	나474나	C4742816	203.47	12,640	12,640	나474나(1)	C4742816	204.59	12,970	12,970	
625	50570	Chlamydia Pneumonia IgM	SST Serum	IFA	나474나	C4743816	203.09	12,610	12,610	나474나(2)	C4743816	203.84	12,920	12,920	
626	42340	Chlamydia Pneumonia PCR	Other	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
627	50590	Chlamydia Psittaci Ab(CF)	SST Serum	CF				0	20,000				0	18,000	국외수탁
628	50591	Chlamydia Psittaci Ab(CF)	CSF	CF				0	20,000				0	18,000	국외수탁
629	50600	Chlamydia Psittacosis IgG	SST Serum	FA				0	65,000				0	74,750	국외수탁
630	50601	Chlamydia Psittacosis IgG	CSF	FA				0	65,000				0	74,750	국외수탁
631	50610	Chlamydia Psittacosis IgM	SST Serum	FA				0	65,000				0	74,750	국외수탁
632	50611	Chlamydia Psittacosis IgM	CSF	FA				0	65,000				0	74,750	국외수탁
633	42240	Chlamydia trachomatis Ag	분비물	ELFA	나475나	C4752816	277.66	17,240	17,240	나475나	C4752816	285.42	18,100	18,100	
634	50650	Chlamydia trachomatis IgA	SST Serum	ELISA				0	20,000				0	23,000	
635	50630	Chlamydia trachomatis IgG	SST Serum	EIA	나474나	C4742816	203.47	12,640	12,640	나474나(1)	C4742816	204.59	12,970	12,970	
636	50640	Chlamydia trachomatis IgM	SST Serum	ELISA	나474나	C4743816	203.09	12,610	12,610	나474나(2)	C4743816	203.84	12,920	12,920	
637	42330	Chlamydia trachomatis PCR	분비물	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
638	10100	Chloride(Cl)	SST Serum	ISE	나379다	C3793	19.34	1,200	1,200	나379다	C3793	19.19	1,220	1,220	
639	10101	Chloride(Cl)	24hr Urine	ISE	나379다	C3793	19.34	1,200	1,200	나379다	C3793	19.19	1,220	1,220	
640	10102	Chloride(Cl)	Random Urine	ISE	나379다	C3793	19.34	1,200	1,200	나379다	C3793	19.19	1,220	1,220	
641	65540	Chlorpromazine	SST Serum	G.C				0	144,000				0	270,000	국외수탁
642	11050	Cholesterol Ester 정량	SST Serum	계산법	나241	C2412	24.55	1,520	1,520	나241나	C2412	22.74	1,440	1,440	
643	11051	Cholesterol Ester 정량	Joint Fluid	계산법	나241	C2412	24.55	1,520	1,520	나241나	C2412	22.74	1,440	1,440	
644	10280	Cholinesterase(Pseudo)	SST Serum	Colorimetry	나270	B2700	59.96	3,720	3,720	나270	B2700	56.91	3,610	3,610	
645	10290	Cholinesterase(RBC activity)	EDTA Blood		나270	B2700	59.96	3,720	3,720	나270	B2700	56.91	3,610	3,610	
646	12700	Chromium(Cr)	Hp Blood	AAS	나452나(2)	C4523990	298.28	18,520	18,520	나452나(2)	C4523990	302.23	19,160	19,160	
647	12701	Chromium(Cr)	24hr Urine	AAS	나452나(2)	C4523990	298.28	18,520	18,520	나452나(2)	C4523990	302.23	19,160	19,160	
648	12702	Chromium(Cr)	Other	AAS	나452나(2)	C4523990	298.28	18,520	18,520	나452나(2)	C4523990	302.23	19,160	19,160	
649	81410	Chromoglanin (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
650	25103	Chromosome Analysis	Other	Culture				0	360,000				0	414,000	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
651	25101	Chromosome Analysis(AF)	Amniotic Fluid	Culture				0	360,000				0	414,000	
652	25102	Chromosome Analysis(BM)	Bone Marrow	Culture	나600-1	C6005006	1448.68	89,960	89,960	나600-1	C6005006	1501.64	95,200	95,200	
653	25104	Chromosome Analysis(CB)	Cord Blood	Culture	나600	C6001006	982.26	61,000	61,000	나600	C6001006	1058.77	67,130	67,130	
654	25110	Chromosome analysis(Leukemia)	Hp Blood	Culture	나600-1	C6005006	1448.68	89,960	89,960	나600-1	C6005006	1501.64	95,200	95,200	
655	25100	Chromosome Analysis(PB)	Hp Blood	Culture	나600	C6001006	982.26	61,000	61,000	나600	C6001006	1058.77	67,130	67,130	
656	25105	Chromosome Analysis(Stem)	Stem cell	Culture				0	180,000				0	207,000	
657	25123	Chromosome Test	수태산물					0	360,000				0	360,000	
658	25121	Chromosome Test(AF)	Amniotic Fluid					0	360,000				0	360,000	
659	25122	Chromosome Test(BM)	Bone Marrow		나600-1	C6005006	1448.68	89,960	180,000	나600-1	C6005006	1501.64	95,200	95,200	
660	25124	Chromosome Test(CB)	Hp Blood		나600	C6001006	982.26	61,000	180,000	나600	C6001006	1058.77	67,130	67,130	
661	25150	Chromosome Test(leukemiaB)	Hp Blood		나600-1	C6005006	1448.68	89,960	150,000	나600-1	C6005006	1501.64	95,200	95,200	
662	25120	Chromosome Test(PB)	Hp Blood		나600	C6001006	982.26	61,000	96,000	나600	C6001006	1058.77	67,130	67,130	
663	25170	Chromosome(Direct+Long)	Chorion					0	450,000				0	517,500	
664	25175	Chromosome(Direct+Long)	Chorion					0	450,000				0	517,500	
665	25192	Chromosome(High Resolution	Bone Marrow	Culture	나600-2	C6006006	1590.33	98,760	98,760	나600-2	C6006006	1590.33	100,830	100,830	
666	25180	Chromosome(High Resolution)	Hp Blood					0	180,000				0	180,000	
667	25181	Chromosome(High Resolution)	Amniotic Fluid					0	360,000				0	414,000	
668	25190	Chromosome(High Resolution)	Hp Blood	Culture	나600-2	C6006006	1590.33	98,760	98,760	나600-2	C6006006	1590.33	100,830	100,830	
669	25191	Chromosome(High Resolution)	Amniotic Fluid	Culture				0	360,000				0	414,000	
670	25160	Chromosome(Long Term)	Chorion					0	380,000				0	437,000	
671	25165	Chromosome(Long Term)	Chorion					0	380,000				0	437,000	
672	26235	Chronic Leukemia panel	Bone Marrow	Flow Cytometry	나512	C5120006	443.82	496,080	496,080	나512	C5120006	445.94	508,860	508,860	
673	65010	Cisplatin (Free)	SST Serum					0	84,000				0	150,000	
674	65020	Cisplatin (Total)	SST Serum					0	48,000				0	60,000	
675	65030	Cisplatin (Urine)	Random Urine					0	48,000				0	60,000	
676	10520	Citrate	24hr Urine	Enzyme	너345가	CY342	339.94	21,110	21,110	너345가(2)	CY342	339.91	21,550	21,550	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
677	81060	CK (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
678	81140	C-kit (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
679	27671	C-kit analysis	Other		노595(31)	CZ625		0	142,900	노595(31)	CZ625		0	142,900	
680	10310	CK-MB 정량	SST Serum	ECLIA	나264	B2640	147.49	9,160	9,160	나264	B2640	148.94	9,440	9,440	
681	65220	Clonazepam	SST Serum	HPLC				0	60,000				0	69,000	국외수탁
682	65770	Clozapine	SST Serum	LC/MS/MS	나450나(4)	CX375696	542.51	33,690	33,690	나450나(4)	CX375696	542.51	34,400	34,400	
683	25370	CML-major PCR	EDTA Blood	Nested RT-PCR	나597	C5971006	1513.57	93,990	93,990	나597가	C5971006	1542.2	97,780	97,780	
684	25371	CML-major PCR	Bone Marrow	Nested RT-PCR	나597	C5971006	1513.57	93,990	93,990	나597가	C5971006	1542.2	97,780	97,780	
685	25380	CML-minor PCR	EDTA Blood	Nested RT-PCR	나597	C5972006	1514.57	94,050	94,050	나597나	C5972006	1544.19	97,900	97,900	
686	25381	CML-minor PCR	Bone Marrow	Nested RT-PCR	나597	C5972006	1514.57	94,050	94,050	나597나	C5972006	1544.19	97,900	97,900	
687	81510	CMV (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
688	42356	CMV 정량 (Real-time PCR)	EDTA Blood	real time PCR	노598마	CZ963		0	80,000	노598마	CZ963		0	92,000	
689	50680	CMV antigenemia	EDTA Blood					0	42,800				0	42,800	
690	42135	CMV culture	Other	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
691	42350	CMV DNA(PCR)	EDTA Blood	PCR	나595	C5951006	392.59	24,380	24,380	나595가	C5951006	401.12	25,430	25,430	
692	40305	CMV IgG	SST Serum	CMIA	나468나	C4682426	259.55	16,120	16,120	나468나(1)	C4682426	263.15	16,680	16,680	
693	40306	CMV IgG	CSF	CMIA	나468나	C4682426	259.55	16,120	16,120	나468나(1)	C4682426	263.15	16,680	16,680	
694	40315	CMV IgM	SST Serum	CMIA	나468나	C4683426	257.02	15,960	15,960	나468나(2)	C4683426	258.09	16,360	16,360	
695	40316	CMV IgM	CSF	CMIA	나468나	C4683426	257.02	15,960	15,960	나468나(2)	C4683426	258.09	16,360	16,360	
696	42110	CMV shell vial culture	Other	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
697	40270	CMV(CF)	SST Serum	CF	나468가	C4681420	179.03	11,120	11,120				0	15,000	국외수탁
698	40271	CMV(CF)	CSF	CF	나468가	C4681420	179.03	11,120	11,120				0	15,000	국외수탁
699	40272	CMV(CF)	Body Fluid	CF	나468가	C4681420	179.03	11,120	11,120				0	15,000	국외수탁
700	10110	CO2,Total	SST Serum	Enzyme	나381나	C3812	44.98	2,790	2,790	나381나	C3812	45.01	2,850	2,850	
701	12710	Cobalt(Co)	Hp Blood	AAS	나452나(2)	C4523990	298.28	18,520	18,520	나452나(2)	C4523990	302.23	19,160	19,160	
702	12711	Cobalt(Co)	24hr Urine	AAS	나452나(2)	C4523990	298.28	18,520	18,520	나452나(2)	C4523990	302.23	19,160	19,160	
703	65410	Cocaine 정성	Random Urine	ICA	나450가(2)	C4502390	137.23	8,520	8,520	나450가(2)	C4502390	130.9	8,300	8,300	
704	50710	Cold Agglutin	SST Serum	HA	나209	B2090006	75.55	4,690	4,690	나209	B2090006	70.08	4,440	4,440	
705	11955	Collagen Type IV	SST Serum	Latex				0	27,280				0	45,750	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
706	11960	Collagen TypeⅣ.7S	SST Serum	RIA				0	64,000				0	73,600	국외수탁
707	30000	Complete Blood Count 8종	EDTA Blood	자동혈구계산법				3,820	3,820				3,870	3,870	
708	20506	Co-oximeter	EDTA Blood	Oximeter	나370	C3700	152.09	9,440	9,440	나370	C3700	154.18	9,780	9,780	
709	12722	Copper(Cu)	Tissue	AAS	나452나(2)	C4527620	594.97	36,950	36,950	나452나(2)주	C4527620	601.26	38,120	38,120	
710	12725	Copper(Cu)	Plain Serum	ICP/MS	나452나(2)	C4523620	298.28	18,520	18,520	나452나(2)	C4523620	302.23	19,160	19,160	
711	12726	Copper(Cu)	24hr Urine	ICP/MS	나452나(2)	C4523620	298.28	18,520	18,520	나452나(2)	C4523620	302.23	19,160	19,160	
712	11750	Coproporphyrin 정량	24hr Urine	Spectrophotometry	나389나(2)	C3893	170.38	10,580	10,580	나389나(2)	C3893	172.9	10,960	10,960	
713	11751	Coproporphyrin 정량	24hr Urine	Colorimetry	나389	C3892	64.06	3,980	3,980	나389나(1)	C3892	59.16	3,750	3,750	
714	11740	Coproporphyrin 정성	Random Urine	Fluorometry	나389가	C3891	12.16	760	760	나389가	C3891	11.59	730	730	
715	10075	corrected Ca	SST Serum	계산법	나221 외	C2210 외		0	2,910	나221 외	C2210 외		0	2,940	
716	00690	Corticosterone	SST Serum	RIA				0	120,000				0	138,000	국외수탁
717	00705	Cortisol (CLIA)	SST Serum	CLIA	나324나	C3248	156.36	9,710	9,710	나324나(4)	C3248	147.16	9,330	9,330	
718	00706	Cortisol (CLIA)	EDTA Plasma	CLIA	나324나	C3248	156.36	9,710	9,710	나324나(4)	C3248	147.16	9,330	9,330	
719	00721	Cortisol-10회	SST Serum	CLIA	나324나	C3248	156.36	9,710	9,710	나324나(4)	C3248	147.16	9,330	9,330	
720	00722	Cortisol-11회	SST Serum	CLIA	나324나	C3248	156.36	9,710	9,710	나324나(4)	C3248	147.16	9,330	9,330	
721	00723	Cortisol-12회	SST Serum	CLIA	나324나	C3248	156.36	9,710	9,710	나324나(4)	C3248	147.16	9,330	9,330	
722	00724	Cortisol-13회	SST Serum	CLIA	나324나	C3248	156.36	9,710	9,710	나324나(4)	C3248	147.16	9,330	9,330	
723	00725	Cortisol-14회	SST Serum	CLIA	나324나	C3248	156.36	9,710	9,710	나324나(4)	C3248	147.16	9,330	9,330	
724	00726	Cortisol-15회	SST Serum	CLIA	나324나	C3248	156.36	9,710	9,710	나324나(4)	C3248	147.16	9,330	9,330	
725	00711	Cortisol-1회	SST Serum	CLIA	나324나	C3248	156.36	9,710	9,710	나324나(4)	C3248	147.16	9,330	9,330	
726	00712	Cortisol-2회	SST Serum	CLIA	나324나	C3248	156.36	9,710	9,710	나324나(4)	C3248	147.16	9,330	9,330	
727	00713	Cortisol-3회	SST Serum	CLIA	나324나	C3248	156.36	9,710	9,710	나324나(4)	C3248	147.16	9,330	9,330	
728	00714	Cortisol-4회	SST Serum	CLIA	나324나	C3248	156.36	9,710	9,710	나324나(4)	C3248	147.16	9,330	9,330	
729	00715	Cortisol-5회	SST Serum	CLIA	나324나	C3248	156.36	9,710	9,710	나324나(4)	C3248	147.16	9,330	9,330	
730	00716	Cortisol-6회	SST Serum	CLIA	나324나	C3248	156.36	9,710	9,710	나324나(4)	C3248	147.16	9,330	9,330	
731	00717	Cortisol-7회	SST Serum	CLIA	나324나	C3248	156.36	9,710	9,710	나324나(4)	C3248	147.16	9,330	9,330	
732	00718	Cortisol-8회	SST Serum	CLIA	나324나	C3248	156.36	9,710	9,710	나324나(4)	C3248	147.16	9,330	9,330	
733	00719	Cortisol-9회	SST Serum	CLIA	나324나	C3248	156.36	9,710	9,710	나324나(4)	C3248	147.16	9,330	9,330	
734	00720	Cortisone	SST Serum	RIA				0	135,000				0	155,250	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
735	11970	Cotinine 정성	Random Urine	ICA				0	20,000				0	23,000	
736	40500	Coxsackievirus A type 10(NT)	SST Serum	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
737	40501	Coxsackievirus A type 10(NT)	CSF	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
738	40560	Coxsackievirus A type 16(NT)	SST Serum	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
739	40561	Coxsackievirus A type 16(NT)	CSF	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
740	40420	Coxsackievirus A type 2(NT)	SST Serum	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
741	40421	Coxsackievirus A type 2(NT)	CSF	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
742	40430	Coxsackievirus A type 3(NT)	SST Serum	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
743	40431	Coxsackievirus A type 3(NT)	CSF	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
744	40440	Coxsackievirus A type 4(NT)	SST Serum	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
745	40441	Coxsackievirus A type 4(NT)	CSF	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
746	40450	Coxsackievirus A type 5(NT)	SST Serum	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
747	40451	Coxsackievirus A type 5(NT)	CSF	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
748	40460	Coxsackievirus A type 6(NT)	SST Serum	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
749	40461	Coxsackievirus A type 6(NT)	CSF	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
750	40470	Coxsackievirus A type 7(NT)	SST Serum	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
751	40471	Coxsackievirus A type 7(NT)	CSF	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
752	40590	Coxsackievirus A type 9(CF)	SST Serum	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
753	40591	Coxsackievirus A type 9(CF)	CSF	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
754	40490	Coxsackievirus A type 9(NT)	SST Serum	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
755	40491	Coxsackievirus A type 9(NT)	CSF	Neutralization	나468라(1)	CY401076	594.43	36,910	36,910				0	60,000	국외수탁
756	40710	Coxsackievirus B type 1(CF)	SST Serum	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
757	40711	Coxsackievirus B type 1(CF)	CSF	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
758	40610	Coxsackievirus B type 1(NT)	SST Serum	Neutralization	나468라(1)	CY401086	594.43	36,910	36,910				0	60,000	국외수탁
759	40611	Coxsackievirus B type 1(NT)	CSF	Neutralization	나468라(1)	CY401086	594.43	36,910	36,910				0	60,000	국외수탁
760	40720	Coxsackievirus B type 2(CF)	SST Serum	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
761	40721	Coxsackievirus B type 2(CF)	CSF	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
762	40620	Coxsackievirus B type 2(NT)	SST Serum	Neutralization	나468라(1)	CY401086	594.43	36,910	36,910				0	60,000	국외수탁
763	40621	Coxsackievirus B type 2(NT)	CSF	Neutralization	나468라(1)	CY401086	594.43	36,910	36,910				0	60,000	국외수탁
764	40730	Coxsackievirus B type 3(CF)	SST Serum	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
765	40731	Coxsackievirus B type 3(CF)	CSF	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
766	40630	Coxsackievirus B type 3(NT)	SST Serum	Neutralization	나468라(1)	CY401086	594.43	36,910	36,910				0	60,000	국외수탁
767	40631	Coxsackievirus B type 3(NT)	CSF	Neutralization	나468라(1)	CY401086	594.43	36,910	36,910				0	60,000	국외수탁
768	40740	Coxsackievirus B type 4(CF)	SST Serum	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
769	40741	Coxsackievirus B type 4(CF)	CSF	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
770	40640	Coxsackievirus B type 4(NT)	SST Serum	Neutralization	나468라(1)	CY401086	594.43	36,910	36,910				0	60,000	국외수탁
771	40641	Coxsackievirus B type 4(NT)	CSF	Neutralization	나468라(1)	CY401086	594.43	36,910	36,910				0	60,000	국외수탁
772	40750	Coxsackievirus B type 5(CF)	SST Serum	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
773	40751	Coxsackievirus B type 5(CF)	CSF	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
774	40652	Coxsackievirus B type 5(NT)	Body Fluid	Neutralization	나468라(1)	CY401086	594.43	36,910	36,910				0	60,000	국외수탁
775	40650	Coxsackievirus B type 5(NT)	SST Serum	Neutralization	나468라(1)	CY401086	594.43	36,910	36,910				0	60,000	국외수탁
776	40651	Coxsackievirus B type 5(NT)	CSF	Neutralization	나468라(1)	CY401086	594.43	36,910	36,910				0	60,000	국외수탁
777	40760	Coxsackievirus B type 6(CF)	SST Serum	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
778	40761	Coxsackievirus B type 6(CF)	CSF	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
779	40660	Coxsackievirus B type 6(NT)	SST Serum	Neutralization	나468라(1)	CY401086	594.43	36,910	36,910				0	60,000	국외수탁
780	40661	Coxsackievirus B type 6(NT)	CSF	Neutralization	나468라(1)	CY401086	594.43	36,910	36,910				0	60,000	국외수탁
781	42120	Coxsackievirus culture	Other	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
782	00965	C-peptide (ECLIA)	SST Serum	ECLIA	나343	C3430	189.9	11,790	11,790	나343	C3430	193.16	12,250	12,250	
783	00966	C-peptide (ECLIA)	24hr Urine	ECLIA	나343	C3430	189.9	11,790	11,790	나343	C3430	193.16	12,250	12,250	
784	00983	C-Peptide-10회	SST Serum	ECLIA	나343	C3430	189.9	11,790	11,790	나343	C3430	193.16	12,250	12,250	
785	00984	C-Peptide-11회	SST Serum	ECLIA	나343	C3430	189.9	11,790	11,790	나343	C3430	193.16	12,250	12,250	
786	00985	C-Peptide-12회	SST Serum	ECLIA	나343	C3430	189.9	11,790	11,790	나343	C3430	193.16	12,250	12,250	
787	00986	C-Peptide-13회	SST Serum	ECLIA	나343	C3430	189.9	11,790	11,790	나343	C3430	193.16	12,250	12,250	
788	00987	C-Peptide-14회	SST Serum	ECLIA	나343	C3430	189.9	11,790	11,790	나343	C3430	193.16	12,250	12,250	
789	00988	C-Peptide-15회	SST Serum	ECLIA	나343	C3430	189.9	11,790	11,790	나343	C3430	193.16	12,250	12,250	
790	00971	C-Peptide-1회	SST Serum	ECLIA	나343	C3430	189.9	11,790	11,790	나343	C3430	193.16	12,250	12,250	
791	00972	C-Peptide-2회	SST Serum	ECLIA	나343	C3430	189.9	11,790	11,790	나343	C3430	193.16	12,250	12,250	
792	00973	C-Peptide-3회	SST Serum	ECLIA	나343	C3430	189.9	11,790	11,790	나343	C3430	193.16	12,250	12,250	
793	00974	C-Peptide-4회	SST Serum	ECLIA	나343	C3430	189.9	11,790	11,790	나343	C3430	193.16	12,250	12,250	
794	00975	C-Peptide-5회	SST Serum	ECLIA	나343	C3430	189.9	11,790	11,790	나343	C3430	193.16	12,250	12,250	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
795	00976	C-Peptide-6회	SST Serum	ECLIA	나343	C3430	189.9	11,790	11,790	나343	C3430	193.16	12,250	12,250	
796	00977	C-Peptide-7회	SST Serum	ECLIA	나343	C3430	189.9	11,790	11,790	나343	C3430	193.16	12,250	12,250	
797	00978	C-Peptide-8회	SST Serum	ECLIA	나343	C3430	189.9	11,790	11,790	나343	C3430	193.16	12,250	12,250	
798	00979	C-Peptide-9회	SST Serum	ECLIA	나343	C3430	189.9	11,790	11,790	나343	C3430	193.16	12,250	12,250	
799	10300	CPK	SST Serum	Enzyme	나263	B2630	55.76	3,460	3,460	나263	B2630	55.83	3,540	3,540	
800	10301	CPK	Body Fluid	Enzyme	나263	B2630	55.76	3,460	3,460	나263	B2630	55.83	3,540	3,540	
801	20580	CPK Isoenzyme	SST Serum	Electrophoresis	나304	B3040006	171.83	10,670	10,670	나304	B3040006	170.1	10,780	10,780	
802	20581	CPK Isoenzyme	Body Fluid		나304	B3040006	171.83	10,670	10,670	나304	B3040006	170.1	10,780	10,780	
803	27600	CRA(Chemotherapy response)	Other					0	490,000				0	490,000	
804	10900	Crea.Clearance Test	복수검체	계산법	나376	C3760	56.52	3,510	3,510	나376	C3760	55.83	3,540	3,540	
805	10870	Creatine	SST Serum	Colorimetry	나377	C3770	28.94	1,800	1,800	나377	C3770	26.83	1,700	1,700	
806	10871	Creatine	24hr Urine	Colorimetry	나377	C3770	28.94	1,800	1,800	나377	C3770	26.83	1,700	1,700	
807	10872	Creatine	Random Urine	Colorimetry	나377	C3770	28.94	1,800	1,800	나377	C3770	26.83	1,700	1,700	
808	10880	Creatinine	SST Serum	Enzyme	나375	C3750	21.86	1,360	1,360	나375	C3750	21.7	1,380	1,380	
809	10881	Creatinine	24hr Urine	Enzyme	나375	C3750	21.86	1,360	1,360	나375	C3750	21.7	1,380	1,380	
810	10882	Creatinine	Random Urine	Enzyme	나375	C3750	21.86	1,360	1,360	나375	C3750	21.7	1,380	1,380	
811	31091	Cross matching	복수검체		나205	B2050	42.98	2,670	2,670	나205	B2050	45.23	2,870	2,870	
812	31090	Cross matching SET	복수검체					0	9,470				10,180	10,180	
813	50720	CRP	SST Serum	TIA	나224가	C2241	28.88	1,790	1,790	나224가	C2241	26.52	1,680	1,680	
814	50721	CRP	CSF	TIA	나224가	C2241	28.88	1,790	1,790	나224가	C2241	26.52	1,680	1,680	
815	50730	CRP정량(HS-CRP)	SST Serum	TIA	나224나	C2243	103.36	6,420	6,420	나224나	C2243	104.18	6,610	6,610	
816	50731	CRP정량(HS-CRP)	CSF	TIA	나224나	C2243	103.36	6,420	6,420	나224나	C2243	104.18	6,610	6,610	
817	20170	Cryoglobulin 정성	SST Serum	Manual	나500가	C5001	31.25	1,940	1,940	나500가	C5001	31.26	1,980	1,980	
818	50740	Cryptococcus Ag	SST Serum	Latex	나408	B4080	102.14	6,340	6,340	나408	B4080	96.52	6,120	6,120	
819	50741	Cryptococcus Ag	CSF	Latex	나408	B4080	102.14	6,340	6,340	나408	B4080	96.52	6,120	6,120	
820	28160	CTLN2 gene mutation	EDTA Blood	Sequencing				0	133,600				0	140,000	
821	13010	CTx	SST Serum	ECLIA	나393-2	C3932	209.78	13,030	13,030	나393-2	C3932	211.98	13,440	13,440	
822	70110	Culture	Other		나405가	B4051	147.78	9,180	9,180	나405가	B4051	152.96	9,700	9,700	
823	70120	Culture & Sensitivity	Other		나405가	B4051	147.78	9,180	9,180	나405가	B4051	152.96	9,700	9,700	
824	70126	Culture & Sensitivity(F)	Other		나405가	B4051	147.78	9,180	9,180	나405가	B4051	152.96	9,700	9,700	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
825	70150	Culture & Sensitivity(MIC)	Other	MIC	나405가	B4051	147.78	9,180	9,180	나405가	B4051	152.96	9,700	9,700	
826	65700	Cyanide	EDTA Blood	Colorimetry				0	280,000				0	286,250	국외수탁
827	81020	Cyclin D1 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
828	65550	Cyclosporin	EDTA Blood	RIA	나450나(2)	C7451150	221.15	13,730	13,730	나450나(2)주2	C7451150	213.79	13,550	13,550	
829	65551	Cyclosporin (LC-MS/MS)	EDTA Blood	LC/MS/MS	나450나(2)	CX375696	542.51	33,690	33,690	나450나(4)	CX375696	542.51	34,400	34,400	
830	01545	CYFRA 21-1 (ECLIA)	SST Serum	ECLIA	노285	CZ285		0	30,000	노285	CZ285		0	34,500	
831	28150	CYP21A2 gene mutation	EDTA Blood	Sequencing				0	265,000				0	265,000	
832	27730	CYP2C19 Genotyping	EDTA Blood	Sequencing	노597	CZ900		0	280,000	노597	CZ900		0	280,000	
833	27790	CYP2C19 major polymorphism	EDTA Blood	Sequencing	노597	CZ900		0	66,000	노597	CZ900		0	66,000	
834	27510	CYP2C9 major polymorphism	EDTA Blood	Sequencing	노597	CZ905		0	68,000	노597	CZ905		0	68,000	
835	12980	Cystatin C	SST Serum	TIA	너131	CX131	85.83	5,330	5,330	너131	CX131	85.83	5,440	5,440	
836	52410	Cytokine Chip (12종)	SST Serum	CLIA				0	250,000				0	288,000	
837	52411	Cytokine Chip (12종)	Other	CLIA				0	250,000				0	288,000	
838	80055	Cytospin체액세포병리검사	Other	Pap stain	나593나	C5931	111.41	6,920	6,920	나593나	C5931	107.99	6,850	6,850	
839	27675	DCC암억제유전자-LOH	Other		노596가(8)	CZ803		0	52,500	노596가(8)	CZ803		0	52,500	
840	30680	D-dimer 정량	SC Plasma	TIA	나172나	B1723	138.84	8,620	8,620	나172나	B1723	146.8	9,310	9,310	
841	31060	D-dimer 정성	SC Plasma	TIA	나172가	B1721	50.08	3,110	3,110	나172가	B1721	47.8	3,030	3,030	
842	27030	Delete azoospermia	Hp Blood	PCR				0	150,000				0	150,000	
843	52350	Dengue virus IgG/IgM (NIH)	SST Serum	ICA				0	0				0	0	
844	12380	Deoxypyridinoline	Random Urine	RIA	나393	C3930	209.82	13,030	13,030	나393	C3930	212.05	13,440	13,440	
845	65561	Desipramine	Plain Blood	LC/MS/MS	나450	CX375696	542.51	33,690	33,690	나450나(4)	CX375696	542.51	34,400	34,400	
846	81270	Desmin(IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
847	00730	DHEA	SST Serum	RIA	노199	CZ199		0	110,000	노199	CZ199		0	126,500	
848	00745	DHEA-S (CLIA)	SST Serum	CLIA	나364	C3640	240.72	14,950	14,950	나364	C3640	245.39	15,560	15,560	
849	65230	Diazepam (HPLC)	SST Serum	HPLC	나450나(3)	CX374010	262.87	16,320	16,320				0	75,000	국외수탁
850	65235	Diazepam (LC-MS/MS)	SST Serum	LC/MS/MS	나450	CX375016	542.51	33,690	33,690	나450나(4)	CX375016	542.51	34,400	34,400	
851	65792	Difenacoum	SST Serum	HPLC				0	287,500				0	330,000	국외수탁
852	30020	Differential Count	EDTA Blood	자동혈구계산법	나109가	B1091	25.78	1,600	1,600	나109가	B1091	25.56	1,620	1,620	
853	65040	Digitoxin	SST Serum	EIA	나450나(2)	C4504100	233.4	14,490	14,490				0	75,000	국외수탁
854	65050	Digoxin (CLIA)	SST Serum	CLIA	나450나(2)	C4504090	233.4	14,490	14,490	나450나(2)	C4504090	238.27	15,110	15,110	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
855	10050	Direct Bilirubin	SST Serum	Colorimetry	나372	C3721	21.84	1,360	1,360	나372나	C3721	21.65	1,370	1,370	
856	10051	Direct Bilirubin	Capillary	Colorimetry	나372	C3721	21.84	1,360	1,360	나372나	C3721	21.65	1,370	1,370	
857	30320	Direct Coombs	EDTA Blood	Column	나204	B2041006	34.46	2,140	2,140	나204가주	B2041006	34.72	2,200	2,200	
858	31080	Direct Coombs Anti 4종	EDTA Blood		나204가	B2047106~406	56.79	14,120	14,120	나204가	B2047106외		14,920	14,920	
859	31070	Direct Coombs Anti C3d,IgG	EDTA Blood		나204가	B2047106/-406	56.79	7,060	7,060	나204가	B2047106외		7,460	7,460	
860	65060	Disopyramide	SST Serum	EIA				0	50,000				0	57,500	국외수탁
861	65061	Disopyramide	Hp Plasma	EIA				0	50,000				0	57,500	국외수탁
862	25390	DMD/BMD	EDTA Blood	Multiplex-PCR	노596	CZ811		0	160,000	노596	CZ811		0	184,000	
863	25396	DMD/BMD carrier test	EDTA Blood		노596	CZ812		0	200,000	노596	CZ812		0	200,000	
864	25395	DMD/BMD exon deletion test	EDTA Blood	Multiplex-PCR	노596	CZ811		0	150,000	노596	CZ811		0	150,000	
865	25397	DMD/BMD linkage test	EDTA Blood		노596	CZ813		0	390,000	노596	CZ813		0	390,000	
866	26321	DNA 지문검사	EDTA Blood					0	250,000				0	250,000	
867	26210	DNA Floidy(DNA 배수성검사)	Block	Flow Cytometry	너551가	CY551006	678.99	42,170	42,170	너551가	CY551006	678.99	43,050	43,050	
868	50715	Donath Landsteiner test	SST Serum		나210	B2100006	52.78	3,280	3,280	나210	B2100006	49.57	3,140	3,140	
869	00855	Dopamin(HPLC)	24hr Urine	HPLC	너228	CY283006	310.2	19,260	19,260	너228다	CY283006	310.2	19,670	19,670	
870	00856	Dopamin(HPLC)	EDTA Plasma	HPLC	너228	CY283006	310.2	19,260	19,260	너228다	CY283006	310.2	19,670	19,670	
871	01860	Double maker	SST Serum	RIA				22,400	22,400				22,160	22,160	
872	25211	DR-70	SST Serum					0	60,000				0	69,000	
873	27480	DRPLA	EDTA Blood	PCR-RFLP	CY533006		953.52	59,210	59,210	너573다	CY533006	953.51	60,450	60,450	
874	65571	Drug profiling test	Random Urine		너371가(2)	CX373	378.82	23,520	23,520	나450가(4)주2	CX373	378.82	24,020	24,020	
875	30410	Du (Weak D) Test	EDTA Blood	Column	나202다	B2023	49.66	3,080	3,080	나202다	B2023	47.87	3,030	3,030	
876	30430	Duffy 혈액형검사	복수검체	Tube	나203	B2030006	84.6	5,250	5,250	나203	B2030006	81.03	5,140	5,140	
877	01550	DUPAN-2	SST Serum	EIA	노286	CZ286		0	50,000				0	57,500	국외수탁
878	12000	D-xylose 흡수시험(Blood)	EDTA Blood		나395	C3950	95.8	5,950	5,950	나395	C3950	89.42	5,670	5,670	
879	12001	D-xylose흡수시험(Urine)	Random Urine		나395	C3950	95.8	5,950	5,950	나395	C3950	89.42	5,670	5,670	
880	71220	E.coli O157 Culture	Other	Culture	너301	BY309006	363.17	22,550	22,550	너301라	BY309006	363.17	23,020	23,020	
881	70740	E.coli O157 PCR	Stool	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
882	50465	E.coli(Latex)	CSF	Latex	나408	B4080	102.14	6,340	6,340	나408	B4080	96.52	6,120	6,120	
883	42935	EBV 정량 (Real-time PCR)	EDTA Blood	real time PCR				0	80,000				0	92,000	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
884	42955	EBV EA-DR IgA	SST Serum	EIA				0	30,000				0	34,500	
885	42956	EBV EA-DR IgA	CSF	EIA				0	30,000				0	34,500	
886	42875	EBV EA-DR IgG	SST Serum	EIA	나468나	C4682446	259.55	16,120	16,120	나468나(1)	C4682446	263.15	16,680	16,680	
887	42876	EBV EA-DR IgG	CSF	EIA	나468나	C4682446	259.55	16,120	16,120	나468나(1)	C4682446	263.15	16,680	16,680	
888	42895	EBV EA-DR IgM	SST Serum	EIA	나468나	C4683446	257.02	15,960	15,960	나468나(2)	C4683446	258.09	16,360	16,360	
889	42896	EBV EA-DR IgM	CSF	EIA	나468나	C4683446	257.02	15,960	15,960	나468나(2)	C4683446	258.09	16,360	16,360	
890	42900	EBV EBNA IgG	SST Serum	EIA	나468나	C4682456	259.55	16,120	16,120	나468나(1)	C4682456	263.15	16,680	16,680	
891	42901	EBV EBNA IgG	EDTA Plasma	EIA	나468나	C4682456	259.55	16,120	16,120	나468나(1)	C4682456	263.15	16,680	16,680	
892	42902	EBV EBNA IgG	CSF	EIA	나468나	C4682456	259.55	16,120	16,120	나468나(1)	C4682456	263.15	16,680	16,680	
893	42910	EBV EBNA IgM	SST Serum	EIA	나468나	C4683456	257.02	15,960	15,960	나468나(2)	C4683456	258.09	16,360	16,360	
894	42911	EBV EBNA IgM	EDTA Plasma	EIA	나468나	C4683456	257.02	15,960	15,960	나468나(2)	C4683456	258.09	16,360	16,360	
895	42912	EBV EBNA IgM	CSF	EIA	나468나	C4683456	257.02	15,960	15,960	나468나(2)	C4683456	258.09	16,360	16,360	
896	42920	EBV PCR	EDTA Blood	Nested PCR	나595	C5955006	384.69	23,890	23,890	나595마	C5955006	385.34	24,430	24,430	
897	42945	EBV VCA IgA	SST Serum	EIA				0	30,000				0	34,500	
898	42946	EBV VCA IgA	CSF	EIA				0	30,000				0	34,500	
899	40835	EBV VCA IgG	SST Serum	EIA	나468나	C4682436	259.55	16,120	16,120	나468나(1)	C4682436	263.15	16,680	16,680	
900	40836	EBV VCA IgG	CSF	EIA	나468나	C4682436	259.55	16,120	16,120	나468나(1)	C4682436	263.15	16,680	16,680	
901	40845	EBV VCA IgM	SST Serum	EIA	나468나	C4683436	257.02	15,960	15,960	나468나(2)	C4683436	258.09	16,360	16,360	
902	40846	EBV VCA IgM	CSF	EIA	나468나	C4683436	257.02	15,960	15,960	나468나(2)	C4683436	258.09	16,360	16,360	
903	50750	EBV(in situ)	Other		나567	CY673006	604.74	37,550	37,550	나567다	CY673006	604.71	38,340	38,340	
904	50760	EBV(in situ)	Other	Insitu Hybridization	나567	CY673006	604.74	37,550	37,550	나567다	CY673006	604.71	38,340	38,340	
905	80830	EBV-LMP1 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
906	80820	E-Cadherin (IHC)	Smear Slide	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
907	42770	Echovirus Culture	Other	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
908	41310	Echovirus Type 11(HI)	SST Serum	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
909	41311	Echovirus Type 11(HI)	CSF	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
910	41110	Echovirus Type 11(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
911	41111	Echovirus Type 11(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
912	41320	Echovirus Type 12(HI)	SST Serum	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
913	41321	Echovirus Type 12(HI)	CSF	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
914	41120	Echovirus Type 12(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
915	41121	Echovirus Type 12(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
916	41130	Echovirus Type 13(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
917	41131	Echovirus Type 13(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
918	41160	Echovirus Type 16(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
919	41161	Echovirus Type 16(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
920	41170	Echovirus Type 17(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
921	41171	Echovirus Type 17(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
922	41180	Echovirus Type 18(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
923	41181	Echovirus Type 18(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
924	41190	Echovirus Type 19(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
925	41191	Echovirus Type 19(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
926	41210	Echovirus Type 21(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
927	41211	Echovirus Type 21(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
928	41220	Echovirus Type 22(NT)	SST Serum	Neutralization				0	36,910				0	60,000	국외수탁
929	41221	Echovirus Type 22(NT)	CSF	Neutralization				0	36,910				0	60,000	국외수탁
930	41240	Echovirus Type 24(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
931	41241	Echovirus Type 24(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
932	41250	Echovirus Type 25(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
933	41251	Echovirus Type 25(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
934	41030	Echovirus Type 3(HI)	SST Serum	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
935	41031	Echovirus Type 3(HI)	CSF	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
936	40930	Echovirus Type 3(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
937	40931	Echovirus Type 3(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
938	41300	Echovirus Type 30(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
939	41301	Echovirus Type 30(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
940	40940	Echovirus Type 4(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
941	40941	Echovirus Type 4(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
942	40950	Echovirus Type 5(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
943	40951	Echovirus Type 5(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
944	40960	Echovirus Type 6(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
945	40961	Echovirus Type 6(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
946	41070	Echovirus Type 7(HI)	SST Serum	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
947	41071	Echovirus Type 7(HI)	CSF	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
948	40970	Echovirus Type 7(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
949	40971	Echovirus Type 7(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
950	40990	Echovirus Type 9(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
951	40991	Echovirus Type 9(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
952	40910	Echovirus,Type 1(NT)	SST Serum	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
953	40911	Echovirus,Type 1(NT)	CSF	Neutralization	나468라(1)	CY401056	594.43	36,910	36,910				0	60,000	국외수탁
954	01220	ECP	SST Serum	ELISA	노114	CZ114		0	80,000	노114	CZ114		0	92,000	
955	01221	ECP	Random Urine	ELISA	노114	CZ114		0	80,000	노114	CZ114		0	92,000	
956	01225	ECP (Unicap)	SST Serum	FEIA	노114	CZ114		0	80,000	노114	CZ114		0	92,000	
957	27670	EGFR유전자돌연변이염기서열	Other	Sequencing	노595	CZ626		0	120,000	노595	CZ626		0	120,000	
958	70980	Egg count, EPG	Stool	검경법	나68	B0680	34.56	2,150	2,150	나68	B0680	33.21	2,110	2,110	
959	01560	Elastase 1	SST Serum	라텍스응집비탁법	노155	BZ155		0	60,000				0	69,000	국외수탁
960	52380	Endomysial IgA	SST Serum	IFA				0	209,300				0	326,900	국외수탁
961	01230	Endothelin-1	전용용기 혈장	RIA				0	130,000				0	149,500	국외수탁
962	70765	Endotoxin(투석액)	Other					0	35,000				0	40,250	
963	42140	Entero Virus Culture	Other	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
964	42760	Entero Virus Culture 3종	Other	Culture	나416	B4160006	518.36	96,570	96,570	나416	B4160006	532.51	101,280	101,280	
965	42370	Entero virus RNA(PCR)	CSF	RT-PCR	나596	C5962006	532.98	33,100	33,100	나596나	C5962006	554.04	35,130	35,130	
966	71110	Enterovirus (NIH)	Other					0	0				0	0	
967	41000	Enterovirus Type 70(NT)	SST Serum	Neutralization	나468라(1)	CY401066	594.43	36,910	36,910				0	60,000	국외수탁
968	41001	Enterovirus Type 70(NT)	CSF	Neutralization	나468라(1)	CY401066	594.43	36,910	36,910				0	60,000	국외수탁
969	41010	Enterovirus Type 71(NT)	SST Serum	Neutralization	나468라(1)	CY401066	594.43	36,910	36,910				0	60,000	국외수탁
970	41011	Enterovirus Type 71(NT)	CSF	Neutralization	나468라(1)	CY401066	594.43	36,910	36,910				0	60,000	국외수탁
971	41012	Enterovirus Type 71(NT)	Body Fluid	Neutralization	나468라(1)	CY401066	594.43	36,910	36,910				0	60,000	국외수탁
972	30030	Eosinophil Count	EDTA Blood	Manual	나107가	B1070	12.74	790	790	나107가	B1070	12.66	800	800	
973	30031	Eosinophil Count	Smear Slide	Manual	나107나	B1071	16.03	1,000	1,000	나107나	B1071	15.45	980	980	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
974	12993	Epimerase	EDTA Blood	Enzyme	노337	CZ040		0	65,000	노337	CZ040		0	74,750	
975	00835	Epinephrine(HPLC)	24hr Urine	HPLC	너228	CY281006	310.2	19,260	19,260	너228가	CY281006	310.2	19,670	19,670	
976	00836	Epinephrine(HPLC)	EDTA Plasma	HPLC	너228	CY281006	310.2	19,260	19,260	너228가	CY281006	310.2	19,670	19,670	
977	01570	ER/PR Receptor	Tissue		나559	C5590	605.47	75,200	75,200	나559	C5590	561.55	71,200	71,200	
978	80960	ER/PR Receptor (지방)	Tissue		나559	C5590	605.47	75,200	75,200	나559	C5590	561.55	71,200	71,200	
979	81520	ERCC1 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
980	01250	Erythropoietin(EPO)	SST Serum	CLIA	나357	C3570	299.62	18,610	18,610	나357	C3570	285.16	18,080	18,080	
981	01251	Erythropoietin(EPO)	Hp Plasma	CLIA	나357	C3570	299.62	18,610	18,610	나357	C3570	285.16	18,080	18,080	
982	30040	ESR	EDTA Blood	Manual	나103	B1033	11.9	740	740	나103가	B1033	11.5	730	730	
983	00435	Estradiol (E2)	24hr Urine	RIA	나326	C7326	168.71	10,480	10,480				0	79,000	국외수탁
984	00432	Estradiol (E2) (CLIA)	SST Serum	CLIA	나326	C3260	179.93	11,170	11,170	나326	C3260	182.78	11,590	11,590	
985	00440	Estriol (E3)	SST Serum	RIA	나327	C7327	199.87	12,410	12,410	나327주	C7327	181.59	11,510	11,510	
986	00445	Estriol (E3)	24hr Urine	RIA	나327	C7327	199.87	12,410	12,410				0	79,000	국외수탁
987	00450	Estrogen	SST Serum	RIA	나325	C7325	92.15	5,720	5,720	나325주	C7325	99.27	6,290	6,290	
988	00456	Estrogen	24hr Urine	RIA	나325	C7325	92.15	5,720	5,720				0	120,000	국외수탁
989	00475	Estrone(E1)	SST Serum	RIA				0	75,000				0	86,250	
990	00476	Estrone(E1)	EDTA Plasma	RIA				0	75,000				0	86,250	
991	65240	Ethosuximide	SST Serum	EIA	나450나(2)	C4504040	233.4	14,490	14,490				0	75,000	국외수탁
992	27860	Express QF-PCR 5종&culture	Amniotic Fluid					0	560,000				0	644,000	
993	27830	Express QF-PCR(5종)	Amniotic Fluid	PCR				0	260,000				0	299,000	
994	26350	Express study(18)& Culture	Amniotic Fluid	FISH				0	460,000				0	506,000	
995	26351	Express study(18)& Culture	Amniotic Fluid	FISH				0	440,000				0	506,000	
996	26280	Express study(21)& Culture	Amniotic Fluid	FISH				0	440,000				0	506,000	
997	26285	Express study(21)& Culture	Amniotic Fluid	FISH				0	460,000				0	506,000	
998	25400	Express study-18 Chromosome	Amniotic Fluid					0	100,000				0	184,000	
999	27685	Express study18/21&Culture	Amniotic Fluid					0	520,000				0	598,000	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1000	25401	Express study-18Chromosome	Amniotic Fluid	FISH				0	100,000				0	184,000	
1001	25410	Express study-21 Chromosome	Amniotic Fluid					0	160,000				0	184,000	
1002	25415	Express study-21Chromosome	Amniotic Fluid	FISH				0	160,000				0	184,000	
1003	27680	Express(18/21) & Culture	Amniotic Fluid	FISH				0	520,000				0	598,000	
1004	30650	Factor 5 Leiden(FV:Q506)	EDTA Blood	PCR-RFLP	나562파	CY633006	416.69	25,880	25,880	나562파	CY633006	416.68	26,420	26,420	
1005	30480	Factor Ab VIII	SC Plasma	Clot-based	나178	B1780006	205.57	12,770	12,770	나178가	B1780006	206.62	13,100	13,100	
1006	30490	Factor Ab IX	SC Plasma	Clot-based	나178	B1781006	206.62	12,830	12,830	나178나	B1781006	208.74	13,230	13,230	
1007	30570	Factor Assay VII	SC Plasma	Clot-based	나169가	B1693006	157.31	9,770	9,770	나169가(3)	B1693006	162.13	10,280	10,280	
1008	30580	Factor Assay VIII	SC Plasma	Clot-based	나169가	B1694006	157.56	9,780	9,780	나169가(4)	B1694006	162.62	10,310	10,310	
1009	30590	Factor Assay IX	SC Plasma	Clot-based	나169가	B1695006	157.2	9,760	9,760	나169가(5)	B1695006	161.9	10,260	10,260	
1010	30520	Factor Assay II	SC Plasma	Clot-based	나169가	B1691006	155.88	9,680	9,680	나169가(1)	B1691006	159.27	10,100	10,100	
1011	30550	Factor Assay V	SC Plasma	Clot-based	나169가	B1692006	155.52	9,660	9,660	나169가(2)	B1692006	158.54	10,050	10,050	
1012	30600	Factor Assay X	SC Plasma	Clot-based	나169가	B1696006	154.67	9,610	9,610	나169가(6)	B1696006	156.85	9,940	9,940	
1013	30610	Factor Assay X I	SC Plasma	Clot-based	나169가	B1697006	154.81	9,610	9,610	나169가(7)	B1697006	157.14	9,960	9,960	
1014	30620	Factor Assay X II	SC Plasma	Clot-based	나169가	B1698006	152.78	9,490	9,490	나169가(8)	B1698006	153.05	9,700	9,700	
1015	30630	Factor Assay X III	SC Plasma	Urea 용해시험	나169가	B1699006	154.76	9,610	9,610	나169가(9)	B1699006	157.03	9,960	9,960	
1016	27702	Family Mutation,Auto Reces	EDTA Blood	Sequencing				0	72,000				0	72,000	
1017	27701	Family Targeted Mutation	EDTA Blood	Sequencing				0	61,000				0	61,000	
1018	27810	Fanconi Anemia Study	복수검체					0	160,060				0	160,060	
1019	12940	Fat 정성 검사	Stool		나67	B0670	11.31	700	700	나67	B0670	11.97	760	760	
1020	11080	Fatty Acid 4 Fraction	Hp Plasma		노131	CZ131		0	120,000				0	88,000	국외수탁
1021	30890	FDP	SC Plasma	TIA	나161나	B1613	132.9	8,250	8,250	나161나	B1613	134.92	8,550	8,550	
1022	31110	FDP 정성	SC Plasma	TIA	나161가	B1611	52.17	3,240	3,240	나161가	B1611	51.99	3,300	3,300	
1023	11690	Ferric Chloride	Random Urine	Colorimetry	나440	C4400	17.15	1,070	1,070	나440	C4400	15.9	1,010	1,010	
1024	01585	Ferritin (ECLIA)	SST Serum	ECLIA	나252	C2520	157.82	9,800	9,800	나252	C2520	162.87	10,330	10,330	
1025	20450	Fetal hemoglobin	EDTA Blood	HPLC	나382라	C3824	64.23	3,990	3,990	나382라	C3824	64.89	4,110	4,110	
1026	30640	Fibrinogen	SC Plasma	Clot-based	나160가	B1601	37.78	2,350	2,350	나160가	B1601	38.01	2,410	2,410	
1027	30900	Fibronectin	SC Plasma	Colorimetry				0	65,000				0	74,750	
1028	30901	Fibronectin_Fetal	전용용기	ELISA	나56	B0561	307.6	19,100	19,100	나56	B0561	289.57	18,360	18,360	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1029	70770	Filariae	Blood Smear Slide	Manual	나115	B1150006	43.26	2,690	2,690	나115	B1150006	44.42	2,820	2,820	
1030	01840	First double Marker	SST Serum					0	40,000				0	46,000	
1031	01850	First double Marker NT	SST Serum					0	40,000				0	46,000	
1032	26295	FISH Williams syndrome	Hp Blood	FISH	노598	CZ967		0	250,000	노598	CZ967		0	250,000	
1033	27750	FISH_1p/19q deletion	Tissue	FISH	노598	CZ967		0	400,000	노598	CZ967		0	400,000	
1034	27900	FISH_1q21/8p21	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	241,500	
1035	27910	FISH_5q31	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	210,000	
1036	27920	FISH_7q22/7q35	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	241,500	
1037	27930	FISH_파라핀 pretreatment	Hp Blood	FISH				0	65,000				0	65,000	
1038	28040	FISH_ALKgene rearrangement	Hp Blood	FISH	노598	CZ967		0	175,000	노598	CZ967		0	175,000	
1039	27080	FISH_AML1/ETO, t(8;21)	Hp Blood	FISH	노598	CZ967		0	277,000	노598	CZ967		0	277,000	
1040	27940	FISH_AURKA,20q13	Hp Blood	FISH	노598	CZ967		0	175,000	노598	CZ967		0	175,000	
1041	26150	FISH_bcr-abl	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	230,000	
1042	26455	FISH_CATCH22	Hp Blood	FISH	노598	CZ967		0	250,000	노598	CZ967		0	250,000	
1043	26480	FISH_CBFB gene, 16q22	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	241,500	
1044	27950	FISH_CEP8	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	241,500	
1045	27960	FISH_C-myc,8p24	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	210,000	
1046	26510	FISH_D13S25 Locus, 13q14	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	175,000	
1047	26530	FISH_D20S108 Locus, 20q12	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	175,000	
1048	26540	FISH_D7S522, 7q31	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	210,000	
1049	26451	FISH_DigeorgeI,catch22	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	241,500	
1050	28130	FISH_EWSR1 (22q12)	Hp Blood	FISH	노598	CZ967		0	175,000	노598	CZ967		0	175,000	
1051	26180	FISH_Her2/neu	Other	FISH	노598	CZ967		0	400,000	노598	CZ967		0	400,000	
1052	26560	FISH_IGH, 14q32.3	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	210,000	
1053	27980	FISH_IGH/BCL2 trans.	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	210,000	
1054	26570	FISH_IGH/CCND1	Hp Blood	FISH	노598	CZ967		0	175,000	노598	CZ967		0	175,000	
1055	27990	FISH_IGH/FGFR3,t(4;14)	Hp Blood	FISH	나598	CZ967		0	210,000				0	241,500	
1056	28000	FISH_IGH/MAF,t(14;16)	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	241,500	
1057	28110	FISH_Kallman Syndrome	Hp Blood	FISH	노598	CZ967		0	175,000	노598	CZ967		0	175,000	
1058	26620	FISH_Miller-Dieker	Hp Plasma	FISH	노598	CZ967		0	175,000	노598	CZ967		0	175,000	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1059	27630	FISH_MLL(11q23)	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	241,500	
1060	28200	FISH_Neuroblastoma	Block	FISH	노598	CZ967		0	350,000	노598	CZ967		0	350,000	
1061	26590	FISH_N-MYC Amplipication	Tissue	FISH	노598	CZ967		0	175,000	노598	CZ967		0	175,000	
1062	28010	FISH_p16	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	241,500	
1063	26581	FISH_PDGFR	Bone Marrow	FISH	노598	CZ967		0	210,000	노598	CZ967		0	241,500	
1064	26600	FISH_PML/RARA, t(15;17)	Hp Blood	FISH	노598	CZ967		0	268,000	노598	CZ967		0	268,000	
1065	25741	FISH_Prader willi/Angelman	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	210,000	
1066	25740	FISH_Prader-Willi syndrome	Hp Blood	FISH	노598	CZ967		0	250,000	노598	CZ967		0	250,000	
1067	25745	FISH_Prader-Willi syndrome	Chorion	FISH	노598	CZ967		0	630,000	노598	CZ967		0	630,000	
1068	25750	FISH_Rb gene	Bone Marrow	FISH	노598	CZ967		0	210,000	노598	CZ967		0	210,000	
1069	25751	FISH_Rb gene	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	210,000	
1070	28030	FISH_TEL/AML1 12;21	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	210,000	
1071	28020	FISH_TP53,17p13	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	210,000	
1072	28120	FISH_Trisonomy 1q (1q25)	Hp Blood	FISH	노598	CZ967		0	175,000	노598	CZ967		0	175,000	
1073	26290	FISH_William's syndrome	Amniotic Fluid	FISH	노598	CZ967		0	231,460	노598	CZ967		0	231,460	
1074	28140	FISH_Wolf-Hirschhorn	Hp Blood	FISH	노598	CZ967		0	175,000	노598	CZ967		0	175,000	
1075	26650	FISH_X/Y	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	210,000	
1076	25430	FISH-Chromosome	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	210,000	
1077	25431	FISH-Chromosome	Amniotic Fluid	FISH	노598	CZ967		0	210,000	노598	CZ967		0	210,000	
1078	25440	FISH-Chromosome	Hp Blood	FISH	노598	CZ967		0	210,000	노598	CZ967		0	210,000	
1079	25435	FISH-Chromosome (AF)	Amniotic Fluid	FISH	노598	CZ967		0	160,000	노598	CZ967		0	160,000	
1080	65580	FK-506 (HPLC)	EDTA Blood	HPLC	나450나(4)	CX375696	542.51	33,690	33,690	나450나(4)	CX375696	542.51	34,400	34,400	
1081	65581	FK-506 (LC-MS/MS)	EDTA Blood	LC/MS/MS	나450나(2)	CX375696	542.51	33,690	33,690	나450나(4)	CX375696	542.51	34,400	34,400	
1082	65582	FK-506 (MEIA)	EDTA Blood	MEIA	나450나(2)	C4504390	233.4	14,490	14,490	나450나(2)	C4504390	238.27	15,110	15,110	
1083	26245	FLT3 ITD/TKD	EDTA Blood	Sequencing	노595	CZ634+CZ635		0	60,000	노595	CZ634+CZ635		0	69,000	
1084	11285	Folate (CLIA)	SST Serum	CLIA	나254	C2540	215.99	13,410	13,410	나254	C2540	221.51	14,040	14,040	
1085	25450	Fragile X	EDTA Blood	PCR Fragment analysis	너569	CY691006	1591.01	98,800	98,800	너569가	CY691006	1590.95	100,870	100,870	
1086	27270	Fragile X 정밀검사 (혈액)	EDTA Blood		나598+너573	C5987006+CY539006		121,650	121,650	나598외	C5987006외		123,130	123,130	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1087	11040	Free cholesterol	SST Serum	Enzyme				0	3,000				0	3,500	
1088	00765	Free Cortisol (CLIA)	24hr Urine	CLIA	나324나	C3249	155.84	9,680	9,680	나324나(5)	C3249	146.11	9,260	9,260	
1089	00766	Free Cortisol (CLIA)	Random Urine	CLIA	나324나	C3249	155.84	9,680	9,680	나324나(5)	C3249	146.11	9,260	9,260	
1090	11090	Free Fatty Acid(NEFA)	SST Serum	Enzyme	나245	C2450	51.16	3,180	3,180	나245	C2450	46.96	2,980	2,980	
1091	01060	Free Insulin	SST Serum	RIA				0	55,000				0	40,000	국외수탁
1092	25891	Free Kappa light chain	SST Serum	Nephelometry	나237가	C2371006	474.18	29,450	29,450	나237가(1)	C2371006	474.18	30,060	30,060	
1093	25895	Free Kappa light chain	Random Urine	Nephelometry	나237나	C2381006	474.18	29,450	29,540	나237나(1)	C2381006	474.18	30,060	30,060	
1094	25896	Free Kappa light chain	Random Urine	Nephelometry	나237나	C2381006	474.18	29,450	29,450	나237나(1)	C2381006	474.18	30,060	30,060	
1095	25897	Free Kappa light chain	SST Serum	비탁법	나237나	C2371006	474.18	29,450	29,450	나237가(1)	C2371006	474.18	30,060	30,060	
1096	25898	Free Kappa light chain	Random Urine	비탁법	나237나	C2381006	474.18	29,450	29,450	나237나(1)	C2381006	474.18	30,060	30,060	
1097	25611	Free Lambda light chain	Random Urine	Nephelometry	나237나	C2382006	474.18	29,450	29,450	나237나(2)	C2382006	474.18	30,060	30,060	
1098	25615	Free Lambda light chain	SST Serum	Nephelometry	나237가	C2372006	474.18	29,450	29,450	나237가(2)	C2372006	474.18	30,060	30,060	
1099	25616	Free Lambda light chain	Random Urine	Nephelometry	나237나	C2382006	474.18	29,450	29,450	나237나(2)	C2382006	474.18	30,060	30,060	
1100	25617	Free Lambda light chain	SST Serum	비탁법	나237나	C2372006	474.18	29,450	29,450	나237가(2)	C2372006	474.18	30,060	30,060	
1101	25618	Free Lambda light chain	Random Urine	비탁법	나237나	C2382006	474.18	29,450	29,450	나237나(2)	C2382006	474.18	30,060	30,060	
1102	01682	Free PSA (ECLIA)	SST Serum	ECLIA	나321	CX321	173.78	10,790	10,790	나321	CX321	173.78	11,020	11,020	
1103	01686	Free PSA/PSA ratio(ECLIA)	SST Serum	ECLIA		C4280+CX321		0	25,750				0	26,300	
1104	00215	Free T3 (ECLIA)	SST Serum	ECLIA	나330	C3300	152.56	9,470	9,470	나330	C3300	151.5	9,610	9,610	
1105	00225	Free T4 (ECLIA)	SST Serum	ECLIA	나334	C3340	169.33	10,520	10,520	나334	C3340	170.42	10,800	10,800	
1106	00235	Free thyroxine index	SST Serum	계산법				19,680	19,680	나331외	C3310외		0	20,020	
1107	01842	free β-hCG	SST Serum	RIA				0	20,000				0	23,000	
1108	20460	Fructosamine	SST Serum	Colorimetry	나397	C3970	135.96	8,440	8,440	나397	C3970	124.9	7,920	7,920	
1109	00091	FSH (CLIA)	SST Serum	CLIA	나350	C3500	163.61	10,160	10,160	나350	C3500	164.57	10,430	10,430	
1110	00051	FSH-1회	SST Serum	CLIA	나350	C3500	163.61	10,160	10,160	나350	C3500	164.57	10,430	10,430	
1111	00052	FSH-2회	SST Serum	CLIA	나350	C3500	163.61	10,160	10,160	나350	C3500	164.57	10,430	10,430	
1112	00053	FSH-3회	SST Serum	CLIA	나350	C3500	163.61	10,160	10,160	나350	C3500	164.57	10,430	10,430	
1113	00054	FSH-4회	SST Serum	CLIA	나350	C3500	163.61	10,160	10,160	나350	C3500	164.57	10,430	10,430	
1114	00055	FSH-5회	SST Serum	CLIA	나350	C3500	163.61	10,160	10,160	나350	C3500	164.57	10,430	10,430	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1115	00056	FSH-6회	SST Serum	CLIA	나350	C3500	163.61	10,160	10,160	나350	C3500	164.57	10,430	10,430	
1116	00057	FSH-7회	SST Serum	CLIA	나350	C3500	163.61	10,160	10,160	나350	C3500	164.57	10,430	10,430	
1117	00058	FSH-8회	SST Serum	CLIA	나350	C3500	163.61	10,160	10,160	나350	C3500	164.57	10,430	10,430	
1118	27330	FSHD, D4Z4 analysis	복수검체	Southern blot				0	385,000				0	385,000	
1119	50960	FTA-ABS IgG	SST Serum	IFA	나462	C4620006	153.09	9,510	9,510	나462	C4620006	154.46	9,790	9,790	
1120	50961	FTA-ABS IgG	CSF	IFA	나462	C4620006	153.09	9,510	9,510	나462	C4620006	154.46	9,790	9,790	
1121	50975	FTA-ABS IgM	SST Serum	EIA	나462	C4620006	153.09	9,510	9,510	나462	C4620006	154.46	9,790	9,790	
1122	50976	FTA-ABS IgM	CSF	EIA	나462	C4620006	153.09	9,510	9,510	나462	C4620006	154.46	9,790	9,790	
1123	70780	Fungus Culture	Other		나405가	B4051	147.78	9,180	9,180	나405가	B4051	152.96	9,700	9,700	
1124	12991	G-1-P Uridyltransferase	EDTA Blood	Enzyme	노337	CZ039		0	55,000	노337	CZ039		0	63,250	
1125	10530	G-6-PDH	EDTA Blood	Colorimetry	나274	B2741	118.14	7,340	7,340	나274	B2741	110.74	7,020	7,020	
1126	12992	Galactokinase	EDTA Blood	Enzyme	노337	CZ038		0	50,000	노337	CZ038		0	57,500	
1127	12990	Galactose-1-Phosphate	EDTA Blood	Enzyme	노337	CZ041		0	55,000	노337	CZ041		0	63,250	
1128	11700	Galactose정밀검사	Blood Paper					0	60,000				0	60,000	
1129	12995	Galactosemia 확진검사(3종)	EDTA Blood	Enzyme				0	175,000				0	201,250	
1130	12996	Galactosemia 확진검사(4종)	EDTA Blood	Enzyme				0	225,000				0	258,750	
1131	00980	Gastrin (RIA)	SST Serum	RIA	나345	C7345	173.96	10,800	10,800	나345주	C7345	159.35	10,100	10,100	
1132	00981	Gastrin (RIA)	EDTA Plasma	RIA	나345	C7345	173.96	10,800	10,800	나345주	C7345	159.35	10,100	10,100	
1133	02195	Gastrin 17	SST Serum	ELISA	나345	C3450	180.04	11,180	11,180	나345	C3450	171.51	10,870	10,870	
1134	00991	Gastrin-1회	SST Serum	RIA	나345	C7345	173.96	10,800	10,800	나345주	C7345	159.35	10,100	10,100	
1135	00992	Gastrin-2회	SST Serum	RIA	나345	C7345	173.96	10,800	10,800	나345주	C7345	159.35	10,100	10,100	
1136	00993	Gastrin-3회	SST Serum	RIA	나345	C7345	173.96	10,800	10,800	나345주	C7345	159.35	10,100	10,100	
1137	00994	Gastrin-4회	SST Serum	RIA	나345	C7345	173.96	10,800	10,800	나345주	C7345	159.35	10,100	10,100	
1138	00995	Gastrin-5회	SST Serum	RIA	나345	C7345	173.96	10,800	10,800	나345주	C7345	159.35	10,100	10,100	
1139	00996	Gastrin-6회	SST Serum	RIA	나345	C7345	173.96	10,800	10,800	나345주	C7345	159.35	10,100	10,100	
1140	00997	Gastrin-7회	SST Serum	RIA	나345	C7345	173.96	10,800	10,800	나345주	C7345	159.35	10,100	10,100	
1141	00998	Gastrin-8회	SST Serum	RIA	나345	C7345	173.96	10,800	10,800	나345주	C7345	159.35	10,100	10,100	
1142	02190	Gastro-Gastrin 17	SST Serum	ELISA	나345	C3450	180.04	11,180	11,180	나345	C3450	171.51	10,870	10,870	
1143	50775	Gastro-H.Pylori IgG	SST Serum	ELISA	나465	C4650	187.8	11,660	11,660	나465	C4650	191.65	12,150	12,150	
1144	02011	Gastro-panel (3종)	SST Serum	ELISA				46,120	46,120	나362외	C3620외		44,930	44,930	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1145	02200	Gastro-Panel(4종)	SST Serum	ELISA				57,780	57,780	나362외	C3620외		57,080	57,080	
1146	02015	Gastro-Pepsinogen I	SST Serum	ELISA	나362	C3620	281.28	17,470	17,470	나362	C3620	268.69	17,030	17,030	
1147	02025	Gastro-Pepsinogen II	SST Serum	ELISA	나362	C3620	281.28	17,470	17,470	나362	C3620	268.69	17,030	17,030	
1148	71210	GBS Culture	Other	Culture	나405가	B4051	147.78	9,180	9,180	나405가	B4051	152.96	9,700	9,700	
1149	12020	G-CSF	SST Serum	EIA				0	220,000				0	253,000	국외수탁
1150	65260	Gentamicin	SST Serum	FPIA	나450나(2)	C4504120	233.4	14,490	14,490	나450나(2)	C4504120	238.27	15,110	15,110	
1151	00062	GH (CLIA)	SST Serum	CLIA	나342	C3420	182.63	11,340	11,340	나342	C3420	184.57	11,700	11,700	
1152	00065	GH(Urine)	Random Urine	EIA				0	55,000				0	63,250	국외수탁
1153	00080	GH-10회	SST Serum	CLIA	나342	C3420	182.63	11,340	11,340	나342	C3420	184.57	11,700	11,700	
1154	00081	GH-11회	SST Serum	CLIA	나342	C3420	182.63	11,340	11,340	나342	C3420	184.57	11,700	11,700	
1155	00082	GH-12회	SST Serum	CLIA	나342	C3420	182.63	11,340	11,340	나342	C3420	184.57	11,700	11,700	
1156	00083	GH-13회	SST Serum	CLIA	나342	C3420	182.63	11,340	11,340	나342	C3420	184.57	11,700	11,700	
1157	00084	GH-14회	SST Serum	CLIA	나342	C3420	182.63	11,340	11,340	나342	C3420	184.57	11,700	11,700	
1158	00085	GH-15회	SST Serum	CLIA	나342	C3420	182.63	11,340	11,340	나342	C3420	184.57	11,700	11,700	
1159	00086	GH-16회	SST Serum	CLIA	나342	C3420	182.63	11,340	11,340	나342	C3420	184.57	11,700	11,700	
1160	00071	GH-1회	SST Serum	CLIA	나342	C3420	182.63	11,340	11,340	나342	C3420	184.57	11,700	11,700	
1161	00072	GH-2회	SST Serum	CLIA	나342	C3420	182.63	11,340	11,340	나342	C3420	184.57	11,700	11,700	
1162	00073	GH-3회	SST Serum	CLIA	나342	C3420	182.63	11,340	11,340	나342	C3420	184.57	11,700	11,700	
1163	00074	GH-4회	SST Serum	CLIA	나342	C3420	182.63	11,340	11,340	나342	C3420	184.57	11,700	11,700	
1164	00075	GH-5회	SST Serum	CLIA	나342	C3420	182.63	11,340	11,340	나342	C3420	184.57	11,700	11,700	
1165	00076	GH-6회	SST Serum	CLIA	나342	C3420	182.63	11,340	11,340	나342	C3420	184.57	11,700	11,700	
1166	00077	GH-7회	SST Serum	CLIA	나342	C3420	182.63	11,340	11,340	나342	C3420	184.57	11,700	11,700	
1167	00078	GH-8회	SST Serum	CLIA	나342	C3420	182.63	11,340	11,340	나342	C3420	184.57	11,700	11,700	
1168	00079	GH-9회	SST Serum	CLIA	나342	C3420	182.63	11,340	11,340	나342	C3420	184.57	11,700	11,700	
1169	82140	Giemsa(H.Pylori) Stain	Tissue		나553	C5533	120.97	7,510	7,510	나553다	C5533	121.67	7,710	7,710	
1170	52290	Gliadin IgG, IgA	SST Serum	ELISA				0	350,000				0	357,800	국외수탁
1171	10010	Globulin	SST Serum	계산법	나220 외	C2200 외		0	3,060	나220 외	C2200 외		0	3,100	
1172	10011	Globulin	Body Fluid	계산법	나220 외	C2200 외		0	13,900	나220 외	C2200 외		0	14,210	
1173	01000	Glucagon (RIA)	EDTA Plasma	RIA	나344	C7344	180.66	11,220	11,220	나344주	C7344	172.92	10,960	10,960	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1174	01011	Glucagon-1회	EDTA Plasma	RIA	나344	C7344	180.66	11,220	11,220	나344주	C7344	172.92	10,960	10,960	
1175	01012	Glucagon-2회	EDTA Plasma	RIA	나344	C7344	180.66	11,220	11,220	나344주	C7344	172.92	10,960	10,960	
1176	01013	Glucagon-3회	EDTA Plasma	RIA	나344	C7344	180.66	11,220	11,220	나344주	C7344	172.92	10,960	10,960	
1177	01014	Glucagon-4회	EDTA Plasma	RIA	나344	C7344	180.66	11,220	11,220	나344주	C7344	172.92	10,960	10,960	
1178	01015	Glucagon-5회	EDTA Plasma	RIA	나344	C7344	180.66	11,220	11,220	나344주	C7344	172.92	10,960	10,960	
1179	01016	Glucagon-6회	EDTA Plasma	RIA	나344	C7344	180.66	11,220	11,220	나344주	C7344	172.92	10,960	10,960	
1180	01017	Glucagon-7회	EDTA Plasma	RIA	나344	C7344	180.66	11,220	11,220	나344주	C7344	172.92	10,960	10,960	
1181	01018	Glucagon-8회	EDTA Plasma	RIA	나344	C7344	180.66	11,220	11,220	나344주	C7344	172.92	10,960	10,960	
1182	10540	Glucose	NaF Plasma	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1183	10541	Glucose	SST Serum	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1184	10542	Glucose	24hr Urine	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1185	10543	Glucose	Body Fluid	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1186	10550	Glucose tolerance test	NaF Plasma		나371나	C3711	22.4	5,560	5,560	나371나	C3711	22.25	5,640	5,640	
1187	10600	Glucose-120 MIN	NaF Plasma	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1188	10601	Glucose-120 MIN	SST Serum	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1189	10610	Glucose-150 MIN	NaF Plasma	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1190	10611	Glucose-150 MIN	SST Serum	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1191	10620	Glucose-3 hr	NaF Plasma	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1192	10621	Glucose-3 hr	SST Serum	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1193	10570	Glucose-30 MIN	NaF Plasma	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1194	10571	Glucose-30 MIN	SST Serum	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1195	10630	Glucose-4 hr	NaF Plasma	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1196	10631	Glucose-4 hr	SST Serum	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1197	10580	Glucose-60 MIN	NaF Plasma	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1198	10581	Glucose-60 MIN	SST Serum	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1199	10590	Glucose-90 MIN	NaF Plasma	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1200	10591	Glucose-90 MIN	SST Serum	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1201	10560	Glucose-Fasting	NaF Plasma	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1202	10561	Glucose-Fasting	SST Serum	Enzyme	나371나	C3711	22.4	1,390	1,390	나371나	C3711	22.25	1,410	1,410	
1203	10720	Glycoalbumin	SST Serum	Enzyme	노241	CZ241		0	22,000				0	26,000	국외수탁
1204	01260	Glycocholic Acid	SST Serum	RIA				0	22,000				0	26,000	국외수탁
1205	12030	GM-CSF	Media Supernatant	ELISA				0	240,000				0	276,000	국외수탁
1206	52150	Gnathostomiasis	Plain Blood	ELISA				0	20,000				0	20,000	
1207	10350	GOT(AST)	SST Serum	Enzyme	나257	B2570	26.87	1,670	1,670	나257	B2570	26.65	1,690	1,690	
1208	10351	GOT(AST)	Body Fluid	Enzyme	나257	B2570	26.87	1,670	1,670	나257	B2570	26.65	1,690	1,690	
1209	10340	GOT-m	SST Serum	Protease				0	18,000				0	20,700	국외수탁
1210	10360	GPT(ALT)	SST Serum	Enzyme	나258	B2580	26.85	1,670	1,670	나258	B2580	26.62	1,690	1,690	
1211	10361	GPT(ALT)	Body Fluid	Enzyme	나258	B2580	26.85	1,670	1,670	나258	B2580	26.62	1,690	1,690	
1212	70090	Gram Stain	Other		나400가	B4101	19.75	1,230	1,230	나400가	B4101	20.01	1,270	1,270	
1213	70100	Gram Stain	Smear Slide	GRAM STAIN	나400가	B4101	19.75	1,230	1,230	나400가	B4101	20.01	1,270	1,270	
1214	71160	Gram stain (cytospin)	Other		나400가주	B4112	22.16	1,380	1,380	나400주	B4112	22.88	1,450	1,450	
1215	10370	Guanase	SST Serum	Enzyme				0	12,000				0	14,000	국외수탁
1216	81171	H&E stain	Tissue					0	3,600				0	3,600	
1217	81172	H&E stain	Tissue		나550	C5501	321.38	19,960	19,960	나550가(1)	C5911	319.48	20,260	20,260	
1218	81170	H&N stain 판독	Tissue	IHC	나550가주2	C5501009	64.28	3,990	3,990	나550가(1)	C5911009	63.9	4,050	4,050	
1219	50463	H. Influenza	CSF	Latex	나408	B4080	102.14	6,340	6,340	나408	B4080	96.52	6,120	6,120	
1220	71070	H. pylori Ag	Stool	ELISA	나415다	B4157	245.38	15,240	15,240	나415다	B4157	245.38	15,560	15,560	
1221	50770	H. Pylori IgG	SST Serum	ELISA	나465	C4650	187.8	11,660	11,660	나465	C4650	191.65	12,150	12,150	
1222	50780	H. Pylori IgM	SST Serum	ELISA	나465	C4650	187.8	11,660	11,660	나465	C4650	191.65	12,150	12,150	
1223	42380	H. pylori PCR	Tissue	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1224	65070	Haloperidol	SST Serum	FPIA	나450나(2)	C4504390	233.4	14,490	14,490				0	75,000	국외수탁
1225	12060	Ham's test	복수검체	Tube	나120	B1200006	57.99	3,600	3,600	나120	B1200006	58.67	3,720	3,720	
1226	41665	Hantaan virus (IgG/IgM)	SST Serum	IFA				0	0				0	0	
1227	41590	Hantaan Virus Ab	SST Serum	ICA	나468가	C4681470	179.03	11,120	11,120	나468가	C4681470	164.38	10,420	10,420	
1228	41666	Hantaan virus Ab 정량(IFA)	SST Serum	IFA	나468	C4682476	259.55	16,120	16,120	나468나(1)	C4682476	263.15	16,680	16,680	
1229	41600	Hantaan Virus Ab Titer	SST Serum	ICA	나468가	C4681470	179.03	11,120	11,120	나468가	C4681470	164.38	10,420	10,420	
1230	27850	Hantaan Virus PCR	SST Serum	PCR	나597	C5977006	1512.41	93,920	93,920	나597사	C5977006	1539.89	97,630	97,630	
1231	41661	HantaanVirus Ab Titer(IFA)	SST Serum	IFA	나468나	C4682476	259.55	16,120	16,120	나468나(1)	C4682476	263.15	16,680	16,680	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1232	20180	Haptoglobin	SST Serum	TIA	나234	C2340	112.56	6,990	6,990	나234	C2340	114.65	7,270	7,270	
1233	20181	Haptoglobin	EDTA Plasma	TIA	나234	C2340	112.56	6,990	6,990	나234	C2340	114.65	7,270	7,270	
1234	50035	HAV genotyping	SST Serum	Sequencing				0	80,000				0	92,000	
1235	50015	HAV IgG	SST Serum	EIA	나486가	C4861	176.75	10,980	10,980	나486가	C4861	177.51	11,250	11,250	
1236	50025	HAV IgM	SST Serum	EIA	나486나	C4862	264.35	16,420	16,420	나486나	C4862	261.9	16,600	16,600	
1237	50030	HAV RT-PCR	SST Serum	RT-PCR	나596	C5969006	545.34	33,870	33,870	나596라	C5969006	578.72	36,690	36,690	
1238	50045	HBc Ab IgG	SST Serum	EIA	나484가	C4841	180.08	11,180	11,180	나484가	C4841	192.46	12,200	12,200	
1239	50055	HBc Ab IgM	SST Serum	EIA	나484나	C4842	234.12	14,540	14,540	나484나	C4842	230.69	14,630	14,630	
1240	50076	HBe Ab(EIA)	SST Serum	EIA	나483나	C4832	214.39	13,310	13,310	나483나	C4832	217.94	13,820	13,820	
1241	50075	HBe Ag(EIA)	SST Serum	EIA	나482나	C4822	211.81	13,150	13,150	나482나	C4822	215.68	13,670	13,670	
1242	81490	HBME-1 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1243	01270	HBNP	EDTA Plasma	CLIA	노204	CZ204		0	50,000	노204	CZ204		0	57,500	
1244	50116	HBs Ab(EIA)	SST Serum	EIA	나481나	C4812	154.65	9,600	9,600	나481나	C4812	156.41	9,920	9,920	
1245	50091	HBs Ab(ICA)	SST Serum	ICA	나481가	C4811	52.61	3,270	3,270	나481가	C4811	49.45	3,140	3,140	
1246	50115	HBs Ag(EIA)	SST Serum	EIA	나480나	C4802	135.96	8,440	8,440	나480나	C4802	140.12	8,880	8,880	
1247	50090	HBs Ag(ICA)	SST Serum	ICA	나480가	C4801	43.83	2,720	2,720	나480가	C4801	41.82	2,650	2,650	
1248	50140	HBV DNA (PCR)	SST Serum	PCR	나595	C5954006	384.79	23,900	23,900	나595라	C5954006	385.53	24,440	24,440	
1249	50160	HBV DNA 정량 (b-DNA)	SST Serum	b DNA	나485다	C4853006	538.86	33,460	33,460	나485다	C4853006	540.77	34,280	34,280	
1250	50150	HBV DNA 정량 (CMHA)	SST Serum	CMHA	나485나	C4852006	537.9	33,400	33,400	나485나	C4852006	538.86	34,160	34,160	
1251	52178	HBV DNA 정량(real-timePCR)	SST Serum	real time PCR	나485마	C4854006	894.88	55,570	55,570	나485마	C4854006	894.88	56,740	56,740	
1252	50180	HBV DNA Polymerase	SST Serum	RA	나423	CX743	634.5	39,400	39,400				0	85,000	국외수탁
1253	50170	HBV DNA Probe 반정량 (Dot)	SST Serum	RIA	나485가	C7485	304.85	18,930	18,930	나485가주	C7485	282.98	17,940	17,940	
1254	50204	HBV Drug mutation	SST Serum	Sequencing				0	200,000				0	230,000	
1255	50203	HBV mutation (Entecavir)	SST Serum	Sequencing				0	100,000				0	115,000	
1256	50202	HBV mutation (LMV+ADV)	SST Serum	Sequencing	나599-1	C5993006	1666.46	103,490	103,490	나599-1가	C5993006	1666.46	105,650	105,650	
1257	50190	HBV Pre core	SST Serum	PCR-RFLP				0	55,000				0	63,250	
1258	81360	hCG (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1259	01970	hCG (Latex)	Random Urine	Latex	나26	B0260	24.72	1,540	1,540	나26	B0260	25.12	1,590	1,590	
1260	50230	HCV (RT-PCR+Hybrid.)	SST Serum	RT-PCR+Hybrid	나596-1	C6081006	775.56	48,160	48,160	나596-1가	C6081006	804.74	51,020	51,020	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1261	50231	HCV (RT-PCR+Hybrid.)	Other	RT-PCR+Hybrid	나596-1	C6081006	775.56	48,160	48,160	나596-1가	C6081006	804.74	51,020	51,020	
1262	50215	HCV Ab(EIA)	SST Serum	EIA	나487나	C4872	191.69	11,900	11,900	나487나	C4872	199.8	12,670	12,670	
1263	50220	HCV Ab(RIBA III)	SST Serum		나487다	C4873006	547.35	33,990	33,990	나487다	C4873006	550.43	34,900	34,900	
1264	50255	HCV Genotype (PCR+hybrid)	SST Serum	RT-PCR+Hybrid	나596-1다	CZ961006	1698.27	105,460	105,460	나596-1나	CZ961006		107,670	107,670	
1265	52365	HCV Genotype (PCR-RFMP)	SST Serum	Maldi-Tof	나596-2	C6092006	1704.75	105,860	105,860	나596-2	C6092006	1704.75	108,080	108,080	
1266	52360	HCV Genotype (Sequencing)	SST Serum	Sequencing				0	120,000				0	138,000	
1267	50241	HCV RNA 정량	SST Serum	real time PCR	너424다	C4424006	1127.2	70,000	70,000	너424다	C4424006	1127.2	71,460	71,460	
1268	11100	HDL-Cholesterol	SST Serum	Enzyme	나242	C2420	83.49	5,180	5,180	나242	C2420	82.74	5,250	5,250	
1269	20600	HDL-Cholesterol E.P	SST Serum	Electrophoresis	나302	B3020006	164.19	10,200	10,200	나302	B3020006	153.55	9,740	9,740	
1270	50265	HDV Ab (IgG)	SST Serum	EIA	너421	CX421	264.37	16,420	16,420	너421	CX421	264.37	16,760	16,760	
1271	50270	HDV RT- PCR	SST Serum		노598	CZ959		0	75,000	노598	CZ959		0	86,250	
1272	70810	Heinz body	EDTA Blood		나116	B1160006	29.4	1,830	1,830	나116	B1160006	30.98	1,960	1,960	
1273	30004	Hematocrit(Hct)	EDTA Blood	자동혈구계산법	나102	B1020	10.59	660	660	나102	B1020	10.53	670	670	
1274	51855	hemavision 28종	Bone Marrow	PCR				474,190	474,190				497,500	497,500	
1275	26440	Hemochromatosis, HFE gene	EDTA Blood	Sequencing	너562사	CY627006	416.69	51,760	51,760	너562사	CY627006	416.68	52,840	52,840	
1276	10730	Hemoglobin A1c	EDTA Blood	TIA	나382마	C3825	101.46	6,300	6,300	나382마	C3825	102.02	6,470	6,470	
1277	20490	Hemoglobin E.P	EDTA Blood	Electrophoresis	나307	B3070006	91.71	5,700	5,700	나307	B3070006	94.59	6,000	6,000	
1278	30003	Hemoglobin(Hb)	EDTA Blood	자동혈구계산법	나101	B1010	16.85	1,050	1,050	나101	B1010	16.73	1,060	1,060	
1279	65590	Hemopexin	SST Serum	SRID				0	40,000				0	46,000	국외수탁
1280	70040	Hemosiderin	Random Urine	검경법	나7	B0070	27.45	1,700	1,700	나7	B0070	27.46	1,740	1,740	
1281	30910	Hepaplastin	SC Plasma					0	12,000				0	12,000	국외수탁
1282	30660	Heparin	SC Plasma	발색성합성기질법	나163	B1632	153.82	9,550	9,550				0	27,000	국외수탁
1283	81420	Hepatocyte (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1284	65420	Heroin	Random Urine	ICA	나450가(2)	C4502390	137.23	8,520	8,520	나450가(2)	C4502390	130.9	8,300	8,300	
1285	50790	Heterophil Ab	SST Serum	응집법	나470가	C4701	82.59	5,130	5,130	나470가	C4701	82.23	5,210	5,210	
1286	50280	HEV Ab IgG	SST Serum	EIA	너422	CY431	175.94	10,930	10,930	너422가	CY431	175.99	11,160	11,160	
1287	50290	HEV Ab IgM	SST Serum	EIA	너422	CY432	175.94	10,930	10,930	너422나	CY432	175.99	11,160	11,160	
1288	50300	HEV RT- PCR	SST Serum		나596	C5969006	545.34	33,870	33,870	나596라	C5969006	578.72	36,690	36,690	
1289	10380	Hexosaminidase A	Hp Blood	Fluorometry				0	50,000				0	50,000	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1290	12997	HGPRT enzyme test	EDTA Blood	Enzyme				0	100,000				0	115,000	
1291	50310	HGV RT-PCR	SST Serum	Nested RT-PCR	노598	CZ958		0	60,000	노598	CZ958		0	69,000	
1292	12080	Hippuric acid	Random Urine	HPLC	나451나(3)	CY373030	399.4	24,800	24,800	나451나(3)	CY373030	399.4	25,320	25,320	
1293	51670	Histone Ab	SST Serum	EIA	너443아	CY450006	616.68	38,300	38,300	너443아	CY450006	616.68	39,100	39,100	
1294	50806	Histoplasma Ab Confirm	SST Serum	CF	나467나	C4671270	101.5	18,900	50,000				0	270,000	국외수탁
1295	50805	Histoplasma Ab Screen	SST Serum	ELISA	나467나	C4672276	200.01	12,420	140,000				0	187,550	국외수탁
1296	41345	HIV 약제내성검사 PCR (NIH)	EDTA Plasma	PCR				0	0				0	0	
1297	41330	HIV Ab(PA)	SST Serum	PA	나471가	C4711	66.35	4,120	4,120	나471가	C4711	62.47	3,960	3,960	
1298	41331	HIV Ab(PA)	CSF	PA	나471가	C4711	66.35	4,120	4,120	나471가	C4711	62.47	3,960	3,960	
1299	42260	HIV Ag(AIDS Ag)	SST Serum	ELFA	너394	CX394	188.85	11,730	11,730	너394	CX394	188.85	11,970	11,970	
1300	42401	HIV RNA (PCR)(NIH)	EDTA Plasma	RT-PCR				0	0				0	0	
1301	42391	HIV RT-PCR 정성	ACD Blood	Nested RT-PCR	나597	C5979006	1546.61	96,040	96,040	나597자	C5979006	1608.27	101,960	101,960	
1302	41340	HIV Western blot (NIH)	SST Serum					0	0				0	0	
1303	41350	HIV(TypeI+II) Ab (ELISA)	SST Serum	ELISA	나471나	C4712	115.52	7,170	7,170	나471나	C4712	122.19	7,750	7,750	
1304	42390	HIV-1 RT-PCR 정성	SST Serum	Nested RT-PCR	나597	C5979006	1546.61	96,040	96,040	나597자	C5979006	1608.27	101,960	101,960	
1305	42410	HIV-I PCR	EDTA Blood	Nested RT-PCR	나597자	C5979006	1546.61	96,040	96,040	나597자	C5979006	1608.27	101,960	101,960	
1306	41360	HIV-I(W.B)	SST Serum	Western blot	나471다(1)	CY951006	825.03	51,230	51,230				0	270,000	국외수탁
1307	41370	HIV-II(W.B)	SST Serum	Western blot	나471다(2)	CY952006	825.03	51,230	51,230				0	300,000	국외수탁
1308	25470	HLA A Typing (High)	EDTA Blood	PCR-SBT	너494나	CY916006	3459.58	214,840	214,840	너494나	CY916006	3459.57	219,340	219,340	
1309	26360	HLA A Typing (Low)	EDTA Blood	PCR-SSP	너494가	CY915006	2320.25	144,090	144,090	너494가	CY915006	2320.24	147,100	147,100	
1310	26361	HLA A Typing (Low)	Bone Marrow	PCR-SSP	너494가	CY915006	2320.25	144,090	144,090	너494가	CY915006	2320.24	147,100	147,100	
1311	25480	HLA B Typing (High)	EDTA Blood	PCR-SBT	너494나	CY916006	3459.58	214,840	214,840	너494나	CY916006	3459.57	219,340	219,340	
1312	26370	HLA B Typing (Low)	EDTA Blood	PCR-SSP	너494가	CY915006	2320.25	144,090	144,090	너494가	CY915006	2320.24	147,100	147,100	
1313	26371	HLA B Typing (Low)	Bone Marrow	PCR-SSP	너494가	CY915006	2320.25	144,090	144,090	너494가	CY915006	2320.24	147,100	147,100	
1314	25500	HLA B27-PCR	EDTA Blood	PCR	너495가	CY917006	563.99	35,020	35,020	너495가	CY917006	563.99	35,760	35,760	
1315	25510	HLA B51 typing	EDTA Blood	DNA Typing				0	40,000				0	46,000	
1316	25490	HLA C Typing (High)	EDTA Blood	PCR-SBT	너494나	CY916006	3459.58	214,840	214,840	너494나	CY916006	3459.57	219,340	219,340	
1317	26380	HLA C Typing (Low)	EDTA Blood	PCR-SSP	너494가	CY915006	2320.25	144,090	144,090	너494가	CY915006	2320.24	147,100	147,100	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1318	26381	HLA C Typing (Low)	Bone Marrow	PCR-SSP	너494가	CY915006	2320.25	144,090	144,090	너494가	CY915006	2320.24	147,100	147,100	
1319	27720	HLA DPA1 Typing(High)	EDTA Blood	PCR-SBT				0	250,000				0	250,000	
1320	27710	HLA DPB1 Typing(High)	EDTA Blood	PCR-SBT				0	250,000				0	250,000	
1321	26390	HLA DQ Typing (Low)	EDTA Blood	PCR-SSP	너492가	CY911006	1973.41	122,550	122,550	너492가	CY911006	1973.4	125,110	125,110	
1322	26391	HLA DQ Typing (Low)	Bone Marrow	PCR-SSP	너492가	CY911006	1973.41	122,550	122,550	너492가	CY911006	1973.4	125,110	125,110	
1323	25520	HLA DQA1 (Low)	EDTA Blood	PCR-SSP	너492가	CY911006	1973.41	122,550	122,550	너492가	CY911006	1973.4	125,110	125,110	
1324	25521	HLA DQA1 Typing(High)	EDTA Blood	PCR-SBT	너492	CY912006	2908.16	180,600	180,600	너492나	CY912006	2908.15	184,380	184,380	
1325	25530	HLA DQB1 (Low)	EDTA Blood	PCR-SSP	너492가	CY911006	1973.41	122,550	122,550	너492가	CY911006	1973.4	125,110	125,110	
1326	25535	HLA DQB1 Typing (High)	EDTA Blood	PCR-SBT	너492	CY912006	2908.16	180,600	180,600	너492나	CY912006	2908.15	184,380	184,380	
1327	25550	HLA DR Typing (Low)	EDTA Blood	PCR	너493가	CY913006	1973.41	122,550	122,550	너493가	CY913006	1973.4	125,110	125,110	
1328	25551	HLA DR Typing (Low)	Bone Marrow	PCR	너493가	CY913006	1973.41	122,550	122,550	너493가	CY913006	1973.4	125,110	125,110	
1329	25560	HLA DR Typing(High)	EDTA Blood	PCR-SBT	너493나	CY914006	2908.16	180,600	180,600	너493나	CY914006	2908.15	184,380	184,380	
1330	25570	HLA RA(DRB1*0405)	EDTA Blood	DNA Typing	너496	CX496006	1206.59	74,930	74,930	너496	CX496006	1206.58	76,500	76,500	
1331	81390	HMB45 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1332	26890	HNPP, PMP22 gene mutation	EDTA Blood	Southern blot				0	301,000				0	301,000	
1333	12090	Homocysteine	SST Serum	CLIA	노133	CZ133		0	20,000	노133	CZ133		0	23,000	
1334	12091	Homocysteine	EDTA Plasma	CLIA	노133	CZ133		0	20,000	노133	CZ133		0	23,000	
1335	01590	Homogentistic acid	Random Urine	GC/MSD				0	80,000				0	92,000	
1336	80657	Hormone Receptor×2+IHC×2	Other					0	128,620				0	130,800	
1337	81380	HPL (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1338	01990	HPL(Human Plasental Lactogen	SST Serum	Latex	노193	CZ193		0	55,000				0	63,250	국외수탁
1339	42430	HPV 16	분비물	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1340	42480	HPV 16	분비물	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1341	42440	HPV 18	분비물	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1342	42490	HPV 18	분비물	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1343	42450	HPV DNA Chip	분비물	DNA Chip	나595-2	C5959006	698.13	43,350	43,350	나595-2	C5959006	698.13	44,260	44,260	
1344	42457	HPV DNA Chip(Tissue)	Tissue	DNA Chip	나595-2	C5959006	698.13	43,350	43,350	나595-2	C5959006	698.13	44,260	44,260	
1345	42455	HPV genotyping(microarray)	분비물		나595-2	C5959006	698.13	43,350	43,350	나595-2	C5959006	698.13	44,260	44,260	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1346	42420	HPV Screening	분비물	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1347	42470	HPV Screening	분비물	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1348	42425	HPV Screening (Tissue)	Tissue	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1349	42460	HPV Screening (Type 16,18)	분비물		나595	C5956006	390.43	48,500	48,500	나595아	C5956006	396.83	50,320	50,320	
1350	26170	HSALP	SST Serum	Enzyme				0	5,010				0	6,000	
1351	42155	HSV culture	Other	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
1352	41380	HSV IgG	SST Serum	ELISA	나468나	C4682466	259.55	16,120	16,120	나468나(1)	C4682466	263.15	16,680	16,680	
1353	41381	HSV IgG	CSF	ELISA	나468나	C4682466	259.55	16,120	16,120	나468나(1)	C4682466	263.15	16,680	16,680	
1354	41400	HSV IgG(FA)	SST Serum	FIA	나468나	C4682466	259.55	16,120	16,120				0	45,000	국외수탁
1355	41401	HSV IgG(FA)	CSF	FIA	나468나	C4682466	259.55	16,120	16,120				0	45,000	국외수탁
1356	41390	HSV IgM	SST Serum	ELISA	나468나	C4683466	257.02	15,960	15,960	나468나(2)	C4683466	258.09	16,360	16,360	
1357	41391	HSV IgM	CSF	ELISA	나468나	C4683466	257.02	15,960	15,960	나468나(2)	C4683466	258.09	16,360	16,360	
1358	41410	HSV IgM(FA)	SST Serum	FIA	나468나	C4683466	257.02	15,960	15,960				0	45,000	국외수탁
1359	41411	HSV IgM(FA)	CSF	FIA	나468나	C4683466	257.02	15,960	15,960				0	45,000	국외수탁
1360	43541	HSV Type 1 IgM	SST Serum	IFA	나468라(2)	CY402036	594.43	36,910	36,910				0	42,000	국외수탁
1361	43540	HSV Type 1/2 IgM	SST Serum	IFA	나468라(2)	CY402036	594.43	73,820	73,820				0	84,000	국외수탁
1362	41440	HSV Type 2 IgG	SST Serum	EIA	나468나	C4682466	259.55	16,120	16,120	나468나(1)	C4682466	263.15	16,680	16,680	
1363	43542	HSV Type 2 IgM	SST Serum	IFA	나468라(2)	CY402036	594.43	36,910	36,910				0	42,000	국외수탁
1364	42520	HSV type 6 DNA(PCR)	SST Serum	PCR				0	350,000				0	402,500	국외수탁
1365	42521	HSV type 6 DNA(PCR)	CSF	PCR				0	350,000				0	402,500	국외수탁
1366	43580	HSV Type 6 IgG	SST Serum	IFA				0	140,000				0	170,000	국외수탁
1367	42500	HSV Type I(PCR)	EDTA Blood	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1368	42510	HSV Type II(PCR)	EDTA Blood	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1369	41420	HSV Type I (NT)	SST Serum	Neutralization	나468라(1)	CY401036	594.43	36,910	36,910				0	60,000	국외수탁
1370	41421	HSV Type I (NT)	CSF	Neutralization	나468라(1)	CY401036	594.43	36,910	36,910				0	60,000	국외수탁
1371	43080	HSV type I IgG	SST Serum	EIA	나468나	C4682466	259.55	16,120	16,120	나468나(1)	C4682466	263.15	16,680	16,680	
1372	43081	HSV type I IgG	CSF	EIA	나468나	C4682466	259.55	16,120	16,120	나468나(1)	C4682466	263.15	16,680	16,680	
1373	41430	HSV TypeII(NT)	SST Serum	Neutralization	나468라(1)	CY401036	594.43	36,910	36,910				0	60,000	국외수탁
1374	41431	HSV TypeII(NT)	CSF	Neutralization	나468라(1)	CY401036	594.43	36,910	36,910				0	60,000	국외수탁
1375	41460	HTLV-1(W.B)	SST Serum	Western blot				0	150,000				0	172,500	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1376	41477	HTLV-I/II Ab (EIA)	EDTA Plasma	EIA	나468	C4682596	259.55	16,120	16,120	나468나(1)	C4682596	263.15	16,680	16,680	
1377	41475	HTLV-I/II(EIA)	SST Serum	EIA	나468	C4682596	259.55	16,120	16,120	나468나(1)	C4682596	263.15	16,680	16,680	
1378	01810	Hu autoantibodies	SST Serum	Western blot	노422	CZ422		0	650,000				0	747,500	국외수탁
1379	01811	Hu autoantibodies	CSF	Western blot	노422	CZ422		0	650,000				0	747,500	국외수탁
1380	25605	Huntington's disease	EDTA Blood	PCR Fragment analysis	너573	CY531006	953.52	59,210	59,210	너573가	CY531006	953.51	60,450	60,450	
1381	00865	HVA 정량(HPLC)	24hr Urine	HPLC	너225나	CY251006	310.2	19,260	19,260	너225나	CY251006	310.2	19,670	19,670	
1382	00866	HVA 정량(HPLC)	Random Urine	HPLC	너225나	CY251006	310.2	19,260	19,260	너225나	CY251006	310.2	19,670	19,670	
1383	00860	HVA 정량(Plasma)	EDTA Plasma	HPLC				0	35,000				0	40,250	국외수탁
1384	12105	Hyaluronic Acid	SST Serum	TIA	너345가	CY343	339.94	21,110	21,110	너345가(3)	CY343	339.91	21,550	21,550	
1385	12120	Hydroxyproline Free	24hr Urine	HPLC	노244	CZ244		0	90,000	노244	CZ244		0	103,500	
1386	12110	Hydroxyproline Total	24hr Urine	HPLC	노244	CZ244		0	100,000				0	88,000	국외수탁
1387	13020	I.C Hyperbilirubinemias	24hr Urine	HPLC				0	220,000				0	253,000	국외수탁
1388	20190	IAP	SST Serum	Nephelometry				0	100,000				0	126,530	국외수탁
1389	12130	ICTP(type I collagen)	SST Serum	RIA				0	60,000				0	69,000	국외수탁
1390	20200	IgA	SST Serum	TIA	나228	C2282	130.37	8,100	8,100	나228나	C2282	132.8	8,420	8,420	
1391	20201	IgA	EDTA Plasma	TIA	나228	C2282	130.37	8,100	8,100	나228나	C2282	132.8	8,420	8,420	
1392	81110	IgA (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1393	20210	IgD	SST Serum	SRID	나228	C2284	129.61	8,050	8,050	나228라	C2284	131.28	8,320	8,320	
1394	60002	IgE (CLIA)	SST Serum	CLIA	나229	C2290	226.27	14,050	14,050	나229	C2290	229.25	14,530	14,530	
1395	62580	IgE MAST-식이성 40종	SST Serum	Immunoblot assay	나232	C2320006	1327.54	82,440	82,440	나232	C2320006	1332.06	84,450	84,450	
1396	62590	IgE MAST-흡입성 40종	SST Serum	Immunoblot assay	나232	C2320006	1327.54	82,440	82,440	나232	C2320006	1332.06	84,450	84,450	
1397	62640	IgE_Clam:F207	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1398	60290	IgE-잉고혈청단백:E79	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1399	60380	IgE-A.Tenuis:M6	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1400	62740	IgE-Abalone:F346	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1401	60350	IgE-Acacia:T19	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1402	60360	IgE-Acarus Siro linne:D70	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1403	61180	IgE-Alder:T2	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1404	60370	IgE-Almond:F20	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1405	60390	IgE-Anisakis:P4	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1406	60400	IgE-Apple:F49	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1407	60410	IgE-Ascaris:P1	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1408	60420	IgE-Asp.Fumigatus:M3	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1409	60440	IgE-Avocado:F96	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1410	60450	IgE-Bahia Grass:G17	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1411	60460	IgE-Bamboo sprout:F51	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1412	60470	IgE-Bamyard Millet:F57	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1413	60480	IgE-Banana:F92	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1414	60490	IgE-Barley:F6	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1415	60500	IgE-Beech:T5	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1416	60510	IgE-Beef:F27	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1417	62460	IgE-Beer Yeast:F45	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1418	60530	IgE-Bermuda Grass:G2	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1419	60105	IgE-Birch:T3	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1420	60560	IgE-Blue Mussel:F37	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1421	60570	IgE-Brazil Nut:F18	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1422	62630	IgE-Broccoli:F260	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1423	60590	IgE-Buckwheat:F11	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1424	60640	IgE-C.pityrosporum:M70	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1425	60620	IgE-Cacao:F93	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1426	60630	IgE-Candida Albicans:M5	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1427	60650	IgE-Carrot:F31	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1428	60670	IgE-Casein:F78	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1429	60685	IgE-Cat Epithelium:E1	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1430	60690	IgE-Celery:F85	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1431	60700	IgE-Cheddar Cheese:F81	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1432	60710	IgE-Chicken meat:F83	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1433	60720	IgE-Chiken Feathers:E85	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1434	60750	IgE-Cl.Herbarum:M2	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1435	60775	IgE-Cockroach:I6	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1436	60790	IgE-Coconut:F36	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1437	60800	IgE-Codfish:F3	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1438	60820	IgE-Common Ragweed:W1	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1439	60830	IgE-Common Reed:G7	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1440	61500	IgE-Corn:F8	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1441	60840	IgE-Cottonwood(RIA):T14	SST Serum	FPIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1442	60850	IgE-Cow Dander:E4	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	40,000	국외수탁
1443	60860	IgE-Crab:F23	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1444	60890	IgE-Cuttlefish:F58	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1445	60905	IgE-D.Farinae:D2	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1446	60915	IgE-D.Pteronyssinus:D1	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1447	60920	IgE-Dandelion:W8	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1448	60935	IgE-Dog dander:E5	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1449	60945	IgE-Dog Epithelium:E2	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1450	60950	IgE-Duck Feathers:E86	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1451	60960	IgE-E.White Pine:T16	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1452	60980	IgE-Echinococcus:P2	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1453	60995	IgE-Egg White:F1	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1454	61005	IgE-Egg Yolk:F75	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1455	60160	IgE-Elm:T8	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1456	61020	IgE-English Plantain:W9	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1457	61040	IgE-Ethylene oxide:K78	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1458	61050	IgE-Eucalyptus(RIA):T18	SST Serum	RIA	나231	C7231	193.31	12,000	12,000	나231주2	C7231	208.09	13,190	13,190	
1459	62660	IgE-False ragweed:W4	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1460	62730	IgE-Fire Ant:I70	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1461	62700	IgE-Fusariummoniliforme:M9	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1462	61120	IgE-G.Destructor:D71	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1463	61200	IgE-G.Pig Epithelium:E6	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	40,000	국외수탁
1464	61090	IgE-Gaint Ragweed:W3	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1465	61100	IgE-Garlic:F47	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1466	61110	IgE-Gluten:F79	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1467	61130	IgE-Goat Epithelium:E80	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1468	61150	IgE-Goldenrod:W12	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1469	61160	IgE-Goose Feathers:E70	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1470	61170	IgE-Grape fruit:F209	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1471	62680	IgE-Grape:F259	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1472	61210	IgE-H.halodes:M8	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1473	61220	IgE-Hamster epithelium:E84	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1474	61240	IgE-Hazel Nut:F17	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1475	61230	IgE-Hazel:T4	SST Serum	FPIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1476	61250	IgE-Honey Bee Venom:I1	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1477	61260	IgE-Horse Dander:E3	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	40,000	국외수탁
1478	60300	IgE-Horse mackerel:F60	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1479	61270	IgE-House dust1:H1	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1480	61280	IgE-House dust2:H2	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1481	61300	IgE-Indian millet:F55	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1482	61330	IgE-Isocyanate HDI:K77	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	40,000	국외수탁
1483	61340	IgE-Isocyanate MDI:K76	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1484	61346	IgE-Isocyanate MDI:K76	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1485	61345	IgE-Isocyanate MDI:K76-RIA	SST Serum	IRMA	나231	C7231	193.31	12,000	12,000	나231주2	C7231	208.09	13,190	13,190	
1486	61350	IgE-Isocyanate TDI:K75	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1487	61355	IgE-Isocyanate TDI:K75-RIA	SST Serum	IRMA	나231	C7231	193.31	12,000	12,000	나231주2	C7231	208.09	13,190	13,190	
1488	61360	IgE-Japanes cedar:T17	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1489	61370	IgE-Japanese hop:W22	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1490	62540	IgE-Japanese linden:T24	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1491	61380	IgE-Johnson Grass:G10	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1492	61390	IgE-June grass:G8	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1493	61415	IgE-Kiwi Fruit:F84	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1494	61420	IgE-Lamb:F88	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1495	61430	IgE-Lamb's Quarter:W10	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1496	61440	IgE-Latex:K82	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1497	61460	IgE-Lobster:F80	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1498	61470	IgE-Lspaghula:K72	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1499	61490	IgE-Mackerel:F50	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1500	61510	IgE-Malt:F90	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1501	61520	IgE-Mango:F91	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1502	61530	IgE-Maple:T1	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	40,000	국외수탁
1503	61540	IgE-Marguerite:W7	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1504	61550	IgE-Meadow Fescue:G4	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1505	61560	IgE-Meadow Foxtail:G16	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1506	61580	IgE-Melon:F87	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1507	61590	IgE-Mesquite(RIA):T20	SST Serum	IRMA	나231	C7231	193.31	12,000	12,000	나231주2	C7231	208.09	13,190	13,190	
1508	61630	IgE-Midge(성충):I7	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1509	61605	IgE-Milk:F2	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1510	61610	IgE-Millet:F56	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1511	61625	IgE-Mold Cheese:F82	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1512	61640	IgE-Mosquito(숙):I71	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1513	61650	IgE-Moth:I8	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1514	61660	IgE-Mountain Cedar:T6	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1515	61670	IgE-Mouse epithelium:E88	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1516	62650	IgE-Mucor racemosus:M4	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1517	61680	IgE-Mugwort:W6	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1518	61700	IgE-Mustard:F89	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1519	61715	IgE-Nettle:W20	SST Serum		나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1520	61720	IgE-Oak:T7	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1521	61740	IgE-Oat Pollen:G14	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1522	61730	IgE-Oat:F7	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1523	61750	IgE-Octopus:F59	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1524	61760	IgE-Olive:T9	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1525	61770	IgE-Onion:F48	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1526	61780	IgE-Orange:F33	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1527	61790	IgE-Orchard Grass:G3	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1528	62710	IgE-Oyster:F290	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1529	61920	IgE-P. Rye Grass:G5	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1530	61810	IgE-P.Wasp Venom:I4	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1531	61820	IgE-Parrot droppings:E77	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1532	61830	IgE-Parrot feathers:E78	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1533	61840	IgE-Parsley:F86	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1534	61195	IgE-Pea:F12	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1535	61850	IgE-Peach:F95	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1536	61860	IgE-Peanut:F13	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1537	61870	IgE-Pear:F94	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1538	61880	IgE-Pecan:T22	SST Serum	RIA	나231	C7231	193.31	12,000	12,000	나231주2	C7231	208.09	13,190	13,190	
1539	61890	IgE-Penicillium notatum:M1	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1540	61900	IgE-Penicilloyl G:C1	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1541	61910	IgE-Penicilloyl V:C2	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1542	62010	IgE-Ph. anhydride:K79	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1543	61940	IgE-Pigeon Droppings:E7	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1544	62670	IgE-Pine nuts:F253	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1545	62620	IgE-Pineapple:F210	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1546	61955	IgE-Pistachio:F203	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1547	61960	IgE-Plaice:F254	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1548	61970	IgE-Pork:F26	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1549	61980	IgE-Potato:F35	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1550	61990	IgE-Pumpkin:F225	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1551	62000	IgE-Rabbit epithelium:E82	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1552	60320	IgE-Rat epithelium:E87	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1553	62020	IgE-Red top Grass:G9	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1554	62050	IgE-Rice:F9	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1555	62090	IgE-Rye Pollen(RIA):G12	SST Serum	IRMA	나231	C7231	193.31	12,000	12,000	나231주2	C7231	208.09	13,190	13,190	
1556	62080	IgE-Rye:F5	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1557	62100	IgE-Sadine:F61	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1558	62110	IgE-Salmon:F41	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1559	62135	IgE-Sesame Seed:F10	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1560	62140	IgE-Sheep epithel:E81	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1561	62170	IgE-Sheep Sorrel:W18	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1562	62150	IgE-Shrimp:F24	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1563	62160	IgE-Silk:K74	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1564	62185	IgE-Soybean:F14	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1565	62190	IgE-Spinach:F214	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1566	62210	IgE-Strawberry:F44	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1567	62230	IgE-Sweat Vernal:G1	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1568	62240	IgE-Sweet potato:F54	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1569	62250	IgE-Swine Epithelium:E83	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1570	62260	IgE-Sycamore(RIA):T11	SST Serum	RIA	나231	C7231	193.31	12,000	12,000	나231주2	C7231	208.09	13,190	13,190	
1571	62270	IgE-T.Putre Scentiae:D72	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1572	62280	IgE-Timothy Grass:G6	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1573	62300	IgE-Tomato:F25	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1574	62720	IgE-Trichophyton:M205	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1575	62320	IgE-Tuna:F40	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1576	62330	IgE-Velvet Grass(RIA):G13	SST Serum	IRMA	나231	C7231	193.31	12,000	12,000	나231주2	C7231	208.09	13,190	13,190	
1577	62350	IgE-Walnut:T10	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1578	62360	IgE-Western Ragweed:W2	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1579	62380	IgE-Wheat Pollen:G15	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1580	62370	IgE-Wheat:F4	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1581	62390	IgE-White Ash(RIA):T15	SST Serum	RIA	나231	C7231	193.31	12,000	12,000	나231주2	C7231	208.09	13,190	13,190	
1582	62410	IgE-White bean:F15	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1583	62400	IgE-White faced hornet:I2	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1584	62430	IgE-Willow:T12	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1585	62440	IgE-Wormwood:W5	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1586	62480	IgE-Yellow J.WaspVenom:I3	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650				0	20,000	국외수탁
1587	62495	IgE-αLactoalbumin:F76	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1588	62505	IgE-βLactoglobulin:F77	SST Serum	FEIA	나231	C2310	187.63	11,650	11,650	나231	C2310	196.74	12,470	12,470	
1589	01295	IGFBP-3 (CLIA)	SST Serum	CLIA	너231	CX231	345.13	21,430	21,430	너231	CX231	345.13	21,880	21,880	
1590	20220	IgG	SST Serum	TIA	나228	C2281	130.27	8,090	8,090	나228가	C2281	132.59	8,410	8,410	
1591	20221	IgG	CSF	TIA	나228	C2281	130.27	8,090	8,090	나228가	C2281	132.59	8,410	8,410	
1592	80945	IgG (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1593	20225	IgG, Low Conc	CSF	TIA	나228	C2281	130.27	8,090	8,090	나228가	C2281	132.59	8,410	8,410	
1594	20230	IgG I Subclass	SST Serum	SRID	너181	BY181	183.11	11,370	11,370	너181가	BY181	183.11	11,610	11,610	
1595	20240	IgG IISubclass	SST Serum	SRID	너181	BY182	183.11	11,370	11,370	너181나	BY182	183.11	11,610	11,610	
1596	20250	IgG IIISubclass	SST Serum	SRID	너181	BY183	183.11	11,370	11,370	너181다	BY183	183.11	11,610	11,610	
1597	20260	IgG IVSubclass	SST Serum	SRID	너181	BY184	183.11	11,370	11,370	너181라	BY184	183.11	11,610	11,610	
1598	20270	IgM	SST Serum	TIA	나228	C2283	130.38	8,100	8,100	나228다	C2283	132.82	8,420	8,420	
1599	20271	IgM	Hp Plasma	TIA	나228	C2283	130.38	8,100	8,100	나228다	C2283	132.82	8,420	8,420	
1600	80940	IgM (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1601	80653	IHC	Other		나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1602	80654	IHC×4	Other		나557	C5575006	473.13	117,520	117,520	나557	C5575006	470.02	119,200	119,200	
1603	80655	IHC×5	Other		나557	C5575006	473.13	146,900	146,900	나557	C5575006	470.02	149,000	149,000	
1604	10025	IMA(Ischemia modi-albumin)	SST Serum	Enzyme				0	92,000				0	92,000	
1605	65621	Imipramine	Plain Blood	LC/MS/MS	나450	CX375696	542.51	33,690	33,690	나450나(4)	CX375696	542.51	34,400	34,400	
1606	51700	Immune Complex(c1q)	SST Serum	ELISA	너449	CY491	170.83	10,610	10,610				0	55,000	국외수탁
1607	51710	Immune Complex(RF)	SST Serum	EIA	너449	CY493	170.83	10,610	10,610				0	55,000	국외수탁
1608	26190	Immuno CD117	Block		나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1609	20621	Immuno E.P (24h urine)	24hr Urine	Electrophoresis	나308나	B3083006	421.48	26,170	26,170	나308나	B3083006	430.73	27,310	27,310	
1610	20625	Immuno E.P (IgG,M,A,D,E)	SST Serum	Electrophoresis	나308가	B3081006	371.94	23,100	23,100	나308가	B3081006	379.1	24,030	24,030	
1611	20623	Immuno E.P (Random urine)	Random Urine	Electrophoresis	나308나	B3083006	421.48	26,170	26,170	나308나	B3083006	430.73	27,310	27,310	
1612	20620	Immuno E.P (Serum)	SST Serum	Electrophoresis	나308가	B3081006	371.94	23,100	23,100	나308가	B3081006	379.1	24,030	24,030	
1613	20626	Immuno E.P(IgG,M,A,D,E)(U)	Random Urine	Electrophoresis	나308가	B3081006	371.94	23,100	23,100	나308가	B3081006	379.1	24,030	24,030	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1614	20611	Immuno Fixation EP	Random Urine	Electrophoresis	나308주나	B3084006	552.52	34,310	34,310	나308나주	B3084006	569.15	36,080	36,080	
1615	20610	Immuno Fixation EP (Serum)	SST Serum	Electrophoresis	나308주가	B3082006	488.69	30,350	30,350	나308가주	B3082006	503.16	31,900	31,900	
1616	20731	Immunoglobulin E.P (24U)	24hr Urine	Electrophoresis	나308나	B3083006	421.48	26,170	26,170	나308나	B3083006	430.73	27,310	27,310	
1617	20730	Immunoglobulin E.P (Serum)	SST Serum	Electrophoresis	나308가	B3081006	371.94	23,100	23,100	나308가	B3081006	379.1	24,030	24,030	
1618	20733	Immunoglobulin E.P (U)	Random Urine	Electrophoresis	나308나	B3083006	421.48	26,170	26,170	나308나	B3083006	430.73	27,310	27,310	
1619	20228	Immunoglobulin G Index	SST Serum	계산법				0	30,420				0	31,370	
1620	25885	Immunoglobulin heavy chain	Tissue		나595-1	C6029006	610.8	37,930	37,930	나595-1다	C6029006	639.74	40,560	40,560	
1621	26565	Immunoglobulin heavy chain	Tissue	Southern Hybridization	나598	C5983006	1002.36	62,250	62,250	나598다	C5983006	982.31	62,280	62,280	
1622	80650	Immunohistochemistry	Smear Slide		나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1623	80651	Immunohistochemistry	Block		나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1624	80652	Immunohistochemistry	Other		나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1625	80656	Immunohistochemistry	Smear Slide		나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1626	70820	India ink prep.	CSF		나401	B4010	32.93	2,040	2,040	나401	B4010	31.03	1,970	1,970	
1627	70821	India ink prep.	Other		나401	B4010	32.93	2,040	2,040	나401	B4010	31.03	1,970	1,970	
1628	10060	Indirect Bilirubin	SST Serum	계산법	나372 외	C3720 외		0	2,720	나372 외	C3720 외		0	2,740	
1629	10061	Indirect Bilirubin	Capillary	계산법	나372 외	C3720 외		0	2,720	나372 외	C3720 외		0	2,740	
1630	30330	Indirect Coombs	SST Serum	Column	나204	B2042006	34.46	2,140	2,140	나204나주	B2042006	34.72	2,200	2,200	
1631	12150	Indocyanine Green소실율	SST Serum	Colorimetry	나399	C3992006	572.51	35,550	35,550	나399나	C3992006	572.5	36,300	36,300	
1632	12140	Indocyanine Green정체율	SST Serum	Colorimetry	나399	C3991006	381.7	23,700	23,700	나399가	C3991006	381.69	24,200	24,200	
1633	42165	Influenza A Culture	Other	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
1634	42175	Influenza B Culture	Other	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
1635	42280	Influenza virus A & B Ag	Sputum	DFA	나469	C4690596	202.6	25,160	25,160	나469	C4690596	202.85	25,720	25,720	
1636	41490	Influenza virus Type A(CF)	SST Serum	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
1637	41491	Influenza virus Type A(CF)	CSF	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
1638	41510	Influenza virus Type A(HI)	SST Serum	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
1639	41511	Influenza virus Type A(HI)	CSF	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
1640	41540	Influenza virus Type A,(HI)	복수검체	HI	나476	C4760		0	0	나476	C4760		0	0	
1641	41500	Influenza virus Type B(CF)	SST Serum	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
1642	41501	Influenza virus Type B(CF)	CSF	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1643	41520	Influenza virus Type B(HI)	SST Serum	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
1644	41521	Influenza virus Type B(HI)	CSF	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
1645	41550	Influenza virus Type B,(HI)	복수검체	HI	나476	C4760		0	0	나476	C4760		0	0	
1646	01864	Inhibin-A	SST Serum	RIA	노211	CZ211		0	40,000	노211	CZ211		0	46,000	
1647	01025	Insulin (ECLIA)	SST Serum	ECLIA	나341	C3410	171.29	10,640	10,640	나341	C3410	173.45	11,000	11,000	
1648	01026	Insulin (ECLIA)	EDTA Plasma	ECLIA	나341	C3410	171.29	10,640	10,640	나341	C3410	173.45	11,000	11,000	
1649	01047	Insulin A/C	SST Serum	ECLIA	나341	C7341	159.89	9,930	9,930	나341주	C7341	150.64	9,550	9,550	
1650	01040	Insulin Ab(RIA)	SST Serum	RIA	나444	CX745	224.58	13,950	13,950	나444주	CX745	224.58	14,240	14,240	
1651	01048	Insulin P/C	SST Serum	ECLIA	나341	C7341	159.89	9,930	9,930	나341주	C7341	150.64	9,550	9,550	
1652	01050	Insulin Receptor Ab	SST Serum	RRA				0	270,000				0	310,500	국외수탁
1653	01041	Insulin-10회	SST Serum	ECLIA	나341	C3410	171.29	10,640	10,640	나341	C3410	173.45	11,000	11,000	
1654	01042	Insulin-11회	SST Serum	ECLIA	나341	C3410	171.29	10,640	10,640	나341	C3410	173.45	11,000	11,000	
1655	01043	Insulin-12회	SST Serum	ECLIA	나341	C3410	171.29	10,640	10,640	나341	C3410	173.45	11,000	11,000	
1656	01044	Insulin-13회	SST Serum	ECLIA	나341	C3410	171.29	10,640	10,640	나341	C3410	173.45	11,000	11,000	
1657	01045	Insulin-14회	SST Serum	ECLIA	나341	C3410	171.29	10,640	10,640	나341	C3410	173.45	11,000	11,000	
1658	01046	Insulin-15회	SST Serum	ECLIA	나341	C3410	171.29	10,640	10,640	나341	C3410	173.45	11,000	11,000	
1659	01031	Insulin-1회	SST Serum	ECLIA	나341	C3410	171.29	10,640	10,640	나341	C3410	173.45	11,000	11,000	
1660	01032	Insulin-2회	SST Serum	ECLIA	나341	C3410	171.29	10,640	10,640	나341	C3410	173.45	11,000	11,000	
1661	01033	Insulin-3회	SST Serum	ECLIA	나341	C3410	171.29	10,640	10,640	나341	C3410	173.45	11,000	11,000	
1662	01034	Insulin-4회	SST Serum	ECLIA	나341	C3410	171.29	10,640	10,640	나341	C3410	173.45	11,000	11,000	
1663	01035	Insulin-5회	SST Serum	ECLIA	나341	C3410	171.29	10,640	10,640	나341	C3410	173.45	11,000	11,000	
1664	01036	Insulin-6회	SST Serum	ECLIA	나341	C3410	171.29	10,640	10,640	나341	C3410	173.45	11,000	11,000	
1665	01037	Insulin-7회	SST Serum	ECLIA	나341	C3410	171.29	10,640	10,640	나341	C3410	173.45	11,000	11,000	
1666	01038	Insulin-8회	SST Serum	ECLIA	나341	C3410	171.29	10,640	10,640	나341	C3410	173.45	11,000	11,000	
1667	01039	Insulin-9회	SST Serum	ECLIA	나341	C3410	171.29	10,640	10,640	나341	C3410	173.45	11,000	11,000	
1668	51770	Interleukin 1 R. antagonist	EDTA Plasma	ELISA				0	250,000				0	287,500	국외수탁
1669	51860	Interleukin 10	SST Serum	ELISA				0	250,000				0	287,500	국외수탁
1670	51870	Interleukin 12	Media Supernatant	ELISA				0	250,000				0	287,500	국외수탁
1671	51760	Interleukin 1β	SST Serum	ELISA				0	210,000				0	287,500	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1672	51780	Interleukin 2	SST Serum	ELISA	노475	CZ475		0	250,000				0	287,500	국외수탁
1673	51790	Interleukin 2 receptor,Solub	SST Serum	ELISA	노477	CZ477		0	210,000				0	287,500	국외수탁
1674	51800	Interleukin 3	Media Supernatant	ELISA				0	250,000				0	287,500	국외수탁
1675	51810	Interleukin 4	SST Serum	ELISA				0	250,000				0	287,500	국외수탁
1676	51820	Interleukin 5	SST Serum	ELISA				0	250,000				0	287,500	국외수탁
1677	51830	Interleukin 6	SST Serum	ELISA	노476	CZ476		0	250,000				0	287,500	국외수탁
1678	51840	Interleukin 7	SST Serum	ELISA				0	250,000				0	287,500	국외수탁
1679	51850	Interleukin 8	EDTA Plasma	ELISA				0	250,000				0	287,500	국외수탁
1680	51851	Interleukin 8	Media Supernatant	ELISA				0	250,000				0	287,500	국외수탁
1681	13150	Iodide	Random Urine		너234	CX234	81.41	5,060	5,060	너234	CX234	81.41	5,160	5,160	
1682	30140	Iron Stain	Bone Marrow Slide	Stain	나118	B1185006	85.5	5,310	5,310	나118다	B1185006	86.02	5,450	5,450	
1683	12730	Iron (Fe)	SST Serum	Colorimetry	나249	C2490	39.71	2,470	2,470	나249	C2490	39.52	2,510	2,510	
1684	51880	Islet cell Ab	SST Serum	IFA	너446	CX446006	134.29	8,340	8,340	너446	CX446006	134.29	8,510	8,510	
1685	30370	Isoagglutinin test	SST Serum		나208	B2080006	127.5	7,920	7,920	나208	B2080006	120.52	7,640	7,640	
1686	27771	JAK2 Gene V617F Mutation	Bone Marrow	PCR	노596	CZ818		0	61,000	노596	CZ818		0	62,300	
1687	27775	JAK2 V617F mutation	EDTA Blood	Sequencing	노595	CZ647		0	99,000	노595	CZ647		0	113,850	
1688	41560	JBE Virus (NIH)	SST Serum					0	0				0	0	
1689	41561	JBE Virus (NIH)	CSF					0	0				0	0	
1690	43500	JEV Ab (HI)(NIH)	SST Serum	HI				0	0				0	0	
1691	41570	JEV Ab(CF)	SST Serum	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
1692	41571	JEV Ab(CF)	CSF	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
1693	42530	JEV RT-PCR	CSF	RT-PCR				0	300,000				0	345,000	국외수탁
1694	42531	JEV RT-PCR	SST Serum	RT-PCR				0	300,000				0	345,000	국외수탁
1695	71030	Joint fluid analysis	Joint Fluid		나51	B0510	46.06	2,860	2,860	나51	B0510	47.54	3,010	3,010	
1696	71031	Joint fluid analysis	Body Fluid		나51	B0510	46.06	2,860	2,860	나51	B0510	47.54	3,010	3,010	
1697	25890	Kappa light chain	SST Serum	Nephelometry	나228	C2281	130.27	8,090	8,090	나228가	C2281	132.59	8,410	8,410	
1698	12200	Ketone body 3분획	EDTA Plasma	GC/MSD	너271	CX271006	263.21	16,350	16,350	너271	CX271006	263.21	16,690	16,690	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1699	12201	Ketone body 3분획	Random Urine	GC/MSD	너271	CX271006	263.21	16,350	16,350	너271	CX271006	263.21	16,690	16,690	
1700	12210	Ketone Body 3분획	SST Serum	GC/MSD	너271	CX271006	263.21	16,350	16,350	너271	CX271006	263.21	16,690	16,690	
1701	12180	Ketone Body 3F (Arterial)	Arterial Serum	Enzyme	너278	CX278	181	11,240	11,240				0	21,000	국외수탁
1702	12190	Ketone Body 3F (Venous)	SST Serum	Enzyme	너271	CX271006	263.21	16,350	16,350				0	18,000	국외수탁
1703	12170	Ketone body 정성	Random Urine	Colorimetry	나386	C3860	73.84	4,590	4,590	나386	C3860	74.39	4,720	4,720	
1704	12171	Ketone body 정성	SST Serum	Colorimetry	나386	C3860	73.84	4,590	4,590	나386	C3860	74.39	4,720	4,720	
1705	81340	Ki-1(CD30) (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1706	81050	Ki-67 (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1707	30440	Kidd 혈액형검사	복수검체	Tube	나203	B2030006	84.6	5,250	5,250	나203	B2030006	81.03	5,140	5,140	
1708	81300	Kidney bx처방 21종	Tissue					0	360,000				0	360,000	
1709	13060	KL-6	SST Serum	ECLIA				0	29,700				0	34,000	국외수탁
1710	70830	KOH Mount	Other		나400다	B4102	19.45	1,210	1,210	나400마	B4102	19.42	1,230	1,230	
1711	41650	Korea virus I	SST Serum					24,220	24,220				23,200	23,200	
1712	41660	Korea VirusⅢ	SST Serum					49,660	49,660				50,740	50,740	
1713	41663	Korea VirusⅢ,CSF	CSF					49,660	49,660				50,740	50,740	
1714	27676	K-ras 전체돌연변이	Other	Sequencing	노595	CZ605		0	300,000	노595	CZ605		0	345,000	
1715	27677	K-ras 주요돌연변이	Other	Sequencing	노595	CZ605		0	150,000	노595	CZ605		0	150,000	
1716	27672	K-ras analysis	Other		노595(11)	CZ605		0	62,900	노595(11)	CZ605		0	62,900	
1717	51890	L.E. Cell	Plain Blood	Manual	나112	B1120006	57.23	3,550	3,550	나112	B1120006	56.68	3,590	3,590	
1718	11120	L/S Ratio	Amniotic Fluid		나55	B0550006	167.01	10,370	10,370	나55	B0550006	167.84	10,640	10,640	
1719	81040	L26(CD20) (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1720	30930	LAC confirm	SC Plasma	Colorimetry	나171나	B1712006	285.44	17,730	17,730	나171나	B1712006	291.7	18,490	18,490	
1721	30935	LAC screen	SC Plasma	Colorimetry	나171가	B1711	176.18	10,940	10,940	나171가	B1711	183.17	11,610	11,610	
1722	10740	Lactic Acid	NaF Plasma	Enzyme	너345가	CY345	339.94	21,110	21,110	너345가(5)	CY345	339.91	21,550	21,550	
1723	10741	Lactic Acid	CSF	Enzyme	너345가	CY345	339.94	21,110	21,110	너345가(5)	CY345	339.91	21,550	21,550	
1724	25610	Lambda light chain	SST Serum	Nephelometry	나228	C2281	130.27	8,090	8,090	나228가	C2281	132.59	8,410	8,410	
1725	65780	Lamotrigine	SST Serum		나450가(4)	CX372690	378.82	23,520	23,520	나450가(4)	CX372690	378.82	24,020	24,020	
1726	65781	Lamotrigine	Random Urine		나450가(4)	CX372690	378.82	23,520	23,520	나450가(4)	CX372690	378.82	24,020	24,020	
1727	10390	LAP	SST Serum	Enzyme	나267	B2670	54.48	3,380	3,380	나267	B2670	51.62	3,270	3,270	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1728	30380	LAP Score	Blood Smear Slide		나126	B1260006	85.59	5,320	5,320	나126	B1260006	86.19	5,460	5,460	
1729	10400	L-CAT	SST Serum	Enzyme				0	25,000				0	27,000	국외수탁
1730	10410	LDH	SST Serum	Enzyme	나259	B2590	41.7	2,590	2,590	나259	B2590	41.35	2,620	2,620	
1731	10411	LDH	Body Fluid	Enzyme	나259	B2590	41.7	2,590	2,590	나259	B2590	41.35	2,620	2,620	
1732	20640	LDH Isoenzyme	SST Serum	Electrophoresis	나303	B3030006	174.38	10,830	10,830	나303	B3030006	175.19	11,110	11,110	
1733	20641	LDH Isoenzyme	Body Fluid	Electrophoresis	나303	B3030006	174.38	10,830	10,830	나303	B3030006	175.19	11,110	11,110	
1734	11025	LDL Subfraction	SST Serum	Electrophoresis	노134	CZ134		0	80,000	노134	CZ134		0	92,000	
1735	11110	LDL-Cholesterol	SST Serum	Enzyme	나243	C2430	91.82	5,700	5,700	나243	C2430	91.04	5,770	5,770	
1736	00870	L-Dopa	EDTA Plasma	HPLC				0	75,000				0	86,250	국외수탁
1737	12750	Lead(Pb)	Hp Blood	AAS	나452나(2)	C4523630	298.28	18,520	18,520	나452나(2)	C4523630	302.23	19,160	19,160	
1738	12751	Lead(Pb)	24hr Urine	AAS	나452나(2)	C4523630	298.28	18,520	18,520	나452나(2)	C4523630	302.23	19,160	19,160	
1739	71140	Legionella Ag	Random Urine	ICA	나475나	C4752996	277.66	17,240	17,240	나475나	C4752996	285.42	18,100	18,100	
1740	71120	Legionella culture (NIH)	Other	Culture				0	0				0	0	
1741	43570	Legionella pneumophiliaPCR	Sputum	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1742	01300	Leptin	SST Serum	RIA				0	30,000				0	34,500	
1743	41620	Leptospira Ab Titer	SST Serum	PA	나466가	C4661020	132.98	8,260	8,260	나466가	C4661020	128.06	8,120	8,120	
1744	41615	Leptospira Ab(NIH)	SST Serum					0	0				0	0	
1745	41610	Leptospira Ab(PHA)	SST Serum	PA	나466가	C4661020	132.98	8,260	8,260	나466가	C4661020	128.06	8,120	8,120	
1746	71200	Leptospira culture (NIH)	Random Urine	Culture				0	0				0	0	
1747	41662	Leptospirosis(응집법)	SST Serum	PHA	나466가	C4661020	132.98	8,260	8,260	나466가	C4661020	128.06	8,120	8,120	
1748	26130	Leukemia marker study	EDTA Blood	IFA	나512+나513	C512~30006		373,720	373,720	나512외	C5120006외		382,720	382,720	
1749	26131	Leukemia marker study	Bone Marrow	IFA	나512+나513	C512~30006		373,720	373,720	나512외	C5120006외		382,720	382,720	
1750	26135	Leukemia marker study	Bone Marrow	Flow Cytometry	나511~3	C511~30006		470,020	470,020	나511~3	C5111006외		481,320	481,320	
1751	00105	LH (CLIA)	SST Serum	CLIA	나348	C3480	158.47	9,840	9,840	나348	C3480	159.17	10,090	10,090	
1752	00111	LH-1회	SST Serum	CLIA	나348	C3480	158.47	9,840	9,840	나348	C3480	159.17	10,090	10,090	
1753	00112	LH-2회	SST Serum	CLIA	나348	C3480	158.47	9,840	9,840	나348	C3480	159.17	10,090	10,090	
1754	00113	LH-3회	SST Serum	CLIA	나348	C3480	158.47	9,840	9,840	나348	C3480	159.17	10,090	10,090	
1755	00114	LH-4회	SST Serum	CLIA	나348	C3480	158.47	9,840	9,840	나348	C3480	159.17	10,090	10,090	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1756	00115	LH-5회	SST Serum	CLIA	나348	C3480	158.47	9,840	9,840	나348	C3480	159.17	10,090	10,090	
1757	00116	LH-6회	SST Serum	CLIA	나348	C3480	158.47	9,840	9,840	나348	C3480	159.17	10,090	10,090	
1758	00117	LH-7회	SST Serum	CLIA	나348	C3480	158.47	9,840	9,840	나348	C3480	159.17	10,090	10,090	
1759	00118	LH-8회	SST Serum	CLIA	나348	C3480	158.47	9,840	9,840	나348	C3480	159.17	10,090	10,090	
1760	25640	LHON (3460,11778,14484)	EDTA Blood	PCR-RFLP	너562나	CY622006	416.69	77,640	77,640	너562나	CY622006	416.68	73,260	73,260	
1761	25620	LHON 11778	EDTA Blood	PCR-RFLP	너562나	CY622006	416.69	25,880	25,880	너562나	CY622006	416.68	26,420	26,420	
1762	25630	LHON 14484	EDTA Blood	PCR-RFLP	너562나	CY622006	416.69	25,880	25,880	너562나	CY622006	416.68	26,420	26,420	
1763	26460	LHON 3460	EDTA Blood	PCR-RFLP	너562나	CY622006	416.69	25,880	25,880	너562나	CY622006	416.68	26,420	26,420	
1764	25635	LHON 4171	EDTA Blood	PCR-RFLP	너562나	CY622006	416.69	25,880	25,880	너562나	CY622006	416.68	26,420	26,420	
1765	25645	LHON(3460,4171,11778,14484	EDTA Blood	PCR-RFLP	너562나	CY622006	416.69	103,520	103,520	너562나	CY622006	416.68	105,680	105,680	
1766	25646	LHON3460,11778,14484,15257	EDTA Blood	Sequencing	너562나	CY622006	416.69	103,510	103,510	너562나	CY622006	416.68	105,680	105,680	
1767	65080	Lidocaine	SST Serum	FPIA	나450나(2)	C4504390	233.4	14,490	14,490				0	75,000	국외수탁
1768	65081	Lidocaine	Body Fluid	FPIA	나450나(2)	C4504390	233.4	14,490	14,490				0	75,000	국외수탁
1769	10425	Lipase	SST Serum	Colorimetry	나262	B2621	60.93	3,780	3,780	나262	B2621	60.67	3,850	3,850	
1770	10426	Lipase	Body Fluid	Colorimetry	나262	B2621	60.93	3,780	3,780	나262	B2621	60.67	3,850	3,850	
1771	11116	Lipid profile	SST Serum	계산법	나241 외	C2411 외		9,810	9,810	나241 외	C2411 외		9,940	9,940	
1772	20650	Lipoprotein E.P	SST Serum	Electrophoresis	나301	B3010006	155.18	9,640	9,640	나301	B3010006	147.07	9,320	9,320	
1773	20660	Lipoprotein lipase	Hp Plasma	ELISA	노151	BZ151		0	65,000				0	74,750	국외수탁
1774	12860	Lipoprotein(a)	SST Serum	TIA	나248	C2480	159.52	9,910	9,910	나248	C2480	160	10,140	10,140	
1775	71170	Listeria culture	Other	Culture	나405가	B4051	147.78	9,180	9,180	나405가	B4051	152.96	9,700	9,700	
1776	12760	Lithium(Li)	SST Serum	Flame	나452나(1)	C4522610	110.54	6,860	6,860	나452나(1)	C4522610	101.95	6,460	6,460	
1777	12761	Lithium(Li)	SST Serum	ISE	나452나(2)	C4523610	298.28	18,520	18,520	나452나(2)	C4523610	302.23	19,160	19,160	
1778	50820	Lyme disease (NIH)	SST Serum					0	0				0	0	
1779	50821	Lyme disease (NIH)	CSF					0	0				0	0	
1780	26090	Lymphocyte subset 3종	EDTA Blood		나512	C5120006	443.88	82,680	82,680	나512	C5120006	445.94	84,810	84,810	
1781	26091	Lymphocyte subset 3종	Bone Marrow		나512	C5120006	443.88	82,680	82,680	나512	C5120006	445.94	84,810	84,810	
1782	26100	Lymphocyte subset 4종	EDTA Blood		나512	C5120006	443.88	110,240	110,240	나512	C5120006	445.94	113,080	113,080	
1783	26101	Lymphocyte subset 4종	Bone Marrow		나512	C5120006	443.88	110,240	110,240	나512	C5120006	445.94	113,080	113,080	
1784	26110	Lymphocyte subset 4종	EDTA Blood		나512	C5120006	443.88	110,240	110,240	나512	C5120006	445.94	113,080	113,080	
1785	26115	Lymphocyte subset 4종	EDTA Blood		나512	C5120006	443.88	110,240	110,240	나512	C5120006	445.94	113,080	113,080	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1786	10430	Lysozyme	SST Serum	비탁법				0	26,000				0	29,900	국외수탁
1787	71230	M.h & U.u 배양및약제감수성	Other	Culture	너301	BY301006+ BY303006	363.17	45,100	45,100	너301	BY301006외		46,040	46,040	
1788	52130	MAG autoantibodies	SST Serum	ELISA				0	550,000				0	633,000	국외수탁
1789	25655	MAGE(Melanoma Ag Gene)	Sputum	Nested RT-PCR	나597아	CX565006	1484.88	92,210	92,210	나597아	CX565006	1484.87	94,140	94,140	
1790	70840	Malaria	Blood Smear Slide	Manual	나115	B1150006	43.26	2,690	2,690	나115	B1150006	44.42	2,820	2,820	
1791	70850	Malaria (Rapid)	EDTA Blood	ICA				0	20,000				0	23,000	
1792	42551	Malaria P. falciparum PCR	EDTA Blood	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1793	42552	Malaria P. vivax PCR	EDTA Blood	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1794	42553	Malaria P.malariae PCR	EDTA Blood	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1795	42554	Malaria P.ovale PCR	EDTA Blood	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1796	42540	Malaria PCR	EDTA Blood	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	50,320	50,320	
1797	42545	Malaria PCR 2종	EDTA Blood	PCR	나595	C5956006	390.43	48,500	48,500	나595아	C5956006	396.83	25,160	25,160	
1798	42555	Malaria PCR 4종	EDTA Blood	PCR	나595	C5956006	390.43	97,000	97,000	나595아	C5956006	396.83	100,640	100,640	
1799	52500	Malaria(NIH)	EDTA Blood					0	0				0	0	
1800	12220	Mandelic acid	Random Urine	HPLC	나451나(3)	CY373020	399.4	24,800	24,800	나451나(3)	CY373020	399.4	25,320	25,320	
1801	12770	Mangane(Mn)	Hp Blood	AAS	나452나(2)	C4523660	298.28	18,520	18,520	나452나(2)	C4523660	302.23	19,160	19,160	
1802	12771	Mangane(Mn)	24hr Urine	AAS	나452나(2)	C4523660	298.28	18,520	18,520	나452나(2)	C4523660	302.23	19,160	19,160	
1803	12772	Mangane(Mn)	Random Urine	AAS	나452나(2)	C4523660	298.28	18,520	18,520	나452나(2)	C4523660	302.23	19,160	19,160	
1804	26910	Marfan, FBN1 gene mutation	EDTA Blood	Sequencing				0	899,000				0	899,000	
1805	82110	Massons Trichrome Stain	Tissue		나553	C5532	120.97	7,510	7,510	나553나	C5532	121.67	7,710	7,710	
1806	13210	Matrix Metalloproteinase-8	Amniotic Fluid	ICA				0	115,000				0	115,000	
1807	11150	MDA(Malonedialdehyde)	EDTA Plasma	Colorimetry				0	30,000				0	34,500	
1808	65690	MDMA (Ecstasy)	Random Urine	ICA	나450가(2)	C4502390	137.23	8,520	8,520	나450가(2)	C4502390	130.9	8,300	8,300	
1809	41700	Measles virus (CF)	SST Serum	CF	나468가	C4681480	179.03	11,120	11,120				0	15,000	국외수탁
1810	41701	Measles virus (CF)	CSF	CF	나468가	C4681480	179.03	11,120	11,120				0	15,000	국외수탁
1811	41680	Measles virus IgG(ELISA)	SST Serum	ELISA	나468나	C4682486	259.55	16,120	16,120	나468나(1)	C4682486	263.15	16,680	16,680	
1812	41681	Measles virus IgG(ELISA)	CSF	ELISA	나468나	C4682486	259.55	16,120	16,120	나468나(1)	C4682486	263.15	16,680	16,680	
1813	41690	Measles virus IgM(ELISA)	SST Serum	ELISA	나468나	C4683486	257.02	15,960	15,960	나468나(2)	C4683486	258.09	16,360	16,360	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1814	41691	Measles virus IgM(ELISA)	CSF	ELISA	나468나	C4683486	257.02	15,960	15,960	나468나(2)	C4683486	258.09	16,360	16,360	
1815	42560	Measles virus RNA	CSF	Nephelometry				0	250,000				0	288,000	국외수탁
1816	41720	Measles virus(NT)	SST Serum	Neutralization	나468라(1)	CY401126	594.43	36,910	36,910				0	60,000	국외수탁
1817	41721	Measles virus(NT)	CSF	Neutralization	나468라(1)	CY401126	594.43	36,910	36,910				0	60,000	국외수탁
1818	81540	Melan A (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1819	25660	MELAS, MT-TL1 sequencing	EDTA Blood	Sequencing	노595	CZ610		0	70,000	노595	CZ610		0	70,000	
1820	26730	MEN2(FMTC), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006	2956.01	183,570	183,570	나599나(3)	CY571006	2955.94	187,410	187,410	
1821	26740	MEN2(MEN2A), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006	2956.01	183,570	183,570	나599나(3)	CY571006	2955.94	187,410	187,410	
1822	26750	MEN2(MEN2B), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006	2956.01	183,570	183,570	나599나(3)	CY571006	2955.94	187,410	187,410	
1823	12780	Mercury(Hg)	Hp Blood	AAS	나452나(2)	C4523640	298.28	18,520	18,520	나452나(2)	C4523640	302.23	19,160	19,160	
1824	12781	Mercury(Hg)	24hr Urine	AAS	나452나(2)	C4523640	298.28	18,520	18,520	나452나(2)	C4523640	302.23	19,160	19,160	
1825	12782	Mercury(Hg)	Random Urine	AAS	나452나(2)	C4523640	298.28	18,520	18,520	나452나(2)	C4523640	302.23	19,160	19,160	
1826	51915	MERRF Major Mutation	EDTA Blood	Sequencing	노595	CZ611		0	50,000	노595	CZ611		0	50,000	
1827	51916	MERRF, MT-TK sequencing	EDTA Blood	Sequencing	노595	CZ611		0	70,000	노595	CZ611		0	70,000	
1828	20520	Met Hemoglobin	EDTA Blood		나382가	C3821	52.1	3,240	3,240	나382가	C3821	51.31	3,250	3,250	
1829	00885	Metanephrine 2F(HPLC)	24hr Urine	HPLC	너228	CY284006+ CY285006		38,520	38,520	너228	CY284006+ CY285006		39,340	39,340	
1830	00886	Metanephrine(HPLC)	24hr Urine	HPLC	너228	CY284006	310.2	19,260	19,260	너228라	CY284006	310.2	19,670	19,670	
1831	00892	Metanephrine,Total(HPLC)	24hr Urine	HPLC	너228	CY284006	310.2	19,260	19,260	너228라	CY284006	310.2	19,670	19,670	
1832	65430	Methamphetamine 정성	Random Urine	ICA	나450가(2)	C4502390	137.23	8,520	8,520	나450가(2)	C4502390	130.9	8,300	8,300	
1833	10750	Methanol	Random Urine	G.C	나450나(4)	CX375696	542.51	33,690	33,690				0	148,500	국외수탁
1834	65640	Methotrexate(MTX)	SST Serum	FPIA	나450나(2)	C4504130	233.4	14,490	14,490	나450나(2)	C4504130	238.27	15,110	15,110	
1835	12230	Methylhippuric acid	Random Urine	HPLC	나451나(3)	CY373040	399.4	24,800	24,800	나451나(3)	CY373040	399.4	25,320	25,320	
1836	10760	Methylmalonic Acid	Random Urine	GC/MSD	노340	CZ340		0	30,000	노340	CZ340		0	34,500	
1837	10761	Methylmalonic Acid	24hr Urine	GC/MSD	노340	CZ340		0	30,000	노340	CZ340		0	34,500	
1838	10770	Methylmalonic acid 정량	24hr Urine	GC/MSD	노340	CZ340		0	25,900	노340	CZ340		0	25,900	
1839	10771	Methylmalonic acid 정량	Random Urine	GC/MSD	노340	CZ340		0	25,900	노340	CZ340		0	25,900	
1840	10772	Methylmalonic acid 정량	EDTA Plasma	GC/MSD	노340	CZ340		0	25,900	노340	CZ340		0	25,900	
1841	10120	Mg	SST Serum	Colorimetry	나379사	C3797	27.24	1,690	1,690	나379사	C3797	27.22	1,730	1,730	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1842	10121	Mg	24hr Urine	Colorimetry	나379사	C3797	27.24	1,690	1,690	나379사	C3797	27.22	1,730	1,730	
1843	10122	Mg	Random Urine	Colorimetry	나379사	C3797	27.24	1,690	1,690	나379사	C3797	27.22	1,730	1,730	
1844	20280	Microalbumin	24hr Urine	RIA	나230나	C7230	183.21	11,380	11,380	나230나주	C7230	164.97	10,460	10,460	
1845	20281	Microalbumin	Random Urine	RIA	나230나	C7230	183.21	11,380	11,380	나230나주	C7230	164.97	10,460	10,460	
1846	20290	Microalbumin 정성	Random Urine	Strip	나230가	C2301	13.56	840	840	나230가	C2301	12.84	810	810	
1847	50841	Micro-ELISA Test(BF)	Body Fluid	Micro-ELISA	나472나	C4722796	272.68	16,930	16,930	나472나(1)	C4722796	271.93	17,240	17,240	
1848	50850	Micro-ELISA Test(CSF)	CSF	Micro-ELISA	나472나	C4722796	272.68	16,930	16,930	나472나(1)	C4722796	271.93	17,240	17,240	
1849	50840	Micro-ELISA Test(S)	SST Serum	Micro-ELISA	나472나	C4722796	272.68	16,930	16,930	나472나(1)	C4722796	271.93	17,240	17,240	
1850	51900	Mitochondrial DNA MELAS	EDTA Blood	PCR-RFLP	너562다	CY623006	416.69	77,640	77,640	너562다	CY623006	416.68	79,260	79,260	
1851	51910	Mitochondrial DNA MERRF	EDTA Blood	PCR-RFLP	너562라	CY624006	416.61	25,880	25,880	너562라	CY624006	416.68	26,420	26,420	
1852	30050	Mixing Test	SC Plasma	Nephelometry	나177	B1770006	201.09	12,490	12,490	나177	B1770006	197.66	12,530	12,530	
1853	26420	MLH1gene mutation analysis	EDTA Blood	Sequencing	나599나(2)	CY711006	5911.64	367,110	367,110	나599나(2)	CY711006	5911.54	374,790	374,790	
1854	30450	MN 혈액형검사	복수검체	Tube	나203	B2030006	84.6	5,250	5,250	나203	B2030006	81.03	5,140	5,140	
1855	28060	MODY3 Mutation Analysis	EDTA Blood	Sequencing				0	348,000				0	348,000	
1856	65440	Morphine	Random Urine	ICA	나450가(2)	C4502390	137.23	8,520	8,520	나450가(2)	C4502390	130.9	8,300	8,300	
1857	30060	MPV	EDTA Blood	자동혈구계산법				0	1,200				0	1,400	
1858	02090	MSAFP	SST Serum	RIA	나421나	C7421	170.9	10,610	10,610	나421나주	C7421	167.6	10,630	10,630	
1859	01861	MS-AFP	SST Serum	RIA	나421나	C7421	170.9	10,610	10,610	나421나주	C7421	167.6	10,630	10,630	
1860	26430	MSH2 gene	EDTA Blood	Sequencing	나599나(2)	CY712006	5911.64	367,110	367,110	나599나(2)	CY712006	5911.54	374,790	374,790	
1861	01862	MS-hCG	SST Serum	RIA	나352	C7352	189.88	11,790	11,790	나352주	C7352	181.82	11,530	11,530	
1862	27674	MSI Test	Other		너574	CX574006	2596.62	161,250	161,250	너574	CX574006	2596.61	164,630	164,630	
1863	01863	MS-uE3	SST Serum	RIA	나327	C7327	199.87	12,410	12,410	나327주	C7327	181.59	11,510	11,510	
1864	42606	MTB & NTM PCR	Sputum	PCR+Hybridization	나595-1	C6021006	600.17	37,270	37,270	나595-1가	C6021006	618.5	39,210	39,210	
1865	27265	MTHFR	EDTA Blood	PCR-RFLP	너562아	CY628006	416.69	25,880	25,880	너562아	CY628006	416.68	26,420	26,420	
1866	71040	Mucin clot test	Joint Fluid	Manual	나54	B0540	10.92	680	680	나54	B0540	11.09	700	700	
1867	10780	Mucopolysaccharidosis 선별	Random Urine		나444나	C4442	73.31	4,550	4,550	나444나	C4442	69.84	4,430	4,430	
1868	10790	Mucopolysaccharidosis 확진	복수검체		노321	CZ033		0	221,000	노321	CZ033		0	221,000	
1869	20310	Mucoprotein	SST Serum					0	11,000				0	165,000	국외수탁
1870	60040	Multi Allergens-Epidermals	SST Serum	FEIA				0	30,000				0	35,000	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1871	60050	Multi Allergens-Food child	SST Serum	FEIA				0	30,000				0	35,000	국외수탁
1872	60060	Multi Allergens-Foods	SST Serum	FEIA				0	30,000				0	35,000	국외수탁
1873	60070	Multi Allergens-Grasses	SST Serum	FEIA				0	30,000				0	35,000	국외수탁
1874	60080	Multi Allergens-Molds	SST Serum	FEIA				0	30,000				0	35,000	국외수탁
1875	60090	Multi Allergens-Weeds	SST Serum	FEIA				0	30,000				0	35,000	국외수탁
1876	42180	Mumps Culture	Random Urine	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
1877	41730	Mumps virus IgG (ELISA)	SST Serum	ELISA	나468나	C4682506	259.55	16,120	16,120	나468나(1)	C4682506	263.15	16,680	16,680	
1878	41731	Mumps virus IgG (ELISA)	CSF	ELISA	나468나	C4682506	259.55	16,120	16,120	나468나(1)	C4682506	263.15	16,680	16,680	
1879	41740	Mumps virus IgM (ELISA)	SST Serum	ELISA	나468나	C4683506	257.02	15,960	15,960	나468나(2)	C4683506	258.09	16,360	16,360	
1880	41741	Mumps virus IgM (ELISA)	CSF	ELISA	나468나	C4683506	257.02	15,960	15,960	나468나(2)	C4683506	258.09	16,360	16,360	
1881	42590	Mumps virus RNA(RT-PCR)	CSF	RT-PCR				0	350,000				0	402,500	국외수탁
1882	41750	Mumps virus(CF)	SST Serum	CF	나468가	C4681500	179.03	11,120	11,120				0	15,000	국외수탁
1883	41751	Mumps virus(CF)	CSF	CF	나468가	C4681500	179.03	11,120	11,120				0	15,000	국외수탁
1884	41760	Mumps virus(HI)	SST Serum	HI	나468가	C4681500	179.03	11,120	11,120				0	15,000	국외수탁
1885	41761	Mumps virus(HI)	CSF	HI	나468가	C4681500	179.03	11,120	11,120				0	15,000	국외수탁
1886	41770	Mumps virus(NT)	SST Serum	Neutralization	나468라(1)	CY401136	594.43	36,910	36,910				0	15,000	국외수탁
1887	41771	Mumps virus(NT)	CSF	Neutralization	나468라(1)	CY401136	594.43	36,910	36,910				0	15,000	국외수탁
1888	80695	Muscle Biopsy	Tissue					77,580	77,580				0	77,580	
1889	50870	Mycoplasma Ab	SST Serum	PA	나474가	C4741820	78.01	4,840	4,840	나474가	C4741820	73.52	4,660	4,660	
1890	50871	Mycoplasma Ab	Body Fluid	PA	나474가	C4741820	78.01	4,840	4,840	나474가	C4741820	73.52	4,660	4,660	
1891	42620	Mycoplasma genitalium PCR	분비물	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1892	71190	Mycoplasma hominis culture	Other	Culture	너301	BY301006	363.17	22,550	22,550	너301가	BY301006	363.17	23,020	23,020	
1893	42630	Mycoplasma hominis PCR	Random Urine	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1894	52300	Mycoplasma pneumoniae IgG	SST Serum	EIA	나474나	C4742826	203.47	12,640	12,640	나474나(1)	C4742826	204.59	12,970	12,970	
1895	52310	Mycoplasma pneumoniae IgM	SST Serum	EIA	나474나	C4743826	203.09	12,610	12,610	나474나(2)	C4743826	203.84	12,920	12,920	
1896	52311	Mycoplasma pneumoniae IgM	CSF	EIA	나474나	C4743826	203.09	12,610	12,610	나474나(2)	C4743826	203.84	12,920	12,920	
1897	42640	Mycoplasma pneumoniae PCR	Sputum	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1898	01326	Myelin basic protein	CSF	RIA	노428	CZ428		0	200,000				0	230,000	국외수탁
1899	01330	Myoglobin	SST Serum	CLIA	나384나	C3842	230.13	14,290	14,290	나384나	C3842	231.19	14,660	14,660	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1900	01331	Myoglobin	Random Urine	CLIA	나384나	C3842	230.13	14,290	14,290	나384나	C3842	231.19	14,660	14,660	
1901	01340	Myosin light chain 1	SST Serum	EIA				0	60,000				0	62,000	국외수탁
1902	25681	Myotonic Muscular Dystroph	EDTA Blood	Southern blot	나598	C5980006	925.94	63,250	63,250	나598카	C5980006	1014.65	64,330	64,330	
1903	25680	Myotonic Muscular Dystrophy	EDTA Blood	PCR	너573+나598	CY539006+C5987006		121,650	121,650	너573외	CY539006외		123,130	123,130	
1904	71080	N. gonorrhoeae Culture	Other	Culture	나405가	B4051	147.78	9,180	9,180	나405가	B4051	152.96	9,700	9,700	
1905	42650	N. gonorrhoeae PCR	분비물	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
1906	50464	N. meningitis	CSF	Latex	나408	B4080	102.14	6,340	6,340	나408	B4080	96.52	6,120	6,120	
1907	65090	N-Acethylprocainamide	SST Serum		나450나(2)	C4504390	233.4	14,490	14,490				0	68,000	국외수탁
1908	65091	N-Acethylprocainamide	Hp Plasma		나450나(2)	C4504390	233.4	14,490	14,490				0	68,000	국외수탁
1909	12240	N-acetyl-aspartic acid	Random Urine	GC/MSD				0	50,000				0	57,500	
1910	10450	NAG	24hr Urine	Colorimetry				0	21,000				0	24,150	국외수탁
1911	10451	NAG	Random Urine	Colorimetry				0	21,000				0	24,150	국외수탁
1912	01600	NCC-ST-439	SST Serum	EIA				0	46,000				0	52,900	국외수탁
1913	11685	Neonatal Biotinidase	Blood Paper	FIA	노333	CZ333		0	20,000	노333	CZ333		0	23,000	
1914	00240	Neonatal Free T4	Blood Paper	EIA	나334	C3340	169.33	10,520	10,520	나334	C3340	170.42	10,800	10,800	
1915	11705	Neonatal GALT	Blood Paper	FIA	노337	CZ039		0	20,000	노337	CZ039		0	23,000	
1916	00250	Neonatal T4	Blood Paper	FIA	나333	C3330	164.54	10,220	10,220	나333	C3330	164.46	10,430	10,430	
1917	00260	Neonatal-TSH	Blood Paper	FIA	나336	C3360	205.49	12,760	12,760	나336	C3360	210.44	13,340	13,340	
1918	12250	Neopterin	SST Serum	HPLC	노288	CZ288		0	140,000				0	161,000	국외수탁
1919	12251	Neopterin	Random Urine	HPLC	노288	CZ288		0	140,000				0	161,000	국외수탁
1920	11715	Neuroblastoma Test(Screen)	Urine Paper	EIA	나321외	C3213외		0	17,790	나321외	C3213외		18,500	18,500	
1921	27780	Neurofibromatosis,NF2 gene	EDTA Blood	Sequencing	노595	CZ598		0	606,000	노595	CZ598		0	606,000	
1922	81120	Neurofilament (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1923	30021	Neutrophil Seg	EDTA Blood	자동혈구계산법	나109가	B1091	25.78	1,600	1,600	나109가	B1091	25.56	1,620	1,620	
1924	12792	Nickel(Ni)	SST Serum	AAS	나452나(2)	C4523990	298.28	18,520	18,520				0	120,000	국외수탁
1925	11981	Nicotine 정량 (P)	Hp Plasma	GC/MSD				0	120,000				0	120,000	국외수탁
1926	11982	Nicotine 정량 (U)	Random Urine	GC/MSD				0	120,000				0	120,000	국외수탁
1927	11300	Nicotinic acid(Niacin)	Hp Blood	Bioassay	너153	CY158	109.91	6,830	6,830				0	270,000	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1928	65280	Nitrazepam	SST Serum	HPLC	나450나(3)	CX374030	262.87	16,320	16,320				0	50,000	국외수탁
1929	12270	N-methyl formamide	Random Urine	GC/MSD	나451나(3)	CY373060	399.4	24,800	24,800	나451나(3)	CY373060	399.4	25,320	25,320	
1930	12275	N-methyl formamide(아산)	Random Urine	GC/NPD	나451나(3)	CY373060	399.4	24,800	24,800	나451나(3)	CY373060	399.4	25,320	25,320	
1931	65740	N-methylacetamide(NMAC)	Random Urine	GC/MSD	나451	CY373290	399.4	24,800	24,800	나451나(3)	CY373290	399.4	25,320	25,320	
1932	27540	NMP22	Random Urine	ELISA	너322	CY323	283.45	17,600	17,600	너322다	CY323	283.39	17,970	17,970	
1933	25790	N-myc	복수검체	PCR	나598	C5988006	1004.98	62,410	62,410	나598아	C5988006	987.56	62,610	62,610	
1934	30150	Nonspecific esterase stain	Bone Marrow Slide		나118	B1188006	85	5,280	5,280	나118바	B1188006	85.01	5,390	5,390	
1935	30151	Nonspecific esterase stain	Blood Smear Slide		나118	B1188006	85	5,280	5,280	나118바	B1188006	85.01	5,390	5,390	
1936	26960	Noonan Syndrome, PTPN11	EDTA Blood	Sequencing	노595	CZ621		0	291,000	노595	CZ621		0	291,000	
1937	00845	Norepinephrine(HPLC)	24hr Urine	HPLC	너228	CY282006	310.2	19,260	19,260	너228나	CY282006	310.2	19,670	19,670	
1938	00846	Norepinephrine(HPLC)	EDTA Plasma	HPLC	너228	CY282006	310.2	19,260	19,260	너228나	CY282006	310.2	19,670	19,670	
1939	00887	Normetanephine(HPLC)	24hr Urine	HPLC	너228	CY285006	310.2	19,260	19,260	너228마	CY285006	310.2	19,670	19,670	
1940	65661	Nortriptyline	Plain Blood	LC/MS/MS	나450	CX375696	542.51	33,690	33,690	나450나(4)	CX375696	542.51	34,400	34,400	
1941	01615	NSE (ECLIA)	SST Serum	ECLIA	나431	C4310	308.31	19,150	19,150	나431	C4310	309.04	19,590	19,590	
1942	81280	NSE(IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1943	01350	NT-pro BNP	SST Serum	ECLIA	노208	CZ208		0	50,000	노208	CZ208		0	57,500	
1944	12280	NTx	Random Urine	ELISA	나393-1	C3931	209.88	13,030	13,030	나393-1	C3931	212.18	13,450	13,450	
1945	12281	NTx	24hr Urine	ELISA	나393-1	C3931	209.88	13,030	13,030	나393-1	C3931	212.18	13,450	13,450	
1946	20320	Oligoclonal IgG band	CSF	Electrophoresis	너182	BX182006	215.52	13,380	13,380	너182	BX182006	215.52	13,660	13,660	
1947	65450	Opiates	Random Urine	CLIA	나450가(2)	C4502390	137.23	8,520	8,520	나450가(2)	C4502390	130.9	8,300	8,300	
1948	12290	Organic Acid	Random Urine	GC/MSD	너345다	CY348006	3333.26	207,000	207,000	너345다	CY348006	3333.25	211,330	211,330	
1949	12310	Orotic acid	24hr Urine	Spectrophotometry	너345가	CY349	339.94	21,110	21,110	너345가(6)	CY349	339.91	21,550	21,550	
1950	12320	Osmolality	SST Serum	Osmometer	나380	C3800	52.83	3,280	3,280	나380	C3800	53.27	3,380	3,380	
1951	12321	Osmolality	24hr Urine	Osmometer	나380	C3800	52.83	3,280	3,280	나380	C3800	53.27	3,380	3,380	
1952	12322	Osmolality	Random Urine	Osmometer	나380	C3800	52.83	3,280	3,280	나380	C3800	53.27	3,380	3,380	
1953	12335	Osmolality(S)-10회	SST Serum	Osmometer	나380	C3800	52.83	3,280	3,280	나380	C3800	53.27	3,380	3,380	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1954	12336	Osmolality(S)-11회	SST Serum	Osmometer	나380	C3800	52.83	3,280	3,280	나380	C3800	53.27	3,380	3,380	
1955	12337	Osmolality(S)-12회	SST Serum	Osmometer	나380	C3800	52.83	3,280	3,280	나380	C3800	53.27	3,380	3,380	
1956	12338	Osmolality(S)-13회	SST Serum	Osmometer	나380	C3800	52.83	3,280	3,280	나380	C3800	53.27	3,380	3,380	
1957	12339	Osmolality(S)-14회	SST Serum	Osmometer	나380	C3800	52.83	3,280	3,280	나380	C3800	53.27	3,380	3,380	
1958	12325	Osmolality(S)-1회	SST Serum	Osmometer	나380	C3800	52.83	3,280	3,280	나380	C3800	53.27	3,380	3,380	
1959	12326	Osmolality(S)-2회	SST Serum	Osmometer	나380	C3800	52.83	3,280	3,280	나380	C3800	53.27	3,380	3,380	
1960	12327	Osmolality(S)-3회	SST Serum	Osmometer	나380	C3800	52.83	3,280	3,280	나380	C3800	53.27	3,380	3,380	
1961	12328	Osmolality(S)-4회	SST Serum	Osmometer	나380	C3800	52.83	3,280	3,280	나380	C3800	53.27	3,380	3,380	
1962	12329	Osmolality(S)-5회	SST Serum	Osmometer	나380	C3800	52.83	3,280	3,280	나380	C3800	53.27	3,380	3,380	
1963	12331	Osmolality(S)-6회	SST Serum	Osmometer	나380	C3800	52.83	3,280	3,280	나380	C3800	53.27	3,380	3,380	
1964	12332	Osmolality(S)-7회	SST Serum	Osmometer	나380	C3800	52.83	3,280	3,280	나380	C3800	53.27	3,380	3,380	
1965	12333	Osmolality(S)-8회	SST Serum	Osmometer	나380	C3800	52.83	3,280	3,280	나380	C3800	53.27	3,380	3,380	
1966	12334	Osmolality(S)-9회	SST Serum	Osmometer	나380	C3800	52.83	3,280	3,280	나380	C3800	53.27	3,380	3,380	
1967	12330	Osmotic fragility	복수검체	Tube	나113	B1131006	86.26	5,360	5,360	나113	B1131006	87.53	5,550	5,550	
1968	01925	Osteocalcin (ECLIA)	SST Serum	ECLIA	나363	C3630	171.2	10,630	10,630	나363	C3630	173.26	10,980	10,980	
1969	30470	Other blood typing	EDTA Blood	Tube	나203	B2030006	84.6	5,250	5,250	나203	B2030006	81.03	5,140	5,140	
1970	81220	Other(IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
1971	10800	Oxalic acid	24hr Urine	Enzyme	노339	CZ339		0	36,000	노339	CZ339		0	41,400	
1972	65460	Oxcarbazepine & Metabolite	SST Serum	HPLC	나450	CX374690	262.87	16,320	16,320	나450나(3)	CX374690	262.87	16,670	16,670	
1973	00120	Oxytocin	전용용기 혈장	RIA	노201	CZ201		0	80,000				0	92,000	국외수탁
1974	25840	p53 exon 4(LOH)	Tissue	PCR-RFLP	노596가	CZ894		0	80,000	노596가	CZ894		0	92,000	
1975	30690	PAI-1	SC Plasma	ELISA	너80나	BY802	170.91	10,610	10,610	너80나	BY802	170.91	10,840	10,840	
1976	10245	Pancreatic Amylase	SST Serum	Enzyme	나261나	B2612	54.58	3,390	3,390	나261나	B2612	54.28	3,440	3,440	
1977	10246	Pancreatic Amylase	Random Urine	Enzyme	나261나	B2612	54.58	3,390	3,390	나261나	B2612	54.28	3,440	3,440	
1978	01630	PAP	SST Serum	CLIA	나429	C4290	215.98	13,410	13,410	나429	C4290	198.93	12,610	12,610	
1979	80005	Pap smear	Cervix	Pap stain	나592	C5920	91.51	5,680	5,680	나592	C5920	90.89	5,760	5,760	
1980	80006	Pap smear(A)	Cervix	Pap stain	나592	C5920	91.51	5,680	5,680	나592	C5920	90.89	5,760	5,760	
1981	80007	Pap smear(T)	Cervix	Pap stain	나592	C5920	91.51	5,680	5,680	나592	C5920	90.89	5,760	5,760	
1982	01841	PAPP-A	SST Serum	RIA	노212	CZ212		0	20,000	노212	CZ212		0	23,000	
1983	28100	Paraffin Treatment	Tissue					0	65,000				0	65,000	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
1984	42195	Parainfluenza culture	Other	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
1985	43560	Parainfluenza V. Ag(DFA)	Other	DFA	나469	C4690596	202.6	12,580	12,580	나469	C4690596	202.85	12,860	12,860	
1986	41810	Parainfluenza V. Type 1(HI)	SST Serum	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
1987	41811	Parainfluenza V. Type 1(HI)	CSF	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
1988	41820	Parainfluenza V. Type 2(HI)	SST Serum	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
1989	41821	Parainfluenza V. Type 2(HI)	CSF	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
1990	41830	Parainfluenza V. Type 3(HI)	SST Serum	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
1991	41831	Parainfluenza V. Type 3(HI)	CSF	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
1992	41840	Parainfluenza V. Type 4(HI)	SST Serum	HI	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
1993	52190	Paraneoplastic antibody	SST Serum	IFA				0	89,000				0	93,000	
1994	52191	Paraneoplastic antibody	CSF	IFA				0	89,000				0	93,000	
1995	12345	Paraquot	Random Urine	HPLC	나450나(4)	CX375046	542.51	33,690	33,690	나450나(3)	CX374040	262.87	16,670	16,670	
1996	12340	Paraquot (Gramoxone)	SST Serum	HPLC	나450나(3)	CX374040	262.87	16,320	16,320	나450나(3)	CX374040	262.87	16,670	16,670	
1997	42660	Parvo virus B19 DNA	SST Serum	PCR	나595	C5952006	385.83	23,960	23,960	나595나	C5952006	387.6	24,570	24,570	
1998	41780	Parvo virus B19 IgG	SST Serum	ELISA	나468나	C4682596	259.55	16,120	16,120	나468나(1)	C4682596	263.15	16,680	16,680	
1999	41781	Parvo virus B19 IgG	Body Fluid	ELISA	나468나	C4682596	259.55	16,120	16,120	나468나(1)	C4682596	263.15	16,680	16,680	
2000	41790	Parvo virus B19 IgM	SST Serum	ELISA	나468나	C4683596	257.02	15,960	15,960	나468나(2)	C4683596	258.09	16,360	16,360	
2001	41791	Parvo virus B19 IgM	Body Fluid	ELISA	나468나	C4683596	257.02	15,960	15,960	나468나(2)	C4683596	258.09	16,360	16,360	
2002	30160	PAS Stain	Bone Marrow Slide	Stain	나118	B1187006	85.29	5,300	5,300	나118마	B1187006	85.6	5,430	5,430	
2003	30161	PAS Stain	Blood Smear Slide	Stain	나118	B1187006	85.29	5,300	5,300	나118마	B1187006	85.6	5,430	5,430	
2004	82100	PAS Stain	Tissue		나553	C5533	120.97	7,510	7,510	나553다	C5533	121.67	7,710	7,710	
2005	80603	PAS Stain(한병리)	Tissue		나553	C5533	120.97	7,510	7,510	나553다	C5533	121.67	7,710	7,710	
2006	30070	PCT	EDTA Blood	자동혈구계산법				0	1,200				0	1,400	
2007	30080	PDW	EDTA Blood	자동혈구계산법	나123	B1230	5.79	360	360	나123	B1230	5.79	370	370	
2008	31085	PEG Coombs Anti IgG	EDTA Blood		나204	B2048106	58.95	3,660	3,660	나204나주·주	B2048106	63.16	4,000	4,000	
2009	02016	Pepsinogen I	SST Serum	ELISA	나362	C3620	281.28	17,470	17,470	나362	C3620	268.69	17,030	17,030	
2010	02026	Pepsinogen II	SST Serum	ELISA	나362	C3620	281.28	17,470	17,470	나362	C3620	268.69	17,030	17,030	
2011	02030	Pepsinogen I/II	SST Serum	CLEIA				0	50,000				0	58,000	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2012	30170	Peroxidase stain	Bone Marrow Slide	Stain	나118	B1186006	84.63	5,260	5,260	나118라	B1186006	84.27	5,340	5,340	
2013	30171	Peroxidase stain	Blood Smear Slide	Stain	나118	B1186006	84.63	5,260	5,260	나118라	B1186006	84.27	5,340	5,340	
2014	65470	Phencyclidine 정성	Random Urine	ICA	나450가(2)	C4502390	137.23	8,520	8,520	나450가(2)	C4502390	130.9	8,300	8,300	
2015	65290	Phenobarbital	SST Serum	FPA	나450나(2)	C4504020	233.4	14,490	14,490	나450나(2)	C4504020	238.27	15,110	15,110	
2016	12805	Phenol	Random Urine	GC/MS	나451나(3)	CY373290	399.4	24,800	24,800	나451나(3)	CY373290	399.4	25,320	25,320	
2017	65300	Phenytoin	SST Serum	FPA	나450나(2)	C4504050	233.4	14,490	14,490	나450나(2)	C4504050	238.27	15,110	15,110	
2018	65310	Phenytoin,Free	SST Serum	FPIA	나450나(2)	C4504390	233.4	14,490	14,490	나450나(2)	C4504390	238.27	15,110	15,110	
2019	10130	Phosphate(Pi)	SST Serum	Colorimetry	나379라	C3794	19.35	1,200	1,200	나379라	C3794	19.21	1,220	1,220	
2020	10131	Phosphate(Pi)	24hr Urine	Colorimetry	나379라	C3794	19.35	1,200	1,200	나379라	C3794	19.21	1,220	1,220	
2021	10132	Phosphate(Pi)	Random Urine	Colorimetry	나379라	C3794	19.35	1,200	1,200	나379라	C3794	19.21	1,220	1,220	
2022	01070	Phospholipase A2	SST Serum	RIA				0	120,000				0	107,000	국외수탁
2023	11160	Phospholipid	SST Serum	Enzyme	나244	C2442	45.6	2,830	2,830	나244나	C2442	42.28	2,680	2,680	
2024	11161	Phospholipid	Body Fluid	Enzyme	나244	C2442	45.6	2,830	2,830	나244나	C2442	42.28	2,680	2,680	
2025	80090	Photo 촬영비	Tissue					0	30,000				0	30,000	
2026	80710	PhotoPap(PapPlus)	Cervix	Pap stain				0	9,000				0	9,000	
2027	11720	Phytanic acid	EDTA Plasma	GC/MSD	노332	CZ332		0	70,000	노332	CZ332		0	80,500	
2028	30700	PIC TEST	SC Plasma					0	40,000				0	40,000	국외수탁
2029	01640	PIVKA-2	SST Serum	EIA	너78	BX078	170.91	10,610	10,610	너78	BX078	170.91	10,840	10,840	
2030	01641	PIVKA-2	EDTA Plasma	EIA	너78	BX078	170.91	10,610	10,610	너78	BX078	170.91	10,840	10,840	
2031	81370	PLAP (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
2032	20530	Plasma Hb	EDTA Plasma	Colorimetry	나383	C3830	48.74	3,030	3,030	나383	C3830	49.18	3,120	3,120	
2033	30710	Plasminogen	SC Plasma	Colorimetry	나188가	B1881	146.85	9,120	9,120	나188가	B1881	150.14	9,520	9,520	
2034	30005	Platelet	EDTA Blood	자동혈구계산법	나106	B1060	12.74	790	790	나106	B1060	12.66	800	800	
2035	51920	Platelet Associated Ab	EDTA Blood	IFA	나502나	C5022006	232.9	14,460	14,460	나502나	C5022006	237.66	15,070	15,070	
2036	25710	PML-RARa (nested RT-PCR)	EDTA Blood	Nested RT-PCR	나597	C5973006	1514.57	94,050	94,050	나597다	C5973006	1544.19	97,900	97,900	
2037	25712	PML-RARa (nested RT-PCR)	Bone Marrow	Nested RT-PCR	나597	C5973006	1514.57	94,050	94,050	나597다	C5973006	1544.19	97,900	97,900	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2038	25713	PML-RARa (real-time PCR)	EDTA Blood	real time PCR	노596	CZ807		0	120,000	노596	CZ807		0	138,000	
2039	25714	PML-RARa (real-time PCR)	Bone Marrow	real time PCR	노596	CZ807		0	120,000	노596	CZ807		0	138,000	
2040	71150	Pneumococcal Ag	Random Urine	ICA	나475나	C4752996	277.66	17,240	17,240	나475나	C4752996	285.42	18,100	18,100	
2041	41880	Pneumocystis carinii Ag	Sputum	DFA	나475	C4752996	277.66	17,240	17,240	나475나	C4752996	285.42	18,100	18,100	
2042	42670	Pneumocystis carinii PCR	Sputum	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
2043	26160	PNH test	EDTA Blood		너42나	BY422006	429.94	53,400	53,400	너42나	BY422006	429.94	54,520	54,520	
2044	26165	PNH test	EDTA Blood		나512	C5120006	443.88	55,120	55,120	나512	C5120006	445.94	56,540	56,540	
2045	41910	Poliovirus Type 1(CF)	SST Serum	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
2046	41911	Poliovirus Type 1(CF)	CSF	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
2047	42010	Poliovirus Type 1(NT)	SST Serum	Neutralization	나468라(1)	CY401096	594.43	36,910	36,910				0	60,000	국외수탁
2048	42011	Poliovirus Type 1(NT)	CSF	Neutralization	나468라(1)	CY401096	594.43	36,910	36,910				0	60,000	국외수탁
2049	41920	Poliovirus Type 2(CF)	SST Serum	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
2050	41921	Poliovirus Type 2(CF)	CSF	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
2051	42020	Poliovirus Type 2(NT)	SST Serum	Neutralization				0	36,910				0	60,000	국외수탁
2052	42021	Poliovirus Type 2(NT)	CSF	Neutralization				0	36,910				0	60,000	국외수탁
2053	41930	Poliovirus Type 3(CF)	SST Serum	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
2054	41931	Poliovirus Type 3(CF)	CSF	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
2055	42030	Poliovirus Type 3(NT)	SST Serum	Neutralization	나468라(1)	CY401096	594.43	36,910	36,910				0	60,000	국외수탁
2056	42031	Poliovirus Type 3(NT)	CSF	Neutralization	나468라(1)	CY401096	594.43	36,910	36,910				0	60,000	국외수탁
2057	42205	Polyomavirus culture	BAL fluid	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
2058	42685	Polyomavirus(BK) PCR QN	EDTA Plasma	real time PCR	노598	CZ966		0	93,500	노598	CZ966		0	98,000	
2059	42686	Polyomavirus(BK) PCR QN	Random Urine	real time PCR	노598	CZ966		0	93,500	노598	CZ966		0	98,000	
2060	42680	Polyomavirus(BK,JC) PCR	EDTA Blood	Nested PCR	너563	CY059006	497.06	30,870	30,870	너563사	CY059006	497.16	31,520	31,520	
2061	42681	Polyomavirus(BK,JC) PCR	BAL fluid	Nested PCR	너563	CY059006	497.06	30,870	30,870	너563사	CY059006	497.16	31,520	31,520	
2062	11770	Porphobilinogen 정량	Random Urine	Colorimetry	나389나(2)	C3893	170.38	10,580	10,580	나389나(2)	C3893	172.9	10,960	10,960	
2063	11771	Porphobilinogen 정량	24hr Urine	Colorimetry	나389나(2)	C3893	170.38	10,580	10,580	나389나(2)	C3893	172.9	10,960	10,960	
2064	11760	Porphobilinogen 정성	Random Urine	Colorimetry	나389가	C3891	12.16	760	760	나389가	C3891	11.59	730	730	
2065	25730	post-BMT	EDTA Blood		너571나(1)	CY575006	2596.65	161,250	161,250	너571나(1)	CY575006	2596.64	164,630	164,630	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2066	25731	post-BMT	Bone Marrow		너571나(1)	CY575006	2596.65	161,250	161,250	너571나(1)	CY575006	2596.64	164,630	164,630	
2067	25737	post-BMT	EDTA Blood		너571나(1)	CY575006	2596.65	161,250	161,250	너571나(1)	CY575006	2596.64	164,630	164,630	
2068	10140	Potassium(K)	SST Serum	ISE	나379나	C3792	19.37	1,200	1,200	나379나	C3792	19.26	1,220	1,220	
2069	10141	Potassium(K)	24hr Urine	ISE	나379나	C3792	19.37	1,200	1,200	나379나	C3792	19.26	1,220	1,220	
2070	10142	Potassium(K)	Random Urine	ISE	나379나	C3792	19.37	1,200	1,200	나379나	C3792	19.26	1,220	1,220	
2071	25690	PRA class I identification	SST Serum		나522나	C5222006	1288.61	80,020	80,020	나522나	C5222006	1293.88	82,030	82,030	
2072	26265	PRA class I screening	SST Serum	ELISA	나522가	C5221006	716.34	44,480	44,480	나522가	C5221006	725.68	46,010	46,010	
2073	25695	PRA classII identification	SST Serum	ELISA	나522나	C5222006	1288.61	80,020	80,020	나522나	C5222006	1293.88	82,030	82,030	
2074	26266	PRA classII screening	SST Serum	Enzyme	나522가	C5221006	716.34	44,480	44,480	나522가	C5221006	725.68	46,010	46,010	
2075	25746	Prader-Willi syndrome	EDTA Blood	Methylation PCR	노596	CZ832		0	145,000	노596	CZ832		0	145,000	
2076	25747	Prader-Willi/Angelman	EDTA Blood	Methylation PCR	노596	CZ832		0	73,000	노596	CZ832		0	73,000	
2077	20330	Prealbumin	SST Serum	TIA	나221-1	C2215	138.23	8,580	8,580	나221-1	C2215	141.42	8,970	8,970	
2078	25720	pre-BMT	복수검체		너571가(1)	CY573006	3739.2	232,200	232,200	너571가(1)	CY573006	3739.19	237,060	237,060	
2079	25725	pre-BMT	복수검체	DNA Typing	너571가(1)	CY573006	3739.2	232,200	232,200	너571가(1)	CY573006	3739.19	237,060	237,060	
2080	25727	pre-BMT	복수검체		너571가(1)	CY573006	3739.2	232,200	232,200	너571가(1)	CY573006	3739.19	237,060	237,060	
2081	00480	Pregnanediol(Urine)	24hr Urine	G.C				0	65,000				0	75,000	국외수탁
2082	00490	Pregnanetriol	24hr Urine	G.C	노194	CZ198		0	65,000				0	105,000	국외수탁
2083	00500	Pregnenolone	SST Serum	RIA				0	120,000				0	138,000	국외수탁
2084	30940	Prekallikrein	SC Plasma					0	110,000				0	110,000	국외수탁
2085	65320	Primidone	SST Serum	HPLC	나450나(3)	CX374690	262.87	16,320	16,320	나450나(3)	CX374690	262.87	16,670	16,670	
2086	65100	Procainamide	SST Serum	FPIA	나450나(2)	C4504390	233.4	14,490	14,490				0	80,500	국외수탁
2087	01890	Procalcitonin	SST Serum	EIA				0	45,000				0	45,000	
2088	12360	Procollagen III peptide	SST Serum	RIA				0	50,000				0	57,500	국외수탁
2089	00515	Progesterone (CLIA)	SST Serum	CLIA	나346	C3460	159.29	9,890	9,890	나346	C3460	159.01	10,080	10,080	
2090	01080	Proinsulin	SST Serum	RIA	노206	CZ206		0	27,000	노206	CZ206		0	27,000	
2091	00135	Prolactin (CLIA)	SST Serum	CLIA	나351	C3510	168.4	10,460	10,460	나351	C3510	169.83	10,770	10,770	
2092	00141	Prolactin-1회	SST Serum	CLIA	나351	C3510	168.4	10,460	10,460	나351	C3510	169.83	10,770	10,770	
2093	00142	Prolactin-2회	SST Serum	CLIA	나351	C3510	168.4	10,460	10,460	나351	C3510	169.83	10,770	10,770	
2094	00143	Prolactin-3회	SST Serum	CLIA	나351	C3510	168.4	10,460	10,460	나351	C3510	169.83	10,770	10,770	
2095	00144	Prolactin-4회	SST Serum	CLIA	나351	C3510	168.4	10,460	10,460	나351	C3510	169.83	10,770	10,770	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2096	00145	Prolactin-5회	SST Serum	CLIA	나351	C3510	168.4	10,460	10,460	나351	C3510	169.83	10,770	10,770	
2097	00146	Prolactin-6회	SST Serum	CLIA	나351	C3510	168.4	10,460	10,460	나351	C3510	169.83	10,770	10,770	
2098	00147	Prolactin-7회	SST Serum	CLIA	나351	C3510	168.4	10,460	10,460	나351	C3510	169.83	10,770	10,770	
2099	00148	Prolactin-8회	SST Serum	CLIA	나351	C3510	168.4	10,460	10,460	나351	C3510	169.83	10,770	10,770	
2100	65110	Propranolol	SST Serum	HPLC	나450나(3)	CX374340	262.87	16,320	16,320				0	85,000	국외수탁
2101	65111	Propranolol	Hp Plasma	HPLC	나450나(3)	CX374340	262.87	16,320	16,320				0	85,000	국외수탁
2102	31021	Prostaglandin E2	24hr Urine	RIA				0	470,000				0	575,000	국외수탁
2103	30730	Protein C Activity	SC Plasma	Clot-based	나183가	B1831	173.23	10,760	10,760	나183가	B1831	180.58	11,450	11,450	
2104	30740	Protein C Antigen	SC Plasma	ELISA	나183나	B1832	169.27	10,510	10,510	나183나	B1832	172.66	10,950	10,950	
2105	20711	Protein E.P(24h urine)	24hr Urine	Electrophoresis	나300나	B3001006	126.25	7,840	7,840	나300나	B3001006	130.63	8,280	8,280	
2106	20713	Protein E.P(Random urine)	Random Urine	Electrophoresis	나300나	B3001006	126.25	7,840	7,840	나300나	B3001006	130.63	8,280	8,280	
2107	20710	Protein E.P(Serum)	SST Serum	Electrophoresis	나300가	B3000006	115.8	7,190	7,190	나300가	B3000006	120.67	7,650	7,650	
2108	30750	Protein S Activity	SC Plasma	Clot-based	나184가	B1841	171.76	10,670	10,670	나184가	B1841	177.64	11,260	11,260	
2109	30760	Protein S Ag(free)	SC Plasma	ELISA	나184나	B1842	168.56	10,470	10,470	나184나	B1842	171.23	10,860	10,860	
2110	30770	Protein S Ag(total)	SC Plasma	ELISA	나184나	B1842	168.56	10,470	10,470	나184나	B1842	171.23	10,860	10,860	
2111	27895	Prothrombin G20210A Mutati	EDTA Blood	PCR-RFLP	나562	CY621006	413.7	25,880	25,880	나562가	CY621006	416.68	26,420	26,420	
2112	30950	Prothrombin Time	SC Plasma	Clot-based	나154	B1540	25.61	1,590	1,590	나154	B1540	25.91	1,640	1,640	
2113	70860	Protozoa	Stool		나63	B0630	23.84	1,480	1,480	나63	B0630	23.87	1,510	1,510	
2114	01675	PSA (ECLIA)	SST Serum	ECLIA	나428	C4280	240.91	14,960	14,960	나428	C4280	241.02	15,280	15,280	
2115	81000	PSA (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
2116	01090	PSTI	SST Serum	RIA				0	32,000				0	36,800	국외수탁
2117	31050	PT 20210A mutation	EDTA Blood	PCR-RFLP				0	73,000				0	73,000	
2118	01930	PTH	SST Serum	RIA	나340	C7340	255.32	15,860	15,860	나340주	C7340	242.57	15,380	15,380	
2119	01931	PTH	EDTA Plasma	RIA	나340	C7340	255.32	15,860	15,860	나340주	C7340	242.57	15,380	15,380	
2120	01940	PTH related peptide	전용용기 혈장	IRMA	노192	CZ192		0	65,000				0	74,750	국외수탁
2121	01950	PTH-C	SST Serum	RIA				0	26,100				0	30,000	국외수탁
2122	01967	PTH-Intact (ECLIA)	SST Serum	ECLIA	나340	C3400	273.4	16,980	16,980	나340	C3400	278.73	17,670	17,670	
2123	01968	PTH-Intact (ECLIA)	EDTA Plasma	ECLIA	나340	C3400	273.4	16,980	16,980	나340	C3400	278.73	17,670	17,670	
2124	12370	Pyridinoline	Random Urine	HPLC				0	150,000				0	172,500	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2125	10175	Pyrimidine 5-nucleotidase	EDTA Blood	Spectrophotometry	너185	BX185	258.57	16,060	16,060	너185	BX185	258.57	16,390	16,390	
2126	10810	Pyruvic Acid	제단백액	Enzyme	너345가	CY341	339.94	21,110	21,110	너345가(1)	CY341	339.91	21,550	21,550	
2127	10811	Pyruvic Acid	CSF	Enzyme	너345가	CY341	339.94	21,110	21,110	너345가(1)	CY341	339.91	21,550	21,550	
2128	50890	Q-fever (C. burnetti)(NIH)	SST Serum	IFA				0	0				0	0	
2129	02060	Quad Test	SST Serum					0	70,000				0	80,500	
2130	52390	QuantiFERON-TB	전용용기	ELISA	노393	CZ393		0	70,000	노393	CZ393		0	80,500	
2131	65135	Quinidine	SST Serum	FPIA				0	45,500				0	70,000	국외수탁
2132	41637	R. (Rickettsia) 2 type Ab	SST Serum	IFA	나474	C4742836	203.47	25,280	25,280	나474나(1)	C4742836	204.59	25,940	25,940	
2133	51930	R.A Factor	SST Serum	TIA	나490가	C4901	29.03	1,800	1,800	나490가	C4901	26.83	1,700	1,700	
2134	51931	R.A Factor	Body Fluid	TIA	나490가	C4901	29.03	1,800	1,800	나490가	C4901	26.83	1,700	1,700	
2135	51940	R.A Factor 정량	SST Serum	TIA	나490나	C4903	103.05	6,400	6,400	나490나	C4903	103.56	6,570	6,570	
2136	51941	R.A Factor 정량	Body Fluid	TIA	나490나	C4903	103.05	6,400	6,400	나490나	C4903	103.56	6,570	6,570	
2137	41636	R.tsutsugamushi Ab(NIH)	SST Serum	IFA				0	0				0	0	
2138	41630	R.tsutsugamushi(ICA)	SST Serum	ICA	나474가	C4741830	78.01	4,840	4,840	나474가	C4741830	73.52	4,660	4,660	
2139	41635	R.tsutsugamushi(IFA)	SST Serum	IFA	나474나	C4742836	203.47	12,640	12,640	나474나(1)	C4742836	204.59	12,970	12,970	
2140	51960	RA Factor IgA	SST Serum	EIA	노421	CZ421		0	20,000	노421	CZ421		0	23,000	
2141	51950	RA Factor IgG	SST Serum	ELISA	노421	CZ421		0	20,000	노421	CZ421		0	23,000	
2142	52510	Rabies virus(공수병) (NIH)	복수검체					0	0				0	0	
2143	30002	RBC	EDTA Blood	자동혈구계산법	나104	B1040	10.59	660	660	나104	B1040	10.53	670	670	
2144	10470	RBC Enzyme	EDTA Blood					0	205,000				0	205,000	
2145	11290	RBC Folate	EDTA Blood	RIA	나254	C7254	199.28	12,380	12,380	나254주	C7254	188.08	11,920	11,920	
2146	12390	RBC membrane	복수검체		노33	BZ033		0	149,000	노33	BZ033		0	149,000	
2147	30090	RDW	EDTA Blood	자동혈구계산법	나122	B1220	5.79	360	360	나122	B1220	5.79	370	370	
2148	01381	Renin 1회	EDTA Plasma	RIA	나360	C7360	176.22	10,940	10,940	나360주	C7360	172.29	10,920	10,920	
2149	01382	Renin 2회	EDTA Plasma	RIA	나360	C7360	176.22	10,940	10,940	나360주	C7360	172.29	10,920	10,920	
2150	01383	Renin 3회	EDTA Plasma	RIA	나360	C7360	176.22	10,940	10,940	나360주	C7360	172.29	10,920	10,920	
2151	01384	Renin 4회	EDTA Plasma	RIA	나360	C7360	176.22	10,940	10,940	나360주	C7360	172.29	10,920	10,920	
2152	01385	Renin 5회	EDTA Plasma	RIA	나360	C7360	176.22	10,940	10,940	나360주	C7360	172.29	10,920	10,920	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2153	01386	Renin 6회	EDTA Plasma	RIA	나360	C7360	176.22	10,940	10,940	나360주	C7360	172.29	10,920	10,920	
2154	01370	Renin Activity	EDTA Plasma	RIA	나360	C7360	176.22	10,940	10,940	나360주	C7360	172.29	10,920	10,920	
2155	41800	REO virus(CF)	SST Serum	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
2156	41801	REO virus(CF)	CSF	CF	나468가	C4681590	179.03	11,120	11,120				0	15,000	국외수탁
2157	82180	Reticulin Stain	Tissue		나553	C5531	120.97	7,510	7,510	나553가	C5531	121.67	7,710	7,710	
2158	30111	Reticulocyte Count	EDTA Blood	Flow Cytometry	나108나	B1081	20.54	1,280	1,280	나108나	B1081	20.46	1,300	1,300	
2159	11320	Retinol Binding Protein	SST Serum	Nephelometry				0	50,000				0	90,000	국외수탁
2160	27580	Rett Syndrome,MECP2 Sequen	EDTA Blood	Sequencing	노595	CZ642		0	280,000	노595	CZ642		0	280,000	
2161	30420	Rh Ab Titer	SST Serum	Tube	나208	B2080006	127.5	7,920	7,920	나208	B2080006	120.52	7,640	7,640	
2162	30390	Rh(D) Typing	EDTA Blood	SLIDE	나202가	B2021	11.17	690	690	나202가	B2021	11.88	750	750	
2163	30391	Rh(D) Typing	Capillary	Manual	나202가	B2021	11.17	690	690	나202가	B2021	11.88	750	750	
2164	30392	Rh(D) Typing	Cord Blood	Manual	나202가	B2021	11.17	690	690	나202가	B2021	11.88	750	750	
2165	30400	Rh-Hr Subgroup	EDTA Blood	Tube	나202나	B2022006	125.06	7,770	7,770	나202나	B2022006	118.35	7,500	7,500	
2166	42210	Rhino Virus Culture	Other	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
2167	01820	Ri autoantibodies	SST Serum	Western blot	노423	CZ423		0	590,000				0	679,000	국외수탁
2168	01821	Ri autoantibodies	CSF	Western blot	노423	CZ423		0	590,000				0	679,000	국외수탁
2169	41850	Rotavirus Ab (CF)	SST Serum	CF	나468가	C4681520	179.03	11,120	11,120				0	15,000	국외수탁
2170	41851	Rotavirus Ab (CF)	CSF	CF	나468가	C4681520	179.03	11,120	11,120				0	15,000	국외수탁
2171	42290	Rotavirus Ag	Stool	ICA	나469	C4690526	202.6	12,580	12,580	나469	C4690526	202.85	12,860	12,860	
2172	50935	RPR 정밀	SST Serum	라텍스응집비탁법	나460	C4602	25.73	1,600	1,600	나460-1	C4602	25.73	1,630	1,630	
2173	41871	RS virus(NT)	CSF	Neutralization	나468라(1)	CY401146	594.43	36,910	36,910				0	60,000	국외수탁
2174	41860	RSV Ab (CF)	SST Serum	CF	나468가	C4681530	179.03	11,120	11,120				0	15,000	국외수탁
2175	41861	RSV Ab (CF)	CSF	CF	나468가	C4681530	179.03	11,120	11,120				0	15,000	국외수탁
2176	41862	RSV Ab (CF)	Pleural Fluid	CF	나468가	C4681530	179.03	11,120	11,120				0	15,000	국외수탁
2177	41870	RSV Ab(NT)	SST Serum	Neutralization	나468라(1)	CY401146	594.43	36,910	36,910				0	60,000	국외수탁
2178	42300	RSV Ag (DFA)	Other	DFA	나469	C4690536	202.6	12,580	12,580	나469	C4690536	202.85	12,860	12,860	
2179	42225	RSV Culture	Other	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
2180	42820	RSV IgG(IFA)	SST Serum	IFA	나468나	C4682536	259.55	16,120	16,120	나468나(1)	C4682536	263.15	16,680	16,680	
2181	42830	RSV IgM(IFA)	SST Serum	IFA	나468나	C4683536	257.02	15,960	15,960	나468나(2)	C4683536	258.09	16,360	16,360	
2182	43520	Rubella IgG avidity	SST Serum	EIA	노395	CZ395		0	25,000	노395	CZ395		0	28,750	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2183	41940	Rubella IgG(CLIA)	SST Serum	CLIA	나468나	C4682416	259.55	16,120	16,120	나468나(1)	C4682416	263.15	16,680	16,680	
2184	41941	Rubella IgG(CLIA)	CSF	CLIA	나468나	C4682416	259.55	16,120	16,120	나468나(1)	C4682416	263.15	16,680	16,680	
2185	41950	Rubella IgM(CLIA)	SST Serum	CLIA	나468나	C4683416	257.02	15,960	15,960	나468나(2)	C4683416	258.09	16,360	16,360	
2186	41951	Rubella IgM(CLIA)	CSF	CLIA	나468나	C4683416	257.02	15,960	15,960	나468나(2)	C4683416	258.09	16,360	16,360	
2187	42690	Rubella Virus RT-PCR	EDTA Blood	RT-PCR	나596	C5969006	545.34	33,870	33,870	나596라	C5969006	578.72	36,690	36,690	
2188	42691	Rubella Virus RT-PCR	Amniotic Fluid	RT-PCR	나596	C5969006	545.34	33,870	33,870	나596라	C5969006	578.72	36,690	36,690	
2189	42692	Rubella Virus RT-PCR	Other	RT-PCR	나596	C5969006	545.34	33,870	33,870	나596라	C5969006	578.72	36,690	36,690	
2190	52220	S.pneumoniae Ag test	Random Urine	ICA	나475나	C4752996	277.66	17,240	17,240	나475나	C4752996	285.42	18,100	18,100	
2191	52221	S.pneumoniae Ag test	CSF	Latex	나408	B4080	102	6,340	6,340	나408	B4080	96.52	6,120	6,120	
2192	81150	S-100(IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
2193	52160	Saccharomyces cerevisiae Ab	SST Serum	EIA				0	350,000				0	402,500	국외수탁
2194	42700	Salmonella PCR	EDTA Blood	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
2195	42710	Salmonella PCR	CSF	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
2196	26980	SBMA, AR gene	EDTA Blood		너573	CY532006	953.52	59,210	59,210	너573나	CY532006	953.51	60,450	60,450	
2197	27000	SCA profile (1,2,3,6,7,8)	EDTA Blood		너573	CY535006~ CY540006		355,260	355,260	너573	CY535006외		362,700	362,700	
2198	01690	SCA-1	EDTA Blood		너573	CY535006	953.52	59,210	59,210	너573라	CY535006	953.51	60,450	60,450	
2199	01700	SCA-2	EDTA Blood		너573	CY536006	953.52	59,210	59,210	너573라	CY536006	953.51	60,450	60,450	
2200	01710	SCA-3	EDTA Blood		너573	CY537006	953.52	59,210	59,210	너573라	CY537006	953.51	60,450	60,450	
2201	02070	SCA-6	EDTA Blood		너573	CY538006	953.52	59,210	59,210	너573라	CY538006	953.51	60,450	60,450	
2202	02080	SCA-7	EDTA Blood		너573	CY540006	953.52	59,210	59,210	너573라	CY540006	953.51	60,450	60,450	
2203	27010	SCA-8	EDTA Blood					0	59,210				0	60,450	
2204	01720	SCC	SST Serum	RIA	나430	C7430	329.82	20,480	20,480	나430주	C7430	325.03	20,610	20,610	
2205	01721	SCC	Body Fluid	RIA	나430	C7430	329.82	20,480	20,480	나430주	C7430	325.03	20,610	20,610	
2206	20350	Selectivity Index	Other	계산법	나392	C3920	264.15	16,400	16,400	나392	C3920	270.74	17,160	17,160	
2207	12810	Selenium	Hp Blood	AAS	나452나(2)	C4523990	298.28	18,520	18,520	나452나(2)	C4523990	302.23	19,160	19,160	
2208	12811	Selenium	Random Urine	AAS	나452나(2)	C4523990	298.28	18,520	18,520	나452나(2)	C4523990	302.23	19,160	19,160	
2209	12400	Semen Analysis	Semen	검경법	나730	E7300	73.99	4,590	4,590	나730	E7300	68.08	4,320	4,320	
2210	12410	Semen fructose	Semen		너893	EX893	79.87	4,960	4,960	너893	EX893	79.87	5,060	5,060	
2211	00900	Serotonin	EDTA Blood	HPLC	나367	C3670	167.83	10,420	10,420				0	50,000	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2212	00901	Serotonin	EDTA Plasma	HPLC	나367	C3670	167.83	10,420	10,420				0	50,000	국외수탁
2213	10841	Serum Amylase	SST Serum	Enzyme	나261가	B2611	42.36	2,630	2,630	나261가	B2611	42.01	2,660	2,660	
2214	10843	Serum Creatinine	SST Serum	Colorimetry	나375	C3750	21.86	1,360	1,360	나375	C3750	21.7	1,380	1,380	
2215	30780	SFMC	SC Plasma	응집법				0	100,000				0	113,000	국외수탁
2216	12425	SHBG (ECLIA)	SST Serum	ECLIA	노202	CZ202		0	40,000	노202	CZ202		0	46,000	
2217	10820	Sialic acid	SST Serum	Enzyme	너345가	CY344	339.94	21,110	21,110				0	12,000	국외수탁
2218	12820	Silicate	Water	Spectrophotometry				0	40,000				0	46,000	
2219	65720	Sirolimus(Rafamycin)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696	542.51	33,690	33,690	나450나(4)	CX375696	542.51	34,400	34,400	
2220	80060	SLIDE제작	Other					0	5,000				0	5,000	
2221	01730	SLX	SST Serum	RIA				0	55,000				0	63,250	국외수탁
2222	81160	SMA(IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
2223	51985	SMA(SMN1 7&8, NAIP 4&5)	EDTA Blood	PCR-RFLP	너562마	CY625006	410.7	25,880	25,880	너562마	CY625006	416.68	26,420	26,420	
2224	51986	SMA(SMN1 7&8, NAIP 5&13)	EDTA Blood	PCR-RFLP	너562마	CY625006	410.7	25,880	25,880	너562마	CY625006	416.68	26,420	26,420	
2225	10150	Sodium(Na)	SST Serum	ISE	나379가	C3791	19.36	1,200	1,200	나379가	C3791	19.23	1,220	1,220	
2226	10151	Sodium(Na)	24hr Urine	ISE	나379가	C3791	19.36	1,200	1,200	나379가	C3791	19.23	1,220	1,220	
2227	10152	Sodium(Na)	Random Urine	ISE	나379가	C3791	19.36	1,200	1,200	나379가	C3791	19.23	1,220	1,220	
2228	12430	soluble ELAM - 1	SST Serum	ELISA				0	180,000				0	207,000	국외수탁
2229	12440	soluble ICAM - 1	SST Serum	ELISA	노474	CZ474		0	180,000				0	207,000	국외수탁
2230	52460	Soluble Liver Ag Auto Ab	SST Serum	EIA				0	278,300				0	320,045	국외수탁
2231	12450	soluble VCAM - 1	SST Serum	ELISA				0	180,000				0	207,000	국외수탁
2232	00155	Somatomedin-C (CLIA)	SST Serum	CLIA	너230	CX230	322.92	20,050	20,050	너230	CX230	322.92	20,470	20,470	
2233	01740	Span-1	SST Serum	RIA				0	45,000				0	50,000	국외수탁
2234	80600	Special Stain	Tissue		나553	C5533	120.97	7,510	7,510	나553다	C5533	121.67	7,710	7,710	
2235	82080	Special Stain	Tissue		나553	C5533	120.97	7,510	7,510	나553다	C5533	121.67	7,710	7,710	
2236	80601	Special Stain(한병리)	Tissue		나553	C5533	120.97	7,510	7,510	나553다	C5533	121.67	7,710	7,710	
2237	80605	Special Stain(T&C)	Tissue		나553	C5533	120.97	7,510	7,510	나553다	C5533	121.67	7,710	7,710	
2238	28170	SPINK1, PRSS1 mutation	EDTA Blood	Sequencing				0	133,600				0	140,000	
2239	52530	SRP auto Ab	SST Serum					0	167,900				0	193,085	국외수탁
2240	30460	Ss 혈액형검사	복수검체	Tube	나203	B2030006	84.6	5,250	5,250	나203	B2030006	81.03	5,140	5,140	
2241	43357	STD 검사 (8종) X V	Other					0	45,000				0	40,000	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2242	43295	STD 검사(2종) VI	Other	PCR				0	20,000				0	20,000	
2243	42970	STD 검사(4종)	Other					0	27,500				0	28,000	
2244	43020	STD 검사(6종)	Other					0	33,000				0	34,000	
2245	43040	STD 남성검사(8종)	Other					0	38,500				0	40,000	
2246	43060	STD 남성종합검사(24종)	Other					0	55,000				0	60,000	
2247	43010	STD 및 전립선검사(11종)	Other					0	44,000				0	49,000	
2248	43000	STD 산전종합검사(9종)	Other					0	44,000				0	43,000	
2249	43050	STD 성기궤양검사(4종)	Other					0	27,500				0	28,000	
2250	43117	STD 여성검사(10종)Ⅱ	Other					0	47,000				0	52,000	
2251	43118	STD 여성검사(10종)Ⅴ	Other					0	47,000				0	52,000	
2252	43119	STD 여성검사(10종)ⅩⅡ	Other					0	47,000				0	52,000	
2253	43322	STD 여성검사(11종)Ⅲ	Other					0	47,000				0	55,000	
2254	43232	STD 여성검사(12종)Ⅱ	Other					0	47,000				0	58,000	
2255	43290	STD 여성검사(2종)	Other	PCR				0	13,000				0	22,000	
2256	43294	STD 여성검사(2종)Ⅴ	Other					0	22,000				0	22,000	
2257	43242	STD 여성검사(3종)Ⅳ	Other					0	25,000				0	25,000	
2258	43244	STD 여성검사(3종)Ⅵ	Other					0	25,000				0	25,000	
2259	42972	STD 여성검사(4종)Ⅱ	Other	Multiplex-PCR				0	27,500				0	28,000	
2260	42973	STD 여성검사(4종)Ⅲ	Other	Multiplex-PCR				0	27,500				0	28,000	
2261	43348	STD 여성검사(4종)Ⅳ	Other					0	34,000				0	34,000	
2262	42975	STD 여성검사(4종)Ⅴ	Other					0	27,500				0	28,000	
2263	42977	STD 여성검사(4종)Ⅶ	Other					0	35,000				0	34,000	
2264	43054	STD 여성검사(4종)ⅩⅩⅠ	Other					0	27,500				0	28,000	
2265	43346	STD 여성검사(4종)ⅩⅩⅣ	Other					0	27,500				0	28,000	
2266	43347	STD 여성검사(4종)ⅩⅩⅤ	Other					0	27,500				0	28,000	
2267	43100	STD 여성검사(5종)	Other					0	33,000				0	37,000	
2268	43101	STD 여성검사(5종)Ⅱ	Other					0	30,500				0	31,000	
2269	43102	STD 여성검사(5종)Ⅲ	Other					0	30,000				0	31,000	
2270	43103	STD 여성검사(5종)Ⅳ	Other					0	30,500				0	31,000	
2271	43406	STD 여성검사(5종)Ⅶ	Other					0	27,000				0	37,000	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2272	43107	STD 여성검사(5종)Ⅷ	Other					0	30,000				0	31,000	
2273	43256	STD 여성검사(5종)ⅩⅦ	Other					0	30,000				0	31,000	
2274	43313	STD 여성검사(5종)ⅩⅩⅣ	Other					0	30,500				0	31,000	
2275	43318	STD 여성검사(5종)ⅩⅩⅨ	Other					0	30,500				0	31,000	
2276	43408	STD 여성검사(5종)ⅩⅩⅩⅡ	Other					0	30,500				0	31,000	
2277	43409	STD 여성검사(5종)ⅩⅩⅩⅢ	Other					0	32,000				0	37,000	
2278	43392	STD 여성검사(5종)ⅩⅩⅩⅣ	Other					0	27,500				0	31,000	
2279	43120	STD 여성검사(6종)	Other					0	38,500				0	40,000	
2280	43121	STD 여성검사(6종)Ⅱ	Other					0	33,000				0	34,000	
2281	43123	STD 여성검사(6종)Ⅳ	Other					0	33,000				0	40,000	
2282	43125	STD 여성검사(6종)Ⅵ	Other					0	35,000				0	34,000	
2283	43127	STD 여성검사(6종)Ⅷ	Other					0	33,000				0	34,000	
2284	43129	STD 여성검사(6종)Ⅹ	Other					0	33,000				0	34,000	
2285	43274	STD 여성검사(6종)ⅩⅤ	Other					0	33,000				0	34,000	
2286	43394	STD 여성검사(6종)ⅩⅩⅥ	Other					0	35,000				0	34,000	
2287	43160	STD 여성검사(7종)	Other					0	38,500				0	37,000	
2288	43179	STD 여성검사(7종)Ⅱ	Other					0	39,000				0	43,000	
2289	43005	STD 여성검사(7종)Ⅱ-1	Other	Sequencing				0	39,000				0	43,000	
2290	43163	STD 여성검사(7종)Ⅳ	Other					0	38,500				0	37,000	
2291	43174	STD 여성검사(7종)ⅩⅠ	Other					0	38,500				0	37,000	
2292	43175	STD 여성검사(7종)ⅩⅡ	Other					0	38,500				0	37,000	
2293	43407	STD 여성검사(7종)ⅩⅥ	Other					0	38,500				0	37,000	
2294	43353	STD 여성검사(8종)	Other					0	38,500				0	46,000	
2295	43354	STD 여성검사(8종)ⅩⅠ	Other					0	44,000				0	46,000	
2296	43355	STD 여성검사(8종)ⅩⅢ	Other					0	42,000				0	40,000	
2297	43356	STD 여성검사(8종)ⅩⅣ	Other					0	45,000				0	46,000	
2298	42960	STD 여성검사(9종)	Other					0	44,000				0	43,000	
2299	42961	STD 여성검사(9종)Ⅱ	Other					0	35,000				0	43,000	
2300	43002	STD 여성검사(9종)Ⅹ	Other					0	44,000				0	43,000	
2301	43404	STD 여성검사5종ⅩⅩⅩⅠ	Other					0	32,500				0	37,000	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2302	43178	STD 여성검사7종 X V	Other					0	37,000				0	43,000	
2303	42990	STD 여성요로감염검사(7종)	Other					0	38,500				0	37,000	
2304	43070	STD 여성종합검사(21종)	Other					0	55,000				0	60,000	
2305	42980	STD 여성질염검사(7종)	Other					0	38,500				0	37,000	
2306	43135	STD 추적검사(1종)	Other					0	15,000				0	15,000	
2307	43145	STD 추적검사(2종 이상)	Other					0	30,000				0	30,000	
2308	27870	STK11 Gene Point mutation	EDTA Blood	Sequencing	노595	CZ602		0	341,000	노595	CZ602		0	341,000	
2309	01750	STN	SST Serum	RIA				0	52,000				0	59,800	국외수탁
2310	12460	Stone Analysis 정성	Stone	Colorimetry	나391	C3910006	85.25	5,290	5,290	나391	C3910006	83.94	5,320	5,320	
2311	12465	Stone Analysis(physical)	Stone		너274	CX274006	451.18	28,020	28,020	너274	CX274006	451.18	28,600	28,600	
2312	70870	Stool Microscopy	Stool	검경법	나67	B0670	11.31	700	700	나67	B0670	11.97	760	760	
2313	70880	Stool Occult Blood	Stool	ICA	나65나(1)	B0651	41.97	2,610	2,610	나65나(1)	B0651	42.6	2,700	2,700	
2314	71250	Stool Occult Blood 정량	Stool	Colorimetry	나65-1	B0653	58.39	3,630	3,630	나65-1	B0653	60.27	3,820	3,820	
2315	71255	Stool Occult Blood 정량	Stool	Latex	나65	B0653	58.39	3,630	3,630	나65-1	B0653	60.27	3,820	3,820	
2316	70885	Stool Occult Blood, Latex	Stool	Latex	나65나(1)	B0651	41.97	2,610	2,610	나65나(1)	B0651	42.6	2,700	2,700	
2317	70895	Stool pH	Stool		나69	B0690	8.17	510	510	나69	B0690	7.86	500	500	
2318	70890	Stool WBC	Stool		나67-1	B0675	10.47	650	650	나67-1	B0675	10.29	650	650	
2319	42580	Strep. Group B PCR	Random Urine	PCR				0	24,250				0	28,000	
2320	50462	Strep.Group B	CSF	Latex	나408	B4080	102.14	6,340	6,340	나408	B4080	96.52	6,120	6,120	
2321	50461	Strep.Pneumoniae	CSF	Latex	나408	B4080	102.14	6,340	6,340	나408	B4080	96.52	6,120	6,120	
2322	11730	Succinylacetone	Random Urine	GC/MSD	너345	CY349		0	21,110	너345가(6)	CY349	339.91	21,550	21,550	
2323	12870	Sucrose hemolysis	복수검체	Tube	나121	B1210006	45.86	2,850	2,850	나121	B1210006	46.64	2,960	2,960	
2324	30190	Sudan black B stain	Bone Marrow Slide	Stain	나118	B1183006	84.8	5,270	5,270	나118나	B1183006	84.59	5,360	5,360	
2325	30191	Sudan black B stain	Blood Smear Slide	Stain	나118	B1183006	84.8	5,270	5,270	나118나	B1183006	84.59	5,360	5,360	
2326	52140	Sulfatide autoantibodies	SST Serum	ELISA				0	590,000				0	679,000	국외수탁
2327	20540	Sulf-Hemoglobin	EDTA Blood	Colorimetry	나382나	C3822	53.23	3,310	3,310	나382나	C3822	53.58	3,400	3,400	
2328	12470	Surfactant protein-A(SP-A)	SST Serum	EIA				0	28,000				0	57,500	국외수탁
2329	13050	Surfactant protein-D(SP-D)	SST Serum	EIA				0	35,700				0	57,500	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2330	81400	Synaptophysin (IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
2331	00295	T3 (ECLIA)	SST Serum	ECLIA	나329	C3290	165.86	10,300	10,300	나329	C3290	167.64	10,630	10,630	
2332	00305	T3-Uptake (ECLIA)	SST Serum	ECLIA	나331	C3310	152.29	9,460	9,460	나331	C3310	151.34	9,590	9,590	
2333	00315	T4 (ECLIA)	SST Serum	ECLIA	나333	C3330	164.54	10,220	10,220	나333	C3330	164.46	10,430	10,430	
2334	30200	Tartrate resistant acid phos	Bone Marrow Slide		나118	B1182006	84.67	5,260	5,260	나118가	B1182006	84.34	5,350	5,350	
2335	30790	TAT	SC Plasma	EIA	너73	BX073	226.61	14,070	14,070				0	42,900	국외수탁
2336	00320	TBG (RIA)	SST Serum	RIA	나338	C7338	230.86	14,340	14,340	나338주	C7338	225.68	14,310	14,310	
2337	65480	TBPE	Random Urine	Colorimetry	나450가(1)	C4501390	84.73	5,260	5,260	나450가(1)	C4501390	80.93	5,130	5,130	
2338	25875	T-cell Receptor rearrangem	Block	Multiplex-PCR	나595-1	C6029006	555.27	37,930	37,930	나595-1다	C6029006	639.74	40,560	40,560	
2339	25870	T-cell Receptor ychain	Block	PCR	나598	C5986006	1005.5	62,440	62,440	나598바	C5986006	988.58	62,680	62,680	
2340	65330	Teicoplanin	SST Serum	FPIA				0	98,000				0	112,700	국외수탁
2341	26660	TEL/AML1 rearrangement	EDTA Blood	RT-PCR	나596	C5969006	545.34	33,870	33,870	나596라	C5969006	578.72	36,690	36,690	
2342	00522	Testosterone (CLIA)	SST Serum	CLIA	나353	C3530	181.69	11,280	11,280	나353	C3530	182.32	11,560	11,560	
2343	00530	Testosterone, Free	SST Serum	RIA	너232	CX232	181.05	11,240	11,240	너232	CX232	181.05	11,480	11,480	
2344	65140	Theophylline	SST Serum	FPA	나450나(2)	C4504110	233.4	14,490	14,490	나450나(2)	C4504110	238.27	15,110	15,110	
2345	30970	Thrombin Time	SC Plasma	Clot-based	나156	B1560	25.36	1,570	1,570	나156	B1560	25.09	1,590	1,590	
2346	30800	Thrombomodulin	SST Serum	EIA	너76	BX076	170.91	10,610	10,610	너76	BX076	170.91	10,840	10,840	
2347	30801	Thrombomodulin	EDTA Plasma		너76	BX076	170.91	10,610	10,610	너76	BX076	170.91	10,840	10,840	
2348	31040	Thromboxane B2	전용용기 혈장	RIA	너77	BX077	226.6	14,070	14,070				0	150,000	국외수탁
2349	01760	Thymidine Kinase	SST Serum					0	75,000				0	86,250	국외수탁
2350	00355	Thyroglobulin (ECLIA)	SST Serum	ECLIA	나335	C3350	198.5	12,330	12,330	나335	C3350	200.07	12,680	12,680	
2351	00345	Thyroglobulin Ab (ECLIA)	SST Serum	ECLIA	나494	C4940	224.26	13,930	13,930	나494	C4940	210.61	13,350	13,350	
2352	81200	Thyroglobulin(IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
2353	12830	TIBC	SST Serum	계산법	나250	C2500	42.96	2,670	2,670	나250	C2500	43.04	2,730	2,730	
2354	28190	TNFRSF13B gene mutation	EDTA Blood	Sequencing				0	178,000				0	178,000	
2355	51990	TNF-α	SST Serum		노478	CZ478		0	180,000				0	287,000	국외수탁
2356	51991	TNF-α	Media Supernatant		노478	CZ478		0	180,000				0	287,000	국외수탁
2357	65340	Tobramycin	SST Serum	FPIA	나450나(2)	C4504390	233.4	14,490	14,490	나450나(2)	C4504390	238.27	15,110	15,110	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2358	65710	Topiramate	Plain Serum	FPIA				0	177,100				0	218,500	국외수탁
2359	42750	TORCH Test	SST Serum					130,100	130,100				0	133,600	
2360	10040	Total Bilirubin	SST Serum	Colorimetry	나372	C3720	21.82	1,360	1,360	나372가	C3720	21.62	1,370	1,370	
2361	10041	Total Bilirubin	Capillary	Colorimetry	나372	C3720	21.82	1,360	1,360	나372가	C3720	21.62	1,370	1,370	
2362	11020	Total Cholesterol	SST Serum	Enzyme	나241	C2411	26.11	1,620	1,620	나241가	C2411	25.87	1,640	1,640	
2363	11021	Total Cholesterol	Body Fluid	Enzyme	나241	C2411	26.11	1,620	1,620	나241가	C2411	25.87	1,640	1,640	
2364	02005	Total hCG (ECLIA)	SST Serum	ECLIA	나352	C3520	200.94	12,480	12,480	나352	C3520	203.94	12,930	12,930	
2365	60005	Total IgE (Unicap)	SST Serum	FEIA	나229	C2290	226.27	14,050	14,050	나229	C2290	229.25	14,530	14,530	
2366	11180	Total Lipid	SST Serum	Colorimetry	나244	C2441	46.04	2,860	2,860	나244가	C2441	43.16	2,740	2,740	
2367	11181	Total Lipid	Body Fluid	Colorimetry	나244	C2441	46.04	2,860	2,860	나244가	C2441	43.16	2,740	2,740	
2368	11780	Total Porphyrin 정성	Random Urine	Colorimetry	나389가	C3891	12.16	760	760	나389가	C3891	11.59	730	730	
2369	10030	Total Protein	SST Serum	Colorimetry	나220	C2200	21.85	1,360	1,360	나220	C2200	21.69	1,380	1,380	
2370	10031	Total Protein	24hr Urine	TIA	나220	C2200	21.85	1,360	1,360	나220	C2200	21.69	1,380	1,380	
2371	10032	Total Protein	CSF	TIA	나220	C2200	21.85	1,360	1,360	나220	C2200	21.69	1,380	1,380	
2372	10033	Total Protein	Body Fluid	Colorimetry	나220	C2200	21.85	1,360	1,360	나220	C2200	21.69	1,380	1,380	
2373	10034	Total Protein	Random Urine	TIA	나220	C2200	21.85	1,360	1,360	나220	C2200	21.69	1,380	1,380	
2374	52271	Toxocariosis Ab IgG	SST Serum	ELISA	나472나	C4722796	272.68	16,930	16,930	나472나(1)	C4722796	271.93	17,240	17,240	
2375	43510	Toxoplasma DNA PCR	Other	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
2376	50900	Toxoplasma IgG	SST Serum	CLIA	나472나	C4722616	272.68	16,930	16,930	나472나(1)	C4722616	271.93	17,240	17,240	
2377	50901	Toxoplasma IgG	CSF	CLIA	나472나	C4722616	272.68	16,930	16,930	나472나(1)	C4722616	271.93	17,240	17,240	
2378	50910	Toxoplasma IgM	SST Serum	CLIA	나472나	C4723616	272.68	16,930	16,930	나472나(2)	C4723616	271.93	17,240	17,240	
2379	50911	Toxoplasma IgM	CSF	CLIA	나472나	C4723616	272.68	16,930	16,930	나472나(2)	C4723616	271.93	17,240	17,240	
2380	26770	TP53 gene	EDTA Blood	Sequencing	노595	CZ596		0	614,000	노595	CZ596		0	614,000	
2381	01770	TPA	SST Serum	RIA	나432	C7432	311.06	19,320	19,320	나432주	C7432	295.41	18,730	18,730	
2382	01771	TPA	EDTA Plasma	RIA	나432	C7432	311.06	19,320	19,320	나432주	C7432	295.41	18,730	18,730	
2383	01772	TPA	Body Fluid	RIA	나432	C7432	311.06	19,320	19,320	나432주	C7432	295.41	18,730	18,730	
2384	30810	t-PA	SC Plasma	ELISA	너83	BX083	170.9	10,610	10,610	너83	BX083	170.9	10,840	10,840	
2385	50955	TPLA 정밀	SST Serum	라텍스응집비탁법	나460	C4612	123.74	7,680	7,680	나461-1	C4612	123.74	7,850	7,850	
2386	27470	TPMT genotyping	EDTA Blood	DNA Typing	노597	CZ904		0	165,000	노597	CZ904		0	165,000	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2387	20360	Transferrin	SST Serum	TIA	나233	C2330	102.01	6,330	6,330	나233	C2330	103.66	6,570	6,570	
2388	20370	Transferrin saturation	SST Serum	계산법	나249 외	C2490 외		0	5,140	나249 외	C2490 외		0	5,240	
2389	52370	Transglutaminase IgA	SST Serum	EIA				0	305,900				0	351,000	국외수탁
2390	42720	Treponema pallidum PCR	EDTA Blood	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
2391	12540	Trichloride,Total	Random Urine	Colorimetry	나451나(1)	C4513460	169.73	10,540	10,540	나451나(1)	C4513460	165.99	10,520	10,520	
2392	12580	Trichloroacetic acid	Random Urine	GC/ECD	나451나(3)	CY373290	399.4	24,800	24,800	나451나(3)	CY373290	399.4	25,320	25,320	
2393	13040	Trichloroacetic acid	Random Urine	Colorimetry	나451나(1)	C4513590	169.73	10,540	10,540	나451나(1)	C4513590	165.99	10,520	10,520	
2394	12560	Trichloroethanol	Random Urine	G.C				0	60,000	나451나(3)	CY373290	399.4	25,320	25,320	
2395	11190	Triglyceride	SST Serum	Enzyme	나244	C2443	48.53	3,010	3,010	나244다	C2443	48.13	3,050	3,050	
2396	11191	Triglyceride	Body Fluid	Enzyme	나244	C2443	48.53	3,010	3,010	나244다	C2443	48.13	3,050	3,050	
2397	65150	Trimethadione	SST Serum	G.C				0	140,000				0	161,000	국외수탁
2398	01870	Triple marker	SST Serum	RIA				34,810	34,810				33,670	33,670	
2399	12590	Troponin I	SST Serum	CLIA	나394나	C3942	168.99	10,490	10,490	나394나	C3942	173	10,970	10,970	
2400	12600	Troponin T	SST Serum	ECLA	나394가	C3941	168.71	10,480	10,480	나394가	C3941	172.43	10,930	10,930	
2401	01110	Trypsin (RIA)	SST Serum	RIA				0	70,000				0	80,500	국외수탁
2402	27651	TSC1 (Tuberous sclerosis)	EDTA Blood	Sequencing	노595	CZ638		0	779,000	노595	CZ638		0	779,000	
2403	27652	TSC2 (Tuberous sclerosis)	EDTA Blood	Sequencing	노595	CZ638		0	1,259,000	노595	CZ638		0	#####	
2404	00365	TSH (ECLIA)	SST Serum	ECLIA	나336	C3360	205.49	12,760	12,760	나336	C3360	210.44	13,340	13,340	
2405	00371	TSH-1회	SST Serum	ECLIA	나336	C3360	205.49	12,760	12,760	나336	C3360	210.44	13,340	13,340	
2406	00372	TSH-2회	SST Serum	ECLIA	나336	C3360	205.49	12,760	12,760	나336	C3360	210.44	13,340	13,340	
2407	00373	TSH-3회	SST Serum	ECLIA	나336	C3360	205.49	12,760	12,760	나336	C3360	210.44	13,340	13,340	
2408	00374	TSH-4회	SST Serum	ECLIA	나336	C3360	205.49	12,760	12,760	나336	C3360	210.44	13,340	13,340	
2409	00375	TSH-5회	SST Serum	ECLIA	나336	C3360	205.49	12,760	12,760	나336	C3360	210.44	13,340	13,340	
2410	00376	TSH-6회	SST Serum	ECLIA	나336	C3360	205.49	12,760	12,760	나336	C3360	210.44	13,340	13,340	
2411	00377	TSH-7회	SST Serum	ECLIA	나336	C3360	205.49	12,760	12,760	나336	C3360	210.44	13,340	13,340	
2412	00378	TSH-8회	SST Serum	ECLIA	나336	C3360	205.49	12,760	12,760	나336	C3360	210.44	13,340	13,340	
2413	00385	TSH-R-Ab(TBII)(ECLIA)	SST Serum	ECLIA	나339	C3390	225.47	14,000	14,000	나339	C3390	226.72	14,370	14,370	
2414	70900	Tzanck Smear	Other	IFA	나718	E7180	54.71	3,400	3,400	나718	E7180	45.74	2,900	2,900	
2415	70910	Tzanck Smear	Other		나718	E7180	54.71	3,400	3,400	나718	E7180	45.74	2,900	2,900	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2416	71180	U.urealyticum culture	Other	Culture	너301	BY303006	363.17	22,550	22,550	너301다	BY303006	363.17	23,020	23,020	
2417	27450	UGT1a1 genotyping	EDTA Blood	Sequencing	노597	CZ903		0	376,000	노597	CZ903		0	376,000	
2418	12840	UIBC	SST Serum	Colorimetry	나251	C2510	43.09	2,680	2,680	나251	C2510	43.31	2,750	2,750	
2419	80064	Unstained Slide 제작	Other					0	3,000				0	3,000	
2420	42730	Ureaplasma urealyticum PCR	분비물	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
2421	10930	Uric Acid	SST Serum	Enzyme	나378	C3780	21.91	1,360	1,360	나378	C3780	21.81	1,380	1,380	
2422	10931	Uric Acid	24hr Urine	Enzyme	나378	C3780	21.91	1,360	1,360	나378	C3780	21.81	1,380	1,380	
2423	10932	Uric Acid	Random Urine	Enzyme	나378	C3780	21.91	1,360	1,360	나378	C3780	21.81	1,380	1,380	
2424	02110	Urinary Bladder Cancer Ag	Random Urine	IRMA	너322	CY321	283.45	17,600	17,600	너322가	CY321	283.39	17,970	17,970	
2425	10160	Urinary Ca	복수검체	계산법	나379 외	C3795 외		0	3,930	나379 외	C3795 외		0	3,980	
2426	10842	Urine Amylase	24hr Urine	Enzyme	나261가	B2611	42.36	2,630	2,630	나261가	B2611	42.01	2,660	2,660	
2427	10844	Urine Creatinine	24hr Urine	Colorimetry	나375	C3750	21.86	1,360	1,360	나375	C3750	21.7	1,380	1,380	
2428	70002	Urine Glucose	Random Urine		나1	B0010	8.37	520	520	나1	B0010	8.26	520	520	
2429	70001	Urine Protein	Random Urine		나1	B0010	8.37	520	520	나1	B0010	8.26	520	520	
2430	70050	Urine RBC morphology	Random Urine	검경법	너1	BX001006	26.86	1,670	1,670	너1	BX001006	26.86	1,700	1,700	
2431	11800	Uroporphyrin 정량	Random Urine	HPLC				0	15,000				0	17,250	국외수탁
2432	11790	Uroporphyrin 정성	Random Urine	Fluorometry	나389가	C3891	12.16	760	760	나389가	C3891	11.59	730	730	
2433	65350	Valproic Acid	SST Serum	FPA	나450나(2)	C4504060	233.4	14,490	14,490	나450나(2)	C4504060	238.27	15,110	15,110	
2434	65360	Valproic acid,Free	SST Serum	FPIA				0	49,500				0	57,000	국외수탁
2435	80608	Van Giesons Stain	Tissue		나553	C5533	120.97	7,510	7,510	나553다	C5533	121.67	7,710	7,710	
2436	65370	Vancomycin	SST Serum	FPA	나450나(2)	C4504160	233.4	14,490	14,490	나450나(2)	C4504160	238.27	15,110	15,110	
2437	42230	Varicella-Zoster Culture	Other	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
2438	42740	Varicella-Zoster DNA(PCR)	EDTA Blood	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
2439	42050	Varicella-Zoster IgG(ELISA)	SST Serum	ELISA	나468나	C4682496	259.55	16,120	16,120	나468나(1)	C4682496	263.15	16,680	16,680	
2440	42051	Varicella-Zoster IgG(ELISA)	CSF	ELISA	나468나	C4682496	259.55	16,120	16,120	나468나(1)	C4682496	263.15	16,680	16,680	
2441	42070	Varicella-Zoster IgG(FA)	SST Serum	FIA	나468나	C4682496	259.55	16,120	16,120				0	45,000	국외수탁
2442	42071	Varicella-Zoster IgG(FA)	CSF	FIA	나468나	C4682496	259.55	16,120	16,120				0	45,000	국외수탁
2443	42060	Varicella-Zoster IgM(ELISA)	SST Serum	ELISA	나468나	C4683496	257.02	15,960	15,960	나468나(2)	C4683496	258.09	16,360	16,360	

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2444	42061	Varicella-Zoster IgM(ELISA)	CSF	ELISA	나468나	C4683496	257.02	15,960	15,960	나468나(2)	C4683496	258.09	16,360	16,360	
2445	42080	Varicella-Zoster IgM(FA)	SST Serum	FIA	나468나	C4683496	257.02	15,960	15,960				0	45,000	국외수탁
2446	42081	Varicella-Zoster IgM(FA)	CSF	FIA	나468나	C4683496	257.02	15,960	15,960				0	45,000	국외수탁
2447	42090	Varicella-Zoster(CF)	SST Serum	CF	나468가	C4681490	179.03	11,120	11,120				0	15,000	국외수탁
2448	42091	Varicella-Zoster(CF)	CSF	CF	나468가	C4681490	179.03	11,120	11,120				0	15,000	국외수탁
2449	50925	VDRL	SST Serum		나460	C4600	17.39	1,080	1,080	나460	C4600	17.64	1,120	1,120	
2450	50926	VDRL 정량	SST Serum		나460주	C4601	34.06	2,120	2,120	나460주	C4601	33.82	2,140	2,140	
2451	80609	Verhoeff Stain	Tissue		나553	C5533	120.97	7,510	7,510	나553다	C5533	121.67	7,710	7,710	
2452	11200	Very long chain fatty acid	Hp Plasma	GC/MSD	나445	C4450	1110.21	68,940	68,940				0	250,000	국외수탁
2453	11205	Very long chain fatty acid	Hp Plasma	GC/MSD	나445	C4450	1110.21	68,940	68,940	나445	C4450	1115.19	70,700	70,700	
2454	27283	VHL gene mutation analysis	EDTA Blood	Sequencing	노595	CZ595		0	216,000	노595	CZ595		0	216,000	
2455	51000	Vi Ag	SST Serum	IFA	나466나	C4662066	202.71	12,590	12,590	나466나	C4662066	203.08	12,880	12,880	
2456	70930	Vibrio Culture	Stool		나405가	B4051	147.78	9,180	9,180	나405가	B4051	152.96	9,700	9,700	
2457	81290	Vimentin(IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
2458	01120	VIP	전용용기 혈장	RIA	노200	CZ200		0	300,000				0	345,000	국외수탁
2459	42800	Virus culture	Other	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
2460	11340	Vitamin A	SST Serum	HPLC	너153	CY169006	439.34	27,280	27,280	너153자주1	CY169006	439.34	27,850	27,850	
2461	11360	Vitamin B1	EDTA Blood	HPLC	너153	CY160006	439.34	27,280	27,280	너153	CY160006	439.34	27,850	27,850	
2462	11395	Vitamin B12 (CLIA)	SST Serum	CLIA	나253나	C2532	217.52	13,510	13,510	나253나	C2532	224.56	14,240	14,240	
2463	11400	Vitamin B12 Binding capacity	SST Serum					0	160,000				0	240,000	국외수탁
2464	11370	Vitamin B2	EDTA Blood	HPLC	너153	CY161006	439.34	27,280	27,280				0	70,000	국외수탁
2465	11380	Vitamin B6	SST Serum	HPLC	너153	CY162006	439.34	27,280	27,280				0	100,000	국외수탁
2466	11386	Vitamin B6 (PLP)	EDTA Plasma	HPLC/FLD	너153	CY162006	439.34	27,280	27,280	너153다주1	CY162006	439.34	27,850	27,850	
2467	11387	Vitamin B6 Fraction	EDTA Plasma	HPLC	너153	CY162006	1318.02	81,850	81,850	너153다주1	CY162006	439.34	83,550	83,550	
2468	11410	Vitamin C	Hp Plasma	HPLC	너153	CY169006	439.34	27,280	27,280	너153자주1	CY169006	439.34	27,850	27,850	
2469	11415	Vitamin C	SST Serum	HPLC	너153	CY169006	439.34	27,280	27,280	너153자주1	CY169006	439.34	27,850	27,850	
2470	11420	Vitamin E	SST Serum	HPLC	너153	CY166006	439.34	27,280	27,280	너153바주1	CY166006	439.34	27,850	27,850	
2471	11430	Vitamin E Fraction	SST Serum	HPLC	너154	CY542	399.4	99,200	99,200				0	300,000	국외수탁
2472	11440	Vitamin K Fraction	SC Plasma	HPLC	너154	CY543	399.4	49,600	49,600				0	145,600	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2473	00920	VMA 정량	24hr Urine	HPLC	나321나(3)	CX223006	310.13	19,260	19,260	나321나(2)	CX223006	310.2	19,670	19,670	
2474	00925	VMA 정량	EDTA Plasma	HPLC	나321나(3)	CX223006	310.13	19,260	19,260				0	33,000	국외수탁
2475	00910	VMA 정성	Random Urine	Colorimetry	나321가	C3211	17.5	1,090	1,090	나321가	C3211	16.23	1,030	1,030	
2476	80607	Von Kossa Stain	Tissue		나553	C5533	120.97	7,510	7,510	나553다	C5533	121.67	7,710	7,710	
2477	30820	von Willebrand F.Activity	SC Plasma	ELISA	나187나	B1872	200.6	12,460	12,460	나187나	B1872	202.63	12,850	12,850	
2478	30830	von-Willebrand's Antigen	SC Plasma	ELISA	나187가	B1871	179.45	11,140	11,140	나187가	B1871	178.2	11,300	11,300	
2479	30845	vWF multimer analysis	SC Plasma	Electrophoresis	너88	BX088006	497.07	30,870	30,870	너88	BX088006	497.07	31,510	31,510	
2480	42231	VZV culture (조직)	Tissue	Culture	나416	B4160006	518.36	32,190	32,190	나416	B4160006	532.51	33,760	33,760	
2481	65790	Warfarin	EDTA Plasma	LC/MS/MS	나450나(4)	CX375696	542.51	33,690	33,690	나450나(4)	CX375696	542.51	34,400	34,400	
2482	80610	Warthin-Starry Silver Stain	Tissue		나553	C5533	120.97	7,510	7,510	나553다	C5533	121.67	7,710	7,710	
2483	30001	WBC	EDTA Blood	자동혈구계산법	나105	B1050	10.59	660	660	나105	B1050	10.54	670	670	
2484	70960	Wet Smear	Other		나4주	B0042	10.49	650	650	나4주	B0042	10.16	640	640	
2485	50980	Widal Test	SST Serum	응집법	나464	C4640	36.48	2,270	2,270	나464	C4640	37.95	2,410	2,410	
2486	50990	Widal test	SST Serum	SLIDE	나464	C4640	36.48	2,270	2,270	나464	C4640	37.95	2,410	2,410	
2487	26270	Wilson disease, ATP7B gene	EDTA Blood	Sequencing	노595	CZ612		0	250,000	노595	CZ612		0	250,000	
2488	26271	Wilson disease, ATP7B gene	EDTA Blood	Sequencing	노595	CZ612		0	550,000	노595	CZ612		0	550,000	
2489	26272	Wilson disease,ATP7B whole	EDTA Blood	Sequencing	노595	CZ612		0	789,000	노595	CZ612		0	789,000	
2490	27610	Wiskott-Aldrich syndrome	EDTA Blood	Sequencing				0	485,000				0	485,000	
2491	12620	X-Ray(chest)	Other					0	10,000				0	10,000	
2492	25760	Y-Chromosome(SRY gene)	EDTA Blood	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
2493	25761	Y-Chromosome(SRY gene)	Bone Marrow	PCR	나595	C5956006	390.43	24,250	24,250	나595아	C5956006	396.83	25,160	25,160	
2494	71090	Yersinia Culture	Stool	Culture	너301	BY309006	363.17	22,550	22,550	너301라	BY309006	363.17	23,020	23,020	
2495	51010	Yersinia Enterocolitica O3 Ab	SST Serum	PA	나466가	C4661030	132.98	8,260	8,260	나466가	C4661030	128.06	8,120	8,120	
2496	51011	Yersinia Enterocolitica O3 Ab	Amniotic Fluid	PA	나466가	C4661030	132.98	8,260	8,260	나466가	C4661030	128.06	8,120	8,120	
2497	51020	Yersinia Pseudotuberculosis	SST Serum		나466가	C4661030	132.98	8,260	8,260	나466가	C4661030	128.06	8,120	8,120	
2498	51021	Yersinia Pseudotuberculosis	Amniotic Fluid		나466가	C4661030	132.98	8,260	8,260	나466가	C4661030	128.06	8,120	8,120	
2499	01830	Yo autoantibodies	SST Serum	Western blot	노424	CZ424		0	500,000				0	575,000	국외수탁
2500	01831	Yo autoantibodies	CSF	Western blot	노424	CZ424		0	500,000				0	575,000	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2501	12855	Zinc(Zn)	Plain Serum	ICP/MS	나452나(2)	C4523670	298.28	18,520	18,520	나452나(2)	C4523670	302.23	19,160	19,160	
2502	12856	Zinc(Zn)	24hr Urine	ICP/MS	나452나(2)	C4523670	298.28	18,520	18,520	나452나(2)	C4523670	302.23	19,160	19,160	
2503	11810	Zinc-Protoporphyrin	EDTA Blood		너43	BX043	29.3	1,820	1,820	너43	BX043	29.3	1,860	1,860	
2504	65380	Zonisamide	SST Serum	HPLC				0	75,000				0	86,250	국외수탁
2505	10480	ZTT(Zinc Sulfate Turbidity)	SST Serum	TIA				0	1,290				0	1,500	
2506	01390	α- ANP	전용용기 혈장	CLIA	노195	CZ195		0	75,000				0	86,250	국외수탁
2507	20380	α1-Acidglycoprotein	SST Serum	Nephelometry				0	50,000				0	57,500	국외수탁
2508	20400	α1-Antitrypsin	SST Serum	TIA	나222	C2220	114.17	7,090	7,090	나222	C2220	116.65	7,400	7,400	
2509	20405	α1-Antitrypsin	Stool	Nephelometry	나222	C2220	114.17	7,090	7,090	나222	C2220	116.65	7,400	7,400	
2510	20406	α1-antitrypsin clearance	복수검체	Nephelometry	나222	C2220	114.17	14,180	14,180	나222	C2220	116.65	14,800	14,800	
2511	20410	α1-Microglobulin	SST Serum	Latex	너183	BX183	183.11	11,370	11,370				0	45,000	국외수탁
2512	20411	α1-Microglobulin	Random Urine	Latex	너183	BX183	183.11	11,370	11,370				0	45,000	국외수탁
2513	20420	α2-Macroglobulin	SST Serum	Nephelometry				0	43,000				0	49,450	국외수탁
2514	13200	α-Galactosidase	EDTA Blood	Fluorometry				0	100,000				0	115,000	
2515	13205	α-Galactosidase A (Fabry)	Hp Blood	Fluorometry				0	56,000				0	56,000	
2516	00170	α-Subunit	SST Serum	RIA				0	35,000				0	45,000	
2517	01420	β2-Microglobulin	SST Serum	RIA	나223	C7223	161.76	10,050	10,050	나223주	C7223	157.27	9,970	9,970	
2518	01421	β2-Microglobulin	Random Urine	RIA	나223	C7223	161.76	10,050	10,050	나223주	C7223	157.27	9,970	9,970	
2519	11450	β-Carotene	SST Serum	HPLC				0	165,000				0	189,750	국외수탁
2520	81530	β-catenin(IHC)	Tissue	IHC	나557	C5575006	473.13	29,380	29,380	나557	C5575006	470.02	29,800	29,800	
2521	13080	β-Galactosidase	Hp Blood	Fluorometry	노323	CZ323		0	40,000	노323	CZ323		0	40,000	
2522	13180	β-Glucosidase(Gaucher's)	EDTA Blood	Enzyme	노324	CZ324		0	50,000	노324	CZ324		0	57,500	
2523	02000	β-hCG (RIA)	SST Serum	RIA	나352	C7352	189.88	11,790	11,790	나352주	C7352	181.82	11,530	11,530	
2524	11210	β-Lipoprotein	SST Serum	Enzyme	나247	C2470	105.16	6,530	6,530	나247	C2470	106.34	6,740	6,740	
2525	25770	β-Thalassemia	EDTA Blood	PCR	나599	C5991006+C5992006		176,230	176,230	나599	C5991006외		181,030	181,030	
2526	25771	β-Thalassemia	Bone Marrow	PCR	나599	C5991006+C5992006		176,230	176,230	나599	C5991006외		181,030	181,030	
2527	25772	β-Thalassemia	EDTA Blood	Sequencing	나599	C5992006	197.19	122,410	122,410	나599나(1)	C5992006	1978.81	125,460	125,460	
2528	30980	β-Thromboglobulin	전용용기 혈장	EIA	나185	B1850	147.8	9,180	9,180				0	54,500	국외수탁

					2008년					2009년					
연번	코드	검사명	검체명	검사방법	분류번호	보험코드	점수	보험가	의뢰가	분류번호	보험코드	점수	보험가	의뢰가	비고
2529	10500	γ- GTP	SST Serum	Enzyme	나271	B2710	44.85	2,790	2,790	나271	B2710	44.39	2,810	2,810	
2530	12630	γ-Aminobutylic acid	Hp Plasma	HPLC				0	80,000				0	88,000	국외수탁
2531	20720	γ-GTP isoenzyme	SST Serum	Electrophoresis				0	24,000				0	27,600	국외수탁
2532	01790	γ-Sm	SST Serum	EIA	노290	CZ290		0	70,000				0	80,500	국외수탁
2533	11820	δ-ALA	Random Urine	Colorimetry	나450나(1)	C4503390	163.8	10,170	10,170	나450나(1)	C4503390	154.13	9,770	9,770	
2534	11821	δ-ALA	24hr Urine	Colorimetry	나450나(1)	C4503390	163.8	10,170	10,170	나450나(1)	C4503390	154.13	9,770	9,770	