

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
11230	1,25-(OH)2 Vitamine D	SST Serum	RIA	너153마	CY705	109.88	6,970	6,970	109.88	7,180	7,180	▲
20000	1,5-Anhydroglucitol	SST Serum	Enzyme	너273	CX273	239.26	15,170	15,170	239.26	15,620	15,620	▲
11670	17a-OH Progesterone	Blood Paper	FIA	나347	C3470	160.6	10,180	10,180	157.16	10,260	10,260	▲
00590	17-KS	24hr Urine	Spectrophotometry	나324나(3)	C3247	148.37	9,410	9,410	139.77	9,130	9,130	▼
00610	17-OHCS	24hr Urine	Spectrophotometry	나324나(2)	C3246	147.31	9,340	9,340	138.18	9,020	9,020	▼
00410	17α-OH-Progesterone	SST Serum	RIA	나347주	C7347	154.33	9,780	9,780	151.71	9,910	9,910	▲
00411	17α-OH-Progesterone	EDTA Plasma	RIA	나347주	C7347	154.33	9,780	9,780	151.71	9,910	9,910	▲
11830	2,5-Hexanedione	Random Urine	GC/NPD	나451나(3)	CY373290	399.4	25,320	25,320	399.40	26,080	26,080	▲
11250	25-OH Vitamine D	SST Serum	CLIA	너153마	CY155	109.88	6,970	6,970	109.88	7,180	7,180	▲
00825	5-HIAA 정량	24hr Urine	ELISA	나322나(2)	C3223	211.29	13,400	13,400	219.10	14,310	14,310	▲
00826	5-HIAA 정량	Random Urine	ELISA	나322나(2)	C3223	211.29	13,400	13,400	219.10	14,310	14,310	▲
00810	5-HIAA 정성	Random Urine	Colorimetry	나322가	C3221	20.47	1,300	1,300	18.97	1,240	1,240	▼
10840	A/CCR	복수검체	계산법	나261+C375	B2611+C3750		8,080	8,080		8,020	8,020	▼
10020	A/G ratio	SST Serum	계산법	나220+C221	C2200+C2210		0	3,100		0	2,970	▼
10021	A/G ratio	Body Fluid	계산법	나220+C230	C2200+C2302		0	14,210		0	14,560	▲
30290	Ab Elution	EDTA Blood		나211	B2110006	67.11	4,250	4,250	61.56	4,020	4,020	▼
30230	Ab Identification Test	복수검체		나206나	B2062006외		22,540	22,540		24,450	24,450	▲
30220	Ab Screening test	SST Serum	Column	나206가	B2061006	91.27	5,790	5,790	95.43	6,230	6,230	▲
30253	ABO(Back)Typing	SST Serum	Manual	나201나	B2010	12.63	800	800	13.26	870	870	▲
30250	ABO(Front)Typing	EDTA Blood	Manual	나201가	B2000	12.17	770	770	13.03	850	850	▲
30251	ABO(Front)Typing	Capillary	Manual	나201가	B2000	12.17	770	770	13.03	850	850	▲
30252	ABO(Front)Typing	Cord Blood	Manual	나201가	B2000	12.17	770	770	13.03	850	850	▲
10190	ACE	SST Serum	Colorimetry	나273	B2731	305.2	19,350	19,350	277.92	18,150	18,150	▼
10191	ACE	Other	Colorimetry	나273	B2731	305.2	19,350	19,350	277.92	18,150	18,150	▼
65490	Acetaminophen	SST Serum	Enzyme	나450나(1)	C4503390	154.13	9,770	9,770	144.47	9,430	9,430	▼
25310	Achondroplasia	Amniotic Fluid	PCR-RFLP	너562바	CY626006	416.68	52,840	52,840	416.68	54,420	54,420	▲
01140	Ach-r-Binding Ab	SST Serum	RIA	너450주	CX747	133.69	8,480	8,480	133.69	8,730	8,730	▲
30120	Acid phosphatase stain	Bone Marrow Slide	Stain	나118가	B1182006	84.34	5,350	5,350	84.01	5,490	5,490	▲
10200	ACP	SST Serum	Colorimetry	나260가	B2601	23.95	1,520	1,520	22.00	1,440	1,440	▼
10201	ACP	분비물	Colorimetry	나260가	B2601	23.95	1,520	1,520	22.00	1,440	1,440	▼
00015	ACTH (ECLIA)	EDTA Plasma	ECLIA	나359	C3590	200.29	12,700	12,700	196.95	12,860	12,860	▲
30960	Activated PTT	SC Plasma	Clot-based	나153	B1530	41.44	2,630	2,630	42.77	2,790	2,790	▲
26234	Acute Leukemia panel	Bone Marrow	Flow Cytometry	나512	C5120006	445.94	508,860	508,860	447.99	526,500	526,500	▲
10210	ADA	SST Serum	Colorimetry	나272	B2721	168.3	10,670	10,670	167.07	10,910	10,910	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
10211	ADA	CSF	Colorimetry	나272	B2721	168.3	10,670	10,670	167.07	10,910	10,910	▲
10212	ADA	Body Fluid	Colorimetry	나272	B2721	168.3	10,670	10,670	167.07	10,910	10,910	▲
71240	Addis count	Random Urine	검경법	나6	B0060	27.3	1,730	1,730	27.23	1,780	1,780	▲
42815	Adenovirus Ag(DFA)	Other	DFA	나469	C4690516	202.85	12,860	12,860	203.10	13,260	13,260	▲
42105	Adenovirus culture	Other	Shell Vial Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲
42106	Adenovirus culture(tissue)	Tissue	Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲
40255	Adenovirus IgG	SST Serum	ELISA	나468나(1)	C4682516	263.15	16,680	16,680	266.76	17,420	17,420	▲
40256	Adenovirus IgG	CSF	ELISA	나468나(1)	C4682516	263.15	16,680	16,680	266.76	17,420	17,420	▲
40260	Adenovirus IgM	SST Serum	EIA	나468나(2)	C4683516	258.09	16,360	16,360	259.16	16,920	16,920	▲
40261	Adenovirus IgM	CSF	EIA	나468나(2)	C4683516	258.09	16,360	16,360	259.16	16,920	16,920	▲
42107	Adenovirus rapid culture	Other	Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲
00030	ADH	EDTA Plasma	RIA	나365주	C7365	166.24	10,540	10,540	160.33	10,470	10,470	▼
25020	AFAFP	Amniotic Fluid		나421나	C4212	173.3	10,990	10,990	172.86	11,290	11,290	▲
25040	AFAFP	Amniotic Fluid		나421나	C4212	173.3	10,990	10,990	172.86	11,290	11,290	▲
70410	AFB Culture	Sputum	Culture	나405나(1)	B4054	192.4	12,200	12,200	192.40	12,560	12,560	▲
70420	AFB Culture	Sputum	Culture	나405나(1)	B4054	192.4	12,200	12,200	192.40	12,560	12,560	▲
70450	AFB Culture (액체+고체배지)			나405나	B4054+B4055					25,120	25,120	▲
70440	AFB Culture (액체배지)			나405나(2)	B4055	192.4	12,200	12,200	192.40	12,560	12,560	▲
70605	AFB Identification	균주	PRA	너562너	CY636006	416.68	26,420	26,420	416.68	27,210	27,210	▲
70607	AFB Identification	균주	PRA	너562너	CY636006	416.68	26,420	26,420	416.68	27,210	27,210	▲
70430	AFB Sensitivity	균주		나406다(2)	B4064	501.36	31,790	31,790	522.61	34,130	34,130	▲
70500	AFB Sensitivity (결핵협회)	균주		나406다(2)	B4064	501.36	31,790	31,790	522.61	34,130	34,130	▲
70512	AFB Sensitivity (INH)	Sputum	Hybridization	나595-1나2	CY752006	581.83	36,890	36,890	581.83	37,990	37,990	▲
70511	AFB Sensitivity (RFP)	Sputum	Hybridization	나595-1나1	CY751006	581.83	36,890	36,890	581.83	37,990	37,990	▲
70510	AFB Sensitivity (RFP,INH)	Sputum	Hybridization	나595-1나	CY751006외		73,780	73,780		75,980	75,980	▲
70320	AFB Stain	Sputum		나402	B4021	49.17	3,120	3,120	48.30	3,150	3,150	▲
82090	AFB Stain	Tissue		나553다	C5533	121.67	7,710	7,710	122.36	7,990	7,990	▲
70400	AFB Stain & Culture	Sputum		너304+나40	BX304+B4054		16,270	16,270		16,760	16,760	▲
70330	AFB Stain(형광법)	Sputum	형광 염색법	너304	BX304	64.27	4,070	4,070	64.27	4,200	4,200	▲
80606	AFB Stain(T&C)	Tissue		나553나	C5533	121.67	7,710	7,710	122.36	7,990	7,990	▲
01405	AFP (ECLIA)	SST Serum	ECLIA	나421나	C4212	173.3	10,990	10,990	172.86	11,290	11,290	▲
01406	AFP (ECLIA)	EDTA Plasma	ECLIA	나421나	C4212	173.3	10,990	10,990	172.86	11,290	11,290	▲
01407	AFP (ECLIA)	Body Fluid	ECLIA	나421나	C4212	173.3	10,990	10,990	172.86	11,290	11,290	▲
01415	AFP(CLIA)	SST Serum	CLIA	나421나	C4212	173.3	10,990	10,990	172.86	11,290	11,290	▲
01410	AFP(RPHA)	SST Serum	RPHA	나421가	C4211	66.9	4,240	4,240	61.14	3,990	3,990	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
10000	Albumin	SST Serum	Colorimetry	나221	C2210	27.14	1,720	1,720	25.33	1,650	1,650	▼
10001	Albumin	24hr Urine	TIA	나230나	C2302	202.36	12,830	12,830	202.83	13,240	13,240	▲
10002	Albumin	Random Urine	TIA	나230나	C2302	202.36	12,830	12,830	202.83	13,240	13,240	▲
10003	Albumin	CSF	TIA	나230나	C2302	202.36	12,830	12,830	202.83	13,240	13,240	▲
10004	Albumin	Body Fluid	Colorimetry	나230나	C2302	202.36	12,830	12,830	202.83	13,240	13,240	▲
82120	Alcian Blue(mucin) Stain	Tissue		나553다	C5533	121.67	7,710	7,710	122.36	7,990	7,990	▲
11890	Alcohol	SST Serum	Enzyme	나450나(1)	C4503390	154.13	9,770	9,770	144.47	9,430	9,430	▼
11891	Alcohol	EDTA Plasma	Enzyme	나450나(1)	C4503390	154.13	9,770	9,770	144.47	9,430	9,430	▼
10220	Aldolase	SST Serum	Enzyme	나269	B2690	77.45	4,910	4,910	68.93	4,500	4,500	▼
00650	Aldosterone (RIA)	SST Serum	RIA	나358주	C7358	176.65	11,200	11,200	177.58	11,600	11,600	▲
00651	Aldosterone (RIA)	EDTA Plasma	RIA	나358주	C7358	176.65	11,200	11,200	177.58	11,600	11,600	▲
00655	Aldosterone (RIA)	24hr Urine	RIA	나358주	C7358	176.65	11,200	11,200	177.58	11,600	11,600	▲
10230	ALP	SST Serum	Enzyme	나260나	B2602	26.55	1,680	1,680	24.03	1,570	1,570	▼
10231	ALP	Body Fluid	Enzyme	나260가	B2601	23.95	1,520	1,520	22.00	1,440	1,440	▼
20560	ALP Isoenzyme	SST Serum	Electrophoresis	나305	B3050006	176.45	11,190	11,190	177.08	11,560	11,560	▲
12670	Aluminium(Al)	Trace Serum	AAS	나452나(2)	C4523990	302.23	19,160	19,160	306.17	19,990	19,990	▲
12671	Aluminium(Al)	24hr Urine	AAS	나452나(2)	C4523990	302.23	19,160	19,160	306.17	19,990	19,990	▲
65170	Amikacin	SST Serum	FPIA	나450나(2)	C4504390	238.27	15,110	15,110	243.15	15,880	15,880	▲
13015	Amino Acid 분석	Hp Plasma	LC/MS/MS	나443나(3)	C4433006	1110.7	70,420	70,420	1142.52	74,610	74,610	▲
13016	Amino Acid 분석	EDTA Plasma	LC/MS/MS	나443나(3)	C4433006	1110.7	70,420	70,420	1142.52	74,610	74,610	▲
13017	Amino Acid 분석	Random Urine	LC/MS/MS	나443나(3)	C4433006	1110.7	70,420	70,420	1142.52	74,610	74,610	▲
13018	Amino Acid 분석	CSF	LC/MS/MS	나443나(3)	C4433006	1110.7	70,420	70,420	1142.52	74,610	74,610	▲
65500	Amiodarone	SST Serum	LC/MS/MS	나450나(2)	C4504390	238.27	15,110	15,110	243.15	15,880	15,880	▲
65511	Amitriptyline	Plain Blood	LC/MS/MS	나450나(4)	CX375696	542.51	34,400	34,400	542.51	35,430	35,430	▲
25320	AML1/ETO (nested RT-PCR)	EDTA Blood	Nested RT-PCR	나597마	C5975006	1544.19	97,900	97,900	1573.83	102,770	102,770	▲
25321	AML1/ETO (nested RT-PCR)	Bone Marrow	Nested RT-PCR	나597마	C5975006	1544.19	97,900	97,900	1573.83	102,770	102,770	▲
10850	Ammonia (NH3)	EDTA Plasma	Enzyme	나387	C3870	68.61	4,350	4,350	66.37	4,330	4,330	▼
50330	Amoeba Ab (HA)	SST Serum	HA	나472가	C4721620	108.93	6,910	6,910	99.49	6,500	6,500	▼
50331	Amoeba Ab (HA)	Body Fluid	HA	나472가	C4721620	108.93	6,910	6,910	99.49	6,500	6,500	▼
65390	Amphetamine	Random Urine	TDX	나450가(2)	C4502390	130.9	8,300	8,300	124.57	8,130	8,130	▼
10240	Amylase	SST Serum	Enzyme	나261가	B2611	42.01	2,660	2,660	41.67	2,720	2,720	▲
10241	Amylase	Random Urine	Enzyme	나261가	B2611	42.01	2,660	2,660	41.67	2,720	2,720	▲
10242	Amylase	24hr Urine	Enzyme	나261가	B2611	42.01	2,660	2,660	41.67	2,720	2,720	▲
10243	Amylase	Body Fluid	Enzyme	나261가	B2611	42.01	2,660	2,660	41.67	2,720	2,720	▲
10250	Amylase clearance	복수검체	계산법	나261 외	B2611 외	0	0	8,080		0	8,020	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
20570	Amylase Isoenzyme	SST Serum	Electrophoresis	나306	B3060006	160.26	10,160	10,160	152.41	9,950	9,950	▼
20571	Amylase Isoenzyme	Body Fluid	Electrophoresis	나306	B3060006	160.26	10,160	10,160	152.41	9,950	9,950	▼
51030	ANA (IFA)	SST Serum	IFA	나491나	C4912006	144.52	9,160	9,160	148.85	9,720	9,720	▲
51031	ANA (IFA)	Body Fluid	IFA	나491나	C4912006	144.52	9,160	9,160	148.85	9,720	9,720	▲
51040	ANA 정량	SST Serum	IFA	나491나주	C4913006	276.11	17,510	17,510	278.33	18,170	18,170	▲
51041	ANA 정량	Body Fluid	IFA	나491나주	C4913006	276.11	17,510	17,510	278.33	18,170	18,170	▲
51061	ANCA (MPO) 정량	SST Serum	ELISA	너447나	CY472006	234.99	14,900	14,900	234.99	15,340	15,340	▲
51062	ANCA (PR3) 정량	SST Serum	ELISA	너447가	CY471006	234.99	14,900	14,900	234.99	15,340	15,340	▲
51060	ANCA 정량	SST Serum	ELISA	너447주1	CY471~2006		29,800	29,800		30,680	30,680	▲
51050	ANCA 정성	SST Serum	ELISA	나499	C4991006	161.17	10,220	10,220	161.99	10,580	10,580	▲
12930	Anion GAP	SST Serum	계산법	나379+C381	C3791~3+C3812		0	6,510		0	6,440	▼
51100	Anti Cardiolipin IgA	SST Serum	ELISA	나503나(3)	C5034	241.99	15,340	15,340	248.90	16,250	16,250	▲
51080	Anti Cardiolipin IgG	SST Serum	ELISA	나503나(1)	C5032	241.99	15,340	15,340	248.90	16,250	16,250	▲
51090	Anti Cardiolipin IgM	SST Serum	ELISA	나503나(2)	C5033	241.99	15,340	15,340	248.90	16,250	16,250	▲
51130	Anti centromere Ab	SST Serum	IFA	너443사	CY449006	616.68	39,100	39,100	616.68	40,270	40,270	▲
51145	Anti centromere Ab(EIA)	SST Serum	EIA	너443사	CY449006	616.68	39,100	39,100	616.68	40,270	40,270	▲
51150	Anti dsDNA Ab (CLIA)	SST Serum	CLIA	나492나	C4922	248.04	15,730	15,730	250.42	16,350	16,350	▲
51151	Anti dsDNA Ab (CLIA)	Body Fluid	CLIA	나492나	C4922	248.04	15,730	15,730	250.42	16,350	16,350	▲
51152	Anti dsDNA Ab (RIA)	SST Serum	RIA	나492나	C7492	238.31	15,110	15,110	235.83	15,400	15,400	▲
51160	Anti dsDNA IgG	SST Serum	ELISA	나492나	C4922	248.04	15,730	15,730	250.42	16,350	16,350	▲
51170	Anti dsDNA IgM	SST Serum	ELISA	나492나	C4922	248.04	15,730	15,730	250.42	16,350	16,350	▲
51171	Anti dsDNA IgM	EDTA Plasma	ELISA	나492나	C4922	248.04	15,730	15,730	250.42	16,350	16,350	▲
51200	Anti ENA Ab	SST Serum	PA	너443차	CY452006	616.68	39,100	39,100	616.68	40,270	40,270	▲
70795	Anti fungal susceptibility	Other	MIC	나406나	B4062	171.39	43,480	43,480	174.96	45,680	45,680	▲
51220	Anti GAD Ab	SST Serum	RIA	너441주	CX744	868.56	55,070	55,070	868.56	56,720	56,720	▲
51221	Anti GAD Ab	CSF	RIA	너441주	CX744	868.56	55,070	55,070	868.56	56,720	56,720	▲
51230	Anti GBM Ab	SST Serum	ELISA	너451	CX451	122.08	7,740	7,740	122.08	7,970	7,970	▲
30300	Anti globulin Test	EDTA Blood		나204가주	B2047006	58.85	3,730	3,730	60.90	3,980	3,980	▲
51270	Anti intrinsic factor Ab	SST Serum	EIA	너452	CX452	122.07	7,740	7,740	122.07	7,970	7,970	▲
51320	Anti Jo-1 Ab(EIA)	SST Serum	EIA	너443바	CY448006	616.68	39,100	39,100	616.68	40,270	40,270	▲
51360	Anti LKM Ab	SST Serum	IFA	너455	CX455	393.15	24,930	24,930	393.15	25,670	25,670	▲
50370	Anti M.tuberculosis Ab	SST Serum	ELISA	나466나	C4662196	203.08	12,880	12,880	203.46	13,290	13,290	▲
01885	Anti Microsome(TPO) Ab	SST Serum	ECLIA	나495나	C4952	207.55	13,160	13,160	213.03	13,910	13,910	▲
51380	Anti Mitochondrial Ab(IFA)	SST Serum	IFA	나496나	C4962	130.42	8,270	8,270	131.18	8,570	8,570	▲
51420	Anti Parietal cell Ab	SST Serum	IFA	나504	C5040	108.6	6,890	6,890	98.45	6,430	6,430	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
51450	Anti Phospholipid IgG	SC Plasma	ELISA	나498나(1)	C4982006	260.52	16,520	16,520	265.30	17,320	17,320	▲
51451	Anti Phospholipid IgG	SST Serum	ELISA	나498나(1)	C4982006	260.52	16,520	16,520	265.30	17,320	17,320	▲
51460	Anti Phospholipid IgM	SC Plasma	ELISA	나498나(2)	C4983006	260.82	16,540	16,540	265.75	17,350	17,350	▲
51461	Anti Phospholipid IgM	SST Serum	ELISA	나498나(2)	C4983006	260.82	16,540	16,540	265.75	17,350	17,350	▲
51480	Anti Platelet Ab	SST Serum	IFA	나501나	C5012006	237.66	15,070	15,070	242.40	15,830	15,830	▲
51520	Anti RNP Ab	SST Serum	EIA	너443나	CY444006	407.02	25,810	25,810	407.02	26,580	26,580	▲
51521	Anti RNP Ab	EDTA Plasma	EIA	너443나	CY444006	407.02	25,810	25,810	407.02	26,580	26,580	▲
51535	Anti Scl-70 Ab(EIA)	SST Serum	EIA	너443마	CY447006	616.68	39,100	39,100	616.68	40,270	40,270	▲
51550	Anti Sm Ab	SST Serum	EIA	너443가	CY443006	407.02	25,810	25,810	407.02	26,580	26,580	▲
51560	Anti Smooth Muscle Ab(IFA)	SST Serum	IFA	나497나	C4972	129.86	8,230	8,230	130.35	8,510	8,510	▲
51570	Anti sperm Ab	SST Serum	IBT	나735나	E7352	266.15	16,870	16,870	266.15	17,380	17,380	▲
51580	Anti SS-A/Ro Ab	SST Serum	EIA	너443다	CY445006	407.02	25,810	25,810	407.02	26,580	26,580	▲
51590	Anti SS-B/La Ab	SST Serum	EIA	너443라	CY446006	407.02	25,810	25,810	407.02	26,580	26,580	▲
50395	Anti Tetanus Ab	SST Serum	ICA	나466나	C4662196	203.08	12,880	12,880	203.46	13,290	13,290	▲
30870	Anti thrombin Ⅲ(%)	SC Plasma	Chromogenic assay	나158	B1580	110.95	7,030	7,030	111.28	7,270	7,270	▲
31120	Anti Xa LMWH test(Heparin)	SC Plasma		나163-1나	B1634	167.16	10,600	10,600	173.83	11,350	11,350	▲
52030	Anti β2-GP1 IgG Ab	SST Serum	ELISA	나506가	C5061	228.16	14,470	14,470	228.16	14,900	14,900	▲
52035	Anti β2-GP1 IgM Ab	SST Serum	ELISA	나506가	C5062	228.16	14,470	14,470	228.16	14,900	14,900	▲
30860	Antithrombin Ⅲ	SC Plasma	TIA	나158	B1580	110.95	7,030	7,030	111.28	7,270	7,270	▲
31100	APCR	SC Plasma	Clot-based	너89	BX089	278.89	17,680	17,680	278.89	18,210	18,210	▲
10940	Apolipoprotein A I	SST Serum	TIA	나246가	C2461	101.74	6,450	6,450	102.08	6,670	6,670	▲
10950	Apolipoprotein AⅡ	SST Serum	TIA	나246가	C2461	101.74	6,450	6,450	102.08	6,670	6,670	▲
10960	Apolipoprotein B	SST Serum	TIA	나246나	C2462	102.87	6,520	6,520	104.12	6,800	6,800	▲
10970	Apolipoprotein CⅡ	SST Serum	TIA	나246다	C2463	104.07	6,600	6,600	105.92	6,920	6,920	▲
10980	Apolipoprotein CⅢ	SST Serum	TIA	나246다	C2463	104.07	6,600	6,600	105.92	6,920	6,920	▲
10990	Apolipoprotein E	SST Serum	TIA	나246라	C2464	103.66	6,570	6,570	105.31	6,880	6,880	▲
25330	Apolipoprotein E Genotype	EDTA Blood	PCR	너572	CX572006	833.29	52,830	52,830	833.29	54,410	54,410	▲
20430	Apt test	Stool	Colorimetry	나124	B1240	8.4	530	530	7.82	510	510	▼
20431	Apt test	Other	Colorimetry	나124	B1240	8.4	530	530	7.82	510	510	▼
12681	Arsenic(AS)	24hr Urine	AAS	나452나(2)	C4523990	302.23	19,160	19,160	306.17	19,990	19,990	▲
12682	Arsenic(AS)	Random Urine	AAS	나452나(2)	C4523990	302.23	19,160	19,160	306.17	19,990	19,990	▲
50410	ASO 정량	SST Serum	TIA	나463나	C4633	104.59	6,630	6,630	105.61	6,900	6,900	▲
50400	ASO(Latex)	SST Serum	TIA	나463가	C4631	36.23	2,300	2,300	33.76	2,200	2,200	▼
50411	ASO(Titer)	Body Fluid	TIA	나463나	C4633	104.59	6,630	6,630	105.61	6,900	6,900	▲
50445	Aspergillus Ab IgG	SST Serum	EIA	나467나	C4672236	197.68	12,530	12,530	195.36	12,760	12,760	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
50455	Aspergillus Ag	SST Serum	EIA	나475나	C4752996	285.42	18,100	18,100	293.16	19,140	19,140	▲
65520	Aspirin (Salicylic acid)	SST Serum	TDX	나450나(1)	C4503390	154.13	9,770	9,770	144.47	9,430	9,430	▼
11920	Auto hemolysis test	복수검체	Tube	나114	B1140006	121.65	7,710	7,710	120.99	7,900	7,900	▲
27570	B cell confirm test	EDTA Blood	Flow Cytometry	나512	C5120006	445.94	113,080	113,080	447.99	117,000	117,000	▲
10890	B/C ratio	SST Serum	계산법	나373+C375	C3730+C3750	0	0	3,050		0	2,890	▼
50460	Bacterial Ag	CSF	Latex	나408	B4080	96.52	30,600	30,600	90.90	29,700	29,700	▼
65180	Barbiturate	Random Urine	ICA	나450가(2)	C4502070	130.9	8,300	8,300	124.57	8,130	8,130	▼
25900	B-Cell Stain(CD20)(IHC)	Blood Smear Slide	IFA	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
70030	Bence-Jones Protein 정성	Random Urine	Precipitation	나227가	C2271	17.58	1,110	1,110	16.17	1,060	1,060	▼
65190	Benzodiazepine	Random Urine	ICA	나450가(2)	C4502080	130.9	8,300	8,300	124.57	8,130	8,130	▼
11930	Bile Acid	SST Serum	Enzyme	너272	CX272	239.28	15,170	15,170	239.28	15,620	15,620	▲
11931	Bile Acid	Bile	Enzyme	너272	CX272	239.28	15,170	15,170	239.28	15,620	15,620	▲
80645	biopsy구축학적검사(1)	Tissue		나550라(1)	C5505	1420.49	90,060	90,060	1496.02	97,690	97,690	▲
80646	biopsy구축학적검사(2)	Tissue		나550라(2)	C5508	1200.96	76,140	76,140	1166.73	76,190	76,190	▲
80520	Biopsy탈회과정(S)	Tissue		나550	C5509외	0	23,710	23,710		24,310	24,310	▲
30010	Blood Cell Morphology	EDTA Blood	Manual	나110	B1100006	65.19	4,130	4,130	68.66	4,480	4,480	▲
70230	Blood Culture	Blood	Culture	나405가	B4051	152.96	9,700	9,700	158.13	10,330	10,330	▲
70235	Blood Culture & Sensi(G)	Other		나405+나406	B4051+B4061	0	16850	16850		17760	17,760	▲
71020	Body Fluid Analysis	Body Fluid	Manual	나51	B0510	47.54	3,010	3,010	49.02	3,200	3,200	▲
71021	Body Fluid Analysis(Joint)	Joint Fluid	Manual	나51	B0510	47.54	3,010	3,010	49.02	3,200	3,200	▲
71060	Body Fluid Cell count	Body Fluid	Manual	나51	B0510	47.54	3,010	3,010	49.02	3,200	3,200	▲
11940	Bone ALP	SST Serum	ELISA	나398	C3980	143.05	9,070	9,070	125.07	8,170	8,170	▼
30135	Bone Marrow Consultant	Bone Marrow Slide		나111가주1	B1113	408.8	25,920	25,920	443.74	28,980	28,980	▲
30130	Bone Marrow Examination	Bone Marrow Slide	Manual	나111가주1	B1113	408.8	25,920	25,920	443.74	28,980	28,980	▲
25350	BRCA1	EDTA Blood	DHPLC	나599나(4)	CY713006	5911.54	374,790	374,790	5911.54	386,020	386,020	▲
25360	BRCA2	EDTA Blood	DHPLC	나599나(4)	CY714006	5911.54	374,790	374,790	5911.54	386,020	386,020	▲
10860	BUN	SST Serum	Enzyme	나373	C3730	26.4	1,670	1,670	24.46	1,600	1,600	▼
10861	BUN	24hr Urine	Enzyme	나373	C3730	26.4	1,670	1,670	24.46	1,600	1,600	▼
10862	BUN	Random Urine	Enzyme	나373	C3730	26.4	1,670	1,670	24.46	1,600	1,600	▼
70727	C. difficile culture	Stool	Culture	너302가	BY021	154.65	9,800	9,800	154.65	10,100	10,100	▲
70725	C. difficile toxin A,B	Stool	ELFA	너302나	BY022	122.08	7,740	7,740	122.08	7,970	7,970	▲
20020	C1q	SST Serum	RID	나226사	C2267	103.59	6,570	6,570	105.21	6,870	6,870	▲
20040	C3	SST Serum	TIA	나226가	C2261	103.54	6,560	6,560	105.13	6,860	6,860	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
20070	C4	SST Serum	TIA	나226나	C2262	102.86	6,520	6,520	104.10	6,800	6,800	▲
10070	Ca	SST Serum	Colorimetry	나379마	C3795	19.32	1,220	1,220	18.00	1,180	1,180	▼
10071	Ca	24hr Urine	Colorimetry	나379마	C3795	19.32	1,220	1,220	18.00	1,180	1,180	▼
10072	Ca	Random Urine	Colorimetry	나379마	C3795	19.32	1,220	1,220	18.00	1,180	1,180	▼
01485	CA 72-4	SST Serum	RIA	나426주	C7426	244.05	15,470	15,470	224.38	14,650	14,650	▼
01482	CA 72-4 (ECLIA)	SST Serum	ECLIA	나426	C4260	282.25	17,890	17,890	281.68	18,390	18,390	▲
10090	Ca++	SST Serum	Electrode	나379바	C3796	76.93	4,880	4,880	78.36	5,120	5,120	▲
10091	Ca++	Hp Plasma	Electrode	나379바	C3796	76.93	4,880	4,880	78.36	5,120	5,120	▲
01495	CA125 (ECLIA)	SST Serum	ECLIA	나424	C4240	253.21	16,050	16,050	253.45	16,550	16,550	▲
01455	CA15-3 (ECLIA)	SST Serum	ECLIA	나433	C4330	252.38	16,000	16,000	252.22	16,470	16,470	▲
01465	CA19-9 (ECLIA)	SST Serum	ECLIA	나423	C4230	259.89	16,480	16,480	261.22	17,060	17,060	▲
01466	CA19-9 (ECLIA)	Body Fluid	ECLIA	나423	C4230	259.89	16,480	16,480	261.22	17,060	17,060	▲
12690	Cadmium(Cd)	Trace EDTA Blood	AAS	나452나(2)	C4523650	302.23	19,160	19,160	306.17	19,990	19,990	▲
12691	Cadmium(Cd)	24hr Urine	AAS	나452나(2)	C4523650	302.23	19,160	19,160	306.17	19,990	19,990	▲
28080	CAG repeats of Androgen R	EDTA Blood	PCR Fragment analysis	너573마	CY539006	953.51	60,450	60,450	953.51	62,260	62,260	▲
01900	Calcitonin	SST Serum	RIA	나356주	C7356	204.3	12,950	12,950	200.18	13,070	13,070	▲
71050	Campylobacter Culture	Stool	Culture	너301라	BY309006	363.17	23,020	23,020	363.17	23,720	23,720	▲
50542	Candida Ag 정성	SST Serum	Latex	나408	B4080	96.52	6,120	6,120	90.90	5,940	5,940	▼
65400	Cannabinoids 정성	Random Urine	ICA	나450가(2)	C4502390	130.9	8,300	8,300	124.57	8,130	8,130	▼
65200	Carbamazepine	SST Serum	FPA	나450나(2)	C4504030	238.27	15,110	15,110	243.15	15,880	15,880	▲
20440	Carboxy Hemoglobin	EDTA Blood		나382다	C3823	53.44	3,390	3,390	53.71	3,510	3,510	▲
11010	Cardiac Risk Factor	SST Serum	계산법	나241+C242	C2411+C2420	0	0	6,890		0	6,940	▲
11265	Carnitine(Vitamin BT)	SST Serum	LC/MS/MS	너154	CY544	399.4	50,640	50,640	399.40	52,160	52,160	▲
11270	Carotene	SST Serum	Spectrophotometry	나255	C2550	60.78	3,850	3,850	57.58	3,760	3,760	▼
02045	Catecholamine 2F(HPLC)	24hr Urine	HPLC	너228		0	39,340	39,340		40,520	40,520	▲
02046	Catecholamine 2F(HPLC)	EDTA Plasma	HPLC	너228		0	39,340	39,340		40,520	40,520	▲
02055	Catecholamine 3F(HPLC)	EDTA Plasma	HPLC	너228		0	59,010	59,010		60,780	60,780	▲
02056	Catecholamine 3F(HPLC)	24hr Urine	HPLC	너228		0	59,010	59,010		60,780	60,780	▲
26220	CD 14	Bone Marrow	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
26255	CD 16 + CD 56 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
26250	CD 16 + CD 56 (NK cell)	EDTA Blood	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
25990	CD 19 (B cell)	EDTA Blood	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
25991	CD 19 (B cell)	Bone Marrow	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
25995	CD 19 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
25910	CD 2	EDTA Blood	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
26005	CD 20	EDTA Blood	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
27460	CD 25	Bone Marrow		나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
25925	CD 3 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
25926	CD 3 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
25920	CD 3 (T3)	EDTA Blood	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
25921	CD 3 (T3)	Bone Marrow	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
26025	CD 34	EDTA Blood	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
26020	CD 34 (Stem cell)	EDTA Blood	Flow Cytometry	나514	C5140006	710.91	67,610	67,610	724.53	70,970	70,970	▲
25935	CD 4 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
25936	CD 4 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
25930	CD 4 (T4)	EDTA Blood	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
25931	CD 4 (T4)	Bone Marrow	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
26030	CD 45	EDTA Blood		나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
26050	CD 55	EDTA Blood		너42나	BY422006	429.94	27,260	27,260	429.94	28,080	28,080	▲
26060	CD 59	EDTA Blood		너42나	BY422006	429.94	27,260	27,260	429.94	28,080	28,080	▲
26065	CD 59 (PNH test)	EDTA Blood	Flow Cytometry	너42나	BY422006	429.94	54,520	54,520	429.94	56,160	56,160	▲
51853	CD 68	Other		나557	C5575006	470.02	29,800	29,800	466.94	30,490	30,490	▲
25965	CD 8 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
25966	CD 8 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
25960	CD 8 (T8)	EDTA Blood	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
25961	CD 8 (T8)	Bone Marrow	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
81030	CD10 (IHC)	Tissue	Immunohistochemistry	나557	C5575006	470.02	29,800	29,800	466.94	30,490	30,490	▲
01535	CEA (ECLIA)	SST Serum	ECLIA	나422	C4220	230.54	14,620	14,620	230.65	15,060	15,060	▲
01536	CEA (ECLIA)	Body Fluid	ECLIA	나422	C4220	230.54	14,620	14,620	230.65	15,060	15,060	▲
82150	Cell block after Cyto Exam	Other		나594	C5940	156.81	9,940	9,940	145.11	9,480	9,480	▼
27620	Cell culture (AF)	Amniotic Fluid	Culture	너498	CX498	366.25	23,220	23,220	366.25	23,920	23,920	▲
20160	Ceruloplasmin	SST Serum	TIA	나235	C2350	103.76	6,580	6,580	107.19	7,000	7,000	▲
20161	Ceruloplasmin	Hp Plasma	TIA	나235	C2350	103.76	6,580	6,580	107.19	7,000	7,000	▲
51640	CH50	SST Serum	Enzyme	나225	C2250	124.78	7,910	7,910	118.16	7,720	7,720	▼
50560	Chlamydia pneumonia IgG	SST Serum	IFA	나474나(1)	C4742816	204.59	12,970	12,970	205.72	13,430	13,430	▲
50570	Chlamydia pneumonia IgM	SST Serum	IFA	나474나(2)	C4743816	203.84	12,920	12,920	204.59	13,360	13,360	▲
42340	Chlamydia Pneumonia PCR	Other	PCR	나5950아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
42240	Chlamydia trachomatis Ag	분비물	ELFA	나475나	C4752816	285.42	18,100	18,100	293.16	19,140	19,140	▲
50630	Chlamydia trachomatis IgG	SST Serum	EIA	나474나(1)	C4742816	204.59	12,970	12,970	205.72	13,430	13,430	▲
50640	Chlamydia trachomatis IgM	SST Serum	ELISA	나474나(2)	C4743816	203.84	12,920	12,920	204.59	13,360	13,360	▲
42330	Chlamydia trachomatis PCR	분비물	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
10100	Chloride(Cl)	SST Serum	ISE	나379다	C3793	19.19	1,220	1,220	17.42	1,140	1,140	▼
10101	Chloride(Cl)	24hr Urine	ISE	나379다	C3793	19.19	1,220	1,220	17.42	1,140	1,140	▼
10102	Chloride(Cl)	Random Urine	ISE	나379다	C3793	19.19	1,220	1,220	17.42	1,140	1,140	▼
11050	Cholesterol Ester 정량	SST Serum	계산법	나241나	C2412	22.74	1,440	1,440	20.79	1,360	1,360	▼
11051	Cholesterol Ester 정량	Joint Fluid	계산법	나241나	C2412	22.74	1,440	1,440	20.79	1,360	1,360	▼
10280	Cholinesterase(Pseudo)	SST Serum	Colorimetry	나270	B2700	56.91	3,610	3,610	50.75	3,310	3,310	▼
10290	Cholinesterase(RBC activity)	EDTA Blood	Enzyme	나270	B2700	56.91	3,610	3,610	50.75	3,310	3,310	▼
12700	Chromium(Cr)	Trace EDTA Blood	AAS	나452나(2)	C4523990	302.23	19,160	19,160	306.17	19,990	19,990	▲
12701	Chromium(Cr)	24hr Urine	AAS	나452나(2)	C4523990	302.23	19,160	19,160	306.17	19,990	19,990	▲
12702	Chromium(Cr)	Other	AAS	나452나(2)	C4523990	302.23	19,160	19,160	306.17	19,990	19,990	▲
25102	Chromosome Analysis(BM)	Bone Marrow	Culture	나600-1	C6005006	1501.64	95,200	95,200	1554.58	101,510	101,510	▲
25104	Chromosome Analysis(CB)	Cord Blood	Culture	나600	C6001006	1058.77	67,130	67,130	1135.28	74,130	74,130	▲
25110	Chromosome analysis(Leukemi)	Hp Blood	Culture	나600-1	C6005006	1501.64	95,200	95,200	1554.58	101,510	101,510	▲
25100	Chromosome Analysis(PB)	Hp Blood	Culture	나600	C6001006	1058.77	67,130	67,130	1135.28	74,130	74,130	▲
25192	Chromosome(High Resolution)	Bone Marrow	Culture	나600-2	C6006006	1590.33	100,830	100,830	1590.33	103,850	103,850	▲
25190	Chromosome(High Resolution)	Hp Blood	Culture	나600-2	C6006006	1590.33	100,830	100,830	1590.33	103,850	103,850	▲
26235	Chronic Leukemia panel	Bone Marrow	Flow Cytometry	나512	C5120006	445.94	508,860	508,860	447.99	526,500	526,500	▲
10520	Citrate	24hr Urine	Enzyme	나345가(2)	CY342	339.91	21,550	21,550	339.91	22,200	22,200	▲
10525	Citrate	SST Serum	UV	나345가(2)	CY342	339.91	21,550	21,550	339.91	22,200	22,200	▲
81060	CK (IHC)	Tissue	Immunohistochemis try	나557	C5575006	470.02	29,800	29,800	466.94	30,490	30,490	▲
81015	CK HMW(CK 1,5,10,14)(IHC)	Tissue	Immunohistochemis try	나557	C5575006	470.02	29,800	29,800	466.94	30,490	30,490	▲
10316	CK-BB	SST Serum	Electrophoresis	나304	B3040006	170.1	10,780	10,780	167.97	10,970	10,970	▲
10310	CK-MB 정량	SST Serum	ECLIA	나264	B2640	148.94	9,440	9,440	150.40	9,820	9,820	▲
10315	CK-MM	SST Serum	Electrophoresis	나304	B3040006	170.1	10,780	10,780	167.97	10,970	10,970	▲
65770	Clozapine	SST Serum	LC/MS/MS	나450나(4)	CX375696	542.51	34,400	34,400	542.51	35,430	35,430	▲
25370	CML-major PCR	EDTA Blood	Nested RT-PCR	나597가	C5971006	1542.2	97,780	97,780	1570.83	102,580	102,580	▲
25371	CML-major PCR	Bone Marrow	Nested RT-PCR	나597가	C5971006	1542.2	97,780	97,780	1570.83	102,580	102,580	▲
25380	CML-minor PCR	EDTA Blood	Nested RT-PCR	나597나	C5972006	1544.19	97,900	97,900	1573.83	102,770	102,770	▲
25381	CML-minor PCR	Bone Marrow	Nested RT-PCR	나597나	C5972006	1544.19	97,900	97,900	1573.83	102,770	102,770	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
50670	CMV Antigenemia(북부)	EDTA Blood		나469	C4690426	202.85	12,860	12,860	203.10	13,260	13,260	▲
42135	CMV culture	Other	Shell Vial Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲
42350	CMV DNA(PCR)	EDTA Blood	PCR	나595가	C5951006	401.12	25,430	25,430	409.65	26,750	26,750	▲
40305	CMV IgG	SST Serum	CMIA	나468나(1)	C4682426	263.15	16,680	16,680	266.76	17,420	17,420	▲
40306	CMV IgG	CSF	CMIA	나468나(1)	C4682426	263.15	16,680	16,680	266.76	17,420	17,420	▲
40315	CMV IgM	SST Serum	CMIA	나468나(2)	C4683426	258.09	16,360	16,360	259.16	16,920	16,920	▲
40316	CMV IgM	CSF	CMIA	나468나(2)	C4683426	258.09	16,360	16,360	259.16	16,920	16,920	▲
42110	CMV shell vial culture	Other	Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲
10110	CO2,Total	SST Serum	Enzyme	나381나	C3812	45.01	2,850	2,850	45.04	2,940	2,940	▲
12710	Cobalt(Co)	Trace EDTA Blood	AAS	나452나(2)	C4523990	302.23	19,160	19,160	306.17	19,990	19,990	▲
12711	Cobalt(Co)	24hr Urine	AAS	나452나(2)	C4523990	302.23	19,160	19,160	306.17	19,990	19,990	▲
65410	Cocaine 정성	Random Urine	ICA	나450가(2)	C4502390	130.9	8,300	8,300	124.57	8,130	8,130	▼
50710	Cold Agglutin	SST Serum	HA	나209	B2090006	70.08	4,440	4,440	64.61	4,220	4,220	▼
30000	Complete Blood Count 8종	EDTA Blood	자동혈구계산법			0	3,870	3,870		4,040	4,040	▲
20506	Co-oximeter	EDTA Blood	Oximeter	나370	C3700	154.18	9,780	9,780	156.27	10,200	10,200	▲
12722	Copper(Cu)	Tissue	AAS	나452나(2)	C4527620	601.26	38,120	38,120	607.56	39,670	39,670	▲
12725	Copper(Cu)	Trace Serum	ICP/MS	나452나(2)	C4523620	302.23	19,160	19,160	306.17	19,990	19,990	▲
12726	Copper(Cu)	24hr Urine	ICP/MS	나452나(2)	C4523620	302.23	19,160	19,160	306.17	19,990	19,990	▲
11750	Coproporphyrin 정량	24hr Urine	Spectrophotometry	나389나(2)	C3893	172.9	10,960	10,960	175.41	11,450	11,450	▲
11751	Coproporphyrin 정량	24hr Urine	Colorimetry	나389나(1)	C3892	59.16	3,750	3,750	54.26	3,540	3,540	▼
11740	Coproporphyrin 정성	Random Urine	Fluorometry	나389가	C3891	11.59	730	730	11.03	720	720	▼
10075	corrected Ca	SST Serum	계산법	나221 외	C2210 외	0	0	2,940		0	2,830	▼
00707	Cortisol (ECLIA)	SST Serum	ECLIA	나324나(4)	C3248	147.16	9,330	9,330	137.95	9,010	9,010	▼
42120	Coxsackievirus culture	Other	Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲
00965	C-peptide (ECLIA)	SST Serum	ECLIA	나343	C3430	193.16	12,250	12,250	196.42	12,830	12,830	▲
00966	C-peptide (ECLIA)	24hr Urine	ECLIA	나343	C3430	193.16	12,250	12,250	196.42	12,830	12,830	▲
10300	CPK	SST Serum	Enzyme	나263	B2630	55.83	3,540	3,540	55.91	3,650	3,650	▲
10301	CPK	Body Fluid	Enzyme	나263	B2630	55.83	3,540	3,540	55.91	3,650	3,650	▲
20580	CPK Isoenzyme	SST Serum	Electrophoresis	나304	B3040006	170.1	10,780	10,780	167.97	10,970	10,970	▲
20581	CPK Isoenzyme	Body Fluid		나304	B3040006	170.1	10,780	10,780	167.97	10,970	10,970	▲
10900	Crea.Clearance Test	복수검체	계산법	나376	C3760	55.83	3,540	3,540	51.40	3,360	3,360	▼
10870	Creatine	SST Serum	Colorimetry	나377	C3770	26.83	1,700	1,700	24.20	1,580	1,580	▼
10871	Creatine	24hr Urine	Colorimetry	나377	C3770	26.83	1,700	1,700	24.20	1,580	1,580	▼
10872	Creatine	Random Urine	Colorimetry	나377	C3770	26.83	1,700	1,700	24.20	1,580	1,580	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
10880	Creatinine	SST Serum	Enzyme	나375	C3750	21.7	1,380	1,380	19.77	1,290	1,290	▼
10881	Creatinine	24hr Urine	Enzyme	나375	C3750	21.7	1,380	1,380	19.77	1,290	1,290	▼
10882	Creatinine	Random Urine	Enzyme	나375	C3750	21.7	1,380	1,380	19.77	1,290	1,290	▼
31091	Cross matching	복수검체	Column	나205	B2050	45.23	2,870	2,870	47.30	3,090	3,090	▲
31090	Cross matching SET	복수검체	Column			0	10,180	10,180		10,990	10,990	▲
50720	CRP	SST Serum	TIA	나224가	C2241	26.52	1,680	1,680	24.17	1,580	1,580	▼
50721	CRP	CSF	TIA	나224가	C2241	26.52	1,680	1,680	24.17	1,580	1,580	▼
50730	CRP정량(HS-CRP)	SST Serum	TIA	나224나	C2243	104.18	6,610	6,610	105.01	6,860	6,860	▲
50731	CRP정량(HS-CRP)	CSF	TIA	나224나	C2243	104.18	6,610	6,610	105.01	6,860	6,860	▲
20170	Cryoglobulin 정성	SST Serum	Manual	나500가	C5001	31.26	1,980	1,980	31.28	2,040	2,040	▲
50740	Cryptococcus Ag	SST Serum	Latex	나408	B4080	96.52	6,120	6,120	90.90	5,940	5,940	▼
50741	Cryptococcus Ag	CSF	Latex	나408	B4080	96.52	6,120	6,120	90.90	5,940	5,940	▼
13010	CTx	SST Serum	ECLIA	나393-2	C3932	211.98	13,440	13,440	199.38	13,020	13,020	▼
70110	Culture	Other		나405가	B4051	152.96	9,700	9,700	158.13	10,330	10,330	▲
70155	Culture & Sensi(MIC)(G)	Other		나405+나40	B4051+B4062	0	20570	20570		21750	21,750	▲
70120	Culture & Sensitivity	Other		나405가	B4051	152.96	9,700	9,700	158.13	10,330	10,330	▲
70125	Culture & Sensitivity(G)	Other		나405+나40	B4051+B4061	0	16850	16850		17760	17,760	▲
70150	Culture & Sensitivity(MIC)	Other	MIC	나405가	B4051	152.96	9,700	9,700	158.13	10,330	10,330	▲
81020	Cyclin D1 (IHC)	Tissue	Immunohistochemistry	나557	C5575006	470.02	29,800	29,800	466.94	30,490	30,490	▲
65550	Cyclosporin	EDTA Blood	RIA	나450나(2)	C7451150	213.79	13,550	13,550	206.42	13,480	13,480	▼
65551	Cyclosporin (LC-MS/MS)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696	542.51	34,400	34,400	542.51	35,430	35,430	▲
12980	Cystatin C	SST Serum	TIA	너131	CX131	85.83	5,440	5,440	85.83	5,600	5,600	▲
30680	D-dimer 정량	SC Plasma	TIA	나172나	B1723	146.8	9,310	9,310	157.10	10,260	10,260	▲
31060	D-dimer 정성	SC Plasma	TIA	나172가	B1721	47.8	3,030	3,030	45.53	2,970	2,970	▼
12380	Deoxyypyridinoline	Random Urine	RIA	나393	C3930	212.05	13,440	13,440	200.03	13,060	13,060	▼
65561	Desipramine	Plain Blood	LC/MS/MS	나450나(4)	CX375696	542.51	34,400	34,400	542.51	35,430	35,430	▲
00746	DHEA-S (ECLIA)	SST Serum	ECLIA	나364	C3640	245.39	15,560	15,560	250.06	16,330	16,330	▲
65235	Diazepam (LC-MS/MS)	SST Serum	LC/MS/MS	나450나(4)	CX375016	542.51	34,400	34,400	542.51	35,430	35,430	▲
30020	Differential Count	EDTA Blood	자동혈구계산법	나109가	B1091	25.56	1,620	1,620	25.53	1,670	1,670	▲
65050	Digoxin (CLIA)	SST Serum	CLIA	나450나(2)	C4504090	238.27	15,110	15,110	243.15	15,880	15,880	▲
10050	Direct Bilirubin	SST Serum	Colorimetry	나372나	C3721	21.65	1,370	1,370	20.06	1,310	1,310	▼
10051	Direct Bilirubin	Capillary	Colorimetry	나372나	C3721	21.65	1,370	1,370	20.06	1,310	1,310	▼
30320	Direct Coombs	EDTA Blood	Column	나204가주	B2041006	34.72	2,200	2,200	34.97	2,280	2,280	▲
31080	Direct Coombs Anti 4종	EDTA Blood		나204가	B2047106~406	0	14,920	14,920		15,920	15,920	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
31070	Direct Coombs Anti C3d,IgG	EDTA Blood		나204가	B20471+406	0	7,460	7,460		7,960	7,960	▲
26210	DNA Floidy(DNA 배수성검사)	Block	Flow Cytometry	너551가	CY551006	678.99	43,050	43,050	678.99	44,340	44,340	▲
50715	Donath Landsteiner test	SST Serum		나210	B2100006	49.57	3,140	3,140	46.35	3,030	3,030	▼
00855	Dopamin(HPLC)	24hr Urine	HPLC	너228다	CY283006	310.2	19,670	19,670	310.20	20,260	20,260	▲
00856	Dopamin(HPLC)	EDTA Plasma	HPLC	너228다	CY283006	310.2	19,670	19,670	310.20	20,260	20,260	▲
27480	DRPLA	EDTA Blood	PCR-RFLP	너573다	CY533006	953.51	60,450	60,450	953.51	62,260	62,260	▲
26840	DRPLA gene mutation	EDTA Blood		너573다	CY533006	953.51	60,450	60,450	953.51	62,260	62,260	▲
65571	Drug profiling test	Random Urine	LC/MS/MS	나450가(4)	CX373	378.82	24,020	24,020	378.82	24,740	24,740	▲
30410	Du (Weak D) Test	EDTA Blood	Column	나202다	B2023	47.87	3,030	3,030	46.09	3,010	3,010	▼
30430	Duffy 혈액형검사	복수검체	Tube	나203	B2030006	81.03	5,140	5,140	77.45	5,060	5,060	▼
29060	DYT1 (Dystonia I, torsion)	EDTA Blood	PCR-RFLP	너562	CY635006	416.68	26,420	26,420	416.68	27,210	27,210	▲
71222	E.coli O157 Cul&Sensi(G)	Other	Culture	너301+나40	BY309006+B4061		30170	30170		31140	31,140	▲
71220	E.coli O157 Culture	Other	Culture	너301라	BY309006	363.17	23,020	23,020	363.17	23,720	23,720	▲
70740	E.coli O157 PCR	Stool	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
50465	E.coli(Latex)	CSF	Latex	나408	B4080	96.52	6,120	6,120	90.90	5,940	5,940	▼
42875	EBV EA-DR IgG	SST Serum	EIA	나468나(1)	C4682446	263.15	16,680	16,680	266.76	17,420	17,420	▲
42876	EBV EA-DR IgG	CSF	EIA	나468나(1)	C4682446	263.15	16,680	16,680	266.76	17,420	17,420	▲
42895	EBV EA-DR IgM	SST Serum	EIA	나468나(2)	C4683446	258.09	16,360	16,360	259.16	16,920	16,920	▲
42896	EBV EA-DR IgM	CSF	EIA	나468나(2)	C4683446	258.09	16,360	16,360	259.16	16,920	16,920	▲
42900	EBV EBNA IgG	SST Serum	EIA	나468나(1)	C4682456	263.15	16,680	16,680	266.76	17,420	17,420	▲
42901	EBV EBNA IgG	EDTA Plasma	EIA	나468나(1)	C4682456	263.15	16,680	16,680	266.76	17,420	17,420	▲
42902	EBV EBNA IgG	CSF	EIA	나468나(1)	C4682456	263.15	16,680	16,680	266.76	17,420	17,420	▲
42910	EBV EBNA IgM	SST Serum	EIA	나468나(2)	C4683456	258.09	16,360	16,360	259.16	16,920	16,920	▲
42911	EBV EBNA IgM	EDTA Plasma	EIA	나468나(2)	C4683456	258.09	16,360	16,360	259.16	16,920	16,920	▲
42912	EBV EBNA IgM	CSF	EIA	나468나(2)	C4683456	258.09	16,360	16,360	259.16	16,920	16,920	▲
42920	EBV PCR	EDTA Blood	Nested PCR	나595마	C5955006	385.34	24,430	24,430	385.98	25,200	25,200	▲
42567	EBV PCR Recut	EDTA Blood	PCR-Recut	너562	CY632006	416.88	26,420	26,420	416.68	27,210	27,210	▲
40835	EBV VCA IgG	SST Serum	EIA	나468나(1)	C4682436	263.15	16,680	16,680	266.76	17,420	17,420	▲
40836	EBV VCA IgG	CSF	EIA	나468나(1)	C4682436	263.15	16,680	16,680	266.76	17,420	17,420	▲
40845	EBV VCA IgM	SST Serum	EIA	나468나(2)	C4683436	258.09	16,360	16,360	259.16	16,920	16,920	▲
40846	EBV VCA IgM	CSF	EIA	나468나(2)	C4683436	258.09	16,360	16,360	259.16	16,920	16,920	▲
50750	EBV(in situ)	Other		너567다	CY673006	604.71	38,340	38,340	604.71	39,490	39,490	▲
50755	EBV(in situ)	Other	Insitu Hybridization	너567다	CY673006	604.71	38,340	38,340	604.71	39,490	39,490	▲
50760	EBV(in situ)	Other	Insitu Hybridization	너567다	CY673006	604.71	38,340	38,340	604.71	39,490	39,490	▲
42770	Echovirus Culture	Other	Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
70980	Egg count, EPG	Stool	검경법	나68	B0680	33.21	2,110	2,110	31.85	2,080	2,080	▼
42140	Entero Virus Culture	Other	Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲
42760	Entero Virus Culture 3종	Other	Culture	나416	B4160006	532.51	101,280	101,280	546.65	107,100	107,100	▲
42370	Entero virus RNA(PCR)	CSF	real time PCR	나596나	C5962006	554.04	35,130	35,130	575.08	37,550	37,550	▲
30030	Eosinophil Count	EDTA Blood	Manual	나107가	B1070	12.66	800	800	12.58	820	820	▲
30031	Eosinophil Count	Smear Slide	Manual	나107나	B1071	15.45	980	980	14.87	970	970	▼
00835	Epinephrine(HPLC)	24hr Urine	HPLC	너228가	CY281006	310.2	19,670	19,670	310.20	20,260	20,260	▲
00836	Epinephrine(HPLC)	EDTA Plasma	HPLC	너228가	CY281006	310.2	19,670	19,670	310.20	20,260	20,260	▲
01570	ER/PR Receptor	Tissue		나559	C5590	561.55	71,200	71,200	517.64	67,600	67,600	▼
01250	Erythropoietin(EPO)	SST Serum	CLIA	나357	C3570	285.16	18,080	18,080	270.70	17,680	17,680	▼
01251	Erythropoietin(EPO)	Hp Plasma	CLIA	나357	C3570	285.16	18,080	18,080	270.70	17,680	17,680	▼
30040	ESR	EDTA Blood	Manual	나103가	B1033	11.5	730	730	11.09	720	720	▼
00433	Estradiol (E2) (ECLIA)	SST Serum	ECLIA	나326	C3260	182.78	11,590	11,590	185.63	12,120	12,120	▲
00440	Estriol (E3)	SST Serum	RIA	나327주	C7327	181.59	11,510	11,510	163.31	10,660	10,660	▼
00450	Estrogen	SST Serum	RIA	나325주	C7325	99.27	6,290	6,290	106.40	6,950	6,950	▲
29105	EWS-FLT1	Block	RT-PCR	나597자	C5969006	578.72	36,690	36,690	612.12	39,970	39,970	▲
29100	EWS-FLT1/ERG rearrangement	Block	Nested RT-PCR	나597자	C5979006	1608.27	101,960	101,960	1669.92	109,050	109,050	▲
30650	Factor 5 Leiden(FV:Q506)	EDTA Blood	PCR-RFLP	너562파	CY633006	416.68	26,420	26,420	416.68	27,210	27,210	▲
30480	Factor Ab VIII	SC Plasma	Clot-based	나178가	B1780006	206.62	13,100	13,100	207.67	13,560	13,560	▲
30490	Factor Ab IX	SC Plasma	Clot-based	나178나	B1781006	208.74	13,230	13,230	210.85	13,770	13,770	▲
30570	Factor Assay VII	SC Plasma	Clot-based	나169가(3)	B1693006	162.13	10,280	10,280	168.60	11,010	11,010	▲
30580	Factor Assay VIII	SC Plasma	Clot-based	나169가(4)	B1694006	162.62	10,310	10,310	171.28	11,180	11,180	▲
30590	Factor Assay IX	SC Plasma	Clot-based	나169가(5)	B1695006	161.9	10,260	10,260	170.18	11,110	11,110	▲
30520	Factor AssayII	SC Plasma	Clot-based	나169가(1)	B1691006	159.27	10,100	10,100	164.31	10,730	10,730	▲
30550	Factor Assay V	SC Plasma	Clot-based	나169가(2)	B1692006	158.54	10,050	10,050	163.09	10,650	10,650	▲
30600	Factor Assay X	SC Plasma	Clot-based	나169가(6)	B1696006	156.85	9,940	9,940	161.28	10,530	10,530	▲
30610	Factor Assay X I	SC Plasma	Clot-based	나169가(7)	B1697006	157.14	9,960	9,960	161.73	10,560	10,560	▲
30620	Factor Assay X II	SC Plasma	Clot-based	나169가(8)	B1698006	153.05	9,700	9,700	155.39	10,150	10,150	▲
30630	Factor Assay X III	SC Plasma	Urea 용해시험	나169가(9)	B1699006	157.03	9,960	9,960	161.69	10,560	10,560	▲
12940	Fat 정성 검사	Stool		나67	B0670	11.97	760	760	12.63	820	820	▲
30890	FDP	SC Plasma	TIA	나161나	B1613	134.92	8,550	8,550	136.94	8,940	8,940	▲
31110	FDP 정성	SC Plasma	TIA	나161가	B1611	51.99	3,300	3,300	51.80	3,380	3,380	▲
11690	Ferric Chloride	Random Urine	Colorimetry	나440	C4400	15.9	1,010	1,010	14.64	960	960	▼
01585	Ferritin (ECLIA)	SST Serum	ECLIA	나252	C2520	162.87	10,330	10,330	167.93	10,970	10,970	▲
20450	Fetal hemoglobin	EDTA Blood	HPLC	나382라	C3824	64.89	4,110	4,110	65.55	4,280	4,280	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
30640	Fibrinogen	SC Plasma	Clot-based	나160가	B1601	38.01	2,410	2,410	38.69	2,530	2,530	▲
70770	Filariae	Blood Smear Slide	Manual	나115	B1150006	44.42	2,820	2,820	45.57	2,980	2,980	▲
65580	FK-506 (HPLC)	EDTA Blood	HPLC	나450나(4)	CX375696	542.51	34,400	34,400	542.51	35,430	35,430	▲
65581	FK-506 (LC-MS/MS)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696	542.51	34,400	34,400	542.51	35,430	35,430	▲
65582	FK-506 (MEIA)	EDTA Blood	MEIA	나450나(2)	C4504390	238.27	15,110	15,110	243.15	15,880	15,880	▲
11285	Folate (CLIA)	SST Serum	CLIA	나254	C2540	221.51	14,040	14,040	221.10	14,440	14,440	▲
25450	Fragile X	EDTA Blood	PCR Fragment analysis	너573마	CY539006	953.51	60,450	60,450	953.51	62,260	62,260	▲
27270	Fragile X 정밀검사 (혈액)	EDTA Blood	Southern blot	나598	C5980006	1014.65	64,330	64,330	1010.77	66,000	66,000	▲
00765	Free Cortisol (CLIA)	24hr Urine	CLIA	나324나(5)	C3249	146.11	9,260	9,260	136.38	8,910	8,910	▼
00766	Free Cortisol (CLIA)	Random Urine	CLIA	나324나(5)	C3249	146.11	9,260	9,260	136.38	8,910	8,910	▼
11090	Free Fatty Acid(NEFA)	SST Serum	Enzyme	나245	C2450	46.96	2,980	2,980	42.76	2,790	2,790	▼
25891	Free Kappa light chain	SST Serum	비탁법	나237가(1)	C2371006	474.18	30,060	30,060	474.18	30,960	30,960	▲
25896	Free Kappa light chain	Random Urine	비탁법	나237나(1)	C2381006	474.18	30,060	30,060	474.18	30,960	30,960	▲
25615	Free Lambda light chain	SST Serum	비탁법	나237가(2)	C2372006	474.18	30,060	30,060	474.18	30,960	30,960	▲
25616	Free Lambda light chain	Random Urine	비탁법	나237나(2)	C2382006	474.18	30,060	30,060	474.18	30,960	30,960	▲
01682	Free PSA (ECLIA)	SST Serum	ECLIA	너321	CX321	173.78	11,020	11,020	173.78	11,350	11,350	▲
01686	Free PSA/PSA ratio(ECLIA)	SST Serum	ECLIA		C4280+CX321	0	0	26,300		0	27,100	▲
00215	Free T3 (ECLIA)	SST Serum	ECLIA	나330	C3300	151.5	9,610	9,610	150.44	9,820	9,820	▲
00225	Free T4 (ECLIA)	SST Serum	ECLIA	나334	C3340	170.42	10,800	10,800	171.51	11,200	11,200	▲
00235	Free thyroxine index	SST Serum	계산법	나331+나333	C3310+C3330	0	20,020	20,020		20,550	20,550	▲
20460	Fructosamine	SST Serum	Colorimetry	나397	C3970	124.9	7,920	7,920	112.20	7,330	7,330	▼
00092	FSH (ECLIA)	SST Serum	ECLIA	나350	C3500	164.57	10,430	10,430	162.39	10,600	10,600	▲
50960	FTA-ABS IgG	SST Serum	IFA	나462	C4620006	154.46	9,790	9,790	155.84	10,180	10,180	▲
50961	FTA-ABS IgG	CSF	IFA	나462	C4620006	154.46	9,790	9,790	155.84	10,180	10,180	▲
50965	FTA-ABS IgG	SST Serum	IFA	나462	C4620006	154.46	9,790	9,790	155.84	10,180	10,180	▲
50975	FTA-ABS IgM	SST Serum	EIA	나462	C4620006	154.46	9,790	9,790	155.84	10,180	10,180	▲
50976	FTA-ABS IgM	CSF	EIA	나462	C4620006	154.46	9,790	9,790	155.84	10,180	10,180	▲
50970	FTA-ABS-IgM	SST Serum	IFA	나462	C4620006	154.46	9,790	9,790	155.84	10,180	10,180	▲
70780	Fungus Culture	Other		나405가	B4051	152.96	9,700	9,700	158.13	10,330	10,330	▲
70785	Fungus Culture & Sensi(G)	Other		나405+나406	B4051+B4061		16850	16850		17760	17,760	▲
10530	G-6-PDH	EDTA Blood	Colorimetry	나274	B2741	110.74	7,020	7,020	103.33	6,750	6,750	▼
00980	Gastrin (RIA)	SST Serum	RIA	나345주	C7345	159.35	10,100	10,100	144.75	9,450	9,450	▼
00981	Gastrin (RIA)	EDTA Plasma	RIA	나345주	C7345	159.35	10,100	10,100	144.75	9,450	9,450	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
02195	Gastrin 17	SST Serum	ELISA	나345	C3450	171.51	10,870	10,870	159.14	10,390	10,390	▼
02190	Gastro-Gastrin 17	SST Serum	ELISA	나345	C3450	171.51	10,870	10,870	159.14	10,390	10,390	▼
50775	Gastro-H.Pylori IgG	SST Serum	ELISA	나465	C4650	191.65	12,150	12,150	195.51	12,770	12,770	▲
02011	Gastro-panel (3종)	SST Serum	ELISA	나362외	C3620외	0	44,930	44,930		43,830	43,830	▼
02200	Gastro-Panel(4종)	SST Serum	ELISA	나362외	C3620외	0	57,080	57,080		56,600	56,600	▼
02015	Gastro-Pepsinogen I	SST Serum	ELISA	나362	C3620	268.69	17,030	17,030	256.10	16,720	16,720	▼
02025	Gastro-Pepsinogen II	SST Serum	ELISA	나362	C3620	268.69	17,030	17,030	256.10	16,720	16,720	▼
71210	GBS Culture	Other	Culture	나405가	B4051	152.96	9,700	9,700	158.13	10,330	10,330	▲
71212	GBS Culture&Sensi(G)	Other	Culture	나405+나40	B4051+B4061		16850	16850		17760	17,760	▲
65260	Gentamicin	SST Serum	FPIA	나450나(2)	C4504120	238.27	15,110	15,110	243.15	15,880	15,880	▲
10905	GFR (신사구체여과율)	SST Serum	계산법	나375	C3750	0	0	1,380	19.77	1,290	1,290	▼
00062	GH (CLIA)	SST Serum	CLIA	나342	C3420	184.57	11,700	11,700	181.93	11,880	11,880	▲
82140	Giemsa(H.Pylori) Stain	Tissue		나553다	C5533	121.67	7,710	7,710	122.36	7,990	7,990	▲
10010	Globulin	SST Serum	계산법	나220 외	C2200 외	0	0	3,100		0	2,970	▼
10011	Globulin	Body Fluid	계산법	나220+나23	C2200+C2302	0	0	14,210		0	14,560	▲
01000	Glucagon (RIA)	EDTA Plasma	RIA	나344주	C7344	172.92	10,960	10,960	165.17	10,790	10,790	▼
10540	Glucose	NaF Plasma	Enzyme	나371나	C3711	22.25	1,410	1,410	20.32	1,330	1,330	▼
10541	Glucose	SST Serum	Enzyme	나371나	C3711	22.25	1,410	1,410	20.32	1,330	1,330	▼
10542	Glucose	24hr Urine	Enzyme	나371나	C3711	22.25	1,410	1,410	20.32	1,330	1,330	▼
10543	Glucose	Body Fluid	Enzyme	나371나	C3711	22.25	1,410	1,410	20.32	1,330	1,330	▼
10550	Glucose tolerance test	NaF Plasma		나371나	C3711	22.25	5,640	5,640	20.32	5,320	5,320	▼
10350	GOT(AST)	SST Serum	Enzyme	나257	B2570	26.65	1,690	1,690	25.48	1,660	1,660	▼
10351	GOT(AST)	Body Fluid	Enzyme	나257	B2570	26.65	1,690	1,690	25.48	1,660	1,660	▼
10360	GPT(ALT)	SST Serum	Enzyme	나258	B2580	26.62	1,690	1,690	25.24	1,650	1,650	▼
10361	GPT(ALT)	Body Fluid	Enzyme	나258	B2580	26.62	1,690	1,690	25.24	1,650	1,650	▼
70090	Gram Stain	Other		나400가	B4101	20.01	1,270	1,270	20.27	1,320	1,320	▲
70100	Gram Stain	Smear Slide	Gram stain	나400가	B4101	20.01	1,270	1,270	20.27	1,320	1,320	▲
71160	Gram stain (cytospin)	Other		나400주	B4112	22.88	1,450	1,450	23.60	1,540	1,540	▲
28070	GSD1a Mutation Analysis	EDTA Blood	Sequencing	나562	CY630006	416.68	105,680	105,680	416.68	108,840	108,840	▲
50463	H. influenza	CSF	Latex	나408	B4080	96.52	6,120	6,120	90.90	5,940	5,940	▼
71070	H. pylori Ag	Stool	ELISA	나415다	B4157	245.38	15,560	15,560	245.38	16,020	16,020	▲
50770	H. pylori IgG	SST Serum	ELISA	나465	C4650	191.65	12,150	12,150	195.51	12,770	12,770	▲
50780	H. pylori IgM	SST Serum	ELISA	나465	C4650	191.65	12,150	12,150	195.51	12,770	12,770	▲
42380	H. pylori PCR	Tissue	PCR	나5950아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
65071	Haloperidol (Haldol)	Plain Serum	LC/MS/MS	나450나(4)	CX375066	542.51	34,400	34,400	542.51	35,430	35,430	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
12060	Ham's test	복수검체	Colorimetry	나120	B1200006	58.67	3,720	3,720	59.35	3,880	3,880	▲
41590	Hantaan Virus Ab	SST Serum	ICA	나468가	C4681470	164.38	10,420	10,420	149.73	9,780	9,780	▼
41666	Hantaan virus Ab 정량(IFA)	SST Serum	IFA	나468나(1)	C4682476	263.15	16,680	16,680	266.76	17,420	17,420	▲
41600	Hantaan Virus Ab Titer	SST Serum	ICA	나468가	C4681470	164.38	10,420	10,420	149.73	9,780	9,780	▼
27850	Hantaan Virus PCR	SST Serum	PCR	나597사	C5977006	1539.89	97,630	97,630	1567.36	102,350	102,350	▲
41661	HantaanVirus Ab Titer(IFA)	SST Serum	IFA	나468나(1)	C4682476	263.15	16,680	16,680	266.76	17,420	17,420	▲
20180	Haptoglobin	SST Serum	TIA	나234	C2340	114.65	7,270	7,270	116.74	7,620	7,620	▲
20181	Haptoglobin	EDTA Plasma	TIA	나234	C2340	114.65	7,270	7,270	116.74	7,620	7,620	▲
50015	HAV Ab	SST Serum	ECLIA	나486가	C4861	177.51	11,250	11,250	172.26	11,250	11,250	
50025	HAV IgM	SST Serum	ECLIA	나486나	C4862	261.9	16,600	16,600	253.05	16,520	16,520	▼
50030	HAV RT-PCR	SST Serum	RT-PCR	나596라	C5969006	578.72	36,690	36,690	612.12	39,970	39,970	▲
50055	HBc Ab IgM(ECLIA)	SST Serum	ECLIA	나484나	C4842	230.69	14,630	14,630	218.08	14,240	14,240	▼
50045	HBc Ab(ECLIA)	SST Serum	ECLIA	나484가	C4841	192.46	12,200	12,200	197.73	12,910	12,910	▲
50076	HBe Ab(ECLIA)	SST Serum	ECLIA	나483나	C4832	217.94	13,820	13,820	213.38	13,930	13,930	▲
50075	HBe Ag(ECLIA)	SST Serum	ECLIA	나482나	C4822	215.68	13,670	13,670	211.55	13,810	13,810	▲
01270	HBNP	EDTA Plasma	CLIA	나368	CZ204	605.25	38,370	38,370	605.25	39,520	39,520	▲
01275	hBNP	EDTA Plasma	CLIA	나368	CZ204	605.25	38,370	38,370	605.25	39,520	39,520	▲
50116	HBs Ab(ECLIA)	SST Serum	ECLIA	나481나	C4812	156.41	9,920	9,920	153.07	10,000	10,000	▲
50091	HBs Ab(ICA)	SST Serum	ICA	나481가	C4811	49.45	3,140	3,140	46.28	3,020	3,020	▼
50115	HBs Ag(ECLIA)	SST Serum	ECLIA	나480나	C4802	140.12	8,880	8,880	138.76	9,060	9,060	▲
50090	HBs Ag(ICA)	SST Serum	ICA	나480가	C4801	41.82	2,650	2,650	39.80	2,600	2,600	▼
50140	HBV DNA (PCR)	SST Serum	PCR	나595라	C5954006	385.53	24,440	24,440	386.27	25,220	25,220	▲
50160	HBV DNA 정량 (b-DNA)	SST Serum	b DNA	나485다	C4853006	540.77	34,280	34,280	542.70	35,440	35,440	▲
50150	HBV DNA 정량 (CMHA)	SST Serum	CMHA	나485나	C4852006	538.86	34,160	34,160	539.81	35,250	35,250	▲
52178	HBV DNA 정량(real-timePCR)	SST Serum	real time PCR	나485마	C4854006	894.88	56,740	56,740	894.88	58,440	58,440	▲
50170	HBV DNA Probe 반정량 (Dot)	SST Serum	RIA	나485가주	C7485	282.98	17,940	17,940	261.12	17,050	17,050	▼
50204	HBV Drug mutation	SST Serum	Sequencing	나599-1가	C5993006	1666.46	105,650	105,650	1666.46	108,820	108,820	▲
01970	hCG (Latex)	Random Urine	Latex	나26	B0260	25.12	1,590	1,590	25.51	1,670	1,670	▲
50230	HCV (RT-PCR+Hybrid.)	SST Serum	RT-PCR+Hybrid	나596-1가	C6081006	804.74	51,020	51,020	833.92	54,450	54,450	▲
50231	HCV (RT-PCR+Hybrid.)	Other	RT-PCR+Hybrid	나596-1가	C6081006	804.74	51,020	51,020	833.92	54,450	54,450	▲
50215	HCV Ab(EIA)	SST Serum	EIA	나487나	C4872	199.8	12,670	12,670	201.29	13,140	13,140	▲
50220	HCV Ab(RIBA III)	SST Serum		나487다	C4873006	550.43	34,900	34,900	553.50	36,140	36,140	▲
50255	HCV Genotype (PCR+hybrid)	SST Serum	RT-PCR+Hybrid	나596-1나	CZ961006	1698.27	107,670	107,670	1698.27	110,900	110,900	▲
52365	HCV Genotype (PCR-RFMP)	SST Serum	RFMP	나596-2	C6092006	1704.75	108,080	108,080	1704.75	111,320	111,320	▲
50241	HCV RNA 정량	SST Serum	real time PCR	나424다	C4424006	1127.2	71,460	71,460	1127.20	73,610	73,610	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
11100	HDL-Cholesterol	SST Serum	Enzyme	나242	C2420	82.74	5,250	5,250	81.98	5,350	5,350	▲
20600	HDL-Cholesterol E.P	SST Serum	Electrophoresis	나302	B3020006	153.55	9,740	9,740	142.95	9,330	9,330	▼
50265	HDV Ab (IgG)	SST Serum	EIA	너421	CX421	264.37	16,760	16,760	264.37	17,260	17,260	▲
70810	Heinz body	EDTA Blood		나116	B1160006	30.98	1,960	1,960	32.55	2,130	2,130	▲
30004	Hematocrit(Hct)	EDTA Blood	자동혈구계산법	나102	B1020	10.53	670	670	10.71	700	700	▲
51855	hemavision 28종	Bone Marrow	PCR			0	497,500	497,500		526,220	526,220	▲
26440	Hemochromatosis, HFE gene	EDTA Blood	Sequencing	너562사	CY627006	416.68	105,680	105,680	416.68	108,840	108,840	▲
10730	Hemoglobin A1c	EDTA Blood	TIA	나382마	C3825	102.02	6,470	6,470	102.58	6,700	6,700	▲
20490	Hemoglobin E.P	EDTA Blood	Electrophoresis	나307	B3070006	94.59	6,000	6,000	97.47	6,360	6,360	▲
30003	Hemoglobin(Hb)	EDTA Blood	자동혈구계산법	나101	B1010	16.73	1,060	1,060	16.85	1,100	1,100	▲
70040	Hemosiderin	Random Urine	검경법	나7	B0070	27.46	1,740	1,740	27.47	1,790	1,790	▲
65420	Heroin	Random Urine	ICA	나450가(2)	C4502390	130.9	8,300	8,300	124.57	8,130	8,130	▼
50790	Heterophil Ab	SST Serum	응집법	나470가	C4701	82.23	5,210	5,210	81.86	5,350	5,350	▲
50280	HEV Ab IgG	SST Serum	EIA	너422가	CY431	175.99	11,160	11,160	175.99	11,490	11,490	▲
50290	HEV Ab IgM	SST Serum	EIA	너422나	CY432	175.99	11,160	11,160	175.99	11,490	11,490	▲
50300	HEV RT- PCR	SST Serum	Nested RT-PCR	나596라	C5969006	578.72	36,690	36,690	612.12	39,970	39,970	▲
42525	HHV-8 PCR	Block	PCR	나595바	CY561006	384.04	24,350	24,350	384.04	25,080	25,080	▲
12080	Hippuric acid	Random Urine	HPLC	나451나(3)	CY373030	399.4	25,320	25,320	399.40	26,080	26,080	▲
51670	Histone Ab	SST Serum	EIA	너443아	CY450006	616.68	39,100	39,100	616.68	40,270	40,270	▲
41335	HIV Ab (CMIA)	SST Serum	CMIA	나471나	C4712	122.19	7,750	7,750	124.88	8,150	8,150	▲
41337	HIV Ab (Stem cell)	Stem cell	CMIA	나471나	C4712	122.19	7,750	7,750	124.88	8,150	8,150	▲
42260	HIV Ag(AIDS Ag)	SST Serum	ELFA	너394	CX394	188.85	11,970	11,970	188.85	12,330	12,330	▲
42404	HIV RNA 정량	EDTA Plasma	real time PCR	너396	CY396006	2310.1	146,460	146,460	2310.10	150,850	150,850	▲
42391	HIV RT-PCR 정성	SST Serum	Nested RT-PCR	나597자	C5979006	1608.27	101,960	101,960	1669.92	109,050	109,050	▲
42410	HIV-I PCR	EDTA Blood	Nested RT-PCR	나597자	C5979006	1608.27	101,960	101,960	1669.92	109,050	109,050	▲
25470	HLA A Typing (High)	EDTA Blood	PCR-SBT	너494나	CY916006	3459.57	219,340	219,340	3459.57	225,910	225,910	▲
26360	HLA A Typing (Low)	EDTA Blood	PCR-SSP	너494가	CY915006	2320.24	147,100	147,100	2320.24	151,510	151,510	▲
26361	HLA A Typing (Low)	Bone Marrow	PCR-SSP	너494가	CY915006	2320.24	147,100	147,100	2320.24	151,510	151,510	▲
25497	HLA A,B 조혈모이식1차	EDTA Blood	PCR-SBT	너494나	CY916006	3459.57	438,680	438,680	3459.57	451,820	451,820	▲
25499	HLA A,B,C,DR 조혈모 수여	EDTA Blood	PCR-SBT	너494나	CY914006 외	0	842,400	842,400		867,630	867,630	▲
25480	HLA B Typing (High)	EDTA Blood	PCR-SBT	너494나	CY916006	3459.57	219,340	219,340	3459.57	225,910	225,910	▲
26370	HLA B Typing (Low)	EDTA Blood	PCR-SSP	너494가	CY915006	2320.24	147,100	147,100	2320.24	151,510	151,510	▲
26371	HLA B Typing (Low)	Bone Marrow	PCR-SSP	너494가	CY915006	2320.24	147,100	147,100	2320.24	151,510	151,510	▲
25500	HLA B27-PCR	EDTA Blood	PCR	너495가	CY917006	563.99	35,760	35,760	563.99	36,830	36,830	▲
25490	HLA C Typing (High)	EDTA Blood	PCR-SBT	너494나	CY916006	3459.57	219,340	219,340	3459.57	225,910	225,910	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
26380	HLA C Typing (Low)	EDTA Blood	PCR-SSP	너494가	CY915006	2320.24	147,100	147,100	2320.24	151,510	151,510	▲
26381	HLA C Typing (Low)	Bone Marrow	PCR-SSP	너494가	CY915006	2320.24	147,100	147,100	2320.24	151,510	151,510	▲
25498	HLA C,DR 조혈모이식2차	EDTA Blood	PCR-SBT	너494나	CY914006 외	0	403,720	403,720		415,810	415,810	▲
26390	HLA DQ Typing (Low)	EDTA Blood	PCR-SSP	너492가	CY911006	1973.4	125,110	125,110	1973.40	128,860	128,860	▲
26391	HLA DQ Typing (Low)	Bone Marrow	PCR-SSP	너492가	CY911006	1973.4	125,110	125,110	1973.40	128,860	128,860	▲
25520	HLA DQA1 (Low)	EDTA Blood	PCR-SSP	너492가	CY911006	1973.4	125,110	125,110	1973.40	128,860	128,860	▲
25521	HLA DQA1 Typing(High)	EDTA Blood	PCR-SBT	너492나	CY912006	2908.15	184,380	184,380	2908.15	189,900	189,900	▲
25530	HLA DQB1 (Low)	EDTA Blood	PCR-SSP	너492가	CY911006	1973.4	125,110	125,110	1973.40	128,860	128,860	▲
25535	HLA DQB1 Typing (High)	EDTA Blood	PCR-SBT	너492나	CY912006	2908.15	184,380	184,380	2908.15	189,900	189,900	▲
25550	HLA DR Typing (Low)	EDTA Blood	PCR	너493가	CY913006	1973.4	125,110	125,110	1973.40	128,860	128,860	▲
25551	HLA DR Typing (Low)	Bone Marrow	PCR	너493가	CY913006	1973.4	125,110	125,110	1973.40	128,860	128,860	▲
25560	HLA DR Typing(High)	EDTA Blood	PCR-SBT	너493나	CY914006	2908.15	184,380	184,380	2908.15	189,900	189,900	▲
25570	HLA RA(DRB1*0405)	EDTA Blood	DNA Typing	너496	CX496006	1206.58	76,500	76,500	1206.58	78,790	78,790	▲
01055	HOMA of insulin resistance	복수검체	계산법	나341외	C3410외	0	0	12,410		0	12,800	▲
42430	HPV 16	분비물	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
42480	HPV 16	분비물	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
42440	HPV 18	분비물	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
42490	HPV 18	분비물	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
42450	HPV DNA Chip	분비물	DNA Chip	나595-2	C5959006	698.13	44,260	44,260	698.13	45,590	45,590	▲
42457	HPV DNA Chip(Tissue)	Tissue	DNA Chip	나595-2	C5959006	698.13	44,260	44,260	698.13	45,590	45,590	▲
42455	HPV genotyping(microarray)	분비물		나595-2	C5959006	698.13	44,260	44,260	698.13	45,590	45,590	▲
42420	HPV Screening	분비물	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
42470	HPV Screening	분비물	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
42425	HPV Screening (Tissue)	Tissue	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
42460	HPV Screening (Type 16,18)	분비물		나595아	C5956006	396.83	50,320	50,320	403.21	52,660	52,660	▲
42155	HSV culture	Other	Shell Vial Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲
41380	HSV IgG	SST Serum	ELISA	나468나(1)	C4682466	263.15	16,680	16,680	266.76	17,420	17,420	▲
41381	HSV IgG	CSF	ELISA	나468나(1)	C4682466	263.15	16,680	16,680	266.76	17,420	17,420	▲
41390	HSV IgM	SST Serum	ELISA	나468나(2)	C4683466	258.09	16,360	16,360	259.16	16,920	16,920	▲
41391	HSV IgM	CSF	ELISA	나468나(2)	C4683466	258.09	16,360	16,360	259.16	16,920	16,920	▲
41440	HSV Type 2 IgG	SST Serum	EIA	나468나(1)	C4682466	263.15	16,680	16,680	266.76	17,420	17,420	▲
41441	HSV Type 2 IgG	CSF	EIA	나468나(1)	C4682466	263.15	16,680	16,680	266.76	17,420	17,420	▲
42500	HSV Type I(PCR)	EDTA Blood	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
42510	HSV Type II(PCR)	EDTA Blood	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
43080	HSV type I IgG	SST Serum	EIA	나468나(1)	C4682466	263.15	16,680	16,680	266.76	17,420	17,420	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
43081	HSV type I IgG	CSF	EIA	나468나(1)	C4682466	263.15	16,680	16,680	266.76	17,420	17,420	▲
41475	HTLV-I/II Ab (EIA)	SST Serum	EIA	나468나(1)	C4682596	263.15	16,680	16,680	266.76	17,420	17,420	▲
41476	HTLV-I/II Ab (EIA)	CSF	EIA	나468나(1)	C4682596	263.15	16,680	16,680	266.76	17,420	17,420	▲
41477	HTLV-I/II Ab (EIA)	EDTA Plasma	EIA	나468나(1)	C4682596	263.15	16,680	16,680	266.76	17,420	17,420	▲
25605	Huntington's disease	EDTA Blood	PCR Fragment analysis	너573가	CY531006	953.51	60,450	60,450	953.51	62,260	62,260	▲
00861	HVA 정량 (Plasma)	EDTA Plasma	GC/MSD	너225나	CY251006	310.2	19,670	19,670	310.20	20,260	20,260	▲
00865	HVA 정량(HPLC)	24hr Urine	HPLC	너225나	CY251006	310.2	19,670	19,670	310.20	20,260	20,260	▲
00866	HVA 정량(HPLC)	Random Urine	HPLC	너225나	CY251006	310.2	19,670	19,670	310.20	20,260	20,260	▲
12105	Hyaluronic Acid	SST Serum	TIA	너345가(3)	CY343	339.91	21,550	21,550	339.91	22,200	22,200	▲
20200	IgA	SST Serum	TIA	나228나	C2282	132.8	8,420	8,420	135.23	8,830	8,830	▲
20201	IgA	EDTA Plasma	TIA	나228나	C2282	132.8	8,420	8,420	135.23	8,830	8,830	▲
20210	IgD	SST Serum	SRID	나228라	C2284	131.28	8,320	8,320	132.95	8,680	8,680	▲
60003	IgE (ECLIA)	SST Serum	ECLIA	나229	C2290	229.25	14,530	14,530	232.23	15,160	15,160	▲
62585	IgE MAST-식이성 42종	SST Serum	Immunoblot assay	나232	C2320006	1332.06	84,450	84,450	1336.58	87,280	87,280	▲
62595	IgE MAST-흡입성 42종	SST Serum	Immunoblot assay	나232	C2320006	1332.06	84,450	84,450	1336.58	87,280	87,280	▲
62640	IgE_Clam:F207	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60380	IgE-A.Tenuis:M6	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62740	IgE-Abalone:F346	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60360	IgE-Acarus Siro:D70	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61180	IgE-Alder:T2	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60370	IgE-Almond:F20	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62860	IgE-Amoxycilloyl:C6	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62850	IgE-Ampicilloyl:C5	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60390	IgE-Anisakis:P4	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60400	IgE-Apple:F49	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60420	IgE-Asp.Fumigatus:M3	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60460	IgE-Bamboo sprout:F51	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60480	IgE-Banana:F92	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60490	IgE-Barley:F6	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60500	IgE-Beech:T5	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60510	IgE-Beef:F27	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62460	IgE-Beer Yeast:F45	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60530	IgE-Bermuda Grass:G2	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60105	IgE-Birch:T3	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
60560	IgE-Blue Mussel:F37	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62630	IgE-Broccoli:F260	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60590	IgE-Buckwheat:F11	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60640	IgE-C.pityrosporum:M70	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60620	IgE-Cacao:F93	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62870	IgE-Cafaclor:C7	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60630	IgE-Candida Albicans:M5	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60650	IgE-Carrot:F31	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60670	IgE-Casein:F78	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60685	IgE-Cat Epithelium:E1	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60690	IgE-Celery:F85	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60710	IgE-Chicken meat:F83	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62900	IgE-Chymopapain:C209	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60750	IgE-Cl.Herbarum:M2	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60775	IgE-Cockroach:I6	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60800	IgE-Codfish:F3	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61300	IgE-Common millet:F55	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60820	IgE-Common Ragweed:W1	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61500	IgE-Corn:F8	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60840	IgE-Cottonwood:T14	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60860	IgE-Crab:F23	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60905	IgE-D.Farinae:D2	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62930	IgE-D.microceras:D3	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60915	IgE-D.Pteronyssinus:D1	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60920	IgE-Dandelion:W8	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60935	IgE-Dog dander:E5	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60950	IgE-Duck Feathers:E86	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60995	IgE-Egg White:F1	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61005	IgE-Egg Yolk:F75	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62800	IgE-Egg:F245	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61050	IgE-Eucalyptus:T18	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
63051	IgE-Food Mix:Fx1	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
63052	IgE-Food Mix:Fx10	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
63050	IgE-Food Mix:Fx5e	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
63053	IgE-Food Mix:Fx74	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
62970	IgE-Formaldehyde:K80	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62890	IgE-Gelatin bovine:C74	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61110	IgE-Gluten:F79	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61170	IgE-Grape fruit:F209	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61240	IgE-Hazel Nut:F17	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61230	IgE-Hazel:T4	SST Serum	FPIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61250	IgE-Honey Bee Venom:I1	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60300	IgE-Horse mackerel:F60	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61270	IgE-House dust1:H1	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61330	IgE-Isocyanate HDI:K77	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61340	IgE-Isocyanate MDI:K76	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61345	IgE-Isocyanate MDI:K76-RIA	SST Serum	IRMA	나231주2	C7231	208.09	13,190	13,190	222.88	14,550	14,550	▲
61350	IgE-Isocyanate TDI:K75	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61355	IgE-Isocyanate TDI:K75-RIA	SST Serum	IRMA	나231주2	C7231	208.09	13,190	13,190	222.88	14,550	14,550	▲
61360	IgE-Japanes cedar:T17	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61370	IgE-Japanese hop:W22	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61415	IgE-Kiwi:F84	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61120	IgE-L.Destructor:D71	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61440	IgE-Latex:K82	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61460	IgE-Lobster:F80	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61490	IgE-Mackerel:F50	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61540	IgE-Marguerite:W7	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61550	IgE-Meadow Fescue:G4	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61580	IgE-Melon:F87	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61590	IgE-Mesquite(RIA):T20	SST Serum	IRMA	나231주2	C7231	208.09	13,190	13,190	222.88	14,550	14,550	▲
61605	IgE-Milk:F2	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62750	IgE-Mix grass pollen:Gx2	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62820	IgE-Mix house dust:Hx2	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62770	IgE-Mix tree pollen:Tx5	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61625	IgE-Mold Cheese:F82	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62760	IgE-Mold mix:Mx1	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61640	IgE-Mosquito(속):I71	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62650	IgE-Mucor racemosus:M4	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61680	IgE-Mugwort:W6	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61720	IgE-Oak:T7	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
63150	IgE-Omega-5 Gliadine:F416	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61770	IgE-Onion:F48	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61780	IgE-Orange:F33	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61790	IgE-Orchard Grass:G3	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62710	IgE-Oyster:F290	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61810	IgE-P.Wasp Venom:I4	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61195	IgE-Pea:F12	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61850	IgE-Peach:F95	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61860	IgE-Peanut:F13	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61870	IgE-Pear:F94	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61890	IgE-Penicillium notatum:M1	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61900	IgE-Penicilloyl G:C1	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61910	IgE-Penicilloyl V:C2	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62670	IgE-Pine nuts:F253	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62620	IgE-Pineapple:F210	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61970	IgE-Pork:F26	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61980	IgE-Potato:F35	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61990	IgE-Pumpkin:F225	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62000	IgE-Rabbit epithelium:E82	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62050	IgE-Rice:F9	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
61920	IgE-Rye Grass:G5	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62090	IgE-Rye Pollen(RIA):G12	SST Serum	IRMA	나231주2	C7231	208.09	13,190	13,190	222.88	14,550	14,550	▲
62080	IgE-Rye:F5	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62100	IgE-Sadine:F61	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62110	IgE-Salmon:F41	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62135	IgE-Sesame Seed:F10	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62150	IgE-Shrimp:F24	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62160	IgE-Silk:K74	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62185	IgE-Soybean:F14	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62210	IgE-Strawberry:F44	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62260	IgE-Sycamore:T11	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62270	IgE-T.Putre Scentiae:D72	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62910	IgE-T.toxoid:C208	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62280	IgE-Timothy Grass:G6	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62300	IgE-Tomato:F25	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
62840	IgE-Tree mixture:Tx9	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62720	IgE-Trichophyton:M205	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62320	IgE-Tuna:F40	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62330	IgE-Velvet Grass(RIA):G13	SST Serum	IRMA	나231주2	C7231	208.09	13,190	13,190	222.88	14,550	14,550	▲
62350	IgE-Walnut pollen:T10	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62810	IgE-Walnut:F256	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
63030	IgE-Weed Mix:Wx5	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62360	IgE-Western Ragweed:W2	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62370	IgE-Wheat:F4	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62390	IgE-White Ash:T15	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62410	IgE-White bean:F15	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62400	IgE-White faced hornet:I2	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
60960	IgE-White Pine:T16	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62430	IgE-Willow:T12	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62830	IgE-Yellow hornet:I5	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62480	IgE-Yellow J.WaspVenom:I3	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62495	IgE-αLactalbumin:F76	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
62505	IgE-βLactoglobulin:F77	SST Serum	FEIA	나231	C2310	196.74	12,470	12,470	205.85	13,440	13,440	▲
01295	IGFBP-3 (CLIA)	SST Serum	CLIA	너231	CX231	345.13	21,880	21,880	345.13	22,540	22,540	▲
20220	IgG	SST Serum	TIA	나228가	C2281	132.59	8,410	8,410	134.92	8,810	8,810	▲
20221	IgG	CSF	TIA	나228가	C2281	132.59	8,410	8,410	134.92	8,810	8,810	▲
20225	IgG, Low Conc	CSF	TIA	나228가	C2281	132.59	8,410	8,410	134.92	8,810	8,810	▲
20230	IgG I Subclass	SST Serum	SRID	너181가	BY181	183.11	11,610	11,610	183.11	11,960	11,960	▲
20240	IgG IISubclass	SST Serum	SRID	너181나	BY182	183.11	11,610	11,610	183.11	11,960	11,960	▲
20250	IgG IIISubclass	SST Serum	SRID	너181다	BY183	183.11	11,610	11,610	183.11	11,960	11,960	▲
20260	IgG IVSubclass	SST Serum	SRID	너181라	BY184	183.11	11,610	11,610	183.11	11,960	11,960	▲
25885	IgH gene rearrangement	Block	PCR+Hybridization	나595-1다	C6029006	639.74	40,560	40,560	668.68	43,660	43,660	▲
20270	IgM	SST Serum	TIA	나228다	C2283	132.82	8,420	8,420	135.26	8,830	8,830	▲
20271	IgM	Hp Plasma	TIA	나228다	C2283	132.82	8,420	8,420	135.26	8,830	8,830	▲
65621	Imipramine	Plain Blood	LC/MS/MS	나450나(4)	CX375696	542.51	34,400	34,400	542.51	35,430	35,430	▲
26190	Immuno CD117	Block		나557	C5575006	470.02	29,800	29,800	466.94	30,490	30,490	▲
20621	Immuno E.P (24h urine)	24hr Urine	Electrophoresis	나308나	B3083006	430.73	27,310	27,310	439.56	28,700	28,700	▲
20625	Immuno E.P (IgG,M,A,D,E)	SST Serum	Electrophoresis	나308가	B3081006	379.1	24,030	24,030	385.86	25,200	25,200	▲
20623	Immuno E.P (Random urine)	Random Urine	Electrophoresis	나308나	B3083006	430.73	27,310	27,310	439.56	28,700	28,700	▲
20620	Immuno E.P (Serum)	SST Serum	Electrophoresis	나308가	B3081006	379.1	24,030	24,030	385.86	25,200	25,200	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
20626	Immuno E.P(IgG,M,A,D,E)(U)	Random Urine	Electrophoresis	나308가	B3081006	379.1	24,030	24,030	385.86	25,200	25,200	▲
20611	Immuno Fixation EP	Random Urine	Electrophoresis	나308나주	B3084006	569.15	36,080	36,080	584.69	38,180	38,180	▲
20610	Immuno Fixation EP (Serum)	SST Serum	Electrophoresis	나308가주	B3082006	503.16	31,900	31,900	517.20	33,770	33,770	▲
20228	Immunoglobulin G Index	SST Serum	계산법			0	0	31,370		0	32,510	▲
26565	Immunoglobulin heavy chain	Tissue	Southern Hybridization	나598다	C5983006	982.31	62,280	62,280	962.26	62,840	62,840	▲
80650	Immunohistochemistry	Smear Slide		나557	C5575006	470.02	29,800	29,800	466.94	30,490	30,490	▲
70820	India ink prep.	CSF		나401	B4010	31.03	1,970	1,970	29.12	1,900	1,900	▼
70821	India ink prep.	Other		나401	B4010	31.03	1,970	1,970	29.12	1,900	1,900	▼
10060	Indirect Bilirubin	SST Serum	계산법	나372	C3720+C3721	0	0	2,740		0	2,610	▼
10061	Indirect Bilirubin	Capillary	계산법	나372 외	C3720 외	0	0	2,740		0	2,610	▼
30330	Indirect Coombs	SST Serum	Column	나204나주	B2042006	34.72	2,200	2,200	34.96	2,280	2,280	▲
12150	Indocyanine Green소실율	SST Serum	Colorimetry	나399나	C3992006	572.5	36,300	36,300	572.50	37,380	37,380	▲
12140	Indocyanine Green정체율	SST Serum	Colorimetry	나399가	C3991006	381.69	24,200	24,200	381.69	24,920	24,920	▲
42165	Influenza A Culture	Other	Shell Vial Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲
42288	Influenza A(H1N1) PCR	비인후/인후도 찰물	real time PCR	나597	C6095006	1608.27	101,960	101,960	1669.92	109,050	109,050	▲
42175	Influenza B Culture	Other	Shell Vial Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲
42280	Influenza virus A & B Ag	Sputum	DFA	나469	C4690596	202.85	25,720	25,720	203.10	26,520	26,520	▲
42281	Influenza virus A Ag	Sputum	DFA	나469	C4690596	202.85	12,860	12,860	203.10	13,260	13,260	▲
42282	Influenza virus B Ag	Sputum	DFA	나469	C4690596	202.85	12,860	12,860	203.10	13,260	13,260	▲
01864	Inhibin-A	SST Serum	CLIA	나369	CZ211	350.82	22,240	22,240	350.82	22,910	22,910	▲
01025	Insulin (ECLIA)	SST Serum	ECLIA	나341	C3410	173.45	11,000	11,000	175.61	11,470	11,470	▲
01026	Insulin (ECLIA)	EDTA Plasma	ECLIA	나341	C3410	173.45	11,000	11,000	175.61	11,470	11,470	▲
01040	Insulin Ab(RIA)	SST Serum	RIA	나444주	CX745	224.58	14,240	14,240	224.58	14,670	14,670	▲
13150	Iodide	Random Urine		나234	CX234	81.41	5,160	5,160	81.41	5,320	5,320	▲
30140	Iron Stain	Bone Marrow Slide	Stain	나118다	B1185006	86.02	5,450	5,450	86.53	5,650	5,650	▲
12730	Iron (Fe)	SST Serum	Colorimetry	나249	C2490	39.52	2,510	2,510	36.95	2,410	2,410	▼
12732	Iron (Fe)(Tissue)	Tissue	AAS	나452	C4527990	601.26	38,120	38,120	607.56	39,670	39,670	▲
51880	Islet cell Ab	SST Serum	IFA	나446	CX446006	134.29	8,510	8,510	134.29	8,770	8,770	▲
30370	Isoagglutinin test	복수검체		나208	B2080006	120.52	7,640	7,640	113.54	7,410	7,410	▼
71030	Joint fluid analysis	Joint Fluid		나51	B0510	47.54	3,010	3,010	49.02	3,200	3,200	▲
71031	Joint fluid analysis	Body Fluid		나51	B0510	47.54	3,010	3,010	49.02	3,200	3,200	▲
25890	Kappa light chain	SST Serum	Nephelometry	나228가	C2281	132.59	8,410	8,410	134.92	8,810	8,810	▲
25893	Kappa light chain	Random Urine	Nephelometry	나554자	C5548	307.9	19,520	19,520	288.58	18,840	18,840	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
12200	Ketone body 3분획	EDTA Plasma	GC/MSD	너271	CX271006	263.21	16,690	16,690	263.21	17,190	17,190	▲
12201	Ketone body 3분획	Random Urine	GC/MSD	너271	CX271006	263.21	16,690	16,690	263.21	17,190	17,190	▲
12210	Ketone Body 3분획	SST Serum	GC/MSD	너271	CX271006	263.21	16,690	16,690	263.21	17,190	17,190	▲
12170	Ketone body 정성	Random Urine	Colorimetry	나386	C3860	74.39	4,720	4,720	74.94	4,890	4,890	▲
12171	Ketone body 정성	SST Serum	Colorimetry	나386	C3860	74.39	4,720	4,720	74.94	4,890	4,890	▲
81050	Ki-67 (IHC)	Tissue	Immunohistochemistry	나557	C5575006	470.02	29,800	29,800	466.94	30,490	30,490	▲
30440	Kidd 혈액형검사	복수검체	Tube	나203	B2030006	81.03	5,140	5,140	77.45	5,060	5,060	▼
70830	KOH Mount	Other		나400마	B4102	19.42	1,230	1,230	19.38	1,270	1,270	▲
41650	Korea virus I	SST Serum				0	23,200	23,200		22,330	22,330	▼
41660	Korea VirusⅢ	SST Serum				0	50,740	50,740		52,320	52,320	▲
41663	Korea VirusⅢ,CSF	CSF				0	50,740	50,740		52,320	52,320	▲
51890	L.E. Cell	Plain Blood	Manual	나112	B1120006	56.68	3,590	3,590	56.12	3,660	3,660	▲
11120	L/S Ratio	Amniotic Fluid	TLC	나55	B0550006	167.84	10,640	10,640	168.65	11,010	11,010	▲
81040	L26(CD20) (IHC)	Tissue	Immunohistochemistry	나557	C5575006	470.02	29,800	29,800	466.94	30,490	30,490	▲
30930	LAC confirm	SC Plasma	Colorimetry	나171나	B1712006	291.7	18,490	18,490	297.97	19,460	19,460	▲
30935	LAC screen	SC Plasma	Colorimetry	나171가	B1711	183.17	11,610	11,610	191.56	12,510	12,510	▲
10740	Lactic Acid	NaF Plasma	Enzyme	너345가(5)	CY345	339.91	21,550	21,550	339.91	22,200	22,200	▲
10741	Lactic Acid	CSF	Enzyme	너345가(5)	CY345	339.91	21,550	21,550	339.91	22,200	22,200	▲
25610	Lambda light chain	SST Serum	Nephelometry	나228가	C2281	132.59	8,410	8,410	134.92	8,810	8,810	▲
25613	Lambda light chain	Random Urine	Nephelometry	나554자	C5548	307.9	19,520	19,520	288.58	18,840	18,840	▼
65780	Lamotrigine	Random Urine		나450가(4)	CX372690	378.82	24,020	24,020	378.82	24,740	24,740	▲
65781	Lamotrigine	Random Urine		나450가(4)	CX372690	378.82	24,020	24,020	378.82	24,740	24,740	▲
65782	Lamotrigine	Plain Serum	HPLC	나450가(3)	CX374690	262.87	16,670	16,670	262.87	17,170	17,170	▲
10390	LAP	SST Serum	Enzyme	나267	B2670	51.62	3,270	3,270	47.87	3,130	3,130	▼
30380	LAP Score	Blood Smear Slide		나126	B1260006	86.19	5,460	5,460	86.77	5,670	5,670	▲
10410	LDH	SST Serum	Enzyme	나259	B2590	41.35	2,620	2,620	36.92	2,410	2,410	▼
10411	LDH	Body Fluid	Enzyme	나259	B2590	41.35	2,620	2,620	36.92	2,410	2,410	▼
20640	LDH Isoenzyme	SST Serum	Electrophoresis	나303	B3030006	175.19	11,110	11,110	175.56	11,460	11,460	▲
20641	LDH Isoenzyme	Body Fluid	Electrophoresis	나303	B3030006	175.19	11,110	11,110	175.56	11,460	11,460	▲
11110	LDL-Cholesterol	SST Serum	Enzyme	나243	C2430	91.04	5,770	5,770	90.26	5,890	5,890	▲
12750	Lead(Pb)	Trace EDTA Blood	AAS	나452나(2)	C4523630	302.23	19,160	19,160	306.17	19,990	19,990	▲
12751	Lead(Pb)	24hr Urine	AAS	나452나(2)	C4523630	302.23	19,160	19,160	306.17	19,990	19,990	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
71140	Legionella Ag	Random Urine	ICA	나475나	C4752996	285.42	18,100	18,100	293.16	19,140	19,140	▲
43570	Legionella pneumophiliaPCR	Sputum	PCR	나5950아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
41621	Leptospira Ab Titer(ICA)	SST Serum	ICA	나466가	C4661020	128.06	8,120	8,120	123.13	8,040	8,040	▼
41611	Leptospira Ab(ICA)	SST Serum	ICA	나466가	C4661020	128.06	8,120	8,120	123.13	8,040	8,040	▼
41662	Leptospirosis(응집법)	SST Serum	PHA	나466가	C4661020	128.06	8,120	8,120	123.13	8,040	8,040	▼
41668	Leptospirosis(PHA)	SST Serum	PHA	나466가	C4661020	128.06	8,120	8,120	123.13	8,040	8,040	▼
26130	Leukemia marker study	EDTA Blood	IFA	나512+나51	C512~30006	0	410,990	410,990		424,600	424,600	▲
26131	Leukemia marker study	Bone Marrow	IFA	나512+나51	C512~30006	0	410,990	410,990		424,600	424,600	▲
26135	Leukemia marker study	Bone Marrow	Flow Cytometry	나511~3	C5111006오	0	481,320	481,320		497,180	497,180	▲
00106	LH (ECLIA)	SST Serum	ECLIA	나348	C3480	159.17	10,090	10,090	156.51	10,220	10,220	▲
25620	LHON 11778	EDTA Blood	PCR-RFLP	너562나	CY622006	416.68	26,420	26,420	416.68	27,210	27,210	▲
25630	LHON 14484	EDTA Blood	PCR-RFLP	너562나	CY622006	416.68	26,420	26,420	416.68	27,210	27,210	▲
26460	LHON 3460	EDTA Blood	PCR-RFLP	너562나	CY622006	416.68	26,420	26,420	416.68	27,210	27,210	▲
25640	LHON 3460,11778,14484	EDTA Blood	PCR-RFLP	너562나	CY622006	416.68	73,260	73,260	416.68	81,630	81,630	▲
25645	LHON 3460,4171,11778,14484	EDTA Blood	PCR-RFLP	너562나	CY622006	416.68	105,680	105,680	416.68	108,840	108,840	▲
25635	LHON 4171	EDTA Blood	PCR-RFLP	너562나	CY622006	416.68	26,420	26,420	416.68	27,210	27,210	▲
10425	Lipase	SST Serum	Colorimetry	나262	B2621	60.67	3,850	3,850	60.41	3,940	3,940	▲
10426	Lipase	Body Fluid	Colorimetry	나262	B2621	60.67	3,850	3,850	60.41	3,940	3,940	▲
11116	Lipid profile	SST Serum	계산법	나241 외	C2411 외	0	9,940	9,940		10,060	10,060	▲
20650	Lipoprotein E.P	SST Serum	Electrophoresis	나301	B3010006	147.07	9,320	9,320	138.58	9,050	9,050	▼
20651	Lipoprotein E.P	Body Fluid	Electrophoresis	나301	B3010006	147.07	9,320	9,320	138.58	9,050	9,050	▼
12860	Lipoprotein(a)	SST Serum	TIA	나248	C2480	160	10,140	10,140	160.49	10,480	10,480	▲
71170	Listeria culture	Other	Culture	나405가	B4051	152.96	9,700	9,700	158.13	10,330	10,330	▲
12765	Lithium(Li)	SST Serum	AAS	나452나(2)	C4523610	302.23	19,160	19,160	306.17	19,990	19,990	▲
26090	Lymphocyte subset 3종	EDTA Blood		나512	C5120006	445.94	84,810	84,810	447.99	87,750	87,750	▲
26091	Lymphocyte subset 3종	Bone Marrow		나512	C5120006	445.94	84,810	84,810	447.99	87,750	87,750	▲
26100	Lymphocyte subset 4종	EDTA Blood		나512	C5120006	445.94	113,080	113,080	447.99	117,000	117,000	▲
26101	Lymphocyte subset 4종	Bone Marrow		나512	C5120006	445.94	113,080	113,080	447.99	117,000	117,000	▲
26110	Lymphocyte subset 4종	EDTA Blood		나512	C5120006	445.94	113,080	113,080	447.99	117,000	117,000	▲
26115	Lymphocyte subset 4종	EDTA Blood		나512	C5120006	445.94	113,080	113,080	447.99	117,000	117,000	▲
71230	M.h & U.u 배양및약제감수성	Other	Culture	너301	BY301+3006	0	46,040	46,040		47,440	47,440	▲
25650	MAGE-폐암유전자검사	Sputum	Nested RT-PCR	나5970아	CX565006	1484.87	94,140	94,140	1484.87	96,960	96,960	▲
70840	Malaria	Blood Smear Slide	Manual	나115	B1150006	44.42	2,820	2,820	45.57	2,980	2,980	▲
42551	Malaria P. falciparum PCR	EDTA Blood	PCR	나5950아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
42552	Malaria P. vivax PCR	EDTA Blood	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
42553	Malaria P.malariae PCR	EDTA Blood	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
42554	Malaria P.ovale PCR	EDTA Blood	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
42540	Malaria PCR	EDTA Blood	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
42545	Malaria PCR 2종	EDTA Blood	PCR	나595아	C5956006	396.83	50,320	50,320	403.21	52,660	52,660	▲
42555	Malaria PCR 4종	EDTA Blood	PCR	나595아	C5956006	396.83	100,640	100,640	403.21	105,320	105,320	▲
12220	Mandelic acid	Random Urine	HPLC	나451나(3)	CY373020	399.4	25,320	25,320	399.40	26,080	26,080	▲
12770	Mangane(Mn)	Trace EDTA Blood	AAS	나452나(2)	C4523660	302.23	19,160	19,160	306.17	19,990	19,990	▲
12771	Mangane(Mn)	24hr Urine	AAS	나452나(2)	C4523660	302.23	19,160	19,160	306.17	19,990	19,990	▲
12772	Mangane(Mn)	Random Urine	AAS	나452나(2)	C4523660	302.23	19,160	19,160	306.17	19,990	19,990	▲
82110	Massons Trichrome Stain	Tissue		나553나	C5532	121.67	7,710	7,710	122.36	7,990	7,990	▲
65690	MDMA (Ecstasy)	Random Urine	ICA	나450가(2)	C4502390	130.9	8,300	8,300	124.57	8,130	8,130	▼
41680	Measles virus IgG(ELISA)	SST Serum	ELISA	나468나(1)	C4682486	263.15	16,680	16,680	266.76	17,420	17,420	▲
41681	Measles virus IgG(ELISA)	CSF	ELISA	나468나(1)	C4682486	263.15	16,680	16,680	266.76	17,420	17,420	▲
41690	Measles virus IgM(ELISA)	SST Serum	ELISA	나468나(2)	C4683486	258.09	16,360	16,360	259.16	16,920	16,920	▲
41691	Measles virus IgM(ELISA)	CSF	ELISA	나468나(2)	C4683486	258.09	16,360	16,360	259.16	16,920	16,920	▲
26730	MEN2(FMTC), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006	2955.94	187,410	187,410	2955.94	193,020	193,020	▲
26740	MEN2(MEN2A), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006	2955.94	187,410	187,410	2955.94	193,020	193,020	▲
26750	MEN2(MEN2B), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006	2955.94	187,410	187,410	2955.94	193,020	193,020	▲
12780	Mercury(Hg)	Trace EDTA Blood	AAS	나452나(2)	C4523640	302.23	19,160	19,160	306.17	19,990	19,990	▲
12781	Mercury(Hg)	24hr Urine	AAS	나452나(2)	C4523640	302.23	19,160	19,160	306.17	19,990	19,990	▲
12782	Mercury(Hg)	Random Urine	AAS	나452나(2)	C4523640	302.23	19,160	19,160	306.17	19,990	19,990	▲
20520	Met Hemoglobin	EDTA Blood	Oximeter	나382가	C3821	51.31	3,250	3,250	50.52	3,300	3,300	▲
00885	Metanephrine 2F(HPLC)	24hr Urine	HPLC	너228		0	39,340	39,340		40,520	40,520	▲
00886	Metanephrine(HPLC)	24hr Urine	HPLC	너228라	CY284006	310.2	19,670	19,670	310.20	20,260	20,260	▲
00892	Metanephrine,Total(HPLC)	24hr Urine	HPLC	너228라	CY284006	310.2	19,670	19,670	310.20	20,260	20,260	▲
65430	Methamphetamine 정성	Random Urine	ICA	나450가(2)	C4502390	130.9	8,300	8,300	124.57	8,130	8,130	▼
65640	Methotrexate(MTX)	SST Serum	FPIA	나450나(2)	C4504130	238.27	15,110	15,110	243.15	15,880	15,880	▲
12230	Methylhippuric acid	Random Urine	HPLC	나451나(3)	CY373040	399.4	25,320	25,320	399.40	26,080	26,080	▲
10120	Mg	SST Serum	Colorimetry	나379사	C3797	27.22	1,730	1,730	25.94	1,690	1,690	▼
10121	Mg	24hr Urine	Colorimetry	나379사	C3797	27.22	1,730	1,730	25.94	1,690	1,690	▼
10122	Mg	Random Urine	Colorimetry	나379사	C3797	27.22	1,730	1,730	25.94	1,690	1,690	▼
20280	Microalbumin	24hr Urine	RIA	나230나주	C7230	164.97	10,460	10,460	146.73	9,580	9,580	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
20281	Microalbumin	Random Urine	RIA	나230나주	C7230	164.97	10,460	10,460	146.73	9,580	9,580	▼
20290	Microalbumin 정성	Random Urine	Strip	나230가	C2301	12.84	810	810	12.12	790	790	▼
50841	Micro-ELISA Test(BF)	Body Fluid	Micro-ELISA	나472나(1)	C4722796	271.93	17,240	17,240	271.19	17,710	17,710	▲
50850	Micro-ELISA Test(CSF)	CSF	Micro-ELISA	나472나(1)	C4722796	271.93	17,240	17,240	271.19	17,710	17,710	▲
50840	Micro-ELISA Test(S)	SST Serum	Micro-ELISA	나472나(1)	C4722796	271.93	17,240	17,240	271.19	17,710	17,710	▲
51900	Mitochondrial DNA MELAS	EDTA Blood	PCR-RFLP	너562다	CY623006	416.68	79,260	79,260	416.68	81,630	81,630	▲
51910	Mitochondrial DNA MERRF	EDTA Blood	PCR-RFLP	너562라	CY624006	416.68	26,420	26,420	416.68	27,210	27,210	▲
30050	Mixing Test	SC Plasma	Clot-based	나177	B1770006	197.66	12,530	12,530	194.23	12,680	12,680	▲
26420	MLH1gene mutation analysis	EDTA Blood	Sequencing	나599나(2)	CY711006	5911.54	374,790	374,790	5911.54	386,020	386,020	▲
30450	MN 혈액형검사	EDTA Blood	Tube	나203	B2030006	81.03	5,140	5,140	77.45	5,060	5,060	▼
65440	Morphine	Random Urine	ICA	나450가(2)	C4502390	130.9	8,300	8,300	124.57	8,130	8,130	▼
02090	MSAFP	SST Serum	RIA	나421나주	C7421	167.6	10,630	10,630	164.31	10,730	10,730	▲
01861	MS-AFP	SST Serum	RIA	나421나주	C7421	167.6	10,630	10,630	164.31	10,730	10,730	▲
26430	MSH2 gene	EDTA Blood	Sequencing	나599나(2)	CY712006	5911.54	374,790	374,790	5911.54	386,020	386,020	▲
01862	MS-hCG	SST Serum	RIA	나352주	C7352	181.82	11,530	11,530	173.76	11,350	11,350	▼
27674	MSI Test	Other	PCR Fragment analysis	너574	CX574006	2596.61	164,630	164,630	2596.61	169,560	169,560	▲
27679	MSI(Microsatellite) test	Block		너574	CX574006	2596.61	164,630	164,630	2596.61	169,560	169,560	▲
01863	MS-uE3	SST Serum	RIA	나327주	C7327	181.59	11,510	11,510	163.31	10,660	10,660	▼
42606	MTB & NTM PCR	Sputum	PCR+Hybridization	나595-1가	C6021006	618.5	39,210	39,210	636.81	41,580	41,580	▲
27265	MTHFR(C677T)	EDTA Blood	PCR-RFLP	너562아	CY628006	416.68	26,420	26,420	416.68	27,210	27,210	▲
27060	MTHFR(C677T) genotyping	EDTA Blood		너562아	CY628006	416.68	26,420	26,420	416.68	27,210	27,210	▲
71040	Mucin clot test	Joint Fluid	Manual	나54	B0540	11.09	700	700	11.26	740	740	▲
10795	Mucopolysaccharide 정성	Random Urine		나444가	C4441	29.33	1,860	1,860	27.10	1,770	1,770	▼
10780	Mucopolysaccharidosis 선별	Random Urine		나444나	C4442	69.84	4,430	4,430	66.37	4,330	4,330	▼
42180	Mumps Culture	Random Urine	Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲
41730	Mumps virus IgG (ELISA)	SST Serum	ELISA	나468나(1)	C4682506	263.15	16,680	16,680	266.76	17,420	17,420	▲
41731	Mumps virus IgG (ELISA)	CSF	ELISA	나468나(1)	C4682506	263.15	16,680	16,680	266.76	17,420	17,420	▲
41740	Mumps virus IgM (ELISA)	SST Serum	ELISA	나468나(2)	C4683506	258.09	16,360	16,360	259.16	16,920	16,920	▲
41741	Mumps virus IgM (ELISA)	CSF	ELISA	나468나(2)	C4683506	258.09	16,360	16,360	259.16	16,920	16,920	▲
50870	Mycoplasma Ab	SST Serum	PA	나474가	C4741820	73.52	4,660	4,660	69.03	4,510	4,510	▼
50871	Mycoplasma Ab	Body Fluid	PA	나474가	C4741820	73.52	4,660	4,660	69.03	4,510	4,510	▼
42620	Mycoplasma genitalium PCR	분비물	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
71190	Mycoplasma hominis culture	Other	Culture	너301가	BY301006	363.17	23,020	23,020	363.17	23,720	23,720	▲
42630	Mycoplasma hominis PCR	Other	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
52300	Mycoplasma pneumoniae IgG	SST Serum	EIA	나474나(1)	C4742826	204.59	12,970	12,970	205.72	13,430	13,430	▲
52310	Mycoplasma pneumoniae IgM	SST Serum	EIA	나474나(2)	C4743826	203.84	12,920	12,920	204.59	13,360	13,360	▲
52311	Mycoplasma pneumoniae IgM	CSF	EIA	나474나(2)	C4743826	203.84	12,920	12,920	204.59	13,360	13,360	▲
42640	Mycoplasma pneumoniae PCR	Sputum	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
01330	Myoglobin	SST Serum	CLIA	나384나	C3842	231.19	14,660	14,660	232.25	15,170	15,170	▲
01331	Myoglobin	Random Urine	CLIA	나384나	C3842	231.19	14,660	14,660	232.25	15,170	15,170	▲
25681	Myotonic Muscular Dystroph	EDTA Blood	Southern blot	나598카	C5980006	1014.65	64,330	64,330	1010.77	66,000	66,000	▲
25680	Myotonic Muscular Dystrophy	EDTA Blood	PCR	너573+나59	CY539006+C59870	0	123,130	123,130		125,710	125,710	▲
71082	N. gonorr Culture&Sensi(G)	Other	Culture	나405+나40	B4051+B4061	0	16850	16850		17760	17,760	▲
71080	N. gonorrhoeae Culture	Other	Culture	나405가	B4051		9,700	9,700	158.13	10,330	10,330	▲
42650	N. gonorrhoeae PCR	분비물	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
50464	N. meningitis	CSF	Latex	나408	B4080	96.52	6,120	6,120	90.90	5,940	5,940	▼
00240	Neonatal Free T4	Blood Paper	EIA	나334	C3340	170.42	10,800	10,800	171.51	11,200	11,200	▲
11717	Neonatal HVA	Urine Paper	EIA	너225가	CY250	0	0	0	85.45	5,580	5,580	▲
00250	Neonatal T4	Blood Paper	FIA	나333	C3330	164.46	10,430	10,430	164.39	10,730	10,730	▲
11716	Neonatal VMA	Urine Paper	EIA	나321나(2)	C3213	0	0	0	211.71	13,820	13,820	▲
00260	Neonatal-TSH	Blood Paper	FIA	나336	C3360	210.44	13,340	13,340	215.39	14,060	14,060	▲
11715	Neuroblastoma Test(Screen)	Urine Paper	EIA	나321+너22	C3213+CY250	0	18,500	18,500		19,400	19,400	▲
30021	Neutrophil Seg	EDTA Blood	자동혈구계산법	나109가	B1091	25.56	1,620	1,620	25.53	1,670	1,670	▲
12792	Nickel(Ni)	Trace Serum	AAS	나452나(2)	C4523990	302.23	19,160	19,160	306.17	19,990	19,990	▲
12270	N-methyl formamide(NMF)	Random Urine	GC/MSD	나451나(3)	CY373060	399.4	25,320	25,320	399.40	26,080	26,080	▲
65740	N-methylacetamide(NMAC)	Random Urine	GC/MSD	나451나(3)	CY373290	399.4	25,320	25,320	399.40	26,080	26,080	▲
27540	NMP22	Random Urine	ELISA	너322다	CY323	283.39	17,970	17,970	283.39	18,510	18,510	▲
25790	N-myc	복수검체	PCR	나598아	C5988006	987.56	62,610	62,610	970.13	63,350	63,350	▲
30150	Nonspecific esterase stain	Bone Marrow Slide	Stain	나118바	B1188006	85.01	5,390	5,390	85.01	5,550	5,550	▲
30151	Nonspecific esterase stain	Blood Smear Slide	Stain	나118바	B1188006	85.01	5,390	5,390	85.01	5,550	5,550	▲
00845	Norepinephrine(HPLC)	24hr Urine	HPLC	너228나	CY282006	310.2	19,670	19,670	310.20	20,260	20,260	▲
00846	Norepinephrine(HPLC)	EDTA Plasma	HPLC	너228나	CY282006	310.2	19,670	19,670	310.20	20,260	20,260	▲
00887	Normetanephrine(HPLC)	24hr Urine	HPLC	너228마	CY285006	310.2	19,670	19,670	310.20	20,260	20,260	▲
65661	Nortriptyline	Plain Blood	LC/MS/MS	나450나(4)	CX375696	542.51	34,400	34,400	542.51	35,430	35,430	▲
01615	NSE (ECLIA)	SST Serum	ECLIA	나431	C4310	309.04	19,590	19,590	309.76	20,230	20,230	▲
70501	NTM Sensitivity (결핵협회)	균주		나406다(2)	B4064	501.36	31,790	31,790	522.61	34,130	34,130	▲
01350	NT-pro BNP	SST Serum	ECLIA	나368-2	CZ208	608.98	38,610	38,610	608.98	39,770	39,770	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
12280	NTx	Random Urine	ELISA	나393-1	C3931	212.18	13,450	13,450	199.17	13,010	13,010	▼
12281	NTx	24hr Urine	ELISA	나393-1	C3931	212.18	13,450	13,450	199.17	13,010	13,010	▼
30180	Oil red stain	Bone Marrow Slide	Stain	나118아	B1189006	84.57	5,360	5,360	84.36	5,510	5,510	▲
20320	Oligoclonal IgG band	CSF	Electrophoresis	너182	BX182006	215.52	13,660	13,660	215.52	14,070	14,070	▲
65450	Opiates	Random Urine	CLIA	나450가(2)	C4502390	130.9	8,300	8,300	124.57	8,130	8,130	▼
12290	Organic Acid	Random Urine	GC/MSD	너345다	CY348006	3333.25	211,330	211,330	3333.25	217,660	217,660	▲
12310	Orotic acid	24hr Urine	Spectrophotometry	너345가(6)	CY349	339.91	21,550	21,550	339.91	22,200	22,200	▲
12320	Osmolality	SST Serum	Osmometer	나380	C3800	53.27	3,380	3,380	53.70	3,510	3,510	▲
12321	Osmolality	24hr Urine	Osmometer	나380	C3800	53.27	3,380	3,380	53.70	3,510	3,510	▲
12322	Osmolality	Random Urine	Osmometer	나380	C3800	53.27	3,380	3,380	53.70	3,510	3,510	▲
12330	Osmotic fragility	복수검체	Tube	나113	B1131006	87.53	5,550	5,550	88.79	5,800	5,800	▲
01925	Osteocalcin (ECLIA)	SST Serum	ECLIA	나363	C3630	173.26	10,980	10,980	175.33	11,450	11,450	▲
30470	Other blood typing	EDTA Blood	Tube	나203	B2030006	81.03	5,140	5,140	77.45	5,060	5,060	▼
29240	Others A	Other	PCR+Hybridization	나595-1다	C6029006	639.74	40,560	40,560	668.68	43,660	43,660	▲
65460	Oxcarbazepine & Metabolite	SST Serum	HPLC	나450나(3)	CX374690	262.87	16,670	16,670	262.87	17,170	17,170	▲
30690	PAI-1	SC Plasma	ELISA	너80나	BY802	170.91	10,840	10,840	170.91	11,160	11,160	▲
10245	Pancreatic Amylase	SST Serum	Enzyme	나261나	B2612	54.28	3,440	3,440	53.98	3,520	3,520	▲
10246	Pancreatic Amylase	Random Urine	Enzyme	나261나	B2612	54.28	3,440	3,440	53.98	3,520	3,520	▲
01630	PAP	SST Serum	CLIA	나429	C4290	198.93	12,610	12,610	178.88	11,680	11,680	▼
01631	PAP	분비물	CLIA	나429	C4290	198.93	12,610	12,610	178.88	11,680	11,680	▼
42195	Parainfluenza culture	Other	Shell Vial Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲
43560	Parainfluenza V. Ag(DFA)	Other	DFA	나469	C4690596	202.85	12,860	12,860	203.10	13,260	13,260	▲
12345	Paraquat	Random Urine	HPLC	나450나(3)	CX374040	262.87	16,670	16,670	262.87	17,170	17,170	▲
12340	Paraquat (Gramoxone)	SST Serum	HPLC	나450나(3)	CX374040	262.87	16,670	16,670	262.87	17,170	17,170	▲
65623	Paroxetine	Plain Serum	LC/MS/MS	나450	CX375696	542.51	34,400	34,400	542.51	35,430	35,430	▲
42660	Parvo virus B19 DNA	SST Serum	PCR	나595나	C5952006	387.6	24,570	24,570	389.38	25,430	25,430	▲
41780	Parvo virus B19 IgG	SST Serum	ELISA	나468나(1)	C4682596	263.15	16,680	16,680	266.76	17,420	17,420	▲
41781	Parvo virus B19 IgG	Body Fluid	ELISA	나468나(1)	C4682596	263.15	16,680	16,680	266.76	17,420	17,420	▲
41790	Parvo virus B19 IgM	SST Serum	ELISA	나468나(2)	C4683596	258.09	16,360	16,360	259.16	16,920	16,920	▲
41791	Parvo virus B19 IgM	Body Fluid	ELISA	나468나(2)	C4683596	258.09	16,360	16,360	259.16	16,920	16,920	▲
30160	PAS Stain	Bone Marrow Slide	Stain	나118마	B1187006	85.6	5,430	5,430	85.90	5,610	5,610	▲
30161	PAS Stain	Blood Smear Slide	Stain	나118마	B1187006	85.6	5,430	5,430	85.90	5,610	5,610	▲
82100	PAS Stain	Tissue		나553다	C5533	121.67	7,710	7,710	122.36	7,990	7,990	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
30080	PDW	EDTA Blood	자동혈구계산법	나123	B1230	5.79	370	370	5.80	380	380	▲
31085	PEG Coombs Anti IgG	EDTA Blood		나204나주	B2048106	63.16	4,000	4,000	67.38	4,400	4,400	▲
02016	Pepsinogen I	SST Serum	ELISA	나362	C3620	268.69	17,030	17,030	256.10	16,720	16,720	▼
02026	Pepsinogen II	SST Serum	ELISA	나362	C3620	268.69	17,030	17,030	256.10	16,720	16,720	▼
30170	Peroxidase stain	Bone Marrow Slide	Stain	나118라	B1186006	84.27	5,340	5,340	83.92	5,480	5,480	▲
30171	Peroxidase stain	Blood Smear Slide	Stain	나118라	B1186006	84.27	5,340	5,340	83.92	5,480	5,480	▲
65470	Phencyclidine 정성	Random Urine	ICA	나450가(2)	C4502390	130.9	8,300	8,300	124.57	8,130	8,130	▼
65290	Phenobarbital	SST Serum	FPA	나450나(2)	C4504020	238.27	15,110	15,110	243.15	15,880	15,880	▲
12805	Phenol	Random Urine	GC/MS	나451나(3)	CY373290	399.4	25,320	25,320	399.40	26,080	26,080	▲
65300	Phenytoin	SST Serum	FPA	나450나(2)	C4504050	238.27	15,110	15,110	243.15	15,880	15,880	▲
65310	Phenytoin,Free	SST Serum	FPIA	나450나(2)	C4504050	238.27	15,110	15,110	243.15	15,880	15,880	▲
10130	Phosphate(Pi)	SST Serum	Colorimetry	나379라	C3794	19.21	1,220	1,220	17.62	1,150	1,150	▼
10131	Phosphate(Pi)	24hr Urine	Colorimetry	나379라	C3794	19.21	1,220	1,220	17.62	1,150	1,150	▼
10132	Phosphate(Pi)	Random Urine	Colorimetry	나379라	C3794	19.21	1,220	1,220	17.62	1,150	1,150	▼
11160	Phospholipid	SST Serum	Enzyme	나244나	C2442	42.28	2,680	2,680	37.92	2,480	2,480	▼
11161	Phospholipid	Body Fluid	Enzyme	나244나	C2442	42.28	2,680	2,680	37.92	2,480	2,480	▼
01640	PIVKA-2	SST Serum	EIA	너78	BX078	170.91	10,840	10,840	170.91	11,160	11,160	▲
01641	PIVKA-2	EDTA Plasma	EIA	너78	BX078	170.91	10,840	10,840	170.91	11,160	11,160	▲
20530	Plasma Hb	EDTA Plasma	Colorimetry	나383	C3830	49.18	3,120	3,120	49.62	3,240	3,240	▲
30710	Plasminogen	SC Plasma	Colorimetry	나188가	B1881	150.14	9,520	9,520	154.95	10,120	10,120	▲
30005	Platelet	EDTA Blood	자동혈구계산법	나106	B1060	12.66	800	800	12.81	840	840	▲
51920	Platelet Associated Ab	EDTA Blood	IFA	나502나	C5022006	237.66	15,070	15,070	242.40	15,830	15,830	▲
25710	PML-RARa (nested RT-PCR)	EDTA Blood	Nested RT-PCR	나597다	C5973006	1544.19	97,900	97,900	1573.83	102,770	102,770	▲
25712	PML-RARa (nested RT-PCR)	Bone Marrow	Nested RT-PCR	나597다	C5973006	1544.19	97,900	97,900	1573.83	102,770	102,770	▲
71150	Pneumococcal Ag	Random Urine	ICA	나475나	C4752996	285.42	18,100	18,100	293.16	19,140	19,140	▲
41880	Pneumocystis carinii Ag	Sputum	DFA	나475나	C4752996	285.42	18,100	18,100	293.16	19,140	19,140	▲
42670	Pneumocystis carinii PCR	Sputum	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
26160	PNH test	EDTA Blood		너42나	BY422006	429.94	54,520	54,520	429.94	56,160	56,160	▲
26165	PNH test	EDTA Blood		나512	C5120006	445.94	56,540	56,540	447.99	58,500	58,500	▲
42205	Polyomavirus culture	BAL fluid	Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲
42680	Polyomavirus(BK,JC) PCR	EDTA Blood	Nested PCR	너563사	CY059006	497.16	31,520	31,520	497.16	32,460	32,460	▲
42681	Polyomavirus(BK,JC) PCR	BAL fluid	Nested PCR	너563사	CY059006	497.16	31,520	31,520	497.16	32,460	32,460	▲
11770	Porphobilinogen 정량	Random Urine	Spectrophotometry	나389나(2)	C3893	172.9	10,960	10,960	175.41	11,450	11,450	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
11771	Porphobilinogen 정량	24hr Urine	Spectrophotometry	나389나(2)	C3893	172.9	10,960	10,960	175.41	11,450	11,450	▲
11760	Porphobilinogen 정성	Random Urine	Colorimetry	나389가	C3891	11.59	730	730	11.03	720	720	▼
25730	post-BMT	EDTA Blood		너571나(1)	CY575006	2596.64	164,630	164,630	2596.64	169,560	169,560	▲
25731	post-BMT	Bone Marrow		너571나(1)	CY575006	2596.64	164,630	164,630	2596.64	169,560	169,560	▲
25737	post-BMT	EDTA Blood		너571나(1)	CY575006	2596.64	164,630	164,630	2596.64	169,560	169,560	▲
10140	Potassium(K)	SST Serum	ISE	나379나	C3792	19.26	1,220	1,220	18.33	1,200	1,200	▼
10141	Potassium(K)	24hr Urine	ISE	나379나	C3792	19.26	1,220	1,220	18.33	1,200	1,200	▼
10142	Potassium(K)	Random Urine	ISE	나379나	C3792	19.26	1,220	1,220	18.33	1,200	1,200	▼
25690	PRA class I identification	SST Serum		나522나	C5222006	1293.88	82,030	82,030	1299.13	84,830	84,830	▲
26265	PRA class I screening	SST Serum	ELISA	나522가	C5221006	725.68	46,010	46,010	735.02	48,000	48,000	▲
25695	PRA classⅡ identification	SST Serum	ELISA	나522나	C5222006	1293.88	82,030	82,030	1299.13	84,830	84,830	▲
26266	PRA classⅡ screening	SST Serum	Enzyme	나522가	C5221006	725.68	46,010	46,010	735.02	48,000	48,000	▲
20330	Prealbumin	SST Serum	TIA	나221-1	C2215	141.42	8,970	8,970	144.60	9,440	9,440	▲
25720	pre-BMT	복수검체		너571가(1)	CY573006	3739.19	237,060	237,060	3739.19	244,170	244,170	▲
25725	pre-BMT	복수검체	DNA Typing	너571가(1)	CY573006	3739.19	237,060	237,060	3739.19	244,170	244,170	▲
25727	pre-BMT	복수검체		너571가(1)	CY573006	3739.19	237,060	237,060	3739.19	244,170	244,170	▲
65320	Primidone	SST Serum	HPLC	나450나(3)	CX374690	262.87	16,670	16,670	262.87	17,170	17,170	▲
00512	Progesterone (ECLIA)	SST Serum	ECLIA	나346	C3460	159.01	10,080	10,080	155.72	10,170	10,170	▲
00133	Prolactin (ECLIA)	SST Serum	ECLIA	나351	C3510	169.83	10,770	10,770	168.16	10,980	10,980	▲
30730	Protein C Activity	SC Plasma	Clot-based	나183가	B1831	180.58	11,450	11,450	190.07	12,410	12,410	▲
30740	Protein C Antigen	SC Plasma	ELISA	나183나	B1832	172.66	10,950	10,950	176.05	11,500	11,500	▲
20711	Protein E.P(24h urine)	24hr Urine	Electrophoresis	나300나	B3001006	130.63	8,280	8,280	134.46	8,780	8,780	▲
20713	Protein E.P(Random urine)	Random Urine	Electrophoresis	나300나	B3001006	130.63	8,280	8,280	134.46	8,780	8,780	▲
20710	Protein E.P(Serum)	SST Serum	Electrophoresis	나300가	B3000006	120.67	7,650	7,650	125.13	8,170	8,170	▲
30750	Protein S Activity	SC Plasma	Clot-based	나184가	B1841	177.64	11,260	11,260	185.97	12,140	12,140	▲
30760	Protein S Ag(free)	SC Plasma	ELISA	나184나	B1842	171.23	10,860	10,860	173.90	11,360	11,360	▲
30770	Protein S Ag(total)	SC Plasma	ELISA	나184나	B1842	171.23	10,860	10,860	173.90	11,360	11,360	▲
10035	Protein/creatinine ratio	Random Urine	계산법	나220 외	C2200 외	0	2,760	2,760		2,610	2,610	▼
30950	Prothrombin Time	SC Plasma	Clot-based	나154	B1540	25.91	1,640	1,640	26.62	1,740	1,740	▲
70860	Protozoa	Stool	검경법	나63	B0630	23.87	1,510	1,510	23.91	1,560	1,560	▲
01675	PSA (ECLIA)	SST Serum	ECLIA	나428	C4280	241.02	15,280	15,280	241.13	15,750	15,750	▲
01930	PTH	SST Serum	RIA	나340주	C7340	242.57	15,380	15,380	229.83	15,010	15,010	▼
01931	PTH	EDTA Plasma	RIA	나340주	C7340	242.57	15,380	15,380	229.83	15,010	15,010	▼
01967	PTH-Intact (ECLIA)	SST Serum	ECLIA	나340	C3400	278.73	17,670	17,670	284.05	18,550	18,550	▲
01968	PTH-Intact (ECLIA)	EDTA Plasma	ECLIA	나340	C3400	278.73	17,670	17,670	284.05	18,550	18,550	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
10175	Pyrimidine 5-nucleotidase	EDTA Blood	Spectrophotometry	너185	BX185	258.57	16,390	16,390	258.57	16,880	16,880	▲
70766	Pyrogen (Endotoxin)	Other	검경법	너303	BY032006	140.99	8,940	8,940	140.99	9,210	9,210	▲
10810	Pyruvic Acid	제단백액	Enzyme	너345가(1)	CY341	339.91	21,550	21,550	339.91	22,200	22,200	▲
10811	Pyruvic Acid	CSF	Enzyme	너345가(1)	CY341	339.91	21,550	21,550	339.91	22,200	22,200	▲
02060	Quad Test	SST Serum		나421 외	C7421외	0	55,910	55,910		55,650	55,650	▼
52390	QuantiFERON-TB	전용용기	ELISA	나477	CZ393006	1162.62	73,710	73,710	1162.62	75,920	75,920	▲
65622	Quetiapine	Plain Serum	LC/MS/MS	나450	CX375696	542.51	34,400	34,400	542.51	35,430	35,430	▲
41637	R. (Rickettsia) 2 type Ab	SST Serum	IFA	나474나(1)	C4742836	204.59	25,940	25,940	205.72	26,860	26,860	▲
51930	R.A Factor	SST Serum	TIA	나490가	C4901	26.83	1,700	1,700	24.63	1,610	1,610	▼
51931	R.A Factor	Body Fluid	TIA	나490가	C4901	26.83	1,700	1,700	24.63	1,610	1,610	▼
51940	R.A Factor 정량	SST Serum	TIA	나490나	C4903	103.56	6,570	6,570	104.08	6,800	6,800	▲
51941	R.A Factor 정량	Body Fluid	TIA	나490나	C4903	103.56	6,570	6,570	104.08	6,800	6,800	▲
41630	R.tsutsugamushi(ICA)	SST Serum	ICA	나474가	C4741830	73.52	4,660	4,660	69.03	4,510	4,510	▼
41635	R.tsutsugamushi(IFA)	SST Serum	IFA	나474나(1)	C4742836	204.59	12,970	12,970	205.72	13,430	13,430	▲
30002	RBC	EDTA Blood	자동혈구계산법	나104	B1040	10.53	670	670	10.72	700	700	▲
11290	RBC Folate	EDTA Blood	RIA	나254주	C7254	188.08	11,920	11,920	176.88	11,550	11,550	▼
30090	RDW	EDTA Blood	자동혈구계산법	나122	B1220	5.79	370	370	5.80	380	380	▲
01370	Renin Activity	EDTA Plasma	RIA	나360주	C7360	172.29	10,920	10,920	168.36	10,990	10,990	▲
42257	Respi.V.Ag Screening 5종	Other	IFA	나469	C4690536	202.85	12,860	12,860	203.10	13,260	13,260	▲
29270	RET gene mutation	EDTA Blood	Sequencing	나594	CY571006	2955.94	187,410	187,410	2955.94	193,020	193,020	▲
30111	Reticulocyte Count	EDTA Blood	Flow Cytometry	나108나	B1081	20.46	1,300	1,300	20.39	1,330	1,330	▲
30420	Rh Ab Titer	SST Serum	Tube	나208	B2080006	120.52	7,640	7,640	113.54	7,410	7,410	▼
30390	Rh(D) Typing	EDTA Blood	SLIDE	나202가	B2021	11.88	750	750	12.53	820	820	▲
30391	Rh(D) Typing	Capillary	Manual	나202가	B2021	11.88	750	750	12.53	820	820	▲
30392	Rh(D) Typing	Cord Blood	Manual	나202가	B2021	11.88	750	750	12.53	820	820	▲
30400	Rh-Hr Subgroup	EDTA Blood	Tube	나202나	B2022006	118.35	7,500	7,500	111.64	7,290	7,290	▼
42210	Rhino Virus Culture	Other	Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲
42215	Rhino virus PCR	Other	Nested RT-PCR	나596	C5969006	526.11	36,690	36,690	612.12	39,970	39,970	▲
42290	Rotavirus Ag	Stool	ICA	나469	C4690526	202.85	12,860	12,860	203.10	13,260	13,260	▲
50935	RPR 정밀	SST Serum	라텍스응집비탁법	나460-1	C4602	25.73	1,630	1,630	25.73	1,680	1,680	▲
42300	RSV Ag (DFA)	Other	DFA	나469	C4690536	202.85	12,860	12,860	203.10	13,260	13,260	▲
42225	RSV Culture	Other	Shell Vial Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲
42820	RSV IgG(IFA)	SST Serum	IFA	나468나(1)	C4682536	263.15	16,680	16,680	266.76	17,420	17,420	▲
42830	RSV IgM(IFA)	SST Serum	IFA	나468나(2)	C4683536	258.09	16,360	16,360	259.16	16,920	16,920	▲
41940	Rubella IgG(CLIA)	SST Serum	CLIA	나468나(1)	C4682416	263.15	16,680	16,680	266.76	17,420	17,420	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
41941	Rubella IgG(CLIA)	CSF	CLIA	나468나(1)	C4682416	263.15	16,680	16,680	266.76	17,420	17,420	▲
41950	Rubella IgM(CLIA)	SST Serum	CLIA	나468나(2)	C4683416	258.09	16,360	16,360	259.16	16,920	16,920	▲
41951	Rubella IgM(CLIA)	CSF	CLIA	나468나(2)	C4683416	258.09	16,360	16,360	259.16	16,920	16,920	▲
42690	Rubella Virus RT-PCR	EDTA Blood	RT-PCR	나596라	C5969006	578.72	36,690	36,690	612.12	39,970	39,970	▲
52221	S.pneumoniae Ag test	CSF	Latex	나408	B4080	96.52	6,120	6,120	90.90	5,940	5,940	▼
42700	Salmonella PCR	EDTA Blood	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
42710	Salmonella PCR	CSF	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
26980	SBMA, AR gene	EDTA Blood	PCR	너573나	CY532006	953.51	60,450	60,450	953.51	62,260	62,260	▲
27000	SCA profile (1,2,3,6,7,8)	EDTA Blood		너573	CY535~40006	0	362,700	362,700		373,560	373,560	▲
01690	SCA-1	EDTA Blood		너573라	CY535006	953.51	60,450	60,450	953.51	62,260	62,260	▲
27015	SCA-17	EDTA Blood		너573마	CY539006	953.51	60,450	60,450	953.51	62,260	62,260	▲
01700	SCA-2	EDTA Blood		너573라	CY536006	953.51	60,450	60,450	953.51	62,260	62,260	▲
01710	SCA-3	EDTA Blood		너573라	CY537006	953.51	60,450	60,450	953.51	62,260	62,260	▲
02070	SCA-6	EDTA Blood		너573라	CY538006	953.51	60,450	60,450	953.51	62,260	62,260	▲
02080	SCA-7	EDTA Blood		너573라	CY540006	953.51	60,450	60,450	953.51	62,260	62,260	▲
01720	SCC	SST Serum	RIA	나430주	C7430	325.03	20,610	20,610	320.24	20,910	20,910	▲
01721	SCC	Body Fluid	RIA	나430주	C7430	325.03	20,610	20,610	320.24	20,910	20,910	▲
20350	Selectivity Index	Other	계산법	나392	C3920	270.74	17,160	17,160	277.32	18,110	18,110	▲
12810	Selenium	Trace EDTA Blood	AAS	나452나(2)	C4523990	302.23	19,160	19,160	306.17	19,990	19,990	▲
12811	Selenium	Random Urine	AAS	나452나(2)	C4523990	302.23	19,160	19,160	306.17	19,990	19,990	▲
12400	Semen Analysis	Semen	검경법	나730	E7300	68.08	4,320	4,320	62.17	4,060	4,060	▼
12410	Semen fructose	Semen	Spectrophotometry	너893	EX893	79.87	5,060	5,060	79.87	5,220	5,220	▲
00902	Serotonin	SST Serum	HPLC	나367	C3670	157.59	9,990	9,990	147.35	9,620	9,620	▼
00903	Serotonin (PFP)	EDTA Plasma	HPLC	나367	C3670	157.59	9,990	9,990	147.35	9,620	9,620	▼
10841	Serum Amylase	SST Serum	Enzyme	나261가	B2611	42.01	2,660	2,660	41.67	2,720	2,720	▲
10843	Serum Creatinine	SST Serum	Colorimetry	나375	C3750	21.7	1,380	1,380	19.77	1,290	1,290	▼
65720	Sirolimus(Rafamycin)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696	542.51	34,400	34,400	542.51	35,430	35,430	▲
51985	SMA(SMN1 7&8, NAIP 4&5)	EDTA Blood	PCR-RFLP	너562마	CY625006	416.68	26,420	26,420	416.68	27,210	27,210	▲
51986	SMA(SMN1 7&8, NAIP 5&13)	EDTA Blood	PCR-RFLP	너562마	CY625006	416.68	26,420	26,420	416.68	27,210	27,210	▲
10150	Sodium(Na)	SST Serum	ISE	나379가	C3791	19.23	1,220	1,220	17.83	1,160	1,160	▼
10151	Sodium(Na)	24hr Urine	ISE	나379가	C3791	19.23	1,220	1,220	17.83	1,160	1,160	▼
10152	Sodium(Na)	Random Urine	ISE	나379가	C3791	19.23	1,220	1,220	17.83	1,160	1,160	▼
00155	Somatomedin-C (CLIA)	SST Serum	CLIA	너230	CX230	322.92	20,470	20,470	322.92	21,090	21,090	▲
80605	Special Stain	Tissue		나553다	C5533	121.67	7,710	7,710	122.36	7,990	7,990	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
82080	Special Stain	Tissue		나553다	C5533	121.67	7,710	7,710	122.36	7,990	7,990	▲
30460	Ss 혈액형검사	복수검체	Tube	나203	B2030006	81.03	5,140	5,140	77.45	5,060	5,060	▼
12460	Stone Analysis 정성	Stone	Colorimetry	나391	C3910006	83.94	5,320	5,320	82.64	5,400	5,400	▲
12465	Stone Analysis(physical)	Stone		너274	CX274006	451.18	28,600	28,600	451.18	29,460	29,460	▲
70870	Stool Microscopy	Stool	검경법	나67	B0670	11.97	760	760	12.63	820	820	▲
71250	Stool OB 정량	Stool	Colorimetry	나65-1	B0653	60.27	3,820	3,820	62.16	4,060	4,060	▲
70895	Stool pH	Stool		나69	B0690	7.86	500	500	7.55	490	490	▼
70890	Stool WBC	Stool	검경법	나67-1	B0675	10.29	650	650	10.11	660	660	▲
50462	Strep.Group B	CSF	Latex	나408	B4080	96.52	6,120	6,120	90.90	5,940	5,940	▼
50461	Strep.Pneumoniae	CSF	Latex	나408	B4080	96.52	6,120	6,120	90.90	5,940	5,940	▼
11730	Succinylacetone	Random Urine	GC/MSD	너345가(6)	CY349	339.91	21,550	21,550	339.91	22,200	22,200	▲
12870	Sucrose hemolysis	복수검체	Colorimetry	나121	B1210006	46.64	2,960	2,960	47.41	3,100	3,100	▲
30190	Sudan black B stain	Bone Marrow Slide	Stain	나118나	B1183006	84.59	5,360	5,360	84.38	5,510	5,510	▲
30191	Sudan black B stain	Blood Smear Slide	Stain	나118나	B1183006	84.59	5,360	5,360	84.38	5,510	5,510	▲
20540	Sulf-Hemoglobin	EDTA Blood	Colorimetry	나382나	C3822	53.58	3,400	3,400	53.92	3,520	3,520	▲
29020	Surface Ig(Cytoplasmic Ig)	EDTA Blood	Flow Cytometry	나512	C5120006	445.94	28,270	28,270	447.99	29,250	29,250	▲
29001	SYT/SSX gene rearrangement	Block	Nested RT-PCR	나597자	C5979006	1608.27	101,960	101,960	1669.92	109,050	109,050	▲
29002	SYT/SSX gene rearrangement	Block	RT-PCR	나596다	CX564006	512.04	32,460	32,460	512.04	33,440	33,440	▲
00295	T3 (ECLIA)	SST Serum	ECLIA	나329	C3290	167.64	10,630	10,630	169.41	11,060	11,060	▲
00305	T3-Uptake (ECLIA)	SST Serum	ECLIA	나331	C3310	151.34	9,590	9,590	150.38	9,820	9,820	▲
00315	T4 (ECLIA)	SST Serum	ECLIA	나333	C3330	164.46	10,430	10,430	164.39	10,730	10,730	▲
30200	Tartrate resistant acid phos	Bone Marrow Slide		나118가	B1182006	84.34	5,350	5,350	84.01	5,490	5,490	▲
00320	TBG (RIA)	SST Serum	RIA	나338주	C7338	225.68	14,310	14,310	220.50	14,400	14,400	▲
65480	TBPE	Random Urine	Colorimetry	나450가(1)	C4501390	80.93	5,130	5,130	77.12	5,040	5,040	▼
25875	T-cell Receptor rearrangem	Block	PCR+Hybridization	나595-1다	C6029006	639.74	40,560	40,560	668.68	43,660	43,660	▲
25870	T-cell Receptor ychain	Block	PCR	나598바	C5986006	988.58	62,680	62,680	971.66	63,450	63,450	▲
26660	TEL/AML1 rearrangement	EDTA Blood	RT-PCR	나596라	C5969006	578.72	36,690	36,690	612.12	39,970	39,970	▲
00523	Testosterone (ECLIA)	SST Serum	ECLIA	나353	C3530	182.32	11,560	11,560	178.24	11,640	11,640	▲
00530	Testosterone, Free	SST Serum	RIA	너232	CX232	181.05	11,480	11,480	181.05	11,820	11,820	▲
65140	Theophylline	SST Serum	FPA	나450나(2)	C4504110	238.27	15,110	15,110	243.15	15,880	15,880	▲
30970	Thrombin Time	SC Plasma	Clot-based	나156	B1560	25.09	1,590	1,590	25.20	1,650	1,650	▲
30800	Thrombomodulin	SST Serum	EIA	너76	BX076	170.91	10,840	10,840	170.91	11,160	11,160	▲
30801	Thrombomodulin	EDTA Plasma	EIA	너76	BX076	170.91	10,840	10,840	170.91	11,160	11,160	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
00355	Thyroglobulin (ECLIA)	SST Serum	ECLIA	나335	C3350	200.07	12,680	12,680	198.22	12,940	12,940	▲
00345	Thyroglobulin Ab (ECLIA)	SST Serum	ECLIA	나494	C4940	210.61	13,350	13,350	196.96	12,860	12,860	▼
12830	TIBC	SST Serum	계산법	나250	C2500	43.04	2,730	2,730	40.76	2,660	2,660	▼
65340	Tobramycin	SST Serum	FPIA	나450나(2)	C4504390	238.27	15,110	15,110	243.15	15,880	15,880	▲
65711	Topiramate	Plain Serum	LC/MS/MS	나450나(4)	CX375696	542.51	34,400	34,400	542.51	35,430	35,430	▲
42750	TORCH Test	SST Serum				0	133,600	133,600		138,440	138,440	▲
10040	Total Bilirubin	SST Serum	Colorimetry	나372가	C3720	21.62	1,370	1,370	19.95	1,300	1,300	▼
10041	Total Bilirubin	Capillary	Colorimetry	나372가	C3720	21.62	1,370	1,370	19.95	1,300	1,300	▼
11020	Total Cholesterol	SST Serum	Enzyme	나241가	C2411	25.87	1,640	1,640	24.39	1,590	1,590	▼
11021	Total Cholesterol	Body Fluid	Enzyme	나241가	C2411	25.87	1,640	1,640	24.39	1,590	1,590	▼
02005	Total hCG(ECLIA)	SST Serum	ECLIA	나352	C3520	203.94	12,930	12,930	206.95	13,510	13,510	▲
60005	Total IgE (Unicap)	SST Serum	FEIA	나229	C2290	229.25	14,530	14,530	232.23	15,160	15,160	▲
11180	Total Lipid	SST Serum	Colorimetry	나244가	C2441	43.16	2,740	2,740	39.60	2,590	2,590	▼
11181	Total Lipid	Body Fluid	Colorimetry	나244가	C2441	43.16	2,740	2,740	39.60	2,590	2,590	▼
11780	Total Porphyrin 정성	Random Urine	Colorimetry	나389가	C3891	11.59	730	730	11.03	720	720	▼
10030	Total Protein	SST Serum	Colorimetry	나220	C2200	21.69	1,380	1,380	20.14	1,320	1,320	▼
10031	Total Protein	24hr Urine	TIA	나220	C2200	21.69	1,380	1,380	20.14	1,320	1,320	▼
10032	Total Protein	CSF	TIA	나220	C2200	21.69	1,380	1,380	20.14	1,320	1,320	▼
10033	Total Protein	Body Fluid	Colorimetry	나220	C2200	21.69	1,380	1,380	20.14	1,320	1,320	▼
10034	Total Protein	Random Urine	TIA	나220	C2200	21.69	1,380	1,380	20.14	1,320	1,320	▼
52271	Toxocariasis Ab IgG	SST Serum	ELISA	나472나(1)	C4722796	271.93	17,240	17,240	271.19	17,710	17,710	▲
52272	Toxocariasis Ab IgG	Body Fluid	ELISA	나472나(1)	C4722796	271.93	17,240	17,240	271.19	17,710	17,710	▲
43510	Toxoplasma DNA PCR	Other	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
50900	Toxoplasma IgG	SST Serum	CLIA	나472나(1)	C4722616	271.93	17,240	17,240	271.19	17,710	17,710	▲
50901	Toxoplasma IgG	CSF	CLIA	나472나(1)	C4722616	271.93	17,240	17,240	271.19	17,710	17,710	▲
50910	Toxoplasma IgM	SST Serum	CLIA	나472나(2)	C4723616	271.93	17,240	17,240	271.19	17,710	17,710	▲
50911	Toxoplasma IgM	CSF	CLIA	나472나(2)	C4723616	271.93	17,240	17,240	271.19	17,710	17,710	▲
50942	TP Ab	CSF	CMIA	나461-1	C4612	123.74	7,850	7,850	123.74	8,080	8,080	▲
01770	TPA	SST Serum	RIA	나432주	C7432	295.41	18,730	18,730	279.76	18,270	18,270	▼
01771	TPA	EDTA Plasma	RIA	나432주	C7432	295.41	18,730	18,730	279.76	18,270	18,270	▼
01772	TPA	Body Fluid	RIA	나432주	C7432	295.41	18,730	18,730	279.76	18,270	18,270	▼
30810	t-PA	SC Plasma	ELISA	너83	BX083	170.9	10,840	10,840	170.90	11,160	11,160	▲
50955	TPLA 정밀	SST Serum	라텍스응집비탁법	나461-1	C4612	123.74	7,850	7,850	123.74	8,080	8,080	▲
20360	Transferrin	SST Serum	TIA	나233	C2330	103.66	6,570	6,570	105.31	6,880	6,880	▲
20370	Transferrin saturation	SST Serum	계산법	나249+나25	C2490+C2500	0	0	5,240		0	5,070	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
30185	TRAP stain	Blood Smear Slide	Stain	나118아	B1189006	84.57	5,360	5,360	84.36	5,510	5,510	▲
30186	TRAP stain	Bone Marrow Slide	Stain	나118아	B1189006	84.57	5,360	5,360	84.36	5,510	5,510	▲
42720	Treponema pallidum PCR	EDTA Blood	PCR	나5950아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
12540	Trichloride,Total	Random Urine	Colorimetry	나451나(1)	C4513460	165.99	10,520	10,520	162.26	10,600	10,600	▲
12580	Trichloroacetic acid	Random Urine	GC/ECD	나451나(3)	CY373290	399.4	25,320	25,320	399.40	26,080	26,080	▲
13040	Trichloroacetic acid	Random Urine	Colorimetry	나451나(1)	C4513590	165.99	10,520	10,520	162.26	10,600	10,600	▲
12560	Trichloroethanol	Random Urine	GC	나451나(3)	CY373290	399.4	25,320	25,320	399.40	26,080	26,080	▲
42655	Trichomonas vaginalis PCR	분비물	PCR	나5950아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
11190	Triglyceride	SST Serum	Enzyme	나244다	C2443	48.13	3,050	3,050	47.74	3,120	3,120	▲
11191	Triglyceride	Body Fluid	Enzyme	나244다	C2443	48.13	3,050	3,050	47.74	3,120	3,120	▲
01870	Triple marker	SST Serum	RIA			0	33,670	33,670		32,740	32,740	▼
12590	Troponin I	SST Serum	CLIA	나394나	C3942	173	10,970	10,970	168.82	11,020	11,020	▲
12600	Troponin T	SST Serum	ECLIA	나394가	C3941	172.43	10,930	10,930	167.90	10,960	10,960	▲
00365	TSH (ECLIA)	SST Serum	ECLIA	나336	C3360	210.44	13,340	13,340	215.39	14,060	14,060	▲
00385	TSH-R-Ab(TBII)(ECLIA)	SST Serum	ECLIA	나339	C3390	226.72	14,370	14,370	227.98	14,890	14,890	▲
70900	Tzanck Smear	Other	IFA	나718	E7180	45.74	2,900	2,900	36.77	2,400	2,400	▼
70910	Tzanck Smear	Other		나718	E7180	45.74	2,900	2,900	36.77	2,400	2,400	▼
71180	U.urealyticum culture	Other	Culture	너301다	BY303006	363.17	23,020	23,020	363.17	23,720	23,720	▲
12840	UIBC	SST Serum	Colorimetry	나251	C2510	43.31	2,750	2,750	41.05	2,680	2,680	▼
42730	Ureaplasma urealyticum PCR	분비물	PCR	나5950아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
10930	Uric Acid	SST Serum	Enzyme	나378	C3780	21.81	1,380	1,380	20.27	1,320	1,320	▼
10931	Uric Acid	24hr Urine	Enzyme	나378	C3780	21.81	1,380	1,380	20.27	1,320	1,320	▼
10932	Uric Acid	Random Urine	Enzyme	나378	C3780	21.81	1,380	1,380	20.27	1,320	1,320	▼
02110	Urinary Bladder Cancer Ag	Random Urine	IRMA	너322가	CY321	283.39	17,970	17,970	283.39	18,510	18,510	▲
10160	Urinary Ca	복수검체	계산법	나379 외	C3795 외	0	0	3,980		0	3,760	▼
10842	Urine Amylase	24hr Urine	Enzyme	나261가	B2611	42.01	2,660	2,660	41.67	2,720	2,720	▲
10844	Urine Creatinine	24hr Urine	Colorimetry	나375	C3750	21.7	1,380	1,380	19.77	1,290	1,290	▼
70002	Urine Glucose	Random Urine	Strip	나1	B0010	8.26	520	520	10.45	680	680	▲
70001	Urine Protein	Random Urine	Strip	나1	B0010	8.26	520	520	10.45	680	680	▲
70050	Urine RBC morphology	Random Urine	검경법	너1	BX001006	26.86	1,700	1,700	26.86	1,750	1,750	▲
11790	Uroporphyrin 정성	Random Urine	Fluorometry	나389가	C3891	11.59	730	730	11.03	720	720	▼
65350	Valproic Acid	SST Serum	FPA	나450나(2)	C4504060	238.27	15,110	15,110	243.15	15,880	15,880	▲
80608	Van Giesons Stain	Tissue		나553다	C5533	121.67	7,710	7,710	122.36	7,990	7,990	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
65370	Vancomycin	SST Serum	FPA	나450나(2)	C4504160	238.27	15,110	15,110	243.15	15,880	15,880	▲
42230	Varicella-Zoster Culture	Other	Shell Vial Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲
42740	Varicella-Zoster DNA(PCR)	EDTA Blood	PCR	나5950아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
42050	Varicella-Zoster IgG(ELISA)	SST Serum	ELISA	나468나(1)	C4682496	263.15	16,680	16,680	266.76	17,420	17,420	▲
42051	Varicella-Zoster IgG(ELISA)	CSF	ELISA	나468나(1)	C4682496	263.15	16,680	16,680	266.76	17,420	17,420	▲
42060	Varicella-Zoster IgM(ELISA)	SST Serum	ELISA	나468나(2)	C4683496	258.09	16,360	16,360	259.16	16,920	16,920	▲
42061	Varicella-Zoster IgM(ELISA)	CSF	ELISA	나468나(2)	C4683496	258.09	16,360	16,360	259.16	16,920	16,920	▲
50925	VDRL	SST Serum		나460	C4600	17.64	1,120	1,120	17.88	1,170	1,170	▲
50926	VDRL 정량	SST Serum		나460주	C4601	33.82	2,140	2,140	33.57	2,190	2,190	▲
80609	Verhoeff Stain	Tissue		나553다	C5533	121.67	7,710	7,710	122.36	7,990	7,990	▲
11205	Very long chain fatty acid	Hp Plasma	GC/MSD	나445	C4450	1115.19	70,700	70,700	1120.18	73,150	73,150	▲
51000	Vi Ag	SST Serum	IFA	나466나	C4662066	203.08	12,880	12,880	203.46	13,290	13,290	▲
70930	Vibrio Culture	Stool		나405가	B4051	152.96	9,700	9,700	158.13	10,330	10,330	▲
70935	Vibrio Culture & Sensi(G)	Other		나405+나406	B4051+B4061		16850	16850		17760	17,760	▲
11340	Vitamin A	SST Serum	HPLC	너153자	CY169006	439.34	27,850	27,850	439.34	28,690	28,690	▲
11360	Vitamin B1	EDTA Blood	HPLC	너153	CY160006	439.34	27,850	27,850	439.34	28,690	28,690	▲
11395	Vitamin B12 (CLIA)	SST Serum	CLIA	나253나	C2532	224.56	14,240	14,240	231.61	15,120	15,120	▲
11386	Vitamin B6 (PLP)	EDTA Plasma	HPLC/FLD	너153다	CY162006	439.34	27,850	27,850	439.34	28,690	28,690	▲
11410	Vitamin C	Hp Plasma	HPLC	너153자	CY169006	439.34	27,850	27,850	439.34	28,690	28,690	▲
11415	Vitamin C	SST Serum	HPLC	너153자	CY169006	439.34	27,850	27,850	439.34	28,690	28,690	▲
11420	Vitamin E	SST Serum	HPLC	너153바	CY166006	439.34	27,850	27,850	439.34	28,690	28,690	▲
00920	VMA 정량	24hr Urine	HPLC	나321나(2)	CX223006	310.2	19,670	19,670	310.20	20,260	20,260	▲
00910	VMA 정성	Random Urine	Colorimetry	나321가	C3211	16.23	1,030	1,030	14.96	980	980	▼
80607	Von Kossa Stain	Tissue		나553다	C5533	121.67	7,710	7,710	122.36	7,990	7,990	▲
30820	von Willebrand F.Activity	SC Plasma	ELISA	나187나	B1872	202.63	12,850	12,850	204.66	13,360	13,360	▲
30830	von-Willebrand's Antigen	SC Plasma	ELISA	나187가	B1871	178.2	11,300	11,300	176.96	11,560	11,560	▲
30845	vWF multimer analysis	SC Plasma	Electrophoresis	너88	BX088006	497.07	31,510	31,510	497.07	32,460	32,460	▲
42231	VZV culture (조직)	Tissue	Culture	나416	B4160006	532.51	33,760	33,760	546.65	35,700	35,700	▲
65790	Warfarin	EDTA Plasma	LC/MS/MS	나450나(4)	CX375696	542.51	34,400	34,400	542.51	35,430	35,430	▲
80610	Warthin-Starry Silver Stain	Tissue		나553다	C5533	121.67	7,710	7,710	122.36	7,990	7,990	▲
30001	WBC	EDTA Blood	자동혈구계산법	나105	B1050	10.54	670	670	10.73	700	700	▲
70960	Wet Smear	Other		나4주	B0042	10.16	640	640	9.82	640	640	
50980	Widal Test	SST Serum	응집법	나464	C4640	37.95	2,410	2,410	39.41	2,570	2,570	▲
50990	Widal test (Para A B)	SST Serum	응집법	나464	C4640	37.95	2,410	2,410	39.41	2,570	2,570	▲
25760	Y-Chromosome(SRY gene)	EDTA Blood	PCR	나5950아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
25761	Y-Chromosome(SRY gene)	Bone Marrow	PCR	나595아	C5956006	396.83	25,160	25,160	403.21	26,330	26,330	▲
71090	Yersinia Culture	Stool	Culture	너301라	BY309006	363.17	23,020	23,020	363.17	23,720	23,720	▲
71092	Yersinia Culture&Sensi(G)	Stool	Culture	너301+나40	BY309006+B4061		30170	30170		31140	31,140	▲
51010	Yersinia Enterocolitica O3 Ab	SST Serum	PA	나466가	C4661030	128.06	8,120	8,120	123.13	8,040	8,040	▼
51011	Yersinia Enterocolitica O3 Ab	Amniotic Fluid	PA	나466가	C4661030	128.06	8,120	8,120	123.13	8,040	8,040	▼
51020	Yersinia Pseudotuberculosis	SST Serum	PA	나466가	C4661030	128.06	8,120	8,120	123.13	8,040	8,040	▼
51021	Yersinia Pseudotuberculosis	Amniotic Fluid	PA	나466가	C4661030	128.06	8,120	8,120	123.13	8,040	8,040	▼
12855	Zinc(Zn)	Trace Serum	ICP/MS	나452나(2)	C4523670	302.23	19,160	19,160	306.17	19,990	19,990	▲
12856	Zinc(Zn)	24hr Urine	ICP/MS	나452나(2)	C4523670	302.23	19,160	19,160	306.17	19,990	19,990	▲
11810	Zinc-Protoporphyrin	EDTA Blood		너43	BX043	29.3	1,860	1,860	29.30	1,910	1,910	▲
20400	α1-Antitrypsin	SST Serum	TIA	나222	C2220	116.65	7,400	7,400	119.12	7,780	7,780	▲
20405	α1-Antitrypsin	Stool	Nephelometry	나222	C2220	116.65	7,400	7,400	119.12	7,780	7,780	▲
20406	α1-antitrypsin clearance	복수검체	Nephelometry	나222	C2220	116.65	14,800	14,800	119.12	15,560	15,560	▲
01420	β2-Microglobulin	SST Serum	RIA	나223주	C7223	157.27	9,970	9,970	152.78	9,980	9,980	▲
01421	β2-Microglobulin	Random Urine	RIA	나223주	C7223	157.27	9,970	9,970	152.78	9,980	9,980	▲
02000	β-hCG (RIA)	SST Serum	RIA	나352주	C7352	181.82	11,530	11,530	173.76	11,350	11,350	▼
11210	β-Lipoprotein	SST Serum	Enzyme	나247	C2470	106.34	6,740	6,740	107.52	7,020	7,020	▲
25770	β-Thalassemia	EDTA Blood	Sequencing	나599	C5991~2006	0	181,030	181,030		187,590	187,590	▲
25771	β-Thalassemia	Bone Marrow	Sequencing	나599	C5991006외	0	181,030	181,030		187,590	187,590	▲
25772	β-Thalassemia	EDTA Blood	Sequencing	나599나(1)	C5992006	1978.81	125,460	125,460	1986.42	129,710	129,710	▲
10500	γ- GTP	SST Serum	Enzyme	나271	B2710	44.39	2,810	2,810	43.93	2,870	2,870	▲
11820	δ-ALA	Random Urine	Colorimetry	나450나(1)	C4503390	154.13	9,770	9,770	144.47	9,430	9,430	▼
11821	δ-ALA	24hr Urine	Colorimetry	나450나(1)	C4503390	154.13	9,770	9,770	144.47	9,430	9,430	▼
12920	갈락토스혈증	Blood Paper	ECA	너341가	CY411	26.86	1,700	1,700	26.86	1,750	1,750	▲
82060	골조직병리검사	Tissue		나552	C5520	392.39	24,880	24,880	377.12	24,630	24,630	▼
12891	단풍당뇨증(ECA)	Blood Paper	ECA	나443나1	CY441	36.46	2,310	2,310	36.46	2,380	2,380	▲
80000	부인과적 세포검사	Cervix	Pap stain	나592	C5920	90.89	5,760	5,760	90.27	5,890	5,890	▲
70970	분변총란검사	Stool	검경법	나61다	B0613	20.55	1,300	1,300	20.99	1,370	1,370	▲
80290	수술시응급 동결절편(1-2)	Tissue		나551가	C5511	393.29	24,930	24,930	388.98	25,400	25,400	▲
80649	수술시응급 동결절편(3-6)	Tissue		나551나	C5512	585.52	37,120	37,120	576.87	37,670	37,670	▲
80700	엑상자궁경부세포검사	Cervix	Pap stain	너541	CX541	368.41	23,360	23,360	368.41	24,060	24,060	▲
70006	요일반검사 4종	Random Urine	Strip	나1	B0010	8.26	520	520	10.45	680	680	▲
70005	요일반검사 7종	Random Urine	Strip	나2	B0020	10.7	680	680	13.05	850	850	▲
70000	요일반검사10종	Random Urine	Strip	나3	B0030	14.92	950	950	20.17	1,320	1,320	▲
71010	요총란검사(Scotch tape)	Other	검경법	나62	B0620	15.8	1,000	1,000	16.12	1,050	1,050	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
70015	요침사현미경검사	Random Urine	검경법	나4	B0041	11.03	700	700	11.12	730	730	▲
10640	임신성당뇨100gm부하시험	NaF Plasma	Enzyme	나371나	C3711	22.25	5,640	5,640	20.32	5,320	5,320	▼
81316	전자현미경검사	Tissue		나555	C5550	1363.76	86,460	86,460	1280.59	83,620	83,620	▼
82018	조직 (≥13)	Tissue		나550가(5)	C5915	577.51	36,610	36,610	707.61	46,210	46,210	▲
82017	조직 (10-12)	Tissue		나550가(4)	C5914	513.01	32,520	32,520	610.85	39,890	39,890	▲
82014	조직 (1-3)	Tissue		나550가(1)	C5911	319.48	20,260	20,260	320.56	20,930	20,930	▲
82015	조직 (4-6)	Tissue		나550가(2)	C5912	383.94	24,340	24,340	417.26	27,250	27,250	▲
82016	조직 (7-9)	Tissue		나550가(3)	C5913	448.5	28,430	28,430	514.09	33,570	33,570	▲
82037	조직 악성(≤15)	Tissue		나550다(1)	C5500	896.68	56,850	56,850	869.01	56,750	56,750	▼
82035	조직 악성(≤20)	Tissue		나550다(1)	C5918	1187.89	75,310	75,310	1147.13	74,910	74,910	▼
82038	조직 악성(≥16)	Tissue		나550다(2)	C5504	1010.54	64,070	64,070	1039.80	67,900	67,900	▲
82036	조직 악성(≥21)	Tissue		나550다(2)	C5919	1400.9	88,820	88,820	1466.63	95,770	95,770	▲
82024	조직 절편(≤6)	Tissue		나550나(1)	C5916	595.38	37,750	37,750	575.73	37,600	37,600	▼
82025	조직 절편(≥7)	Tissue		나550나(2)	C5917	702.61	44,550	44,550	736.58	48,100	48,100	▲
82050	조직구축학적검사	Tissue		나550라(1)	C5505	1420.49	90,060	90,060	1496.02	97,690	97,690	▲
80680	조직내호르몬수용체검사	Other		나559	C5590	561.55	35,600	35,600	517.64	33,800	33,800	▼
80660	조직면역형광현미경검사	Other		나554가	C5541	307.9	19,520	19,520	288.58	18,840	18,840	▼
80670	조직전자현미경검사	Other		나555	C5550	1363.76	86,460	86,460	1280.59	83,620	83,620	▼
80020	체액세포병리검사	Sputum	Pap stain	나593가	C5930	105.29	6,680	6,680	101.11	6,600	6,600	▼
80021	체액세포병리검사(Cytospin)	Sputum	Pap stain	나593나	C5931	107.99	6,850	6,850	104.57	6,830	6,830	▼
13190	총삼염화물(TTC)	Random Urine	GC/ECD	나451나(3)	CY373290	399.4	25,320	25,320	399.40	26,080	26,080	▲
82070	탈회(Decalcification)	Tissue		나550주1	C5509	54.09	3,430	3,430	51.69	3,380	3,380	▼
12881	페닐케톤뇨증(ECA)	Blood Paper	ECA	나443나1	C4411	31.86	2,020	2,020	29.56	1,930	1,930	▼
30231	혈액형 동정검사	복수검체		나206나	B2062006	205.33	13,020	13,020	218.05	14,240	14,240	▲
30261	혈액형 아형검사	복수검체		나201가외	B2000 외	0	18,390	18,390		18,890	18,890	▲
70700	혐기성 배양	Other		나405가	B4051	152.96	9,700	9,700	158.13	10,330	10,330	▲
70705	혐기성 배양 및 Sensi(G)	Other		나405+나40	B4051+B4061		16850	16850		17760	17,760	▲
12910	호모시스틴뇨증	Blood Paper	Bioassay	나443나1	CX342	36.46	2,310	2,310	36.46	2,380	2,380	▲
42252	호흡기바이러스 culture 2종	Other	Shell Vial Culture	나416	B4160006	0	67,520	67,520	546.65	71,400	71,400	▲
42253	호흡기바이러스 culture 3종	Other	Shell Vial Culture	나416	B4160006	0	101,280	101,280	546.65	107,100	107,100	▲
42254	호흡기바이러스 culture 4종	Other	Shell Vial Culture	나416	B4160006	0	135,040	135,040	546.65	142,800	142,800	▲
42255	호흡기바이러스 culture 5종	Other	Shell Vial Culture	나416	B4160006	0	168,800	168,800	546.65	178,500	178,500	▲
42256	호흡기바이러스 culture 6종	Other	Culture	나416	B4160006	0	202,560	202,560	546.65	214,200	214,200	▲
80030	흡인세포병리검사	Thyroid	Pap stain	나594-1	C5941	174.9	11,090	11,090	176.82	11,550	11,550	▲
80036	흡인세포병리검사_조직절편	Other		나594-1	C5942	238.61	15,130	15,130	239.09	15,610	15,610	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	2009년 수가			2010년 수가			증감
						점수	보험가	의뢰가	점수	보험가	의뢰가	
71100	흡충란검사 (Trematodes)	Stool	검경법	나64	B0641	51.88	3,290	3,290	51.62	3,370	3,370	▲