

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
20740	%CDT	SST Serum	TCA				0	0	40,000		0	40,000	
11230	1,25-(OH)2 Vitamine D	SST Serum	RIA	너153마	CY705		109.88	6,970	6,970	109.88	7,180	7,180	▲
20000	1,5-Anhydroglucitol	SST Serum	Enzyme	너273	CX273		239.26	15,170	15,170	239.26	15,620	15,620	▲
00540	11-Deoxy cortisol	SST Serum	RIA			국외	0	0	149,500		0	156,230	▲
00550	11-Deoxycorticosterone	SST Serum	RIA			국외	0	0	149,500		0	156,230	▲
00560	11-OHCS	SST Serum	형광법			국외	0	0	30,000		0	31,350	▲
60030	12종 흡인성Allergen	SST Serum	FEIA			국외	0	0	46,000		0	48,070	▲
11670	17a-OH Progesterone	Blood Paper	FIA	나347	C3470		160.6	10,180	10,180	157.16	10,260	10,260	▲
00590	17-KS	24hr Urine	Spectrophotometry	나324나(3)	C3247		148.37	9,410	9,410	139.77	9,130	9,130	▼
00610	17-OHCS	24hr Urine	Spectrophotometry	나324나(2)	C3246		147.31	9,340	9,340	138.18	9,020	9,020	▼
00400	17α-OH Pregnenolone	SST Serum	RIA	노207	CZ207	국외	0	0	119,600		0	124,980	▲
00410	17α-OH-Progesterone	SST Serum	RIA	나347주	C7347		154.33	9,780	9,780	151.71	9,910	9,910	▲
00411	17α-OH-Progesterone	EDTA Plasma	RIA	나347주	C7347		154.33	9,780	9,780	151.71	9,910	9,910	▲
00620	18-OH Corticosterone	SST Serum	RIA			국외	0	0	534,290		0	558,330	▲
00630	18-OH Deoxycorticosterone	SST Serum	RIA			국외	0	0	149,500		0	156,230	▲
11830	2,5-Hexanedione	Random Urine	GC/NPD	나451나(3)	CY373290		399.4	25,320	25,320	399.40	26,080	26,080	▲
50000	2-5A합성효소활성	SST Serum	RIA			국외	0	0	73,500		0	76,810	▲
11250	25-OH Vitamine D	SST Serum	CLIA	너153마	CY155		109.88	6,970	6,970	109.88	7,180	7,180	▲
00421	5-a-dihydrotestosterone	SST Serum	RIA			국외	0	0	105,000		0	109,730	▲
00825	5-HIAA 정량	24hr Urine	ELISA	나322나(2)	C3223		211.29	13,400	13,400	219.10	14,310	14,310	▲
00826	5-HIAA 정량	Random Urine	ELISA	나322나(2)	C3223		211.29	13,400	13,400	219.10	14,310	14,310	▲
00820	5-HIAA 정량(Plasma)	EDTA Plasma	HPLC			국외	0	0	40,250		0	42,060	▲
00810	5-HIAA 정성	Random Urine	Colorimetry	나322가	C3221		20.47	1,300	1,300	18.97	1,240	1,240	▼
30210	A,B전이효소검사	SST Serum		노91	BZ091		0	0	100,000		0	100,000	
10840	A/CCR	복수검체	계산법	나261+C375	B2611+C3750		0	8,080	8,080		8,020	8,020	▼
10020	A/G ratio	SST Serum	계산법	나220+C221	C2200+C2210		0	0	3,100		0	2,970	▼
10021	A/G ratio	Body Fluid	계산법	나220+C230	C2200+C2302		0	0	14,210		0	14,560	▲
30290	Ab Elution	EDTA Blood		나211	B2110006		67.11	4,250	4,250	61.56	4,020	4,020	▼
30230	Ab Identification Test	복수검체		나206나	B2062006외		0	22,540	22,540		24,450	24,450	▲
30220	Ab Screening test	SST Serum	Column	나206가	B2061006		91.27	5,790	5,790	95.43	6,230	6,230	▲
25285	ABO genotyping	EDTA Blood	Sequencing	노597	CZ897		0	0	74,000		0	74,000	
27840	ABO subgroup sequencing	EDTA Blood	Sequencing				0	0	150,000		0	150,000	
30253	ABO(Back)Typing	SST Serum	Manual	나201나	B2010		12.63	800	800	13.26	870	870	▲
30250	ABO(Front)Typing	EDTA Blood	Manual	나201가	B2000		12.17	770	770	13.03	850	850	▲
30251	ABO(Front)Typing	Capillary	Manual	나201가	B2000		12.17	770	770	13.03	850	850	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
30252	ABO(Front)Typing	Cord Blood	Manual	나201가	B2000		12.17	770	770	13.03	850	850	▲
10190	ACE	SST Serum	Colorimetry	나273	B2731		305.2	19,350	19,350	277.92	18,150	18,150	▼
10191	ACE	Other	Colorimetry	나273	B2731		305.2	19,350	19,350	277.92	18,150	18,150	▼
65490	Acetaminophen	SST Serum	Enzyme	나450나(1)	C4503390		154.13	9,770	9,770	144.47	9,430	9,430	▼
65160	Acetazolamide	SST Serum	HPLC			국외	0	0	69,000	0	0	72,110	▲
12650	Acetone 정량	Random Urine				국외	0	0	45,000	0	0	47,030	▲
12660	Acetone 정량	SST Serum	GC			국외	0	0	45,000	0	0	47,030	▲
25000	Acetylcholinesterase	Amniotic Fluid	Electrophoresis	노173	BZ173		0	0	172,500	0	0	180,260	▲
25060	AChE+Chromosome	Amniotic Fluid					0	0	589,000	0	0	612,890	▲
25310	Achondroplasia	Amniotic Fluid	PCR-RFLP	너562바	CY626006		416.68	52,840	52,840	416.68	54,420	54,420	▲
25315	Achondroplasia familystudy	EDTA Blood	PCR-RFLP				0	0	29,000	0	0	30,310	▲
27550	Achondroplasia,FGFR3 major	EDTA Blood	Sequencing	노595	CZ694		0	0	87,000	0	0	87,000	
01140	Ach-r-Binding Ab	SST Serum	RIA	너450주	CX747		133.69	8,480	8,480	133.69	8,730	8,730	▲
01150	Ach-r-Blocking Ab	SST Serum	RIA				0	0	111,000	0	0	116,000	▲
30120	Acid phosphatase stain	Bone Marrow Slide	Stain	나118가	B1182006		84.34	5,350	5,350	84.01	5,490	5,490	▲
13177	Acid-α-glucosidase(pompe)	EDTA Blood	Fluorometry	노331	CZ331		0	0	69,000	0	0	72,110	▲
10200	ACP	SST Serum	Colorimetry	나260가	B2601		23.95	1,520	1,520	22.00	1,440	1,440	▼
10201	ACP	분비물	Colorimetry	나260가	B2601		23.95	1,520	1,520	22.00	1,440	1,440	▼
00015	ACTH (ECLIA)	EDTA Plasma	ECLIA	나359	C3590		200.29	12,700	12,700	196.95	12,860	12,860	▲
30960	Activated PTT	SC Plasma	Clot-based	나153	B1530		41.44	2,630	2,630	42.77	2,790	2,790	▲
26234	Acute Leukemia panel	Bone Marrow	Flow Cytometry	나512	C5120006		445.94	508,860	508,860	447.99	526,500	526,500	▲
10210	ADA	SST Serum	Colorimetry	나272	B2721		168.3	10,670	10,670	167.07	10,910	10,910	▲
10211	ADA	CSF	Colorimetry	나272	B2721		168.3	10,670	10,670	167.07	10,910	10,910	▲
10212	ADA	Body Fluid	Colorimetry	나272	B2721		168.3	10,670	10,670	167.07	10,910	10,910	▲
28050	ADAMTS 13	SC Plasma				국외	0	0	350,000	0	0	365,750	▲
28051	ADAMTS 13	복수검체	Western blot				0	0	100,000	0	0	100,000	
71240	Addis count	Random Urine	검경법	나6	B0060		27.3	1,730	1,730	27.23	1,780	1,780	▲
42815	Adenovirus Ag(DFA)	Other	DFA	나469	C4690516		202.85	12,860	12,860	203.10	13,260	13,260	▲
42105	Adenovirus culture	Other	Shell Vial Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
42106	Adenovirus culture(tissue)	Tissue	Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
42320	Adenovirus DNA	Random Urine	PCR			국외	0	0	63,000	0	0	65,840	▲
40255	Adenovirus IgG	SST Serum	ELISA	나468나(1)	C4682516		263.15	16,680	16,680	266.76	17,420	17,420	▲
40256	Adenovirus IgG	CSF	ELISA	나468나(1)	C4682516		263.15	16,680	16,680	266.76	17,420	17,420	▲
40260	Adenovirus IgM	SST Serum	EIA	나468나(2)	C4683516		258.09	16,360	16,360	259.16	16,920	16,920	▲
40261	Adenovirus IgM	CSF	EIA	나468나(2)	C4683516		258.09	16,360	16,360	259.16	16,920	16,920	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
42107	Adenovirus rapid culture	Other	Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
40000	Adenovirus(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
40001	Adenovirus(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
40010	Adenovirus, Type 1(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40011	Adenovirus, Type 1(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40110	Adenovirus, Type 11(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40111	Adenovirus, Type 11(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40190	Adenovirus, Type 19(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40191	Adenovirus, Type 19(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40020	Adenovirus, Type 2(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40021	Adenovirus, Type 2(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40210	Adenovirus, Type 21(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40211	Adenovirus, Type 21(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40030	Adenovirus, Type 3(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40031	Adenovirus, Type 3(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40370	Adenovirus, Type 37(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40371	Adenovirus, Type 37(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40040	Adenovirus, Type 4(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40041	Adenovirus, Type 4(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40050	Adenovirus, Type 5(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40051	Adenovirus, Type 5(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40060	Adenovirus, Type 6(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40061	Adenovirus, Type 6(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40070	Adenovirus, Type 7(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40071	Adenovirus, Type 7(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40080	Adenovirus, Type 8(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40081	Adenovirus, Type 8(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
00030	ADH	EDTA Plasma	RIA	나365주	C7365		166.24	10,540	10,540	160.33	10,470	10,470	▼
00035	ADH	Random Urine	RIA			국외	0	0	75,000		0	78,380	▲
00729	Adrenal 21-hydroxylase Ab	SST Serum				국외	0	0	166,750		0	174,250	▲
27690	Adrenoleukodystrophy-ABCD1	EDTA Blood	PCR				0	0	140,000		0	140,000	
25020	AFAFP	Amniotic Fluid		나421나	C4212		173.3	10,990	10,990	172.86	11,290	11,290	▲
25040	AFAFP	Amniotic Fluid		나421나	C4212		173.3	10,990	10,990	172.86	11,290	11,290	▲
25050	AFAFP+AChE	Amniotic Fluid					0	0	183,490		0	191,550	▲
25070	AFAFP+Chromosome	Amniotic Fluid					0	0	424,990		0	443,920	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
25090	AFAP+High Resol.Chromosom	Amniotic Fluid					0	0	424,990		0	443,920	▲
70410	AFB Culture	Sputum	Culture	나405나(1)	B4054		192.4	12,200	12,200	192.40	12,560	12,560	▲
70420	AFB Culture	Sputum	Culture	나405나(1)	B4054		192.4	12,200	12,200	192.40	12,560	12,560	▲
70450	AFB Culture (액체+고체배지)			나405나	B4054+B4055						25,120	25,120	▲
70440	AFB Culture (액체배지)			나405나(2)	B4055		192.4	12,200	12,200	192.40	12,560	12,560	▲
70605	AFB Identification	균주	PRA	너562너	CY636006		416.68	26,420	26,420	416.68	27,210	27,210	▲
70607	AFB Identification	균주	PRA	너562너	CY636006		416.68	26,420	26,420	416.68	27,210	27,210	▲
70430	AFB Sensitivity	균주		나406다(2)	B4064		501.36	31,790	31,790	522.61	34,130	34,130	▲
70500	AFB Sensitivity (결핵협회)	균주		나406다(2)	B4064		501.36	31,790	31,790	522.61	34,130	34,130	▲
70512	AFB Sensitivity (INH)	Sputum	Hybridization	나595-1나2	CY752006		581.83	36,890	36,890	581.83	37,990	37,990	▲
70511	AFB Sensitivity (RFP)	Sputum	Hybridization	나595-1나1	CY751006		581.83	36,890	36,890	581.83	37,990	37,990	▲
70510	AFB Sensitivity (RFP,INH)	Sputum	Hybridization	나595-1나	CY751006외		0	73,780	73,780		75,980	75,980	▲
70515	AFB Sensitivity (Sequence)	Sputum	Sequencing	노598	CZ985~6		0	0	84,000		0	87,780	▲
70320	AFB Stain	Sputum		나402	B4021		49.17	3,120	3,120	48.30	3,150	3,150	▲
82090	AFB Stain	Tissue		나553다	C5533		121.67	7,710	7,710	122.36	7,990	7,990	▲
70400	AFB Stain & Culture	Sputum		너304+나40	BX304+B4054		0	16,270	16,270		16,760	16,760	▲
70330	AFB Stain(형광법)	Sputum	형광 염색법	너304	BX304		64.27	4,070	4,070	64.27	4,200	4,200	▲
80606	AFB Stain(T&C)	Tissue		나553나	C5533		121.67	7,710	7,710	122.36	7,990	7,990	▲
01405	AFP (ECLIA)	SST Serum	ECLIA	나421나	C4212		173.3	10,990	10,990	172.86	11,290	11,290	▲
01406	AFP (ECLIA)	EDTA Plasma	ECLIA	나421나	C4212		173.3	10,990	10,990	172.86	11,290	11,290	▲
01407	AFP (ECLIA)	Body Fluid	ECLIA	나421나	C4212		173.3	10,990	10,990	172.86	11,290	11,290	▲
01415	AFP(CLIA)	SST Serum	CLIA	나421나	C4212		173.3	10,990	10,990	172.86	11,290	11,290	▲
01410	AFP(RPHA)	SST Serum	RPHA	나421가	C4211		66.9	4,240	4,240	61.14	3,990	3,990	▼
10000	Albumin	SST Serum	Colorimetry	나221	C2210		27.14	1,720	1,720	25.33	1,650	1,650	▼
10001	Albumin	24hr Urine	TIA	나230나	C2302		202.36	12,830	12,830	202.83	13,240	13,240	▲
10002	Albumin	Random Urine	TIA	나230나	C2302		202.36	12,830	12,830	202.83	13,240	13,240	▲
10003	Albumin	CSF	TIA	나230나	C2302		202.36	12,830	12,830	202.83	13,240	13,240	▲
10004	Albumin	Body Fluid	Colorimetry	나230나	C2302		202.36	12,830	12,830	202.83	13,240	13,240	▲
82120	Alcian Blue(mucin) Stain	Tissue		나553다	C5533		121.67	7,710	7,710	122.36	7,990	7,990	▲
11890	Alcohol	SST Serum	Enzyme	나450나(1)	C4503390		154.13	9,770	9,770	144.47	9,430	9,430	▼
11891	Alcohol	EDTA Plasma	Enzyme	나450나(1)	C4503390		154.13	9,770	9,770	144.47	9,430	9,430	▼
10220	Aldolase	SST Serum	Enzyme	나269	B2690		77.45	4,910	4,910	68.93	4,500	4,500	▼
00650	Aldosterone (RIA)	SST Serum	RIA	나358주	C7358		176.65	11,200	11,200	177.58	11,600	11,600	▲
00651	Aldosterone (RIA)	EDTA Plasma	RIA	나358주	C7358		176.65	11,200	11,200	177.58	11,600	11,600	▲
00655	Aldosterone (RIA)	24hr Urine	RIA	나358주	C7358		176.65	11,200	11,200	177.58	11,600	11,600	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
10230	ALP	SST Serum	Enzyme	나260나	B2602		26.55	1,680	1,680	24.03	1,570	1,570	▼
10231	ALP	Body Fluid	Enzyme	나260가	B2601		23.95	1,520	1,520	22.00	1,440	1,440	▼
20560	ALP Isoenzyme	SST Serum	Electrophoresis	나305	B3050006		176.45	11,190	11,190	177.08	11,560	11,560	▲
12670	Aluminium(Al)	Trace Serum	AAS	나452나(2)	C4523990		302.23	19,160	19,160	306.17	19,990	19,990	▲
12671	Aluminium(Al)	24hr Urine	AAS	나452나(2)	C4523990		302.23	19,160	19,160	306.17	19,990	19,990	▲
00675	AMH	SST Serum	ELISA	노214	CZ214		0	0	50,000		0	52,250	▲
65170	Amikacin	SST Serum	FPIA	나450나(2)	C4504390		238.27	15,110	15,110	243.15	15,880	15,880	▲
13015	Amino Acid 분석	Hp Plasma	LC/MS/MS	나443나(3)	C4433006		1110.7	70,420	70,420	1142.52	74,610	74,610	▲
13016	Amino Acid 분석	EDTA Plasma	LC/MS/MS	나443나(3)	C4433006		1110.7	70,420	70,420	1142.52	74,610	74,610	▲
13017	Amino Acid 분석	Random Urine	LC/MS/MS	나443나(3)	C4433006		1110.7	70,420	70,420	1142.52	74,610	74,610	▲
13018	Amino Acid 분석	CSF	LC/MS/MS	나443나(3)	C4433006		1110.7	70,420	70,420	1142.52	74,610	74,610	▲
65500	Amiodarone	SST Serum	LC/MS/MS	나450나(2)	C4504390		238.27	15,110	15,110	243.15	15,880	15,880	▲
65511	Amitriptyline	Plain Blood	LC/MS/MS	나450나(4)	CX375696		542.51	34,400	34,400	542.51	35,430	35,430	▲
25320	AML1/ETO (nested RT-PCR)	EDTA Blood	Nested RT-PCR	나597마	C5975006		1544.19	97,900	97,900	1573.83	102,770	102,770	▲
25321	AML1/ETO (nested RT-PCR)	Bone Marrow	Nested RT-PCR	나597마	C5975006		1544.19	97,900	97,900	1573.83	102,770	102,770	▲
25325	AML1/ETO (real-time PCR)	EDTA Blood	real time PCR	노596	CZ808		0	0	138,000		0	144,210	▲
25326	AML1/ETO (real-time PCR)	Bone Marrow	real time PCR	노596	CZ808		0	0	138,000		0	144,210	▲
10850	Ammonia (NH3)	EDTA Plasma	Enzyme	나387	C3870		68.61	4,350	4,350	66.37	4,330	4,330	▼
50330	Amoeba Ab (HA)	SST Serum	HA	나472가	C4721620		108.93	6,910	6,910	99.49	6,500	6,500	▼
50331	Amoeba Ab (HA)	Body Fluid	HA	나472가	C4721620		108.93	6,910	6,910	99.49	6,500	6,500	▼
65390	Amphetamine	Random Urine	TDX	나450가(2)	C4502390		130.9	8,300	8,300	124.57	8,130	8,130	▼
10240	Amylase	SST Serum	Enzyme	나261가	B2611		42.01	2,660	2,660	41.67	2,720	2,720	▲
10241	Amylase	Random Urine	Enzyme	나261가	B2611		42.01	2,660	2,660	41.67	2,720	2,720	▲
10242	Amylase	24hr Urine	Enzyme	나261가	B2611		42.01	2,660	2,660	41.67	2,720	2,720	▲
10243	Amylase	Body Fluid	Enzyme	나261가	B2611		42.01	2,660	2,660	41.67	2,720	2,720	▲
10250	Amylase clearance	복수검체	계산법	나261 외	B2611 외		0	0	8,080		0	8,020	▼
20570	Amylase Isoenzyme	SST Serum	Electrophoresis	나306	B3060006		160.26	10,160	10,160	152.41	9,950	9,950	▼
20571	Amylase Isoenzyme	Body Fluid	Electrophoresis	나306	B3060006		160.26	10,160	10,160	152.41	9,950	9,950	▼
10510	Amyloid A	SST Serum	Latex	노242	CZ242	국외	0	0	103,500		0	108,160	▲
51030	ANA (IFA)	SST Serum	IFA	나491나	C4912006		144.52	9,160	9,160	148.85	9,720	9,720	▲
51031	ANA (IFA)	Body Fluid	IFA	나491나	C4912006		144.52	9,160	9,160	148.85	9,720	9,720	▲
51040	ANA 정량	SST Serum	IFA	나491나주	C4913006		276.11	17,510	17,510	278.33	18,170	18,170	▲
51041	ANA 정량	Body Fluid	IFA	나491나주	C4913006		276.11	17,510	17,510	278.33	18,170	18,170	▲
51061	ANCA (MPO) 정량	SST Serum	ELISA	너447나	CY472006		234.99	14,900	14,900	234.99	15,340	15,340	▲
51062	ANCA (PR3) 정량	SST Serum	ELISA	너447가	CY471006		234.99	14,900	14,900	234.99	15,340	15,340	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
51060	ANCA 정량	SST Serum	ELISA	너447주1	CY471~2006		0	29,800	29,800		30,680	30,680	▲
51050	ANCA 정성	SST Serum	ELISA	나499	C4991006		161.17	10,220	10,220	161.99	10,580	10,580	▲
00670	Androstenedione	SST Serum	RIA	노196	CZ196	국외	0	0	162,150		0	169,450	▲
00680	Androsterone	SST Serum	RIA	노197	CZ197	국외	0	0	162,150		0	169,450	▲
01170	Angiotensin I	EDTA Plasma	RIA			국외	0	0	69,000		0	72,110	▲
01180	Angiotensin II	EDTA Plasma	RIA			국외	0	0	69,000		0	72,110	▲
12930	Anion GAP	SST Serum	계산법	나379+C381	C3791~3+C3812		0	0	6,510		0	6,440	▼
51070	Anti Adrenal CortexAb	SST Serum	IFA			국외	0	0	224,250		0	234,340	▲
51100	Anti Cardiolipin IgA	SST Serum	ELISA	나503나(3)	C5034		241.99	15,340	15,340	248.90	16,250	16,250	▲
51080	Anti Cardiolipin IgG	SST Serum	ELISA	나503나(1)	C5032		241.99	15,340	15,340	248.90	16,250	16,250	▲
51090	Anti Cardiolipin IgM	SST Serum	ELISA	나503나(2)	C5033		241.99	15,340	15,340	248.90	16,250	16,250	▲
51110	Anti cardiolipinB2 gly 1 com	SST Serum	ELISA			국외	0	0	100,000		0	104,500	▲
51120	Anti CCP Ab	SST Serum	EIA	노432	CZ432		0	0	34,500		0	36,050	▲
51121	Anti CCP Ab	EDTA Plasma	EIA	노432	CZ432		0	0	34,500		0	36,050	▲
51130	Anti centromere Ab	SST Serum	IFA	너443사	CY449006		616.68	39,100	39,100	616.68	40,270	40,270	▲
51145	Anti centromere Ab(EIA)	SST Serum	EIA	너443사	CY449006		616.68	39,100	39,100	616.68	40,270	40,270	▲
52400	Anti collagen- II Ab IgG	SST Serum	ELISA			국외	0	0	207,500		0	216,840	▲
50340	Anti Diphtheria Ab	SST Serum	EIA			국외	0	0	253,000		0	264,390	▲
51150	Anti dsDNA Ab (CLIA)	SST Serum	CLIA	나492나	C4922		248.04	15,730	15,730	250.42	16,350	16,350	▲
51151	Anti dsDNA Ab (CLIA)	Body Fluid	CLIA	나492나	C4922		248.04	15,730	15,730	250.42	16,350	16,350	▲
51152	Anti dsDNA Ab (RIA)	SST Serum	RIA	나492나	C7492		238.31	15,110	15,110	235.83	15,400	15,400	▲
51160	Anti dsDNA IgG	SST Serum	ELISA	나492나	C4922		248.04	15,730	15,730	250.42	16,350	16,350	▲
51170	Anti dsDNA IgM	SST Serum	ELISA	나492나	C4922		248.04	15,730	15,730	250.42	16,350	16,350	▲
51171	Anti dsDNA IgM	EDTA Plasma	ELISA	나492나	C4922		248.04	15,730	15,730	250.42	16,350	16,350	▲
51200	Anti ENA Ab	SST Serum	PA	너443차	CY452006		616.68	39,100	39,100	616.68	40,270	40,270	▲
50350	Anti Endomysial IgA	SST Serum	ELISA				0	0	24,000		0	24,000	
70795	Anti fungal susceptibility	Other	MIC	나406나	B4062		171.39	43,480	43,480	174.96	45,680	45,680	▲
51220	Anti GAD Ab	SST Serum	RIA	너441주	CX744		868.56	55,070	55,070	868.56	56,720	56,720	▲
51221	Anti GAD Ab	CSF	RIA	너441주	CX744		868.56	55,070	55,070	868.56	56,720	56,720	▲
51230	Anti GBM Ab	SST Serum	ELISA	너451	CX451		122.08	7,740	7,740	122.08	7,970	7,970	▲
52040	Anti GD1b IgG	SST Serum	EIA				0	0	46,000		0	48,070	▲
52041	Anti GD1b IgG	CSF	EIA				0	0	46,000		0	48,070	▲
52042	Anti GD1b IgG	EDTA Plasma	EIA				0	0	46,000		0	48,070	▲
52050	Anti GD1b IgM	SST Serum	EIA	노425	CZ425		0	0	46,000		0	48,070	▲
52051	Anti GD1b IgM	CSF	EIA	노425	CZ425		0	0	46,000		0	48,070	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
52052	Anti GD1b IgM	EDTA Plasma	EIA	노425	CZ425		0	0	46,000		0	48,070	▲
30300	Anti globulin Test	EDTA Blood		나204가주	B2047006		58.85	3,730	3,730	60.90	3,980	3,980	▲
52060	Anti GM1 IgG	SST Serum	EIA	노426	CZ261		0	0	46,000		0	48,070	▲
52061	Anti GM1 IgG	CSF	EIA	노426	CZ261		0	0	46,000		0	48,070	▲
52070	Anti GM1 IgM	SST Serum	EIA	노426	CZ262		0	0	46,000		0	48,070	▲
52071	Anti GM1 IgM	CSF	EIA	노426	CZ262		0	0	46,000		0	48,070	▲
52090	Anti GQ1b Ab	SST Serum	ELISA			국외	0	0	345,000		0	360,530	▲
52095	Anti GQ1b IgG	SST Serum	EIA				0	0	46,000		0	48,070	▲
52096	Anti GQ1b IgG	CSF	EIA				0	0	46,000		0	48,070	▲
52097	Anti GQ1b IgM	SST Serum	EIA				0	0	46,000		0	48,070	▲
52098	Anti GQ1b IgM	CSF	EIA				0	0	46,000		0	48,070	▲
51245	Anti growth hormone Ab	SST Serum				국외	0	0	147,500		0	154,140	▲
52340	Anti IA-2 Ab (ICA 512 Ab)	SST Serum	RIA			국외	0	0	117,270		0	122,550	▲
51270	Anti intrinsic factor Ab	SST Serum	EIA	너452	CX452		122.07	7,740	7,740	122.07	7,970	7,970	▲
51330	Anti Jo-1 Ab	SST Serum	Ouchterlony			국외	0	0	46,000		0	48,070	▲
51320	Anti Jo-1 Ab(EIA)	SST Serum	EIA	너443바	CY448006		616.68	39,100	39,100	616.68	40,270	40,270	▲
51360	Anti LKM Ab	SST Serum	IFA	너455	CX455		393.15	24,930	24,930	393.15	25,670	25,670	▲
51370	Anti lymphocyte Ab	SST Serum				국외	0	0	89,700		0	93,740	▲
50370	Anti M.tuberculosis Ab	SST Serum	ELISA	나466나	C4662196		203.08	12,880	12,880	203.46	13,290	13,290	▲
52100	Anti MAG Ab	SST Serum	IFA	노427	CZ427		0	0	46,000		0	48,070	▲
52101	Anti MAG Ab	CSF	IFA	노427	CZ427		0	0	46,000		0	48,070	▲
01885	Anti Microsome(TPO) Ab	SST Serum	ECLIA	나495나	C4952		207.55	13,160	13,160	213.03	13,910	13,910	▲
51380	Anti Mitochondrial Ab(IFA)	SST Serum	IFA	나496나	C4962		130.42	8,270	8,270	131.18	8,570	8,570	▲
51400	Anti mitochondrial M2 Ab	SST Serum	ELISA			국외	0	0	78,200		0	81,720	▲
52480	Anti NMO IgG	SST Serum	IFA	노422-3	CZ422-4		0	0	93,000		0	93,000	
52481	Anti NMO IgG	CSF	IFA	노422-3	CZ422-3		0	0	93,000		0	93,000	
52485	Anti NMO titer	SST Serum	IFA	노422-3	CZ422-4		0	0	168,000		0	168,000	
51420	Anti Parietal cell Ab	SST Serum	IFA	나504	C5040		108.6	6,890	6,890	98.45	6,430	6,430	▼
51450	Anti Phospholipid IgG	SC Plasma	ELISA	나498나(1)	C4982006		260.52	16,520	16,520	265.30	17,320	17,320	▲
51451	Anti Phospholipid IgG	SST Serum	ELISA	나498나(1)	C4982006		260.52	16,520	16,520	265.30	17,320	17,320	▲
51460	Anti Phospholipid IgM	SC Plasma	ELISA	나498나(2)	C4983006		260.82	16,540	16,540	265.75	17,350	17,350	▲
51461	Anti Phospholipid IgM	SST Serum	ELISA	나498나(2)	C4983006		260.82	16,540	16,540	265.75	17,350	17,350	▲
51431	Anti PI Ab	SST Serum	EIA			국외	0	0	625,600		0	653,750	▲
51470	Anti Pituitary Ab	SST Serum	IFA			국외	0	0	138,000		0	144,210	▲
51480	Anti Platelet Ab	SST Serum	IFA	나501나	C5012006		237.66	15,070	15,070	242.40	15,830	15,830	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
51440	Anti PS IgG	SST Serum	ELISA			국외	0	0	120,000		0	125,400	▲
51500	Anti Reticulin Ab	SST Serum	IFA			국외	0	0	207,000		0	216,320	▲
51520	Anti RNP Ab	SST Serum	EIA	너443나	CY444006		407.02	25,810	25,810	407.02	26,580	26,580	▲
51521	Anti RNP Ab	EDTA Plasma	EIA	너443나	CY444006		407.02	25,810	25,810	407.02	26,580	26,580	▲
51530	Anti Scl-70 Ab	SST Serum	Ouchterlony			국외	0	0	45,000		0	47,030	▲
51535	Anti Scl-70 Ab(EIA)	SST Serum	EIA	너443마	CY447006		616.68	39,100	39,100	616.68	40,270	40,270	▲
51550	Anti Sm Ab	SST Serum	EIA	너443가	CY443006		407.02	25,810	25,810	407.02	26,580	26,580	▲
51560	Anti Smooth Muscle Ab(IFA)	SST Serum	IFA	나497나	C4972		129.86	8,230	8,230	130.35	8,510	8,510	▲
51565	Anti Smooth Muscle Ab정량	SST Serum	IFA				0	0	25,000		0	26,130	▲
51570	Anti sperm Ab	SST Serum	IBT	나735나	E7352		266.15	16,870	16,870	266.15	17,380	17,380	▲
51580	Anti SS-A/Ro Ab	SST Serum	EIA	너443다	CY445006		407.02	25,810	25,810	407.02	26,580	26,580	▲
51590	Anti SS-B/La Ab	SST Serum	EIA	너443라	CY446006		407.02	25,810	25,810	407.02	26,580	26,580	▲
51180	Anti ss-DNA IgG	SST Serum	ELISA			국외	0	0	39,600		0	41,380	▲
51190	Anti ss-DNA IgM	SST Serum	ELISA			국외	0	0	60,000		0	62,700	▲
50380	Anti Streptokinase Ab	SST Serum	PA			국외	0	0	9,000		0	9,410	▲
50390	Anti Tetanus Ab	SST Serum	EIA			국외	0	0	230,000		0	240,350	▲
50395	Anti Tetanus Ab	SST Serum	ICA	나466나	C4662196		203.08	12,880	12,880	203.46	13,290	13,290	▲
30870	Anti thrombin Ⅲ(%)	SC Plasma	Chromogenic assay	나158	B1580		110.95	7,030	7,030	111.28	7,270	7,270	▲
51620	Anti TS Ab	SST Serum		노213	CZ213		0	0	69,000		0	72,110	▲
51630	Anti TSB Ab	SST Serum	RIA			국외	0	0	230,000		0	240,350	▲
31120	Anti Xa LMWH test(Heparin)	SC Plasma		나163-1나	B1634		167.16	10,600	10,600	173.83	11,350	11,350	▲
52030	Anti β2-GP1 IgG Ab	SST Serum	ELISA	나506가	C5061		228.16	14,470	14,470	228.16	14,900	14,900	▲
52035	Anti β2-GP1 IgM Ab	SST Serum	ELISA	나506가	C5062		228.16	14,470	14,470	228.16	14,900	14,900	▲
43410	Antibiotic resistant test	Other					0	0	100,000		0	100,000	
30850	Antiplasmin(α2-PI)	SC Plasma	Chromogenic assay			국외	0	0	37,500		0	39,190	▲
30860	Antithrombin Ⅲ	SC Plasma	TIA	나158	B1580		110.95	7,030	7,030	111.28	7,270	7,270	▲
26410	APC gene mutation analysis	EDTA Blood	Sequencing	노596	CZ802		0	0	665,000		0	665,000	
31100	APCR	SC Plasma	Clot-based	너89	BX089		278.89	17,680	17,680	278.89	18,210	18,210	▲
10940	Apolipoprotein A I	SST Serum	TIA	나246가	C2461		101.74	6,450	6,450	102.08	6,670	6,670	▲
10950	Apolipoprotein AⅡ	SST Serum	TIA	나246가	C2461		101.74	6,450	6,450	102.08	6,670	6,670	▲
10960	Apolipoprotein B	SST Serum	TIA	나246나	C2462		102.87	6,520	6,520	104.12	6,800	6,800	▲
10970	Apolipoprotein CⅡ	SST Serum	TIA	나246다	C2463		104.07	6,600	6,600	105.92	6,920	6,920	▲
10980	Apolipoprotein CⅢ	SST Serum	TIA	나246다	C2463		104.07	6,600	6,600	105.92	6,920	6,920	▲
10990	Apolipoprotein E	SST Serum	TIA	나246라	C2464		103.66	6,570	6,570	105.31	6,880	6,880	▲
25330	Apolipoprotein E Genotype	EDTA Blood	PCR	너572	CX572006		833.29	52,830	52,830	833.29	54,410	54,410	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
65005	Aprindine	SST Serum	HPLC			국외	0	0	38,000		0	39,710	▲
65006	Aprindine	Hp Blood	HPLC			국외	0	0	38,000		0	39,710	▲
20430	Apt test	Stool	Colorimetry	나124	B1240		8.4	530	530	7.82	510	510	▼
20431	Apt test	Other	Colorimetry	나124	B1240		8.4	530	530	7.82	510	510	▼
12681	Arsenic(AS)	24hr Urine	AAS	나452나(2)	C4523990		302.23	19,160	19,160	306.17	19,990	19,990	▲
12682	Arsenic(AS)	Random Urine	AAS	나452나(2)	C4523990		302.23	19,160	19,160	306.17	19,990	19,990	▲
10260	Arylsulfatase A	Hp Blood	Spectrophotometry	노327	CZ327		0	0	37,700		0	37,700	
10265	Arylsulfatase A	EDTA Blood	Enzyme	노327	CZ327		0	0	89,700		0	93,740	▲
50410	ASO 정량	SST Serum	TIA	나463나	C4633		104.59	6,630	6,630	105.61	6,900	6,900	▲
50400	ASO(Latex)	SST Serum	TIA	나463가	C4631		36.23	2,300	2,300	33.76	2,200	2,200	▼
50411	ASO(Titer)	Body Fluid	TIA	나463나	C4633		104.59	6,630	6,630	105.61	6,900	6,900	▲
50440	Aspergillus Ab	SST Serum	Immuno-diffusion			국외	0	0	115,000		0	120,180	▲
50445	Aspergillus Ab IgG	SST Serum	EIA	나467나	C4672236		197.68	12,530	12,530	195.36	12,760	12,760	▲
50455	Aspergillus Ag	SST Serum	EIA	나475나	C4752996		285.42	18,100	18,100	293.16	19,140	19,140	▲
65520	Aspirin (Salicylic acid)	SST Serum	TDX	나450나(1)	C4503390		154.13	9,770	9,770	144.47	9,430	9,430	▼
65760	Aspirin Resistance Assay	Blood		노71-1	BZ071		0	0	69,000		0	69,000	
27673	ATP기반 항암제 감수성 검사	Other		노481	CZ481		0	0	466,700		0	466,700	
11920	Auto hemolysis test	복수검체	Tube	나114	B1140006		121.65	7,710	7,710	120.99	7,900	7,900	▲
29170	Avellino corneal dystrophy	Other	Sequencing	노595	CZ661		0	0	50,000		0	52,250	▲
27570	B cell confirm test	EDTA Blood	Flow Cytometry	나512	C5120006		445.94	113,080	113,080	447.99	117,000	117,000	▲
10890	B/C ratio	SST Serum	계산법	나373+C375	C3730+C3750		0	0	3,050		0	2,890	▼
29300	BAALC	EDTA Blood	real time PCR	노596	CZ825		0	0	198,000		0	198,000	
50460	Bacterial Ag	CSF	Latex	나408	B4080		96.52	30,600	30,600	90.90	29,700	29,700	▼
65180	Barbiturate	Random Urine	ICA	나450가(2)	C4502070		130.9	8,300	8,300	124.57	8,130	8,130	▼
01430	Basic fetoprotein(BFP)	SST Serum	EIA			국외	0	0	51,750		0	54,080	▲
01440	BCA225	SST Serum	EIA			국외	0	0	46,000		0	48,070	▲
25900	B-Cell Stain(CD20)(IHC)	Blood Smear Slide	IFA	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
27566	bcr-abl (real-time PCR)	EDTA Blood	real time PCR	노596	CZ809		0	0	138,000		0	144,210	▲
27567	bcr-abl (real-time PCR)	Bone Marrow	real time PCR	노596	CZ809		0	0	138,000		0	144,210	▲
27562	bcr-abl 정량 (바이오세움)	Hp Blood	real time PCR	노596	CZ809		0	0	250,000		0	250,000	
27564	bcr-abl 정량 (성모)	Bone Marrow	real time PCR	노596	CZ809		0	0	189,000		0	189,000	
27568	bcr-abl gene mutation	EDTA Blood	Sequencing				0	0	187,000		0	187,000	
70030	Bence-Jones Protein 정성	Random Urine	Precipitation	나227가	C2271		17.58	1,110	1,110	16.17	1,060	1,060	▼
65190	Benzodiazepine	Random Urine	ICA	나450가(2)	C4502080		130.9	8,300	8,300	124.57	8,130	8,130	▼
11930	Bile Acid	SST Serum	Enzyme	너272	CX272		239.28	15,170	15,170	239.28	15,620	15,620	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
11931	Bile Acid	Bile	Enzyme	너272	CX272		239.28	15,170	15,170	239.28	15,620	15,620	▲
80645	biopsy구축학적검사(1)	Tissue		나550라(1)	C5505		1420.49	90,060	90,060	1496.02	97,690	97,690	▲
80646	biopsy구축학적검사(2)	Tissue		나550라(2)	C5508		1200.96	76,140	76,140	1166.73	76,190	76,190	▲
80520	Biopsy탈회과정(S)	Tissue		나550	C5509외		0	23,710	23,710		24,310	24,310	▲
80530	Biosy(EM)	Tissue					0	0	100,000		0	100,000	
11680	Biotinidase 정량	EDTA Plasma	Spectrophotometry	노333	CZ333		0	0	115,000		0	120,180	▲
50470	Blastomyces Ab	SST Serum	Immuno-diffusion			국외	0	0	254,750		0	110,750	▼
30010	Blood Cell Morphology	EDTA Blood	Manual	나110	B1100006		65.19	4,130	4,130	68.66	4,480	4,480	▲
70230	Blood Culture	Blood	Culture	나405가	B4051		152.96	9,700	9,700	158.13	10,330	10,330	▲
70235	Blood Culture & Sensi(G)	Other		나405+나40	B4051+B4061		0	16850	16850		17760	17,760	▲
71020	Body Fluid Analysis	Body Fluid	Manual	나51	B0510		47.54	3,010	3,010	49.02	3,200	3,200	▲
71021	Body Fluid Analysis(Joint)	Joint Fluid	Manual	나51	B0510		47.54	3,010	3,010	49.02	3,200	3,200	▲
71060	Body Fluid Cell count	Body Fluid	Manual	나51	B0510		47.54	3,010	3,010	49.02	3,200	3,200	▲
11940	Bone ALP	SST Serum	ELISA	나398	C3980		143.05	9,070	9,070	125.07	8,170	8,170	▼
30135	Bone Marrow Consultant	Bone Marrow Slide		나111가주1	B1113		408.8	25,920	25,920	443.74	28,980	28,980	▲
30130	Bone Marrow Examination	Bone Marrow Slide	Manual	나111가주1	B1113		408.8	25,920	25,920	443.74	28,980	28,980	▲
29071	BRAF gene mutation	Block	Sequencing	노595	CZ684		0	0	80,000		0	80,000	
29070	BRAF V600E gene mutation	EDTA Blood	Sequencing	노595	CZ684		0	0	50,000		0	52,250	▲
25350	BRCA1	EDTA Blood	DHPLC	나599나(4)	CY713006		5911.54	374,790	374,790	5911.54	386,020	386,020	▲
25360	BRCA2	EDTA Blood	DHPLC	나599나(4)	CY714006		5911.54	374,790	374,790	5911.54	386,020	386,020	▲
65791	Brodifacoum	SST Serum	HPLC			국외	0	0	380,880		0	398,020	▲
65680	Bromide	SST Serum	ICA			국외	0	0	172,500		0	180,260	▲
29080	BTK gene mutation	EDTA Blood	Sequencing	노595	CZ664		0	0	473,000		0	473,000	
10860	BUN	SST Serum	Enzyme	나373	C3730		26.4	1,670	1,670	24.46	1,600	1,600	▼
10861	BUN	24hr Urine	Enzyme	나373	C3730		26.4	1,670	1,670	24.46	1,600	1,600	▼
10862	BUN	Random Urine	Enzyme	나373	C3730		26.4	1,670	1,670	24.46	1,600	1,600	▼
70727	C. difficile culture	Stool	Culture	너302가	BY021		154.65	9,800	9,800	154.65	10,100	10,100	▲
70725	C. difficile toxin A,B	Stool	ELFA	너302나	BY022		122.08	7,740	7,740	122.08	7,970	7,970	▲
20010	C1 inactivator	SST Serum	RID	노111	CZ111		0	0	51,750		0	54,080	▲
30880	C1 inactivator activity	SC Plasma	발색성합성기질법	노111	CZ111	국외	0	0	115,000		0	120,180	▲
20020	C1q	SST Serum	RID	나226사	C2267		103.59	6,570	6,570	105.21	6,870	6,870	▲
20030	C2	SST Serum	RID			국외	0	0	225,000		0	235,130	▲
20031	C2	EDTA Plasma	RID			국외	0	0	225,000		0	235,130	▲
20040	C3	SST Serum	TIA	나226가	C2261		103.54	6,560	6,560	105.13	6,860	6,860	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
20050	C3a	EDTA Plasma	RIA			국외	0	0	200,900		0	209,940	▲
20070	C4	SST Serum	TIA	나226나	C2262		102.86	6,520	6,520	104.10	6,800	6,800	▲
20090	C5	SST Serum	RID			국외	0	0	225,000		0	235,130	▲
20110	C6	SST Serum	RID			국외	0	0	225,000		0	235,130	▲
20120	C7	SST Serum	RID			국외	0	0	225,000		0	235,130	▲
20150	C9	SST Serum	RID			국외	0	0	225,000		0	235,130	▲
10070	Ca	SST Serum	Colorimetry	나379마	C3795		19.32	1,220	1,220	18.00	1,180	1,180	▼
10071	Ca	24hr Urine	Colorimetry	나379마	C3795		19.32	1,220	1,220	18.00	1,180	1,180	▼
10072	Ca	Random Urine	Colorimetry	나379마	C3795		19.32	1,220	1,220	18.00	1,180	1,180	▼
01510	CA 54/61	SST Serum	ELISA			국외	0	0	69,000		0	72,110	▲
01520	CA 602	SST Serum	ELISA			국외	0	0	69,000		0	72,110	▲
01485	CA 72-4	SST Serum	RIA	나426주	C7426		244.05	15,470	15,470	224.38	14,650	14,650	▼
01482	CA 72-4 (ECLIA)	SST Serum	ECLIA	나426	C4260		282.25	17,890	17,890	281.68	18,390	18,390	▲
10090	Ca++	SST Serum	Electrode	나379바	C3796		76.93	4,880	4,880	78.36	5,120	5,120	▲
10091	Ca++	Hp Plasma	Electrode	나379바	C3796		76.93	4,880	4,880	78.36	5,120	5,120	▲
01495	CA125 (ECLIA)	SST Serum	ECLIA	나424	C4240		253.21	16,050	16,050	253.45	16,550	16,550	▲
01455	CA15-3 (ECLIA)	SST Serum	ECLIA	나433	C4330		252.38	16,000	16,000	252.22	16,470	16,470	▲
01465	CA19-9 (ECLIA)	SST Serum	ECLIA	나423	C4230		259.89	16,480	16,480	261.22	17,060	17,060	▲
01466	CA19-9 (ECLIA)	Body Fluid	ECLIA	나423	C4230		259.89	16,480	16,480	261.22	17,060	17,060	▲
28180	CACNA1S gene mutation	EDTA Blood	Sequencing	노595	CZ656		0	0	158,000		0	158,000	
26790	CADASIL (NOTCH3)	EDTA Blood	Sequencing	노595	CZ619		0	0	194,000		0	194,000	
12690	Cadmium(Cd)	Trace EDTA Blood	AAS	나452나(2)	C4523650		302.23	19,160	19,160	306.17	19,990	19,990	▲
12691	Cadmium(Cd)	24hr Urine	AAS	나452나(2)	C4523650		302.23	19,160	19,160	306.17	19,990	19,990	▲
28080	CAG repeats of Androgen R	EDTA Blood	PCR Fragment analysis	너573마	CY539006		953.51	60,450	60,450	953.51	62,260	62,260	▲
01900	Calcitonin	SST Serum	RIA	나356주	C7356		204.3	12,950	12,950	200.18	13,070	13,070	▲
01195	C-AMP	EDTA Plasma	RIA			국외	0	0	59,800		0	62,490	▲
01196	C-AMP	24hr Urine	RIA			국외	0	0	59,800		0	62,490	▲
71050	Campylobacter Culture	Stool	Culture	너301라	BY309006		363.17	23,020	23,020	363.17	23,720	23,720	▲
50520	Campylobacter jejuni Ab	SST Serum	ELISA			국외	0	0	250,000		0	261,250	▲
50530	Candida Ab	SST Serum	Immuno-diffusion			국외	0	0	210,000		0	219,450	▲
50540	Candida Ag	SST Serum	Latex			국외	0	0	36,000		0	37,620	▲
50541	Candida Ag	CSF	Latex			국외	0	0	36,000		0	37,620	▲
50542	Candida Ag 정성	SST Serum	Latex	나408	B4080		96.52	6,120	6,120	90.90	5,940	5,940	▼
65400	Cannabinoids 정성	Random Urine	ICA	나450가(2)	C4502390		130.9	8,300	8,300	124.57	8,130	8,130	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
01800	CAR autoantibodies	SST Serum	Western blot			국외	0	0	575,000		0	600,880	▲
65200	Carbamazepine	SST Serum	FPA	나450나(2)	C4504030		238.27	15,110	15,110	243.15	15,880	15,880	▲
65210	Carbamazepine,Free	Plain Serum	FPIA			국외	0	0	176,500		0	189,880	▲
20440	Carboxy Hemoglobin	EDTA Blood		나382다	C3823		53.44	3,390	3,390	53.71	3,510	3,510	▲
11010	Cardiac Risk Factor	SST Serum	계산법	나241+C242	C2411+C2420		0	0	6,890		0	6,940	▲
11260	Carnitine(Vitamin BT)	SST Serum	Enzyme			국외	0	0	100,000		0	104,500	▲
11265	Carnitine(Vitamin BT)	SST Serum	LC/MS/MS	너154	CY544		399.4	50,640	50,640	399.40	52,160	52,160	▲
11270	Carotene	SST Serum	Spectrophotometry	나255	C2550		60.78	3,850	3,850	57.58	3,760	3,760	▼
02045	Catecholamine 2F(HPLC)	24hr Urine	HPLC	너228			0	39,340	39,340		40,520	40,520	▲
02046	Catecholamine 2F(HPLC)	EDTA Plasma	HPLC	너228			0	39,340	39,340		40,520	40,520	▲
02055	Catecholamine 3F(HPLC)	EDTA Plasma	HPLC	너228			0	59,010	59,010		60,780	60,780	▲
02056	Catecholamine 3F(HPLC)	24hr Urine	HPLC	너228			0	59,010	59,010		60,780	60,780	▲
26220	CD 14	Bone Marrow	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
26255	CD 16 + CD 56 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
26250	CD 16 + CD 56 (NK cell)	EDTA Blood	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
25990	CD 19 (B cell)	EDTA Blood	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
25991	CD 19 (B cell)	Bone Marrow	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
25995	CD 19 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
25910	CD 2	EDTA Blood	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
26005	CD 20	EDTA Blood	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
27460	CD 25	Bone Marrow		나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
25925	CD 3 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
25926	CD 3 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
25920	CD 3 (T3)	EDTA Blood	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
25921	CD 3 (T3)	Bone Marrow	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
26025	CD 34	EDTA Blood	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
26020	CD 34 (Stem cell)	EDTA Blood	Flow Cytometry	나514	C5140006		710.91	67,610	67,610	724.53	70,970	70,970	▲
25935	CD 4 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
25936	CD 4 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
25930	CD 4 (T4)	EDTA Blood	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
25931	CD 4 (T4)	Bone Marrow	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
26030	CD 45	EDTA Blood		나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
26050	CD 55	EDTA Blood		너42나	BY422006		429.94	27,260	27,260	429.94	28,080	28,080	▲
26060	CD 59	EDTA Blood		너42나	BY422006		429.94	27,260	27,260	429.94	28,080	28,080	▲
26065	CD 59 (PNH test)	EDTA Blood	Flow Cytometry	너42나	BY422006		429.94	54,520	54,520	429.94	56,160	56,160	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
51853	CD 68	Other		나557	C5575006		470.02	29,800	29,800	466.94	30,490	30,490	▲
25965	CD 8 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
25966	CD 8 (BAL fluid)	BAL fluid	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
25960	CD 8 (T8)	EDTA Blood	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
25961	CD 8 (T8)	Bone Marrow	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
81030	CD10 (IHC)	Tissue	Immunohistochemistry	나557	C5575006		470.02	29,800	29,800	466.94	30,490	30,490	▲
26690	CDH1 mutation	EDTA Blood	Sequencing	노595	CZ601		0	0	665,000		0	665,000	
20741	CDT	SST Serum	Nephelometry				0	0	28,000		0	28,000	
01535	CEA (ECLIA)	SST Serum	ECLIA	나422	C4220		230.54	14,620	14,620	230.65	15,060	15,060	▲
01536	CEA (ECLIA)	Body Fluid	ECLIA	나422	C4220		230.54	14,620	14,620	230.65	15,060	15,060	▲
82150	Cell block after Cyto Exam	Other		나594	C5940		156.81	9,940	9,940	145.11	9,480	9,480	▼
27620	Cell culture (AF)	Amniotic Fluid	Culture	나498	CX498		366.25	23,220	23,220	366.25	23,920	23,920	▲
20160	Ceruloplasmin	SST Serum	TIA	나235	C2350		103.76	6,580	6,580	107.19	7,000	7,000	▲
20161	Ceruloplasmin	Hp Plasma	TIA	나235	C2350		103.76	6,580	6,580	107.19	7,000	7,000	▲
27740	CFTR Gene mutation	EDTA Blood	Sequencing	노595	CZ631		0	0	917,000		0	917,000	
01200	C-GMP	EDTA Plasma	RIA			국외	0	0	60,000		0	62,700	▲
01205	C-GMP	24hr Urine	RIA			국외	0	0	60,000		0	62,700	▲
51640	CH50	SST Serum	Enzyme	나225	C2250		124.78	7,910	7,910	118.16	7,720	7,720	▼
50580	Chlamydia pneumonia IgA	SST Serum	ELISA			국외	0	0	46,000		0	48,070	▲
50560	Chlamydia pneumonia IgG	SST Serum	IFA	나474나(1)	C4742816		204.59	12,970	12,970	205.72	13,430	13,430	▲
50570	Chlamydia pneumonia IgM	SST Serum	IFA	나474나(2)	C4743816		203.84	12,920	12,920	204.59	13,360	13,360	▲
42340	Chlamydia Pneumonia PCR	Other	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
50590	Chlamydia psittaci Ab(CF)	SST Serum	CF			국외	0	0	18,000		0	18,810	▲
50591	Chlamydia psittaci Ab(CF)	CSF	CF			국외	0	0	18,000		0	18,810	▲
50600	Chlamydia psittaci IgG	SST Serum	FA			국외	0	0	74,750		0	78,110	▲
50601	Chlamydia psittaci IgG	CSF	FA			국외	0	0	74,750		0	78,110	▲
50610	Chlamydia psittaci IgM	SST Serum	FA			국외	0	0	74,750		0	78,110	▲
50611	Chlamydia psittaci IgM	CSF	FA			국외	0	0	74,750		0	78,110	▲
42240	Chlamydia trachomatis Ag	분비물	ELFA	나475나	C4752816		285.42	18,100	18,100	293.16	19,140	19,140	▲
50650	Chlamydia trachomatis IgA	SST Serum	ELISA				0	0	23,000		0	24,040	▲
50630	Chlamydia trachomatis IgG	SST Serum	EIA	나474나(1)	C4742816		204.59	12,970	12,970	205.72	13,430	13,430	▲
50640	Chlamydia trachomatis IgM	SST Serum	ELISA	나474나(2)	C4743816		203.84	12,920	12,920	204.59	13,360	13,360	▲
42330	Chlamydia trachomatis PCR	분비물	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
10100	Chloride(Cl)	SST Serum	ISE	나379다	C3793		19.19	1,220	1,220	17.42	1,140	1,140	▼
10101	Chloride(Cl)	24hr Urine	ISE	나379다	C3793		19.19	1,220	1,220	17.42	1,140	1,140	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
10102	Chloride(Cl)	Random Urine	ISE	나379다	C3793		19.19	1,220	1,220	17.42	1,140	1,140	▼
65540	Chlorpromazine	SST Serum	GC			국외	0	0	270,000		0	282,150	▲
11050	Cholesterol Ester 정량	SST Serum	계산법	나241나	C2412		22.74	1,440	1,440	20.79	1,360	1,360	▼
11051	Cholesterol Ester 정량	Joint Fluid	계산법	나241나	C2412		22.74	1,440	1,440	20.79	1,360	1,360	▼
10280	Cholinesterase(Pseudo)	SST Serum	Colorimetry	나270	B2700		56.91	3,610	3,610	50.75	3,310	3,310	▼
10290	Cholinesterase(RBC activity)	EDTA Blood	Enzyme	나270	B2700		56.91	3,610	3,610	50.75	3,310	3,310	▼
02180	Cholyglycine	SST Serum	RIA			국외	0	0	35,000		0	36,580	▲
12700	Chromium(Cr)	Trace EDTA Blood	AAS	나452나(2)	C4523990		302.23	19,160	19,160	306.17	19,990	19,990	▲
12701	Chromium(Cr)	24hr Urine	AAS	나452나(2)	C4523990		302.23	19,160	19,160	306.17	19,990	19,990	▲
12702	Chromium(Cr)	Other	AAS	나452나(2)	C4523990		302.23	19,160	19,160	306.17	19,990	19,990	▲
25103	Chromosome Analysis	Other	Culture				0	0	414,000		0	432,630	▲
25101	Chromosome Analysis(AF)	Amniotic Fluid	Culture				0	0	414,000		0	432,630	▲
25102	Chromosome Analysis(BM)	Bone Marrow	Culture	나600-1	C6005006		1501.64	95,200	95,200	1554.58	101,510	101,510	▲
25104	Chromosome Analysis(CB)	Cord Blood	Culture	나600	C6001006		1058.77	67,130	67,130	1135.28	74,130	74,130	▲
25110	Chromosome analysis(Leukemia)	Hp Blood	Culture	나600-1	C6005006		1501.64	95,200	95,200	1554.58	101,510	101,510	▲
25100	Chromosome Analysis(PB)	Hp Blood	Culture	나600	C6001006		1058.77	67,130	67,130	1135.28	74,130	74,130	▲
25105	Chromosome Analysis(Stem)	Stem cell	Culture				0	0	207,000		0	216,320	▲
25175	Chromosome(Direct+Long)	Chorion	Culture				0	0	517,500		0	540,790	▲
25192	Chromosome(High Resolution)	Bone Marrow	Culture	나600-2	C6006006		1590.33	100,830	100,830	1590.33	103,850	103,850	▲
25190	Chromosome(High Resolution)	Hp Blood	Culture	나600-2	C6006006		1590.33	100,830	100,830	1590.33	103,850	103,850	▲
25191	Chromosome(High Resolution)	Amniotic Fluid	Culture				0	0	414,000		0	432,630	▲
25165	Chromosome(Long Term)	Chorion	Culture				0	0	437,000		0	456,670	▲
26235	Chronic Leukemia panel	Bone Marrow	Flow Cytometry	나512	C5120006		445.94	508,860	508,860	447.99	526,500	526,500	▲
65010	Cisplatin (Free)	SST Serum	AAS				0	0	150,000		0	156,750	▲
65020	Cisplatin (Total)	SST Serum	AAS				0	0	60,000		0	62,700	▲
65030	Cisplatin (Urine)	Random Urine	AAS				0	0	60,000		0	62,700	▲
10520	Citrate	24hr Urine	Enzyme	너345가(2)	CY342		339.91	21,550	21,550	339.91	22,200	22,200	▲
10525	Citrate	SST Serum	UV	너345가(2)	CY342		339.91	21,550	21,550	339.91	22,200	22,200	▲
81060	CK (IHC)	Tissue	Immunohistochemistry	나557	C5575006		470.02	29,800	29,800	466.94	30,490	30,490	▲
81015	CK HMW(CK 1,5,10,14)(IHC)	Tissue	Immunohistochemistry	나557	C5575006		470.02	29,800	29,800	466.94	30,490	30,490	▲
10316	CK-BB	SST Serum	Electrophoresis	나304	B3040006		170.1	10,780	10,780	167.97	10,970	10,970	▲
27671	C-kit analysis	Other		노595(31)	CZ625		0	0	142,900		0	142,900	
29250	c-kit gene mutation(exon1)	Block	Sequencing	노595	CZ625		0	0	120,000		0	120,000	

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
29251	c-kit gene mutation(exon2)	Block	Sequencing	노595	CZ625		0	0	170,000		0	170,000	
29252	c-kit gene mutation(exon3)	Block	Sequencing	노595	CZ625		0	0	240,000		0	240,000	
29253	c-kit gene mutation(exon4)	Block	Sequencing	노595	CZ625		0	0	310,000		0	310,000	
10310	CK-MB 정량	SST Serum	ECLIA	나264	B2640		148.94	9,440	9,440	150.40	9,820	9,820	▲
10315	CK-MM	SST Serum	Electrophoresis	나304	B3040006		170.1	10,780	10,780	167.97	10,970	10,970	▲
65220	Clonazepam	SST Serum	HPLC			국외	0	0	69,000		0	72,110	▲
65770	Clozapine	SST Serum	LC/MS/MS	나450나(4)	CX375696		542.51	34,400	34,400	542.51	35,430	35,430	▲
25370	CML-major PCR	EDTA Blood	Nested RT-PCR	나597가	C5971006		1542.2	97,780	97,780	1570.83	102,580	102,580	▲
25371	CML-major PCR	Bone Marrow	Nested RT-PCR	나597가	C5971006		1542.2	97,780	97,780	1570.83	102,580	102,580	▲
25380	CML-minor PCR	EDTA Blood	Nested RT-PCR	나597나	C5972006		1544.19	97,900	97,900	1573.83	102,770	102,770	▲
25381	CML-minor PCR	Bone Marrow	Nested RT-PCR	나597나	C5972006		1544.19	97,900	97,900	1573.83	102,770	102,770	▲
42356	CMV 정량 (Real-time PCR)	EDTA Blood	real time PCR	노598마	CZ963		0	0	92,000		0	96,140	▲
50670	CMV Antigenemia(북부)	EDTA Blood		나469	C4690426		202.85	12,860	12,860	203.10	13,260	13,260	▲
50680	CMV antigenemia(충남대)	EDTA Blood					0	0	43,340		0	43,340	
42135	CMV culture	Other	Shell Vial Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
42350	CMV DNA(PCR)	EDTA Blood	PCR	나595가	C5951006		401.12	25,430	25,430	409.65	26,750	26,750	▲
40305	CMV IgG	SST Serum	CMIA	나468나(1)	C4682426		263.15	16,680	16,680	266.76	17,420	17,420	▲
40306	CMV IgG	CSF	CMIA	나468나(1)	C4682426		263.15	16,680	16,680	266.76	17,420	17,420	▲
40315	CMV IgM	SST Serum	CMIA	나468나(2)	C4683426		258.09	16,360	16,360	259.16	16,920	16,920	▲
40316	CMV IgM	CSF	CMIA	나468나(2)	C4683426		258.09	16,360	16,360	259.16	16,920	16,920	▲
42110	CMV shell vial culture	Other	Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
40270	CMV(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
40271	CMV(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
40272	CMV(CF)	Body Fluid	CF			국외	0	0	15,000		0	15,680	▲
10110	CO2,Total	SST Serum	Enzyme	나381나	C3812		45.01	2,850	2,850	45.04	2,940	2,940	▲
12710	Cobalt(Co)	Trace EDTA Blood	AAS	나452나(2)	C4523990		302.23	19,160	19,160	306.17	19,990	19,990	▲
12711	Cobalt(Co)	24hr Urine	AAS	나452나(2)	C4523990		302.23	19,160	19,160	306.17	19,990	19,990	▲
65410	Cocaine 정성	Random Urine	ICA	나450가(2)	C4502390		130.9	8,300	8,300	124.57	8,130	8,130	▼
50710	Cold Agglutinin	SST Serum	HA	나209	B2090006		70.08	4,440	4,440	64.61	4,220	4,220	▼
11955	Collagen Type IV	SST Serum	Latex			국외	0	0	45,750		0	47,810	▲
11960	Collagen Type IV.7S	SST Serum	RIA			국외	0	0	73,600		0	76,910	▲
30000	Complete Blood Count 8종	EDTA Blood	자동혈구계산법				0	3,870	3,870		4,040	4,040	▲
20506	Co-oximeter	EDTA Blood	Oximeter	나370	C3700		154.18	9,780	9,780	156.27	10,200	10,200	▲
12722	Copper(Cu)	Tissue	AAS	나452나(2)	C4527620		601.26	38,120	38,120	607.56	39,670	39,670	▲
12725	Copper(Cu)	Trace Serum	ICP/MS	나452나(2)	C4523620		302.23	19,160	19,160	306.17	19,990	19,990	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
12726	Copper(Cu)	24hr Urine	ICP/MS	나452나(2)	C4523620		302.23	19,160	19,160	306.17	19,990	19,990	▲
11750	Coproporphyrin 정량	24hr Urine	Spectrophotometry	나389나(2)	C3893		172.9	10,960	10,960	175.41	11,450	11,450	▲
11751	Coproporphyrin 정량	24hr Urine	Colorimetry	나389나(1)	C3892		59.16	3,750	3,750	54.26	3,540	3,540	▼
11740	Coproporphyrin 정성	Random Urine	Fluorometry	나389가	C3891		11.59	730	730	11.03	720	720	▼
10075	corrected Ca	SST Serum	계산법	나221 외	C2210 외		0	0	2,940		0	2,830	▼
00690	Corticosterone	SST Serum	RIA			국외	0	0	138,000		0	144,210	▲
00707	Cortisol (ECLIA)	SST Serum	ECLIA	나324나(4)	C3248		147.16	9,330	9,330	137.95	9,010	9,010	▼
00720	Cortisone	SST Serum	RIA			국외	0	0	155,250		0	162,240	▲
11970	Cotinine 정성	Random Urine	ICA				0	0	23,000		0	24,040	▲
40500	Coxsackievirus A type 10(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40501	Coxsackievirus A type 10(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40560	Coxsackievirus A type 16(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40561	Coxsackievirus A type 16(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40420	Coxsackievirus A type 2(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40421	Coxsackievirus A type 2(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40430	Coxsackievirus A type 3(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40431	Coxsackievirus A type 3(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40440	Coxsackievirus A type 4(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40441	Coxsackievirus A type 4(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40450	Coxsackievirus A type 5(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40451	Coxsackievirus A type 5(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40460	Coxsackievirus A type 6(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40461	Coxsackievirus A type 6(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40470	Coxsackievirus A type 7(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40471	Coxsackievirus A type 7(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40590	Coxsackievirus A type 9(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
40591	Coxsackievirus A type 9(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
40490	Coxsackievirus A type 9(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40491	Coxsackievirus A type 9(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40710	Coxsackievirus B type 1(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
40711	Coxsackievirus B type 1(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
40610	Coxsackievirus B type 1(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40611	Coxsackievirus B type 1(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40720	Coxsackievirus B type 2(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
40721	Coxsackievirus B type 2(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
40620	Coxsackievirus B type 2(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40621	Coxsackievirus B type 2(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40730	Coxsackievirus B type 3(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
40731	Coxsackievirus B type 3(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
40630	Coxsackievirus B type 3(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40631	Coxsackievirus B type 3(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40740	Coxsackievirus B type 4(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
40741	Coxsackievirus B type 4(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
40640	Coxsackievirus B type 4(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40641	Coxsackievirus B type 4(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40750	Coxsackievirus B type 5(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
40751	Coxsackievirus B type 5(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
40652	Coxsackievirus B type 5(NT)	Body Fluid	Neutralization			국외	0	0	60,000		0	62,700	▲
40650	Coxsackievirus B type 5(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40651	Coxsackievirus B type 5(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40760	Coxsackievirus B type 6(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
40761	Coxsackievirus B type 6(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
40660	Coxsackievirus B type 6(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40661	Coxsackievirus B type 6(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
42120	Coxsackievirus culture	Other	Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
00965	C-peptide (ECLIA)	SST Serum	ECLIA	나343	C3430		193.16	12,250	12,250	196.42	12,830	12,830	▲
00966	C-peptide (ECLIA)	24hr Urine	ECLIA	나343	C3430		193.16	12,250	12,250	196.42	12,830	12,830	▲
10300	CPK	SST Serum	Enzyme	나263	B2630		55.83	3,540	3,540	55.91	3,650	3,650	▲
10301	CPK	Body Fluid	Enzyme	나263	B2630		55.83	3,540	3,540	55.91	3,650	3,650	▲
20580	CPK Isoenzyme	SST Serum	Electrophoresis	나304	B3040006		170.1	10,780	10,780	167.97	10,970	10,970	▲
20581	CPK Isoenzyme	Body Fluid		나304	B3040006		170.1	10,780	10,780	167.97	10,970	10,970	▲
27600	CRA(Chemotherapy response)	Other					0	0	490,000		0	490,000	
10900	Crea.Clearance Test	복수검체	계산법	나376	C3760		55.83	3,540	3,540	51.40	3,360	3,360	▼
10870	Creatine	SST Serum	Colorimetry	나377	C3770		26.83	1,700	1,700	24.20	1,580	1,580	▼
10871	Creatine	24hr Urine	Colorimetry	나377	C3770		26.83	1,700	1,700	24.20	1,580	1,580	▼
10872	Creatine	Random Urine	Colorimetry	나377	C3770		26.83	1,700	1,700	24.20	1,580	1,580	▼
10880	Creatinine	SST Serum	Enzyme	나375	C3750		21.7	1,380	1,380	19.77	1,290	1,290	▼
10881	Creatinine	24hr Urine	Enzyme	나375	C3750		21.7	1,380	1,380	19.77	1,290	1,290	▼
10882	Creatinine	Random Urine	Enzyme	나375	C3750		21.7	1,380	1,380	19.77	1,290	1,290	▼
31091	Cross matching	복수검체	Column	나205	B2050		45.23	2,870	2,870	47.30	3,090	3,090	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
31090	Cross matching SET	복수검체	Column				0	10,180	10,180		10,990	10,990	▲
50720	CRP	SST Serum	TIA	나224가	C2241		26.52	1,680	1,680	24.17	1,580	1,580	▼
50721	CRP	CSF	TIA	나224가	C2241		26.52	1,680	1,680	24.17	1,580	1,580	▼
50730	CRP정량(HS-CRP)	SST Serum	TIA	나224나	C2243		104.18	6,610	6,610	105.01	6,860	6,860	▲
50731	CRP정량(HS-CRP)	CSF	TIA	나224나	C2243		104.18	6,610	6,610	105.01	6,860	6,860	▲
20170	Cryoglobulin 정성	SST Serum	Manual	나500가	C5001		31.26	1,980	1,980	31.28	2,040	2,040	▲
50740	Cryptococcus Ag	SST Serum	Latex	나408	B4080		96.52	6,120	6,120	90.90	5,940	5,940	▼
50741	Cryptococcus Ag	CSF	Latex	나408	B4080		96.52	6,120	6,120	90.90	5,940	5,940	▼
28160	CTLN2 gene mutation	EDTA Blood	Sequencing				0	0	140,000		0	140,000	
13010	CTx	SST Serum	ECLIA	나393-2	C3932		211.98	13,440	13,440	199.38	13,020	13,020	▼
70110	Culture	Other		나405가	B4051		152.96	9,700	9,700	158.13	10,330	10,330	▲
70155	Culture & Sensi(MIC)(G)	Other		나405+나40	B4051+B4062	0		20570	20570		21750	21,750	▲
70120	Culture & Sensitivity	Other		나405가	B4051		152.96	9,700	9,700	158.13	10,330	10,330	▲
70125	Culture & Sensitivity(G)	Other		나405+나40	B4051+B4061	0		16850	16850		17760	17,760	▲
70150	Culture & Sensitivity(MIC)	Other	MIC	나405가	B4051		152.96	9,700	9,700	158.13	10,330	10,330	▲
65700	Cyanide	EDTA Blood	Colorimetry			국외	0	0	286,250		0	299,130	▲
81020	Cyclin D1 (IHC)	Tissue	Immunohistochemis try	나557	C5575006		470.02	29,800	29,800	466.94	30,490	30,490	▲
65550	Cyclosporin	EDTA Blood	RIA	나450나(2)	C7451150		213.79	13,550	13,550	206.42	13,480	13,480	▼
65551	Cyclosporin (LC-MS/MS)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696		542.51	34,400	34,400	542.51	35,430	35,430	▲
01545	CYFRA 21-1 (ECLIA)	SST Serum	ECLIA	노285	CZ285		0	0	34,500		0	36,050	▲
28150	CYP21A2 gene mutation	EDTA Blood	Sequencing	노595	CZ608		0	0	278,000		0	278,000	
28151	CYP21A2 gene mutation	EDTA Blood	Sequencing	노595	CZ608		0	0	306,000		0	306,000	
27730	CYP2C19 Genotyping	EDTA Blood	Sequencing	노597	CZ900		0	0	294,000		0	294,000	
27790	CYP2C19 major polymorphism	EDTA Blood	Sequencing	노597	CZ900		0	0	69,000		0	69,000	
27510	CYP2C9 major polymorphism	EDTA Blood	Sequencing	노597	CZ905		0	0	71,000		0	71,000	
12980	Cystatin C	SST Serum	TIA	너131	CX131		85.83	5,440	5,440	85.83	5,600	5,600	▲
52410	Cytokine Chip (12종)	SST Serum	CLIA				0	0	288,000		0	300,960	▲
52411	Cytokine Chip (12종)	Other	CLIA				0	0	288,000		0	300,960	▲
27675	DCC암억제유전자-LOH	Other	PCR Fragment analysis	노596가(8)	CZ803		0	0	52,500		0	52,500	
30680	D-dimer 정량	SC Plasma	TIA	나172나	B1723		146.8	9,310	9,310	157.10	10,260	10,260	▲
31060	D-dimer 정성	SC Plasma	TIA	나172가	B1721		47.8	3,030	3,030	45.53	2,970	2,970	▼
27030	Delete azoospermia (DAZ)	Hp Blood	PCR				0	0	150,000		0	150,000	
12380	Deoxyypyridinoline	Random Urine	RIA	나393	C3930		212.05	13,440	13,440	200.03	13,060	13,060	▼
65561	Desipramine	Plain Blood	LC/MS/MS	나450나(4)	CX375696		542.51	34,400	34,400	542.51	35,430	35,430	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
00730	DHEA	SST Serum	RIA	노199	CZ199		0	0	126,500		0	132,190	▲
00746	DHEA-S (ECLIA)	SST Serum	ECLIA	나364	C3640		245.39	15,560	15,560	250.06	16,330	16,330	▲
65230	Diazepam (HPLC)	SST Serum	HPLC			국외	0	0	75,000		0	78,380	▲
65235	Diazepam (LC-MS/MS)	SST Serum	LC/MS/MS	나450나(4)	CX375016		542.51	34,400	34,400	542.51	35,430	35,430	▲
65792	Difenacoum	SST Serum	HPLC			국외	0	0	330,000		0	344,850	▲
30020	Differential Count	EDTA Blood	자동혈구계산법	나109가	B1091		25.56	1,620	1,620	25.53	1,670	1,670	▲
65040	Digitoxin	SST Serum	EIA			국외	0	0	75,000		0	78,380	▲
65050	Digoxin (CLIA)	SST Serum	CLIA	나450나(2)	C4504090		238.27	15,110	15,110	243.15	15,880	15,880	▲
10050	Direct Bilirubin	SST Serum	Colorimetry	나372나	C3721		21.65	1,370	1,370	20.06	1,310	1,310	▼
10051	Direct Bilirubin	Capillary	Colorimetry	나372나	C3721		21.65	1,370	1,370	20.06	1,310	1,310	▼
30320	Direct Coombs	EDTA Blood	Column	나204가주	B2041006		34.72	2,200	2,200	34.97	2,280	2,280	▲
31080	Direct Coombs Anti 4종	EDTA Blood		나204가	B2047106~406		0	14,920	14,920		15,920	15,920	▲
31070	Direct Coombs Anti C3d,IgG	EDTA Blood		나204가	B20471+406		0	7,460	7,460		7,960	7,960	▲
65060	Disopyramide	SST Serum	EIA			국외	0	0	57,500		0	60,090	▲
65061	Disopyramide	Hp Plasma	EIA			국외	0	0	57,500		0	60,090	▲
25390	DMD/BMD	EDTA Blood	Multiplex-PCR	노596	CZ811		0	0	184,000		0	192,280	▲
25398	DMD/BMD	EDTA Blood	MLPA	노596	CZ814		0	0	180,000		0	180,000	
25396	DMD/BMD carrier test	EDTA Blood		노596	CZ812		0	0	200,000		0	200,000	
25395	DMD/BMD exon deletion test	EDTA Blood	Multiplex-PCR	노596	CZ811		0	0	150,000		0	150,000	
25397	DMD/BMD linkage test	EDTA Blood		노596	CZ813		0	0	390,000		0	390,000	
26210	DNA Floidy(DNA 배수성검사)	Block	Flow Cytometry	너551가	CY551006		678.99	43,050	43,050	678.99	44,340	44,340	▲
50715	Donath Landsteiner test	SST Serum		나210	B2100006		49.57	3,140	3,140	46.35	3,030	3,030	▼
00855	Dopamin(HPLC)	24hr Urine	HPLC	너228다	CY283006		310.2	19,670	19,670	310.20	20,260	20,260	▲
00856	Dopamin(HPLC)	EDTA Plasma	HPLC	너228다	CY283006		310.2	19,670	19,670	310.20	20,260	20,260	▲
27480	DRPLA	EDTA Blood	PCR-RFLP	너573다	CY533006		953.51	60,450	60,450	953.51	62,260	62,260	▲
26840	DRPLA gene mutation	EDTA Blood		너573다	CY533006		953.51	60,450	60,450	953.51	62,260	62,260	▲
65571	Drug profiling test	Random Urine	LC/MS/MS	나450가(4)	CX373		378.82	24,020	24,020	378.82	24,740	24,740	▲
30410	Du (Weak D) Test	EDTA Blood	Column	나202다	B2023		47.87	3,030	3,030	46.09	3,010	3,010	▼
30430	Duffy 혈액형검사	복수검체	Tube	나203	B2030006		81.03	5,140	5,140	77.45	5,060	5,060	▼
01550	DUPAN-2	SST Serum	EIA			국외	0	0	57,500		0	60,090	▲
29060	DYT1 (Dystonia I, torsion)	EDTA Blood	PCR-RFLP	너562	CY635006		416.68	26,420	26,420	416.68	27,210	27,210	▲
71222	E.coli O157 Cul&Sensi(G)	Other	Culture	너301+나40	BY309006+B4061	0		30170	30170		31140	31,140	▲
71220	E.coli O157 Culture	Other	Culture	너301라	BY309006		363.17	23,020	23,020	363.17	23,720	23,720	▲
70740	E.coli O157 PCR	Stool	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
50465	E.coli(Latex)	CSF	Latex	나408	B4080		96.52	6,120	6,120	90.90	5,940	5,940	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
42935	EBV 정량 (Real-time PCR)	EDTA Blood	real time PCR	노598	CZ965		0	0	92,000		0	96,140	▲
42875	EBV EA-DR IgG	SST Serum	EIA	나468나(1)	C4682446		263.15	16,680	16,680	266.76	17,420	17,420	▲
42876	EBV EA-DR IgG	CSF	EIA	나468나(1)	C4682446		263.15	16,680	16,680	266.76	17,420	17,420	▲
42895	EBV EA-DR IgM	SST Serum	EIA	나468나(2)	C4683446		258.09	16,360	16,360	259.16	16,920	16,920	▲
42896	EBV EA-DR IgM	CSF	EIA	나468나(2)	C4683446		258.09	16,360	16,360	259.16	16,920	16,920	▲
42900	EBV EBNA IgG	SST Serum	EIA	나468나(1)	C4682456		263.15	16,680	16,680	266.76	17,420	17,420	▲
42901	EBV EBNA IgG	EDTA Plasma	EIA	나468나(1)	C4682456		263.15	16,680	16,680	266.76	17,420	17,420	▲
42902	EBV EBNA IgG	CSF	EIA	나468나(1)	C4682456		263.15	16,680	16,680	266.76	17,420	17,420	▲
42910	EBV EBNA IgM	SST Serum	EIA	나468나(2)	C4683456		258.09	16,360	16,360	259.16	16,920	16,920	▲
42911	EBV EBNA IgM	EDTA Plasma	EIA	나468나(2)	C4683456		258.09	16,360	16,360	259.16	16,920	16,920	▲
42912	EBV EBNA IgM	CSF	EIA	나468나(2)	C4683456		258.09	16,360	16,360	259.16	16,920	16,920	▲
42920	EBV PCR	EDTA Blood	Nested PCR	나595마	C5955006		385.34	24,430	24,430	385.98	25,200	25,200	▲
42567	EBV PCR Recut	EDTA Blood	PCR-Recut	너562	CY632006		416.88	26,420	26,420	416.68	27,210	27,210	▲
40835	EBV VCA IgG	SST Serum	EIA	나468나(1)	C4682436		263.15	16,680	16,680	266.76	17,420	17,420	▲
40836	EBV VCA IgG	CSF	EIA	나468나(1)	C4682436		263.15	16,680	16,680	266.76	17,420	17,420	▲
40845	EBV VCA IgM	SST Serum	EIA	나468나(2)	C4683436		258.09	16,360	16,360	259.16	16,920	16,920	▲
40846	EBV VCA IgM	CSF	EIA	나468나(2)	C4683436		258.09	16,360	16,360	259.16	16,920	16,920	▲
50750	EBV(in situ)	Other		너567다	CY673006		604.71	38,340	38,340	604.71	39,490	39,490	▲
50755	EBV(in situ)	Other	Insitu Hybridization	너567다	CY673006		604.71	38,340	38,340	604.71	39,490	39,490	▲
50760	EBV(in situ)	Other	Insitu Hybridization	너567다	CY673006		604.71	38,340	38,340	604.71	39,490	39,490	▲
42770	Echovirus Culture	Other	Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
41310	Echovirus Type 11(HI)	SST Serum	HI			국외	0	0	15,000		0	15,680	▲
41311	Echovirus Type 11(HI)	CSF	HI			국외	0	0	15,000		0	15,680	▲
41110	Echovirus Type 11(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
41111	Echovirus Type 11(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41320	Echovirus Type 12(HI)	SST Serum	HI			국외	0	0	15,000		0	15,680	▲
41321	Echovirus Type 12(HI)	CSF	HI			국외	0	0	15,000		0	15,680	▲
41120	Echovirus Type 12(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
41121	Echovirus Type 12(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41130	Echovirus Type 13(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
41131	Echovirus Type 13(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41160	Echovirus Type 16(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
41161	Echovirus Type 16(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41170	Echovirus Type 17(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
41171	Echovirus Type 17(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
41180	Echovirus Type 18(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
41181	Echovirus Type 18(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41190	Echovirus Type 19(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
41191	Echovirus Type 19(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41210	Echovirus Type 21(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
41211	Echovirus Type 21(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41220	Echovirus Type 22(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
41221	Echovirus Type 22(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41240	Echovirus Type 24(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
41241	Echovirus Type 24(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41250	Echovirus Type 25(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
41251	Echovirus Type 25(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41030	Echovirus Type 3(HI)	SST Serum	HI			국외	0	0	15,000		0	15,680	▲
41031	Echovirus Type 3(HI)	CSF	HI			국외	0	0	15,000		0	15,680	▲
40930	Echovirus Type 3(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40931	Echovirus Type 3(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41300	Echovirus Type 30(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
41301	Echovirus Type 30(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40940	Echovirus Type 4(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40941	Echovirus Type 4(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40950	Echovirus Type 5(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40951	Echovirus Type 5(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40960	Echovirus Type 6(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40961	Echovirus Type 6(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41070	Echovirus Type 7(HI)	SST Serum	HI			국외	0	0	15,000		0	15,680	▲
41071	Echovirus Type 7(HI)	CSF	HI			국외	0	0	15,000		0	15,680	▲
40970	Echovirus Type 7(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40971	Echovirus Type 7(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40990	Echovirus Type 9(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40991	Echovirus Type 9(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
40910	Echovirus, Type 1(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
40911	Echovirus, Type 1(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
01220	ECP	SST Serum	ELISA	노114	CZ114		0	0	92,000		0	96,140	▲
01221	ECP	Random Urine	ELISA	노114	CZ114		0	0	92,000		0	96,140	▲
01225	ECP (Unicap)	SST Serum	FEIA	노114	CZ114		0	0	92,000		0	96,140	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
27665	EGFR gene mutation(exon1)	Block	Sequencing	노595	CZ626		0	0	120,000		0	120,000	
27666	EGFR gene mutation(exon2)	Block	Sequencing	노595	CZ626		0	0	180,000		0	180,000	
27667	EGFR gene mutation(exon3)	Block	Sequencing	노595	CZ626		0	0	240,000		0	240,000	
27668	EGFR gene mutation(exon4)	Block	Sequencing	노595	CZ626		0	0	310,000		0	310,000	
27669	EGFR유전자돌연변이	Tissue	DHPLC	노595	CZ626		0	0	111,000		0	111,000	
27670	EGFR유전자돌연변이염기서열	Other	Sequencing	노595	CZ626		0	0	120,000		0	120,000	
70980	Egg count, EPG	Stool	검경법	나68	B0680		33.21	2,110	2,110	31.85	2,080	2,080	▼
01560	Elastase 1	SST Serum	라텍스응집비탁법	노155	BZ155	국외	0	0	69,000		0	72,110	▲
52380	Endomysial IgA	SST Serum	IFA			국외	0	0	326,900		0	341,610	▲
70765	Endotoxin(투석액)	Other					0	0	40,250		0	42,060	▲
42140	Entero Virus Culture	Other	Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
42760	Entero Virus Culture 3종	Other	Culture	나416	B4160006		532.51	101,280	101,280	546.65	107,100	107,100	▲
42370	Entero virus RNA(PCR)	CSF	real time PCR	나596나	C5962006		554.04	35,130	35,130	575.08	37,550	37,550	▲
41000	Enterovirus Type 70(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
41001	Enterovirus Type 70(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41010	Enterovirus Type 71(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
41011	Enterovirus Type 71(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41012	Enterovirus Type 71(NT)	Body Fluid	Neutralization			국외	0	0	60,000		0	62,700	▲
30030	Eosinophil Count	EDTA Blood	Manual	나107가	B1070		12.66	800	800	12.58	820	820	▲
30031	Eosinophil Count	Smear Slide	Manual	나107나	B1071		15.45	980	980	14.87	970	970	▼
12993	Epimerase	EDTA Blood	Enzyme	노337	CZ040		0	0	74,750		0	78,110	▲
00835	Epinephrine(HPLC)	24hr Urine	HPLC	너228가	CY281006		310.2	19,670	19,670	310.20	20,260	20,260	▲
00836	Epinephrine(HPLC)	EDTA Plasma	HPLC	너228가	CY281006		310.2	19,670	19,670	310.20	20,260	20,260	▲
01570	ER/PR Receptor	Tissue		나559	C5590		561.55	71,200	71,200	517.64	67,600	67,600	▼
01250	Erythropoietin(EPO)	SST Serum	CLIA	나357	C3570		285.16	18,080	18,080	270.70	17,680	17,680	▼
01251	Erythropoietin(EPO)	Hp Plasma	CLIA	나357	C3570		285.16	18,080	18,080	270.70	17,680	17,680	▼
30040	ESR	EDTA Blood	Manual	나103가	B1033		11.5	730	730	11.09	720	720	▼
00435	Estradiol (E2)	24hr Urine	RIA			국외	0	0	79,000		0	82,560	▲
00433	Estradiol (E2) (ECLIA)	SST Serum	ECLIA	나326	C3260		182.78	11,590	11,590	185.63	12,120	12,120	▲
00440	Estriol (E3)	SST Serum	RIA	나327주	C7327		181.59	11,510	11,510	163.31	10,660	10,660	▼
00445	Estriol (E3)	24hr Urine	RIA			국외	0	0	79,000		0	82,560	▲
00450	Estrogen	SST Serum	RIA	나325주	C7325		99.27	6,290	6,290	106.40	6,950	6,950	▲
00456	Estrogen	24hr Urine	RIA			국외	0	0	120,000		0	125,400	▲
65240	Ethosuximide	SST Serum	EIA			국외	0	0	75,000		0	78,380	▲
29105	EWS-FLT1	Block	RT-PCR	나597자	C5969006		578.72	36,690	36,690	612.12	39,970	39,970	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
29100	EWS-FLT1/ERG rearrangement	Block	Nested RT-PCR	나597자	C5979006		1608.27	101,960	101,960	1669.92	109,050	109,050	▲
27863	Express QF-PCR 21&culture	Amniotic Fluid					0	0	506,000		0	528,770	▲
27862	Express QF-PCR 3종&culture	Amniotic Fluid					0	0	575,000		0	600,880	▲
27860	Express QF-PCR 5종&culture	Amniotic Fluid					0	0	644,000		0	672,980	▲
27832	Express QF-PCR(21)	Amniotic Fluid	QF-PCR				0	0	120,000		0	125,400	▲
27831	Express QF-PCR(21,18,13)	Amniotic Fluid	QF-PCR				0	0	180,000		0	188,100	▲
27830	Express QF-PCR(5종)	Amniotic Fluid	QF-PCR				0	0	299,000		0	312,460	▲
26351	Express study(18)& Culture	Amniotic Fluid	FISH				0	0	506,000		0	528,770	▲
26280	Express study(21)& Culture	Amniotic Fluid	FISH				0	0	506,000		0	528,770	▲
26285	Express study(21)& Culture	Amniotic Fluid	FISH				0	0	506,000		0	506,000	
27685	Express study18/21&Culture	Amniotic Fluid					0	0	598,000		0	598,000	
25401	Express study-18Chromosome	Amniotic Fluid	FISH	노595	CZ967		0	0	184,000		0	192,280	▲
25415	Express study-21Chromosome	Amniotic Fluid	FISH	노598	CZ967		0	0	184,000		0	192,280	▲
27680	Express(18/21) & Culture	Amniotic Fluid	FISH				0	0	598,000		0	624,910	▲
30650	Factor 5 Leiden(FV:Q506)	EDTA Blood	PCR-RFLP	너562파	CY633006		416.68	26,420	26,420	416.68	27,210	27,210	▲
30480	Factor Ab VIII	SC Plasma	Clot-based	나178가	B1780006		206.62	13,100	13,100	207.67	13,560	13,560	▲
30490	Factor Ab IX	SC Plasma	Clot-based	나178나	B1781006		208.74	13,230	13,230	210.85	13,770	13,770	▲
30570	Factor Assay VII	SC Plasma	Clot-based	나169가(3)	B1693006		162.13	10,280	10,280	168.60	11,010	11,010	▲
30580	Factor Assay VIII	SC Plasma	Clot-based	나169가(4)	B1694006		162.62	10,310	10,310	171.28	11,180	11,180	▲
30590	Factor Assay IX	SC Plasma	Clot-based	나169가(5)	B1695006		161.9	10,260	10,260	170.18	11,110	11,110	▲
30520	Factor AssayII	SC Plasma	Clot-based	나169가(1)	B1691006		159.27	10,100	10,100	164.31	10,730	10,730	▲
30550	Factor AssayV	SC Plasma	Clot-based	나169가(2)	B1692006		158.54	10,050	10,050	163.09	10,650	10,650	▲
30600	Factor AssayX	SC Plasma	Clot-based	나169가(6)	B1696006		156.85	9,940	9,940	161.28	10,530	10,530	▲
30610	Factor AssayX I	SC Plasma	Clot-based	나169가(7)	B1697006		157.14	9,960	9,960	161.73	10,560	10,560	▲
30620	Factor AssayX II	SC Plasma	Clot-based	나169가(8)	B1698006		153.05	9,700	9,700	155.39	10,150	10,150	▲
30630	Factor AssayX III	SC Plasma	Urea 용해시험	나169가(9)	B1699006		157.03	9,960	9,960	161.69	10,560	10,560	▲
27701	Family Mutation,Auto Domin	EDTA Blood	Sequencing				0	0	64,000		0	64,000	
27702	Family Mutation,Auto Reces	EDTA Blood	Sequencing				0	0	76,000		0	76,000	
27703	Family,X-link/Mitochondria	EDTA Blood	Sequencing				0	0	59,000		0	59,000	
27810	Fanconi Anemia Study	복수검체					0	0	168,000		0	168,000	
12940	Fat 정성 검사	Stool		나67	B0670		11.97	760	760	12.63	820	820	▲
11080	Fatty Acid 4 Fraction	Hp Plasma	GC			국외	0	0	88,000		0	91,960	▲
30890	FDP	SC Plasma	TIA	나161나	B1613		134.92	8,550	8,550	136.94	8,940	8,940	▲
31110	FDP 정성	SC Plasma	TIA	나161가	B1611		51.99	3,300	3,300	51.80	3,380	3,380	▲
11690	Ferric Chloride	Random Urine	Colorimetry	나440	C4400		15.9	1,010	1,010	14.64	960	960	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
01585	Ferritin (ECLIA)	SST Serum	ECLIA	나252	C2520		162.87	10,330	10,330	167.93	10,970	10,970	▲
20450	Fetal hemoglobin	EDTA Blood	HPLC	나382라	C3824		64.89	4,110	4,110	65.55	4,280	4,280	▲
30640	Fibrinogen	SC Plasma	Clot-based	나160가	B1601		38.01	2,410	2,410	38.69	2,530	2,530	▲
30900	Fibronectin	SC Plasma	Colorimetry				0	0	74,750		0	78,110	▲
70770	Filariae	Blood Smear Slide	Manual	나115	B1150006		44.42	2,820	2,820	45.57	2,980	2,980	▲
01840	First double Marker	SST Serum					0	0	46,000		0	48,080	▲
01850	First double Marker NT	SST Serum					0	0	46,000		0	48,080	▲
27750	FISH_1p/19q deletion	Tissue	FISH	노598	CZ967		0	0	400,000		0	400,000	
27749	FISH_1p/19q deletion(성모)	Tissue	FISH	노598	CZ967		0	0	436,000		0	436,000	
28250	FISH_1p36 deletion	Block	FISH	노598	CZ967		0	0	240,000		0	240,000	
27900	FISH_1q21/8p21	Hp Blood	FISH	노598	CZ967		0	0	241,500		0	252,370	▲
27910	FISH_5q31	Hp Blood	FISH	노598	CZ967		0	0	210,000		0	219,450	▲
27920	FISH_7q22/7q35	Hp Blood	FISH	노598	CZ967		0	0	241,500		0	252,370	▲
27930	FISH_파라핀 pretreatment	Tissue	FISH				0	0	110,000		0	110,000	
28040	FISH_ALKgene rearrangement	Hp Blood	FISH	노598	CZ967		0	0	240,000		0	240,000	
27081	FISH_AML1/ETO	Bone Marrow	FISH	노598	CZ967		0	0	247,000		0	247,000	
27080	FISH_AML1/ETO, t(8;21)	Hp Blood	FISH	노598	CZ967		0	0	291,000		0	291,000	
26150	FISH_bcr-abl	Bone Marrow	FISH	노598	CZ967		0	0	247,000		0	247,000	
26455	FISH_CATCH22	Hp Blood	FISH	노598	CZ967		0	0	263,000		0	263,000	
26480	FISH_CFB gene, 16q22	Hp Blood	FISH	노598	CZ967		0	0	241,500		0	252,370	▲
27950	FISH_CEP8	Hp Blood	FISH	노598	CZ967		0	0	241,500		0	252,370	▲
27960	FISH_C-myc,8p24	Hp Blood	FISH	노598	CZ967		0	0	220,000		0	220,000	
26510	FISH_D13S25 Locus, 13q14.3	Hp Blood	FISH	노598	CZ967		0	0	175,000		0	175,000	
26530	FISH_D20S108 Locus, 20q12	Hp Blood	FISH	노598	CZ967		0	0	241,500		0	252,370	▲
26540	FISH_D7S522, 7q31	Hp Blood	FISH	노598	CZ967		0	0	244,000		0	244,000	
26451	FISH_DigeorgeI,catch22	Hp Blood	FISH	노598	CZ967		0	0	241,500		0	252,370	▲
26595	FISH_EGFR	Tissue	FISH	노598	CZ967		0	0	320,000		0	320,000	
28240	FISH_EGFR amplificataion	Hp Blood	FISH	노598	CZ967		0	0	320,000		0	320,000	
28130	FISH_EWSR1 (22q12)	Hp Blood	FISH	노598	CZ967		0	0	240,000		0	240,000	
27751	FISH_FIP1L1/PDGFR(4q12)	Bone Marrow	FISH	노598	CZ967		0	0	289,000		0	289,000	
26180	FISH_Her2/neu	Other	FISH	노598	CZ967		0	0	480,000		0	480,000	
26560	FISH_IGH, 14q32.3	Hp Blood	FISH	노598	CZ967		0	0	210,000		0	219,450	▲
27980	FISH_IGH/BCL2 trans.	Hp Blood	FISH	노598	CZ967		0	0	250,000		0	250,000	
26570	FISH_IGH/CCND1	Hp Blood	FISH	노598	CZ967		0	0	250,000		0	250,000	
27990	FISH_IGH/FGFR3,t(4;14)	Hp Blood	FISH	노598	CZ967		0	0	241,500		0	252,370	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
28000	FISH_IGH/MAF,t(14;16)	Hp Blood	FISH	노598	CZ967		0	0	241,500		0	252,370	▲
28110	FISH_Kallman Syndrome	Hp Blood	FISH	노598	CZ967		0	0	210,000		0	210,000	
28260	FISH_MALT1 translocation	Block	FISH	노598	CZ967		0	0	240,000		0	240,000	
26620	FISH_Miller-Dieker	Hp Plasma	FISH	노598	CZ967		0	0	210,000		0	210,000	
27630	FISH_MLL(11q23)	Hp Blood	FISH	노598	CZ967		0	0	241,500		0	252,370	▲
26550	FISH_Myeloma 6종	Bone Marrow	FISH	노598	CZ967		0	0	1,078,000		0	1,078,000	
28200	FISH_Neuroblastoma	Block	FISH	노598	CZ967		0	0	460,000		0	460,000	
26590	FISH_N-MYC Amplification	Tissue	FISH	노598	CZ967		0	0	220,000		0	220,000	
28010	FISH_p16	Hp Blood	FISH	노598	CZ967		0	0	241,500		0	252,370	▲
26581	FISH_PDGFRA	Bone Marrow	FISH	노598	CZ967		0	0	241,500		0	252,370	▲
26582	FISH_PDGFRB	Bone Marrow	FISH	노598	CZ967		0	0	241,500		0	252,370	▲
26600	FISH_PML/RARA, t(15;17)	Hp Blood	FISH	노598	CZ967		0	0	281,000		0	281,000	
26601	FISH_PML-RARa	Bone Marrow	FISH	노598	CZ967		0	0	247,000		0	247,000	
25741	FISH_Prader willi/Angelman	Hp Blood	FISH	노598	CZ967		0	0	241,500		0	252,370	▲
25740	FISH_Prader-Willi syndrome	Hp Blood	FISH	노598	CZ967		0	0	263,000		0	263,000	
25745	FISH_Prader-Willi syndrome	Chorion	FISH	노598	CZ967		0	0	630,000		0	630,000	
25750	FISH_Rb gene	Bone Marrow	FISH	노598	CZ967		0	0	185,000		0	185,000	
25751	FISH_Rb gene	Hp Blood	FISH	노598	CZ967		0	0	185,000		0	185,000	
28210	FISH_SYT translocation	Block	FISH	노598	CZ967		0	0	240,000		0	240,000	
28030	FISH_TEL/AML1 12;21	Hp Blood	FISH	노598	CZ967		0	0	210,000		0	219,450	▲
28020	FISH_TP53,17p13	Hp Blood	FISH	노598	CZ967		0	0	210,000		0	219,450	▲
28021	FISH_TP53,17p13(Tissue)	Tissue	FISH	노598	CZ967		0	0	306,000		0	306,000	
28120	FISH_Trisony 1q (1q25)	Hp Blood	FISH	노598	CZ967		0	0	230,000		0	230,000	
26295	FISH_Williams syndrome	Hp Blood	FISH	노598	CZ967		0	0	263,000		0	263,000	
26290	FISH_William's syndrome	Amniotic Fluid	FISH	노598	CZ967		0	0	231,460		0	231,460	
28140	FISH_Wolf-Hirschhorn	Hp Blood	FISH	노598	CZ967		0	0	200,000		0	200,000	
26650	FISH_X/Y	Hp Blood	FISH	노598	CZ967		0	0	210,000		0	252,370	▲
25430	FISH-Chromosome	Hp Blood	FISH	노598	CZ967		0	0	210,000		0	210,000	
25431	FISH-Chromosome	Amniotic Fluid	FISH	노598	CZ967		0	0	210,000		0	210,000	
25435	FISH-Chromosome (AF)	Amniotic Fluid	FISH	노598	CZ967		0	0	160,000		0	160,000	
65580	FK-506 (HPLC)	EDTA Blood	HPLC	나450나(4)	CX375696		542.51	34,400	34,400	542.51	35,430	35,430	▲
65581	FK-506 (LC-MS/MS)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696		542.51	34,400	34,400	542.51	35,430	35,430	▲
65582	FK-506 (MEIA)	EDTA Blood	MEIA	나450나(2)	C4504390		238.27	15,110	15,110	243.15	15,880	15,880	▲
26245	FLT3 ITD/TKD	EDTA Blood	Sequencing	노595	CZ634+CZ635		0	0	69,000		0	72,110	▲
11285	Folate (CLIA)	SST Serum	CLIA	나254	C2540		221.51	14,040	14,040	221.10	14,440	14,440	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
25450	Fragile X	EDTA Blood	PCR Fragment analysis	너573마	CY539006		953.51	60,450	60,450	953.51	62,260	62,260	▲
27270	Fragile X 정밀검사 (혈액)	EDTA Blood	Southern blot	나598	C5980006		1014.65	64,330	64,330	1010.77	66,000	66,000	▲
11040	Free cholesterol	SST Serum	Enzyme				0	0	3,500		0	3,660	▲
00765	Free Cortisol (CLIA)	24hr Urine	CLIA	나324나(5)	C3249		146.11	9,260	9,260	136.38	8,910	8,910	▼
00766	Free Cortisol (CLIA)	Random Urine	CLIA	나324나(5)	C3249		146.11	9,260	9,260	136.38	8,910	8,910	▼
11090	Free Fatty Acid(NEFA)	SST Serum	Enzyme	나245	C2450		46.96	2,980	2,980	42.76	2,790	2,790	▼
25891	Free Kappa light chain	SST Serum	비탁법	나237가(1)	C2371006		474.18	30,060	30,060	474.18	30,960	30,960	▲
25896	Free Kappa light chain	Random Urine	비탁법	나237나(1)	C2381006		474.18	30,060	30,060	474.18	30,960	30,960	▲
25615	Free Lambda light chain	SST Serum	비탁법	나237가(2)	C2372006		474.18	30,060	30,060	474.18	30,960	30,960	▲
25616	Free Lambda light chain	Random Urine	비탁법	나237나(2)	C2382006		474.18	30,060	30,060	474.18	30,960	30,960	▲
01682	Free PSA (ECLIA)	SST Serum	ECLIA	너321	CX321		173.78	11,020	11,020	173.78	11,350	11,350	▲
01686	Free PSA/PSA ratio(ECLIA)	SST Serum	ECLIA		C4280+CX321		0	0	26,300		0	27,100	▲
00215	Free T3 (ECLIA)	SST Serum	ECLIA	나330	C3300		151.5	9,610	9,610	150.44	9,820	9,820	▲
00225	Free T4 (ECLIA)	SST Serum	ECLIA	나334	C3340		170.42	10,800	10,800	171.51	11,200	11,200	▲
00235	Free thyroxine index	SST Serum	계산법	나331+나333	C3310+C3330		0	20,020	20,020		20,550	20,550	▲
01842	free β-hCG	SST Serum	RIA				0	0	23,000		0	24,040	▲
20460	Fructosamine	SST Serum	Colorimetry	나397	C3970		124.9	7,920	7,920	112.20	7,330	7,330	▼
00092	FSH (ECLIA)	SST Serum	ECLIA	나350	C3500		164.57	10,430	10,430	162.39	10,600	10,600	▲
27330	FSHD, D4Z4 analysis	복수검체	Southern blot				0	0	404,000		0	404,000	
50960	FTA-ABS IgG	SST Serum	IFA	나462	C4620006		154.46	9,790	9,790	155.84	10,180	10,180	▲
50961	FTA-ABS IgG	CSF	IFA	나462	C4620006		154.46	9,790	9,790	155.84	10,180	10,180	▲
50965	FTA-ABS IgG	SST Serum	IFA	나462	C4620006		154.46	9,790	9,790	155.84	10,180	10,180	▲
50975	FTA-ABS IgM	SST Serum	EIA	나462	C4620006		154.46	9,790	9,790	155.84	10,180	10,180	▲
50976	FTA-ABS IgM	CSF	EIA	나462	C4620006		154.46	9,790	9,790	155.84	10,180	10,180	▲
50970	FTA-ABS-IgM	SST Serum	IFA	나462	C4620006		154.46	9,790	9,790	155.84	10,180	10,180	▲
70780	Fungus Culture	Other		나405가	B4051		152.96	9,700	9,700	158.13	10,330	10,330	▲
70785	Fungus Culture & Sensi(G)	Other		나405+나406	B4051+B4061	0		16850	16850		17760	17,760	▲
12991	G-1-P Uridyltransferase	EDTA Blood	Enzyme	노337	CZ039		0	0	63,250		0	66,100	▲
10530	G-6-PDH	EDTA Blood	Colorimetry	나274	B2741		110.74	7,020	7,020	103.33	6,750	6,750	▼
12992	Galactokinase	EDTA Blood	Enzyme	노337	CZ038		0	0	57,500		0	60,090	▲
12990	Galactose-1-Phosphate	EDTA Blood	Enzyme	노337	CZ041		0	0	63,250		0	66,100	▲
11700	Galactose정밀검사	Blood Paper		노337	CZ041외		0	0	60,000		0	60,000	
12995	Galactosemia 확진검사(3종)	EDTA Blood	Enzyme				0	0	201,250		0	210,310	▲
12996	Galactosemia 확진검사(4종)	EDTA Blood	Enzyme	노337	CZ038~041		0	0	258,750		0	270,400	▲
00980	Gastrin (RIA)	SST Serum	RIA	나345주	C7345		159.35	10,100	10,100	144.75	9,450	9,450	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
00981	Gastrin (RIA)	EDTA Plasma	RIA	나345주	C7345		159.35	10,100	10,100	144.75	9,450	9,450	▼
02195	Gastrin 17	SST Serum	ELISA	나345	C3450		171.51	10,870	10,870	159.14	10,390	10,390	▼
02190	Gastro-Gastrin 17	SST Serum	ELISA	나345	C3450		171.51	10,870	10,870	159.14	10,390	10,390	▼
50775	Gastro-H.Pylori IgG	SST Serum	ELISA	나465	C4650		191.65	12,150	12,150	195.51	12,770	12,770	▲
02011	Gastro-panel (3종)	SST Serum	ELISA	나362외	C3620외		0	44,930	44,930		43,830	43,830	▼
02200	Gastro-Panel(4종)	SST Serum	ELISA	나362외	C3620외		0	57,080	57,080		56,600	56,600	▼
02015	Gastro-Pepsinogen I	SST Serum	ELISA	나362	C3620		268.69	17,030	17,030	256.10	16,720	16,720	▼
02025	Gastro-Pepsinogen II	SST Serum	ELISA	나362	C3620		268.69	17,030	17,030	256.10	16,720	16,720	▼
29210	GATA-1 gene mutation	EDTA Blood	Sequencing				0	0	210,000		0	210,000	
71210	GBS Culture	Other	Culture	나405가	B4051		152.96	9,700	9,700	158.13	10,330	10,330	▲
71212	GBS Culture&Sensi(G)	Other	Culture	나405+나40	B4051+B4061		0	16850	16850		17760	17,760	▲
29150	GCH1 gene mutation	EDTA Blood	Sequencing	노595	CZ650		0	0	210,000		0	210,000	
29151	GCH1 gene mutation	EDTA Blood	Sequencing	노595	CZ650		0	0	240,000		0	240,000	
12020	G-CSF	SST Serum	EIA			국외	0	0	253,000		0	264,390	▲
65260	Gentamicin	SST Serum	FPIA	나450나(2)	C4504120		238.27	15,110	15,110	243.15	15,880	15,880	▲
10905	GFR (신사구체여과율)	SST Serum	계산법	나375	C3750		0	0	1,380	19.77	1,290	1,290	▼
00062	GH (CLIA)	SST Serum	CLIA	나342	C3420		184.57	11,700	11,700	181.93	11,880	11,880	▲
00065	GH(Urine)	Random Urine	EIA			국외	0	0	63,250		0	66,100	▲
82140	Giemsa(H.Pylori) Stain	Tissue		나553다	C5533		121.67	7,710	7,710	122.36	7,990	7,990	▲
52290	Gliadin IgG, IgA	SST Serum	ELISA			국외	0	0	357,800		0	373,900	▲
10010	Globulin	SST Serum	계산법	나220 외	C2200 외		0	0	3,100		0	2,970	▼
10011	Globulin	Body Fluid	계산법	나220+나23	C2200+C2302		0	0	14,210		0	14,560	▲
01000	Glucagon (RIA)	EDTA Plasma	RIA	나344주	C7344		172.92	10,960	10,960	165.17	10,790	10,790	▼
10540	Glucose	NaF Plasma	Enzyme	나371나	C3711		22.25	1,410	1,410	20.32	1,330	1,330	▼
10541	Glucose	SST Serum	Enzyme	나371나	C3711		22.25	1,410	1,410	20.32	1,330	1,330	▼
10542	Glucose	24hr Urine	Enzyme	나371나	C3711		22.25	1,410	1,410	20.32	1,330	1,330	▼
10543	Glucose	Body Fluid	Enzyme	나371나	C3711		22.25	1,410	1,410	20.32	1,330	1,330	▼
10550	Glucose tolerance test	NaF Plasma		나371나	C3711		22.25	5,640	5,640	20.32	5,320	5,320	▼
10720	Glycoalbumin	SST Serum	Enzyme			국외	0	0	26,000		0	27,170	▲
01260	Glycocholic Acid	SST Serum	RIA			국외	0	0	26,000		0	27,170	▲
13175	Glycogen 정량	EDTA Blood	Photometry				0	0	51,750		0	54,080	▲
12030	GM-CSF	Media Supernatant	ELISA			국외	0	0	276,000		0	288,420	▲
52150	Gnathostomiasis	Plain Blood	ELISA				0	0	20,000		0	20,000	
10350	GOT(AST)	SST Serum	Enzyme	나257	B2570		26.65	1,690	1,690	25.48	1,660	1,660	▼
10351	GOT(AST)	Body Fluid	Enzyme	나257	B2570		26.65	1,690	1,690	25.48	1,660	1,660	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
10340	GOT-m	SST Serum	Protease			국외	0	0	20,700		0	21,630	▲
10360	GPT(ALT)	SST Serum	Enzyme	나258	B2580		26.62	1,690	1,690	25.24	1,650	1,650	▼
10361	GPT(ALT)	Body Fluid	Enzyme	나258	B2580		26.62	1,690	1,690	25.24	1,650	1,650	▼
70090	Gram Stain	Other		나400가	B4101		20.01	1,270	1,270	20.27	1,320	1,320	▲
70100	Gram Stain	Smear Slide	Gram stain	나400가	B4101		20.01	1,270	1,270	20.27	1,320	1,320	▲
71160	Gram stain (cytospin)	Other		나400주	B4112		22.88	1,450	1,450	23.60	1,540	1,540	▲
28070	GSD1a Mutation Analysis	EDTA Blood	Sequencing	너562	CY630006		416.68	105,680	105,680	416.68	108,840	108,840	▲
10370	Guanase	SST Serum	Enzyme			국외	0	0	14,000		0	14,630	▲
50463	H. influenza	CSF	Latex	나408	B4080		96.52	6,120	6,120	90.90	5,940	5,940	▼
71070	H. pylori Ag	Stool	ELISA	나415다	B4157		245.38	15,560	15,560	245.38	16,020	16,020	▲
50770	H. pylori IgG	SST Serum	ELISA	나465	C4650		191.65	12,150	12,150	195.51	12,770	12,770	▲
50780	H. pylori IgM	SST Serum	ELISA	나465	C4650		191.65	12,150	12,150	195.51	12,770	12,770	▲
42380	H. pylori PCR	Tissue	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
65071	Haloperidol (Haldol)	Plain Serum	LC/MS/MS	나450나(4)	CX375066		542.51	34,400	34,400	542.51	35,430	35,430	▲
12060	Ham's test	복수검체	Colorimetry	나120	B1200006		58.67	3,720	3,720	59.35	3,880	3,880	▲
41590	Hantaan Virus Ab	SST Serum	ICA	나468가	C4681470		164.38	10,420	10,420	149.73	9,780	9,780	▼
41666	Hantaan virus Ab 정량(IFA)	SST Serum	IFA	나468나(1)	C4682476		263.15	16,680	16,680	266.76	17,420	17,420	▲
41600	Hantaan Virus Ab Titer	SST Serum	ICA	나468가	C4681470		164.38	10,420	10,420	149.73	9,780	9,780	▼
27850	Hantaan Virus PCR	SST Serum	PCR	나597사	C5977006		1539.89	97,630	97,630	1567.36	102,350	102,350	▲
41661	HantaanVirus Ab Titer(IFA)	SST Serum	IFA	나468나(1)	C4682476		263.15	16,680	16,680	266.76	17,420	17,420	▲
20180	Haptoglobin	SST Serum	TIA	나234	C2340		114.65	7,270	7,270	116.74	7,620	7,620	▲
20181	Haptoglobin	EDTA Plasma	TIA	나234	C2340		114.65	7,270	7,270	116.74	7,620	7,620	▲
50015	HAV Ab	SST Serum	ECLIA	나486가	C4861		177.51	11,250	11,250	172.26	11,250	11,250	
50035	HAV genotyping	SST Serum	Sequencing				0	0	92,000		0	96,140	▲
50025	HAV IgM	SST Serum	ECLIA	나486나	C4862		261.9	16,600	16,600	253.05	16,520	16,520	▼
50030	HAV RT-PCR	SST Serum	RT-PCR	나596라	C5969006		578.72	36,690	36,690	612.12	39,970	39,970	▲
50055	HBc Ab IgM(ECLIA)	SST Serum	ECLIA	나484나	C4842		230.69	14,630	14,630	218.08	14,240	14,240	▼
50045	HBc Ab(ECLIA)	SST Serum	ECLIA	나484가	C4841		192.46	12,200	12,200	197.73	12,910	12,910	▲
50076	HBe Ab(ECLIA)	SST Serum	ECLIA	나483나	C4832		217.94	13,820	13,820	213.38	13,930	13,930	▲
50075	HBe Ag(ECLIA)	SST Serum	ECLIA	나482나	C4822		215.68	13,670	13,670	211.55	13,810	13,810	▲
01270	HBNP	EDTA Plasma	CLIA	나368	CZ204		605.25	38,370	38,370	605.25	39,520	39,520	▲
01275	hBNP	EDTA Plasma	CLIA	나368	CZ204		605.25	38,370	38,370	605.25	39,520	39,520	▲
50116	HBs Ab(ECLIA)	SST Serum	ECLIA	나481나	C4812		156.41	9,920	9,920	153.07	10,000	10,000	▲
50091	HBs Ab(ICA)	SST Serum	ICA	나481가	C4811		49.45	3,140	3,140	46.28	3,020	3,020	▼
50115	HBs Ag(ECLIA)	SST Serum	ECLIA	나480나	C4802		140.12	8,880	8,880	138.76	9,060	9,060	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
50090	HBs Ag(ICA)	SST Serum	ICA	나480가	C4801		41.82	2,650	2,650	39.80	2,600	2,600	▼
50140	HBV DNA (PCR)	SST Serum	PCR	나595라	C5954006		385.53	24,440	24,440	386.27	25,220	25,220	▲
50160	HBV DNA 정량 (b-DNA)	SST Serum	b DNA	나485다	C4853006		540.77	34,280	34,280	542.70	35,440	35,440	▲
50150	HBV DNA 정량 (CMHA)	SST Serum	CMHA	나485나	C4852006		538.86	34,160	34,160	539.81	35,250	35,250	▲
52178	HBV DNA 정량(real-timePCR)	SST Serum	real time PCR	나485마	C4854006		894.88	56,740	56,740	894.88	58,440	58,440	▲
50180	HBV DNA Polymerase	SST Serum	RA			국외	0	0	85,000		0	88,830	▲
50170	HBV DNA Probe 반정량 (Dot)	SST Serum	RIA	나485가주	C7485		282.98	17,940	17,940	261.12	17,050	17,050	▼
50204	HBV Drug mutation	SST Serum	Sequencing	나599-1가	C5993006		1666.46	105,650	105,650	1666.46	108,820	108,820	▲
50190	HBV Pre core	SST Serum	PCR-RFLP				0	0	63,250		0	66,100	▲
50195	HBV Pre core(RFMP)	SST Serum	RFMP				0	0	63,250		0	66,100	▲
01970	hCG (Latex)	Random Urine	Latex	나26	B0260		25.12	1,590	1,590	25.51	1,670	1,670	▲
50230	HCV (RT-PCR+Hybrid.)	SST Serum	RT-PCR+Hybrid	나596-1가	C6081006		804.74	51,020	51,020	833.92	54,450	54,450	▲
50231	HCV (RT-PCR+Hybrid.)	Other	RT-PCR+Hybrid	나596-1가	C6081006		804.74	51,020	51,020	833.92	54,450	54,450	▲
50215	HCV Ab(EIA)	SST Serum	EIA	나487나	C4872		199.8	12,670	12,670	201.29	13,140	13,140	▲
50220	HCV Ab(RIBA III)	SST Serum		나487다	C4873006		550.43	34,900	34,900	553.50	36,140	36,140	▲
50255	HCV Genotype (PCR+hybrid)	SST Serum	RT-PCR+Hybrid	나596-1나	CZ961006		1698.27	107,670	107,670	1698.27	110,900	110,900	▲
52365	HCV Genotype (PCR-RFMP)	SST Serum	RFMP	나596-2	C6092006		1704.75	108,080	108,080	1704.75	111,320	111,320	▲
52360	HCV Genotype (Sequencing)	SST Serum	Sequencing				0	0	138,000		0	144,210	▲
50241	HCV RNA 정량	SST Serum	real time PCR	나424다	C4424006		1127.2	71,460	71,460	1127.20	73,610	73,610	▲
11100	HDL-Cholesterol	SST Serum	Enzyme	나242	C2420		82.74	5,250	5,250	81.98	5,350	5,350	▲
20600	HDL-Cholesterol E.P	SST Serum	Electrophoresis	나302	B3020006		153.55	9,740	9,740	142.95	9,330	9,330	▼
50265	HDV Ab (IgG)	SST Serum	EIA	나421	CX421		264.37	16,760	16,760	264.37	17,260	17,260	▲
50270	HDV RT- PCR	SST Serum	Nested RT-PCR	나598	CZ959		0	0	86,250		0	90,130	▲
70810	Heinz body	EDTA Blood		나116	B1160006		30.98	1,960	1,960	32.55	2,130	2,130	▲
30004	Hematocrit(Hct)	EDTA Blood	자동혈구계산법	나102	B1020		10.53	670	670	10.71	700	700	▲
51855	hemavision 28종	Bone Marrow	PCR				0	497,500	497,500		526,220	526,220	▲
26440	Hemochromatosis, HFE gene	EDTA Blood	Sequencing	나562사	CY627006		416.68	105,680	105,680	416.68	108,840	108,840	▲
10730	Hemoglobin A1c	EDTA Blood	TIA	나382마	C3825		102.02	6,470	6,470	102.58	6,700	6,700	▲
20490	Hemoglobin E.P	EDTA Blood	Electrophoresis	나307	B3070006		94.59	6,000	6,000	97.47	6,360	6,360	▲
30003	Hemoglobin(Hb)	EDTA Blood	자동혈구계산법	나101	B1010		16.73	1,060	1,060	16.85	1,100	1,100	▲
65590	Hemopexin	SST Serum	SRID			국외	0	0	46,000		0	48,070	▲
70040	Hemosiderin	Random Urine	검경법	나7	B0070		27.46	1,740	1,740	27.47	1,790	1,790	▲
30910	Hepaplastin	SC Plasma				국외	0	0	12,000		0	12,540	▲
30660	Heparin	SC Plasma	발색성합성기질법			국외	0	0	27,000		0	28,220	▲
65420	Heroin	Random Urine	ICA	나450가(2)	C4502390		130.9	8,300	8,300	124.57	8,130	8,130	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
50790	Heterophil Ab	SST Serum	응집법	나470가	C4701		82.23	5,210	5,210	81.86	5,350	5,350	▲
50280	HEV Ab IgG	SST Serum	EIA	너422가	CY431		175.99	11,160	11,160	175.99	11,490	11,490	▲
50290	HEV Ab IgM	SST Serum	EIA	너422나	CY432		175.99	11,160	11,160	175.99	11,490	11,490	▲
50300	HEV RT- PCR	SST Serum	Nested RT-PCR	나596라	C5969006		578.72	36,690	36,690	612.12	39,970	39,970	▲
10380	Hexosaminidase A	Hp Blood	Fluorometry	노326	CZ326		0	0	57,000		0	57,000	
12997	HGPRT enzyme test	EDTA Blood	Enzyme				0	0	115,000		0	120,180	▲
50310	HGV RT-PCR	SST Serum	Nested RT-PCR	노598	CZ958		0	0	69,000		0	72,110	▲
42525	HHV-8 PCR	Block	PCR	나595바	CY561006		384.04	24,350	24,350	384.04	25,080	25,080	▲
12080	Hippuric acid	Random Urine	HPLC	나451나(3)	CY373030		399.4	25,320	25,320	399.40	26,080	26,080	▲
65600	Histamine	EDTA Plasma	EIA			국외	0	0	100,580		0	105,110	▲
51670	Histone Ab	SST Serum	EIA	너443아	CY450006		616.68	39,100	39,100	616.68	40,270	40,270	▲
50806	Histoplasma Ab Confirm	SST Serum	CF			국외	0	0	270,000		0	282,150	▲
50805	Histoplasma Ab Screen	SST Serum	ELISA			국외	0	0	187,550		0	195,990	▲
41335	HIV Ab (CMIA)	SST Serum	CMIA	나471나	C4712		122.19	7,750	7,750	124.88	8,150	8,150	▲
41337	HIV Ab (Stem cell)	Stem cell	CMIA	나471나	C4712		122.19	7,750	7,750	124.88	8,150	8,150	▲
42260	HIV Ag(AIDS Ag)	SST Serum	ELFA	너394	CX394		188.85	11,970	11,970	188.85	12,330	12,330	▲
42404	HIV RNA 정량	EDTA Plasma	real time PCR	너396	CY396006		2310.1	146,460	146,460	2310.10	150,850	150,850	▲
42391	HIV RT-PCR 정성	SST Serum	Nested RT-PCR	나597자	C5979006		1608.27	101,960	101,960	1669.92	109,050	109,050	▲
42410	HIV-I PCR	EDTA Blood	Nested RT-PCR	나597자	C5979006		1608.27	101,960	101,960	1669.92	109,050	109,050	▲
41360	HIV-I(W.B)	SST Serum	Western blot			국외	0	0	270,000		0	282,150	▲
41370	HIV-II(W.B)	SST Serum	Western blot			국외	0	0	300,000		0	313,500	▲
25470	HLA A Typing (High)	EDTA Blood	PCR-SBT	너494나	CY916006		3459.57	219,340	219,340	3459.57	225,910	225,910	▲
26360	HLA A Typing (Low)	EDTA Blood	PCR-SSP	너494가	CY915006		2320.24	147,100	147,100	2320.24	151,510	151,510	▲
26361	HLA A Typing (Low)	Bone Marrow	PCR-SSP	너494가	CY915006		2320.24	147,100	147,100	2320.24	151,510	151,510	▲
25497	HLA A,B 조혈모이식1차	EDTA Blood	PCR-SBT	너494나	CY916006		3459.57	438,680	438,680	3459.57	451,820	451,820	▲
25499	HLA A,B,C,DR 조혈모 수여	EDTA Blood	PCR-SBT	너494나	CY914006 외		0	842,400	842,400		867,630	867,630	▲
25480	HLA B Typing (High)	EDTA Blood	PCR-SBT	너494나	CY916006		3459.57	219,340	219,340	3459.57	225,910	225,910	▲
26370	HLA B Typing (Low)	EDTA Blood	PCR-SSP	너494가	CY915006		2320.24	147,100	147,100	2320.24	151,510	151,510	▲
26371	HLA B Typing (Low)	Bone Marrow	PCR-SSP	너494가	CY915006		2320.24	147,100	147,100	2320.24	151,510	151,510	▲
25500	HLA B27-PCR	EDTA Blood	PCR	너495가	CY917006		563.99	35,760	35,760	563.99	36,830	36,830	▲
25510	HLA B51 typing	EDTA Blood	DNA Typing	노597	CZ909		0	0	46,000		0	48,070	▲
25490	HLA C Typing (High)	EDTA Blood	PCR-SBT	너494나	CY916006		3459.57	219,340	219,340	3459.57	225,910	225,910	▲
26380	HLA C Typing (Low)	EDTA Blood	PCR-SSP	너494가	CY915006		2320.24	147,100	147,100	2320.24	151,510	151,510	▲
26381	HLA C Typing (Low)	Bone Marrow	PCR-SSP	너494가	CY915006		2320.24	147,100	147,100	2320.24	151,510	151,510	▲
25498	HLA C,DR 조혈모이식2차	EDTA Blood	PCR-SBT	너494나	CY914006 외		0	403,720	403,720		415,810	415,810	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
27720	HLA DPA1 Typing(High)	EDTA Blood	PCR-SBT				0	0	250,000		0	250,000	
27710	HLA DPB1 Typing(High)	EDTA Blood	PCR-SBT				0	0	250,000		0	250,000	
26390	HLA DQ Typing (Low)	EDTA Blood	PCR-SSP	너492가	CY911006		1973.4	125,110	125,110	1973.40	128,860	128,860	▲
26391	HLA DQ Typing (Low)	Bone Marrow	PCR-SSP	너492가	CY911006		1973.4	125,110	125,110	1973.40	128,860	128,860	▲
25520	HLA DQA1 (Low)	EDTA Blood	PCR-SSP	너492가	CY911006		1973.4	125,110	125,110	1973.40	128,860	128,860	▲
25521	HLA DQA1 Typing(High)	EDTA Blood	PCR-SBT	너492나	CY912006		2908.15	184,380	184,380	2908.15	189,900	189,900	▲
25530	HLA DQB1 (Low)	EDTA Blood	PCR-SSP	너492가	CY911006		1973.4	125,110	125,110	1973.40	128,860	128,860	▲
25535	HLA DQB1 Typing (High)	EDTA Blood	PCR-SBT	너492나	CY912006		2908.15	184,380	184,380	2908.15	189,900	189,900	▲
25550	HLA DR Typing (Low)	EDTA Blood	PCR	너493가	CY913006		1973.4	125,110	125,110	1973.40	128,860	128,860	▲
25551	HLA DR Typing (Low)	Bone Marrow	PCR	너493가	CY913006		1973.4	125,110	125,110	1973.40	128,860	128,860	▲
25560	HLA DR Typing(High)	EDTA Blood	PCR-SBT	너493나	CY914006		2908.15	184,380	184,380	2908.15	189,900	189,900	▲
25570	HLA RA(DRB1*0405)	EDTA Blood	DNA Typing	너496	CX496006		1206.58	76,500	76,500	1206.58	78,790	78,790	▲
29280	HMBS gene mutation	EDTA Blood	Sequencing				0	0	420,000		0	420,000	
26890	HNPP, PMP22 gene mutation	EDTA Blood	Southern blot	노595	CZ616		0	0	316,000		0	316,000	
01055	HOMA of insulin resistance	복수검체	계산법	나341외	C3410외		0	0	12,410		0	12,800	▲
12090	Homocysteine	SST Serum	Enzyme	노133	CZ133		0	0	23,000		0	24,040	▲
12091	Homocysteine	EDTA Plasma	Enzyme	노133	CZ133		0	0	23,000		0	24,040	▲
01590	Homogentistic acid	Random Urine	GC/MSD				0	0	92,000		0	96,140	▲
01990	HPL(Human Plasental Lactogen)	SST Serum	Latex			국외	0	0	63,250		0	66,100	▲
42430	HPV 16	분비물	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
42480	HPV 16	분비물	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
42440	HPV 18	분비물	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
42490	HPV 18	분비물	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
42450	HPV DNA Chip	분비물	DNA Chip	나595-2	C5959006		698.13	44,260	44,260	698.13	45,590	45,590	▲
42457	HPV DNA Chip(Tissue)	Tissue	DNA Chip	나595-2	C5959006		698.13	44,260	44,260	698.13	45,590	45,590	▲
42455	HPV genotyping(microarray)	분비물		나595-2	C5959006		698.13	44,260	44,260	698.13	45,590	45,590	▲
42420	HPV Screening	분비물	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
42470	HPV Screening	분비물	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
42425	HPV Screening (Tissue)	Tissue	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
42460	HPV Screening (Type 16,18)	분비물		나595아	C5956006		396.83	50,320	50,320	403.21	52,660	52,660	▲
26170	HSALP	SST Serum	Enzyme				0	0	6,000		0	6,270	▲
42155	HSV culture	Other	Shell Vial Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
41380	HSV IgG	SST Serum	ELISA	나468나(1)	C4682466		263.15	16,680	16,680	266.76	17,420	17,420	▲
41381	HSV IgG	CSF	ELISA	나468나(1)	C4682466		263.15	16,680	16,680	266.76	17,420	17,420	▲
41390	HSV IgM	SST Serum	ELISA	나468나(2)	C4683466		258.09	16,360	16,360	259.16	16,920	16,920	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
41391	HSV IgM	CSF	ELISA	나468나(2)	C4683466		258.09	16,360	16,360	259.16	16,920	16,920	▲
43541	HSV Type 1 IgM	SST Serum	IFA			국외	0	0	42,000		0	43,890	▲
43540	HSV Type 1/2 IgM	SST Serum	IFA			국외	0	0	84,000		0	87,780	▲
41440	HSV Type 2 IgG	SST Serum	EIA	나468나(1)	C4682466		263.15	16,680	16,680	266.76	17,420	17,420	▲
41441	HSV Type 2 IgG	CSF	EIA	나468나(1)	C4682466		263.15	16,680	16,680	266.76	17,420	17,420	▲
43542	HSV Type 2 IgM	SST Serum	IFA			국외	0	0	42,000		0	43,890	▲
42520	HSV type 6 DNA(PCR)	SST Serum	PCR			국외	0	0	402,500		0	420,610	▲
42521	HSV type 6 DNA(PCR)	CSF	PCR			국외	0	0	402,500		0	420,610	▲
43580	HSV Type 6 IgG	SST Serum	IFA			국외	0	0	170,000		0	177,650	▲
42500	HSV Type I(PCR)	EDTA Blood	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
42510	HSV Type II(PCR)	EDTA Blood	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
41420	HSV Type I (NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
41421	HSV Type I (NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
43080	HSV type I IgG	SST Serum	EIA	나468나(1)	C4682466		263.15	16,680	16,680	266.76	17,420	17,420	▲
43081	HSV type I IgG	CSF	EIA	나468나(1)	C4682466		263.15	16,680	16,680	266.76	17,420	17,420	▲
41430	HSV TypeII(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
41431	HSV TypeII(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41460	HTLV-1(W.B)	SST Serum	Western blot			국외	0	0	172,500		0	180,260	▲
41475	HTLV-I/II Ab (EIA)	SST Serum	EIA	나468나(1)	C4682596		263.15	16,680	16,680	266.76	17,420	17,420	▲
41476	HTLV-I/II Ab (EIA)	CSF	EIA	나468나(1)	C4682596		263.15	16,680	16,680	266.76	17,420	17,420	▲
41477	HTLV-I/II Ab (EIA)	EDTA Plasma	EIA	나468나(1)	C4682596		263.15	16,680	16,680	266.76	17,420	17,420	▲
01810	Hu autoantibodies	SST Serum	Western blot			국외	0	0	747,500		0	781,140	▲
01811	Hu autoantibodies	CSF	Western blot			국외	0	0	747,500		0	781,140	▲
25605	Huntington's disease	EDTA Blood	PCR Fragment analysis	너573가	CY531006		953.51	60,450	60,450	953.51	62,260	62,260	▲
00861	HVA 정량 (Plasma)	EDTA Plasma	GC/MSD	너225나	CY251006		310.2	19,670	19,670	310.20	20,260	20,260	▲
00865	HVA 정량(HPLC)	24hr Urine	HPLC	너225나	CY251006		310.2	19,670	19,670	310.20	20,260	20,260	▲
00866	HVA 정량(HPLC)	Random Urine	HPLC	너225나	CY251006		310.2	19,670	19,670	310.20	20,260	20,260	▲
00860	HVA 정량(Plasma)	EDTA Plasma	HPLC			국외	0	0	40,250		0	42,060	▲
12105	Hyaluronic Acid	SST Serum	TIA	너345가(3)	CY343		339.91	21,550	21,550	339.91	22,200	22,200	▲
12106	Hyaluronic Acid	Joint Fluid	SBPA			국외	0	0	66,000		0	68,970	▲
12107	Hyaluronic Acid	Body Fluid	SBPA			국외	0	0	66,000		0	68,970	▲
12120	Hydroxyproline Free	24hr Urine	HPLC	노244	CZ244		0	0	103,500		0	108,160	▲
12110	Hydroxyproline Total	24hr Urine	HPLC	노244	CZ244	국외	0	0	88,000		0	115,000	▲
65521	I	Plain Blood	LC/MS/MS										
13020	I.C Hyperbilirubinemias	24hr Urine	HPLC			국외	0	0	253,000		0	264,390	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
20190	IAP	SST Serum	Nephelometry			국외	0	0	126,530		0	132,220	▲
12130	ICTP(type I collagen)	SST Serum	RIA			국외	0	0	69,000		0	78,110	▲
20200	IgA	SST Serum	TIA	나228나	C2282		132.8	8,420	8,420	135.23	8,830	8,830	▲
20201	IgA	EDTA Plasma	TIA	나228나	C2282		132.8	8,420	8,420	135.23	8,830	8,830	▲
20210	IgD	SST Serum	SRID	나228라	C2284		131.28	8,320	8,320	132.95	8,680	8,680	▲
60003	IgE (ECLIA)	SST Serum	ECLIA	나229	C2290		229.25	14,530	14,530	232.23	15,160	15,160	▲
62585	IgE MAST-식이성 42종	SST Serum	Immunoblot assay	나232	C2320006		1332.06	84,450	84,450	1336.58	87,280	87,280	▲
62595	IgE MAST-흡입성 42종	SST Serum	Immunoblot assay	나232	C2320006		1332.06	84,450	84,450	1336.58	87,280	87,280	▲
62640	IgE_Clam:F207	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60290	IgE-잉고혈청단백:E79	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
60380	IgE-A.Tenuis:M6	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62740	IgE-Abalone:F346	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60350	IgE-Acacia:T19	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
60360	IgE-Acarus Siro:D70	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61180	IgE-Alder:T2	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62990	IgE-Alkalase:RK205	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
60370	IgE-Almond:F20	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62860	IgE-Amoxycilloyl:C6	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62850	IgE-Ampicilloyl:C5	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60390	IgE-Anisakis:P4	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60400	IgE-Apple:F49	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60410	IgE-Ascaris:P1	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
60420	IgE-Asp.Fumigatus:M3	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60440	IgE-Avocado:F96	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
60450	IgE-Bahia Grass:G17	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
60460	IgE-Bamboo sprout:F51	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60480	IgE-Banana:F92	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60490	IgE-Barley:F6	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60500	IgE-Beech:T5	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60510	IgE-Beef:F27	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62460	IgE-Beer Yeast:F45	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60530	IgE-Bermuda Grass:G2	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60105	IgE-Birch:T3	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60560	IgE-Blue Mussel:F37	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
63000	IgE-Botrytis cinerea:M7	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
61530	IgE-Box Elder:T1	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
60570	IgE-Brazil Nut:F18	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
63090	IgE-Broccoli:F256G	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62630	IgE-Broccoli:F260	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60590	IgE-Buckwheat:F11	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60640	IgE-C.pityrosporum:M70	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
63140	IgE-Cabbage:F216	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
60620	IgE-Cacao:F93	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62870	IgE-Cafaclor:C7	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60630	IgE-Candida Albicans:M5	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60650	IgE-Carrot:F31	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60670	IgE-Casein:F78	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60685	IgE-Cat Epithelium:E1	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60690	IgE-Celery:F85	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60700	IgE-Cheddar Cheese:F81	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
60710	IgE-Chicken meat:F83	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60720	IgE-Chiken Feathers:E85	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62900	IgE-Chymopapain:C209	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60750	IgE-CI.Herbarum:M2	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60775	IgE-Cockroach:I6	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60790	IgE-Coconut:F36	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
60800	IgE-Codfish:F3	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61300	IgE-Common millet:F55	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60820	IgE-Common Ragweed:W1	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60830	IgE-Common Reed:G7	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61500	IgE-Corn:F8	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60840	IgE-Cottonwood:T14	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60850	IgE-Cow Dander:E4	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
60860	IgE-Crab:F23	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60905	IgE-D.Farinae:D2	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62930	IgE-D.microceras:D3	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
63070	IgE-D.pteronys.:D1G	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
60915	IgE-D.Pteronyssinus:D1	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60920	IgE-Dandelion:W8	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60935	IgE-Dog dander:E5	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
60950	IgE-Duck Feathers:E86	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60980	IgE-Echinococcus:P2	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
60995	IgE-Egg White:F1	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61005	IgE-Egg Yolk:F75	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62800	IgE-Egg:F245	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60160	IgE-Elm:T8	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61020	IgE-English Plantain:W9	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61040	IgE-Ethylene oxide:K78	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61050	IgE-Eucalyptus:T18	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62660	IgE-False ragweed:W4	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62730	IgE-Fire Ant:I70	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
63051	IgE-Food Mix:Fx1	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
63052	IgE-Food Mix:Fx10	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
63050	IgE-Food Mix:Fx5e	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
63053	IgE-Food Mix:Fx74	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62970	IgE-Formaldehyde:K80	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61610	IgE-Foxtail Millet:F56	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62700	IgE-Fusariummoniliforme:M9	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61200	IgE-G.Pig Epithelium:E6	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61100	IgE-Garlic:F47	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62890	IgE-Gelatin bovine:C74	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61090	IgE-Giant Ragweed:W3	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61110	IgE-Gluten:F79	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61130	IgE-Goat Epithelium:E80	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62960	IgE-Goat milk:RF300	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
63120	IgE-Goat milk:RF300	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61150	IgE-Goldenrod:W12	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61160	IgE-Goose Feathers:E70	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61170	IgE-Grape fruit:F209	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62680	IgE-Grape:F259	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
63100	IgE-Grape:F259G	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61210	IgE-H.halodes:M8	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61220	IgE-Hamster epithelium:E84	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61240	IgE-Hazel Nut:F17	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61230	IgE-Hazel:T4	SST Serum	FPIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
61250	IgE-Honey Bee Venom:I1	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61260	IgE-Horse Dander:E3	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
60300	IgE-Horse mackerel:F60	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61270	IgE-House dust1:H1	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61280	IgE-House dust2:H2	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61310	IgE-Insulin Bovine:C71	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62880	IgE-Insulin human:C73	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61320	IgE-Insuline Porcine:C70	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61330	IgE-Isocyanate HDI:K77	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61340	IgE-Isocyanate MDI:K76	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61345	IgE-Isocyanate MDI:K76-RIA	SST Serum	IRMA	나231주2	C7231		208.09	13,190	13,190	222.88	14,550	14,550	▲
61350	IgE-Isocyanate TDI:K75	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61355	IgE-Isocyanate TDI:K75-RIA	SST Serum	IRMA	나231주2	C7231		208.09	13,190	13,190	222.88	14,550	14,550	▲
61470	IgE-Ispaghula:K72	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61360	IgE-Japanes cedar:T17	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61370	IgE-Japanese hop:W22	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62540	IgE-Japanese linden:T24	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
60470	IgE-Japanese millet: F57	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61380	IgE-Johnson Grass:G10	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61390	IgE-June Kentucky blue:G8	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61415	IgE-Kiwi:F84	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61120	IgE-L.Destructor:D71	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61430	IgE-Lamb's Quarters:W10	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61440	IgE-Latex:K82	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61460	IgE-Lobster:F80	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61490	IgE-Mackerel:F50	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61510	IgE-Malt:F90	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61520	IgE-Mango:F91	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61540	IgE-Marguerite:W7	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61550	IgE-Meadow Fescue:G4	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61560	IgE-Meadow Foxtail:G16	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61580	IgE-Melon:F87	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61590	IgE-Mesquite(RIA):T20	SST Serum	IRMA	나231주2	C7231		208.09	13,190	13,190	222.88	14,550	14,550	▲
61630	IgE-Midge(성충):I7	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62790	IgE-Milk,boiled:F231	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
61605	IgE-Milk:F2	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62750	IgE-Mix grass pollen:Gx2	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62820	IgE-Mix house dust:Hx2	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62770	IgE-Mix tree pollen:Tx5	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61625	IgE-Mold Cheese:F82	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62760	IgE-Mold mix:Mx1	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61640	IgE-Mosquito(숙):I71	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61650	IgE-Moth:I8	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61660	IgE-Mountain Juniper:T6	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61670	IgE-Mouse epithelium:E88	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62650	IgE-Mucor racemosus:M4	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61680	IgE-Mugwort:W6	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61700	IgE-Mustard:F89	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61420	IgE-Mutton:F88	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61715	IgE-Nettle:W20	SST Serum				국외	0	0	20,000		0	20,900	▲
61720	IgE-Oak:T7	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61740	IgE-Oat Pollen:G14	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61730	IgE-Oat:F7	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61750	IgE-Octopus:F59	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61760	IgE-Olive:T9	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
63150	IgE-Omega-5 Gliadine:F416	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61770	IgE-Onion:F48	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61780	IgE-Orange:F33	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61790	IgE-Orchard Grass:G3	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62710	IgE-Oyster:F290	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61810	IgE-P.Wasp Venom:I4	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60890	IgE-Pacific Squid:F58	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61820	IgE-Parrot droppings:E77	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61830	IgE-Parrot feathers:E78	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61840	IgE-Parsley:F86	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61195	IgE-Pea:F12	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61850	IgE-Peach:F95	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61860	IgE-Peanut:F13	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61870	IgE-Pear:F94	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61880	IgE-Pecan:T22	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
61890	IgE-Penicillium notatum:M1	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61900	IgE-Penicilloyl G:C1	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61910	IgE-Penicilloyl V:C2	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
63130	IgE-PHAD(Phadiatop)	SST Serum	FEIA	노113	CZ113		0	0	40,000		0	41,800	▲
62010	IgE-Phthalic anhydride:K79	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61940	IgE-Pigeon Droppings:E7	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62670	IgE-Pine nuts:F253	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62620	IgE-Pineapple:F210	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61955	IgE-Pistachio:F203	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61960	IgE-Plaice:F254	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61970	IgE-Pork:F26	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61980	IgE-Potato:F35	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62920	IgE-Protamine:RC207	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
61990	IgE-Pumpkin:F225	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62000	IgE-Rabbit epithelium:E82	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62780	IgE-Rat epithelium:E73	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
60320	IgE-Rat epithelium:E87	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62020	IgE-Red top Grass:G9	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
63010	IgE-Rhizo.nigricans:M11	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62050	IgE-Rice:F9	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
61920	IgE-Rye Grass:G5	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62090	IgE-Rye Pollen(RIA):G12	SST Serum	IRMA	나231주2	C7231		208.09	13,190	13,190	222.88	14,550	14,550	▲
62080	IgE-Rye:F5	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62100	IgE-Sadine:F61	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62110	IgE-Salmon:F41	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62135	IgE-Sesame Seed:F10	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62140	IgE-Sheep epithelium:E81	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62170	IgE-Sheep Sorrel:W18	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62150	IgE-Shrimp:F24	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62160	IgE-Silk:K74	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62185	IgE-Soybean:F14	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62190	IgE-Spinach:F214	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
63040	IgE-Squid:RF258	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
63060	IgE-Stemphylium B.:M10	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62210	IgE-Strawberry:F44	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
62230	IgE-Sweat Vernal:G1	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62240	IgE-Sweet potato:F54	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62250	IgE-Swine Epithelium:E83	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62260	IgE-Sycamore:T11	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62270	IgE-T.Putre Scentiae:D72	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62910	IgE-T.toxoid:C208	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62280	IgE-Timothy Grass:G6	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62300	IgE-Tomato:F25	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62840	IgE-Tree mixture:Tx9	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62720	IgE-Trichophyton:M205	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62320	IgE-Tuna:F40	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
63110	IgE-Tuna:F40G	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62950	IgE-Turkey meat:F284	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62330	IgE-Velvet Grass(RIA):G13	SST Serum	IRMA	나231주2	C7231		208.09	13,190	13,190	222.88	14,550	14,550	▲
62350	IgE-Walnut pollen:T10	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62810	IgE-Walnut:F256	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62940	IgE-Walnut:F256G	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
63030	IgE-Weed Mix:Wx5	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62360	IgE-Western Ragweed:W2	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62380	IgE-Wheat Pollen:G15	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62370	IgE-Wheat:F4	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62390	IgE-White Ash:T15	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62410	IgE-White bean:F15	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62400	IgE-White faced hornet:I2	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
60960	IgE-White Pine:T16	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62430	IgE-Willow:T12	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62440	IgE-Wormwood:W5	SST Serum	FEIA			국외	0	0	20,000		0	20,900	▲
62830	IgE-Yellow hornet:I5	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62480	IgE-Yellow J.WaspVenom:I3	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62495	IgE-αLactalbumin:F76	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
62505	IgE-βLactoglobulin:F77	SST Serum	FEIA	나231	C2310		196.74	12,470	12,470	205.85	13,440	13,440	▲
01295	IGFBP-3 (CLIA)	SST Serum	CLIA	나231	CX231		345.13	21,880	21,880	345.13	22,540	22,540	▲
20220	IgG	SST Serum	TIA	나228가	C2281		132.59	8,410	8,410	134.92	8,810	8,810	▲
20221	IgG	CSF	TIA	나228가	C2281		132.59	8,410	8,410	134.92	8,810	8,810	▲
20225	IgG, Low Conc	CSF	TIA	나228가	C2281		132.59	8,410	8,410	134.92	8,810	8,810	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
20230	IgG I Subclass	SST Serum	SRID	너181가	BY181		183.11	11,610	11,610	183.11	11,960	11,960	▲
20240	IgGII Subclass	SST Serum	SRID	너181나	BY182		183.11	11,610	11,610	183.11	11,960	11,960	▲
20250	IgGIII Subclass	SST Serum	SRID	너181다	BY183		183.11	11,610	11,610	183.11	11,960	11,960	▲
20260	IgGIV Subclass	SST Serum	SRID	너181라	BY184		183.11	11,610	11,610	183.11	11,960	11,960	▲
25885	IgH gene rearrangement	Block	PCR+Hybridization	나595-1다	C6029006		639.74	40,560	40,560	668.68	43,660	43,660	▲
20270	IgM	SST Serum	TIA	나228다	C2283		132.82	8,420	8,420	135.26	8,830	8,830	▲
20271	IgM	Hp Plasma	TIA	나228다	C2283		132.82	8,420	8,420	135.26	8,830	8,830	▲
65621	Imipramine	Plain Blood	LC/MS/MS	나450나(4)	CX375696		542.51	34,400	34,400	542.51	35,430	35,430	▲
51700	Immune Complex(c1q)	SST Serum	ELISA			국외	0	0	55,000		0	57,480	▲
51710	Immune Complex(RF)	SST Serum	EIA			국외	0	0	55,000		0	57,480	▲
26190	Immuno CD117	Block		나557	C5575006		470.02	29,800	29,800	466.94	30,490	30,490	▲
20621	Immuno E.P (24h urine)	24hr Urine	Electrophoresis	나308나	B3083006		430.73	27,310	27,310	439.56	28,700	28,700	▲
20625	Immuno E.P (IgG,M,A,D,E)	SST Serum	Electrophoresis	나308가	B3081006		379.1	24,030	24,030	385.86	25,200	25,200	▲
20623	Immuno E.P (Random urine)	Random Urine	Electrophoresis	나308나	B3083006		430.73	27,310	27,310	439.56	28,700	28,700	▲
20620	Immuno E.P (Serum)	SST Serum	Electrophoresis	나308가	B3081006		379.1	24,030	24,030	385.86	25,200	25,200	▲
20626	Immuno E.P(IgG,M,A,D,E)(U)	Random Urine	Electrophoresis	나308가	B3081006		379.1	24,030	24,030	385.86	25,200	25,200	▲
20611	Immuno Fixation EP	Random Urine	Electrophoresis	나308나주	B3084006		569.15	36,080	36,080	584.69	38,180	38,180	▲
20610	Immuno Fixation EP (Serum)	SST Serum	Electrophoresis	나308가주	B3082006		503.16	31,900	31,900	517.20	33,770	33,770	▲
20228	Immunoglobulin G Index	SST Serum	계산법				0	0	31,370		0	32,510	▲
26565	Immunoglobulin heavy chain	Tissue	Southern Hybridization	나598다	C5983006		982.31	62,280	62,280	962.26	62,840	62,840	▲
80650	Immunohistochemistry	Smear Slide		나557	C5575006		470.02	29,800	29,800	466.94	30,490	30,490	▲
70820	India ink prep.	CSF		나401	B4010		31.03	1,970	1,970	29.12	1,900	1,900	▼
70821	India ink prep.	Other		나401	B4010		31.03	1,970	1,970	29.12	1,900	1,900	▼
10060	Indirect Bilirubin	SST Serum	계산법	나372	C3720+C3721		0	0	2,740		0	2,610	▼
10061	Indirect Bilirubin	Capillary	계산법	나372 외	C3720 외		0	0	2,740		0	2,610	▼
30330	Indirect Coombs	SST Serum	Column	나204나주	B2042006		34.72	2,200	2,200	34.96	2,280	2,280	▲
12150	Indocyanine Green소실율	SST Serum	Colorimetry	나399나	C3992006		572.5	36,300	36,300	572.50	37,380	37,380	▲
12140	Indocyanine Green정체율	SST Serum	Colorimetry	나399가	C3991006		381.69	24,200	24,200	381.69	24,920	24,920	▲
42165	Influenza A Culture	Other	Shell Vial Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
42288	Influenza A(H1N1) PCR	비인후/인후도 찰물	real time PCR	나597	C6095006		1608.27	101,960	101,960	1669.92	109,050	109,050	▲
42175	Influenza B Culture	Other	Shell Vial Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
42280	Influenza virus A & B Ag	Sputum	DFA	나469	C4690596		202.85	25,720	25,720	203.10	26,520	26,520	▲
42281	Influenza virus A Ag	Sputum	DFA	나469	C4690596		202.85	12,860	12,860	203.10	13,260	13,260	▲
42282	Influenza virus B Ag	Sputum	DFA	나469	C4690596		202.85	12,860	12,860	203.10	13,260	13,260	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
41490	Influenza virus Type A(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
41491	Influenza virus Type A(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
41510	Influenza virus Type A(HI)	SST Serum	HI			국외	0	0	15,000		0	15,680	▲
41511	Influenza virus Type A(HI)	CSF	HI			국외	0	0	15,000		0	15,680	▲
41500	Influenza virus Type B(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
41501	Influenza virus Type B(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
41520	Influenza virus Type B(HI)	SST Serum	HI			국외	0	0	15,000		0	15,680	▲
41521	Influenza virus Type B(HI)	CSF	HI			국외	0	0	15,000		0	15,680	▲
01864	Inhibin-A	SST Serum	CLIA	나369	CZ211		350.82	22,240	22,240	350.82	22,910	22,910	▲
01025	Insulin (ECLIA)	SST Serum	ECLIA	나341	C3410		173.45	11,000	11,000	175.61	11,470	11,470	▲
01026	Insulin (ECLIA)	EDTA Plasma	ECLIA	나341	C3410		173.45	11,000	11,000	175.61	11,470	11,470	▲
01040	Insulin Ab(RIA)	SST Serum	RIA	너444주	CX745		224.58	14,240	14,240	224.58	14,670	14,670	▲
01050	Insulin Receptor Ab	SST Serum	RRA			국외	0	0	310,500		0	324,470	▲
01848	Integrated 1st_PAPP-A,NT	SST Serum	RIA	노212	CZ212		0	0	23,000		0	24,040	▲
51770	Interleukin 1 R. antagonist	EDTA Plasma	ELISA			국외	0	0	287,500		0	300,440	▲
51860	Interleukin 10	SST Serum	ELISA			국외	0	0	287,500		0	300,440	▲
51760	Interleukin 1β	SST Serum	ELISA			국외	0	0	287,500		0	300,440	▲
51780	Interleukin 2	SST Serum	ELISA			국외	0	0	287,500		0	300,440	▲
51790	Interleukin 2 receptor,Solub	SST Serum	ELISA			국외	0	0	287,500		0	300,440	▲
51800	Interleukin 3	Media Supernatant	ELISA			국외	0	0	287,500		0	300,440	▲
51810	Interleukin 4	SST Serum	ELISA			국외	0	0	287,500		0	300,440	▲
51820	Interleukin 5	SST Serum	ELISA			국외	0	0	287,500		0	300,440	▲
51830	Interleukin 6	SST Serum	ELISA			국외	0	0	287,500		0	300,440	▲
51850	Interleukin 8	EDTA Plasma	ELISA			국외	0	0	287,500		0	300,440	▲
51851	Interleukin 8	Media Supernatant	ELISA			국외	0	0	287,500		0	300,440	▲
13150	Iodide	Random Urine		너234	CX234		81.41	5,160	5,160	81.41	5,320	5,320	▲
30140	Iron Stain	Bone Marrow Slide	Stain	나118다	B1185006		86.02	5,450	5,450	86.53	5,650	5,650	▲
12730	Iron (Fe)	SST Serum	Colorimetry	나249	C2490		39.52	2,510	2,510	36.95	2,410	2,410	▼
12732	Iron (Fe)(Tissue)	Tissue	AAS	나452	C4527990		601.26	38,120	38,120	607.56	39,670	39,670	▲
51880	Islet cell Ab	SST Serum	IFA	너446	CX446006		134.29	8,510	8,510	134.29	8,770	8,770	▲
30370	Isoagglutinin test	복수검체		나208	B2080006		120.52	7,640	7,640	113.54	7,410	7,410	▼
27772	JAK2 gene exon12 mutation	EDTA Blood	MLPA				0	0	100,000		0	100,000	
27770	JAK2 Gene V617F Mutation	Bone Marrow	Sequencing	노595	CZ647		0	0	158,000		0	158,000	

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
27771	JAK2 Gene V617F Mutation	Bone Marrow	PCR	노596	CZ818		0	0	62,300		0	62,300	
27775	JAK2 V617F mutation	EDTA Blood	Sequencing	노595	CZ647		0	0	113,850		0	118,970	▲
41570	JEV Ab(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
41571	JEV Ab(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
41580	JEV Ab(HI)	SST Serum	HI			국외	0	0	15,000		0	15,680	▲
41581	JEV Ab(HI)	CSF	HI			국외	0	0	15,000		0	15,680	▲
42530	JEV RT-PCR	CSF	RT-PCR			국외	0	0	345,000		0	360,530	▲
42531	JEV RT-PCR	SST Serum	RT-PCR			국외	0	0	345,000		0	360,530	▲
71030	Joint fluid analysis	Joint Fluid		나51	B0510		47.54	3,010	3,010	49.02	3,200	3,200	▲
71031	Joint fluid analysis	Body Fluid		나51	B0510		47.54	3,010	3,010	49.02	3,200	3,200	▲
25890	Kappa light chain	SST Serum	Nephelometry	나228가	C2281		132.59	8,410	8,410	134.92	8,810	8,810	▲
25893	Kappa light chain	Random Urine	Nephelometry	나554자	C5548		307.9	19,520	19,520	288.58	18,840	18,840	▼
29220	KCNQ1 (Long QT syndrome)	EDTA Blood	Sequencing	노595	CZ658		0	0	460,000		0	460,000	
12200	Ketone body 3분획	EDTA Plasma	GC/MSD	너271	CX271006		263.21	16,690	16,690	263.21	17,190	17,190	▲
12201	Ketone body 3분획	Random Urine	GC/MSD	너271	CX271006		263.21	16,690	16,690	263.21	17,190	17,190	▲
12210	Ketone Body 3분획	SST Serum	GC/MSD	너271	CX271006		263.21	16,690	16,690	263.21	17,190	17,190	▲
12180	Ketone Body 3F (Arterial)	Arterial Serum	Enzyme			국외	0	0	21,000		0	21,950	▲
12190	Ketone Body 3F (Venous)	SST Serum	Enzyme			국외	0	0	18,000		0	18,810	▲
12170	Ketone body 정성	Random Urine	Colorimetry	나386	C3860		74.39	4,720	4,720	74.94	4,890	4,890	▲
12171	Ketone body 정성	SST Serum	Colorimetry	나386	C3860		74.39	4,720	4,720	74.94	4,890	4,890	▲
81050	Ki-67 (IHC)	Tissue	Immunohistochemis try	나557	C5575006		470.02	29,800	29,800	466.94	30,490	30,490	▲
30440	Kidd 혈액형검사	복수검체	Tube	나203	B2030006		81.03	5,140	5,140	77.45	5,060	5,060	▼
13060	KL-6	SST Serum	ECLIA			국외	0	0	34,000		0	35,530	▲
70830	KOH Mount	Other		나400마	B4102		19.42	1,230	1,230	19.38	1,270	1,270	▲
41650	Korea virus I	SST Serum					0	23,200	23,200		22,330	22,330	▼
41660	Korea VirusⅢ	SST Serum					0	50,740	50,740		52,320	52,320	▲
41663	Korea VirusⅢ,CSF	CSF					0	50,740	50,740		52,320	52,320	▲
27676	K-ras 전체돌연변이	Other	Sequencing	노595	CZ605		0	0	345,000		0	360,530	▲
27677	K-ras 주요돌연변이	Other	Sequencing	노595	CZ605		0	0	150,000		0	156,750	▲
27672	K-ras analysis	Other		노595(11)	CZ605		0	0	62,900		0	62,900	
27678	k-ras gene mutation	Block	Sequencing	노595	CZ605		0	0	130,000		0	130,000	
51890	L.E. Cell	Plain Blood	Manual	나112	B1120006		56.68	3,590	3,590	56.12	3,660	3,660	▲
11120	L/S Ratio	Amniotic Fluid	TLC	나55	B0550006		167.84	10,640	10,640	168.65	11,010	11,010	▲
81040	L26(CD20) (IHC)	Tissue	Immunohistochemis try	나557	C5575006		470.02	29,800	29,800	466.94	30,490	30,490	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
30930	LAC confirm	SC Plasma	Colorimetry	나171나	B1712006		291.7	18,490	18,490	297.97	19,460	19,460	▲
30935	LAC screen	SC Plasma	Colorimetry	나171가	B1711		183.17	11,610	11,610	191.56	12,510	12,510	▲
10740	Lactic Acid	NaF Plasma	Enzyme	너345가(5)	CY345		339.91	21,550	21,550	339.91	22,200	22,200	▲
10741	Lactic Acid	CSF	Enzyme	너345가(5)	CY345		339.91	21,550	21,550	339.91	22,200	22,200	▲
25610	Lambda light chain	SST Serum	Nephelometry	나228가	C2281		132.59	8,410	8,410	134.92	8,810	8,810	▲
25613	Lambda light chain	Random Urine	Nephelometry	나554자	C5548		307.9	19,520	19,520	288.58	18,840	18,840	▼
65780	Lamotrigine	Random Urine		나450가(4)	CX372690		378.82	24,020	24,020	378.82	24,740	24,740	▲
65781	Lamotrigine	Random Urine		나450가(4)	CX372690		378.82	24,020	24,020	378.82	24,740	24,740	▲
65782	Lamotrigine	Plain Serum	HPLC	나450가(3)	CX374690		262.87	16,670	16,670	262.87	17,170	17,170	▲
10390	LAP	SST Serum	Enzyme	나267	B2670		51.62	3,270	3,270	47.87	3,130	3,130	▼
30380	LAP Score	Blood Smear Slide		나126	B1260006		86.19	5,460	5,460	86.77	5,670	5,670	▲
10400	L-CAT	SST Serum	Enzyme			국외	0	0	27,000		0	28,220	▲
10410	LDH	SST Serum	Enzyme	나259	B2590		41.35	2,620	2,620	36.92	2,410	2,410	▼
10411	LDH	Body Fluid	Enzyme	나259	B2590		41.35	2,620	2,620	36.92	2,410	2,410	▼
20640	LDH Isoenzyme	SST Serum	Electrophoresis	나303	B3030006		175.19	11,110	11,110	175.56	11,460	11,460	▲
20641	LDH Isoenzyme	Body Fluid	Electrophoresis	나303	B3030006		175.19	11,110	11,110	175.56	11,460	11,460	▲
11110	LDL-Cholesterol	SST Serum	Enzyme	나243	C2430		91.04	5,770	5,770	90.26	5,890	5,890	▲
00870	L-Dopa	EDTA Plasma	HPLC			국외	0	0	86,250		0	90,130	▲
12750	Lead(Pb)	Trace EDTA Blood	AAS	나452나(2)	C4523630		302.23	19,160	19,160	306.17	19,990	19,990	▲
12751	Lead(Pb)	24hr Urine	AAS	나452나(2)	C4523630		302.23	19,160	19,160	306.17	19,990	19,990	▲
71140	Legionella Ag	Random Urine	ICA	나475나	C4752996		285.42	18,100	18,100	293.16	19,140	19,140	▲
43570	Legionella pneumophilaPCR	Sputum	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
01300	Leptin	SST Serum	RIA				0	0	34,500		0	36,050	▲
41621	Leptospira Ab Titer(ICA)	SST Serum	ICA	나466가	C4661020		128.06	8,120	8,120	123.13	8,040	8,040	▼
41611	Leptospira Ab(ICA)	SST Serum	ICA	나466가	C4661020		128.06	8,120	8,120	123.13	8,040	8,040	▼
41662	Leptospirosis(응집법)	SST Serum	PHA	나466가	C4661020		128.06	8,120	8,120	123.13	8,040	8,040	▼
41668	Leptospirosis(PHA)	SST Serum	PHA	나466가	C4661020		128.06	8,120	8,120	123.13	8,040	8,040	▼
26130	Leukemia marker study	EDTA Blood	IFA	나512+나51	C512~30006		0	410,990	410,990		424,600	424,600	▲
26131	Leukemia marker study	Bone Marrow	IFA	나512+나51	C512~30006		0	410,990	410,990		424,600	424,600	▲
26135	Leukemia marker study	Bone Marrow	Flow Cytometry	나511~3	C5111006외		0	481,320	481,320		497,180	497,180	▲
00106	LH (ECLIA)	SST Serum	ECLIA	나348	C3480		159.17	10,090	10,090	156.51	10,220	10,220	▲
25620	LHON 11778	EDTA Blood	PCR-RFLP	너562나	CY622006		416.68	26,420	26,420	416.68	27,210	27,210	▲
25630	LHON 14484	EDTA Blood	PCR-RFLP	너562나	CY622006		416.68	26,420	26,420	416.68	27,210	27,210	▲
26460	LHON 3460	EDTA Blood	PCR-RFLP	너562나	CY622006		416.68	26,420	26,420	416.68	27,210	27,210	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
25640	LHON 3460,11778,14484	EDTA Blood	PCR-RFLP	너562나	CY622006		416.68	73,260	73,260	416.68	81,630	81,630	▲
25645	LHON 3460,4171,11778,14484	EDTA Blood	PCR-RFLP	너562나	CY622006		416.68	105,680	105,680	416.68	108,840	108,840	▲
25635	LHON 4171	EDTA Blood	PCR-RFLP	너562나	CY622006		416.68	26,420	26,420	416.68	27,210	27,210	▲
25646	LHON3460,11778,14484,15257	EDTA Blood	Sequencing	노595	CZ609		0	0	166,200		0	166,200	
65085	Lidocaine	SST Serum	EIA			국외	0	0	75,000		0	78,380	▲
10425	Lipase	SST Serum	Colorimetry	나262	B2621		60.67	3,850	3,850	60.41	3,940	3,940	▲
10426	Lipase	Body Fluid	Colorimetry	나262	B2621		60.67	3,850	3,850	60.41	3,940	3,940	▲
11116	Lipid profile	SST Serum	계산법	나241 외	C2411 외		0	9,940	9,940		10,060	10,060	▲
20650	Lipoprotein E.P	SST Serum	Electrophoresis	나301	B3010006		147.07	9,320	9,320	138.58	9,050	9,050	▼
20651	Lipoprotein E.P	Body Fluid	Electrophoresis	나301	B3010006		147.07	9,320	9,320	138.58	9,050	9,050	▼
20660	Lipoprotein lipase	Hp Plasma	ELISA	노151	BZ151	국외	0	0	74,750		0	78,110	▲
12860	Lipoprotein(a)	SST Serum	TIA	나248	C2480		160	10,140	10,140	160.49	10,480	10,480	▲
71170	Listeria culture	Other	Culture	나405가	B4051		152.96	9,700	9,700	158.13	10,330	10,330	▲
12765	Lithium(Li)	SST Serum	AAS	나452나(2)	C4523610		302.23	19,160	19,160	306.17	19,990	19,990	▲
29120	LRRK2 gene mutation	EDTA Blood	MLPA	노595	CZ620		0	0	510,000		0	510,000	
26090	Lymphocyte subset 3종	EDTA Blood		나512	C5120006		445.94	84,810	84,810	447.99	87,750	87,750	▲
26091	Lymphocyte subset 3종	Bone Marrow		나512	C5120006		445.94	84,810	84,810	447.99	87,750	87,750	▲
26100	Lymphocyte subset 4종	EDTA Blood		나512	C5120006		445.94	113,080	113,080	447.99	117,000	117,000	▲
26101	Lymphocyte subset 4종	Bone Marrow		나512	C5120006		445.94	113,080	113,080	447.99	117,000	117,000	▲
26110	Lymphocyte subset 4종	EDTA Blood		나512	C5120006		445.94	113,080	113,080	447.99	117,000	117,000	▲
26115	Lymphocyte subset 4종	EDTA Blood		나512	C5120006		445.94	113,080	113,080	447.99	117,000	117,000	▲
10430	Lysozyme	SST Serum	비탁법			국외	0	0	29,900		0	31,250	▲
71230	M.h & U.u 배양및약제감수성	Other	Culture	너301	BY301+3006		0	46,040	46,040		47,440	47,440	▲
52130	MAG autoantibodies	SST Serum	ELISA			국외	0	0	633,000		0	661,490	▲
25650	MAGE-폐암유전자검사	Sputum	Nested RT-PCR	나5970아	CX565006		1484.87	94,140	94,140	1484.87	96,960	96,960	▲
70840	Malaria	Blood Smear Slide	Manual	나115	B1150006		44.42	2,820	2,820	45.57	2,980	2,980	▲
70850	Malaria (Rapid)	EDTA Blood	ICA				0	0	23,000		0	24,040	▲
42551	Malaria P. falciparum PCR	EDTA Blood	PCR	나5950아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
42552	Malaria P. vivax PCR	EDTA Blood	PCR	나5950아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
42553	Malaria P.malariae PCR	EDTA Blood	PCR	나5950아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
42554	Malaria P.ovale PCR	EDTA Blood	PCR	나5950아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
42540	Malaria PCR	EDTA Blood	PCR	나5950아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
42545	Malaria PCR 2종	EDTA Blood	PCR	나5950아	C5956006		396.83	50,320	50,320	403.21	52,660	52,660	▲
42555	Malaria PCR 4종	EDTA Blood	PCR	나5950아	C5956006		396.83	100,640	100,640	403.21	105,320	105,320	▲
12220	Mandelic acid	Random Urine	HPLC	나451나(3)	CY373020		399.4	25,320	25,320	399.40	26,080	26,080	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
12770	Mangane(Mn)	Trace EDTA Blood	AAS	나452나(2)	C4523660		302.23	19,160	19,160	306.17	19,990	19,990	▲
12771	Mangane(Mn)	24hr Urine	AAS	나452나(2)	C4523660		302.23	19,160	19,160	306.17	19,990	19,990	▲
12772	Mangane(Mn)	Random Urine	AAS	나452나(2)	C4523660		302.23	19,160	19,160	306.17	19,990	19,990	▲
26910	Marfan, FBN1 gene mutation	EDTA Blood	Sequencing	노595	CZ613		0	0	944,000		0	944,000	
82110	Massons Trichrome Stain	Tissue		나553나	C5532		121.67	7,710	7,710	122.36	7,990	7,990	▲
11150	MDA(Malonedialdehyde)	EDTA Plasma	Colorimetry				0	0	34,500		0	36,050	▲
65690	MDMA (Ecstasy)	Random Urine	ICA	나450가(2)	C4502390		130.9	8,300	8,300	124.57	8,130	8,130	▼
41680	Measles virus IgG(ELISA)	SST Serum	ELISA	나468나(1)	C4682486		263.15	16,680	16,680	266.76	17,420	17,420	▲
41681	Measles virus IgG(ELISA)	CSF	ELISA	나468나(1)	C4682486		263.15	16,680	16,680	266.76	17,420	17,420	▲
41690	Measles virus IgM(ELISA)	SST Serum	ELISA	나468나(2)	C4683486		258.09	16,360	16,360	259.16	16,920	16,920	▲
41691	Measles virus IgM(ELISA)	CSF	ELISA	나468나(2)	C4683486		258.09	16,360	16,360	259.16	16,920	16,920	▲
42560	Measles virus RNA	CSF	Nephelometry			국외	0	0	288,000		0	300,960	▲
41720	Measles virus(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
41721	Measles virus(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
25660	MELAS, MT-TL1 sequencing	EDTA Blood	Sequencing	노595	CZ610		0	0	70,000		0	70,000	
26730	MEN2(FMTC), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006		2955.94	187,410	187,410	2955.94	193,020	193,020	▲
26740	MEN2(MEN2A), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006		2955.94	187,410	187,410	2955.94	193,020	193,020	▲
26750	MEN2(MEN2B), RET mutation	EDTA Blood	Sequencing	나599나(3)	CY571006		2955.94	187,410	187,410	2955.94	193,020	193,020	▲
12780	Mercury(Hg)	Trace EDTA Blood	AAS	나452나(2)	C4523640		302.23	19,160	19,160	306.17	19,990	19,990	▲
12781	Mercury(Hg)	24hr Urine	AAS	나452나(2)	C4523640		302.23	19,160	19,160	306.17	19,990	19,990	▲
12782	Mercury(Hg)	Random Urine	AAS	나452나(2)	C4523640		302.23	19,160	19,160	306.17	19,990	19,990	▲
51915	MERRF Major Mutation	EDTA Blood	Sequencing	노595	CZ611		0	0	50,000		0	50,000	
51916	MERRF, MT-TK sequencing	EDTA Blood	Sequencing	노595	CZ611		0	0	70,000		0	70,000	
20520	Met Hemoglobin	EDTA Blood	Oximeter	나382가	C3821		51.31	3,250	3,250	50.52	3,300	3,300	▲
00885	Metanephrine 2F(HPLC)	24hr Urine	HPLC	너228			0	39,340	39,340		40,520	40,520	▲
00886	Metanephrine(HPLC)	24hr Urine	HPLC	너228라	CY284006		310.2	19,670	19,670	310.20	20,260	20,260	▲
00892	Metanephrine,Total(HPLC)	24hr Urine	HPLC	너228라	CY284006		310.2	19,670	19,670	310.20	20,260	20,260	▲
65430	Methamphetamine 정성	Random Urine	ICA	나450가(2)	C4502390		130.9	8,300	8,300	124.57	8,130	8,130	▼
10750	Methanol	Random Urine	GC			국외	0	0	148,500		0	155,180	▲
65640	Methotrexate(MTX)	SST Serum	FPIA	나450나(2)	C4504130		238.27	15,110	15,110	243.15	15,880	15,880	▲
12230	Methylhippuric acid	Random Urine	HPLC	나451나(3)	CY373040		399.4	25,320	25,320	399.40	26,080	26,080	▲
10760	Methylmalonic Acid	Random Urine	GC/MSD	노340	CZ340		0	0	34,500		0	36,050	▲
10761	Methylmalonic Acid	24hr Urine	GC/MSD	노340	CZ340		0	0	34,500		0	36,050	▲
10770	Methylmalonic acid 정량	24hr Urine	GC/MSD	노340	CZ340		0	0	27,200		0	27,200	

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
10771	Methylmalonic acid 정량	Random Urine	GC/MSD	노340	CZ340		0	0	27,200		0	27,200	
10772	Methylmalonic acid 정량	EDTA Plasma	GC/MSD	노340	CZ340		0	0	27,200		0	27,200	
10120	Mg	SST Serum	Colorimetry	나379사	C3797		27.22	1,730	1,730	25.94	1,690	1,690	▼
10121	Mg	24hr Urine	Colorimetry	나379사	C3797		27.22	1,730	1,730	25.94	1,690	1,690	▼
10122	Mg	Random Urine	Colorimetry	나379사	C3797		27.22	1,730	1,730	25.94	1,690	1,690	▼
29075	MGMT gene mutation	Block	Methylation PCR	노596	CZ815		0	0	180,000		0	180,000	
20280	Microalbumin	24hr Urine	RIA	나230나주	C7230		164.97	10,460	10,460	146.73	9,580	9,580	▼
20281	Microalbumin	Random Urine	RIA	나230나주	C7230		164.97	10,460	10,460	146.73	9,580	9,580	▼
20290	Microalbumin 정성	Random Urine	Strip	나230가	C2301		12.84	810	810	12.12	790	790	▼
50841	Micro-ELISA Test(BF)	Body Fluid	Micro-ELISA	나472나(1)	C4722796		271.93	17,240	17,240	271.19	17,710	17,710	▲
50850	Micro-ELISA Test(CSF)	CSF	Micro-ELISA	나472나(1)	C4722796		271.93	17,240	17,240	271.19	17,710	17,710	▲
50840	Micro-ELISA Test(S)	SST Serum	Micro-ELISA	나472나(1)	C4722796		271.93	17,240	17,240	271.19	17,710	17,710	▲
51900	Mitochondrial DNA MELAS	EDTA Blood	PCR-RFLP	너562다	CY623006		416.68	79,260	79,260	416.68	81,630	81,630	▲
51910	Mitochondrial DNA MERRF	EDTA Blood	PCR-RFLP	너562라	CY624006		416.68	26,420	26,420	416.68	27,210	27,210	▲
30050	Mixing Test	SC Plasma	Clot-based	나177	B1770006		197.66	12,530	12,530	194.23	12,680	12,680	▲
26420	MLH1gene mutation analysis	EDTA Blood	Sequencing	나599나(2)	CY711006		5911.54	374,790	374,790	5911.54	386,020	386,020	▲
30450	MN 혈액형검사	EDTA Blood	Tube	나203	B2030006		81.03	5,140	5,140	77.45	5,060	5,060	▼
28060	MODY3 Mutation Analysis	EDTA Blood	Sequencing	노595	CZ644		0	0	365,000		0	365,000	
65440	Morphine	Random Urine	ICA	나450가(2)	C4502390		130.9	8,300	8,300	124.57	8,130	8,130	▼
29290	MPS2, IDS gene mutation	EDTA Blood	Sequencing	노595	CZ648		0	0	347,000		0	347,000	
30060	MPV	EDTA Blood	자동혈구계산법				0	0	1,400		0	1,460	▲
02090	MSAFP	SST Serum	RIA	나421나주	C7421		167.6	10,630	10,630	164.31	10,730	10,730	▲
01861	MS-AFP	SST Serum	RIA	나421나주	C7421		167.6	10,630	10,630	164.31	10,730	10,730	▲
26430	MSH2 gene	EDTA Blood	Sequencing	나599나(2)	CY712006		5911.54	374,790	374,790	5911.54	386,020	386,020	▲
01862	MS-hCG	SST Serum	RIA	나352주	C7352		181.82	11,530	11,530	173.76	11,350	11,350	▼
27674	MSI Test	Other	PCR Fragment analysis	너574	CX574006		2596.61	164,630	164,630	2596.61	169,560	169,560	▲
27679	MSI(Microsatellite) test	Block		너574	CX574006		2596.61	164,630	164,630	2596.61	169,560	169,560	▲
01863	MS-uE3	SST Serum	RIA	나327주	C7327		181.59	11,510	11,510	163.31	10,660	10,660	▼
29190	MTATP6 (Leigh disease)	EDTA Blood	Sequencing				0	0	93,000		0	93,000	
42606	MTB & NTM PCR	Sputum	PCR+Hybridization	나595-1가	C6021006		618.5	39,210	39,210	636.81	41,580	41,580	▲
27265	MTHFR(C677T)	EDTA Blood	PCR-RFLP	너562아	CY628006		416.68	26,420	26,420	416.68	27,210	27,210	▲
27060	MTHFR(C677T) genotyping	EDTA Blood		너562아	CY628006		416.68	26,420	26,420	416.68	27,210	27,210	▲
71040	Mucin clot test	Joint Fluid	Manual	나54	B0540		11.09	700	700	11.26	740	740	▲
10795	Mucopolysaccharide 정성	Random Urine		나444가	C4441		29.33	1,860	1,860	27.10	1,770	1,770	▼
10780	Mucopolysaccharidosis 선별	Random Urine		나444나	C4442		69.84	4,430	4,430	66.37	4,330	4,330	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
10790	Mucopolysaccharidosis 확진	복수검체		노321	CZ033		0	0	232,000		0	232,000	
20310	Mucoprotein	SST Serum				국외	0	0	165,000		0	172,430	▲
60040	Multi Allergens-Epidermals	SST Serum	FEIA			국외	0	0	35,000		0	36,580	▲
60050	Multi Allergens-Food child	SST Serum	FEIA			국외	0	0	35,000		0	36,580	▲
60060	Multi Allergens-Foods	SST Serum	FEIA			국외	0	0	35,000		0	36,580	▲
60070	Multi Allergens-Grasses	SST Serum	FEIA			국외	0	0	35,000		0	36,580	▲
60080	Multi Allergens-Molds	SST Serum	FEIA			국외	0	0	35,000		0	36,580	▲
60090	Multi Allergens-Weeds	SST Serum	FEIA			국외	0	0	35,000		0	36,580	▲
42180	Mumps Culture	Random Urine	Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
41730	Mumps virus IgG (ELISA)	SST Serum	ELISA	나468나(1)	C4682506		263.15	16,680	16,680	266.76	17,420	17,420	▲
41731	Mumps virus IgG (ELISA)	CSF	ELISA	나468나(1)	C4682506		263.15	16,680	16,680	266.76	17,420	17,420	▲
41740	Mumps virus IgM (ELISA)	SST Serum	ELISA	나468나(2)	C4683506		258.09	16,360	16,360	259.16	16,920	16,920	▲
41741	Mumps virus IgM (ELISA)	CSF	ELISA	나468나(2)	C4683506		258.09	16,360	16,360	259.16	16,920	16,920	▲
42590	Mumps virus RNA(RT-PCR)	CSF	RT-PCR			국외	0	0	402,500		0	420,610	▲
41750	Mumps virus(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
41751	Mumps virus(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
41760	Mumps virus(HI)	SST Serum	HI			국외	0	0	15,000		0	15,680	▲
41761	Mumps virus(HI)	CSF	HI			국외	0	0	15,000		0	15,680	▲
41770	Mumps virus(NT)	SST Serum	Neutralization			국외	0	0	15,000		0	15,680	▲
41771	Mumps virus(NT)	CSF	Neutralization			국외	0	0	15,000		0	15,680	▲
80695	Muscle Biopsy	Tissue					0	0	77,580		0	77,580	
50870	Mycoplasma Ab	SST Serum	PA	나474가	C4741820		73.52	4,660	4,660	69.03	4,510	4,510	▼
50871	Mycoplasma Ab	Body Fluid	PA	나474가	C4741820		73.52	4,660	4,660	69.03	4,510	4,510	▼
42620	Mycoplasma genitalium PCR	분비물	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
71190	Mycoplasma hominis culture	Other	Culture	나301가	BY301006		363.17	23,020	23,020	363.17	23,720	23,720	▲
42630	Mycoplasma hominis PCR	Other	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
52300	Mycoplasma pneumoniae IgG	SST Serum	EIA	나474나(1)	C4742826		204.59	12,970	12,970	205.72	13,430	13,430	▲
52310	Mycoplasma pneumoniae IgM	SST Serum	EIA	나474나(2)	C4743826		203.84	12,920	12,920	204.59	13,360	13,360	▲
52311	Mycoplasma pneumoniae IgM	CSF	EIA	나474나(2)	C4743826		203.84	12,920	12,920	204.59	13,360	13,360	▲
42640	Mycoplasma pneumoniae PCR	Sputum	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
01325	Myelin basic protein	CSF	EIA	노428	CZ428	국외	0	0	180,000		0	240,350	▲
01330	Myoglobin	SST Serum	CLIA	나384나	C3842		231.19	14,660	14,660	232.25	15,170	15,170	▲
01331	Myoglobin	Random Urine	CLIA	나384나	C3842		231.19	14,660	14,660	232.25	15,170	15,170	▲
01340	Myosin light chain 1	SST Serum	EIA			국외	0	0	62,000		0	64,790	▲
25681	Myotonic Muscular Dystroph	EDTA Blood	Southern blot	나598카	C5980006		1014.65	64,330	64,330	1010.77	66,000	66,000	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
25680	Myotonic Muscular Dystrophy	EDTA Blood	PCR	너573+나59	CY539006+C59870		0	123,130	123,130		125,710	125,710	▲
71082	N. gonorr Culture&Sensi(G)	Other	Culture	나405+나40	B4051+B4061		0	16850	16850		17760	17,760	▲
71080	N. gonorrhoeae Culture	Other	Culture	나405가	B4051		152.96	9,700	9,700	158.13	10,330	10,330	▲
42650	N. gonorrhoeae PCR	분비물	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
50464	N. meningitis	CSF	Latex	나408	B4080		96.52	6,120	6,120	90.90	5,940	5,940	▼
65090	N-Acethylprocainamide	SST Serum	EIA			국외	0	0	68,000		0	71,060	▲
65091	N-Acethylprocainamide	Hp Plasma	EIA			국외	0	0	68,000		0	71,060	▲
12240	N-acetyl-aspartic acid	Random Urine	GC/MSD				0	0	57,500		0	60,090	▲
10450	NAG	24hr Urine	Colorimetry			국외	0	0	24,150		0	25,240	▲
10451	NAG	Random Urine	Colorimetry			국외	0	0	24,150		0	25,240	▲
01600	NCC-ST-439	SST Serum	EIA			국외	0	0	52,900		0	55,280	▲
11685	Neonatal Biotinidase	Blood Paper	FIA	노333	CZ333		0	0	23,000		0	24,040	▲
00240	Neonatal Free T4	Blood Paper	EIA	나334	C3340		170.42	10,800	10,800	171.51	11,200	11,200	▲
11705	Neonatal GALT	Blood Paper	FIA	노337	CZ039		0	0	23,000		0	24,040	▲
11717	Neonatal HVA	Urine Paper	EIA	너225가	CY250		0	0	0	85.45	5,580	5,580	▲
00250	Neonatal T4	Blood Paper	FIA	나333	C3330		164.46	10,430	10,430	164.39	10,730	10,730	▲
11716	Neonatal VMA	Urine Paper	EIA	나321나(2)	C3213		0	0	0	211.71	13,820	13,820	▲
00260	Neonatal-TSH	Blood Paper	FIA	나336	C3360		210.44	13,340	13,340	215.39	14,060	14,060	▲
12250	Neopterin	SST Serum	HPLC			국외	0	0	161,000		0	168,250	▲
12251	Neopterin	Random Urine	HPLC			국외	0	0	161,000		0	168,250	▲
11715	Neuroblastoma Test(Screen)	Urine Paper	EIA	나321+너22	C3213+CY250		0	18,500	18,500		19,400	19,400	▲
27781	Neurofibromatosis,NF1 gene	EDTA Blood	Sequencing	노595	CZ629		0	0	1,001,000		0	1,001,000	
27780	Neurofibromatosis,NF2 gene	EDTA Blood	Sequencing	노595	CZ598		0	0	636,000		0	636,000	
27782	Neurofibromatosis,NF2 gene	EDTA Blood	Sequencing	노595	CZ598		0	0	363,000		0	363,000	
30021	Neutrophil Seg	EDTA Blood	자동혈구계산법	나109가	B1091		25.56	1,620	1,620	25.53	1,670	1,670	▲
12792	Nickel(Ni)	Trace Serum	AAS	나452나(2)	C4523990		302.23	19,160	19,160	306.17	19,990	19,990	▲
11981	Nicotine 정량 (P)	Hp Plasma	GC/MSD			국외	0	0	120,000		0	176,000	▲
11982	Nicotine 정량 (U)	Random Urine	GC/MSD			국외	0	0	120,000		0	176,000	▲
11300	Nicotinic acid(Niacin)	Hp Blood	Bioassay			국외	0	0	270,000		0	282,150	▲
65280	Nitrazepam	SST Serum	HPLC			국외	0	0	50,000		0	52,250	▲
12270	N-methyl formamide(NMF)	Random Urine	GC/MSD	나451나(3)	CY373060		399.4	25,320	25,320	399.40	26,080	26,080	▲
65740	N-methylacetamide(NMAC)	Random Urine	GC/MSD	나451나(3)	CY373290		399.4	25,320	25,320	399.40	26,080	26,080	▲
27540	NMP22	Random Urine	ELISA	너322다	CY323		283.39	17,970	17,970	283.39	18,510	18,510	▲
25790	N-myc	복수검체	PCR	나598아	C5988006		987.56	62,610	62,610	970.13	63,350	63,350	▲
30150	Nonspecific esterase stain	Bone Marrow Slide	Stain	나118바	B1188006		85.01	5,390	5,390	85.01	5,550	5,550	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
30151	Nonspecific esterase stain	Blood Smear Slide	Stain	나118바	B1188006		85.01	5,390	5,390	85.01	5,550	5,550	▲
26960	Noonan Syndrome, PTPN11	EDTA Blood	Sequencing	노595	CZ621		0	0	306,000		0	306,000	
00845	Norepinephrine(HPLC)	24hr Urine	HPLC	너228나	CY282006		310.2	19,670	19,670	310.20	20,260	20,260	▲
00846	Norepinephrine(HPLC)	EDTA Plasma	HPLC	너228나	CY282006		310.2	19,670	19,670	310.20	20,260	20,260	▲
00887	Normetanephrine(HPLC)	24hr Urine	HPLC	너228마	CY285006		310.2	19,670	19,670	310.20	20,260	20,260	▲
65661	Nortriptyline	Plain Blood	LC/MS/MS	나450나(4)	CX375696		542.51	34,400	34,400	542.51	35,430	35,430	▲
01615	NSE (ECLIA)	SST Serum	ECLIA	나431	C4310		309.04	19,590	19,590	309.76	20,230	20,230	▲
70501	NTM Sensitivity (결핵협회)	균주		나406다(2)	B4064		501.36	31,790	31,790	522.61	34,130	34,130	▲
01350	NT-pro BNP	SST Serum	ECLIA	나368-2	CZ208		608.98	38,610	38,610	608.98	39,770	39,770	▲
12280	NTx	Random Urine	ELISA	나393-1	C3931		212.18	13,450	13,450	199.17	13,010	13,010	▼
12281	NTx	24hr Urine	ELISA	나393-1	C3931		212.18	13,450	13,450	199.17	13,010	13,010	▼
30180	Oil red stain	Bone Marrow Slide	Stain	나118아	B1189006		84.57	5,360	5,360	84.36	5,510	5,510	▲
20320	Oligoclonal IgG band	CSF	Electrophoresis	너182	BX182006		215.52	13,660	13,660	215.52	14,070	14,070	▲
29110	OPA1 gene mutation	EDTA Blood	Sequencing	노595	CZ691		0	0	1,060,000		0	1,060,000	
65450	Opiates	Random Urine	CLIA	나450가(2)	C4502390		130.9	8,300	8,300	124.57	8,130	8,130	▼
12290	Organic Acid	Random Urine	GC/MSD	너345다	CY348006		3333.25	211,330	211,330	3333.25	217,660	217,660	▲
12310	Orotic acid	24hr Urine	Spectrophotometry	너345가(6)	CY349		339.91	21,550	21,550	339.91	22,200	22,200	▲
12320	Osmolality	SST Serum	Osmometer	나380	C3800		53.27	3,380	3,380	53.70	3,510	3,510	▲
12321	Osmolality	24hr Urine	Osmometer	나380	C3800		53.27	3,380	3,380	53.70	3,510	3,510	▲
12322	Osmolality	Random Urine	Osmometer	나380	C3800		53.27	3,380	3,380	53.70	3,510	3,510	▲
12330	Osmotic fragility	복수검체	Tube	나113	B1131006		87.53	5,550	5,550	88.79	5,800	5,800	▲
01925	Osteocalcin (ECLIA)	SST Serum	ECLIA	나363	C3630		173.26	10,980	10,980	175.33	11,450	11,450	▲
30470	Other blood typing	EDTA Blood	Tube	나203	B2030006		81.03	5,140	5,140	77.45	5,060	5,060	▼
29240	Others A	Other	PCR+Hybridization	나595-1다	C6029006		639.74	40,560	40,560	668.68	43,660	43,660	▲
10800	Oxalic acid	24hr Urine	Enzyme	노339	CZ339		0	0	41,400		0	43,260	▲
65460	Oxcarbazepine & Metabolite	SST Serum	HPLC	나450나(3)	CX374690		262.87	16,670	16,670	262.87	17,170	17,170	▲
00120	Oxytocin	전용용기 혈장	RIA	노201	CZ201	국외	0	0	92,000		0	96,140	▲
25840	p53 exon 4(LOH)	Tissue	PCR-RFLP	노596가	CZ804		0	0	92,000		0	96,140	▲
30690	PAI-1	SC Plasma	ELISA	너80나	BY802		170.91	10,840	10,840	170.91	11,160	11,160	▲
10245	Pancreatic Amylase	SST Serum	Enzyme	나261나	B2612		54.28	3,440	3,440	53.98	3,520	3,520	▲
10246	Pancreatic Amylase	Random Urine	Enzyme	나261나	B2612		54.28	3,440	3,440	53.98	3,520	3,520	▲
29005	PANK2 gene mutation	EDTA Blood	Sequencing				0	0	222,000		0	222,000	
01630	PAP	SST Serum	CLIA	나429	C4290		198.93	12,610	12,610	178.88	11,680	11,680	▼
01631	PAP	분비물	CLIA	나429	C4290		198.93	12,610	12,610	178.88	11,680	11,680	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
01841	PAPP-A	SST Serum	RIA	노212	CZ212		0	0	23,000		0	24,040	▲
42195	Parainfluenza culture	Other	Shell Vial Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
43560	Parainfluenza V. Ag(DFA)	Other	DFA	나469	C4690596		202.85	12,860	12,860	203.10	13,260	13,260	▲
41810	Parainfluenza V. Type 1(HI)	SST Serum	HI			국외	0	0	15,000		0	15,680	▲
41811	Parainfluenza V. Type 1(HI)	CSF	HI			국외	0	0	15,000		0	15,680	▲
41820	Parainfluenza V. Type 2(HI)	SST Serum	HI			국외	0	0	15,000		0	15,680	▲
41821	Parainfluenza V. Type 2(HI)	CSF	HI			국외	0	0	15,000		0	15,680	▲
41830	Parainfluenza V. Type 3(HI)	SST Serum	HI			국외	0	0	15,000		0	15,680	▲
41831	Parainfluenza V. Type 3(HI)	CSF	HI			국외	0	0	15,000		0	15,680	▲
41840	Parainfluenza V. Type 4(HI)	SST Serum	HI			국외	0	0	15,000		0	15,680	▲
41841	Parainfluenza V. Type 4(HI)	CSF	HI			국외	0	0	15,000		0	15,680	▲
52190	Paraneoplastic antibody	SST Serum	IFA	노422-4	CZ422-4		0	0	93,000		0	93,000	
52191	Paraneoplastic antibody	CSF	IFA	노422-4	CZ422-4		0	0	93,000		0	93,000	
12345	Paraquat	Random Urine	HPLC	나450나(3)	CX374040		262.87	16,670	16,670	262.87	17,170	17,170	▲
12340	Paraquat (Gramoxone)	SST Serum	HPLC	나450나(3)	CX374040		262.87	16,670	16,670	262.87	17,170	17,170	▲
29130	PARK2 gene mutation	EDTA Blood	Sequencing	노595	CZ620		0	0	610,000		0	610,000	
65623	Paroxetine	Plain Serum	LC/MS/MS	나450	CX375696		542.51	34,400	34,400	542.51	35,430	35,430	▲
42660	Parvo virus B19 DNA	SST Serum	PCR	나595나	C5952006		387.6	24,570	24,570	389.38	25,430	25,430	▲
41780	Parvo virus B19 IgG	SST Serum	ELISA	나468나(1)	C4682596		263.15	16,680	16,680	266.76	17,420	17,420	▲
41781	Parvo virus B19 IgG	Body Fluid	ELISA	나468나(1)	C4682596		263.15	16,680	16,680	266.76	17,420	17,420	▲
41790	Parvo virus B19 IgM	SST Serum	ELISA	나468나(2)	C4683596		258.09	16,360	16,360	259.16	16,920	16,920	▲
41791	Parvo virus B19 IgM	Body Fluid	ELISA	나468나(2)	C4683596		258.09	16,360	16,360	259.16	16,920	16,920	▲
30160	PAS Stain	Bone Marrow Slide	Stain	나118마	B1187006		85.6	5,430	5,430	85.90	5,610	5,610	▲
30161	PAS Stain	Blood Smear Slide	Stain	나118마	B1187006		85.6	5,430	5,430	85.90	5,610	5,610	▲
82100	PAS Stain	Tissue		나553다	C5533		121.67	7,710	7,710	122.36	7,990	7,990	▲
30070	PCT	EDTA Blood	자동혈구계산법				0	0	1,400		0	1,460	▲
30080	PDW	EDTA Blood	자동혈구계산법	나123	B1230		5.79	370	370	5.80	380	380	▲
31085	PEG Coombs Anti IgG	EDTA Blood		나204나주	B2048106		63.16	4,000	4,000	67.38	4,400	4,400	▲
02016	Pepsinogen I	SST Serum	ELISA	나362	C3620		268.69	17,030	17,030	256.10	16,720	16,720	▼
02026	Pepsinogen II	SST Serum	ELISA	나362	C3620		268.69	17,030	17,030	256.10	16,720	16,720	▼
02030	Pepsinogen I/II	SST Serum	CLEIA			국외	0	0	58,000		0	60,610	▲
30170	Peroxidase stain	Bone Marrow Slide	Stain	나118라	B1186006		84.27	5,340	5,340	83.92	5,480	5,480	▲
30171	Peroxidase stain	Blood Smear Slide	Stain	나118라	B1186006		84.27	5,340	5,340	83.92	5,480	5,480	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
65470	Phencyclidine 정성	Random Urine	ICA	나450가(2)	C4502390		130.9	8,300	8,300	124.57	8,130	8,130	▼
65290	Phenobarbital	SST Serum	FPA	나450나(2)	C4504020		238.27	15,110	15,110	243.15	15,880	15,880	▲
12805	Phenol	Random Urine	GC/MS	나451나(3)	CY373290		399.4	25,320	25,320	399.40	26,080	26,080	▲
65300	Phenytoin	SST Serum	FPA	나450나(2)	C4504050		238.27	15,110	15,110	243.15	15,880	15,880	▲
65310	Phenytoin,Free	SST Serum	FPIA	나450나(2)	C4504050		238.27	15,110	15,110	243.15	15,880	15,880	▲
10130	Phosphate(Pi)	SST Serum	Colorimetry	나379라	C3794		19.21	1,220	1,220	17.62	1,150	1,150	▼
10131	Phosphate(Pi)	24hr Urine	Colorimetry	나379라	C3794		19.21	1,220	1,220	17.62	1,150	1,150	▼
10132	Phosphate(Pi)	Random Urine	Colorimetry	나379라	C3794		19.21	1,220	1,220	17.62	1,150	1,150	▼
01070	Phospholipase A2	SST Serum	RIA			국외	0	0	107,000		0	111,820	▲
11160	Phospholipid	SST Serum	Enzyme	나244나	C2442		42.28	2,680	2,680	37.92	2,480	2,480	▼
11161	Phospholipid	Body Fluid	Enzyme	나244나	C2442		42.28	2,680	2,680	37.92	2,480	2,480	▼
11720	Phytanic acid	EDTA Plasma	GC/MSD	노332	CZ332		0	0	80,500		0	84,120	▲
30700	PIC TEST	SC Plasma				국외	0	0	40,000		0	41,800	▲
01640	PIVKA-2	SST Serum	EIA	너78	BX078		170.91	10,840	10,840	170.91	11,160	11,160	▲
01641	PIVKA-2	EDTA Plasma	EIA	너78	BX078		170.91	10,840	10,840	170.91	11,160	11,160	▲
20530	Plasma Hb	EDTA Plasma	Colorimetry	나383	C3830		49.18	3,120	3,120	49.62	3,240	3,240	▲
30710	Plasminogen	SC Plasma	Colorimetry	나188가	B1881		150.14	9,520	9,520	154.95	10,120	10,120	▲
30005	Platelet	EDTA Blood	자동혈구계산법	나106	B1060		12.66	800	800	12.81	840	840	▲
51920	Platelet Associated Ab	EDTA Blood	IFA	나502나	C5022006		237.66	15,070	15,070	242.40	15,830	15,830	▲
25710	PML-RARa (nested RT-PCR)	EDTA Blood	Nested RT-PCR	나597다	C5973006		1544.19	97,900	97,900	1573.83	102,770	102,770	▲
25712	PML-RARa (nested RT-PCR)	Bone Marrow	Nested RT-PCR	나597다	C5973006		1544.19	97,900	97,900	1573.83	102,770	102,770	▲
25713	PML-RARa (real-time PCR)	EDTA Blood	real time PCR	노596	CZ807		0	0	138,000		0	144,210	▲
25714	PML-RARa (real-time PCR)	Bone Marrow	real time PCR	노596	CZ807		0	0	138,000		0	144,210	▲
71150	Pneumococcal Ag	Random Urine	ICA	나475나	C4752996		285.42	18,100	18,100	293.16	19,140	19,140	▲
41880	Pneumocystis carinii Ag	Sputum	DFA	나475나	C4752996		285.42	18,100	18,100	293.16	19,140	19,140	▲
42670	Pneumocystis carinii PCR	Sputum	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
26160	PNH test	EDTA Blood		너42나	BY422006		429.94	54,520	54,520	429.94	56,160	56,160	▲
26165	PNH test	EDTA Blood		나512	C5120006		445.94	56,540	56,540	447.99	58,500	58,500	▲
41910	Poliovirus Type 1(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
41911	Poliovirus Type 1(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
42010	Poliovirus Type 1(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
42011	Poliovirus Type 1(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41920	Poliovirus Type 2(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
41921	Poliovirus Type 2(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
42020	Poliovirus Type 2(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
42021	Poliovirus Type 2(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41930	Poliovirus Type 3(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
41931	Poliovirus Type 3(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
42030	Poliovirus Type 3(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
42031	Poliovirus Type 3(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
42205	Polyomavirus culture	BAL fluid	Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
42685	Polyomavirus(BK) PCR QN	EDTA Plasma	real time PCR	노598	CZ966		0	0	98,000		0	98,000	
42686	Polyomavirus(BK) PCR QN	Random Urine	real time PCR	노598	CZ966		0	0	98,000		0	98,000	
42680	Polyomavirus(BK,JC) PCR	EDTA Blood	Nested PCR	너563사	CY059006		497.16	31,520	31,520	497.16	32,460	32,460	▲
42681	Polyomavirus(BK,JC) PCR	BAL fluid	Nested PCR	너563사	CY059006		497.16	31,520	31,520	497.16	32,460	32,460	▲
11770	Porphobilinogen 정량	Random Urine	Spectrophotometry	나389나(2)	C3893		172.9	10,960	10,960	175.41	11,450	11,450	▲
11771	Porphobilinogen 정량	24hr Urine	Spectrophotometry	나389나(2)	C3893		172.9	10,960	10,960	175.41	11,450	11,450	▲
11760	Porphobilinogen 정성	Random Urine	Colorimetry	나389가	C3891		11.59	730	730	11.03	720	720	▼
25730	post-BMT	EDTA Blood		너571나(1)	CY575006		2596.64	164,630	164,630	2596.64	169,560	169,560	▲
25731	post-BMT	Bone Marrow		너571나(1)	CY575006		2596.64	164,630	164,630	2596.64	169,560	169,560	▲
25737	post-BMT	EDTA Blood		너571나(1)	CY575006		2596.64	164,630	164,630	2596.64	169,560	169,560	▲
10140	Potassium(K)	SST Serum	ISE	나379나	C3792		19.26	1,220	1,220	18.33	1,200	1,200	▼
10141	Potassium(K)	24hr Urine	ISE	나379나	C3792		19.26	1,220	1,220	18.33	1,200	1,200	▼
10142	Potassium(K)	Random Urine	ISE	나379나	C3792		19.26	1,220	1,220	18.33	1,200	1,200	▼
25690	PRA class I identification	SST Serum		나522나	C5222006		1293.88	82,030	82,030	1299.13	84,830	84,830	▲
26265	PRA class I screening	SST Serum	ELISA	나522가	C5221006		725.68	46,010	46,010	735.02	48,000	48,000	▲
25695	PRA class II identification	SST Serum	ELISA	나522나	C5222006		1293.88	82,030	82,030	1299.13	84,830	84,830	▲
26266	PRA class II screening	SST Serum	Enzyme	나522가	C5221006		725.68	46,010	46,010	735.02	48,000	48,000	▲
25746	Prader-Willi syndrome	EDTA Blood	Methylation PCR	노596	CZ832		0	0	152,000		0	152,000	
25747	Prader-Willi/Angelman	EDTA Blood	Methylation PCR	노596	CZ832		0	0	73,000		0	73,000	
20330	Prealbumin	SST Serum	TIA	나221-1	C2215		141.42	8,970	8,970	144.60	9,440	9,440	▲
25720	pre-BMT	복수검체		너571가(1)	CY573006		3739.19	237,060	237,060	3739.19	244,170	244,170	▲
25725	pre-BMT	복수검체	DNA Typing	너571가(1)	CY573006		3739.19	237,060	237,060	3739.19	244,170	244,170	▲
25727	pre-BMT	복수검체		너571가(1)	CY573006		3739.19	237,060	237,060	3739.19	244,170	244,170	▲
00480	Pregnanediol(Urine)	24hr Urine	GC			국외	0	0	75,000		0	78,380	▲
00490	Pregnanetriol	24hr Urine	GC	노194	CZ198	국외	0	0	105,000		0	109,730	▲
00500	Pregnenolone	SST Serum	RIA			국외	0	0	138,000		0	144,210	▲
65320	Primidone	SST Serum	HPLC	나450나(3)	CX374690		262.87	16,670	16,670	262.87	17,170	17,170	▲
65100	Procainamide	SST Serum	FPIA			국외	0	0	80,500		0	84,120	▲
01890	Procalcitonin	SST Serum	EIA	노115	CZ115		0	0	45,000		0	45,000	

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
12360	Procollagen III peptide	SST Serum	RIA			국외	0	0	57,500		0	60,090	▲
00512	Progesterone (ECLIA)	SST Serum	ECLIA	나346	C3460		159.01	10,080	10,080	155.72	10,170	10,170	▲
01081	Proinsulin	SST Serum	RIA	노206	CZ206		0	0	28,000		0	29,260	▲
00133	Prolactin (ECLIA)	SST Serum	ECLIA	나351	C3510		169.83	10,770	10,770	168.16	10,980	10,980	▲
65110	Propranolol	SST Serum	HPLC			국외	0	0	85,000		0	88,830	▲
65111	Propranolol	Hp Plasma	HPLC			국외	0	0	85,000		0	88,830	▲
31021	Prostaglandin E2	24hr Urine	RIA			국외	0	0	575,000		0	600,880	▲
30730	Protein C Activity	SC Plasma	Clot-based	나183가	B1831		180.58	11,450	11,450	190.07	12,410	12,410	▲
30740	Protein C Antigen	SC Plasma	ELISA	나183나	B1832		172.66	10,950	10,950	176.05	11,500	11,500	▲
20711	Protein E.P(24h urine)	24hr Urine	Electrophoresis	나300나	B3001006		130.63	8,280	8,280	134.46	8,780	8,780	▲
20713	Protein E.P(Random urine)	Random Urine	Electrophoresis	나300나	B3001006		130.63	8,280	8,280	134.46	8,780	8,780	▲
20710	Protein E.P(Serum)	SST Serum	Electrophoresis	나300가	B3000006		120.67	7,650	7,650	125.13	8,170	8,170	▲
30750	Protein S Activity	SC Plasma	Clot-based	나184가	B1841		177.64	11,260	11,260	185.97	12,140	12,140	▲
30760	Protein S Ag(free)	SC Plasma	ELISA	나184나	B1842		171.23	10,860	10,860	173.90	11,360	11,360	▲
30770	Protein S Ag(total)	SC Plasma	ELISA	나184나	B1842		171.23	10,860	10,860	173.90	11,360	11,360	▲
10035	Protein/creatinine ratio	Random Urine	계산법	나220 외	C2200 외		0	2,760	2,760		2,610	2,610	▼
27895	Prothrombin G20210A Mutati	EDTA Blood	PCR-RFLP	노597	CZ898		0	0	26,420		0	27,610	▲
30950	Prothrombin Time	SC Plasma	Clot-based	나154	B1540		25.91	1,640	1,640	26.62	1,740	1,740	▲
70860	Protozoa	Stool	검경법	나63	B0630		23.87	1,510	1,510	23.91	1,560	1,560	▲
01675	PSA (ECLIA)	SST Serum	ECLIA	나428	C4280		241.02	15,280	15,280	241.13	15,750	15,750	▲
29000	PSEN1 gene analysis	EDTA Blood	Sequencing				0	0	400,000		0	400,000	
01090	PSTI	SST Serum	RIA			국외	0	0	36,800		0	38,460	▲
31050	PT 20210A mutation	EDTA Blood	PCR-RFLP	노597	CZ898		0	0	73,000		0	73,000	
01930	PTH	SST Serum	RIA	나340주	C7340		242.57	15,380	15,380	229.83	15,010	15,010	▼
01931	PTH	EDTA Plasma	RIA	나340주	C7340		242.57	15,380	15,380	229.83	15,010	15,010	▼
01940	PTH related peptide	전용용기 혈장	IRMA	노192	CZ192	국외	0	0	74,750		0	78,110	▲
01950	PTH-C	SST Serum	RIA			국외	0	0	30,000		0	31,350	▲
01967	PTH-Intact (ECLIA)	SST Serum	ECLIA	나340	C3400		278.73	17,670	17,670	284.05	18,550	18,550	▲
01968	PTH-Intact (ECLIA)	EDTA Plasma	ECLIA	나340	C3400		278.73	17,670	17,670	284.05	18,550	18,550	▲
10175	Pyrimidine 5-nucleotidase	EDTA Blood	Spectrophotometry	너185	BX185		258.57	16,390	16,390	258.57	16,880	16,880	▲
70766	Pyrogen (Endotoxin)	Other	검경법	너303	BY032006		140.99	8,940	8,940	140.99	9,210	9,210	▲
10810	Pyruvic Acid	제단백액	Enzyme	너345가(1)	CY341		339.91	21,550	21,550	339.91	22,200	22,200	▲
10811	Pyruvic Acid	CSF	Enzyme	너345가(1)	CY341		339.91	21,550	21,550	339.91	22,200	22,200	▲
02060	Quad Test	SST Serum		나421 외	C7421외		0	55,910	55,910		55,650	55,650	▼
52390	QuantIFERON-TB	전용용기	ELISA	나477	CZ393006		1162.62	73,710	73,710	1162.62	75,920	75,920	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
65622	Quetiapine	Plain Serum	LC/MS/MS	나450	CX375696		542.51	34,400	34,400	542.51	35,430	35,430	▲
65135	Quinidine	SST Serum	FPIA			국외	0	0	70,000		0	73,150	▲
41637	R. (Rickettsia) 2 type Ab	SST Serum	IFA	나474나(1)	C4742836		204.59	25,940	25,940	205.72	26,860	26,860	▲
51930	R.A Factor	SST Serum	TIA	나490가	C4901		26.83	1,700	1,700	24.63	1,610	1,610	▼
51931	R.A Factor	Body Fluid	TIA	나490가	C4901		26.83	1,700	1,700	24.63	1,610	1,610	▼
51940	R.A Factor 정량	SST Serum	TIA	나490나	C4903		103.56	6,570	6,570	104.08	6,800	6,800	▲
51941	R.A Factor 정량	Body Fluid	TIA	나490나	C4903		103.56	6,570	6,570	104.08	6,800	6,800	▲
41630	R.tsutsugamushi(ICA)	SST Serum	ICA	나474가	C4741830		73.52	4,660	4,660	69.03	4,510	4,510	▼
41635	R.tsutsugamushi(IFA)	SST Serum	IFA	나474나(1)	C4742836		204.59	12,970	12,970	205.72	13,430	13,430	▲
51960	RA Factor IgA	SST Serum	EIA	노421	CZ421		0	0	23,000		0	24,040	▲
51950	RA Factor IgG	SST Serum	ELISA	노421	CZ421		0	0	23,000		0	24,040	▲
29090	RB1 gene point mutation	EDTA Blood	Sequencing	노595	CZ600		0	0	897,000		0	897,000	
30002	RBC	EDTA Blood	자동혈구계산법	나104	B1040		10.53	670	670	10.72	700	700	▲
10470	RBC Enzyme	EDTA Blood					0	0	205,000		0	205,000	
11290	RBC Folate	EDTA Blood	RIA	나254주	C7254		188.08	11,920	11,920	176.88	11,550	11,550	▼
12390	RBC membrane	복수검체		노33	BZ033		0	0	149,000		0	149,000	
30090	RDW	EDTA Blood	자동혈구계산법	나122	B1220		5.79	370	370	5.80	380	380	▲
01370	Renin Activity	EDTA Plasma	RIA	나360주	C7360		172.29	10,920	10,920	168.36	10,990	10,990	▲
41800	REO virus(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
41801	REO virus(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
42257	Respi.V.Ag Screening 5종	Other	IFA	나469	C4690536		202.85	12,860	12,860	203.10	13,260	13,260	▲
29270	RET gene mutation	EDTA Blood	Sequencing	나594	CY571006		2955.94	187,410	187,410	2955.94	193,020	193,020	▲
30111	Reticulocyte Count	EDTA Blood	Flow Cytometry	나108나	B1081		20.46	1,300	1,300	20.39	1,330	1,330	▲
11320	Retinol Binding Protein	SST Serum	라텍스응집비탁법			국외	0	0	90,000		0	94,050	▲
27580	Rett Syndrome,MECP2 Sequen	EDTA Blood	Sequencing	노595	CZ642		0	0	280,000		0	280,000	
30420	Rh Ab Titer	SST Serum	Tube	나208	B2080006		120.52	7,640	7,640	113.54	7,410	7,410	▼
30390	Rh(D) Typing	EDTA Blood	SLIDE	나202가	B2021		11.88	750	750	12.53	820	820	▲
30391	Rh(D) Typing	Capillary	Manual	나202가	B2021		11.88	750	750	12.53	820	820	▲
30392	Rh(D) Typing	Cord Blood	Manual	나202가	B2021		11.88	750	750	12.53	820	820	▲
30400	Rh-Hr Subgroup	EDTA Blood	Tube	나202나	B2022006		118.35	7,500	7,500	111.64	7,290	7,290	▼
42210	Rhino Virus Culture	Other	Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
42215	Rhino virus PCR	Other	Nested RT-PCR	나596	C5969006		526.11	36,690	36,690	612.12	39,970	39,970	▲
01820	Ri autoantibodies	SST Serum	Western blot			국외	0	0	679,000		0	709,560	▲
01821	Ri autoantibodies	CSF	Western blot			국외	0	0	679,000		0	709,560	▲
51215	Ribosomal P protein IgG Ab	SST Serum	EIA			국외	0	0	200,000		0	209,000	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
41850	Rotavirus Ab (CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
41851	Rotavirus Ab (CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
42290	Rotavirus Ag	Stool	ICA	나469	C4690526		202.85	12,860	12,860	203.10	13,260	13,260	▲
50935	RPR 정밀	SST Serum	라텍스응집비탁법	나460-1	C4602		25.73	1,630	1,630	25.73	1,680	1,680	▲
41871	RS virus(NT)	CSF	Neutralization			국외	0	0	60,000		0	62,700	▲
41860	RSV Ab (CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
41861	RSV Ab (CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
41862	RSV Ab (CF)	Pleural Fluid	CF			국외	0	0	15,000		0	15,680	▲
41870	RSV Ab(NT)	SST Serum	Neutralization			국외	0	0	60,000		0	62,700	▲
42300	RSV Ag (DFA)	Other	DFA	나469	C4690536		202.85	12,860	12,860	203.10	13,260	13,260	▲
42225	RSV Culture	Other	Shell Vial Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
42820	RSV IgG(IFA)	SST Serum	IFA	나468나(1)	C4682536		263.15	16,680	16,680	266.76	17,420	17,420	▲
42830	RSV IgM(IFA)	SST Serum	IFA	나468나(2)	C4683536		258.09	16,360	16,360	259.16	16,920	16,920	▲
43520	Rubella IgG avidity	SST Serum	EIA	노395	CZ395		0	0	28,750		0	30,040	▲
41940	Rubella IgG(CLIA)	SST Serum	CLIA	나468나(1)	C4682416		263.15	16,680	16,680	266.76	17,420	17,420	▲
41941	Rubella IgG(CLIA)	CSF	CLIA	나468나(1)	C4682416		263.15	16,680	16,680	266.76	17,420	17,420	▲
41950	Rubella IgM(CLIA)	SST Serum	CLIA	나468나(2)	C4683416		258.09	16,360	16,360	259.16	16,920	16,920	▲
41951	Rubella IgM(CLIA)	CSF	CLIA	나468나(2)	C4683416		258.09	16,360	16,360	259.16	16,920	16,920	▲
42690	Rubella Virus RT-PCR	EDTA Blood	RT-PCR	나596라	C5969006		578.72	36,690	36,690	612.12	39,970	39,970	▲
52221	S.pneumoniae Ag test	CSF	Latex	나408	B4080		96.52	6,120	6,120	90.90	5,940	5,940	▼
52160	Saccharomyces cerevisiae Ab	SST Serum	EIA			국외	0	0	402,500		0	420,610	▲
42700	Salmonella PCR	EDTA Blood	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
42710	Salmonella PCR	CSF	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
26980	SBMA, AR gene	EDTA Blood	PCR	너573나	CY532006		953.51	60,450	60,450	953.51	62,260	62,260	▲
27000	SCA profile (1,2,3,6,7,8)	EDTA Blood		너573	CY535~40006		0	362,700	362,700		373,560	373,560	▲
01690	SCA-1	EDTA Blood		너573라	CY535006		953.51	60,450	60,450	953.51	62,260	62,260	▲
27015	SCA-17	EDTA Blood		너573마	CY539006		953.51	60,450	60,450	953.51	62,260	62,260	▲
01700	SCA-2	EDTA Blood		너573라	CY536006		953.51	60,450	60,450	953.51	62,260	62,260	▲
01710	SCA-3	EDTA Blood		너573라	CY537006		953.51	60,450	60,450	953.51	62,260	62,260	▲
02070	SCA-6	EDTA Blood		너573라	CY538006		953.51	60,450	60,450	953.51	62,260	62,260	▲
02080	SCA-7	EDTA Blood		너573라	CY540006		953.51	60,450	60,450	953.51	62,260	62,260	▲
01720	SCC	SST Serum	RIA	나430주	C7430		325.03	20,610	20,610	320.24	20,910	20,910	▲
01721	SCC	Body Fluid	RIA	나430주	C7430		325.03	20,610	20,610	320.24	20,910	20,910	▲
11022	SD LDL Cholesterol	SST Serum	Electrophoresis	노134	CZ134		0	0	92,000		0	96,140	▲
20350	Selectivity Index	Other	계산법	나392	C3920		270.74	17,160	17,160	277.32	18,110	18,110	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
12810	Selenium	Trace EDTA Blood	AAS	나452나(2)	C4523990		302.23	19,160	19,160	306.17	19,990	19,990	▲
12811	Selenium	Random Urine	AAS	나452나(2)	C4523990		302.23	19,160	19,160	306.17	19,990	19,990	▲
12400	Semen Analysis	Semen	검경법	나730	E7300		68.08	4,320	4,320	62.17	4,060	4,060	▼
12410	Semen fructose	Semen	Spectrophotometry	너893	EX893		79.87	5,060	5,060	79.87	5,220	5,220	▲
01846	Sequential 1st_NT	SST Serum	RIA				0	0	46,000		0	48,080	▲
00900	Serotonin	EDTA Blood	HPLC			국외	0	0	50,000		0	52,250	▲
00901	Serotonin	EDTA Plasma	HPLC			국외	0	0	50,000		0	52,250	▲
00902	Serotonin	SST Serum	HPLC	나367	C3670		157.59	9,990	9,990	147.35	9,620	9,620	▼
00903	Serotonin (PFP)	EDTA Plasma	HPLC	나367	C3670		157.59	9,990	9,990	147.35	9,620	9,620	▼
10841	Serum Amylase	SST Serum	Enzyme	나261가	B2611		42.01	2,660	2,660	41.67	2,720	2,720	▲
10843	Serum Creatinine	SST Serum	Colorimetry	나375	C3750		21.7	1,380	1,380	19.77	1,290	1,290	▼
30780	SFMC	SC Plasma	응집법			국외	0	0	113,000		0	118,090	▲
29140	SGCE gene mutation	EDTA Blood	Sequencing	노595	CZ701		0	0	420,000		0	420,000	
12425	SHBG (ECLIA)	SST Serum	ECLIA	노202	CZ202		0	0	46,000		0	48,070	▲
10820	Sialic acid	SST Serum	Enzyme			국외	0	0	12,000		0	12,540	▲
12820	Silicate	Water	Spectrophotometry				0	0	46,000		0	48,070	▲
65720	Sirolimus(Rafamycin)	EDTA Blood	LC/MS/MS	나450나(4)	CX375696		542.51	34,400	34,400	542.51	35,430	35,430	▲
01730	SLX	SST Serum	RIA			국외	0	0	63,250		0	66,100	▲
51985	SMA(SMN1 7&8, NAIP 4&5)	EDTA Blood	PCR-RFLP	너562마	CY625006		416.68	26,420	26,420	416.68	27,210	27,210	▲
51986	SMA(SMN1 7&8, NAIP 5&13)	EDTA Blood	PCR-RFLP	너562마	CY625006		416.68	26,420	26,420	416.68	27,210	27,210	▲
10150	Sodium(Na)	SST Serum	ISE	나379가	C3791		19.23	1,220	1,220	17.83	1,160	1,160	▼
10151	Sodium(Na)	24hr Urine	ISE	나379가	C3791		19.23	1,220	1,220	17.83	1,160	1,160	▼
10152	Sodium(Na)	Random Urine	ISE	나379가	C3791		19.23	1,220	1,220	17.83	1,160	1,160	▼
12430	soluble ELAM - 1	SST Serum	ELISA			국외	0	0	207,000		0	216,320	▲
12440	soluble ICAM - 1	SST Serum	ELISA			국외	0	0	207,000		0	216,320	▲
52460	Soluble Liver Ag Auto Ab	SST Serum	EIA			국외	0	0	320,000		0	334,400	▲
12450	soluble VCAM - 1	SST Serum	ELISA			국외	0	0	207,000		0	216,320	▲
00155	Somatomedin-C (CLIA)	SST Serum	CLIA	너230	CX230		322.92	20,470	20,470	322.92	21,090	21,090	▲
01740	Span-1	SST Serum	RIA			국외	0	0	50,000		0	52,250	▲
80605	Special Stain	Tissue		나553다	C5533		121.67	7,710	7,710	122.36	7,990	7,990	▲
82080	Special Stain	Tissue		나553다	C5533		121.67	7,710	7,710	122.36	7,990	7,990	▲
29051	SPG3A gene mutation	EDTA Blood	Sequencing				0	0	468,000		0	468,000	
29050	SPG4 gene mutation	EDTA Blood	Sequencing	노595	CZ615		0	0	402,000		0	402,000	
28170	SPINK1, PRSS1 mutation	EDTA Blood	Sequencing	노595	CZ703		0	0	329,000		0	329,000	
52530	SRP auto Ab	SST Serum				국외	0	0	193,000		0	201,690	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
30460	Ss 혈액형검사	복수검체	Tube	나203	B2030006		81.03	5,140	5,140	77.45	5,060	5,060	▼
27870	STK11 Gene Point mutation	EDTA Blood	Sequencing	노595	CZ602		0	0	358,000		0	358,000	
01750	STN	SST Serum	RIA			국외	0	0	59,800		0	62,490	▲
12460	Stone Analysis 정성	Stone	Colorimetry	나391	C3910006		83.94	5,320	5,320	82.64	5,400	5,400	▲
12465	Stone Analysis(physical)	Stone		너274	CX274006		451.18	28,600	28,600	451.18	29,460	29,460	▲
70870	Stool Microscopy	Stool	검경법	나67	B0670		11.97	760	760	12.63	820	820	▲
71250	Stool OB 정량	Stool	Colorimetry	나65-1	B0653		60.27	3,820	3,820	62.16	4,060	4,060	▲
70895	Stool pH	Stool		나69	B0690		7.86	500	500	7.55	490	490	▼
70890	Stool WBC	Stool	검경법	나67-1	B0675		10.29	650	650	10.11	660	660	▲
42580	Strep. Group B PCR	Random Urine	PCR				0	0	28,000		0	29,260	▲
50462	Strep.Group B	CSF	Latex	나408	B4080		96.52	6,120	6,120	90.90	5,940	5,940	▼
50461	Strep.Pneumoniae	CSF	Latex	나408	B4080		96.52	6,120	6,120	90.90	5,940	5,940	▼
11730	Succinylacetone	Random Urine	GC/MSD	너345가(6)	CY349		339.91	21,550	21,550	339.91	22,200	22,200	▲
12870	Sucrose hemolysis	복수검체	Colorimetry	나121	B1210006		46.64	2,960	2,960	47.41	3,100	3,100	▲
30190	Sudan black B stain	Bone Marrow Slide	Stain	나118나	B1183006		84.59	5,360	5,360	84.38	5,510	5,510	▲
30191	Sudan black B stain	Blood Smear Slide	Stain	나118나	B1183006		84.59	5,360	5,360	84.38	5,510	5,510	▲
52140	Sulfatide autoantibodies	SST Serum	ELISA			국외	0	0	679,000		0	709,560	▲
20540	Sulf-Hemoglobin	EDTA Blood	Colorimetry	나382나	C3822		53.58	3,400	3,400	53.92	3,520	3,520	▲
29020	Surface Ig(Cytoplasmic Ig)	EDTA Blood	Flow Cytometry	나512	C5120006		445.94	28,270	28,270	447.99	29,250	29,250	▲
12470	Surfactant protein-A(SP-A)	SST Serum	EIA			국외	0	0	57,500		0	60,090	▲
13050	Surfactant protein-D(SP-D)	SST Serum	EIA			국외	0	0	57,500		0	62,700	▲
29001	SYT/SSX gene rearrangement	Block	Nested RT-PCR	나597자	C5979006		1608.27	101,960	101,960	1669.92	109,050	109,050	▲
29002	SYT/SSX gene rearrangement	Block	RT-PCR	나596다	CX564006		512.04	32,460	32,460	512.04	33,440	33,440	▲
00295	T3 (ECLIA)	SST Serum	ECLIA	나329	C3290		167.64	10,630	10,630	169.41	11,060	11,060	▲
00305	T3-Uptake (ECLIA)	SST Serum	ECLIA	나331	C3310		151.34	9,590	9,590	150.38	9,820	9,820	▲
00315	T4 (ECLIA)	SST Serum	ECLIA	나333	C3330		164.46	10,430	10,430	164.39	10,730	10,730	▲
30200	Tartrate resistant acid phos	Bone Marrow Slide		나118가	B1182006		84.34	5,350	5,350	84.01	5,490	5,490	▲
30790	TAT	SC Plasma	EIA			국외	0	0	42,900		0	44,830	▲
00320	TBG (RIA)	SST Serum	RIA	나338주	C7338		225.68	14,310	14,310	220.50	14,400	14,400	▲
65480	TBPE	Random Urine	Colorimetry	나450가(1)	C4501390		80.93	5,130	5,130	77.12	5,040	5,040	▼
25875	T-cell Receptor rearrangem	Block	PCR+Hybridization	나595-1다	C6029006		639.74	40,560	40,560	668.68	43,660	43,660	▲
25870	T-cell Receptor ychain	Block	PCR	나598바	C5986006		988.58	62,680	62,680	971.66	63,450	63,450	▲
65330	Teicoplanin	SST Serum	FPIA			국외	0	0	112,700		0	117,770	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
26660	TEL/AML1 rearrangement	EDTA Blood	RT-PCR	나596라	C5969006		578.72	36,690	36,690	612.12	39,970	39,970	▲
00523	Testosterone (ECLIA)	SST Serum	ECLIA	나353	C3530		182.32	11,560	11,560	178.24	11,640	11,640	▲
00530	Testosterone, Free	SST Serum	RIA	너232	CX232		181.05	11,480	11,480	181.05	11,820	11,820	▲
65140	Theophylline	SST Serum	FPA	나450나(2)	C4504110		238.27	15,110	15,110	243.15	15,880	15,880	▲
29180	THRB gene mutation	EDTA Blood	Sequencing				0	0	140,000		0	140,000	
30970	Thrombin Time	SC Plasma	Clot-based	나156	B1560		25.09	1,590	1,590	25.20	1,650	1,650	▲
30800	Thrombomodulin	SST Serum	EIA	너76	BX076		170.91	10,840	10,840	170.91	11,160	11,160	▲
30801	Thrombomodulin	EDTA Plasma	EIA	너76	BX076		170.91	10,840	10,840	170.91	11,160	11,160	▲
31040	Thromboxane B2	전용용기 혈장	RIA			국외	0	0	150,000		0	156,750	▲
01760	Thymidine Kinase	SST Serum				국외	0	0	86,250		0	90,130	▲
00355	Thyroglobulin (ECLIA)	SST Serum	ECLIA	나335	C3350		200.07	12,680	12,680	198.22	12,940	12,940	▲
00345	Thyroglobulin Ab (ECLIA)	SST Serum	ECLIA	나494	C4940		210.61	13,350	13,350	196.96	12,860	12,860	▼
12830	TIBC	SST Serum	계산법	나250	C2500		43.04	2,730	2,730	40.76	2,660	2,660	▼
28190	TNFRSF13B gene mutation	EDTA Blood	Sequencing				0	0	187,000		0	187,000	
51990	TNF-α	SST Serum	ELISA			국외	0	0	287,000		0	299,920	▲
51991	TNF-α	Media Supernatant				국외	0	0	287,000		0	299,920	▲
65340	Tobramycin	SST Serum	FPIA	나450나(2)	C4504390		238.27	15,110	15,110	243.15	15,880	15,880	▲
65711	Topiramate	Plain Serum	LC/MS/MS	나450나(4)	CX375696		542.51	34,400	34,400	542.51	35,430	35,430	▲
42750	TORCH Test	SST Serum					0	133,600	133,600		138,440	138,440	▲
10040	Total Bilirubin	SST Serum	Colorimetry	나372가	C3720		21.62	1,370	1,370	19.95	1,300	1,300	▼
10041	Total Bilirubin	Capillary	Colorimetry	나372가	C3720		21.62	1,370	1,370	19.95	1,300	1,300	▼
11020	Total Cholesterol	SST Serum	Enzyme	나241가	C2411		25.87	1,640	1,640	24.39	1,590	1,590	▼
11021	Total Cholesterol	Body Fluid	Enzyme	나241가	C2411		25.87	1,640	1,640	24.39	1,590	1,590	▼
02005	Total hCG(ECLIA)	SST Serum	ECLIA	나352	C3520		203.94	12,930	12,930	206.95	13,510	13,510	▲
60005	Total IgE (Unicap)	SST Serum	FEIA	나229	C2290		229.25	14,530	14,530	232.23	15,160	15,160	▲
11180	Total Lipid	SST Serum	Colorimetry	나244가	C2441		43.16	2,740	2,740	39.60	2,590	2,590	▼
11181	Total Lipid	Body Fluid	Colorimetry	나244가	C2441		43.16	2,740	2,740	39.60	2,590	2,590	▼
11780	Total Porphyrin 정성	Random Urine	Colorimetry	나389가	C3891		11.59	730	730	11.03	720	720	▼
10030	Total Protein	SST Serum	Colorimetry	나220	C2200		21.69	1,380	1,380	20.14	1,320	1,320	▼
10031	Total Protein	24hr Urine	TIA	나220	C2200		21.69	1,380	1,380	20.14	1,320	1,320	▼
10032	Total Protein	CSF	TIA	나220	C2200		21.69	1,380	1,380	20.14	1,320	1,320	▼
10033	Total Protein	Body Fluid	Colorimetry	나220	C2200		21.69	1,380	1,380	20.14	1,320	1,320	▼
10034	Total Protein	Random Urine	TIA	나220	C2200		21.69	1,380	1,380	20.14	1,320	1,320	▼
52271	Toxocariasis Ab IgG	SST Serum	ELISA	나472나(1)	C4722796		271.93	17,240	17,240	271.19	17,710	17,710	▲
52272	Toxocariasis Ab IgG	Body Fluid	ELISA	나472나(1)	C4722796		271.93	17,240	17,240	271.19	17,710	17,710	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
43510	Toxoplasma DNA PCR	Other	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
50900	Toxoplasma IgG	SST Serum	CLIA	나472나(1)	C4722616		271.93	17,240	17,240	271.19	17,710	17,710	▲
50901	Toxoplasma IgG	CSF	CLIA	나472나(1)	C4722616		271.93	17,240	17,240	271.19	17,710	17,710	▲
50910	Toxoplasma IgM	SST Serum	CLIA	나472나(2)	C4723616		271.93	17,240	17,240	271.19	17,710	17,710	▲
50911	Toxoplasma IgM	CSF	CLIA	나472나(2)	C4723616		271.93	17,240	17,240	271.19	17,710	17,710	▲
50942	TP Ab	CSF	CMIA	나461-1	C4612		123.74	7,850	7,850	123.74	8,080	8,080	▲
26770	TP53 gene	EDTA Blood	Sequencing	노595	CZ596		0	0	645,000	0	0	645,000	
01770	TPA	SST Serum	RIA	나432주	C7432		295.41	18,730	18,730	279.76	18,270	18,270	▼
01771	TPA	EDTA Plasma	RIA	나432주	C7432		295.41	18,730	18,730	279.76	18,270	18,270	▼
01772	TPA	Body Fluid	RIA	나432주	C7432		295.41	18,730	18,730	279.76	18,270	18,270	▼
30810	t-PA	SC Plasma	ELISA	너83	BX083		170.9	10,840	10,840	170.90	11,160	11,160	▲
50955	TPLA 정밀	SST Serum	라텍스응집비탁법	나461-1	C4612		123.74	7,850	7,850	123.74	8,080	8,080	▲
27470	TPMT genotyping	EDTA Blood	DNA Typing	노597	CZ904		0	0	173,000	0	0	173,000	
20360	Transferrin	SST Serum	TIA	나233	C2330		103.66	6,570	6,570	105.31	6,880	6,880	▲
20370	Transferrin saturation	SST Serum	계산법	나249+나25	C2490+C2500		0	0	5,240	0	0	5,070	▼
52370	Transglutaminase IgA	SST Serum	EIA			국외	0	0	351,000	0	0	366,800	▲
30185	TRAP stain	Blood Smear Slide	Stain	나118아	B1189006		84.57	5,360	5,360	84.36	5,510	5,510	▲
30186	TRAP stain	Bone Marrow Slide	Stain	나118아	B1189006		84.57	5,360	5,360	84.36	5,510	5,510	▲
42720	Treponema pallidum PCR	EDTA Blood	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
12540	Trichloride, Total	Random Urine	Colorimetry	나451나(1)	C4513460		165.99	10,520	10,520	162.26	10,600	10,600	▲
12580	Trichloroacetic acid	Random Urine	GC/ECD	나451나(3)	CY373290		399.4	25,320	25,320	399.40	26,080	26,080	▲
13040	Trichloroacetic acid	Random Urine	Colorimetry	나451나(1)	C4513590		165.99	10,520	10,520	162.26	10,600	10,600	▲
12560	Trichloroethanol	Random Urine	GC	나451나(3)	CY373290		399.4	25,320	25,320	399.40	26,080	26,080	▲
42655	Trichomonas vaginalis PCR	분비물	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
11190	Triglyceride	SST Serum	Enzyme	나244다	C2443		48.13	3,050	3,050	47.74	3,120	3,120	▲
11191	Triglyceride	Body Fluid	Enzyme	나244다	C2443		48.13	3,050	3,050	47.74	3,120	3,120	▲
65150	Trimethadione	SST Serum	GC			국외	0	0	161,000	0	0	168,250	▲
01870	Triple marker	SST Serum	RIA				0	33,670	33,670		32,740	32,740	▼
12590	Troponin I	SST Serum	CLIA	나394나	C3942		173	10,970	10,970	168.82	11,020	11,020	▲
12600	Troponin T	SST Serum	ECLIA	나394가	C3941		172.43	10,930	10,930	167.90	10,960	10,960	▲
01110	Trypsin (RIA)	SST Serum	RIA			국외	0	0	80,500	0	0	84,120	▲
01115	Tryptase	SST Serum	FEIA	노154	BZ154		0	0	71,900	0	0	75,140	▲
27651	TSC1 (Tuberous sclerosis)	EDTA Blood	Sequencing	노595	CZ638		0	0	818,000	0	0	818,000	
27652	TSC2 (Tuberous sclerosis)	EDTA Blood	Sequencing	노595	CZ638		0	0	1,322,000	0	0	1,322,000	

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
00365	TSH (ECLIA)	SST Serum	ECLIA	나336	C3360		210.44	13,340	13,340	215.39	14,060	14,060	▲
00385	TSH-R-Ab(TBII)(ECLIA)	SST Serum	ECLIA	나339	C3390		226.72	14,370	14,370	227.98	14,890	14,890	▲
29160	TYR gene (Albinism type I)	EDTA Blood	Sequencing	노595	CZ668		0	0	294,000		0	294,000	
70900	Tzanck Smear	Other	IFA	나718	E7180		45.74	2,900	2,900	36.77	2,400	2,400	▼
70910	Tzanck Smear	Other		나718	E7180		45.74	2,900	2,900	36.77	2,400	2,400	▼
71180	U.urealyticum culture	Other	Culture	너301다	BY303006		363.17	23,020	23,020	363.17	23,720	23,720	▲
27450	UGT1a1 genotyping	EDTA Blood	Sequencing	노597	CZ903		0	0	395,000		0	395,000	
12840	UIBC	SST Serum	Colorimetry	나251	C2510		43.31	2,750	2,750	41.05	2,680	2,680	▼
42730	Ureaplasma urealyticum PCR	분비물	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
10930	Uric Acid	SST Serum	Enzyme	나378	C3780		21.81	1,380	1,380	20.27	1,320	1,320	▼
10931	Uric Acid	24hr Urine	Enzyme	나378	C3780		21.81	1,380	1,380	20.27	1,320	1,320	▼
10932	Uric Acid	Random Urine	Enzyme	나378	C3780		21.81	1,380	1,380	20.27	1,320	1,320	▼
02110	Urinary Bladder Cancer Ag	Random Urine	IRMA	너322가	CY321		283.39	17,970	17,970	283.39	18,510	18,510	▲
10160	Urinary Ca	복수검체	계산법	나379 외	C3795 외		0	0	3,980		0	3,760	▼
10842	Urine Amylase	24hr Urine	Enzyme	나261가	B2611		42.01	2,660	2,660	41.67	2,720	2,720	▲
10844	Urine Creatinine	24hr Urine	Colorimetry	나375	C3750		21.7	1,380	1,380	19.77	1,290	1,290	▼
70002	Urine Glucose	Random Urine	Strip	나1	B0010		8.26	520	520	10.45	680	680	▲
70001	Urine Protein	Random Urine	Strip	나1	B0010		8.26	520	520	10.45	680	680	▲
70050	Urine RBC morphology	Random Urine	검경법	너1	BX001006		26.86	1,700	1,700	26.86	1,750	1,750	▲
11800	Uroporphyrin 정량	Random Urine	HPLC			국외	0	0	17,250		0	18,030	▲
11790	Uroporphyrin 정성	Random Urine	Fluorometry	나389가	C3891		11.59	730	730	11.03	720	720	▼
65350	Valproic Acid	SST Serum	FPA	나450나(2)	C4504060		238.27	15,110	15,110	243.15	15,880	15,880	▲
65360	Valproic acid,Free	SST Serum	EIA			국외	0	0	57,000		0	59,570	▲
80608	Van Giesons Stain	Tissue		나553다	C5533		121.67	7,710	7,710	122.36	7,990	7,990	▲
65370	Vancomycin	SST Serum	FPA	나450나(2)	C4504160		238.27	15,110	15,110	243.15	15,880	15,880	▲
42230	Varicella-Zoster Culture	Other	Shell Vial Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
42740	Varicella-Zoster DNA(PCR)	EDTA Blood	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
42050	Varicella-Zoster IgG(ELISA)	SST Serum	ELISA	나468나(1)	C4682496		263.15	16,680	16,680	266.76	17,420	17,420	▲
42051	Varicella-Zoster IgG(ELISA)	CSF	ELISA	나468나(1)	C4682496		263.15	16,680	16,680	266.76	17,420	17,420	▲
42060	Varicella-Zoster IgM(ELISA)	SST Serum	ELISA	나468나(2)	C4683496		258.09	16,360	16,360	259.16	16,920	16,920	▲
42061	Varicella-Zoster IgM(ELISA)	CSF	ELISA	나468나(2)	C4683496		258.09	16,360	16,360	259.16	16,920	16,920	▲
42090	Varicella-Zoster(CF)	SST Serum	CF			국외	0	0	15,000		0	15,680	▲
42091	Varicella-Zoster(CF)	CSF	CF			국외	0	0	15,000		0	15,680	▲
50925	VDRL	SST Serum		나460	C4600		17.64	1,120	1,120	17.88	1,170	1,170	▲
50926	VDRL 정량	SST Serum		나460주	C4601		33.82	2,140	2,140	33.57	2,190	2,190	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
80609	Verhoeff Stain	Tissue		나553다	C5533		121.67	7,710	7,710	122.36	7,990	7,990	▲
11200	Very long chain fatty acid	Hp Plasma	GC/MSD			국외	0	0	250,000		0	261,250	▲
11205	Very long chain fatty acid	Hp Plasma	GC/MSD	나445	C4450		1115.19	70,700	70,700	1120.18	73,150	73,150	▲
29230	VHL exon deletion	EDTA Blood	MLPA	노-595	CZ828		0	0	378,000		0	378,000	
27283	VHL gene mutation analysis	EDTA Blood	Sequencing	노595	CZ595		0	0	227,000		0	227,000	
51000	Vi Ag	SST Serum	IFA	나466나	C4662066		203.08	12,880	12,880	203.46	13,290	13,290	▲
70930	Vibrio Culture	Stool		나405가	B4051		152.96	9,700	9,700	158.13	10,330	10,330	▲
70935	Vibrio Culture & Sensi(G)	Other		나405+나40	B4051+B4061		0	16850	16850		17760	17,760	▲
01120	VIP	전용용기 혈장	RIA			국외	0	0	345,000		0	360,530	▲
11340	Vitamin A	SST Serum	HPLC	너153자	CY169006		439.34	27,850	27,850	439.34	28,690	28,690	▲
11360	Vitamin B1	EDTA Blood	HPLC	너153	CY160006		439.34	27,850	27,850	439.34	28,690	28,690	▲
11395	Vitamin B12 (CLIA)	SST Serum	CLIA	나253나	C2532		224.56	14,240	14,240	231.61	15,120	15,120	▲
11400	Vitamin B12 Binding capacity	SST Serum	RIA			국외	0	0	240,000		0	250,800	▲
11370	Vitamin B2	EDTA Blood	HPLC			국외	0	0	70,000		0	73,150	▲
11386	Vitamin B6 (PLP)	EDTA Plasma	HPLC/FLD	너153다	CY162006		439.34	27,850	27,850	439.34	28,690	28,690	▲
11410	Vitamin C	Hp Plasma	HPLC	너153자	CY169006		439.34	27,850	27,850	439.34	28,690	28,690	▲
11415	Vitamin C	SST Serum	HPLC	너153자	CY169006		439.34	27,850	27,850	439.34	28,690	28,690	▲
11420	Vitamin E	SST Serum	HPLC	너153바	CY166006		439.34	27,850	27,850	439.34	28,690	28,690	▲
11430	Vitamin E Fraction	SST Serum	HPLC			국외	0	0	300,000		0	313,500	▲
11440	Vitamin K Fraction	SC Plasma	HPLC			국외	0	0	145,600		0	152,150	▲
00920	VMA 정량	24hr Urine	HPLC	나321나(2)	CX223006		310.2	19,670	19,670	310.20	20,260	20,260	▲
00925	VMA 정량	EDTA Plasma	HPLC			국외	0	0	33,000		0	34,490	▲
00910	VMA 정성	Random Urine	Colorimetry	나321가	C3211		16.23	1,030	1,030	14.96	980	980	▼
80607	Von Kossa Stain	Tissue		나553다	C5533		121.67	7,710	7,710	122.36	7,990	7,990	▲
30820	von Willebrand F.Activity	SC Plasma	ELISA	나187나	B1872		202.63	12,850	12,850	204.66	13,360	13,360	▲
30830	von-Willebrand's Antigen	SC Plasma	ELISA	나187가	B1871		178.2	11,300	11,300	176.96	11,560	11,560	▲
30845	vWF multimer analysis	SC Plasma	Electrophoresis	너88	BX088006		497.07	31,510	31,510	497.07	32,460	32,460	▲
42231	VZV culture (조직)	Tissue	Culture	나416	B4160006		532.51	33,760	33,760	546.65	35,700	35,700	▲
65790	Warfarin	EDTA Plasma	LC/MS/MS	나450나(4)	CX375696		542.51	34,400	34,400	542.51	35,430	35,430	▲
80610	Warthin-Starry Silver Stain	Tissue		나553다	C5533		121.67	7,710	7,710	122.36	7,990	7,990	▲
30001	WBC	EDTA Blood	자동혈구계산법	나105	B1050		10.54	670	670	10.73	700	700	▲
70960	Wet Smear	Other		나4주	B0042		10.16	640	640	9.82	640	640	
50980	Widal Test	SST Serum	응집법	나464	C4640		37.95	2,410	2,410	39.41	2,570	2,570	▲
50990	Widal test (Para A B)	SST Serum	응집법	나464	C4640		37.95	2,410	2,410	39.41	2,570	2,570	▲
26270	Wilson disease, ATP7B gene	EDTA Blood	Sequencing	노595	CZ612		0	0	263,000		0	263,000	

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
26271	Wilson disease, ATP7B gene	EDTA Blood	Sequencing	노595	CZ612		0	0	550,000		0	550,000	
26272	Wilson disease,ATP7B whole	EDTA Blood	Sequencing	노595	CZ612		0	0	828,000		0	828,000	
27610	Wiskott-Aldrich syndrome	EDTA Blood	Sequencing				0	0	509,000		0	509,000	
29261	WT1 gene	EDTA Blood	real time PCR	노596	CZ824		0	0	198,000		0	198,000	
29260	WT1 gene: Wilms tumor	EDTA Blood	Sequencing				0	0	365,000		0	365,000	
25760	Y-Chromosome(SRY gene)	EDTA Blood	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
25761	Y-Chromosome(SRY gene)	Bone Marrow	PCR	나595아	C5956006		396.83	25,160	25,160	403.21	26,330	26,330	▲
71090	Yersinia Culture	Stool	Culture	너301라	BY309006		363.17	23,020	23,020	363.17	23,720	23,720	▲
71092	Yersinia Culture&Sensi(G)	Stool	Culture	너301+ 나40	BY309006+B4061	0		30170	30170		31140	31,140	▲
51010	Yersinia Enterocolitica O3 Ab	SST Serum	PA	나466가	C4661030		128.06	8,120	8,120	123.13	8,040	8,040	▼
51011	Yersinia Enterocolitica O3 Ab	Amniotic Fluid	PA	나466가	C4661030		128.06	8,120	8,120	123.13	8,040	8,040	▼
51020	Yersinia Pseudotuberculosis	SST Serum	PA	나466가	C4661030		128.06	8,120	8,120	123.13	8,040	8,040	▼
51021	Yersinia Pseudotuberculosis	Amniotic Fluid	PA	나466가	C4661030		128.06	8,120	8,120	123.13	8,040	8,040	▼
01830	Yo autoantibodies	SST Serum	Western blot			국외	0	0	575,000		0	600,880	▲
01831	Yo autoantibodies	CSF	Western blot			국외	0	0	575,000		0	600,880	▲
12855	Zinc(Zn)	Trace Serum	ICP/MS	나452나(2)	C4523670		302.23	19,160	19,160	306.17	19,990	19,990	▲
12856	Zinc(Zn)	24hr Urine	ICP/MS	나452나(2)	C4523670		302.23	19,160	19,160	306.17	19,990	19,990	▲
11810	Zinc-Protoporphyrin	EDTA Blood		너43	BX043		29.3	1,860	1,860	29.30	1,910	1,910	▲
65380	Zonisamide	SST Serum	HPLC			국외	0	0	86,250		0	90,130	▲
10480	ZTT(Zinc Sulfate Turbidity)	SST Serum	TIA				0	0	1,500		0	1,570	▲
01390	α- ANP	전용용기 혈장	CLIA			국외	0	0	86,250		0	90,130	▲
20380	α1-Acidglycoprotein	SST Serum	Nephelometry			국외	0	0	57,500		0	60,090	▲
20400	α1-Antitrypsin	SST Serum	TIA	나222	C2220		116.65	7,400	7,400	119.12	7,780	7,780	▲
20405	α1-Antitrypsin	Stool	Nephelometry	나222	C2220		116.65	7,400	7,400	119.12	7,780	7,780	▲
20406	α1-antitrypsin clearance	복수검체	Nephelometry	나222	C2220		116.65	14,800	14,800	119.12	15,560	15,560	▲
20410	α1-Microglobulin	SST Serum	Latex			국외	0	0	45,000		0	47,030	▲
20411	α1-Microglobulin	Random Urine	Latex			국외	0	0	45,000		0	47,030	▲
20420	α2-Macroglobulin	SST Serum	Nephelometry			국외	0	0	49,450		0	51,680	▲
13200	α-Galactosidase	EDTA Blood	Fluorometry	노329	CZ329		0	0	115,000		0	120,180	▲
13205	α-Galactosidase A (Fabry)	Hp Blood	Fluorometry	노329	CZ329		0	0	58,800		0	58,800	
00170	α-Subunit	SST Serum	RIA				0	0	45,000		0	47,030	▲
01420	β2-Microglobulin	SST Serum	RIA	나223주	C7223		157.27	9,970	9,970	152.78	9,980	9,980	▲
01421	β2-Microglobulin	Random Urine	RIA	나223주	C7223		157.27	9,970	9,970	152.78	9,980	9,980	▲
20365	β2-transferrin	Other	Electrophoresis			국외	0	0	522,050		0	545,540	▲
11450	β-Carotene	SST Serum	HPLC			국외	0	0	189,750		0	198,290	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
13080	β-Galactosidase	Hp Blood	Fluorometry	노323	CZ323		0	0	45,700		0	45,700	
13180	β-Glucosidase(Gaucher's)	EDTA Blood	Enzyme	노324	CZ324		0	0	57,500		0	60,090	▲
02000	β-hCG (RIA)	SST Serum	RIA	나352주	C7352		181.82	11,530	11,530	173.76	11,350	11,350	▼
11210	β-Lipoprotein	SST Serum	Enzyme	나247	C2470		106.34	6,740	6,740	107.52	7,020	7,020	▲
25770	β-Thalassemia	EDTA Blood	Sequencing	나599	C5991~2006		0	181,030	181,030		187,590	187,590	▲
25771	β-Thalassemia	Bone Marrow	Sequencing	나599	C5991006외		0	181,030	181,030		187,590	187,590	▲
25772	β-Thalassemia	EDTA Blood	Sequencing	나599나(1)	C5992006		1978.81	125,460	125,460	1986.42	129,710	129,710	▲
30980	β-Thromboglobulin	전용용기 혈장	EIA			국외	0	0	54,500		0	56,950	▲
10500	γ- GTP	SST Serum	Enzyme	나271	B2710		44.39	2,810	2,810	43.93	2,870	2,870	▲
12630	γ-Aminobutylic acid	Hp Plasma	HPLC			국외	0	0	88,000		0	91,960	▲
20720	γ-GTP isoenzyme	SST Serum	Electrophoresis			국외	0	0	27,600		0	28,840	▲
01790	γ-Sm	SST Serum	EIA			국외	0	0	80,500		0	84,120	▲
11820	δ-ALA	Random Urine	Colorimetry	나450나(1)	C4503390		154.13	9,770	9,770	144.47	9,430	9,430	▼
11821	δ-ALA	24hr Urine	Colorimetry	나450나(1)	C4503390		154.13	9,770	9,770	144.47	9,430	9,430	▼
01130	간세포증식인자(HGF)	SST Serum	ELISA			국외	0	0	149,500		0	156,230	▲
12920	갈락토스혈증	Blood Paper	ECA	너341가	CY411		26.86	1,700	1,700	26.86	1,750	1,750	▲
82060	골조직병리검사	Tissue		나552	C5520		392.39	24,880	24,880	377.12	24,630	24,630	▼
11535	광범위선천성대사이상 MS/MS	Blood Paper		노338	CZ338		0	0	57,500		0	60,090	▲
27825	글리벡내성유전자(Sequencin	EDTA Blood	Sequencing	노596	CZ817		0	0	253,000		0	264,390	▲
27820	글리벡내성유전자돌연변이	EDTA Blood	Maldi-Tof	노596가(20)	CZ817		0	0	253,000		0	264,390	▲
52580	기생충 항체 6종(1) CSF	CSF	ELISA				0	0	19,000		0	19,000	
52595	기생충 항체 검사 10종	SST Serum	ELISA				0	0	39,000		0	39,000	
52560	기생충 항체 검사 5종 (1)	SST Serum	ELISA				0	0	14,000		0	14,000	
52561	기생충 항체 검사 5종 (2)	SST Serum	ELISA				0	0	14,000		0	14,000	
52562	기생충 항체 검사 5종 (3)	SST Serum	ELISA				0	0	14,000		0	14,000	
52563	기생충 항체 검사 5종 (4)	SST Serum	ELISA				0	0	14,000		0	14,000	
52564	기생충 항체 검사 5종 (5)	SST Serum	ELISA				0	0	14,000		0	14,000	
52565	기생충 항체 검사 5종 (6)	SST Serum	ELISA				0	0	14,000		0	14,000	
52566	기생충 항체 검사 6종 (1)	SST Serum	ELISA				0	0	19,000		0	19,000	
52567	기생충 항체 검사 6종 (2)	SST Serum	ELISA				0	0	19,000		0	19,000	
52568	기생충 항체 검사 6종 (3)	SST Serum	ELISA				0	0	19,000		0	19,000	
52569	기생충 항체 검사 6종 (4)	SST Serum	ELISA				0	0	19,000		0	19,000	
52570	기생충 항체 검사 7종 (1)	SST Serum	ELISA				0	0	24,000		0	24,000	
70990	기생충성충	Other	검경법				0	0	10,000		0	10,000	
12891	단풍당뇨증(ECA)	Blood Paper	ECA	나443나1	CY441		36.46	2,310	2,310	36.46	2,380	2,380	▲

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
25696	동일인확인(특수검체)	Other					0	0	650,000		0	650,000	
12640	모발분석(병원급)	모발					0	0	70,000		0	70,000	
12647	미생물검사(투석액)	Water	Culture				0	0	9,600		0	10,030	▲
50490	백일해 항체	SST Serum	PA			국외	0	0	32,200		0	33,650	▲
80000	부인과적 세포검사	Cervix	Pap stain	나592	C5920		90.89	5,760	5,760	90.27	5,890	5,890	▲
70970	분변총란검사	Stool	검경법	나61다	B0613		20.55	1,300	1,300	20.99	1,370	1,370	▲
27590	선천성난청유전자(GJB2)	EDTA Blood	Sequencing	노595	CZ623		0	0	57,500		0	60,090	▲
27591	선천성난청유전자(GJB2)	Blood Paper	Sequencing	노595	CZ623		0	0	57,500		0	60,090	▲
80290	수술시응급 동결절편(1-2)	Tissue		나551가	C5511		393.29	24,930	24,930	388.98	25,400	25,400	▲
80649	수술시응급 동결절편(3-6)	Tissue		나551나	C5512		585.52	37,120	37,120	576.87	37,670	37,670	▲
52110	신경,근질환자가항체5	SST Serum					0	0	230,000		0	240,350	▲
52111	신경,근질환자가항체5	CSF					0	0	230,000		0	240,350	▲
80700	액상자궁경부세포검사	Cervix	Pap stain	너541	CX541		368.41	23,360	23,360	368.41	24,060	24,060	▲
70006	요일반검사 4종	Random Urine	Strip	나1	B0010		8.26	520	520	10.45	680	680	▲
70005	요일반검사 7종	Random Urine	Strip	나2	B0020		10.7	680	680	13.05	850	850	▲
70000	요일반검사10종	Random Urine	Strip	나3	B0030		14.92	950	950	20.17	1,320	1,320	▲
71010	요총란검사(Scotch tape)	Other	검경법	나62	B0620		15.8	1,000	1,000	16.12	1,050	1,050	▲
70015	요침사현미경검사	Random Urine	검경법	나4	B0041		11.03	700	700	11.12	730	730	▲
25367	유방암 유전자 가족검사	EDTA Blood	Sequencing				0	0	100,000		0	100,000	
10640	임신성당뇨100gm부하시험	NaF Plasma	Enzyme	나371나	C3711		22.25	5,640	5,640	20.32	5,320	5,320	▼
81316	전자현미경검사	Tissue		나555	C5550		1363.76	86,460	86,460	1280.59	83,620	83,620	▼
11220	전지질 중 지방산분획	SST Serum	GC			국외	0	0	173,000		0	180,790	▲
82018	조직 (≥13)	Tissue		나550가(5)	C5915		577.51	36,610	36,610	707.61	46,210	46,210	▲
82017	조직 (10-12)	Tissue		나550가(4)	C5914		513.01	32,520	32,520	610.85	39,890	39,890	▲
82014	조직 (1-3)	Tissue		나550가(1)	C5911		319.48	20,260	20,260	320.56	20,930	20,930	▲
82015	조직 (4-6)	Tissue		나550가(2)	C5912		383.94	24,340	24,340	417.26	27,250	27,250	▲
82016	조직 (7-9)	Tissue		나550가(3)	C5913		448.5	28,430	28,430	514.09	33,570	33,570	▲
82037	조직 악성(≤15)	Tissue		나550다(1)	C5500		896.68	56,850	56,850	869.01	56,750	56,750	▼
82035	조직 악성(≤20)	Tissue		나550다(1)	C5918		1187.89	75,310	75,310	1147.13	74,910	74,910	▼
82038	조직 악성(≥16)	Tissue		나550다(2)	C5504		1010.54	64,070	64,070	1039.80	67,900	67,900	▲
82036	조직 악성(≥21)	Tissue		나550다(2)	C5919		1400.9	88,820	88,820	1466.63	95,770	95,770	▲
82024	조직 절편(≤6)	Tissue		나550나(1)	C5916		595.38	37,750	37,750	575.73	37,600	37,600	▼
82025	조직 절편(≥7)	Tissue		나550나(2)	C5917		702.61	44,550	44,550	736.58	48,100	48,100	▲
82050	조직구축학적검사	Tissue		나550라(1)	C5505		1420.49	90,060	90,060	1496.02	97,690	97,690	▲
80680	조직내호르몬수용체검사	Other		나559	C5590		561.55	35,600	35,600	517.64	33,800	33,800	▼

검사 코드	검사명	검체명	검사법	분류번호	보험기호	비고	2009년 수가			2010년 수가			증감
							점수	보험가	의뢰가	점수	보험가	의뢰가	
80660	조직면역형광현미경검사	Other		나554가	C5541		307.9	19,520	19,520	288.58	18,840	18,840	▼
80670	조직전자현미경검사	Other		나555	C5550		1363.76	86,460	86,460	1280.59	83,620	83,620	▼
80676	주사 전자현미경(SEM)	Other					0	0	95,000		0	95,000	
80020	체액세포병리검사	Sputum	Pap stain	나593가	C5930		105.29	6,680	6,680	101.11	6,600	6,600	▼
80021	체액세포병리검사(Cytospin)	Sputum	Pap stain	나593나	C5931		107.99	6,850	6,850	104.57	6,830	6,830	▼
13190	총삼염화물(TTC)	Random Urine	GC/ECD	나451나(3)	CY373290		399.4	25,320	25,320	399.40	26,080	26,080	▲
25700	친자확인(부or모+자)24시간	EDTA Blood					0	0	440,000		0	440,000	
82070	탈회(Decalcification)	Tissue		나550주1	C5509		54.09	3,430	3,430	51.69	3,380	3,380	▼
80675	투과 전자현미경(TEM)	Other					0	0	95,000		0	95,000	
12645	투석용수 미세물질24종검사	Water	ICP/MS				0	0	250,000		0	261,250	▲
12646	투석용수 배양/내독소검사	Other						0	49,850		0	52,090	▲
12881	페닐케톤뇨증(ECA)	Blood Paper	ECA	나443나1	C4411		31.86	2,020	2,020	29.56	1,930	1,930	▼
30231	혈액형 동정검사	복수검체		나206나	B2062006		205.33	13,020	13,020	218.05	14,240	14,240	▲
30261	혈액형 아형검사	복수검체		나201가외	B2000 외		0	18,390	18,390		18,890	18,890	▲
70700	혐기성 배양	Other		나405가	B4051		152.96	9,700	9,700	158.13	10,330	10,330	▲
70705	혐기성 배양 및 Sensi(G)	Other		나405+나40	B4051+B4061	0		16850	16850		17760	17,760	▲
12910	호모시스틴뇨증	Blood Paper	Bioassay	나443나1	CX342		36.46	2,310	2,310	36.46	2,380	2,380	▲
42305	호흡기바이러스 12종 PCR	Sputum	Multiplex-PCR				0	0	150,000		0	156,720	▲
42306	호흡기바이러스 6종 PCR	Sputum	Multiplex-PCR				0	0	127,000		0	132,690	▲
42252	호흡기바이러스 culture 2종	Other	Shell Vial Culture	나416	B4160006		0	67,520	67,520	546.65	71,400	71,400	▲
42253	호흡기바이러스 culture 3종	Other	Shell Vial Culture	나416	B4160006		0	101,280	101,280	546.65	107,100	107,100	▲
42254	호흡기바이러스 culture 4종	Other	Shell Vial Culture	나416	B4160006		0	135,040	135,040	546.65	142,800	142,800	▲
42255	호흡기바이러스 culture 5종	Other	Shell Vial Culture	나416	B4160006		0	168,800	168,800	546.65	178,500	178,500	▲
42256	호흡기바이러스 culture 6종	Other	Culture	나416	B4160006		0	202,560	202,560	546.65	214,200	214,200	▲
80030	흡인세포병리검사	Thyroid	Pap stain	나594-1	C5941		174.9	11,090	11,090	176.82	11,550	11,550	▲
80036	흡인세포병리검사_조직절편	Other		나594-1	C5942		238.61	15,130	15,130	239.09	15,610	15,610	▲
71100	흡충란검사 (Trematodes)	Stool	검경법	나64	B0641		51.88	3,290	3,290	51.62	3,370	3,370	▲