

삼광의료재단 2019년 검사수가 안내 (급여)

(알파벳 순)

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
11230	1,25-(OH)2 Vitamin D	SST Serum	누490	D4902017		149.80	12,190	12,190	133.81	11,160	11,160
20002	1,5-Anhydroglucitol	SST Serum	누303	D3030003		180.40	14,680	14,680	182.87	15,250	15,250
00591	17-KS	24hr Urine	누350가	D3501043		54.66	4,450	4,450	52.21	4,350	4,350
00611	17-OHCS	24hr Urine	누350가	D3501053		54.66	4,450	4,450	52.21	4,350	4,350
00410	17α-OH-Progesterone	SST Serum	누371주	D3711017		173.48	14,120	14,120	168.17	14,030	14,030
00411	17α-OH-Progesterone	EDTA Plasma	누371주	D3711017		173.48	14,120	14,120	168.17	14,030	14,030
11830	2,5-Hexanedione	Random Urine	누540다	D5423013		253.61	20,640	20,640	254.39	21,220	21,220
11250	25-OH Vitamin D	SST Serum	누490나	D4902023		146.92	11,960	11,960	131.23	10,940	10,940
11252	25-OH Vitamin D(D2,D3)	Plain Serum	누490다	D490408C		495.22	40,310	40,310	521.02	43,450	43,450
11251	25-OH Vitamin D3 (RIA)	SST Serum	누490나주	D4903067		180.90	14,730	14,730	174.73	14,570	14,570
00825	5-HIAA 정량	24hr Urine	누351다	D3513013		221.75	18,050	18,050	219.58	18,310	18,310
00826	5-HIAA 정량	Random Urine	누351다	D3513013		221.75	18,050	18,050	219.58	18,310	18,310
00812	5-HIAA 정량 (24hr U)	24hr Urine	누351라	D351401C		394.43	32,110	32,110	422.13	35,210	35,210
00811	5-HIAA 정량(Plasma)	EDTA Plasma	누351라	D351401C		394.43	32,110	32,110	422.13	35,210	35,210
00810	5-HIAA 정성	Random Urine	누351가	D3511013		15.39	1,250	1,250	16.43	1,370	1,370
10840	A/CCR	복수검체	누380외	D3800023외		-	9,100	9,100	-	8,740	8,740
10020	A/G ratio	SST Serum	누188외	D1880003외		-	2,890	2,890	-	2,830	2,830
10021	A/G ratio (Fluid)	Body Fluid	누188외	D1880003외		-	2,890	2,890	-	2,830	2,830
30290	Ab Elution	EDTA Blood	누160	D160000C		65.39	5,320	5,320	71.90	6,000	6,000
30230	Ab Identification Test	복수검체	누154외	D154105C외		-	35,140	35,140	-	36,650	36,650
30220	Ab Screening test	SST Serum	누156가	D156100C		120.84	9,840	9,840	128.35	10,700	10,700
25687	ABCB11 gene, mutation	EDTA Blood	나580다(4)	C580924C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
27691	ABCD1 gene, mutation(삼성)	EDTA Blood	나580다(3)	C580801C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
30247	ABO 혈액형 검사(Front & Back Typ	EDTA Blood	누150나	D1502003		53.78	4,380	4,380	60.65	5,060	5,060
30251	ABO(Front)Typing	Capillary	누150가	D1501003		33.20	2,700	2,700	34.68	2,890	2,890
30252	ABO(Front)Typing	Cord Blood	누150가	D1501003		33.20	2,700	2,700	34.68	2,890	2,890
10190	ACE	SST Serum	누252	D2520003		194.88	15,860	15,860	181.47	15,130	15,130
10191	ACE	Other	누252	D2520003		194.88	15,860	15,860	181.47	15,130	15,130
65490	Acetaminophen	SST Serum	누532나	D5333013		219.09	17,830	17,830	203.21	16,950	16,950
27550	Achondroplasia,FGFR3 major	EDTA Blood	나580다(1)	C580618C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
01140	Ach-r-Binding Ab	SST Serum	누808주	D8081007		128.89	10,490	10,490	123.25	10,280	10,280

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
10200	ACP	SST Serum	누229	D2290003		17.69	1,440	1,440	17.62	1,470	1,470
10201	ACP	분비물	누229	D2290003		17.69	1,440	1,440	17.62	1,470	1,470
00015	ACTH (ECLIA)	EDTA Plasma	누343	D3430003		177.59	14,460	14,460	171.97	14,340	14,340
80860	ACTH(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81213	actin(IHC) 서울성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81159	Actin(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
30960	Activated PTT	SC Plasma	누100라	D1004003		39.83	3,240	3,240	37.53	3,130	3,130
26130	Acute Leukemia panel	EDTA Blood	누081나외	D081200C외		-	708,310	708,310	-	738,370	738,370
26131	Acute Leukemia panel	Bone Marrow	누081나외	D081200C외		-	708,310	708,310	-	738,370	738,370
26234	Acute Leukemia panel	Bone Marrow	누081나외	D081200C외		-	690,300	690,300	-	719,640	719,640
29601	ACVRL1 gene mutation(HHT)	EDTA Blood	나580다(2)	C580702C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
10210	ADA	SST Serum	누253	D2530003		145.93	11,880	11,880	137.57	11,470	11,470
10212	ADA	Body Fluid	누253	D2530003		145.93	11,880	11,880	137.57	11,470	11,470
10211	ADA(CSF)	CSF	누253	D2530003		145.93	11,880	11,880	137.57	11,470	11,470
42811	Adenovirus Ag (Stool)	Stool	누654가	D654101C		180.92	14,730	14,730	170.31	14,200	14,200
42105	Adenovirus culture	Other	누652가	D652100C		577.45	47,000	47,000	578.46	48,240	48,240
40255	Adenovirus IgG	SST Serum	누654나(1)	D654201C		234.89	19,120	19,120	216.79	18,080	18,080
40260	Adenovirus IgM	SST Serum	누654나(2)	D654301C		218.09	17,750	17,750	198.09	16,520	16,520
40261	Adenovirus IgM	CSF	누654나(2)	D654301C		218.09	17,750	17,750	198.09	16,520	16,520
42107	Adenovirus rapid culture	Other	누652가	D652100C		577.45	47,000	47,000	578.46	48,240	48,240
00030	ADH	EDTA Plasma	누340주	D1340007		113.02	9,200	9,200	113.90	9,500	9,500
27690	Adrenoleukodystrophy-ABCD1	EDTA Blood	나580다(3)	C580801C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
25020	AFAFP	Amniotic Fluid	누421나	D2420023		130.14	10,590	10,590	110.65	9,230	9,230
25040	AFAFP	Amniotic Fluid	누421나	D2420023		130.14	10,590	10,590	110.65	9,230	9,230
25050	AFAFP+AChE	Amniotic Fluid	누421외	D2420023외		-	230,090	230,090	-	235,330	235,330
25070	AFAFP+Chromosome	Amniotic Fluid	누421외	D2420023외		-	554,290	554,290	-	569,230	569,230
70410	AFB Culture	Sputum	누601가(1)	D6011003		183.80	14,960	14,960	179.81	15,000	15,000
70420	AFB Culture(고체배지)	Tissue	누601가(1)	D6011003		183.80	14,960	14,960	179.81	15,000	15,000
70450	AFB Culture(액체+고체)결핵	Tissue	누601가외	D6011003외		-	35,180	35,180	-	35,410	35,410
70445	AFB Culture(액체+고체배지)	Sputum	누601가외	D6011003외		-	35,180	35,180	-	35,410	35,410
70605	AFB Identification	균주	누604가	D604102C		545.54	44,410	44,410	532.77	44,430	44,430
70512	AFB Sensitivity (INH)	Sputum	누604나	D604204C		651.81	53,060	53,060	640.32	53,400	53,400
70511	AFB Sensitivity (RIF)	Sputum	누604나	D604203C		651.81	53,060	53,060	640.32	53,400	53,400
70510	AFB Sensitivity (RIF,INH)	Sputum	누604나	D604203C외		-	106,120	106,120	-	106,800	106,800

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
70516	AFB Sensitivity (Sequence)	Sputum	누605가	D605102C외	급여전환	-	-	106,800	-	309,020	309,020
70500	AFB Sensitivity (결핵협회)	균주	누601나	D6013003		516.03	42,000	42,000	496.92	41,440	41,440
70320	AFB Stain	Tissue	누600다	D6003003		86.85	7,070	7,070	92.23	7,690	7,690
70400	AFB Stain & Culture	Sputum	누600다외	D6003003외		-	22,030	22,030	-	22,690	22,690
70330	AFB Stain(형광법)	Sputum	누600다	D6003003		86.85	7,070	7,070	92.23	7,690	7,690
01405	AFP	SST Serum	누421나	D2420023		130.14	10,590	10,590	110.65	9,230	9,230
01406	AFP	EDTA Plasma	누421나	D2420023		130.14	10,590	10,590	110.65	9,230	9,230
01407	AFP	Body Fluid	누421나	D2420023		130.14	10,590	10,590	110.65	9,230	9,230
81560	AFP(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81978	AFP(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
26881	AGL gene, mutation(삼성)	EDTA Blood	나580다(4)	C580901C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
10000	Albumin	SST Serum	누188	D1880003		19.59	1,590	1,590	18.51	1,540	1,540
10004	Albumin	Body Fluid	누188	D1880003		19.59	1,590	1,590	18.51	1,540	1,540
10003	Albumin(CSF)	CSF	누300나	D3002003		198.80	16,180	16,180	196.14	16,360	16,360
11891	Alcohol	EDTA Plasma	누532가	D5323183		131.14	10,670	10,670	134.08	11,180	11,180
11890	Alcohol(Ethanol)	SST Serum	누532가	D5323183		131.14	10,670	10,670	134.08	11,180	11,180
11892	Alcohol(RU)	Random Urine	누532가	D5323183		131.14	10,670	10,670	134.08	11,180	11,180
10221	Aldolase	SST Serum	누251	D2510083		34.56	2,810	2,810	32.67	2,720	2,720
00650	Aldosterone (RIA)	SST Serum	누350나주	D3503037		142.27	11,580	11,580	148.19	12,360	12,360
00655	Aldosterone (RIA)	24hr Urine	누350나주	D3503037		142.27	11,580	11,580	148.19	12,360	12,360
81705	ALK(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
82440	ALK(IHC)(여의도성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81711	ALK(IHC)삼성	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
10230	ALP	SST Serum	누187	D1870003		17.98	1,460	1,460	17.25	1,440	1,440
20560	ALP Isoenzyme	SST Serum	누254나	D254201C		176.33	14,350	14,350	176.76	14,740	14,740
10231	ALP(Fluid)	Body Fluid	누187	D1870003		17.98	1,460	1,460	17.25	1,440	1,440
10360	ALT(GPT)	SST Serum	누185	D1850003		21.31	1,730	1,730	20.84	1,740	1,740
10361	ALT(GPT)(Fluid)	Body Fluid	누185	D1850003		21.31	1,730	1,730	20.84	1,740	1,740
12670	Aluminium(Al)	Trace Serum	누550나	D5511023		320.29	26,070	26,070	323.24	26,960	26,960
12671	Aluminium(Al)	24hr Urine	누550나	D5511023		320.29	26,070	26,070	323.24	26,960	26,960
81145	AMACR(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81146	AMACR(IHC)여의도성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
65170	Amikacin	Plain Serum	누532나	D5333023		219.09	17,830	17,830	203.21	16,950	16,950
13011	Amino Acid 분석	EDTA Plasma	누514라	D514500C외		-	145,610	145,610	-	150,570	150,570

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
13012	Amino Acid 분석	Random Urine	누514라	D514500C외		-	145,610	145,610	-	150,570	150,570
65500	Amiodarone	Plain Serum	누532다(4)	D534904C		575.16	46,820	46,820	574.08	47,880	47,880
65512	Amitriptyline + Nortriptyline	Plain Serum	누532다(4)	D534905C		575.16	46,820	46,820	574.08	47,880	47,880
25325	AML1/ETO (real-time PCR)	EDTA Blood	나583나	C583123C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
25326	AML1/ETO (real-time PCR)	Bone Marrow	나583나	C583123C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
25320	AML1/ETO (RT-Nested-PCR)	EDTA Blood	나583나	C583110C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
25321	AML1/ETO (RT-Nested-PCR)	Bone Marrow	나583나	C583110C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
10850	Ammonia (NH3)	EDTA Plasma	누192	D1920003		54.60	4,440	4,440	51.00	4,250	4,250
10240	Amylase	SST Serum	누380	D3800023		38.43	3,130	3,130	34.36	2,870	2,870
10243	Amylase	Body Fluid	누380	D3800023		38.43	3,130	3,130	34.36	2,870	2,870
10252	Amylase clearance	복수검체	누228외	D2280003외		-	9,100	9,100	-	8,740	8,740
20573	Amylase Isoenzyme	SST Serum	누382	D382000C		151.29	12,320	12,320	157.94	13,170	13,170
20574	Amylase Isoenzyme	Body Fluid	누382	D382000C		151.29	12,320	12,320	157.94	13,170	13,170
10242	Amylase(24hr U)	24hr Urine	누380	D3800023		38.43	3,130	3,130	34.36	2,870	2,870
10241	Amylase(RU)	Random Urine	누380	D3800023		38.43	3,130	3,130	34.36	2,870	2,870
81966	Amyloid A(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81974	Amyloid A(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
51030	ANA (IFA)	SST Serum	누784나(1)	D784200C		165.07	13,440	13,440	168.21	14,030	14,030
51031	ANA (IFA)	Body Fluid	누784나(1)	D784200C		165.07	13,440	13,440	168.21	14,030	14,030
51040	ANA 경량	SST Serum	누784나(2)	D784300C		293.36	23,880	23,880	297.94	24,850	24,850
51041	ANA 경량	Body Fluid	누784나(2)	D784300C		293.36	23,880	23,880	297.94	24,850	24,850
51061	ANCA (MPO) 경량	SST Serum	누795가	D795103C		192.88	15,700	15,700	183.58	15,310	15,310
51062	ANCA (PR3) 경량	SST Serum	누795가	D795104C		192.88	15,700	15,700	183.58	15,310	15,310
51052	ANCA Titer (IFA)	SST Serum	누794가	D794200C		317.41	25,840	25,840	312.07	26,030	26,030
51060	ANCA 경량	SST Serum	누795가	D795103C외		-	31,400	31,400	-	30,620	30,620
51063	ANCA 경량 3종(MPO,PR3,GBM)	SST Serum	누795외	D795103C외		-	42,250	42,250	-	41,970	41,970
51050	ANCA 경성	SST Serum	누794가	D794100C		147.82	12,030	12,030	140.31	11,700	11,700
12930	Anion GAP	SST Serum	누280외	D2800033외		-	7,740	7,740	-	8,040	8,040
51100	Anti Cardiolipin IgA	SST Serum	누788가(2)	D7882013		223.90	18,230	18,230	205.73	17,160	17,160
51080	Anti Cardiolipin IgG	SST Serum	누788가(2)	D7882023		223.90	18,230	18,230	205.73	17,160	17,160
51090	Anti Cardiolipin IgM	SST Serum	누788가(2)	D7882033		223.90	18,230	18,230	205.73	17,160	17,160
51145	Anti centromere Ab(EIA)	SST Serum	누785나	D785209C		381.83	31,080	31,080	358.33	29,880	29,880
51152	Anti dsDNA Ab(RIA)	SST Serum	누786나주	D7863007		255.51	20,800	20,800	262.76	21,910	21,910
51160	Anti dsDNA IgG	SST Serum	누786나	D7862003		257.20	20,940	20,940	257.69	21,490	21,490

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
51170	Anti dsDNA IgM	SST Serum	누786나	D7862003		257.20	20,940	20,940	257.69	21,490	21,490
51171	Anti dsDNA IgM	EDTA Plasma	누786나	D7862003		257.20	20,940	20,940	257.69	21,490	21,490
51220	Anti GAD Ab	SST Serum	누803주	D8031007		507.11	41,280	41,280	506.22	42,220	42,220
51221	Anti GAD Ab	CSF	누803주	D8031007		507.11	41,280	41,280	506.22	42,220	42,220
51230	Anti GBM Ab	SST Serum	누796가	D7961003		133.25	10,850	10,850	136.14	11,350	11,350
51271	Anti Intrinsic factor Ab	SST Serum	누805	D8050003		109.49	8,910	8,910	103.82	8,660	8,660
51320	Anti Jo-1 Ab	SST Serum	누785나	D785201C		381.83	31,080	31,080	358.33	29,880	29,880
51360	Anti LKM Ab	SST Serum	누798나	D7982003		317.07	25,810	25,810	308.16	25,700	25,700
01885	Anti Microsome(TPO) Ab	SST Serum	누321나	D3212043		186.94	15,220	15,220	168.31	14,040	14,040
51380	Anti Mitochondrial Ab(IFA)	SST Serum	누797다	D7973003		124.07	10,100	10,100	119.76	9,990	9,990
51420	Anti Parietal cell Ab	SST Serum	누809	D8090003		81.19	6,610	6,610	82.22	6,860	6,860
51450	Anti Phospholipid IgG	SC Plasma	누789가(2)	D789202C		257.20	20,940	20,940	248.73	20,740	20,740
51451	Anti Phospholipid IgG	SST Serum	누789가(2)	D789202C		257.20	20,940	20,940	248.73	20,740	20,740
51460	Anti Phospholipid IgM	SC Plasma	누789가(2)	D789203C		257.20	20,940	20,940	248.73	20,740	20,740
51461	Anti Phospholipid IgM	SST Serum	누789가(2)	D789203C		257.20	20,940	20,940	248.73	20,740	20,740
51480	Anti Platelet Ab	SST Serum	누791다	D791300C		240.96	19,610	19,610	235.72	19,660	19,660
51520	Anti RNP Ab	SST Serum	누785나	D785204C		381.83	31,080	31,080	358.33	29,880	29,880
51521	Anti RNP Ab	EDTA Plasma	누785나	D785204C		381.83	31,080	31,080	358.33	29,880	29,880
51535	Anti Scl-70 Ab	SST Serum	누785나	D785205C		381.83	31,080	31,080	358.33	29,880	29,880
51550	Anti Sm Ab	SST Serum	누785나	D785206C		381.83	31,080	31,080	358.33	29,880	29,880
51560	Anti Smooth Muscle Ab(IFA)	SST Serum	누799다	D7993003		113.72	9,260	9,260	105.32	8,780	8,780
51580	Anti SS-A/Ro Ab	SST Serum	누785나	D785207C		381.83	31,080	31,080	358.33	29,880	29,880
51590	Anti SS-B/La Ab	SST Serum	누785나	D785208C		381.83	31,080	31,080	358.33	29,880	29,880
30870	Anti thrombin III (%)	SC Plasma	누112가	D1121003		87.38	7,110	7,110	75.81	6,320	6,320
31120	Anti Xa LMWH test (Heparin)	SC Plasma	누102	D1020023		164.45	13,390	13,390	153.88	12,830	12,830
52030	Anti β2-GPI IgG	SST Serum	누790가	D7901023		251.51	20,470	20,470	245.95	20,510	20,510
52035	Anti β2-GPI IgM	SST Serum	누790가	D7901033		251.51	20,470	20,470	245.95	20,510	20,510
26411	APC gene mutation analysis	EDTA Blood	나580다	C580902C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
31100	APCR	SC Plasma	누103	D1030033		173.35	14,110	14,110	163.33	13,620	13,620
10940	Apolipoprotein A I	SST Serum	누263	D2630023		91.74	7,470	7,470	85.72	7,150	7,150
10950	Apolipoprotein A II	SST Serum	누263	D2630023		91.74	7,470	7,470	85.72	7,150	7,150
10960	Apolipoprotein B	SST Serum	누263	D2630033		91.74	7,470	7,470	85.72	7,150	7,150
10970	Apolipoprotein C II	SST Serum	누263	D2630043		91.74	7,470	7,470	85.72	7,150	7,150
10980	Apolipoprotein C III	SST Serum	누263	D2630043		91.74	7,470	7,470	85.72	7,150	7,150

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
10990	Apolipoprotein E	SST Serum	누263	D2630053		91.74	7,470	7,470	85.72	7,150	7,150
25330	Apolipoprotein E Genotype	EDTA Blood	나580가	C580001C		819.62	66,720	66,720	771.40	64,330	64,330
20430	Apt test	Stool	누032가	D0321003		32.55	2,650	2,650	42.28	3,530	3,530
20431	Apt test	Other	누032가	D0321003		32.55	2,650	2,650	42.28	3,530	3,530
29390	ARSA gene (MLD)	EDTA Blood	나580다(2)	C580705C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
12683	Arsenic (As)	Trace EDTA Blood	누550나	D5511033		320.29	26,070	26,070	323.24	26,960	26,960
12685	Arsenic (As)	24hr Urine	누550나	D5511033		320.29	26,070	26,070	323.24	26,960	26,960
12686	Arsenic (As)	Random Urine	누550나	D5511033		320.29	26,070	26,070	323.24	26,960	26,960
10260	Arylsulfatase A	EDTA Blood	누517가	D517105C		656.20	53,410	53,410	656.20	54,730	54,730
10265	Arylsulfatase A	EDTA Blood	누517가	D517105C		656.20	53,410	53,410	656.20	54,730	54,730
52166	ASCA(Anti Saccharomyces Cerevisiae)	SST Serum	누807외	D807001C외		-	29,140	29,140	-	28,920	28,920
50410	ASO 정량	SST Serum	누583다	D5833003		99.98	8,140	8,140	96.11	8,020	8,020
50400	ASO(Latex)	SST Serum	누583가	D5831003		27.23	2,220	2,220	26.19	2,180	2,180
50411	ASO(Titer)(Fluid)	Body Fluid	누583다	D5833003		99.98	8,140	8,140	96.11	8,020	8,020
50445	Aspergillus Ab IgG	SST Serum	누622나	D622201C		179.00	14,570	14,570	173.38	14,460	14,460
50455	Aspergillus Ag	SST Serum	누621나	D621201C		273.67	22,280	22,280	257.47	21,470	21,470
50456	Aspergillus Ag(BAL)	Bronchial Wash	누621나	D621201C		273.67	22,280	22,280	257.47	21,470	21,470
65520	Aspirin (Salicylic acid)	Plain Serum	누532	D5323403		131.14	10,670	10,670	134.08	11,180	11,180
25652	ASS1 gene, mutation (citrullinemia)	EDTA Blood	나580다(3)	C580803C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
10350	AST(GOT)	SST Serum	누186	D1860003		21.82	1,780	1,780	21.33	1,780	1,780
10351	AST(GOT)(Fluid)	Body Fluid	누186	D1860003		21.82	1,780	1,780	21.33	1,780	1,780
25631	ATP7A gene, mutation (Menkes disease)	EDTA Blood	나580다(4)	C580903C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
81179	ATPase 9.4 stain	Tissue	나566	C5660008		377.85	30,760	30,760	394.49	32,900	32,900
11925	Auto hemolysis test	복수검체	누054가	D054102C		101.82	8,290	8,290	104.68	8,730	8,730
29172	Avellino corneal dystrophy	Other	나580나(1)	C580109C		819.62	66,720	66,720	771.40	64,330	64,330
29430	AVPR2 gene mutation	EDTA Blood	나580다(2)	C580737C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
10890	B/C ratio	SST Serum	누230외	D2300003외		-	2,960	2,960	-	2,990	2,990
29300	BAALC	EDTA Blood	나583나(1)	C583115C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
65180	Barbiturate	Random Urine	누532가(1)	D5321043		66.67	5,430	5,430	65.48	5,460	5,460
25900	B-Cell Stain(CD20)(IHC)	Blood Smear Slide	나567	C567000C		592.36	48,220	48,220	627.50	52,330	52,330
81070	BCL2(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81071	BCL2(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81205	BCL2(IHC)(서울성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81080	BCL6(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
81081	BCL6(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81660	BCL6(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
27563	BCR/ABL gene, rearrangement	EDTA Blood	나583나외	C583101C외		-	239,100	239,100	-	235,240	235,240
25370	BCR-ABL major PCR	EDTA Blood	나583나	C583101C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
25371	BCR-ABL major PCR	Bone Marrow	나583나	C583101C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
25380	BCR-ABL minor PCR	EDTA Blood	나583나	C583102C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
25381	BCR-ABL minor PCR	Bone Marrow	나583나	C583102C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
27564	bcr-abl 정량 (성모)	Bone Marrow	나583나	C583116C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
27576	bcr-abl 정량(major)	EDTA Blood	나583나(1)	C583116C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
27577	bcr-abl 정량(minor)	EDTA Blood	나583나(1)	C583116C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
65190	Benzodiazepine	Random Urine	누532가(1)	D5321053		66.67	5,430	5,430	65.48	5,460	5,460
80834	beta-hcg(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
11930	Bile Acid	SST Serum	누190	D1900003		162.81	13,250	13,250	163.15	13,610	13,610
11931	Bile Acid	Bile	누190	D1900003		162.81	13,250	13,250	163.15	13,610	13,610
11680	Biotinidase 정량	EDTA Plasma	누517가	D517118C		656.20	53,410	53,410	656.20	54,730	54,730
42682	BK Virus PCR	Random Urine	누658가	D658102C		402.35	32,750	32,750	395.74	33,000	33,000
42685	BK Virus PCR 정량	Random Urine	누658마	D658501C		828.13	67,410	67,410	810.08	67,560	67,560
30010	Blood Cell Morphology	EDTA Blood	누051	D051000C		95.13	7,740	7,740	103.72	8,650	8,650
70230	Blood Culture & Sensi(Disk)	Blood	누581마(1)	D5853003		204.70	16,660	16,660	213.32	17,790	17,790
70245	Blood Culture & Sensi(MIC)	Blood	누581마(2)	D5856003		235.09	19,140	19,140	244.23	20,370	20,370
25634	BMPR2 gene, mutation(삼성)	EDTA Blood	나580다(2)	C580738C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
71020	Body Fluid Analysis	Body Fluid	누032사	D0327003		54.95	4,470	4,470	55.99	4,670	4,670
71021	Body Fluid Analysis(Joint)	Joint Fluid	누032사	D0327003		54.95	4,470	4,470	55.99	4,670	4,670
71060	Body Fluid Cell count	Body Fluid	누032사	D0327003		54.95	4,470	4,470	55.99	4,670	4,670
11941	Bone ALP	SST Serum	누500	D5000013		89.98	7,320	7,320	89.45	7,460	7,460
30130	Bone Marrow Examination	Bone Marrow Sl	누083가	D0831003		574.20	46,740	46,740	594.65	49,590	49,590
50823	Borrelia PCR	EDTA Blood	누591가	D591102C		402.35	32,750	32,750	395.74	33,000	33,000
29065	BRAF V600E mutation	Thyroid	나583나(1)	C583117C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
25368	BRCA family test	EDTA Blood	나580	C580500C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
25350	BRCA1	EDTA Blood	나580다	C580905C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
25351	BRCA1 (서울대)	EDTA Blood	나580다	C580905C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
25360	BRCA2	EDTA Blood	나580다	C581001C		11,030.45	897,880	897,880	11,030.45	919,940	919,940
25361	BRCA2 (서울대)	EDTA Blood	나580다	C581001C		11,030.45	897,880	897,880	11,030.45	919,940	919,940
29080	BTK gene mutation	EDTA Blood	나580다(3)	C580838C		4,637.14	377,460	377,460	4,637.14	386,740	386,740

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
10860	BUN	SST Serum	누230	D2300003		18.86	1,540	1,540	17.81	1,490	1,490
10862	BUN	Random Urine	누230	D2300003		18.86	1,540	1,540	17.81	1,490	1,490
10861	BUN(24hr U)	24hr Urine	누230	D2300003		18.86	1,540	1,540	17.81	1,490	1,490
70727	C.difficile culture	Stool	누582	D5821073		362.27	29,490	29,490	372.14	31,040	31,040
70724	C.difficile toxin A,B	Stool	누590다	D5903003		118.88	9,680	9,680	112.12	9,350	9,350
20040	C3	SST Serum	누747가	D7471013		88.69	7,220	7,220	79.77	6,650	6,650
20070	C4	SST Serum	누747가	D7471023		88.69	7,220	7,220	79.77	6,650	6,650
81155	C4d(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81157	C4d(IHC) 성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
10076	Ca/Cr ratio(Urine)	Random Urine	누280외	D2800053외		-	2,800	2,800	-	2,960	2,960
10090	Ca++	SST Serum	누281	D2810023		72.30	5,890	5,890	67.82	5,660	5,660
10091	Ca++	Hp Plasma	누281	D2810023		72.30	5,890	5,890	67.82	5,660	5,660
01495	CA125 (ECLIA)	SST Serum	누431	D4311003		205.04	16,690	16,690	182.27	15,200	15,200
01455	CA15-3 (ECLIA)	SST Serum	누434	D4340003		207.55	16,890	16,890	186.87	15,580	15,580
01465	CA19-9 (ECLIA)	SST Serum	누435	D4350003		214.89	17,490	17,490	192.09	16,020	16,020
01466	CA19-9 (ECLIA)	Body Fluid	누435	D4350003		214.89	17,490	17,490	192.09	16,020	16,020
80832	CA19-9(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
01482	CA72-4 (ECLIA)	SST Serum	누436	D4360003		223.67	18,210	18,210	197.25	16,450	16,450
26860	CACNA1A gene, mutation	EDTA Blood	나580다(5)	C581015C		11,030.45	897,880	897,880	11,030.45	919,940	919,940
28180	CACNA1S gene mutation	EDTA Blood	나580다(1)	C580602C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
26790	CADASIL (NOTCH3)	EDTA Blood	나580다(3)	C580862C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
12692	Cadmium(Cd)	Trace EDTA Blo	누550나	D5511043		320.29	26,070	26,070	323.24	26,960	26,960
12693	Cadmium(Cd)	24hr Urine	누550나	D5511043		320.29	26,070	26,070	323.24	26,960	26,960
12694	Cadmium(Cd)	Random Urine	누550나	D5511043		320.29	26,070	26,070	323.24	26,960	26,960
28080	CAG repeats of Androgen R	EDTA Blood	나580나	C580301C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
01919	Calcitonin	SST Serum	누424	D4240003		153.61	12,500	12,500	152.27	12,700	12,700
81190	Calcitonin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
10070	Calcium (Ca)	SST Serum	누280	D2800053		16.97	1,380	1,380	17.55	1,460	1,460
10072	Calcium (Ca)	Random Urine	누280	D2800053		16.97	1,380	1,380	17.55	1,460	1,460
10071	Calcium (Ca)(24hr U)	24hr Urine	누280	D2800053		16.97	1,380	1,380	17.55	1,460	1,460
10077	Calcium excretion	복수검체	누280외	D2800053외		-	4,220	4,220	-	4,460	4,460
81219	Calponin(IHC)(여의도)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
13227	Calprotectin	Stool	누013나	D0133003		246.95	20,100	20,100	246.95	20,600	20,600
27774	CALR(Calreticulin) Gene, Mutatio	EDTA Blood	나583다(6)	C583802C		2,980.79	242,640	242,640	2,980.79	248,600	248,600

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
81886	Calretinin(IHC) 서울성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81888	Calretinin(IHC)(여의도성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
71050	Campylobacter Culture	Stool	누582	D582106C		397.79	32,380	32,380	408.62	34,080	34,080
50542	Candida Ag 정성	SST Serum	누581다	D5830023		91.08	7,410	7,410	92.63	7,730	7,730
42696	Candida albicans PCR	분비물	누623가	D623103C		402.35	32,750	32,750	395.74	33,000	33,000
25685	CAPN3 gene, mutation	EDTA Blood	나580다(4)	C580927C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
65200	Carbamazepine	SST Serum	누532나(2)	D5333083		219.09	17,830	17,830	203.21	16,950	16,950
27439	Carbapenemase PCR (Panel)	균주	누591	D591303C 외		-	175,440	175,440	-	184,920	184,920
27438	Carbapenemase(CRE) PCR	균주	누685가	D685102C		814.39	66,290	66,290	803.68	67,030	67,030
20440	Carboxy Hemoglobin	EDTA Blood	누530	D5300033		49.25	4,010	4,010	48.16	4,020	4,020
11010	Cardiac Risk Factor	SST Serum	누261가	D2611003외		-	7,640	7,640	-	7,510	7,510
11265	Carnitine(Vitamin BT)	SST Serum	누490다	D4904123		451.00	36,710	36,710	474.50	39,570	39,570
11270	Carotene	SST Serum	누490가	D4901073		82.99	6,760	6,760	84.70	7,060	7,060
02043	Catecholamine 2F	EDTA Plasma	누351라외	D351408C외		-	64,220	64,220	-	70,420	70,420
02045	Catecholamine 2F	24hr Urine	누351라외	D351408C외		-	64,220	64,220	-	70,420	70,420
02053	Catecholamine 3F	EDTA Plasma	누351라외	D351408C외		-	96,330	96,330	-	105,630	105,630
02056	Catecholamine 3F	24hr Urine	누351라외	D351408C외		-	96,330	96,330	-	105,630	105,630
26666	CBFB-MYH11-inv(16) RQ-PCR	EDTA Blood	나583나	C583118C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
25993	CD 19	EDTA Blood	누081나	D081200C		471.15	38,350	38,350	479.34	39,980	39,980
26000	CD 20	EDTA Blood	누081나	D081200C		471.15	38,350	38,350	479.34	39,980	39,980
25928	CD 3 (T3)	EDTA Blood	누081나	D081200C		471.15	38,350	38,350	479.34	39,980	39,980
81582	CD 38(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
25933	CD 4 (T helper)	EDTA Blood	누081나	D081200C		471.15	38,350	38,350	479.34	39,980	39,980
81030	CD10(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81680	CD10(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81207	CD10(IHC)(서울성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81682	CD10(IHC)(여의도성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
26009	CD103	EDTA Blood	누081나	D081200C		471.15	38,350	38,350	479.34	39,980	39,980
26195	CD117(c-kit)(IHC)	Block	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81330	CD117(C-kit)(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81630	CD117(c-kit)(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81223	CD117(C-Kit)(IHC)(성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
26196	CD117(c-kit)(IHC)여의도성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81581	CD138(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
81583	CD138(IHC)(삼성)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80880	CD15(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80881	CD15(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
26251	CD16+CD56(NKcell)	EDTA Blood	누081나	D081200C		471.15	38,350	38,350	479.34	39,980	39,980
81585	CD163(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81210	CD1a(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81158	CD1a(IHC) 서울성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81211	CD1a(IHC) 성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81995	CD2(IHC)(삼성)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80930	CD20(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81240	CD20(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81336	CD20(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80929	CD20(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81242	CD20(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80850	CD21(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80931	CD21(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80934	CD22(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81993	CD23(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81202	CD23(IHC)(서울성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
26008	CD25	EDTA Blood	누081나	D081200C		471.15	38,350	38,350	479.34	39,980	39,980
80920	CD25(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80840	CD3(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80843	CD3(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81335	CD3(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80841	CD3(IHC)(여의도성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80844	CD3(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81185	CD30(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81186	CD30(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81187	CD30(IHC)(서울성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81340	CD30(Ki-1)(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81180	CD31(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81181	CD31(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81182	CD31(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
26026	CD34	EDTA Blood	누081나	D081200C		471.15	38,350	38,350	479.34	39,980	39,980

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
81130	CD34(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81132	CD34(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81216	CD34(IHC)서울성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81129	CD34(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81100	CD35(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81105	CD35(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81230	CD4(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81670	CD4(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81231	CD4(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
26031	CD40/CD154(CD40L) Profile	EDTA Blood	누081외	D081200C외		-	153,400	153,400	-	159,920	159,920
81135	CD44(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80939	CD44(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81250	CD45,LCA(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81265	CD45RB(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81252	CD45RB(LCA)(IHC)(여의도성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80910	CD5(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80915	CD5(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81992	CD5(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81203	CD5(IHC)(서울성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81090	CD56(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81091	CD56(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81326	CD56(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81022	CD56(IHC)여의도성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
51853	CD68(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80950	CD68(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80951	CD68(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80885	CD7(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80890	CD79a(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
25964	CD8 (T suppressor)	EDTA Blood	누081나	D081200C		471.15	38,350	38,350	479.34	39,980	39,980
81921	CD8(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81920	CD8(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81415	CDX2(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81800	CDX2(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81801	CDX2(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
81802	CDX2(IHC)여의도	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
01535	CEA (ECLIA)	SST Serum	누429	D4290003		179.92	14,650	14,650	156.21	13,030	13,030
01536	CEA (ECLIA)	Body Fluid	누429	D4290003		179.92	14,650	14,650	156.21	13,030	13,030
81500	CEA(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81511	CEA(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
29265	CEBPA gene mutation	EDTA Blood	나583다(5)	C583701C		2,378.97	193,650	193,650	2,378.97	198,410	198,410
29266	CEBPA gene mutation	EDTA Blood	나583다(5)	C583701C		2,378.97	193,650	193,650	2,378.97	198,410	198,410
29267	CEBPA gene mutation	Bone Marrow	나583다(5)	C583701C		2,378.97	193,650	193,650	2,378.97	198,410	198,410
80762	Cell block after 액상흡인세포검사(자궁)	Thyroid	나562나외	C5626008외		-	38,130	38,130	-	40,760	40,760
82150	Cell block after 체액세포병리검사	Other	나562	C5622008외		-	17,960	17,960	-	19,200	19,200
80049	Cell block after 흡인세포병리검사	Thyroid	나562가외	C5623008외		-	23,160	23,160	-	24,760	24,760
80980	C-erb B2(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80982	C-erb B2(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
20160	Ceruloplasmin	SST Serum	누470	D4700013		98.13	7,990	7,990	88.87	7,410	7,410
20161	Ceruloplasmin	Hp Plasma	누470	D4700013		98.13	7,990	7,990	88.87	7,410	7,410
25632	CFH gene,mutation	EDTA Blood	나580다(4)	C580906C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
27740	CFTR Gene mutation	EDTA Blood	나580다(4)	C580907C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
51640	CH50	SST Serum	누740	D7400003		116.19	9,460	9,460	121.53	10,140	10,140
25386	CHD7 gene, mutation (삼성)	EDTA Blood	나580다(5)	C581002C		11,030.45	897,880	897,880	11,030.45	919,940	919,940
71271	Chlamydia culture	Other	누582	D582101C		397.79	32,380	32,380	408.62	34,080	34,080
50560	Chlamydia pneumoniae IgG	SST Serum	누587나(2)	D587301C		189.17	15,400	15,400	180.32	15,040	15,040
50570	Chlamydia pneumoniae IgM	SST Serum	누587나(3)	D587401C		187.98	15,300	15,300	179.45	14,970	14,970
42340	Chlamydia pneumoniae PCR	Other	누591가	D591103C		402.35	32,750	32,750	395.74	33,000	33,000
50630	Chlamydia trachomatis IgG	SST Serum	누587나(2)	D587303C		189.17	15,400	15,400	180.32	15,040	15,040
50640	Chlamydia trachomatis IgM	SST Serum	누587나(3)	D587403C		187.98	15,300	15,300	179.45	14,970	14,970
42330	Chlamydia trachomatis PCR	분비물	누591가	D591104C		402.35	32,750	32,750	395.74	33,000	33,000
10100	Chloride(Cl)	SST Serum	누280	D2800033		16.97	1,380	1,380	17.55	1,460	1,460
10102	Chloride(Cl)	Random Urine	누280	D2800033		16.97	1,380	1,380	17.55	1,460	1,460
10101	Chloride(Cl)(24hr U)	24hr Urine	누280	D2800033		16.97	1,380	1,380	17.55	1,460	1,460
10280	Cholinesterase(Pseudo)	SST Serum	누251	D2510093		34.56	2,810	2,810	32.67	2,720	2,720
10290	Cholinesterase(RBC activity)	EDTA Blood	누251	D2510093		34.56	2,810	2,810	32.67	2,720	2,720
12700	Chromium(Cr)	Trace EDTA Blood	누550나	D5511063		320.29	26,070	26,070	323.24	26,960	26,960
12701	Chromium(Cr)	24hr Urine	누550나	D5511063		320.29	26,070	26,070	323.24	26,960	26,960
12702	Chromium(Cr)	Random Urine	누550나	D5511063		320.29	26,070	26,070	323.24	26,960	26,960

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
01538	Chromogranin A (CgA)	SST Serum	누447	D4470003		642.05	52,260	52,260	642.05	53,550	53,550
81325	Chromogranin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81410	Chromogranin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81760	Chromogranin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81956	Chromogranin(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81024	Chromogranin(IHC)여의도성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
25102	Chromosome Analysis(BM)	Bone Marrow	나600나(1)	C600500C		1,939.97	157,910	157,910	2,068.20	172,490	172,490
25104	Chromosome Analysis(CB)	Cord Blood	나600가	C600100C		1,508.14	122,760	122,760	1,609.05	134,190	134,190
25110	Chromosome analysis(Leukemia)	Hp Blood	나600나	C600500C		1,939.97	157,910	157,910	2,068.20	172,490	172,490
25100	Chromosome Analysis(PB)	Hp Blood	나600가	C600100C		1,508.14	122,760	122,760	1,609.05	134,190	134,190
26142	Chronic Leukemia Panel	Bone Marrow	누081나외	D081200C외		-	631,610	631,610	-	658,410	658,410
26235	Chronic Leukemia panel	Bone Marrow	누081나외	D081200C외		-	690,300	690,300	-	719,640	719,640
51701	CIC C1q	SST Serum	누806	D8060013		148.53	12,090	12,090	140.68	11,730	11,730
10520	Citrate	24hr Urine	누515가	D5151023		192.98	15,710	15,710	188.41	15,710	15,710
20580	CK Isoenzyme	SST Serum	누254나	D254203C		176.33	14,350	14,350	176.76	14,740	14,740
20581	CK Isoenzyme	Body Fluid	누254나	D254203C		176.33	14,350	14,350	176.76	14,740	14,740
10300	CK(Creatine kinase)	SST Serum	누251	D2510013		34.56	2,810	2,810	32.67	2,720	2,720
10301	CK(Creatine kinase)	Body Fluid	누251	D2510013		34.56	2,810	2,810	32.67	2,720	2,720
81060	CK(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81064	CK(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81062	CK20(Cytokeratin20)(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81067	CK20(Cytokeratin20)(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81232	CK20(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81016	CK34βE12(IHC)여의도성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81066	CK5/6(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81069	CK5/6(IHC)여의도성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81061	CK7(Cytokeratin7)(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81065	CK7(Cytokeratin7)(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81805	CK8(IHC) 성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81821	CK-AE1/3(IHC)(여의도성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
10316	CK-BB	SST Serum	누254	D254203C		176.33	14,350	14,350	176.76	14,740	14,740
29253	c-kit gene mutation(exon4)	Block	나583다(4)	C583602F		2,176.42	177,160	177,160	2,176.42	181,510	181,510
29255	c-kit mutation	EDTA Blood	나583다(4)	C583602C		2,138.24	174,050	174,050	2,138.24	178,330	178,330
29259	c-kit mutation	EDTA Blood	나583다(4)	C583602C		2,138.24	174,050	174,050	2,138.24	178,330	178,330

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
29262	c-kit mutation(아산)	EDTA Blood	나583다(4)	C583602C		2,138.24	174,050	174,050	2,138.24	178,330	178,330
29263	c-kit mutation(아산)	Bone Marrow	나583다(4)	C583602C		2,138.24	174,050	174,050	2,138.24	178,330	178,330
10310	CK-MB 정량	SST Serum	누404	D4040003		118.34	9,630	9,630	102.00	8,510	8,510
10315	CK-MM	SST Serum	누254나	D254203C		176.33	14,350	14,350	176.76	14,740	14,740
26737	CLAH;STAR gene mutation	EDTA Blood	나580다(2)	C580758C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
65225	Clobazam	Plain Serum	누532다(4)	D534910C		575.16	46,820	46,820	574.08	47,880	47,880
65221	Clonazepam	Plain Serum	누532다(4)	D534920C		575.16	46,820	46,820	574.08	47,880	47,880
50849	Clonorchis IgG(BF)	Body Fluid	누641나(1)	D264202C		246.42	20,060	20,060	235.55	19,640	19,640
50845	Clonorchis IgG(S)	SST Serum	누641나(1)	D264202C		246.42	20,060	20,060	235.55	19,640	19,640
65770	Clozapine	Plain Serum	누532다(4)	D534921C		575.16	46,820	46,820	574.08	47,880	47,880
81333	c-MET(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
26825	CMT2A, MFN2 mutation	EDTA Blood	나580다(3)	C580818C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
50670	CMV Antigenemia	EDTA Blood	누654가	D654113C		180.92	14,730	14,730	170.31	14,200	14,200
42135	CMV culture	Other	누652가	D652100C		577.45	47,000	47,000	578.46	48,240	48,240
42136	CMV culture(조직)	Tissue	누652가	D652100C		577.45	47,000	47,000	578.46	48,240	48,240
42350	CMV DNA(PCR)	EDTA Blood	누658나	D658206C		545.54	44,410	44,410	532.77	44,430	44,430
40305	CMV IgG	SST Serum	누654나(1)	D654220C		234.89	19,120	19,120	216.79	18,080	18,080
40306	CMV IgG	CSF	누654나(1)	D654220C		234.89	19,120	19,120	216.79	18,080	18,080
40315	CMV IgM	SST Serum	누654나(2)	D654320C		218.09	17,750	17,750	198.09	16,520	16,520
40316	CMV IgM	CSF	누654나(2)	D654320C		218.09	17,750	17,750	198.09	16,520	16,520
42356	CMV 정량 (Real-time PCR)	EDTA Blood	누658마	D658503C		828.13	67,410	67,410	810.08	67,560	67,560
81510	CMV(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81513	CMV(IHC) 성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81514	CMV(IHC)삼성	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
10110	CO2,Total	SST Serum	누283	D2830003		44.21	3,600	3,600	43.94	3,660	3,660
12714	Cobalt(Co)	24hr Urine	누550나	D5511053		320.29	26,070	26,070	323.24	26,960	26,960
12715	Cobalt(Co)	Hp Blood	누550나	D5511053		320.29	26,070	26,070	323.24	26,960	26,960
12716	Cobalt(Co)	Random Urine	누550나	D5511053		320.29	26,070	26,070	323.24	26,960	26,960
29501	COL1A1 gene, mutation	EDTA Blood	나580다(5)	C581003C		11,030.45	897,880	897,880	11,030.45	919,940	919,940
29502	COL1A2 gene, mutation	EDTA Blood	나580다(5)	C581004C		11,030.45	897,880	897,880	11,030.45	919,940	919,940
29507	COL2A1 gene mutation analysis	EDTA Blood	나580다(5)	C581005C		11,030.45	897,880	897,880	11,030.45	919,940	919,940
29505	COL3A1 gene, mutation	EDTA Blood	나580다(5)	C581006C		11,030.45	897,880	897,880	11,030.45	919,940	919,940
50710	Cold Agglutinin	SST Serum	누159	D159000C		63.71	5,190	5,190	67.96	5,670	5,670
80938	Collagen Type IV (IHC) 삼성	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
30000	Complete Blood Count 8종	EDTA Blood	누000나외	D0002013외		-	4,900	4,900	-	4,850	4,850
80795	Congo red(여의도성모)	Tissue	나563외	C5630008외		-	21,910	21,910	-	25,220	25,220
20506	Co-oximeter	EDTA Blood	누531	D5310003		147.02	11,970	11,970	140.90	11,750	11,750
12722	Copper(Cu)	Tissue	누550나	D5512073		628.77	51,180	51,180	632.89	52,780	52,780
12725	Copper(Cu)	Trace Serum	누550나	D5511073		320.29	26,070	26,070	323.24	26,960	26,960
12726	Copper(Cu)	24hr Urine	누550나	D5511073		320.29	26,070	26,070	323.24	26,960	26,960
11750	Coproporphyrin 정량	24hr Urine	누516가	D5162003		51.09	4,160	4,160	54.34	4,530	4,530
11740	Coproporphyrin 경성	Random Urine	누516가	D5161003		11.87	970	970	12.79	1,070	1,070
29171	Corneal dystrophy, TGFBI	Other	나580다(1)	C580633C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
10075	corrected Ca	SST Serum	누188외	D1880003외		-	2,970	2,970	-	3,000	3,000
00707	Cortisol	SST Serum	누350나	D3502143		146.48	11,920	11,920	148.97	12,420	12,420
81930	COX-2(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81931	COX-2(IHC)(서울대)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
00964	C-peptide	NaF Plasma	누305	D3050013		158.78	12,920	12,920	141.78	11,820	11,820
00965	C-peptide	SST Serum	누305	D3050013		158.78	12,920	12,920	141.78	11,820	11,820
00966	C-peptide	24hr Urine	누305	D3050013		158.78	12,920	12,920	141.78	11,820	11,820
70140	CRE Cul.&Sensi.(Disk)	Stool	누581마(1)	D5851003		189.11	15,390	15,390	194.68	16,240	16,240
70131	CRE Cul.&Sensi.(MIC)	Stool	누581마(2)	D5854003		205.07	16,690	16,690	208.23	17,370	17,370
10900	Crea.Clearance Test	복수검체	누232가	D2321003		41.45	3,370	3,370	40.28	3,360	3,360
10882	Creatinine	Random Urine	누228	D2280003		17.46	1,420	1,420	17.96	1,500	1,500
10883	Creatinine	SST Serum	누228	D2280003		17.46	1,420	1,420	17.96	1,500	1,500
10881	Creatinine(24hr U)	24hr Urine	누228	D2280003		17.46	1,420	1,420	17.96	1,500	1,500
50720	CRP	SST Serum	누011가(1)	D0111003		19.92	1,620	1,620	20.36	1,700	1,700
50721	CRP	CSF	누011가(1)	D0111003		19.92	1,620	1,620	20.36	1,700	1,700
50732	CRP 정량	SST Serum	누011나	D0113003		90.85	7,400	7,400	83.81	6,990	6,990
50733	CRP 정량	CSF	누011나	D0113003		90.85	7,400	7,400	83.81	6,990	6,990
50736	CRP 정량(HS-CRP)	SST Serum	누011나	D0113003		90.85	7,400	7,400	83.81	6,990	6,990
20170	Cryoglobulin 정성	SST Serum	누783가	D7831003		32.29	2,630	2,630	32.43	2,700	2,700
50740	Cryptococcus Ag	SST Serum	누621가	D6211033		46.17	3,760	3,760	43.77	3,650	3,650
50741	Cryptococcus Ag	CSF	누621가	D6211033		46.17	3,760	3,760	43.77	3,650	3,650
25602	CSF3R gene, mutation	EDTA Blood	나583다(4)	C583603C		2,138.24	174,050	174,050	2,138.24	178,330	178,330
13010	CTx	SST Serum	누501	D5010013		165.95	13,510	13,510	158.46	13,220	13,220
70110	Culture	Other	누581나	D5820003		170.18	13,850	13,850	170.98	14,260	14,260
70253	Culture&Sensi.(DISK)	Other	누581마(1)	D5851003		189.11	15,390	15,390	194.68	16,240	16,240

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
70261	Culture&Sensi.(MIC)	Other	누581마(2)	D5854003		205.07	16,690	16,690	208.23	17,370	17,370
80985	CXCL13(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
29564	CYBB gene, mutation	EDTA Blood	나580다(3)	C580804C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
81020	Cyclin D1(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81206	Cyclin D1(IHC)(서울성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
65550	Cyclosporin	EDTA Blood	누532나(2)	D5335117		198.31	16,140	16,140	189.79	15,830	15,830
65551	Cyclosporin (LC-MS/MS)	EDTA Blood	누532다(4)	D534923C		575.16	46,820	46,820	574.08	47,880	47,880
01546	CYFRA 21-1	SST Serum	누448	D4480003		254.00	20,680	20,680	254.00	21,180	21,180
28152	CYP21A2 gene mutation	EDTA Blood	나580다	C580741C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
27730	CYP2C19 Genotyping	EDTA Blood	나580다(2)	C580743C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
27790	CYP2C19 major polymorphism	EDTA Blood	나580다(1)	C580617C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
27511	CYP2C9 Major polymorphism	EDTA Blood	나580다(1)	C580616C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
12980	Cystatin C	SST Serum	누233	D2330003		89.09	7,250	7,250	78.65	6,560	6,560
50846	Cysticercus IgG(BF)	Body Fluid	누641나(1)	D264203C		246.42	20,060	20,060	235.55	19,640	19,640
50851	Cysticercus IgG(CSF)	CSF	누641나(1)	D264203C		246.42	20,060	20,060	235.55	19,640	19,640
50842	Cysticercus IgG(S)	SST Serum	누641나(1)	D264203C		246.42	20,060	20,060	235.55	19,640	19,640
80855	D2-40(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80857	D2-40(IHC)(여의도성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80856	D2-40(IHC)삼성	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
30680	D-dimer 정량	SC Plasma	누107다	D1073003		149.34	12,160	12,160	137.02	11,430	11,430
31060	D-dimer 정성	SC Plasma	누107가	D1071003		45.52	3,710	3,710	47.63	3,970	3,970
12381	Deoxypyridinoline(DPD)	Random Urine	누501	D5010033		165.95	13,510	13,510	158.46	13,220	13,220
81270	Desmin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81334	Desmin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81276	Desmin(IHC)(삼성)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81274	Desmin(IHC)(여의도성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
27615	DHCR7 gene, mutation(삼성)	EDTA Blood	나580다(2)	C580706C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
00746	DHEA-S (ECLIA)	SST Serum	누350나	D3502103		146.48	11,920	11,920	148.97	12,420	12,420
42574	Diarrhea bacteria PCR	Stool	누591가외	D591115C외		-	65,500	65,500	-	66,000	66,000
65235	Diazepam (LC-MS/MS)	Plain Serum	누532다(4)	D534925C		575.16	46,820	46,820	574.08	47,880	47,880
30020	Differential Count	EDTA Blood	누001다	D0013003		25.31	2,060	2,060	24.96	2,080	2,080
65051	Digoxin	SST Serum	누532나(2)	D5333153		219.09	17,830	17,830	203.21	16,950	16,950
10050	Direct Bilirubin	SST Serum	누182	D1820003		15.09	1,230	1,230	14.19	1,180	1,180
10051	Direct Bilirubin	Capillary	누182	D1820003		15.09	1,230	1,230	14.19	1,180	1,180

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
30320	Direct Coombs	EDTA Blood	누154가	D154105C		63.16	5,140	5,140	61.99	5,170	5,170
31070	Direct Coombs Anti C3d,IgG	EDTA Blood	누154가	D154103C외		-	10,280	10,280	-	10,340	10,340
25394	DMD gene, mutation(sequencing)	EDTA Blood	나580다	C581008C		11,030.45	897,880	897,880	11,030.45	919,940	919,940
25390	DMD/BMD	EDTA Blood	나580가	C580002C		819.62	66,720	66,720	771.40	64,330	64,330
25680	DMPK gene mutation	EDTA Blood	나580나(2)	C580311C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
81715	DOG-1(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81716	DOG-1(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
50715	Donath Landsteiner test	Plain Serum	누158	D158000C		52.91	4,310	4,310	58.52	4,880	4,880
82101	D-PAS stain(성모)	Tissue	나563	C5630008		163.57	13,310	13,310	180.64	15,070	15,070
81519	DPC4(IHC)(삼성)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
27480	DRPLA	EDTA Blood	나580나(2)	C580302C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
26840	DRPLA gene mutation	EDTA Blood	나580나(2)	C580302C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
26841	DRPLA gene mutation	EDTA Blood	나580나(2)	C580302C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
65571	Drug profiling test	Random Urine	누532외	D5345313외		-	117,250	117,250	-	122,700	122,700
30410	Du (Weak D) Test	EDTA Blood	누151라	D1514003		46.39	3,780	3,780	47.84	3,990	3,990
30411	Du Test	EDTA Blood	누151라	D1514003		46.39	3,780	3,780	47.84	3,990	3,990
30431	Duffy A 혈액형검사	EDTA Blood	누152	D152002C		73.16	5,960	5,960	74.16	6,180	6,180
30432	Duffy B 혈액형검사	EDTA Blood	누152	D152002C		73.16	5,960	5,960	74.16	6,180	6,180
25683	DYSF gene, mutation	EDTA Blood	나580다(5)	C581009C		11,030.45	897,880	897,880	11,030.45	919,940	919,940
81288	Dysferin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
29060	DYT1 (Dystonia I, torsion)	EDTA Blood	나580나	C580215C		493.38	40,160	40,160	503.85	42,020	42,020
71220	E.coli O157 Cul.&Sensi. (Disk)	Stool	누581마	D5851003		189.11	15,390	15,390	194.68	16,240	16,240
29350	E2A-PBX1 rearrangement	EDTA Blood	나583	C583111C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
81301	EBV (In situ)	Tissue	누659가	D659102F		887.23	72,220	72,220	1,001.62	83,540	83,540
42875	EBV EA-DR IgG	SST Serum	누654나(1)	D654206C		234.89	19,120	19,120	216.79	18,080	18,080
42876	EBV EA-DR IgG	CSF	누654나(1)	D654206C		234.89	19,120	19,120	216.79	18,080	18,080
42895	EBV EA-DR IgM	SST Serum	누654나(2)	D654306C		218.09	17,750	17,750	198.09	16,520	16,520
42896	EBV EA-DR IgM	CSF	누654나(2)	D654306C		218.09	17,750	17,750	198.09	16,520	16,520
42900	EBV EBNA IgG	SST Serum	누654나(1)	D654207C		234.89	19,120	19,120	216.79	18,080	18,080
42901	EBV EBNA IgG	EDTA Plasma	누654나(1)	D654207C		234.89	19,120	19,120	216.79	18,080	18,080
42902	EBV EBNA IgG	CSF	누654나(1)	D654207C		234.89	19,120	19,120	216.79	18,080	18,080
42910	EBV EBNA IgM	SST Serum	누654나(2)	D654307C		218.09	17,750	17,750	198.09	16,520	16,520
42911	EBV EBNA IgM	EDTA Plasma	누654나(2)	D654307C		218.09	17,750	17,750	198.09	16,520	16,520
42912	EBV EBNA IgM	CSF	누654나(2)	D654307C		218.09	17,750	17,750	198.09	16,520	16,520

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
42920	EBV PCR	EDTA Blood	누658가	D658103C		402.35	32,750	32,750	395.74	33,000	33,000
40835	EBV VCA IgG	SST Serum	누654나(1)	D654208C		234.89	19,120	19,120	216.79	18,080	18,080
40836	EBV VCA IgG	CSF	누654나(1)	D654208C		234.89	19,120	19,120	216.79	18,080	18,080
40845	EBV VCA IgM	SST Serum	누654나(2)	D654308C		218.09	17,750	17,750	198.09	16,520	16,520
40846	EBV VCA IgM	CSF	누654나(2)	D654308C		218.09	17,750	17,750	198.09	16,520	16,520
42935	EBV 경량 (Real-time PCR)	EDTA Blood	누658마	D658502C		828.13	67,410	67,410	810.08	67,560	67,560
81973	EBV(IHC) 성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
50755	EBV(in situ)	Other	누659가	D659102F		887.23	72,220	72,220	1,001.62	83,540	83,540
50760	EBV(in situ)	Other	누659가	D659102F		887.23	72,220	72,220	1,001.62	83,540	83,540
80820	E-Cadherin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81329	E-cadherin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
25384	EDA gene, mutation (삼성)	EDTA Blood	나580다(2)	C580745C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
27405	EGFR EXON 18,19,20,21	Tissue	나583다(4)	C583601F		2,176.42	177,160	177,160	2,176.42	181,510	181,510
27664	EGFR gene mutation	Tissue	나583다(4)	C583601C		2,138.24	174,050	174,050	2,138.24	178,330	178,330
27645	EGFR gene mutation (Real-time P	EDTA Plasma	나583나	C583119C		1,468.70	119,550	119,550	1,410.30	117,620	117,620
26596	EGFR(IHC)	Tissue	나567	C567100F		602.93	49,080	49,080	638.71	53,270	53,270
81323	EGFR(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
26597	EGFR(IHC)삼성	Tissue	나567	C567100F		602.93	49,080	49,080	638.71	53,270	53,270
26598	EGFR(IHC)여의도성모	Tissue	나567	C567100F		602.93	49,080	49,080	638.71	53,270	53,270
27658	EGFR유전자돌연변이(여의도성모)	Tissue	나583나	C583119F		1,494.94	121,690	121,690	1,435.49	119,720	119,720
70981	Egg count	Stool	누640아	D6408003		34.55	2,810	2,810	37.25	3,110	3,110
70980	Egg count, EPG	Stool	누640아	D6408003		34.55	2,810	2,810	37.25	3,110	3,110
27170	ELA2 gene test	EDTA Blood	나580다	C580603C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
29571	ELA2 gene, mutation	EDTA Blood	나580다(1)	C580603C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
29570	ELANE gene, mutation	EDTA Blood	나580다(1)	C580603C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
81125	EMA(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81126	EMA(IHC)삼성	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81214	EMA(IHC)서울성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
29600	ENG gene mutation	EDTA Blood	나580다(3)	C580805C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
42140	Enterovirus Culture	Other	누652가	D652100C		577.45	47,000	47,000	578.46	48,240	48,240
42370	Enterovirus RNA(PCR)	CSF	누658나	D658201C		545.54	44,410	44,410	532.77	44,430	44,430
30030	Eosinophil Count	EDTA Blood	누002나	D0022003		12.39	1,010	1,010	12.57	1,050	1,050
30031	Eosinophil Count	Smear Slide	누032마	D0325003		18.75	1,530	1,530	21.23	1,770	1,770
25755	Eosinophilia panel A	Bone Marrow	나583라외	C584126C외		-	785,160	785,160	-	804,480	804,480

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
25756	Eosinophilia panel B	Bone Marrow	나583라외	C584126C외		-	588,870	588,870	-	603,360	603,360
27616	EPOR gene, mutation(삼성)	EDTA Blood	나580다(2)	C580746C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
01570	ER/PR	Tissue	나567	C567000F		-	98,160	98,160	-	106,540	106,540
01573	ER/PR(성모)	Tissue	나567	C567000F		-	98,160	98,160	-	106,540	106,540
81516	ERG(IHC)삼성	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
22659	ERG(IHC)서울성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
01250	Erythropoietin(EPO)	SST Serum	누057	D0570013		225.49	18,350	18,350	217.64	18,150	18,150
01251	Erythropoietin(EPO)	Hp Plasma	누057	D0570013		225.49	18,350	18,350	217.64	18,150	18,150
30040	ESR	EDTA Blood	누010	D0100013		11.88	970	970	11.38	950	950
00433	Estradiol (E2) (ECLIA)	SST Serum	누371	D3710023		171.63	13,970	13,970	156.26	13,030	13,030
00450	Estrogen	SST Serum	누371주	D3711037		173.48	14,120	14,120	168.17	14,030	14,030
01571	Estrogen Receptor(ER)(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81318	Estrogen Receptor(ER)(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
01574	Estrogen Receptor(ER)(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
65725	Everolimus	EDTA Blood	누532다(4)	D534932C		575.16	46,820	46,820	574.08	47,880	47,880
29100	EWS-FLI1/ERG rearrangement	Block	나583나(1)	C583104F		1,494.94	121,690	121,690	1,435.49	119,720	119,720
30650	Factor 5 Leiden(FV:Q506)	EDTA Blood	나580나	C580203C		493.38	40,160	40,160	503.85	42,020	42,020
30480	Factor Ab VIII	SC Plasma	누104	D104001C		190.94	15,540	15,540	181.94	15,170	15,170
30490	Factor Ab IX	SC Plasma	누104	D104002C		190.94	15,540	15,540	181.94	15,170	15,170
30570	Factor Assay VII	SC Plasma	누113가	D113103C		159.62	12,990	12,990	150.48	12,550	12,550
30580	Factor Assay VIII	SC Plasma	누113가	D113104C		159.62	12,990	12,990	150.48	12,550	12,550
30590	Factor Assay IX	SC Plasma	누113가	D113105C		159.62	12,990	12,990	150.48	12,550	12,550
30520	Factor Assay II	SC Plasma	누113가	D113101C		159.62	12,990	12,990	150.48	12,550	12,550
30550	Factor Assay V	SC Plasma	누113가	D113102C		159.62	12,990	12,990	150.48	12,550	12,550
30600	Factor Assay X	SC Plasma	누113가	D113106C		159.62	12,990	12,990	150.48	12,550	12,550
30610	Factor Assay X I	SC Plasma	누113가	D113107C		159.62	12,990	12,990	150.48	12,550	12,550
30620	Factor Assay X II	SC Plasma	누113가	D113108C		159.62	12,990	12,990	150.48	12,550	12,550
30630	Factor Assay X III	SC Plasma	누113가	D113109C		159.62	12,990	12,990	150.48	12,550	12,550
31140	Factor IX gene analysis	EDTA Blood	나580다(2)	C580708C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
31141	Factor VII gene mutation	EDTA Blood	나580다(2)	C580707C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
31150	Factor VIII gene mutation	EDTA Blood	나580다(4)	C580928C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
31130	Factor XI gene mutation	EDTA Blood	나580다(3)	C580842C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
81765	Factor13a(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
25607	FAH gene, mutation (삼성)	EDTA Blood	나580다(3)	C580806C		4,637.14	377,460	377,460	4,637.14	386,740	386,740

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
27810	Fanconi Anemia Study	복수검체	나600가외	CY69200C외		-	315,110	315,110	-	337,670	337,670
12940	Fat 정성 검사	Stool	누031나	D0312003		16.35	1,330	1,330	17.70	1,480	1,480
30890	FDP 정량	SC Plasma	누108다	D1083003		125.99	10,260	10,260	118.77	9,910	9,910
31110	FDP 정성	SC Plasma	누108가	D1081003		47.12	3,840	3,840	44.83	3,740	3,740
01585	Ferritin (ECLIA)	SST Serum	누052나	D0522013		138.50	11,270	11,270	120.57	10,060	10,060
28125	FGFR1 gene translocation	Bone Marrow	나583라(3)	C584116C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
27558	FGFR1 gene, mutation (삼성)	EDTA Blood	나580다(3)	C580807C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
27557	FGFR1 sequencing	EDTA Blood	나580다(3)	C580807C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
27555	FGFR2	EDTA Blood	나580다(3)	C580808C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
27554	FGFR2 gene, mutation (삼성)	EDTA Blood	나580다(3)	C580808C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
27551	FGFR3 gene, mutation (hypochor	EDTA Blood	나580다(3)	C580843C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
30640	Fibrinogen	SC Plasma	누100마	D1005003		36.34	2,960	2,960	34.41	2,870	2,870
70770	Filariae	Blood Smear Slide	누640자	D640900C		54.61	4,450	4,450	57.37	4,780	4,780
01840	First double Marker	SST Serum	누372외	D3720003외		-	49,900	49,900	-	49,760	49,760
01850	First double Marker NT	SST Serum	누372외	D3720003외		-	49,900	49,900	-	49,760	49,760
27749	FISH_1p/19q deletion(여의도성모)	Tissue	나583라외	C584108F외		-	578,860	578,860	-	593,080	593,080
27901	FISH_1p32/1q21	Bone Marrow	나583라(3)	C584109C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
28250	FISH_1p36 deletion	Block	나583라(3)	C584108F		2,454.53	199,800	199,800	2,454.53	204,710	204,710
26531	FISH_20q12	Bone Marrow	나583라(3)	C584114C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
27911	FISH_5q31	Bone Marrow	나583라(3)	C584110C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
27921	FISH_7q22/7q31	Bone Marrow	나583라(3)	C584111C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
28045	FISH_ALK Gene	Tissue	나583외	C584101C외		-	284,350	284,350	-	291,340	291,340
28044	FISH_ALK t(2;5)	Tissue	나583라외	C584101F외		-	289,430	289,430	-	296,540	296,540
28040	FISH_ALKgene rearrangement	Hp Blood	나583라	C584101C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
28291	FISH_ATM Gene	Bone Marrow	나583라(3)	C584103C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
26151	FISH_BCR/ABL1 Fusion Gene	Bone Marrow	나583라	C584104C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
26481	FISH_CFBF/MYH11 Fusion Gene	Bone Marrow	나583라(3)	C584105C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
28301	FISH_Centromere 12	Bone Marrow	나583라(3)	C584107C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
27951	FISH_Centromere 8	Bone Marrow	나583라(3)	C584106C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
27960	FISH_C-myc,8q24	Hp Blood	나583라	C584125C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
26466	FISH_D13S319	Bone Marrow	나583라	C584112C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
26540	FISH_D7S522, 7q31	Hp Blood	나583라(3)	C584111C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
28031	FISH_ETV6/RUNX1(TEL/AML1) Fu	Bone Marrow	나583라(3)	C584115C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
27751	FISH_FIP1L1/PDGFR(4q12)	Bone Marrow	나583라(3)	C584117C		2,411.47	196,290	196,290	2,411.47	201,120	201,120

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
26581	FISH_FIP1L1/PDGFR Fusion Gen	Bone Marrow	나583라(3)	C584117C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
26184	FISH_Her2/neu (여의도성모)	Other	나583라외	C584102F외		-	289,430	289,430	-	296,540	296,540
26563	FISH_IGH Gene	Bone Marrow	나583라(3)	C584118C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
27980	FISH_IGH/BCL2 trans.	Hp Blood	나583라	C584119C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
26572	FISH_IGH/CCND1 Fusion Gene	Bone Marrow	나583라(3)	C584120C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
27991	FISH_IGH/FGFR3 Fusion Gene	Bone Marrow	나583라(3)	C584121C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
28005	FISH_IGH/MAF Fusion Gene	Bone Marrow	나583라(3)	C584122C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
28004	FISH_IGH/MAFB Fusion Gene	Bone Marrow	나583라(3)	C584123C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
26575	FISH_MDS AA Panel	Bone Marrow	나583라(3)	C584110C외		-	981,450	981,450	-	1,005,600	1,005,600
27630	FISH_MLL Gene	Bone Marrow	나583라(3)	C584124C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
27631	FISH_MLL Gene(서울성모)	Hp Blood	나583라	C584124C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
26452	FISH_Myeloma Profile	Bone Marrow	나583라외	C584109C외		-	1,374,030	1,374,030	-	1,407,840	1,407,840
26582	FISH_PDGFRB Gene	Bone Marrow	나583라(3)	C584126C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
26600	FISH_PML/RARA Fusion Gene	Bone Marrow	나583라(3)	C584127C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
25750	FISH_Rb gene	Bone Marrow	나583라	C584112C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
25751	FISH_Rb gene	Hp Blood	나583라	C584112C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
28313	FISH_RB1, 13q14.2	Bone Marrow	나583라(3)	C584112C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
27080	FISH_RUNX1-RUNX1T1 (AML1/E	Bone Marrow	나583라(3)	C584129C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
28022	FISH_TP53 Gene	Bone Marrow	나583라(3)	C584130C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
28320	FISH_TP53 Gene (성모)	Hp Blood	나583라(3)	C584130C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
28021	FISH_TP53 gene, deletion	Bone Marrow	나583라(3)	C584130C		2,411.47	196,290	196,290	2,411.47	201,120	201,120
27930	FISH_파라핀블록	Tissue	나583라	C584200F		1,101.11	89,630	89,630	1,101.11	91,830	91,830
65582	FK-506	EDTA Blood	누532나(2)	D5333423		219.09	17,830	17,830	203.21	16,950	16,950
65580	FK-506 (LC/MS/MS)	EDTA Blood	누532다	D534984C		575.16	46,820	46,820	574.08	47,880	47,880
65581	FK-506 (LC-MS/MS)	EDTA Blood	누532다(4)	D534984C		575.16	46,820	46,820	574.08	47,880	47,880
29578	FLCN gene mutation	EDTA Blood	나580다(3)	C580844C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
29576	FLCN sequencing	EDTA Blood	나580다(3)	C580844C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
81346	FLI-1 (IHC)(성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
26247	FLT3 ITD/TKD mutation	EDTA Blood	나583외	C583209C외		-	362,600	362,600	-	370,220	370,220
11286	Folate (ECLIA)	SST Serum	누490나	D4902143		146.92	11,960	11,960	131.23	10,940	10,940
26738	FOXP3 gene mutation	EDTA Blood	나580다(3)	C580845C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
25450	Fragile X	EDTA Blood	나580나	C580312C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
00765	Free Cortisol	24hr Urine	누350나	D3502133		146.48	11,920	11,920	148.97	12,420	12,420
00766	Free Cortisol	Random Urine	누350나	D3502133		146.48	11,920	11,920	148.97	12,420	12,420

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
11090	Free Fatty Acid(NEFA)	SST Serum	누260라	D2264003		37.83	3,080	3,080	39.65	3,310	3,310
11091	Free Fatty Acid(NEFA)	Other	누260라	D2264003		37.83	3,080	3,080	39.65	3,310	3,310
25861	Free Kappa light chain	SST Serum	누442가	D442104C		424.13	34,520	34,520	401.43	33,480	33,480
25862	Free Kappa light chain(U)	Random Urine	누442가	D442103C		424.13	34,520	34,520	401.43	33,480	33,480
25867	Free Kappa/Free Lambda ratio	SST Serum	누442가	D442104C외		-	69,040	69,040	-	66,960	66,960
25868	Free Kappa/Free Lambda ratio(U)	Random Urine	누442가	D442103C외		-	69,040	69,040	-	66,960	66,960
25863	Free Lambda light chain	SST Serum	누442가	D442102C		424.13	34,520	34,520	401.43	33,480	33,480
25864	Free Lambda light chain(U)	Random Urine	누442가	D442101C		424.13	34,520	34,520	401.43	33,480	33,480
01682	Free PSA (ECLIA)	SST Serum	누430	D4300013		191.40	15,580	15,580	169.58	14,140	14,140
01686	Free PSA/PSA ratio(ECLIA)	SST Serum	누430외	D4300033외		-	31,160	31,160	-	28,280	28,280
00216	Free T3 (ECLIA)	SST Serum	누323	D3230013		146.21	11,900	11,900	133.54	11,140	11,140
00226	Free T4 (ECLIA)	SST Serum	누323	D3230053		146.21	11,900	11,900	133.54	11,140	11,140
12435	Free testosterone index	SST Serum	누371외	D3710063외		-	74,370	74,370	-	75,230	75,230
00235	Free thyroxine index	SST Serum	누323외	D3230023외		-	23,800	23,800	-	22,280	22,280
20460	Fructosamine	SST Serum	누304	D3040003		79.51	6,470	6,470	76.01	6,340	6,340
00092	FSH (ECLIA)	SST Serum	누370나	D3702023		138.05	11,240	11,240	129.08	10,770	10,770
50960	FTA-ABS IgG	SST Serum	누692라	D692400C		164.37	13,380	13,380	166.72	13,900	13,900
50961	FTA-ABS IgG	CSF	누692라	D692400C		164.37	13,380	13,380	166.72	13,900	13,900
50975	FTA-ABS IgM	SST Serum	누692라	D692400C		164.37	13,380	13,380	166.72	13,900	13,900
50976	FTA-ABS IgM	CSF	누692라	D692400C		164.37	13,380	13,380	166.72	13,900	13,900
70780	Fungus Culture	Other	누581나	D5820003		170.18	13,850	13,850	170.98	14,260	14,260
70800	Fungus Culture(MIC)	Sputum	누581마(2)	D5854003		205.07	16,690	16,690	208.23	17,370	17,370
12991	G-1-P Uridyltransferase	EDTA Blood	누517나	D517201C		1,284.43	104,550	104,550	1,284.43	107,120	107,120
29420	G6PC gene mutation(삼성)	EDTA Blood	나580다(2)	C580709C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
10531	G-6-PDH	EDTA Blood	누055	D0550013		98.87	8,050	8,050	103.24	8,610	8,610
12992	Galactokinase	EDTA Blood	누517나	D517202C		1,284.43	104,550	104,550	1,284.43	107,120	107,120
12990	Galactose-1-Phosphate	EDTA Blood	누517가	D517101C		656.20	53,410	53,410	656.20	54,730	54,730
12998	Galactosemia 확진검사(3종)	EDTA Blood	누517가외	D517101C외		-	262,510	262,510	-	268,970	268,970
12999	Galactosemia 확진검사(4종)	EDTA Blood	누517가외	D517101C외		-	367,060	367,060	-	376,090	376,090
81991	Galectin-3(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81990	Galectin-3(IHC)(여의도성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
42715	Gardnerella vaginalis PCR	분비물	누591가	D591105C		402.35	32,750	32,750	395.74	33,000	33,000
00999	Gastrin	SST Serum	누381	D3810013		127.84	10,410	10,410	123.72	10,320	10,320
81994	GATA-3(IHC)(삼성)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
81218	GATA3(IHC)(성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
13182	GBA sequencing(Gaucher's)	EDTA Blood	나580다	C580812C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
71210	GBS Culture&Sensitivity (Disk)	분비물	누581마	D5851003		189.11	15,390	15,390	194.68	16,240	16,240
71211	GBS Culture&Sensitivity (MIC)	분비물	누581마	D5854003		205.07	16,690	16,690	208.23	17,370	17,370
81780	GCDFP(BRST-2)(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80833	GCDFP15(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
29150	GCH1 gene mutation	EDTA Blood	나580다	C580712C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
29151	GCH1 gene mutation	EDTA Blood	나580다(2)	C580712C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
65260	Gentamicin	Plain Serum	누532나	D5333193		219.09	17,830	17,830	203.21	16,950	16,950
10905	GFR (신사구체여과율)	SST Serum	누228	D2280003		17.46	1,420	1,420	17.96	1,500	1,500
10904	GFR-Cystatin C	SST Serum	누233	D2330003		89.09	7,250	7,250	78.65	6,560	6,560
00062	GH (CLIA)	SST Serum	누342	D3420003		154.50	12,580	12,580	142.95	11,920	11,920
27595	GJB1 gene, mutation (CMTX)	EDTA Blood	나580다(1)	C580604C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
13201	GLA Gene(Fabry)	EDTA Blood	나580다(2)	C580714C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
10010	Globulin	SST Serum	누188 외	D1880003외		-	2,890	2,890	-	2,830	2,830
10011	Globulin(Fluid)	Body Fluid	누184외	D1840003외		-	2,890	2,890	-	2,830	2,830
01001	Glucagon (RIA)	EDTA Plasma	누381주	D3811027		77.38	6,300	6,300	87.70	7,310	7,310
10540	Glucose	NaF Plasma	누302나	D3022003		15.81	1,290	1,290	15.13	1,260	1,260
10541	Glucose	SST Serum	누302나	D3022003		15.81	1,290	1,290	15.13	1,260	1,260
10543	Glucose	Body Fluid	누302나	D3022003		15.81	1,290	1,290	15.13	1,260	1,260
10550	Glucose tolerance test	NaF Plasma	누302나외	D3022003외		-	5,160	5,160	-	5,040	5,040
10542	Glucose(24hr Urine)	24hr Urine	누302나	D3022003		15.81	1,290	1,290	15.13	1,260	1,260
81970	GLUT-1(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81962	Glutamine Synthetase(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81961	Glypican-3(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
27340	GNAS gene, mutation	EDTA Blood	나580다(3)	C580848C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
27341	GNAS gene, mutation(아산)	EDTA Blood	나580다(3)	C580848C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
25682	GNE gene, mutation	EDTA Blood	나580다(3)	C580849C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
80618	Gomori's trichrome stain	Tissue	나563	C5630008		163.57	13,310	13,310	180.64	15,070	15,070
27361	Gorlin-Goltz syndrome(PTCH1 Gene)	EDTA Blood	나580다(4)	C580936C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
70100	Gram Stain	Smear Slide	누580나	D5802023		25.65	2,090	2,090	28.13	2,350	2,350
71160	Gram stain (cytospin)	Other	누580나주	D5803003		24.88	2,030	2,030	25.04	2,090	2,090
81790	Granzyme B(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81781	Granzyme B(IHC) 성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
81791	Granzyme B(IHC) 여의도성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
71072	H.pylori Ag	Stool	누589다	D5899003		46.17	3,760	3,760	43.77	3,650	3,650
50771	H.pylori IgG (CLIA)	SST Serum	누589나	D5894003		171.16	13,930	13,930	156.12	13,020	13,020
50780	H.pylori IgM	SST Serum	누589나	D5894003		171.16	13,930	13,930	156.12	13,020	13,020
42384	H.Pylori PCR + 클라리스로마이신 내	Tissue	누591외	D591107C외		-	76,610	76,610	-	79,230	79,230
42382	H.Pylori 클라리스로마이신 내성 돌연	Tissue	누589마	D589700C		1,059.71	86,260	86,260	1,059.71	88,380	88,380
42735	Haemophilus ducreyi PCR	분비물	누591가	D591106C		402.35	32,750	32,750	395.74	33,000	33,000
65071	Haloperidol (Haldol)	Plain Serum	누532다(4)	D534936C		575.16	46,820	46,820	574.08	47,880	47,880
12060	Ham test	복수검체	누053가	D053101C		66.92	5,450	5,450	69.61	5,810	5,810
41590	Hantaan Virus Ab	SST Serum	누653나	D6531253		111.06	9,040	9,040	106.41	8,870	8,870
41600	Hantaan Virus Ab Titer	SST Serum	누653나	D6531253		111.06	9,040	9,040	106.41	8,870	8,870
41666	Hantaan virus Ab 정량(IFA)	SST Serum	누655나	D6552013		198.61	16,170	16,170	180.41	15,050	15,050
27851	Hantaan Virus PCR	SST Serum	누658라	D658402C		824.39	67,110	67,110	819.78	68,370	68,370
20180	Haptoglobin	SST Serum	누470	D4700033		98.13	7,990	7,990	88.87	7,410	7,410
20181	Haptoglobin	EDTA Plasma	누470	D4700033		98.13	7,990	7,990	88.87	7,410	7,410
50016	HAV IgG	SST Serum	누701가	D7011013		185.15	15,070	15,070	177.18	14,780	14,780
50025	HAV IgM	SST Serum	누701가	D7011023		185.15	15,070	15,070	177.18	14,780	14,780
26976	HAX1 gene, mutation	EDTA Blood	나580다(2)	C580715C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
26977	HAX1 gene, mutation	EDTA Blood	나580다(2)	C580715C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
25773	HBA1/HBA2 gene, mutation	EDTA Blood	나580다외	C580605C외		-	324,440	324,440	-	332,400	332,400
50045	HBc Ab	SST Serum	누701마	D7020013		180.81	14,720	14,720	167.84	14,000	14,000
50055	HBc Ab IgM	SST Serum	누701마	D7020023		180.81	14,720	14,720	167.84	14,000	14,000
50076	HBe Ab	SST Serum	누701사	D7024003		198.75	16,180	16,180	193.99	16,180	16,180
50075	HBe Ag	SST Serum	누701바	D7022003		197.28	16,060	16,060	192.30	16,040	16,040
81490	HBME-1(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
01271	HBNP	EDTA Plasma	누406나	D4062023		564.74	45,970	45,970	544.23	45,390	45,390
50116	HBs Ab	SST Serum	누701라	D7018003		146.06	11,890	11,890	144.39	12,040	12,040
50115	HBs Ag	SST Serum	누701다(1)	D7015003		136.53	11,110	11,110	135.23	11,280	11,280
50119	HBs Ag 정량(ECLIA)	SST Serum	누701다(2)	D7017013		326.50	26,580	26,580	326.50	27,230	27,230
50140	HBV DNA (PCR)	SST Serum	누704가	D704101C		402.35	32,750	32,750	395.74	33,000	33,000
52178	HBV DNA 정량(real-timePCR)	SST Serum	누704라	D704403C		828.13	67,410	67,410	810.08	67,560	67,560
50209	HBV Drug mutation	SST Serum	누705가	D705101C		1,799.81	146,500	146,500	1,852.68	154,510	154,510
01970	hCG (정성)	Random Urine	누570가	D5701003		22.30	1,820	1,820	20.15	1,680	1,680
81360	hCG(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
81985	HCK(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
50230	HCV (RT-PCR+Hybrid)	SST Serum	누704다	D704301C		651.81	53,060	53,060	640.32	53,400	53,400
50231	HCV (RT-PCR+Hybrid.)	EDTA Plasma	누704다	D704301C		651.81	53,060	53,060	640.32	53,400	53,400
50215	HCV Ab	SST Serum	누701아	D7026003		186.04	15,140	15,140	175.80	14,660	14,660
50220	HCV Ab(RIBA III)	SST Serum	누703가	D703100C		527.59	42,950	42,950	512.79	42,770	42,770
52360	HCV Genotype (Sequencing)	SST Serum	누705나	D705201C		1,789.12	145,630	145,630	1,844.20	153,810	153,810
52376	HCV NS5A L31/Y93 Mutation	SST Serum	누705가	D705102C		1,799.81	146,500	146,500	1,852.68	154,510	154,510
50241	HCV RNA 정량	SST Serum	누704마	D704502C		1,442.56	117,420	117,420	1,396.21	116,440	116,440
25606	HD gene, mutation (Huntington)	EDTA Blood	나580나(2)	C580309C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
11100	HDL-Cholesterol	SST Serum	누261다	D2613003		74.53	6,070	6,070	71.72	5,980	5,980
50265	HDV Ab (IgG)	SST Serum	누701자	D7028003		141.42	11,510	11,510	129.98	10,840	10,840
01473	HE4	SST Serum	누437	D4370003		224.75	18,290	18,290	224.75	18,740	18,740
70810	Heinz body	EDTA Blood	누058	D058000C		41.50	3,380	3,380	43.48	3,630	3,630
30004	Hematocrit(Hct)	EDTA Blood	누000나	D0002043		12.07	980	980	11.68	970	970
26441	Hemochromatosis(C282Y/H63D)	EDTA Blood	나580나외	C580209C외		-	80,320	80,320	-	84,040	84,040
10731	Hemoglobin A1c	EDTA Blood	누306다	D3063003		90.74	7,390	7,390	84.95	7,080	7,080
20490	Hemoglobin E.P	EDTA Blood	누060	D060000C		106.59	8,680	8,680	108.36	9,040	9,040
30003	Hemoglobin(Hb)	EDTA Blood	누000나	D0002053		12.07	980	980	11.68	970	970
70040	Hemosiderin	Random Urine	누222	D2220003		30.58	2,490	2,490	31.67	2,640	2,640
81420	Hepatocyte(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81321	Her-2(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
25392	Hereditary multiple osteochondro	EDTA Blood	나580다	C580840C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
50280	HEV Ab IgG	SST Serum	누701차	D7030013		104.99	8,550	8,550	95.33	7,950	7,950
50290	HEV Ab IgM	SST Serum	누701차	D7030023		104.99	8,550	8,550	95.33	7,950	7,950
50301	HEV RT- PCR	SST Serum	누704나	D704202C		545.54	44,410	44,410	532.77	44,430	44,430
10380	Hexosaminidase A	Hp Blood	누517가(1)	D517114C		656.20	53,410	53,410	656.20	54,730	54,730
81517	HHV 8(IHC)삼성	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
42520	HHV type 6 DNA(PCR)	SST Serum	누658가	D658105C		402.35	32,750	32,750	395.74	33,000	33,000
42521	HHV type 6 DNA(PCR)	CSF	누658가	D658105C		402.35	32,750	32,750	395.74	33,000	33,000
42525	HHV-8 PCR	Tissue	누658가	D658105F		409.53	33,340	33,340	402.81	33,590	33,590
42527	HHV-8 PCR(성모)	Tissue	누658가	D658105F		409.53	33,340	33,340	402.81	33,590	33,590
81460	HHV-8(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
12080	Hippuric acid	Random Urine	누540다	D5423043		253.61	20,640	20,640	254.39	21,220	21,220
12085	Hippuric acid	Random Urine	누540다	D5423043		253.61	20,640	20,640	254.39	21,220	21,220

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
51670	Histone Ab	SST Serum	누785나	D785210C		381.83	31,080	31,080	358.33	29,880	29,880
41335	HIV Ab	SST Serum	누721나	D7212003		130.91	10,660	10,660	124.94	10,420	10,420
41337	HIV Ab (Stem cell)	Stem cell	누721나	D7212003		130.91	10,660	10,660	124.94	10,420	10,420
29543	HIV drug resistance mutation	EDTA Plasma	누724가	D724101C		1,799.81	146,500	146,500	1,852.68	154,510	154,510
42404	HIV RNA 정량	EDTA Plasma	누723나	D723202C		1,442.56	117,420	117,420	1,396.21	116,440	116,440
25470	HLA A Typing (High)	EDTA Blood	누840라	D840401C		3,659.23	297,860	297,860	3,606.03	300,740	300,740
25497	HLA A,B 조혈모이식1차	EDTA Blood	누840다외	D840301C외		-	595,720	595,720	-	601,480	601,480
25499	HLA A,B,C,DR 조혈모 수여	EDTA Blood	누840다외	D840301C외		-	1,191,440	1,191,440	-	1,202,960	1,202,960
25480	HLA B Typing (High)	EDTA Blood	누840라	D840401C		3,659.23	297,860	297,860	3,606.03	300,740	300,740
25500	HLA B27	EDTA Blood	누841다	D841302C		792.02	64,470	64,470	783.36	65,330	65,330
25490	HLA C Typing (High)	EDTA Blood	누840라	D840401C		3,659.23	297,860	297,860	3,606.03	300,740	300,740
25498	HLA C,DR 조혈모이식2차	EDTA Blood	누840다외	D840301C외		-	595,720	595,720	-	601,480	601,480
25535	HLA DQB1 Typing (High)	EDTA Blood	누840라	D840402C		3,659.23	297,860	297,860	3,606.03	300,740	300,740
25560	HLA DR Typing (High)	EDTA Blood	누840라	D840403C		3,659.23	297,860	297,860	3,606.03	300,740	300,740
25550	HLA DR Typing (Low)	EDTA Blood	누840나	D840203C		1,868.89	152,130	152,130	1,766.37	147,320	147,320
26397	HLA-B5801 genotyping	EDTA Blood	누841라	D841403C		1,475.94	120,140	120,140	1,499.84	125,090	125,090
81390	HMB45(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81394	HMB45(IHC)(성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81393	HMB45(IHC)(여의도성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81392	HMB45(IHC)삼성	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
26421	hMLH1 mutation identification test	EDTA Blood	나580다	C580819C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
81610	hMLH1(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
26431	hMSH2 mutation identification test	EDTA Blood	나580다	C580820C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
81615	hMSH2(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
01055	HOMA of insulin resistance	복수검체	누305외	D3050023외		-	14,210	14,210	-	13,080	13,080
81380	HPL(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
26940	HPRT1 gene mutation	EDTA Blood	나580다(2)	C580716C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
42430	HPV 16	분비물	누658가	D658109C		402.35	32,750	32,750	395.74	33,000	33,000
42440	HPV 18	분비물	누658가	D658109C		402.35	32,750	32,750	395.74	33,000	33,000
42451	HPV genotyping(Microarray)	분비물	누659나	D659203C		643.46	52,380	52,380	620.55	51,750	51,750
42420	HPV Screening	분비물	누658가	D658109C		402.35	32,750	32,750	395.74	33,000	33,000
42495	HPV(Condyloma)	분비물	누658가	D658109C		402.35	32,750	32,750	395.74	33,000	33,000
81703	HPV(IHC)(삼성)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
29592	HSP(유전성 하지마비)	EDTA Blood	나580다외	C580833C외		-	754,920	754,920	-	773,480	773,480

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
42155	HSV culture	Other	누652가	D652100C		577.45	47,000	47,000	578.46	48,240	48,240
42156	HSV culture(조직)	Tissue	누652가	D652100C		577.45	47,000	47,000	578.46	48,240	48,240
41380	HSV IgG	SST Serum	누654나(1)	D654209C		234.89	19,120	19,120	216.79	18,080	18,080
41381	HSV IgG	CSF	누654나(1)	D654209C		234.89	19,120	19,120	216.79	18,080	18,080
41390	HSV IgM	SST Serum	누654나(2)	D654309C		218.09	17,750	17,750	198.09	16,520	16,520
41391	HSV IgM	CSF	누654나(2)	D654309C		218.09	17,750	17,750	198.09	16,520	16,520
43080	HSV Type 1 IgG	SST Serum	누654나(1)	D654209C		234.89	19,120	19,120	216.79	18,080	18,080
43081	HSV Type 1 IgG	CSF	누654나(1)	D654209C		234.89	19,120	19,120	216.79	18,080	18,080
43543	HSV Type 1 IgM	SST Serum	누654나(2)	D654309C		218.09	17,750	17,750	198.09	16,520	16,520
41440	HSV Type 2 IgG	SST Serum	누654나(1)	D654209C		234.89	19,120	19,120	216.79	18,080	18,080
41441	HSV Type 2 IgG	CSF	누654나(1)	D654209C		234.89	19,120	19,120	216.79	18,080	18,080
43544	HSV Type 2 IgM	SST Serum	누654나(2)	D654309C		218.09	17,750	17,750	198.09	16,520	16,520
42500	HSV Type I(PCR)	EDTA Blood	누658가	D658104C		402.35	32,750	32,750	395.74	33,000	33,000
42510	HSV Type II(PCR)	분비물	누658가	D658104C		402.35	32,750	32,750	395.74	33,000	33,000
81512	HSV(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
41478	HTLV-1 DNA, detection	EDTA Blood	누658다	D658301C		651.81	53,060	53,060	640.32	53,400	53,400
41475	HTLV-I/II Ab	SST Serum	누654나(1)	D654222C		234.89	19,120	19,120	216.79	18,080	18,080
41477	HTLV-I/II Ab	EDTA Plasma	누654나(1)	D654222C		234.89	19,120	19,120	216.79	18,080	18,080
25603	Huntington's disease	EDTA Blood	나580	C580309C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
11713	HVA 정량 (24hr U)	24hr Urine	누351라	D351403C		394.43	32,110	32,110	422.13	35,210	35,210
00861	HVA 정량 (Plasma)	EDTA Plasma	누351라	D351403C		394.43	32,110	32,110	422.13	35,210	35,210
00866	HVA 정량(HPLC)	Random Urine	누351라	D351403C		394.43	32,110	32,110	422.13	35,210	35,210
29079	IDH1 gene mutation 성모	Block	나583	C583125F		1,494.94	121,690	121,690	1,435.49	119,720	119,720
29556	IDH1 돌연변이 염기서열	Tissue	나583다(1)	C583307F		1,441.34	117,330	117,330	1,441.34	120,210	120,210
81910	IDH-1(IHC) 성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
29557	IDH2 돌연변이 염기서열	Tissue	나583다	C583309F		1,441.34	117,330	117,330	1,441.34	120,210	120,210
20628	IFEP + PEP (24h urine)	24hr Urine	누475외	D475201C외		-	55,580	55,580	-	55,040	55,040
20629	IFEP + PEP (Random Urine)	Random Urine	누475외	D475201C외		-	55,580	55,580	-	55,040	55,040
20627	IFEP + PEP (Serum)	SST Serum	누475외	D475101C외		-	51,570	51,570	-	51,720	51,720
20200	IgA	SST Serum	누741	D7410013		116.34	9,470	9,470	105.27	8,780	8,780
20201	IgA	EDTA Plasma	누741	D7410013		116.34	9,470	9,470	105.27	8,780	8,780
20205	IgA (서울대)	SST Serum	누741	D7410013		116.34	9,470	9,470	105.27	8,780	8,780
81110	IgA(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81111	IgA(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
20212	IgD	SST Serum	누741	D7410023		116.34	9,470	9,470	105.27	8,780	8,780
60003	IgE (ECLIA)	SST Serum	누743	D7430003		196.57	16,000	16,000	177.15	14,770	14,770
62640	IgE_Clam:F207	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62581	IgE_MAST 93종	SST Serum	누746	D746000C		1,260.10	102,570	102,570	1,221.76	101,890	101,890
62582	IgE_MAST 93종 & IgE(ECLIA)	SST Serum	누743외	D7430003외		-	118,570	118,570	-	116,660	116,660
63315	IgE-12종(식품알레르기/아토피피부염)	SST Serum	누744	D7440013		-	197,880	197,880	-	192,720	192,720
63316	IgE-12종(천명/비염)(3세미만)	SST Serum	누744	D7440013		-	197,880	197,880	-	192,720	192,720
63317	IgE-12종(천명/비염)(3세이상)	SST Serum	누744	D7440013		-	197,880	197,880	-	192,720	192,720
63313	IgE-6종(계란, 밀, 땅콩 심화)	SST Serum	누744외	D7440013		-	98,940	98,940	-	96,360	96,360
63331	IgE-6종(봄-여름 호흡기)	SST Serum	누744외	D7440013		-	98,940	98,940	-	96,360	96,360
63320	IgE-6종(식품/환경알레르기)	SST Serum	누744외	D7440013		-	98,940	98,940	-	96,360	96,360
63310	IgE-6종(식품알레르기1)	SST Serum	누744외	D7440013		-	98,940	98,940	-	96,360	96,360
63311	IgE-6종(식품알레르기2)	SST Serum	누744외	D7440013		-	98,940	98,940	-	96,360	96,360
63332	IgE-6종(여름-가을 호흡기)	SST Serum	누744외	D7440013		-	98,940	98,940	-	96,360	96,360
63312	IgE-6종(우유, 계란 심화)	SST Serum	누744외	D7440013		-	98,940	98,940	-	96,360	96,360
63330	IgE-6종(통년성 호흡기)	SST Serum	누744외	D7440013		-	98,940	98,940	-	96,360	96,360
63300	IgE-6종(환경알레르기1)	SST Serum	누744외	D7440013		-	98,940	98,940	-	96,360	96,360
63301	IgE-6종(환경알레르기2)	SST Serum	누744외	D7440013		-	98,940	98,940	-	96,360	96,360
60380	IgE-A.Tenuis:M6	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62740	IgE-Abalone:F346	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60360	IgE-Acarus Siro:D70	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61180	IgE-Alder:T2	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60370	IgE-Almond:F20	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
63211	IgE-Anchovy:F313	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60391	IgE-Anisakis:P4	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60400	IgE-Apple:F49	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60420	IgE-Asp.Fumigatus:M3	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60480	IgE-Banana:F92	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60490	IgE-Barley:F6	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60500	IgE-Beech:T5	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60510	IgE-Beef:F27	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60530	IgE-Bermuda Grass:G2	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60105	IgE-Birch:T3	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60562	IgE-Blue Mussel:F37	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
60563	IgE-Blueberry:F288	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62630	IgE-Broccoli:F260	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60590	IgE-Buckwheat:F11	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60641	IgE-C. pityrosporum:M70	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
63139	IgE-Cabbage:F216	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60620	IgE-Cacao:F93	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60630	IgE-Candida Albicans:M5	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60650	IgE-Carrot:F31	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60670	IgE-Casein:F78	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60574	IgE-Cashew nut:F202	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60685	IgE-Cat Dander:E1	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62870	IgE-Cefaclor:C7	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60690	IgE-Celery:F85	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60700	IgE-Cheddar Cheese:F81	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60705	IgE-Chestnut:F299	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60710	IgE-Chicken meat:F83	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60719	IgE-Chiken Feathers:E85	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60750	IgE-Cl.Herbarum:M2	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60775	IgE-Cockroach:I6	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60789	IgE-Coconut:F36	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60800	IgE-Codfish:F3	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60820	IgE-Common Ragweed:W1	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60829	IgE-Common Reed:G7	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61882	IgE-Conalbumin:F323	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61500	IgE-Corn:F8	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60840	IgE-Cottonwood:T14	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60860	IgE-Crab:F23	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62799	IgE-Cucumber:F244	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62379	IgE-Cultivated wheat:G15	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60905	IgE-D.Farinae:D2	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62931	IgE-D.microceras:D3	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60915	IgE-D.Pteronyssinus:D1	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60920	IgE-Dandelion:W8	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60935	IgE-Dog dander:E5	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
60950	IgE-Duck Feathers:E86	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60995	IgE-Egg White:F1	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61005	IgE-Egg Yolk:F75	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62801	IgE-Egg:F245	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60160	IgE-Elm:T8	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62729	IgE-Fire Ant:I70	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
63050	IgE-Food Mix:Fx5	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62970	IgE-Formaldehyde:K80	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62700	IgE-Fusarium proliferatum:M9	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61101	IgE-Garlic:F47	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62890	IgE-Gelatin bovine:C74	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61090	IgE-Giant Ragweed:W3	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61110	IgE-Gluten:F79	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
63120	IgE-Goat milk:F300	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61151	IgE-Goldenrod:W12	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61430	IgE-Goosefoot:W10	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61170	IgE-Grape fruit:F209	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62679	IgE-Grape:F259	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60531	IgE-Grass mix:Gx1	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61221	IgE-Hamster epithelium:E84	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61240	IgE-Hazel Nut:F17	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61229	IgE-Hazel:T4	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61957	IgE-Herring:F205	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61250	IgE-Honey Bee Venom:I1	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61260	IgE-Horse Dander:E3	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61270	IgE-House dust1:H1	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61281	IgE-House dust2:H2	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61330	IgE-Isocyanate HDI:K77	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61340	IgE-Isocyanate MDI:K76	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61350	IgE-Isocyanate TDI:K75	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61360	IgE-Japanese cedar:T17	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61370	IgE-Japanese hop:W22	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61415	IgE-Kiwi:F84	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61120	IgE-L.Destructor:D71	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
61440	IgE-Latex:K82	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61445	IgE-Lemon:F208	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61461	IgE-Lobster:F80	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61490	IgE-Mackerel:F50	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61519	IgE-Mango:F91	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61540	IgE-Marguerite:W7	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61550	IgE-Meadow Fescue:G4	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
63054	IgE-Meat Mix:Fx73	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61580	IgE-Melon:F87	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62791	IgE-Milk,boiled:F231	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61605	IgE-Milk:F2	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62750	IgE-Mix grass pollen:Gx2	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62820	IgE-Mix house dust:Hx2	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
63190	IgE-Mix Tree Pollen:Tx1	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62770	IgE-Mix tree pollen:Tx5	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
63180	IgE-Mixed epithelia:Ex1	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61624	IgE-Mold Cheese:F82	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62760	IgE-Mold mix:Mx1	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61640	IgE-Mosquito(속):I71	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61661	IgE-Mountain Juniper:T6	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62650	IgE-Mucor racemosus:M4	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61680	IgE-Mugwort:W6	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
63171	IgE-Mushroom:F212	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61701	IgE-Mustard:F89	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61420	IgE-Mutton:F88	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61720	IgE-Oak:T7	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61749	IgE-Octopus:F59	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
63150	IgE-Omega-5 Gliadine:F416	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61770	IgE-Onion:F48	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61780	IgE-Orange:F33	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61790	IgE-Orchard Grass:G3	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61015	IgE-Ovalbumin:F232	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61795	IgE-Ovomucoid:F233	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62711	IgE-Oyster:F290	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
61810	IgE-P.Wasp Venom:I4	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60891	IgE-Pacific Squid:F58	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61195	IgE-Pea:F12	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61850	IgE-Peach:F95	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61860	IgE-Peanut:F13	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61870	IgE-Pear:F94	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61890	IgE-Penicillium notatum:M1	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61900	IgE-Penicilloyl G:C1	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61910	IgE-Penicilloyl V:C2	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62671	IgE-Pine nuts:F253	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62620	IgE-Pineapple:F210	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61955	IgE-Pistachio:F203	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61961	IgE-Plaice:F254	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61964	IgE-Plum:F255	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61970	IgE-Pork:F26	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61981	IgE-Potato:F35	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61991	IgE-Pumpkin:F225	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62000	IgE-Rabbit epithelium:E82	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60405	IgE-rAra h2:F423	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
63010	IgE-Rhizo.nigricans:M11	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62050	IgE-Rice:F9	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61921	IgE-Rye Grass:G5	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62080	IgE-Rye:F5	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62100	IgE-Sadine:F61	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62110	IgE-Salmon:F41	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
61781	IgE-Scallops : F338	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62135	IgE-Sesame Seed:F10	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62150	IgE-Shrimp:F24	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62185	IgE-Soybean:F14	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62189	IgE-Spinach:F214	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
63041	IgE-Squid:F258	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60642	IgE-Staphylococcal enterotoxin A	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62210	IgE-Strawberry:F44	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62231	IgE-Sweat Vernal grass:G1	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
62240	IgE-Sweet potato:F54	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62270	IgE-T.Putre Scentiae:D72	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62280	IgE-Timothy Grass:G6	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62300	IgE-Tomato:F25	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62840	IgE-Tree mixture:Tx9	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62720	IgE-Trichophyton:M205	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62320	IgE-Tuna:F40	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62350	IgE-Walnut pollen:T10	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62810	IgE-Walnut:F256	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62354	IgE-Watermelon:F329	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60091	IgE-Weed mix:Wx1	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
63030	IgE-Weed Mix:Wx5	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62360	IgE-Western Ragweed:W2	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62370	IgE-Wheat:F4	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62390	IgE-White Ash:T15	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62411	IgE-White bean:F15	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62401	IgE-White faced hornet venom:I2	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
60960	IgE-White Pine:T16	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62430	IgE-Willow:T12	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62461	IgE-Yeast:F45	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62829	IgE-Yellow hornet:I5	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62481	IgE-Yellow J.WaspVenom:I3	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62495	IgE-αLactoalbumin:F76	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
62505	IgE-βLactoglobulin:F77	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
01295	IGFBP-3 (CLIA)	SST Serum	누344	D3440023		215.71	17,560	17,560	216.81	18,080	18,080
20220	IgG	SST Serum	누741	D7410043		116.34	9,470	9,470	105.27	8,780	8,780
20221	IgG	CSF	누741	D7410043		116.34	9,470	9,470	105.27	8,780	8,780
20226	IgG (서울대)	SST Serum	누741	D7410043		116.34	9,470	9,470	105.27	8,780	8,780
80945	IgG(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80944	IgG(IHC)서울대	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80943	IgG(IHC)여의도성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
20225	IgG, Low Conc	CSF	누741	D7410043		116.34	9,470	9,470	105.27	8,780	8,780
80946	IgG4(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80947	IgG4(IHC)여의도성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
80511	IgG-Fibrinogen(성모)	Tissue	나564외	C5640008외		-	158,820	158,820	-	172,860	172,860
25801	IgH gene rearrangement (아산)	Tissue	나583나	C583206F		3,092.69	251,740	251,740	3,077.07	256,630	256,630
25802	IgH gene rearrangement(삼성)	Block	나583나	C583206F		3,092.69	251,740	251,740	3,077.07	256,630	256,630
29088	Ig-Kappa gene rearrangement(성)	Tissue	나583나(2)	C583207F		3,092.69	251,740	251,740	3,077.07	256,630	256,630
20270	IgM	SST Serum	누741	D7410053		116.34	9,470	9,470	105.27	8,780	8,780
20271	IgM	Hp Plasma	누741	D7410053		116.34	9,470	9,470	105.27	8,780	8,780
20275	IgM (서울대)	SST Serum	누741	D7410053		116.34	9,470	9,470	105.27	8,780	8,780
80940	IgM(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80941	IgM(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
28270	IKBKG 유전자	EDTA Blood	나580다(2)	C580747C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
65624	Imipramine + Desipramine	Plain Serum	누532다(4)	D534938C		575.16	46,820	46,820	574.08	47,880	47,880
20621	Immuno E.P (24h urine)	24hr Urine	누473나외	D473201C외		-	55,580	55,580	-	55,040	55,040
20625	Immuno E.P (IgG,M,A,D,E)	SST Serum	누475가	D475102C		503.15	40,960	40,960	491.20	40,970	40,970
20623	Immuno E.P (Random urine)	Random Urine	누473나외	D473201C외		-	55,580	55,580	-	55,040	55,040
20620	Immuno E.P (Serum)	SST Serum	누473가외	D473101C외		-	51,570	51,570	-	51,720	51,720
20626	Immuno E.P(IgG,M,A,D,E)(U)	Random Urine	누475나	D475202C		541.95	44,110	44,110	519.44	43,320	43,320
20611	Immuno Fixation EP	Random Urine	누475나	D475201C		541.95	44,110	44,110	519.44	43,320	43,320
20610	Immuno Fixation EP (Serum)	SST Serum	누475가	D475101C		503.15	40,960	40,960	491.20	40,970	40,970
20613	Immuno Fixation EP IgD,IgE(S)	SST Serum	누475가	D475101C		503.15	40,960	40,960	491.20	40,970	40,970
20614	Immuno Fixation EP IgD,IgE(U)	Random Urine	누475나	D475201C		541.95	44,110	44,110	519.44	43,320	43,320
20612	Immuno Fixation EP(24h urine)	24hr Urine	누475나	D475201C		541.95	44,110	44,110	519.44	43,320	43,320
20731	Immunoglobulin E.P (24U)	24hr Urine	누475나	D475202C		541.95	44,110	44,110	519.44	43,320	43,320
20730	Immunoglobulin E.P (Serum)	SST Serum	누475가	D475102C		503.15	40,960	40,960	491.20	40,970	40,970
20733	Immunoglobulin E.P (U)	Random Urine	누475나	D475202C		541.95	44,110	44,110	519.44	43,320	43,320
20228	Immunoglobulin G Index	복수검체	누188외	D1880003외		-	36,710	36,710	-	35,460	35,460
80650	Immunohistochemistry	Smear Slide	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80651	Immunohistochemistry	Block	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80652	Immunohistochemistry	Other	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80656	Immunohistochemistry	Smear Slide	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
70820	India ink prep.	CSF	누580다	D5804013		40.61	3,310	3,310	47.77	3,980	3,980
70821	India ink prep.	Other	누580다	D5804013		40.61	3,310	3,310	47.77	3,980	3,980
10060	Indirect Bilirubin	SST Serum	누183외	D1830003외		-	2,480	2,480	-	2,410	2,410
10061	Indirect Bilirubin	Capillary	누183외	D1830003외		-	2,480	2,480	-	2,410	2,410
30330	Indirect Coombs	SST Serum	누154나	D154205C		77.36	6,300	6,300	77.76	6,490	6,490

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
12141	Indocyanine Green(R15)	SST Serum	누196가	D196100C		302.77	24,650	24,650	328.42	27,390	27,390
12150	Indocyanine Green소실율	SST Serum	누196나	D196200C		480.36	39,100	39,100	510.00	42,530	42,530
12140	Indocyanine Green정체율	SST Serum	누196가	D196100C		302.77	24,650	24,650	328.42	27,390	27,390
42165	Influenza A Culture	Other	누652가	D652100C		577.45	47,000	47,000	578.46	48,240	48,240
42175	Influenza B Culture	Other	누652가	D652100C		577.45	47,000	47,000	578.46	48,240	48,240
42280	Influenza virus A & B Ag	Sputum	누655가	D655106C외		-	29,460	29,460	-	28,400	28,400
81887	Inhibin(IHC) 서울성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
01864	Inhibin-A	SST Serum	누573	D5730003		334.61	27,240	27,240	326.54	27,230	27,230
81571	INI-1(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
01024	Insulin	NaF Plasma	누305	D3050023		158.78	12,920	12,920	141.78	11,820	11,820
01025	Insulin	SST Serum	누305	D3050023		158.78	12,920	12,920	141.78	11,820	11,820
01026	Insulin	EDTA Plasma	누305	D3050023		158.78	12,920	12,920	141.78	11,820	11,820
01049	Insulin Ab(ELISA)	SST Serum	누801	D8010003		159.18	12,960	12,960	148.92	12,420	12,420
81870	Insulin Ab(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
01040	Insulin Ab(RIA)	SST Serum	누801주	D8011007		144.09	11,730	11,730	152.29	12,700	12,700
02061	Integrated 2nd (Quad)	SST Serum	누421나외	D2420023외		-	65,800	65,800	-	62,250	62,250
13152	Iodine	Random Urine	누320외	D3200013외		-	5,480	5,480	-	5,400	5,400
30113	IRF SET	EDTA Blood	누050나외	D0502023외		-	3,120	3,120	-	3,120	3,120
12730	Iron (Fe)	SST Serum	누052가	D0521033		31.22	2,540	2,540	29.64	2,470	2,470
12732	Iron (Fe)(Tissue)	Tissue	누550나	D5512083		628.77	51,180	51,180	632.89	52,780	52,780
30140	Iron Stain	Bone Marrow Sl	누084	D084106C		95.72	7,790	7,790	99.34	8,280	8,280
30145	Iron Stain	Bone Marrow Sl	누084	D084106C		95.72	7,790	7,790	99.34	8,280	8,280
30153	Iron stain	Bone Marrow Sl	누084	D084106C		95.72	7,790	7,790	99.34	8,280	8,280
51880	Islet cell Ab	SST Serum	누802나	D802200C		170.74	13,900	13,900	192.96	16,090	16,090
30371	Isoagglutinin test	SST Serum	누157	D157000C		96.52	7,860	7,860	94.81	7,910	7,910
27618	JAG1 gene, mutation (삼성)	EDTA Blood	나580다(4)	C580931C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
27772	JAK2 gene exon12 mutation	EDTA Blood	나583다	C583303C		1,416.05	115,270	115,270	1,416.05	118,100	118,100
27777	JAK2 gene exon12 mutations	EDTA Blood	나583다(1)	C583303C		1,416.05	115,270	115,270	1,416.05	118,100	118,100
27771	JAK2 Gene V617F Mutation	EDTA Blood	나583가	C583003C		1,262.48	102,770	102,770	1,220.89	101,820	101,820
27775	JAK2 V617F mutation	EDTA Blood	나583다(1)	C583304C		1,416.05	115,270	115,270	1,416.05	118,100	118,100
42683	JC Virus PCR	Random Urine	누658가	D658106C		402.35	32,750	32,750	395.74	33,000	33,000
71030	Joint fluid analysis	Joint Fluid	누032사	D0327003		54.95	4,470	4,470	55.99	4,670	4,670
81302	Kappa light chain (In situ)	Tissue	나583라	C584002F		801.57	65,250	65,250	907.94	75,720	75,720
81964	Kappa light chain(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
81625	Kappa light chain(IHC)(여의도성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81982	Kappa light chain(IHC)서울대	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
29222	KCNH2 Gene mutation(성모)	EDTA Blood	나580다	C580851C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
29217	KCNH2 gene, mutation(삼성)	EDTA Blood	나580다(3)	C580851C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
27169	KCNJ11 gene, mutation(삼성)	EDTA Blood	나580다(1)	C580620C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
26963	KCNJ11 gene, mutation(아산)	EDTA Blood	나580다(1)	C580620C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
29220	KCNQ1 (Long QT syndrome)	EDTA Blood	나580다	C580852C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
29221	KCNQ1 Gene mutation(성모)	EDTA Blood	나580다	C580852C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
29219	KCNQ1 gene, mutation	EDTA Blood	나580다(3)	C580852C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
12200	Ketone body 3분획	EDTA Plasma	누301다	D301300C		200.30	16,300	16,300	218.93	18,260	18,260
12201	Ketone body 3분획	Random Urine	누301다	D301300C		200.30	16,300	16,300	218.93	18,260	18,260
12210	Ketone Body 3분획	SST Serum	누301다	D301300C		200.30	16,300	16,300	218.93	18,260	18,260
12170	Ketone body 정성	Random Urine	누301가	D3011003		65.44	5,330	5,330	60.81	5,070	5,070
12171	Ketone body 정성	SST Serum	누301가	D3011003		65.44	5,330	5,330	60.81	5,070	5,070
81050	Ki-67(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81052	Ki-67(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81322	Ki-67(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81710	Ki-67(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81204	Ki-67(IHC)(서울성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
30441	Kidd A 혈액형검사	EDTA Blood	누152	D152004C		73.16	5,960	5,960	74.16	6,180	6,180
30442	Kidd B 혈액형검사	EDTA Blood	누152	D152004C		73.16	5,960	5,960	74.16	6,180	6,180
26964	KMT2D gene, mutation(아산)	EDTA Blood	나580다(5)	C581016C		11,030.45	897,880	897,880	11,030.45	919,940	919,940
70830	KOH Mount	Other	누620나(1)	D6202003		75.65	6,160	6,160	75.65	6,310	6,310
41650	Korea virus I	SST Serum	누584외	D1582123외		-	19,720	19,720	-	19,350	19,350
27165	KRAS EXON 2,3,4	Tissue	나583다	C583401F		1,686.37	137,270	137,270	1,686.37	140,640	140,640
27661	KRAS gene mutation	Tissue	나583다(2)	C583401C		1,656.78	134,860	134,860	1,656.78	138,180	138,180
27163	K-RAS gene, mutation (삼성)	Tissue	나583다	C583401F		1,686.37	137,270	137,270	1,686.37	140,640	140,640
27164	K-RAS gene, mutation(Real-time)	Tissue	나583나	C583120F		1,494.94	121,690	121,690	1,435.49	119,720	119,720
27676	KRAS 전체돌연변이	Tissue	나583	C583401F		1,686.37	137,270	137,270	1,686.37	140,640	140,640
27659	K-ras유전자돌연변이(여의도성모)	Tissue	나583나	C583120F		1,494.94	121,690	121,690	1,435.49	119,720	119,720
51890	L.E. Cell	Plain Blood	누780	D780000C		64.97	5,290	5,290	69.22	5,770	5,770
30930	LAC confirm	SC Plasma	누111나	D111200C		347.91	28,320	28,320	364.12	30,370	30,370
30935	LAC screen	SC Plasma	누111가	D1111003		173.54	14,130	14,130	157.25	13,110	13,110
10742	Lactic Acid	Other	누511	D5110003		59.24	4,820	4,820	57.64	4,810	4,810

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
10741	Lactic Acid(CSF)	CSF	누511	D5110003		59.24	4,820	4,820	57.64	4,810	4,810
10740	Lactic Acid(NaF P)	NaF Plasma	누511	D5110003		59.24	4,820	4,820	57.64	4,810	4,810
81303	Lambda light chain (In situ)	Tissue	나583라	C584001F		801.57	65,250	65,250	907.94	75,720	75,720
81965	Lambda light chain(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81626	Lambda light chain(IHC)(여의도성)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81983	Lambda light chain(IHC)서울대	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
65782	Lamotrigine	Plain Serum	누532다(4)	D534943C		575.16	46,820	46,820	574.08	47,880	47,880
10390	LAP	SST Serum	누251	D2510043		34.56	2,810	2,810	32.67	2,720	2,720
30380	LAP Score	Blood Smear Slide	누084	D084101C		95.72	7,790	7,790	99.34	8,280	8,280
81640	LCA(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
10410	LDH	SST Serum	누251	D2510053		34.56	2,810	2,810	32.67	2,720	2,720
10411	LDH	Body Fluid	누251	D2510053		34.56	2,810	2,810	32.67	2,720	2,720
20640	LDH Isoenzyme	SST Serum	누254나	D254202C		176.33	14,350	14,350	176.76	14,740	14,740
20641	LDH Isoenzyme	Body Fluid	누254나	D254202C		176.33	14,350	14,350	176.76	14,740	14,740
11110	LDL-Cholesterol	SST Serum	누261라	D2614003		78.57	6,400	6,400	74.16	6,180	6,180
28312	LDLR gene, mutation	EDTA Blood	나580다(3)	C580853C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
12752	Lead(Pb)	Trace EDTA Blood	누550나	D5511153		320.29	26,070	26,070	323.24	26,960	26,960
12753	Lead(Pb)	24hr Urine	누550나	D5511153		320.29	26,070	26,070	323.24	26,960	26,960
12754	Lead(Pb)	Random Urine	누550나	D5511153		320.29	26,070	26,070	323.24	26,960	26,960
30158	Leder Reaction	Tissue	나566	C5660008		377.85	30,760	30,760	394.49	32,900	32,900
71140	Legionella Ag	Random Urine	누584다	D1584013		99.86	8,130	8,130	99.86	8,330	8,330
43570	Legionella pneumophilia PCR	Sputum	누591가	D591108C		402.35	32,750	32,750	395.74	33,000	33,000
41611	Leptospira Ab	SST Serum	누584나	D1582123		65.58	5,340	5,340	62.84	5,240	5,240
41668	Leptospira Ab	SST Serum	누584나	D1582123		65.58	5,340	5,340	62.84	5,240	5,240
41612	Leptospira Ab (MAT)	SST Serum	누587나(1)	D587209C		181.52	14,780	14,780	170.90	14,250	14,250
41621	Leptospira Ab Titer	SST Serum	누584나	D1582123		65.58	5,340	5,340	62.84	5,240	5,240
26135	Leukemia marker study	Bone Marrow	누080외	D080300C외		-	648,950	648,950	-	676,780	676,780
82014	Level A	Tissue	나560가	C5601008		246.76	20,090	20,090	251.92	21,010	21,010
82015	Level B (전립선, 간 제외)	Tissue	나560나	C5602008		370.15	30,130	30,130	377.87	31,510	31,510
82016	Level C 양성종양(≤9)	Tissue	나560다	C5603008		575.78	46,870	46,870	587.81	49,020	49,020
82017	Level C 양성종양(≥10)	Tissue	나560다	C5604008		740.28	60,260	60,260	755.75	63,030	63,030
82035	Level D 조직악성(≤9)	Tissue	나560라	C5605008		1,253.54	102,040	102,040	1,275.37	106,370	106,370
82037	Level D 조직악성(≥16)	Tissue	나560라(3)	C5607008		1,842.81	150,000	150,000	1,874.89	156,370	156,370
82036	Level D 조직악성(10~15)	Tissue	나560라	C5606008		1,579.27	128,550	128,550	1,606.77	134,000	134,000

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
65681	Levetiracetam	Plain Serum	누532다(4)	D534944C		575.16	46,820	46,820	574.08	47,880	47,880
00106	LH (ECLIA)	SST Serum	누370나	D3702033		138.05	11,240	11,240	129.08	10,770	10,770
25646	LHON 3460,11778,14484,15257	EDTA Blood	나580다(1)	C580623C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
25645	LHON 3460,4171,11778,14484	EDTA Blood	나580나	C580211C		493.38	40,160	40,160	503.85	42,020	42,020
81911	Light chain Kappa(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81912	Light chain Lambda(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
10425	Lipase	SST Serum	누380	D3800013		38.43	3,130	3,130	34.36	2,870	2,870
10426	Lipase(Fluid)	Body Fluid	누380	D3800013		38.43	3,130	3,130	34.36	2,870	2,870
11116	Lipid profile	SST Serum	누261외	D2611003외		-	11,180	11,180	-	11,040	11,040
20650	Lipoprotein E.P	SST Serum	누265	D265000C		141.68	11,530	11,530	150.48	12,550	12,550
20651	Lipoprotein E.P	Body Fluid	누265	D265000C		141.68	11,530	11,530	150.48	12,550	12,550
12860	Lipoprotein(a)	SST Serum	누262	D2620003		136.91	11,140	11,140	125.87	10,500	10,500
12765	Lithium(Li)	SST Serum	누550나	D5511123		320.29	26,070	26,070	323.24	26,960	26,960
28172	LMNA gene, mutation(LGMD 1B,	EDTA Blood	나580다(3)	C580816C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
80831	LMP(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
13300	Lymphocyte subset 2종 I	EDTA Blood	누081나	D081200C		-	76,700	76,700	-	79,960	79,960
13301	Lymphocyte subset 2종 II	EDTA Blood	누081나	D081200C		-	76,700	76,700	-	79,960	79,960
13311	Lymphocyte subset 2종 II (count)	EDTA Blood	누081나	D081200C		-	76,700	76,700	-	79,960	79,960
13302	Lymphocyte subset 2종 III	EDTA Blood	누081나	D081200C		-	76,700	76,700	-	79,960	79,960
13312	Lymphocyte subset 2종 III (count)	EDTA Blood	누081나	D081200C		-	76,700	76,700	-	79,960	79,960
13303	Lymphocyte subset 2종 IV	EDTA Blood	누081나	D081200C		-	76,700	76,700	-	79,960	79,960
13313	Lymphocyte subset 2종 IV (count)	EDTA Blood	누081나	D081200C		-	76,700	76,700	-	79,960	79,960
13310	Lymphocyte subset 2종 I (count)	EDTA Blood	누081나	D081200C		-	76,700	76,700	-	79,960	79,960
13304	Lymphocyte subset 3종 I	EDTA Blood	누081나	D081200C		-	115,050	115,050	-	119,940	119,940
13314	Lymphocyte subset 3종 I (count)	EDTA Blood	누081나	D081200C		-	115,050	115,050	-	119,940	119,940
13305	Lymphocyte subset 3종 II	EDTA Blood	누081나	D081200C		-	115,050	115,050	-	119,940	119,940
13315	Lymphocyte subset 3종 II (count)	EDTA Blood	누081나	D081200C		-	115,050	115,050	-	119,940	119,940
13320	Lymphocyte subset 3종 IV	EDTA Blood	누081나	D081200C		-	115,050	115,050	-	119,940	119,940
26115	Lymphocyte subset 4종	EDTA Blood	누081나외	D081200C외		-	153,400	153,400	-	159,920	159,920
13306	Lymphocyte subset 4종 I	EDTA Blood	누081나	D081200C		-	153,400	153,400	-	159,920	159,920
13316	Lymphocyte subset 4종 I (count)	EDTA Blood	누081나	D081200C		-	153,400	153,400	-	159,920	159,920
13307	Lymphocyte subset 4종 II	EDTA Blood	누081나	D081200C		-	153,400	153,400	-	159,920	159,920
13317	Lymphocyte subset 4종 II (count)	EDTA Blood	누081나	D081200C		-	153,400	153,400	-	159,920	159,920
13308	Lymphocyte subset 5종	EDTA Blood	누081나	D081200C		-	191,750	191,750	-	199,900	199,900

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
13318	Lymphocyte subset 5종(count)	EDTA Blood	누081나	D081200C		-	191,750	191,750	-	199,900	199,900
80933	Lysozyme(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
30451	M 혈액형검사	EDTA Blood	누152	D152006C		73.16	5,960	5,960	74.16	6,180	6,180
71235	M.h & U.u 배양및약제-IES	Other	누582	D582105C		397.79	32,380	32,380	408.62	34,080	34,080
71234	M.h & U.u 배양및약제-Mycoview	Other	누582	D582105C		397.79	32,380	32,380	408.62	34,080	34,080
71230	M.h & U.u 배양및약제감수성	Other	누582	D582105C		397.79	32,380	32,380	408.62	34,080	34,080
10120	Magnesium (Mg)	SST Serum	누280	D2800013		16.97	1,380	1,380	17.55	1,460	1,460
10122	Magnesium (Mg)	Random Urine	누280	D2800013		16.97	1,380	1,380	17.55	1,460	1,460
10121	Magnesium (Mg)(24hr U)	24hr Urine	누280	D2800013		16.97	1,380	1,380	17.55	1,460	1,460
70840	Malaria	Blood Smear Slide	누640자	D640900C		54.61	4,450	4,450	57.37	4,780	4,780
42551	Malaria P. falciparum PCR	EDTA Blood	누642가	D642101C		402.35	32,750	32,750	395.74	33,000	33,000
42553	Malaria P. malariae PCR	EDTA Blood	누642가	D642101C		402.35	32,750	32,750	395.74	33,000	33,000
42554	Malaria P. ovale PCR	EDTA Blood	누642가	D642101C		402.35	32,750	32,750	395.74	33,000	33,000
42552	Malaria P. vivax PCR	EDTA Blood	누642가	D642101C		402.35	32,750	32,750	395.74	33,000	33,000
42540	Malaria PCR	EDTA Blood	누642가	D642101C		402.35	32,750	32,750	395.74	33,000	33,000
42545	Malaria PCR 2종	EDTA Blood	누642가	D642101C		-	65,500	65,500	-	66,000	66,000
42555	Malaria PCR 4종	EDTA Blood	누642가	D642101C		-	131,000	131,000	-	132,000	132,000
12770	Mangane(Mn)	Trace EDTA Blood	누550나	D5511133		320.29	26,070	26,070	323.24	26,960	26,960
12771	Mangane(Mn)	24hr Urine	누550나	D5511133		320.29	26,070	26,070	323.24	26,960	26,960
12772	Mangane(Mn)	Random Urine	누550나	D5511133		320.29	26,070	26,070	323.24	26,960	26,960
29006	MAPT gene, mutation	EDTA Blood	나580다(3)	C580854C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
26911	Marfan, FBN1 gene mutation	EDTA Blood	나580다	C581011C		11,030.45	897,880	897,880	11,030.45	919,940	919,940
81725	MDM2(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81726	MDM2(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
41680	Measles virus IgG	SST Serum	누654나(1)	D654211C		234.89	19,120	19,120	216.79	18,080	18,080
41681	Measles virus IgG	CSF	누654나(1)	D654211C		234.89	19,120	19,120	216.79	18,080	18,080
41690	Measles virus IgM	SST Serum	누654나(2)	D654311C		218.09	17,750	17,750	198.09	16,520	16,520
41691	Measles virus IgM	CSF	누654나(2)	D654311C		218.09	17,750	17,750	198.09	16,520	16,520
81971	Melan-A(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81988	Melan-A(IHC)여의도성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
51900	MELAS major mutation	EDTA Blood	나580나(2)	C580213C		493.38	40,160	40,160	503.85	42,020	42,020
25662	MELAS, MT-TL1 sequencing	EDTA Blood	나580다(1)	C580608C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
25661	MELAS,MT-TL1(Leigh disease	EDTA Blood	나580다(1)	C580608C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
27875	MEN1 gene, mutation	EDTA Blood	나580다(2)	C580721C		3,166.78	257,780	257,780	3,166.78	264,110	264,110

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
29271	MEN2, RET sequencing	EDTA Blood	나580다	C580726C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
12783	Mercury(Hg)	모발	누550나	D5512103		628.77	51,180	51,180	632.89	52,780	52,780
12784	Mercury(Hg)	Trace EDTA Blood	누550나	D5511103		320.29	26,070	26,070	323.24	26,960	26,960
12785	Mercury(Hg)	24hr Urine	누550나	D5511103		320.29	26,070	26,070	323.24	26,960	26,960
12786	Mercury(Hg)	Random Urine	누550나	D5511103		320.29	26,070	26,070	323.24	26,960	26,960
51910	MERRF major mutation	EDTA Blood	나580나(2)	C580212C		493.38	40,160	40,160	503.85	42,020	42,020
51915	MERRF Major Mutation	EDTA Blood	나580다(1)	C580624C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
51916	MERRF, MTTK sequencing	EDTA Blood	나580다	C580624C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
20520	Met Hemoglobin	EDTA Blood	누530	D5300013		49.25	4,010	4,010	48.16	4,020	4,020
00885	Metanephrine 2F(HPLC)	24hr Urine	누351라외	D351404C외		-	64,220	64,220	-	70,420	70,420
00886	Metanephrine(HPLC)	24hr Urine	누351라	D351404C		394.43	32,110	32,110	422.13	35,210	35,210
00894	Metanephrine, plasma	EDTA Plasma	누351라	D351404C외		-	64,220	64,220	-	70,420	70,420
00892	Metanephrine, Total(HPLC)	24hr Urine	누351라	D351404C		394.43	32,110	32,110	422.13	35,210	35,210
00893	Metanephrines, Plasma	EDTA Plasma	누351라외	D351404C외		-	64,220	64,220	-	70,420	70,420
65430	Methamphetamine 경성	Random Urine	누532가(1)	D5321213		66.67	5,430	5,430	65.48	5,460	5,460
65640	Methotrexate(MTX)	Plain Serum	누532나(2)	D5333283		219.09	17,830	17,830	203.21	16,950	16,950
12230	Methylhippuric acid	Random Urine	누540다	D5423083		253.61	20,640	20,640	254.39	21,220	21,220
10773	Methylmalonic acid 정량	EDTA Plasma	누515다	D515301C		590.04	48,030	48,030	590.04	49,210	49,210
10774	Methylmalonic acid 정량	Random Urine	누515다	D515301C		590.04	48,030	48,030	590.04	49,210	49,210
10775	Methylmalonic acid 정량	24hr Urine	누515다	D515301C		590.04	48,030	48,030	590.04	49,210	49,210
10001	Microalbumin	24hr Urine	누300나	D3002003		198.80	16,180	16,180	196.14	16,360	16,360
20290	Microalbumin 경성	Random Urine	누300가	D3001003		10.19	830	830	10.22	850	850
10002	Microalbumin(ACR)	Random Urine	누300나	D3002003		198.80	16,180	16,180	196.14	16,360	16,360
10005	Microalbumin/creatinine	Random Urine	누300나외	D3002003외		-	17,600	17,600	-	17,860	17,860
50856	Micro-ELISA Test(BF)	Body Fluid	누641나(1)	D264203C외		-	80,240	80,240	-	78,560	78,560
50857	Micro-ELISA Test(CSF)	CSF	누641나(1)	D264203C외		-	60,180	60,180	-	58,920	58,920
50855	Micro-ELISA Test(S)	SST Serum	누641나(1)	D264203C외		-	80,240	80,240	-	78,560	78,560
30050	Mixing Test	SC Plasma	누103	D103002C		190.34	15,490	15,490	179.35	14,960	14,960
26420	MLH1 gene mutation analysis	EDTA Blood	나580다(3)	C580819C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
81999	MLH1(IHC)(삼성)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81967	MOC31(IHC) 성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
71214	Modified Hodge Test	균주	누581라	D5842003		115.20	9,380	9,380	115.20	9,610	9,610
27778	MPL gene, mutation (CAMT)	EDTA Blood	나580다(3)	C580856C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
27773	MPL gene, W515K/L mutation	EDTA Blood	나583다(1)	C583308C		1,416.05	115,270	115,270	1,416.05	118,100	118,100

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
81701	MPO(IHC)(성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81700	MPO(myeloperoxidase)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
29290	MPS2, IDS gene mutation	EDTA Blood	나580다(2)	C580717C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
27614	MPZ gene, mutation (CMT1B)(삼)	EDTA Blood	나580다(2)	C580722C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
02090	MSAFP	SST Serum	누421나	D2420023		130.14	10,590	10,590	110.65	9,230	9,230
26430	MSH2 gene mutation	EDTA Blood	나580다(3)	C580820C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
81998	MSH-2(IHC)(삼성)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
27694	MSI(Microsatellite)	Block	나583나(2)	C583201C		3,038.44	247,330	247,330	3,023.08	252,120	252,120
80513	M-T(Masson's Trichrome stain,성)	Tissue	나563	C5630008		163.57	13,310	13,310	180.64	15,070	15,070
42606	MTB & NTM PCR	Sputum	누604나	D604202C		651.81	53,060	53,060	640.32	53,400	53,400
42601	MTB PCR (결핵협회)	Sputum	누604가	D604101C		545.54	44,410	44,410	532.77	44,430	44,430
27267	MTHFR 유전자 C677T, A1298C 변	EDTA Blood	나580나(1)	C580106C		819.62	66,720	66,720	771.40	64,330	64,330
27060	MTHFR(C677T) genotyping	EDTA Blood	나580나(2)	C580210C		493.38	40,160	40,160	503.85	42,020	42,020
81953	MUC1(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81950	MUC2(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81154	MUC4(IHC) 서울성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81951	MUC5(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81952	MUC6(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
71040	Mucin clot test	Joint Fluid	누032다	D0323003		13.37	1,090	1,090	13.87	1,160	1,160
10780	Mucopolysaccharidosis 선별	Random Urine	누513나	D5132003		68.31	5,560	5,560	72.51	6,050	6,050
10785	Mucopolysaccharidosis 정량(TLC)	Random Urine	누513다	D513300C		1,014.60	82,590	82,590	1,014.60	84,620	84,620
81979	MUM1(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
41730	Mumps virus IgG	SST Serum	누654나(1)	D654212C		234.89	19,120	19,120	216.79	18,080	18,080
41731	Mumps virus IgG	CSF	누654나(1)	D654212C		234.89	19,120	19,120	216.79	18,080	18,080
41740	Mumps virus IgM	SST Serum	누654나(2)	D654312C		218.09	17,750	17,750	198.09	16,520	16,520
41741	Mumps virus IgM	CSF	누654나(2)	D654312C		218.09	17,750	17,750	198.09	16,520	16,520
42591	Mumps virus RNA(RT-PCR)	CSF	누658나	D658203C		545.54	44,410	44,410	532.77	44,430	44,430
65610	Mycophenolic acid	EDTA Blood	누532다(4)	D534955C		575.16	46,820	46,820	574.08	47,880	47,880
50870	Mycoplasma Ab	SST Serum	누584나	D1582133		65.58	5,340	5,340	62.84	5,240	5,240
50871	Mycoplasma Ab	Body Fluid	누584나	D1582133		65.58	5,340	5,340	62.84	5,240	5,240
42620	Mycoplasma genitalium PCR	분비물	누591가	D591110C		402.35	32,750	32,750	395.74	33,000	33,000
42630	Mycoplasma hominis PCR	분비물	누591가	D591111C		402.35	32,750	32,750	395.74	33,000	33,000
52300	Mycoplasma pneumoniae IgG	SST Serum	누587나(2)	D587304C		189.17	15,400	15,400	180.32	15,040	15,040
52310	Mycoplasma pneumoniae IgM	SST Serum	누587나(3)	D587409C		187.98	15,300	15,300	179.45	14,970	14,970

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
52311	Mycoplasma pneumoniae IgM	CSF	누587나(3)	D587409C		187.98	15,300	15,300	179.45	14,970	14,970
42640	Mycoplasma pneumoniae PCR	Sputum	누591가	D591116C		402.35	32,750	32,750	395.74	33,000	33,000
26482	MYH9 gene, mutation (MYH9-rel	EDTA Blood	나580다(4)	C580911C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
81761	MyoD1(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80949	MyoD1(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81762	Myogenin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81915	Myogenin(IHC)(성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
01330	Myoglobin	SST Serum	누401나	D4012003		202.03	16,450	16,450	186.82	15,580	15,580
01331	Myoglobin	Random Urine	누401나	D4012003		202.03	16,450	16,450	186.82	15,580	15,580
30452	N 혈액형검사	EDTA Blood	누152	D152006C		73.16	5,960	5,960	74.16	6,180	6,180
42650	N. gonorrhoeae PCR	분비물	누591가	D591112C		402.35	32,750	32,750	395.74	33,000	33,000
81178	NADH stain	Tissue	나566	C5660008		377.85	30,760	30,760	394.49	32,900	32,900
10452	NAG	Random Urine	누226	D2260003		116.23	9,460	9,460	116.23	9,690	9,690
81331	Napsin A(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
25383	NDP gene, mutation (Norrie disea	EDTA Blood	나580다(1)	C580625C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
81976	Neu-N(IHC) 성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
27782	Neurofibromatosis,NF2 gene	EDTA Blood	나580다(3)	C580861C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
27785	Neurofibromatosis,NF2 gene(성모	EDTA Blood	나580다	C580861C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
81120	Neurofilament(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81810	Neurofilament(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
30021	Neutrophil Seg	EDTA Blood	누001다	D0013003		25.31	2,060	2,060	24.96	2,080	2,080
12793	Nickel(Ni)	Trace Serum	누550나	D5511143		320.29	26,070	26,070	323.24	26,960	26,960
12794	Nickel(Ni)	Random Urine	누550나	D5511143		320.29	26,070	26,070	323.24	26,960	26,960
27692	NIPBL gene, mutation (CdLS)삼성	EDTA Blood	나580다(5)	C581012C		11,030.45	897,880	897,880	11,030.45	919,940	919,940
26262	NK 세포 활성도 검사	전용용기 혈장	누763가	D7631003		616.94	50,220	50,220	616.94	51,450	51,450
12275	N-methyl formamide(NMF)	Random Urine	누540다	D5423113		253.61	20,640	20,640	254.39	21,220	21,220
27541	NMP22	Random Urine	누422나	D2222023		266.07	21,660	21,660	247.49	20,640	20,640
30150	Nonspecific esterase stain	Bone Marrow Sl	누084	D084103C		95.72	7,790	7,790	99.34	8,280	8,280
30151	Nonspecific esterase stain	Blood Smear Slic	누084	D084103C		95.72	7,790	7,790	99.34	8,280	8,280
30152	Nonspecific esterase stain	Bone Marrow Sl	누084	D084103C		95.72	7,790	7,790	99.34	8,280	8,280
26960	Noonan Syndrome, PTPN11	EDTA Blood	나580다(3)	C580827C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
00887	Normetanephine(HPLC)	24hr Urine	누351라	D351406C		394.43	32,110	32,110	422.13	35,210	35,210
42571	Norovirus Ag	Stool	누654가	D654108C		180.92	14,730	14,730	170.31	14,200	14,200
29440	NPM1 mutation (A,B,D)	Bone Marrow	나583나(1)	C583121C		1,468.71	119,550	119,550	1,410.30	117,620	117,620

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
29445	NPM1 mutation analysis	EDTA Blood	나583다(1)	C583305C		1,416.05	115,270	115,270	1,416.05	118,100	118,100
27166	NROB1 gene, mutation(삼성)	EDTA Blood	나580다(2)	C580723C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
27181	NRAS gene mutation	Tissue	나583다(2)	C583402C		1,656.78	134,860	134,860	1,656.78	138,180	138,180
25621	NSD1 gene, mutation(삼성)	EDTA Blood	나580다(4)	C580913C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
01615	NSE (ECLIA)	SST Serum	누438	D4381003		259.41	21,120	21,120	235.29	19,620	19,620
30192	NSE(ANBE) stain	Bone Marrow Sl	누084	D084103C		95.72	7,790	7,790	99.34	8,280	8,280
81280	NSE(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81281	NSE(IHC)(여의도성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
70606	NTM Identification	균주	누604가	D604102C		545.54	44,410	44,410	532.77	44,430	44,430
70501	NTM Sensitivity (결핵협회)	균주	누601나	D6013003		516.03	42,000	42,000	496.92	41,440	41,440
01350	NT-pro BNP	SST Serum	누406나	D4062013		564.74	45,970	45,970	544.23	45,390	45,390
12280	NTx	Random Urine	누501	D5010023		165.95	13,510	13,510	158.46	13,220	13,220
41630	O. tsutsugamushi	SST Serum	누584나	D1582253		65.58	5,340	5,340	62.84	5,240	5,240
41635	O.tsutsugamushi Ab (IFA)	SST Serum	누587나(2)	D587308C		189.17	15,400	15,400	180.32	15,040	15,040
81977	Olig-2(IHC) 성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
20320	Oligoclonal band	CSF	누474	D474000C		221.64	18,040	18,040	219.90	18,340	18,340
29110	OPA1 gene mutation	EDTA Blood	나580다	C580934C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
12290	Organic Acid	Random Urine	누515다(2)	D515400C		2,371.20	193,020	193,020	2,301.78	191,970	191,970
12291	Organic Acid	EDTA Plasma	누515다	D515400C		2,371.20	193,020	193,020	2,301.78	191,970	191,970
12320	Osmolality	SST Serum	누282	D2820003		49.84	4,060	4,060	47.89	3,990	3,990
12322	Osmolality	Random Urine	누282	D2820003		49.84	4,060	4,060	47.89	3,990	3,990
12321	Osmolality(24hr U)	24hr Urine	누282	D2820003		49.84	4,060	4,060	47.89	3,990	3,990
12330	Osmotic fragility	복수검체	누054가	D054103C		101.82	8,290	8,290	104.68	8,730	8,730
01925	Osteocalcin (ECLIA)	SST Serum	누503	D5030013		231.36	18,830	18,830	206.44	17,220	17,220
10801	Oxalic acid	24hr Urine	누515다	D515302C		590.04	48,030	48,030	590.04	49,210	49,210
65460	Oxcarbazepine & Metabolite	Plain Serum	누532다(4)	D534961C		575.16	46,820	46,820	574.08	47,880	47,880
81328	P16(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81835	p16(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81889	p16(IHC) 여의도성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81839	p16(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81208	p40(IHC)(여의도)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81212	p504S(IHC)(여의도성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
25841	p53 gene 5개 exon(5,6,7,8,9)	Tissue	나580다	C580733F		3,223.33	262,380	262,380	3,223.33	268,830	268,830
81337	P53(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
81997	P53(IHC)(삼성)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81600	p53(IHC)여의도성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81275	p57(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81620	p63(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81621	p63(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81622	p63(IHC)(여의도성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
26670	PABPN1 gene, mutation	EDTA Blood	나580다(1)	C580609C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
29410	PAH gene mutation	EDTA Blood	나580다(3)	C580821C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
30690	PAI-1	SC Plasma	누127나	D1272003		166.49	13,550	13,550	159.06	13,270	13,270
80512	PAMS(Methenamine Siver stain,상	Tissue	나563	C5630008		163.57	13,310	13,310	180.64	15,070	15,070
81217	pan CK (pancytokeratin)(IHC)서울	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81327	pan-CK(pancytokeratin)(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
10245	Pancreatic Amylase	SST Serum	누380	D3800033		38.43	3,130	3,130	34.36	2,870	2,870
10246	Pancreatic Amylase(RU)	Random Urine	누380	D3800033		38.43	3,130	3,130	34.36	2,870	2,870
29005	PANK2 gene mutation	EDTA Blood	나580다(2)	C580724C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
01630	PAP	SST Serum	누430	D4300023		191.40	15,580	15,580	169.58	14,140	14,140
01631	PAP	분비물	누430	D4300023		191.40	15,580	15,580	169.58	14,140	14,140
50847	Paragonimus IgG(BF)	Body Fluid	누641나(1)	D264207C		246.42	20,060	20,060	235.55	19,640	19,640
50852	Paragonimus IgG(CSF)	CSF	누641나(1)	D264207C		246.42	20,060	20,060	235.55	19,640	19,640
50843	Paragonimus IgG(S)	SST Serum	누641나(1)	D264207C		246.42	20,060	20,060	235.55	19,640	19,640
42195	Parainfluenza culture	Other	누652가	D652100C		577.45	47,000	47,000	578.46	48,240	48,240
43560	Parainfluenza V. Ag(DFA)	Other	누655가	D655110C		180.92	14,730	14,730	170.31	14,200	14,200
12345	Paraquat	Random Urine	누532다	D5343593		318.82	25,950	25,950	315.35	26,300	26,300
12340	Paraquat (Gramoxone)	SST Serum	누532다	D5343593		318.82	25,950	25,950	315.35	26,300	26,300
29120	Parkinson's disease(PARK2)	EDTA Blood	나580다(3)	C580822C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
65623	Paroxetine	Plain Serum	누532다(4)	D534963C		575.16	46,820	46,820	574.08	47,880	47,880
42660	Parvo virus B19 DNA	SST Serum	누658가	D658110C		402.35	32,750	32,750	395.74	33,000	33,000
30160	PAS Stain	Bone Marrow Sl	누084	D084102C		95.72	7,790	7,790	99.34	8,280	8,280
80619	PAS stain 성모	Tissue	나563	C5630008		163.57	13,310	13,310	180.64	15,070	15,070
30155	PAS(periodic acid stain)	Bone Marrow Sl	누084	D084102C		95.72	7,790	7,790	99.34	8,280	8,280
81696	PAX2(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81695	PAX5(IHC)(서울대)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81699	PAX8(IHC)(서울대)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81697	PAX8(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
81984	PD-1(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81996	PD-1(IHC)(성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
29086	PDGFRA(12,14,18)	Tissue	나583다(3)	C583501F		1,931.40	157,220	157,220	1,931.40	161,080	161,080
29108	PD-L1 IHC 22C3 pharmDx	Tissue	나567주2	C567200F		825.15	67,170	67,170	825.15	68,820	68,820
29106	PD-L1(SP263)(여의도성모)	Tissue	나567주2	C567200F		825.15	67,170	67,170	825.15	68,820	68,820
30080	PDW	EDTA Blood	누000나	D0002063		12.07	980	980	11.68	970	970
31085	PEG Coombs Anti IgG	EDTA Blood	누154나	D154203C		77.36	6,300	6,300	77.76	6,490	6,490
29360	Pendred syndrome, SLC26A4	EDTA Blood	나580다	C580868C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
02036	Pepsinogen I/II	SST Serum	누427	D4270003		-	28,900	28,900	-	27,160	27,160
26085	Perforin profile, FCM	EDTA Blood	누081외	D081200C외		-	115,050	115,050	-	119,940	119,940
30154	Peroxidase stain	Bone Marrow Sl	누084	D084108C		95.72	7,790	7,790	99.34	8,280	8,280
30170	Peroxidase stain	Bone Marrow Sl	누084	D084108C		95.72	7,790	7,790	99.34	8,280	8,280
30171	Peroxidase stain	Blood Smear Slid	누084	D084108C		95.72	7,790	7,790	99.34	8,280	8,280
65290	Phenobarbital	SST Serum	누532나(2)	D5333343		219.09	17,830	17,830	203.21	16,950	16,950
12805	Phenol	Random Urine	누540다	D5423143		253.61	20,640	20,640	254.39	21,220	21,220
65300	Phenytoin	SST Serum	누532나(2)	D5333363		219.09	17,830	17,830	203.21	16,950	16,950
27693	PHEX gene, mutation	EDTA Blood	나580다(4)	C580917C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
81515	PHH3(IHC) 삼성	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
10130	Phosphate(Pi)	SST Serum	누280	D2800043		16.97	1,380	1,380	17.55	1,460	1,460
10132	Phosphate(Pi)	Random Urine	누280	D2800043		16.97	1,380	1,380	17.55	1,460	1,460
10131	Phosphate(Pi)(24hr U)	24hr Urine	누280	D2800043		16.97	1,380	1,380	17.55	1,460	1,460
11160	Phospholipid	SST Serum	누260가	D2261003		29.11	2,370	2,370	29.05	2,420	2,420
11161	Phospholipid(Fluid)	Body Fluid	누260가	D2261003		29.11	2,370	2,370	29.05	2,420	2,420
26415	PHOX2B gene, mutation	EDTA Blood	나580다(1)	C580627C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
11720	Phytanic acid	EDTA Plasma	누518	D518002C		1,294.40	105,360	105,360	1,317.94	109,920	109,920
01640	PIVKA-2	SST Serum	누426	D4260003		173.17	14,100	14,100	164.96	13,760	13,760
27880	PKD1, gene mutation	EDTA Blood	나580다(5)	C581017C		11,030.45	897,880	897,880	11,030.45	919,940	919,940
27881	PKD2, gene mutation	EDTA Blood	나580다(3)	C580864C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
81370	PLAP(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
20530	Plasma Hb	EDTA Plasma	누059	D0590003		49.41	4,020	4,020	48.56	4,050	4,050
30710	Plasminogen	SC Plasma	누126가	D1261003		140.45	11,430	11,430	129.82	10,830	10,830
30005	Platelet	EDTA Blood	누000나	D0002073		12.07	980	980	11.68	970	970
51920	Platelet Associated Ab	EDTA Blood	누792다	D792300C		240.96	19,610	19,610	235.72	19,660	19,660
25713	PML-RARa (real-time PCR)	EDTA Blood	나583나	C583122C		1,468.71	119,550	119,550	1,410.30	117,620	117,620

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
25714	PML-RARa (real-time PCR)	Bone Marrow	나583나	C583122C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
25710	PML-RARa (RT-Nested-PCR)	EDTA Blood	나583나	C583108C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
25712	PML-RARa (RT-Nested-PCR)	Bone Marrow	나583나	C583108C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
27613	PMP22 gene, mutation (CMT1E)	EDTA Blood	나580다(1)	C580610C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
81521	PMS2(IHC)(삼성)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
42670	Pneumocystis jirovecii PCR	Sputum	누623가	D623102C		402.35	32,750	32,750	395.74	33,000	33,000
26055	PNH study	EDTA Blood	누053다	D053300C		-	151,320	151,320	-	157,920	157,920
26161	PNH test	EDTA Blood	누053외	D053300C		-	151,320	151,320	-	157,920	157,920
26165	PNH test	EDTA Blood	누081나외	D081200C외		-	153,400	153,400	-	159,920	159,920
81960	Podoplanin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
42680	Polyomavirus(BK,JC) PCR	Random Urine	누658가	D658102C외		-	65,500	65,500	-	66,000	66,000
11772	Porphobilinogen 정량	Random Urine	누516가	D5162003		51.09	4,160	4,160	54.34	4,530	4,530
11773	Porphobilinogen 정량	24hr Urine	누516가	D5162003		51.09	4,160	4,160	54.34	4,530	4,530
11760	Porphobilinogen 정성	Random Urine	누516가	D5161003		11.87	970	970	12.79	1,070	1,070
65822	Posaconazole	Plain Serum	누532다(4)	D534968C		575.16	46,820	46,820	574.08	47,880	47,880
25737	post-BMT	EDTA Blood	나583나(2)	C583202C		3,038.44	247,330	247,330	3,023.08	252,120	252,120
25738	post-BMT(성모)	EDTA Blood	나583나	C583202C		3,038.44	247,330	247,330	3,023.08	252,120	252,120
10140	Potassium(K)	SST Serum	누280	D2800063		16.97	1,380	1,380	17.55	1,460	1,460
10142	Potassium(K)	Random Urine	누280	D2800063		16.97	1,380	1,380	17.55	1,460	1,460
10141	Potassium(K)(24hr U)	24hr Urine	누280	D2800063		16.97	1,380	1,380	17.55	1,460	1,460
25693	PRA 동경(Class I)(녹십자)	SST Serum	누843나	D843400C		1,266.91	103,130	103,130	1,247.48	104,040	104,040
25694	PRA 동경(Class II)(녹십자)	SST Serum	누843나	D843400C		1,266.91	103,130	103,130	1,247.48	104,040	104,040
25691	PRA 선별(Class I)(녹십자)	SST Serum	누843나	D843300C		753.57	61,340	61,340	753.45	62,840	62,840
25692	PRA 선별(Class II)(녹십자)	SST Serum	누843나	D843300C		753.57	61,340	61,340	753.45	62,840	62,840
25747	Prader-Willi/Angelman	EDTA Blood	나580나	C580313C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
20330	Prealbumin	SST Serum	누471	D4710023		103.30	8,410	8,410	93.29	7,780	7,780
25725	pre-BMT	복수검체	나583나	C583202C		3,038.44	247,330	247,330	3,023.08	252,120	252,120
25727	pre-BMT	복수검체	나583나(2)	C583202C		3,038.44	247,330	247,330	3,023.08	252,120	252,120
25726	pre-BMT(성모)	복수검체	나583나	C583202C		3,038.44	247,330	247,330	3,023.08	252,120	252,120
26916	PRF1 gene, mutation	EDTA Blood	나580다(2)	C580725C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
27612	PROC gene,mutation(삼성)	EDTA Blood	나580다(2)	C580750C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
01891	Procalcitonin	SST Serum	누014나	D0142003		329.06	26,790	26,790	329.06	27,440	27,440
00512	Progesterone (ECLIA)	SST Serum	누371	D3710083		171.63	13,970	13,970	156.26	13,030	13,030
81319	Progesterone Receptor(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
01549	ProGRP	EDTA Plasma	누441	D4410003		314.90	25,630	25,630	314.90	26,260	26,260
00133	Prolactin (ECLIA)	SST Serum	누341	D3410003		142.32	11,580	11,580	130.96	10,920	10,920
81690	Prolactin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
27611	PROS1 gene,mutation(삼성)	EDTA Blood	나580다(3)	C580865C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
30730	Protein C Activity	SC Plasma	누114가	D1141003		177.05	14,410	14,410	162.92	13,590	13,590
30740	Protein C Antigen	SC Plasma	누114나	D1142003		174.11	14,170	14,170	169.75	14,160	14,160
20711	Protein E.P(24h urine)	24hr Urine	누473나	D473201C		140.97	11,470	11,470	140.56	11,720	11,720
20716	Protein E.P(CSF)	CSF	누473나	D473201C		140.97	11,470	11,470	140.56	11,720	11,720
20713	Protein E.P(Random urine)	Random Urine	누473나	D473201C		140.97	11,470	11,470	140.56	11,720	11,720
20710	Protein E.P(Serum)	SST Serum	누473가	D473101C		130.39	10,610	10,610	128.91	10,750	10,750
30750	Protein S Activity	SC Plasma	누115가	D1151003		170.44	13,870	13,870	156.30	13,040	13,040
30760	Protein S Ag(free)	SC Plasma	누115나	D1152003		167.93	13,670	13,670	162.39	13,540	13,540
30770	Protein S Ag(total)	SC Plasma	누115나	D1152003		167.93	13,670	13,670	162.39	13,540	13,540
10035	Protein/creatinine ratio	Random Urine	누184외	D1840003외		-	2,720	2,720	-	2,790	2,790
27895	Prothrombin G20210A Mutation	EDTA Blood	나580나(2)	C580216C		493.38	40,160	40,160	503.85	42,020	42,020
30950	Prothrombin Time	SC Plasma	누100다	D1003003		24.83	2,020	2,020	23.17	1,930	1,930
70860	Protozoa	Stool	누640마	D6405003		27.74	2,260	2,260	29.69	2,480	2,480
70861	Protozoa(amoeba)	Stool	누640사	D6407003		37.79	3,080	3,080	39.99	3,340	3,340
25651	PRRT2 gene mutation	EDTA Blood	나580다(2)	C580751C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
01675	PSA (ECLIA)	SST Serum	누430	D4300033		191.40	15,580	15,580	169.58	14,140	14,140
29310	PTEN gene major mutation	EDTA Blood	나580다	C580752C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
81968	PTH(IHC) 성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
01967	PTH-Intact (ECLIA)	SST Serum	누502	D5020013		231.36	18,830	18,830	206.44	17,220	17,220
01968	PTH-Intact (ECLIA)	EDTA Plasma	누502	D5020013		231.36	18,830	18,830	206.44	17,220	17,220
26961	PTPN11 gene mutation	EDTA Blood	나580다	C580827C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
26962	PTPN11 gene mutation(아산)	EDTA Blood	나580다(3)	C580827C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
27617	PTS gene, mutation(삼성)	EDTA Blood	나580다(2)	C580764C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
10810	Pyruvic Acid	제단백액	누515가	D5151033		192.98	15,710	15,710	188.41	15,710	15,710
10811	Pyruvic Acid	CSF	누515가	D5151033		192.98	15,710	15,710	188.41	15,710	15,710
27407	Q-EGFR	Tissue	나583나(1)	C583119F		1,494.94	121,690	121,690	1,435.49	119,720	119,720
02060	Quad Test	SST Serum	누421나외	D2420023외		-	65,800	65,800	-	62,250	62,250
52393	QuantiFERON-TB	전용용기	누602	D602000C		531.55	43,270	43,270	527.88	44,030	44,030
65622	Quetiapine	Plain Serum	누532다(4)	D534974C		575.16	46,820	46,820	574.08	47,880	47,880
51930	R.A Factor	SST Serum	누781가(1)	D7811003		20.40	1,660	1,660	20.66	1,720	1,720

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
51931	R.A Factor	Body Fluid	누781가(1)	D7811003		20.40	1,660	1,660	20.66	1,720	1,720
51940	R.A Factor 정량	SST Serum	누781나	D7813003		100.53	8,180	8,180	98.10	8,180	8,180
51941	R.A Factor 정량	Body Fluid	누781나	D7813003		100.53	8,180	8,180	98.10	8,180	8,180
29090	RB1 gene point mutation	EDTA Blood	나580다(4)	C580918C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
30002	RBC	EDTA Blood	누000나	D0002033		12.07	980	980	11.68	970	970
11291	RBC Folate	EDTA Blood	누490나	D4902143		146.92	11,960	11,960	131.23	10,940	10,940
81975	RCC(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
30090	RDW	EDTA Blood	누000나	D0002023		12.07	980	980	11.68	970	970
01370	Renin Activity	EDTA Plasma	누354주	D3541007		168.34	13,700	13,700	169.97	14,180	14,180
42257	Respiratory V.Ag Screening 5종	Other	누655가	D655111C		180.92	14,730	14,730	170.31	14,200	14,200
29272	RET gene mutation	EDTA Blood	나580다(2)	C580726C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
80519	Reticulin Stain(여의도성모)	Tissue	나563	C5630008		163.57	13,310	13,310	180.64	15,070	15,070
30111	Reticulocyte Count	EDTA Blood	누050나	D0502013		19.20	1,560	1,560	18.69	1,560	1,560
27580	Rett Syndrome,MECP2 Sequencing	EDTA Blood	나580다	C580720C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
30420	Rh Ab Titer	SST Serum	누157	D157000C		96.52	7,860	7,860	94.81	7,910	7,910
30390	Rh(D) Typing	EDTA Blood	누151나	D1512003		29.87	2,430	2,430	34.98	2,920	2,920
30391	Rh(D) Typing	Capillary	누151가	D1511003		19.11	1,560	1,560	21.22	1,770	1,770
30392	Rh(D) Typing	Cord Blood	누151가	D1511003		19.11	1,560	1,560	21.22	1,770	1,770
30400	Rh-Hr Subgroup	EDTA Blood	누151다	D151300C		108.46	8,830	8,830	112.85	9,410	9,410
51216	Ribosomal P protein IgG Ab	SST Serum	누785나	D785203C		381.83	31,080	31,080	358.33	29,880	29,880
41641	Rickettsia 2 type Ab	SST Serum	누587나(2)	D587308C외		-	30,800	30,800	-	30,080	30,080
65784	Risperidone and Metabolites	Plain Serum	누532다(4)	D534975C		575.16	46,820	46,820	574.08	47,880	47,880
25633	RNF213 gene, R4810K mutation	EDTA Blood	나580다(1)	C580629C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
25609	RNF213 gene, R4810K mutation(EDTA Blood	나580다(1)	C580629C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
01474	ROMA 난소암 위험도	SST Serum	누437외	D4370003외		-	34,980	34,980	-	33,940	33,940
26188	ROS1(IHC)삼성	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
42290	Rotavirus Ag	Stool	누654가	D654110C		180.92	14,730	14,730	170.31	14,200	14,200
50935	RPR 정밀	SST Serum	누691다	D6913003		23.01	1,870	1,870	21.99	1,830	1,830
25387	RS1 gene, mutation (삼성)	EDTA Blood	나580다(2)	C580753C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
42225	RSV Culture	Other	누652가	D652100C		577.45	47,000	47,000	578.46	48,240	48,240
42820	RSV IgG	SST Serum	누654나(1)	D654216C		234.89	19,120	19,120	216.79	18,080	18,080
42830	RSV IgM	SST Serum	누654나(2)	D654316C		218.09	17,750	17,750	198.09	16,520	16,520
41940	Rubella IgG	SST Serum	누654나(1)	D654218C		234.89	19,120	19,120	216.79	18,080	18,080
41941	Rubella IgG	CSF	누654나(1)	D654218C		234.89	19,120	19,120	216.79	18,080	18,080

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
43520	Rubella IgG avidity	SST Serum	누654나(1)	D654400C		469.77	38,240	38,240	469.77	39,180	39,180
41950	Rubella IgM	SST Serum	누654나(2)	D654318C		218.09	17,750	17,750	198.09	16,520	16,520
41951	Rubella IgM	CSF	누654나(2)	D654318C		218.09	17,750	17,750	198.09	16,520	16,520
42690	Rubella Virus RT-PCR	EDTA Blood	누658나	D658204C		545.54	44,410	44,410	532.77	44,430	44,430
30461	S 혈액형검사	EDTA Blood	누152	D152006C		73.16	5,960	5,960	74.16	6,180	6,180
30462	s 혈액형검사	EDTA Blood	누152	D152006C		73.16	5,960	5,960	74.16	6,180	6,180
71150	S.pneumoniae urinary Ag	Random Urine	누584다	D1584023	급여전환	-	-	32,400	99.86	8,330	8,330
81338	S-100 protein (IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81150	S-100(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81152	S-100(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81215	S-100(IHC)서울성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81153	S-100(IHC)여의도성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
42700	Salmonella PCR	EDTA Blood	누591가	D591113C		402.35	32,750	32,750	395.74	33,000	33,000
29264	SBDS gene, mutation(아산)	EDTA Blood	나580다(1)	C580631C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
26981	SBMA (Kennedy disease)	EDTA Blood	나580나(2)	C580301C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
26980	SBMA, AR gene	EDTA Blood	나580나(2)	C580301C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
27001	SCA panel (SCA 1,2,3,6,7)	EDTA Blood	나580나(2)	C580303C외		-	505,050	505,050	-	525,200	525,200
27000	SCA profile (1,2,3,6,7,8,17)	EDTA Blood	나580나외	C580303C외		-	707,070	707,070	-	735,280	735,280
01690	SCA-1	EDTA Blood	나580나	C580303C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
27003	SCA-1,2,3,6,7,8	EDTA Blood	나580나외	C580303C외		-	606,060	606,060	-	630,240	630,240
27015	SCA-17	EDTA Blood	나580나(2)	C580310C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
01700	SCA-2	EDTA Blood	나580나	C580304C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
01710	SCA-3	EDTA Blood	나580나	C580305C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
02070	SCA-6	EDTA Blood	나580나	C580308C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
02080	SCA-7	EDTA Blood	나580나	C580306C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
27010	SCA-8	EDTA Blood	나580나(2)	C580307C		1,240.90	101,010	101,010	1,259.52	105,040	105,040
01723	SCC	SST Serum	누439	D4390003		272.05	22,140	22,140	243.23	20,290	20,290
29227	SCN1A gene, mutation	EDTA Blood	나580다(4)	C580938C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
29226	SCN4A Gene mutation	EDTA Blood	나580다(4)	C580919C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
29225	SCN5A Gene mutation(성모)	EDTA Blood	나580다	C580939C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
29218	SCN5A gene, mutation(삼성)	EDTA Blood	나580다(4)	C580939C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
27345	SDHB gene mutation	EDTA Blood	나580다(2)	C580755C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
27346	SDHD gene mutation	EDTA Blood	나580다(1)	C580632C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
20357	Selectivity Index	복수검체	누232나	D2322003		242.45	19,740	19,740	220.07	18,350	18,350

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
12810	Selenium	Trace EDTA Blood	누550나	D5511173		320.29	26,070	26,070	323.24	26,960	26,960
12811	Selenium	Random Urine	누550나	D5511173		320.29	26,070	26,070	323.24	26,960	26,960
12813	Selenium	Trace Serum	누550나(1)	D5511173		320.29	26,070	26,070	323.24	26,960	26,960
01845	Sequential 1st	SST Serum	누372외	D3720003외		-	49,900	49,900	-	49,760	49,760
01846	Sequential 1st_NT	SST Serum	누372외	D3720003외		-	49,900	49,900	-	49,760	49,760
02062	Sequential 2nd (Quad)	SST Serum	누421나외	D2420023외		-	65,800	65,800	-	62,250	62,250
00908	Serotonin(LC/MS/MS)	SST Serum	누444나	D4442003		172.06	14,010	14,010	172.06	14,350	14,350
00907	Serotonin(PFP)(LC/MS/MS)	EDTA Plasma	누444나	D4442003		172.06	14,010	14,010	172.06	14,350	14,350
63226	sFlt-1/PlGF ratio (전자간증위험도)	SST Serum	누574	D5740003		1,017.57	82,830	82,830	1,017.57	84,870	84,870
29140	SGCE gene mutation	EDTA Blood	나580다(3)	C580867C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
65720	Sirolimus(Rapamycin)	EDTA Blood	누532다(4)	D534978C		575.16	46,820	46,820	574.08	47,880	47,880
26182	SISH_Her-2/neu(breast,gastric)	Tissue	나583	C584102F		2,454.53	199,800	199,800	2,454.53	204,710	204,710
26985	SLC12A3 gene, mutation	EDTA Blood	나580다(4)	C580940C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
25622	SLC25A13 gene, mutation (citrin)	EDTA Blood	나580다(3)	C580831C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
26972	SLC37A4 gene, mutation	EDTA Blood	나580다(2)	C580729C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
81160	SMA(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81162	SMA(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
51977	SMA(SMN1 7&8, NAIP 4&5)	EDTA Blood	나580나(2)	C580214C		493.38	40,160	40,160	503.85	42,020	42,020
29580	SMAD4 gene mutation	EDTA Blood	나580다(3)	C580869C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
81551	SM-MHC(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
51984	SMN1 gene, mutation	EDTA Blood	나580다(2)	C580730C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
27031	SOD1 gene mutation	EDTA Blood	나580다(1)	C580611C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
10150	Sodium(Na)	SST Serum	누280	D2800023		16.97	1,380	1,380	17.55	1,460	1,460
10152	Sodium(Na)	Random Urine	누280	D2800023		16.97	1,380	1,380	17.55	1,460	1,460
10151	Sodium(Na)(24hr U)	24hr Urine	누280	D2800023		16.97	1,380	1,380	17.55	1,460	1,460
12602	Soluble ST2	SST Serum	누405나	D4050003		334.44	27,220	27,220	334.44	27,890	27,890
00156	Somatomedin-C (CLIA)	SST Serum	누344	D3440013		215.71	17,560	17,560	216.81	18,080	18,080
00152	Somatomedin-C (RIA)	SST Serum	누344주	D3441017		207.21	16,870	16,870	211.07	17,600	17,600
80937	SOX-11(IHC)삼성	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
25619	SOX9 gene, mutation (삼성)	EDTA Blood	나580다(2)	C580756C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
50848	Sparganum IgG(BF)	Body Fluid	누641나(1)	D264209C		246.42	20,060	20,060	235.55	19,640	19,640
50853	Sparganum IgG(CSF)	CSF	누641나(1)	D264209C		246.42	20,060	20,060	235.55	19,640	19,640
50844	Sparganum IgG(S)	SST Serum	누641나(1)	D264209C		246.42	20,060	20,060	235.55	19,640	19,640
29591	SPAST gene, mutation	EDTA Blood	나580다(3)	C580832C		4,637.14	377,460	377,460	4,637.14	386,740	386,740

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
29594	Spastic paraplasia (SPG4)	EDTA Blood	나580다(3)	C580832C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
29593	Spastic paraplasia(SPG3A)	EDTA Blood	나580다(3)	C580833C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
82080	Special Stain	Tissue	나563	C5630008		163.57	13,310	13,310	180.64	15,070	15,070
63233	Specific IgE O215 (alpha-gal)	SST Serum	누744	D7440013		202.59	16,490	16,490	192.54	16,060	16,060
63227	Specific IgG4 D1	SST Serum	누744	D7440023		202.59	16,490	16,490	192.54	16,060	16,060
63229	Specific IgG4 D2	SST Serum	누744	D7440023		202.59	16,490	16,490	192.54	16,060	16,060
63232	Specific IgG4 W6(Mugwort(sage)	SST Serum	누744	D7440023		202.59	16,490	16,490	192.54	16,060	16,060
29590	SPG3 gene, mutation(ATL1 gene)	EDTA Blood	나580다(3)	C580833C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
25686	STAT3 gene, mutation (Hyper IgE	EDTA Blood	나580다(4)	C580921C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
26189	STAT6(IHC)(삼성)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
43653	STD 12종(Multiplex Real-time PCR)	분비물	누680나	D680208C		958.61	78,030	78,030	925.92	77,220	77,220
43656	STD 12종(Multiplex-PCR)	분비물	누680나	D680208C		958.61	78,030	78,030	925.92	77,220	77,220
43650	STD 6종(Multiplex Real-time PCR)	분비물	누680가	D680108C		814.39	66,290	66,290	803.68	67,030	67,030
43655	STD 6종(Multiplex-PCR)	분비물	누680가	D680108C		814.39	66,290	66,290	803.68	67,030	67,030
43232	STD 검사(12종) II	분비물	누680나외	D680208C외		-	110,780	110,780	-	110,220	110,220
43658	STD 검사(13종)	분비물	누680나	D680208C		958.61	78,030	78,030	925.92	77,220	77,220
43040	STD 검사(8종)	분비물	누680나	D680208C		958.61	78,030	78,030	925.92	77,220	77,220
27870	STK11 Gene Point mutation	EDTA Blood	나580다(2)	C580731C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
12464	Stone analysis (physical)	Stone	누030가	D030101C		256.69	20,890	20,890	268.98	22,430	22,430
12460	Stone Analysis 경성	Stone	누030가	D030102C		256.69	20,890	20,890	268.98	22,430	22,430
70870	Stool Microscopy	Stool	누031나	D0312003		16.35	1,330	1,330	17.70	1,480	1,480
71250	Stool OB 경량	Stool	누031라	D0320003		62.92	5,120	5,120	61.76	5,150	5,150
70895	Stool pH	Stool	누031가	D0311003		7.48	610	610	7.47	620	620
70890	Stool WBC	Stool	누031다	D0313003		11.41	930	930	12.41	1,030	1,030
20243	Subclass IgG II	SST Serum	누742	D7420023		111.04	9,040	9,040	99.76	8,320	8,320
20253	Subclass IgG III	SST Serum	누742	D7420033		111.04	9,040	9,040	99.76	8,320	8,320
20263	Subclass IgG IV	SST Serum	누742	D7420043		111.04	9,040	9,040	99.76	8,320	8,320
20233	Subclass IgG I	SST Serum	누742	D7420013		111.04	9,040	9,040	99.76	8,320	8,320
12870	Sucrose hemolysis	복수검체	누053가	D053102C		66.92	5,450	5,450	69.61	5,810	5,810
30190	Sudan black B stain	Bone Marrow Sl	누084	D084105C		95.72	7,790	7,790	99.34	8,280	8,280
30191	Sudan black B stain	Blood Smear Slic	누084	D084105C		95.72	7,790	7,790	99.34	8,280	8,280
20540	Sulf-Hemoglobin	EDTA Blood	누530	D5300023		49.25	4,010	4,010	48.16	4,020	4,020
29020	Surface Ig(Cytoplasmic Ig)	EDTA Blood	누081	D081200C		471.15	38,350	38,350	479.34	39,980	39,980
29021	Surface Ig-κ light chain	EDTA Blood	누081나	D081200C		471.15	38,350	38,350	479.34	39,980	39,980

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
29022	Surface Ig-λ light chain	EDTA Blood	누081나	D081200C		471.15	38,350	38,350	479.34	39,980	39,980
81163	SV40(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81165	SV40(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81166	SV40(IHC) 성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81324	Synaptophysin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81400	Synaptophysin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81770	Synaptophysin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81023	Synaptophysin(IHC)여의도성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
29009	SYT-SSX gene rearrangement	Block	나583가	C583004F		1,285.02	104,600	104,600	1,242.69	103,640	103,640
65830	t,t-muconic acid	Random Urine	누540다	D5423103		253.61	20,640	20,640	254.39	21,220	21,220
00296	T3 (ECLIA)	SST Serum	누323	D3230063		146.21	11,900	11,900	133.54	11,140	11,140
00305	T3-Uptake (ECLIA)	SST Serum	누323	D3230023		146.21	11,900	11,900	133.54	11,140	11,140
00316	T4 (ECLIA)	SST Serum	누323	D3230043		146.21	11,900	11,900	133.54	11,140	11,140
00320	TBG (RIA)	SST Serum	누321나주	D3213027		201.32	16,390	16,390	190.23	15,870	15,870
25604	TCOF1 gene, mutaion (아산)	EDTA Blood	나580다(4)	C580941C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
25608	TCOF1 gene, mutation (삼성)	EDTA Blood	나580다(4)	C580941C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
25876	TCR β gene rearrangement	Bone Marrow	나583나(2)	C583205C		3,038.44	247,330	247,330	3,023.08	252,120	252,120
25877	TCR γ gene rearrangement	Bone Marrow	나583나(2)	C583203C		3,038.44	247,330	247,330	3,023.08	252,120	252,120
25878	TCR δ gene rearrangement	Bone Marrow	나583나(2)	C583204C		3,038.44	247,330	247,330	3,023.08	252,120	252,120
25872	TCR-γ gene rearrangement	Block	나583	C583203F		3,092.69	251,740	251,740	3,077.07	256,630	256,630
81650	TdT(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81651	TdT(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
65331	Teicoplanin	Plain Serum	누532다(4)	D534986C		575.16	46,820	46,820	574.08	47,880	47,880
26660	TEL/AML1 rearrangement	EDTA Blood	나583나(1)	C583103C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
00523	Testosterone (ECLIA)	SST Serum	누371	D3710063		171.63	13,970	13,970	156.26	13,030	13,030
00530	Testosterone, Free	SST Serum	누371	D3710057		174.99	14,240	14,240	159.33	13,290	13,290
81450	TFE3(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81451	TFE3(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
27167	TGFBR1 gene, mutation (Loeys-D	EDTA Blood	나580다(2)	C580760C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
27168	TGFBR2 gene, mutation (Loeys-D	EDTA Blood	나580다(3)	C580870C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
65140	Theophylline	SST Serum	누532나(2)	D5333433		219.09	17,830	17,830	203.21	16,950	16,950
29180	THRB gene mutation	EDTA Blood	나580다(2)	C580761C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
30970	Thrombin Time	SC Plasma	누100바	D1006003		22.84	1,860	1,860	21.43	1,790	1,790
00355	Thyroglobulin (ECLIA)	SST Serum	누425	D4250003		169.92	13,830	13,830	157.52	13,140	13,140

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
00345	Thyroglobulin Ab (ECLIA)	SST Serum	누324	D3240003		174.20	14,180	14,180	176.30	14,700	14,700
81200	Thyroglobulin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
80986	TIA1(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
12830	TIBC	SST Serum	누052가	D0521043		31.22	2,540	2,540	29.64	2,470	2,470
01775	Tissue polypeptide Ag(TPA)	SST Serum	누440	D4400003		275.54	22,430	22,430	251.56	20,980	20,980
65340	Tobramycin	Plain Serum	누532나	D5333443		219.09	17,830	17,830	203.21	16,950	16,950
65711	Topiramate	Plain Serum	누532다(4)	D534990C		575.16	46,820	46,820	574.08	47,880	47,880
65712	Topiramate	Plain Serum	누532다(4)	D534990C		575.16	46,820	46,820	574.08	47,880	47,880
10040	Total Bilirubin	SST Serum	누183	D1830003		15.38	1,250	1,250	14.74	1,230	1,230
10041	Total Bilirubin	Capillary	누183	D1830003		15.38	1,250	1,250	14.74	1,230	1,230
11020	Total Cholesterol	SST Serum	누261가	D2611003		19.29	1,570	1,570	18.29	1,530	1,530
11021	Total Cholesterol	Body Fluid	누261가	D2611003		19.29	1,570	1,570	18.29	1,530	1,530
02005	Total hCG(ECLIA)	SST Serum	누372	D3720003		172.05	14,000	14,000	152.96	12,760	12,760
60005	Total IgE (Unicap)	SST Serum	누743	D7430003		196.57	16,000	16,000	177.15	14,770	14,770
11780	Total Porphyrin 경성	Random Urine	누516가	D5161003		11.87	970	970	12.79	1,070	1,070
10030	Total Protein	SST Serum	누184	D1840003		16.01	1,300	1,300	15.47	1,290	1,290
10033	Total Protein	Body Fluid	누184	D1840003		16.01	1,300	1,300	15.47	1,290	1,290
10031	Total Protein(24hr U)	24hr Urine	누184	D1840003		16.01	1,300	1,300	15.47	1,290	1,290
10032	Total Protein(CSF)	CSF	누184	D1840003		16.01	1,300	1,300	15.47	1,290	1,290
10034	Total Protein(RU)	Random Urine	누184	D1840003		16.01	1,300	1,300	15.47	1,290	1,290
13190	Total Trichloride(TTC)	Random Urine	누540다	D5423173		253.61	20,640	20,640	254.39	21,220	21,220
52271	Toxocariasis Ab IgG	SST Serum	누641나(1)	D264212C		246.42	20,060	20,060	235.55	19,640	19,640
43510	Toxoplasma DNA PCR	EDTA Blood	누642가	D642102C		402.35	32,750	32,750	395.74	33,000	33,000
50903	Toxoplasma IgG	SST Serum	누641나(1)	D264210C		246.42	20,060	20,060	235.55	19,640	19,640
50904	Toxoplasma IgG	CSF	누641나(1)	D264210C		246.42	20,060	20,060	235.55	19,640	19,640
50913	Toxoplasma IgM	SST Serum	누641나(2)	D264304C		246.42	20,060	20,060	235.55	19,640	19,640
50914	Toxoplasma IgM	CSF	누641나(2)	D264304C		246.42	20,060	20,060	235.55	19,640	19,640
26772	TP53 gene mutation	EDTA Blood	나580다(2)	C580733C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
50955	TPLA 경밀	SST Serum	누692다	D6923003		107.50	8,750	8,750	100.20	8,360	8,360
27472	TPMT genotyping	EDTA Blood	나580다	C580635C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
20360	Transferrin	SST Serum	누471	D4710013		103.30	8,410	8,410	93.29	7,780	7,780
20370	Transferrin saturation	SST Serum	누052외	D0521033외		-	5,080	5,080	-	4,940	4,940
42720	Treponema pallidum PCR	분비물	누693가	D693101C		402.35	32,750	32,750	395.74	33,000	33,000
42655	Trichomonas vaginalis PCR	분비물	누642가	D642103C		402.35	32,750	32,750	395.74	33,000	33,000

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
11190	Triglyceride	SST Serum	누260다	D2263003		43.51	3,540	3,540	42.29	3,530	3,530
11191	Triglyceride	Body Fluid	누260다	D2263003		43.51	3,540	3,540	42.29	3,530	3,530
01870	Triple marker	SST Serum	누372외	D3720003외		-	38,560	38,560	-	35,020	35,020
12591	Troponin I	SST Serum	누402다	D4023013		132.56	10,790	10,790	117.72	9,820	9,820
12600	Troponin T	SST Serum	누402다	D4023023		132.56	10,790	10,790	117.72	9,820	9,820
27651	TSC1 (Tuberous sclerosis)	EDTA Blood	나580다(4)	C580922C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
27652	TSC2 (Tuberous sclerosis)	EDTA Blood	나580다(5)	C581013C		11,030.45	897,880	897,880	11,030.45	919,940	919,940
00366	TSH (ECLIA)	SST Serum	누325	D3250013		195.95	15,950	15,950	182.15	15,190	15,190
00385	TSH-R-Ab(ECLIA)	SST Serum	누321나	D3212013		186.94	15,220	15,220	168.31	14,040	14,040
81332	TTF1(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81430	TTF1(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81989	TTF1(IHC)여의도성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
29575	TTR gene mutation	EDTA Blood	나580다(1)	C580613C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
29160	TYR gene(oculocutaneous albinism)	EDTA Blood	나580다(2)	C580734C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
19057	T세포 수용체 감마 유전자 재배열	Other	나583	C583203F		3,092.69	251,740	251,740	3,077.07	256,630	256,630
12993	UDP-Galactose-4-Epimerase	EDTA Blood	누517나	D517207C		1,284.43	104,550	104,550	1,284.43	107,120	107,120
27450	UGT1A1 (hyperbilirubinemia) gen	EDTA Blood	나580다	C580735C		3,166.78	257,780	257,780	3,166.78	264,110	264,110
12840	UIBC	SST Serum	누052가	D0521013		31.22	2,540	2,540	29.64	2,470	2,470
26915	UNC13D gene, mutation	EDTA Blood	나580다(4)	C580923C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
42730	Ureaplasma urealyticum PCR	분비물	누591가	D591114C		402.35	32,750	32,750	395.74	33,000	33,000
10930	Uric Acid	SST Serum	누231	D2310003		20.82	1,690	1,690	22.31	1,860	1,860
10932	Uric Acid	Random Urine	누231	D2310003		20.82	1,690	1,690	22.31	1,860	1,860
10931	Uric Acid(24hr U)	24hr Urine	누231	D2310003		20.82	1,690	1,690	22.31	1,860	1,860
10160	Urinary Ca	복수검체	누280외	D2800053외		-	4,220	4,220	-	4,460	4,460
70002	Urine Glucose	Random Urine	누225가	D2251003		10.81	880	880	9.64	800	800
70001	Urine Protein	Random Urine	누225가	D2251003		10.81	880	880	9.64	800	800
70050	Urine RBC morphology	Random Urine	누221나	D221200C		33.77	2,750	2,750	35.07	2,920	2,920
81147	Uroplakin III(AU1)(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
11790	Uroporphyrin 정성	Random Urine	누516가	D5161003		11.87	970	970	12.79	1,070	1,070
81286	Utrophin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
65350	Valproic Acid	SST Serum	누532나(2)	D5333453		219.09	17,830	17,830	203.21	16,950	16,950
65370	Vancomycin	SST Serum	누532나(2)	D5333473		219.09	17,830	17,830	203.21	16,950	16,950
42230	Varicella-Zoster Culture	Other	누652가	D652100C		577.45	47,000	47,000	578.46	48,240	48,240
42740	Varicella-Zoster DNA(PCR)	EDTA Blood	누658가	D658107C		402.35	32,750	32,750	395.74	33,000	33,000

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
42050	Varicella-Zoster IgG	SST Serum	누654나(1)	D654219C		234.89	19,120	19,120	216.79	18,080	18,080
42051	Varicella-Zoster IgG	CSF	누654나(1)	D654219C		234.89	19,120	19,120	216.79	18,080	18,080
42060	Varicella-Zoster IgM	SST Serum	누654나(2)	D654319C		218.09	17,750	17,750	198.09	16,520	16,520
42061	Varicella-Zoster IgM	CSF	누654나(2)	D654319C		218.09	17,750	17,750	198.09	16,520	16,520
50926	VDRL 정량	CSF	누691나	D6912003		32.75	2,670	2,670	32.27	2,690	2,690
50925	VDRL 정성	CSF	누691가	D6911003		17.84	1,450	1,450	17.29	1,440	1,440
81445	VEGFR2(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
29112	VENTANA PD-L1(SP142) Assay	Tissue	나567주2	C567200F		825.15	67,170	67,170	825.15	68,820	68,820
29104	VENTANA PD-L1(SP263) Assay	Tissue	나567주2	C567200F		825.15	67,170	67,170	825.15	68,820	68,820
11205	Very long chain fatty acid	Hp Plasma	누518	D5180013		1,178.82	95,960	95,960	1,200.26	100,100	100,100
27283	VHL gene mutation analysis	EDTA Blood	나580다(1)	C580614C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
71215	Vibrio Culture&Sensitivity (Disk)	Stool	누581마	D5851003		189.11	15,390	15,390	194.68	16,240	16,240
71216	Vibrio Culture&Sensitivity (MIC)	Stool	누581마	D5854003		205.07	16,690	16,690	208.23	17,370	17,370
81290	Vimentin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81293	Vimentin(IHC)(성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81291	Vimentin(IHC)(여의도성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
11340	Vitamin A	SST Serum	누490다	D4904023		451.00	36,710	36,710	474.50	39,570	39,570
11360	Vitamin B1	EDTA Blood	누490다	D490403C		495.22	40,310	40,310	521.02	43,450	43,450
11396	Vitamin B12 (ECLIA)	SST Serum	누490나	D4902053		146.92	11,960	11,960	131.23	10,940	10,940
11370	Vitamin B2	EDTA Blood	누490다	D490404C		495.22	40,310	40,310	521.02	43,450	43,450
11387	Vitamin B6 profile	EDTA Plasma	누490다	D490405C		495.22	40,310	40,310	521.02	43,450	43,450
11386	Vitamin B6(PLP)	EDTA Plasma	누490다	D490405C		495.22	40,310	40,310	521.02	43,450	43,450
11410	Vitamin C	Hp Plasma	누490다	D490406C		495.22	40,310	40,310	521.02	43,450	43,450
11415	Vitamin C	SST Serum	누490다	D490406C		495.22	40,310	40,310	521.02	43,450	43,450
11420	Vitamin E	SST Serum	누490다	D490409C		495.22	40,310	40,310	521.02	43,450	43,450
27512	VKORC1 genotyping	EDTA Blood	나580다(1)	C580637C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
00920	VMA 정량	24hr Urine	누351라	D351407C		394.43	32,110	32,110	422.13	35,210	35,210
00910	VMA 정성	Random Urine	누351가	D3511023		15.39	1,250	1,250	16.43	1,370	1,370
80627	Von Kossa stain(여의도성모)	Tissue	나563	C5630008		163.57	13,310	13,310	180.64	15,070	15,070
30830	von-Willebrand's Antigen	SC Plasma	누110나	D2111003		164.19	13,370	13,370	159.66	13,320	13,320
65820	Voriconazole	Plain Serum	누532다(4)	D534997C		575.16	46,820	46,820	574.08	47,880	47,880
65821	Voriconazole(서울성모)	SST Serum	누532다	D534997C		575.16	46,820	46,820	574.08	47,880	47,880
70178	VRE Cul.&Sensi.(DISK)	Stool	누581마(1)	D5851003		189.11	15,390	15,390	194.68	16,240	16,240
70182	VRE Cul.&Sensi.(MIC)	Stool	누581마(2)	D5854003		205.07	16,690	16,690	208.23	17,370	17,370

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
30822	VWF gene, mutation (von Willebr)	EDTA Blood	나580다(5)	C581014C		11,030.45	897,880	897,880	11,030.45	919,940	919,940
30845	vWF multimer analysis	SC Plasma	누110다	D211200C		465.76	37,910	37,910	457.87	38,190	38,190
30821	VWF(Ristocetin Cofactor)	SC Plasma	누110가	D2110003		199.38	16,230	16,230	195.27	16,290	16,290
42231	VZV culture (조직)	Tissue	누652가	D652100C		577.45	47,000	47,000	578.46	48,240	48,240
30001	WBC	EDTA Blood	누000나	D0002013		12.07	980	980	11.68	970	970
70960	Wet Smear	Other	누220나주	D2203003		10.29	840	840	10.51	880	880
50980	Widal Test	SST Serum	누586	D5860003		34.82	2,830	2,830	31.08	2,590	2,590
50990	Widal test (Para A B)	SST Serum	누586	D5860003		34.82	2,830	2,830	31.08	2,590	2,590
26273	Wilson disease, ATP7B	EDTA Blood	나580다(4)	C580904C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
26271	Wilson disease, ATP7B gene	EDTA Blood	나580다	C580904C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
26272	Wilson disease,ATP7B whole	EDTA Blood	나580다(4)	C580904C		7,255.90	590,630	590,630	7,255.90	605,140	605,140
27610	Wiskott-Aldrich syndrome	EDTA Blood	나580다(3)	C580871C		4,637.14	377,460	377,460	4,637.14	386,740	386,740
29261	WT1 gene	EDTA Blood	나583나(1)	C583124C		1,468.71	119,550	119,550	1,410.30	117,620	117,620
81969	WT1(IHC) 성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
82441	WT1(IHC)(여의도성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
25760	Y-Chromosome(SRY gene)	EDTA Blood	나580가	C580003C		819.62	66,720	66,720	771.40	64,330	64,330
71091	Yersinia Culture	Stool	누582	D582104C		397.79	32,380	32,380	408.62	34,080	34,080
42271	Zika Virus Real-time PCR(급여)	Random Urine	누658다	D658302C		651.81	53,060	53,060	640.32	53,400	53,400
11811	Zinc Protoporphyrin(ZPP)	EDTA Blood	누052가	D0521023		31.22	2,540	2,540	29.64	2,470	2,470
12855	Zinc(Zn)	Trace Serum	누550나	D5511183		320.29	26,070	26,070	323.24	26,960	26,960
12856	Zinc(Zn)	24hr Urine	누550나	D5511183		320.29	26,070	26,070	323.24	26,960	26,960
65380	Zonisamide	Plain Serum	누532다(4)	D534999C		575.16	46,820	46,820	574.08	47,880	47,880
20400	α1-Antitrypsin	SST Serum	누470	D4700023		98.13	7,990	7,990	88.87	7,410	7,410
20405	α1-Antitrypsin	Stool	누470	D4700023		98.13	7,990	7,990	88.87	7,410	7,410
20406	α1-antitrypsin clearance	복수검체	누470	D4700023		-	15,980	15,980	-	14,820	14,820
20404	α1-Antitrypsin(serum)	SST Serum	누470	D4700023		98.13	7,990	7,990	88.87	7,410	7,410
80935	α1-trypsin ab(AAT)(IHC)성모	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
13200	α-Galactosidase	EDTA Blood	누517가	D517107C		656.20	53,410	53,410	656.20	54,730	54,730
13205	α-Galactosidase A (Fabry)	Hp Blood	누517가	D517107C		656.20	53,410	53,410	656.20	54,730	54,730
01425	β2-Microglobulin	SST Serum	누423	D4230003		150.65	12,260	12,260	138.61	11,560	11,560
01426	β2-Microglobulin(RU)	Random Urine	누423	D4230003		150.65	12,260	12,260	138.61	11,560	11,560
81530	β-catenin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81531	β-catenin(IHC)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270
81533	β-catenin(IHC)(성모)	Tissue	나567	C567000F		602.93	49,080	49,080	638.71	53,270	53,270

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
13080	β-Galactosidase	Hp Blood	누517가	D517104C		656.20	53,410	53,410	656.20	54,730	54,730
13181	β-Glucosidase(Gaucher's)	Hp Blood	누517가(1)	D517113C		656.20	53,410	53,410	656.20	54,730	54,730
13180	β-glucosidase(고셔병)	EDTA Blood	누517가	D517113C		656.20	53,410	53,410	656.20	54,730	54,730
11210	β-Lipoprotein	SST Serum	누263	D2630013		91.74	7,470	7,470	85.72	7,150	7,150
25772	β-Thalassemia	EDTA Blood	나580	C580607C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
10500	γ- GTP	SST Serum	누189	D1890003		39.62	3,230	3,230	38.57	3,220	3,220
11822	δ-ALA	Random Urine	누532다	D5343943		318.82	25,950	25,950	315.35	26,300	26,300
11823	δ-ALA	24hr Urine	누532다	D5343943		318.82	25,950	25,950	315.35	26,300	26,300
01418	간세포암 선별검사	SST Serum	누426외	D4260003외		-	109,500	109,500	-	112,060	112,060
27825	글리벡내성유전자(Major bcr/abl)	EDTA Blood	나583	C583801C		2,980.79	242,640	242,640	2,980.79	248,600	248,600
42576	급성설사 원인 바이러스 선별검사	Stool	누680가	D680101C		814.39	66,290	66,290	803.68	67,030	67,030
42577	급성설사 원인균 선별검사	Stool	누680나	D680202C		958.61	78,030	78,030	925.92	77,220	77,220
65255	마약선별검사 4종(COC/MET/THC/M)	Random Urine	누532외	D5321213외		-	32,130	32,130	-	33,060	33,060
65251	마약선별검사 6종	Random Urine	누532외	D5321213외		-	49,930	49,930	-	51,460	51,460
80000	부인과적 세포검사	Cervix	나562가(1)	C5621008		109.62	8,920	8,920	114.37	9,540	9,540
70970	분변총란검사	Stool	누640나	D6402003		22.49	1,830	1,830	24.34	2,030	2,030
12582	삼염화초산(TCA)_1,1,1-TCE	Random Urine	누540다	D5423183		253.61	20,640	20,640	254.39	21,220	21,220
12583	삼염화초산(TCA)_PCE	Random Urine	누540다	D5423183		253.61	20,640	20,640	254.39	21,220	21,220
12581	삼염화초산(TCA)_TCE	Random Urine	누540다	D5423183		253.61	20,640	20,640	254.39	21,220	21,220
13071	선천성 대사이상 선별검사	Blood Paper	누519	D519000C		1,182.72	96,270	96,270	1,182.72	98,640	98,640
27590	선천성난청유전자(GJB2)	EDTA Blood	나580다(1)	C580619C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
27591	선천성난청유전자(GJB2)	Blood Paper	나580다(1)	C580619C		1,992.83	162,220	162,220	1,992.83	166,200	166,200
42585	세균성뇌수막염검사 PCR 5종	CSF	누680가	D680103C		814.39	66,290	66,290	803.68	67,030	67,030
13075	신생아대사(선별)&유전검사 SET1	Blood Paper	누519외	D519000C외		-	151,270	151,270	-	168,640	168,640
13078	신생아대사(선별)&유전검사 SET2	Blood Paper	누519외	D519000C외		-	246,270	246,270	-	248,640	248,640
13079	신생아대사(선별)&유전검사 SET3	Blood Paper	누519외	D519000C외		-	196,270	196,270	-	198,640	198,640
13081	신생아대사(선별)&유전검사 SET4	Blood Paper	누519외	D519000C외		-	301,270	301,270	-	318,640	318,640
13082	신생아대사(선별)&유전검사 SET5	Blood Paper	누519외	D519000C외		-	401,270	401,270	-	418,640	418,640
80720	액상자궁경부세포-C	Cervix	나562나(1)	C5624008		420.40	34,220	34,220	438.62	36,580	36,580
80700	액상자궁경부세포검사	Cervix	나562나(1)	C5624008		420.40	34,220	34,220	438.62	36,580	36,580
80029	액상체액세포검사	Random Urine	나562나(2)	C5625008		433.18	35,260	35,260	451.95	37,690	37,690
80028	액상흡인세포검사	Thyroid	나562나(3)	C5626008		376.20	30,620	30,620	392.50	32,730	32,730
80761	액상흡인세포검사(갑상선)	Thyroid	나562나(3)	C5626008		376.20	30,620	30,620	392.50	32,730	32,730
70006	요일반검사 4종	Random Urine	누225가	D2251003		10.81	880	880	9.64	800	800

검사 코드	검사명	검체명	분류코드	보험코드	비고	2018년			2019년		
						상대가치 점수	보험가	의뢰가	상대가치 점수	보험가	의뢰가
70005	요일반검사 7종	Random Urine	누225나	D2252003		14.26	1,160	1,160	13.46	1,120	1,120
70000	요일반검사10종	Random Urine	누225다	D2253003		24.59	2,000	2,000	22.73	1,900	1,900
71010	요충란검사(Scotch tape)	Other	누640다	D6403003		20.32	1,650	1,650	22.20	1,850	1,850
70015	요침사검사	Random Urine	누220가	D2201013		15.36	1,250	1,250	14.54	1,210	1,210
27581	유전성 난청 유전자검사(급여)	EDTA Blood	나580나	C158101C		1,102.95	89,780	89,780	1,102.95	91,990	91,990
11202	이상지질혈증 profile	SST Serum	누261가외	D2611003외		-	65,380	65,380	-	66,420	66,420
10640	임신성당뇨100g부하시험	NaF Plasma	누302나외	D3022003외		-	5,160	5,160	-	5,040	5,040
10650	임신성당뇨50+100부하시험	NaF Plasma	누302나외	D3022003외		-	6,450	6,450	-	6,300	6,300
80750	자궁경부암 검사(2종)	Cervix	나562나외	C5624008외		-	86,600	86,600	-	88,330	88,330
81316	전자현미경검사	Tissue	나565	C5650008		1,421.25	115,690	115,690	1,488.87	124,170	124,170
80093	절제조직 외부표본판독(비종양성) Le	Other	나560주4	C1561008		49.35	4,020	4,020	50.39	4,200	4,200
82042	조직 Level A Slide 판독	Tissue	나560	C1561008		49.35	4,020	4,020	50.39	4,200	4,200
82041	조직 Level B Slide 판독	Tissue	나560주4	C1562008		74.03	6,030	6,030	75.58	6,300	6,300
80082	조직병리검사[1장기당]외부슬라이드	Other	나560주4	C1562008		74.03	6,030	6,030	75.58	6,300	6,300
80670	조직전자현미경검사	Other	나565	C5650008		1,421.25	115,690	115,690	1,488.87	124,170	124,170
80020	체액세포병리검사	Sputum	나562가(2)	C5622008		128.34	10,450	10,450	133.90	11,170	11,170
80021	체액세포병리검사(Cytospin)	Random Urine	나562가(2)	C5627008		133.67	10,880	10,880	139.46	11,630	11,630
82070	탈회(Decalcification)	Tissue	나560주3	C5600008		52.77	4,300	4,300	56.41	4,700	4,700
42304	폐렴 원인균 선별검사	Sputum	누680가	D680104C		814.39	66,290	66,290	803.68	67,030	67,030
31160	혈액점도검사 (스캐닝모세관법)	EDTA Blood	누400나	D400100C		289.34	23,550	23,550	289.34	24,130	24,130
31161	혈액점도검사 (콘플레이트회전법)	EDTA Blood	누400다	D400200C	급여전환	-	-	40,000	229.38	19,130	19,130
30261	혈액형 아형검사	복수검체	누150외	D1502003외		-	28,770	28,770	-	25,020	25,020
70700	형기성 배양	Other	누581나	D5820003		170.18	13,850	13,850	170.98	14,260	14,260
42315	호흡기바이러스 15종 PCR	비인후/인후도찰물	누680나	D680206C		958.61	78,030	78,030	925.92	77,220	77,220
42252	호흡기바이러스 culture 2종	Other	누652가	D652100C		-	94,000	94,000	-	96,480	96,480
42253	호흡기바이러스 culture 3종	Other	누652가	D652100C		-	141,000	141,000	-	144,720	144,720
42254	호흡기바이러스 culture 4종	Other	누652가	D652100C		-	188,000	188,000	-	192,960	192,960
42255	호흡기바이러스 culture 5종	Other	누652가	D652100C		-	235,000	235,000	-	241,200	241,200
80030	흡인세포병리검사	Thyroid	나562가(3)	C5623008		192.24	15,650	15,650	200.57	16,730	16,730
71100	흡충란검사 (Trematodes)	Stool	누640라	D6404003		49.35	4,020	4,020	48.78	4,070	4,070